



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.


About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

University of Virginia Library
A 1.10: 1919
ADOC Yearbook of agriculture / Unit



RX 001 723 944



A 1.10:1919

YEARBOOK

OF THE

UNITED STATES
DEPARTMENT OF
AGRICULTURE

1919



**Agriculture is the foundation of
Manufacture and Commerce**

WASHINGTON
GOVERNMENT PRINTING OFFICE
1920

[ACT JANUARY 12, 1895, CHAP. 23, 28 STAT., 612.]

* * * * *

[AN ACT Providing for the public printing and binding and the distribution of
public documents.]

* * * * *

Section 73, paragraph 2:

The Annual Report of the Secretary of Agriculture shall hereafter be submitted and printed in two parts, as follows: Part One, which shall contain purely business and executive matter which it is necessary for the Secretary to submit to the President and Congress; Part Two, which shall contain such reports from the different Bureaus and Divisions, and such papers prepared by their special agents, accompanied by suitable illustrations, as shall, in the opinion of the Secretary, be specially suited to interest and instruct the farmers of the country, and to include a general report of the operations of the Department for their information. There shall be printed of Part One, one thousand copies for the Senate, two thousand copies for the House, and three thousand copies for the Department of Agriculture; and of Part Two, one hundred and ten thousand copies for the use of the Senate, three hundred and sixty thousand copies for the use of the House of Representatives, and thirty thousand copies for the use of the Department of Agriculture, the illustrations for the same to be executed under the supervision of the Public Printer, in accordance with directions of the Joint Committee on Printing, said illustrations to be subject to the approval of the Secretary of Agriculture; and the title of each of the said parts shall be such as to show that such part is complete in itself.

ORGANIZATION OF U. S. DEPARTMENT OF AGRICULTURE.

CORRECTED TO MARCH 1, 1920.

Secretary of Agriculture, EDWIN THOMAS MEREDITH.
Assistant Secretary of Agriculture, JAMES R. RIGGS.
Assistant to the Secretary, FLOYD R. HARRISON.
Private Secretary to the Secretary, HARRISON F. FITTS.
Solicitor, WILLIAM MARTIN WILLIAMS.
Chief Clerk, R. M. REESE.
Office of Farm Management, HENRY C. TAYLOR, *Chief*.
Weather Bureau, CHARLES F. MARVIN, *Chief*.
Bureau of Animal Industry, JOHN R. MOHLER, *Chief*.
Bureau of Plant Industry, WM. A. TAYLOR, *Plant Physiologist and Pathologist and Chief*.
Forest Service, HENRY S. GRAVES, *Forester and Chief*.
Bureau of Chemistry, CARL L. ALSBERG, *Chemist and Chief*.
Bureau of Soils, MILTON WHITNEY, *Soil Physicist and Chief*.
Bureau of Entomology, L. O. HOWARD, *Entomologist and Chief*.
Bureau of Biological Survey, EDWARD W. NELSON, *Biologist and Chief*.
Division of Accounts and Disbursements, A. ZAPPONE, *Chief and Disbursing clerk*.
Division of Publications—including Offices of Information, Exhibits, Motion Pictures, etc.—EDWY B. REID, *Chief*.
Bureau of Crop Estimates, LEON M. ESTABROOK, *Statistician and Chief*.
States Relations Service, A. C. TRUE, *Director*.
Bureau of Public Roads, THOMAS H. MACDONALD, *Chief*.
Bureau of Markets, GEORGE LIVINGSTON, *Chief*.
Insecticide and Fungicide Board, J. K. HAYWOOD, *Chairman*.
Federal Horticultural Board, C. L. MARLATT, *Chairman*.
Librarian, CLARIBEL R. BARNETT.

CONTENTS.

| | Page. |
|--|-------|
| Report of the Secretary of Agriculture..... | 9 |
| Prewar Crop Estimates in Germany. By Alonzo Englebert Taylor.. | 61 |
| Progress in Eradicating Contagious Animal Diseases. By John R. Mohler..... | 69 |
| Community Tile Drainage Construction. By John R. Haswell..... | 79 |
| How to Use Market Stations. By G. B. Fiske..... | 94 |
| Atmospheric Nitrogen for Fertilizers. By R. O. E. Davis..... | 115 |
| Farm Practices in Growing Wheat: A Geographical Presentation. By J. H. Arnold and R. R. Spafford | 123 |
| Three Centuries of Tobacco. By George K. Holmes..... | 151 |
| The Open Road through the Nation's Forest. By John L. Cobbs, jr.. | 177 |
| Influence of Depreciation of Exchange on Agricultural Production. By Alonzo Englebert Taylor..... | 189 |
| Practical Points in Hog-Cholera Control. By T. P. White..... | 197 |
| Marketing and Purchasing Demonstrations in the South. By Bradford Knapp..... | 205 |
| Electric Light and Power in the Farm Home. By A. M. Daniels.... | 223 |
| Federal Supervision of Live-Stock Markets. By Louis D. Hall.... | 239 |
| Cooperative Improvement of Citrus Varieties. By A. D. Shamel... | 249 |
| The Toll of Tuberculosis in Live Stock. By J. A. Kiernan and L. B. Ernest..... | 277 |
| The Reorganization of the Country School. By Alvin Dille..... | 289 |
| Common Sense in Poultry Keeping. By Rob R. Slocum..... | 307 |
| Why Produce Inspection Pays. By H. E. Kramer and G. B. Fiske.. | 319 |
| Home Production of Lime by the Farmer. By C. C. Fletcher..... | 335 |
| What the Farmer Should Expect from the Seedsman. By Edgar Brown..... | 343 |
| Harnessing Heredity to Improve the Nation's Live Stock. By D. S. Burch..... | 347 |
| The Fight against the Pink Bollworm in the United States. By W. D. Hunter..... | 355 |
| Selling Purebred Stock to South America. By David Harrell and H. P. Morgan..... | 369 |
| The Farmers' Purchase Power, How Organized. By J. M. Mehl.... | 381 |
| Live-Stock Drought Relief Work in 1919. By George M. Rommel... | 391 |
| Live-Stock Conditions in Europe. By Turner Wright and George A. Bell..... | 407 |
| Securing a Dry Cellar. By George M. Warren..... | 425 |
| Trapping on the Farm. By Ned Dearborn..... | 451 |
| The Horse Power Problem on the Farm. By Oscar A. Juve..... | 485 |
| Appendix: | |
| Agricultural Colleges in the United States..... | 497 |
| Agricultural Experiment Stations..... | 499 |
| State Officials in Charge of Agriculture..... | 500 |

Appendix—Continued.

| | |
|--|-------|
| State Officers in Charge of Cooperative Agricultural Extension | Page. |
| Work..... | 500 |
| Live-Stock Associations..... | 502 |
| Statistics of Grain Crops, 1919..... | 509 |
| Statistics of Crops Other than Grain Crops..... | 568 |
| Live Stock, 1919..... | 644 |
| Imports and Exports of Agricultural Products..... | 682 |
| Miscellaneous Agricultural Statistics..... | 722 |
| Index..... | 757 |

ILLUSTRATIONS.

| | |
|--|---------|
| Charts showing upward tendency of crop yields per acre..... | 18-21 |
| Eradication of contagious pleuropneumonia..... | 70 |
| Eradication of cattle scabies..... | 71 |
| Eradication of sheep scabies..... | 72 |
| Eradication of bovine tuberculosis in District of Columbia..... | 73 |
| Extent of cooperative tuberculosis-eradication work in the United States..... | 74 |
| Eradication of cattle ticks..... | 74 |
| Suppression of foot-and-mouth disease..... | 75 |
| Extent of hog-cholera losses..... | 76 |
| Two methods of ditching and land benefited by drainage..... | 81 |
| Trenching machine..... | 82 |
| Trenching machines and a drained spot..... | 84 |
| How drainage helps..... | 93 |
| Dealer's display of produce..... | 94 |
| Direct circulation of market news..... | 100 |
| Produce in freight terminal, Cleveland; transferring a shipment, New York; produce warehouse, Baltimore..... | 101 |
| Unloading produce, Pittsburgh; loading potatoes, Boston..... | 102 |
| Market centers in Norfolk, Va..... | 104-105 |
| Monthly average prices of leading crops, 1918-19..... | 110 |
| Maps 1 to 22, showing geographical distribution of various wheat-growing practices.. | 124-147 |
| Typical report as made out by a farmer..... | 125 |
| Lister in operation—Kansas..... | 131 |
| Blinder and header in operation..... | 142 |
| Combine in operation..... | 143 |
| Cradle in use..... | 144 |
| Cody Road in Shoshone National Forest, Wyoming..... | 179 |
| Difficult travel in the mountains of the West..... | 181 |
| Forest roads and a camp in the hills..... | 183 |
| Motoring along the "Top of the World" on the Rabbit Ears Road, Colorado..... | 184 |
| An open road, a road in the making, and a summer camp by the wayside..... | 186 |
| Travelers' registry booth; the "Fourth of July tree"; "fisherman's luck" on a National Forest..... | 187 |
| Burning, a safe way to destroy a diseased hog carcass..... | 201 |
| One method by which hog cholera may be spread..... | 203 |
| Milking by electricity..... | 225 |
| Portable utility motor..... | 226 |
| Motor-driven sewing machine..... | 227 |
| Vacuum cleaner..... | 229 |
| Drop shower and wall switch..... | 231 |
| Labor-savers—motor-driven washing machine and separator..... | 236 |

| | Page. |
|---|-------|
| Electric iron..... | 237 |
| Trend of population and live stock, 1870 to 1919..... | 241 |
| In the stock yards..... | 244 |
| Waiting for a buyer..... | 247 |
| Best strain of the Washington Navel orange..... | 252 |
| Dry strain of the Washington Navel orange..... | 253 |
| Several strains of lemons from the same tree..... | 254 |
| A drone tree..... | 255 |
| A productive lemon tree..... | 256 |
| Orange variations on the same branch..... | 257 |
| Top-worked shade tree (lemon)..... | 258 |
| Good results from top-working..... | 259 |
| Individual-tree numbering..... | 262 |
| Commercial performance record taking..... | 263 |
| Weighing, an essential step..... | 264 |
| Fruit-bearing orange bud wood..... | 267 |
| Fruit-bearing lemon bud wood..... | 269 |
| Strain characteristics revealed in the nursery trees..... | 272 |
| Trees produced from selected buds..... | 273 |
| Barn that housed an 82 per cent tuberculous herd..... | 278 |
| Diseased heifer from a tuberculous herd..... | 280 |
| Herd once diseased—now healthy..... | 282 |
| The old and the new in rural schools..... | 290 |
| Practical instruction in agriculture..... | 296 |
| Applied home economics..... | 298 |
| Going to school a pleasure..... | 304 |
| Mongrel flock..... | 308 |
| Flock of standardbred Barred Plymouth Rocks..... | 309 |
| A profitable hen..... | 310 |
| A less profitable hen..... | 311 |
| Interior of a movable poultry house..... | 312 |
| Suitable feeds for poultry..... | 313 |
| A happy family..... | 314 |
| Proper loading of produce in a car..... | 322 |
| Damage in transit..... | 324 |
| Damaged potatoes..... | 325 |
| Results of improper loading..... | 326 |
| Increase in produce inspections (chart)..... | 332 |
| Location of inspection points (map)..... | 333 |
| Small limestone crusher operated by farm tractor..... | 335 |
| Limestone pulverizer..... | 336 |
| Small stationary plant..... | 337 |
| Portable machine with tractor as power..... | 338 |
| Type of commercial pulverizer..... | 340 |
| First "Better Sires—Better Stock" emblem awarded..... | 350 |
| An unusual grade steer and a purebred yearling boar..... | 351 |
| Pink bollworm injury to top crop of cotton..... | 358 |
| Pink bollworm injury to bolls..... | 361 |
| Injury to partly opened boll..... | 363 |
| Cleaning cotton fields..... | 366 |
| Scenes in Brazil and Argentina..... | 373 |
| First-cross heifer and group of purebred bulls..... | 378 |
| Sheep arriving in Lake County, Minn., from drought area of Northwest..... | 393 |
| Ewes brought from Northwest in July being shipped to market in October..... | 395 |
| Range pasture used by cattle and sheep in Michigan..... | 397 |
| Drought area and area to which cattle and sheep were shipped (map)..... | 398 |
| Native pasture and cut-over range in Michigan..... | 400 |
| Ranch scene in Texas and sheep herder just arrived from Northwest..... | 402 |
| Cut-over range in Minnesota..... | 404 |
| Normandy cow on farm near Caen, France..... | 408 |
| Normandy bull on farm near Cherbourg, France..... | 409 |
| First prize group of mares, Belgian horse show..... | 412 |

| | Page. |
|---|---------|
| Cattle at work in southern Italy..... | 416 |
| Cattle at the Hull live-stock market..... | 418 |
| Cattle on the London markets..... | 420 |
| Four classes of ground and ground water conditions..... | 426 |
| Unsatisfactory cellar wall..... | 427 |
| Inside face of same wall..... | 428 |
| Shedding water from cellar walls..... | 429 |
| Conducting water along a cellar wall..... | 430 |
| How to waste roof water..... | 431 |
| Where roof water worked into the cellar..... | 432 |
| How to lead roof water away from the house..... | 433 |
| Looking across gutter..... | 434 |
| Air-filled space under cellar floors reduces dampness..... | 435 |
| Damp-proofing paint and plaster coat..... | 436 |
| Bituminous or asphaltic coating..... | 437 |
| Damp-proofing the outside of a cellar wall..... | 438 |
| How to drain a cellar site..... | 439 |
| Draining through house sewer—rarely advisable..... | 440 |
| Type of drain that should not be used..... | 441 |
| Sand and stone measuring frames or bottomless boxes..... | 443 |
| Faulty application of the membrane method of waterproofing..... | 446 |
| Correct application of the membrane method of waterproofing..... | 448 |
| Membrane waterproofing..... | 449 |
| Types of traps used for catching small rodents..... | 453 |
| Box trap for catching small animals uninjured..... | 454 |
| Details of construction of box trap..... | 455 |
| Shelter trap for catching cottontail rabbits..... | 456 |
| Traps for catching pocket gophers..... | 457 |
| Trap for disposing of vagrant cats humanely..... | 458 |
| Details of operation of cat trap..... | 459 |
| Great horned owl captured in a small jump trap placed on a post..... | 460 |
| Sieve trap for catching English sparrows..... | 461 |
| Funnel sparrow trap..... | 462 |
| Deadfall and wolf set..... | 463 |
| End-spring steel traps, for larger animals..... | 464 |
| Single and double spring jump traps..... | 465 |
| Diagram to illustrate the Bakken prairie-dog set for catching coyotes..... | 469 |
| Mole traps..... | 471-473 |
| Drying moleskins on a board..... | 474 |
| Box trap for muskrats in narrow streams..... | 475 |
| Cased mink skin on board stretcher..... | 477 |
| Fleshing beam..... | 478 |
| Stretchers for muskrat skins..... | 479 |
| Rabbit skin on wire stretcher..... | 480 |
| How horse labor is distributed through the year (three charts on folder)..... | 486 |
| An operation in which tractor power may release horses for smaller power units..... | 487 |
| Half the work done by 2-horse teams..... | 487 |
| Power requirements vary..... | 487 |
| Size of team used and kind of farm..... | 489 |
| Size of team used and time of year..... | 490 |
| Number of horses per power unit (map)..... | 492 |
| Working time and idle time of horses..... | 493 |

YEARBOOK OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, 1919

REPORT OF THE SECRETARY OF AGRICULTURE.

WASHINGTON, D. C., *November 15, 1919.*

SIR: America during the war helped to save Europe and to preserve civilization by making available to the Allies, through increased production and conservation, large supplies of foodstuffs. But for this contribution it is difficult to see how the Allies could have waged the war to a victorious conclusion. Lacking such support and with their own producing capacity seriously crippled, the German people experienced partial famine conditions; their health and vitality were greatly impaired; and the collapse of their military power was due in no small measure to the shortage of food.

The cessation of hostilities brought no immediate improvement in Europe. On the contrary, in some respects more adverse conditions developed. Revolution became the order of the day; the directing hand of government was removed; discipline was relaxed; the morale, particularly of the people of the Central Powers, was broken; idleness and unemployment prevailed; and in some sections anarchy reigned. It was obvious that Europe could not produce sufficient foods for herself. Her crops had been short for several years and it was scarcely probable that those for 1919 would be greater than the crops of the last year of the war. Quite as unsatisfactory was the live-stock situation. In nine of the western nations the number of cattle had declined more than 7,000,000, sheep 7,500,000, swine 24,500,000, and dairy cows several millions, with a greater proportionate reduction in the volume of products.

Food relief after the armistice was imperative not only for the peoples of the new small friendly nations but also of the enemy countries. It became the key to the whole

situation and to the establishment of a real peace. Europe had to be fed if order was to be restored and if European civilization, and, therefore, that of all the world, including our own, was to be preserved. America had again to assist in saving Europe and herself by supplying food, and that in great abundance. It was estimated that Europe would need to import at least 20,000,000 tons of bread grains alone, and that of this quantity 11,000,000 must come from the United States. It was obvious also that she would call for large imports of meats and fats, and that for months, until shipping expanded again, most of these must be obtained from the United States. This burden America was able to assume because of the achievements of her farmers. The full story can not be told; only the outcome can be suggested.

1919 ACREAGES AND YIELDS.

The farmers of the Nation, in 1919, planted an acreage in leading cereals greater by 33,000,000 than the prewar annual average (1910-1914), which, it is estimated, will yield 635,000,000 bushels more than the prewar average, and increased the number of milch cows over 1914 by 2,700,000, of other cattle by 8,500,000, of swine by 16,700,000, and of horses and mules by 1,000,000, or a total of 28,900,000. The planting operations for the year began before the fighting ceased. The call was still for more wheat. The Department suggested a maximum fall acreage of 47,206,000 acres, an increase of 12 per cent over 1918. There was actually planted 49,261,000, the largest acreage in the Nation's history, 6,960,000 acres more than in 1918 and 15,608,000 more than the five-year average, 1910-1914. The spring-wheat acreage was 22,593,000, while the winter and spring plantings combined amounted to 71,854,000 acres, or 7,200,000 more than the preceding record and 19,400,000 more than the prewar average. It is estimated that the yield will exceed that of 1918 by 1,000,000 bushels

and will be the Nation's second record wheat crop. The estimated corn crop of 2,910,000,000 bushels will be 300,000,000 greater than that of 1918 and only slightly less than the high yields of 1915 and 1917.

If the fighting had continued and the season had been favorable, there is little question that the farmers of the country would have planted an aggregate crop acreage during the winter and spring greater than that for any preceding year in the Nation's history.

Forecasts of meat production for 1919, from partial reports of slaughtering, indicate that the record figure of last year—20,250,000,000 pounds—will be exceeded. The total will probably reach 21,000,000,000 pounds, as follows: Pork, 12,900,000,000 pounds, compared with 11,248,000,000 in 1918 and 8,769,000,000 in 1914; beef, 7,500,000,000 as against 8,500,000,000 in 1918 and 6,079,000,000 in 1914; and mutton 600,000,000 pounds as against 537,000,000 in 1918 and 739,000,000 in 1914.

A rough estimate, based upon the number of milch cows and the census average of milk production per cow, indicates that the number of gallons of milk produced in 1919 will aggregate 8,495,000,000, or 57,000,000 more than in 1918 and 1,029,000,000 more than the average for 1910-1914. The figures for poultry and egg production have not been accurately ascertained, but it is roughly estimated, upon the basis of reported increases from one census to another, that egg production in 1919 will aggregate 1,957,000,000 dozen, as against 1,921,000,000 in 1918 and 1,774,000,000 in 1914, and that the number of poultry raised on farms will approximate 600,000,000.

EXPORTS.

The exports of foodstuffs, enormous during the war, rose greatly between the armistice and midsummer. The annual average exports of important cereals for the five years preceding the war were 162,000,000 bushels. They rose to 517,000,000 in 1915 and aggregated 448,000,000 in 1919. Dairy products, of which 25,000,000 pounds were exported

on the average during the five-year period before the war, increased in volume to 102,400,000 pounds in 1915, 217,500,000 in 1916, 352,000,000 in 1917, 592,000,000 in 1918, and 781,000,000 in 1919; while the exports of meat and meat products were 1,291,000,000 pounds for the five-year average before the war, 1,500,000,000 in 1915, 1,800,000,000 in 1916, 2,300,000,000 in 1918, and 3,300,000,000 in 1919.

The following tables may facilitate the examination of these essential facts:

Acreage of crops in the United States.

[Figures refer to planted acreage for winter wheat and rye.]

| Crop. ¹ | 1919 (unrevised estimate, October, 1919). | 1918 (subject to revision). ¹ | 1917 | 1916 | 1915 | 1914 | Annual average, 1910-1914. |
|-------------------------|---|--|-------------|-------------|-------------|-------------|----------------------------------|
| CEREALS. | | | | | | | |
| Corn..... | 102,977,000 | 107,494,000 | 116,730,000 | 105,296,000 | 106,197,000 | 103,435,000 | 105,240,000 |
| Wheat..... | 71,854,000 | 64,707,000 | 58,366,000 | 56,810,000 | 61,173,000 | 54,661,000 | 52,452,000 |
| Oats..... | 42,169,000 | 44,400,000 | 43,553,000 | 41,527,000 | 40,996,000 | 38,442,000 | 38,014,000 |
| Barley..... | 8,899,000 | 9,679,000 | 8,933,000 | 7,757,000 | 7,148,000 | 7,565,000 | 7,593,000 |
| Rye..... | 6,820,000 | 6,708,000 | 4,480,000 | 3,474,000 | 3,153,000 | 2,733,000 | 2,562,000 |
| Buckwheat. | 943,000 | 1,040,000 | 924,000 | 828,000 | 769,000 | 792,000 | 826,000 |
| Rice..... | 1,091,300 | 1,112,770 | 980,900 | 869,000 | 802,600 | 694,000 | 733,000 |
| Kafirs..... | 5,183,000 | 5,619,000 | 5,153,000 | 3,944,000 | 4,153,000 | | |
| Total..... | 239,936,300 | 240,759,770 | 239,119,900 | 220,505,000 | 224,391,600 | 208,322,000 | 207,420,000 |
| VEGETABLES. | | | | | | | |
| Potatoes.... | 4,003,000 | 4,210,000 | 4,384,000 | 3,565,000 | 3,734,000 | 3,711,000 | 3,686,000 |
| Sweet potatoes..... | 1,023,000 | 922,000 | 919,000 | 774,000 | 731,000 | 603,000 | 611,000 |
| Total..... | 5,026,000 | 5,132,000 | 5,303,000 | 4,339,000 | 4,465,000 | 4,314,000 | 4,297,000 |
| Tobacco.... | 1,774,300 | 1,549,000 | 1,518,000 | 1,413,000 | 1,369,900 | 1,224,000 | 1,209,000 |
| Cotton..... | 32,390,000 | 35,860,000 | 33,841,000 | 34,985,000 | 31,412,000 | 36,832,000 | 35,330,000 |
| Grand to- Total..... | 279,126,600 | 283,330,770 | 279,781,900 | 261,242,000 | 261,638,500 | 250,692,000 | 248,256,000 |

¹ For revised figures, see tables in Appendix.

² Excluding grain sorghums.

Report of the Secretary.

13

Production in the United States.

[The figures are in round thousands, i. e., 000 omitted.]

| Crop. | 1919 (unre- vised estimate Novem- ber, 1919). | 1918 (subject to re- vision). | 1917 | 1916 | 1915 | 1914 | Annual average, 1910- 1914. |
|--|---|--|-----------|-----------|-----------|------------------|--------------------------------------|
| CEREALS. | | | | | | | |
| Corn.....bushels.. | 2,910,250 | 2,582,814 | 3,065,233 | 2,566,927 | 2,994,793 | 2,672,804 | 2,732,457 |
| Wheat.....do..... | 918,471 | 917,100 | 636,655 | 636,318 | 1,025,801 | 891,017 | 728,225 |
| Oats.....do..... | 1,219,521 | 1,538,359 | 1,592,740 | 1,251,837 | 1,549,030 | 1,141,060 | 1,157,961 |
| Barley.....do..... | 198,298 | 256,375 | 211,759 | 182,309 | 228,851 | 194,953 | 186,208 |
| Rye.....do..... | 84,552 | 90,183 | 62,933 | 48,862 | 54,050 | 42,779 | 37,568 |
| Buckwheat.....do..... | 20,120 | 17,182 | 16,022 | 11,662 | 15,056 | 16,881 | 17,022 |
| Rice.....do..... | 44,261 | 40,424 | 34,739 | 40,861 | 28,947 | 23,649 | 24,378 |
| Kaifrs.....do..... | 123,343 | 66,396 | 61,409 | 53,858 | 114,460 | | |
| Total.....do..... | 5,518,816 | 5,508,833 | 5,681,490 | 4,792,634 | 6,010,988 | 4,983,143 | 4,883,819 |
| VEGETABLES. | | | | | | | |
| Potatoes.....bushels.. | 352,025 | 400,106 | 442,108 | 286,953 | 359,721 | 409,921 | 360,772 |
| Sweet potatoes.....do..... | 102,946 | 86,334 | 83,822 | 70,955 | 75,639 | 56,574 | 57,117 |
| B e a n s (commercial), bushels..... | 12,690 | 17,437 | 16,045 | 10,715 | 10,321 | 11,585 | |
| Onions, commercial crop, bushels..... | 10,784 | 13,396 | 12,376 | 8,562 | 7,664 | (¹) | |
| C a b b a g e (commercial), tons..... | 388 | 516 | 475 | 255 | 671 | (¹) | |
| FRUITS. | | | | | | | |
| Peaches.....bushels.. | 51,327 | 34,133 | 45,066 | 37,505 | 64,097 | 54,109 | 43,752 |
| Pears.....do..... | 13,628 | 10,342 | 13,281 | 11,874 | 11,216 | 12,086 | 11,184 |
| Apples.....do..... | 144,429 | 169,911 | 163,117 | 204,582 | 76,670 | 253,200 | 197,898 |
| Cranberries (3 States), barrels..... | 546 | 343 | 249 | 471 | 441 | 644 | |
| MISCELLANEOUS. | | | | | | | |
| Flaxseed.....bushels.. | 9,450 | 14,657 | 9,164 | 14,296 | 14,030 | 13,749 | 18,353 |
| Sugar beets.....tons..... | 7,298 | 5,890 | 5,980 | 6,228 | 6,511 | 5,585 | 5,391 |
| Tobacco.....pounds.. | 1,316,553 | 1,340,019 | 1,249,276 | 1,153,278 | 1,062,237 | 1,034,679 | 991,958 |
| All hay.....tons..... | 103,544 | 90,443 | 98,439 | 110,992 | 107,263 | 88,686 | 81,640 |
| Cotton.....bales..... | 10,696 | 12,041 | 11,302 | 11,450 | 11,192 | 16,135 | 14,259 |
| Sorghum sirup...gallons.. | 23,668 | 29,224 | 37,472 | 13,668 | | | |
| Peanuts.....bushels.. | 44,966 | 54,434 | 52,505 | 35,324 | | | |
| Broom corn (5 States), tons..... | 51 | 58 | 57 | 39 | | | |
| Clover seed.....bushels.. | 967 | 1,102 | 1,488 | 1,706 | | | |

¹ Excludes grain sorghums.

² No estimate.

14 Yearbook of the Department of Agriculture, 1919.

Number of live stock on farms on January 1, 1910-1919.

[The figures are in round thousands, i. e., 000 omitted.]

| Kind. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | Annual average, 1910-1914. |
|-------------------|--------|--------|--------|--------|--------|--------|----------------------------|
| Horses..... | 21,534 | 21,555 | 21,210 | 21,159 | 21,195 | 20,962 | 20,430 |
| Mules..... | 4,925 | 4,873 | 4,723 | 4,593 | 4,479 | 4,449 | 4,346 |
| Milch cows..... | 23,467 | 23,310 | 22,894 | 22,108 | 21,262 | 20,737 | 20,676 |
| Other cattle..... | 44,399 | 44,112 | 41,689 | 39,812 | 37,067 | 35,855 | 38,000 |
| Sheep..... | 49,863 | 48,603 | 47,616 | 48,625 | 49,956 | 49,719 | 51,929 |
| Swine..... | 75,587 | 70,978 | 67,503 | 67,766 | 64,618 | 58,933 | 61,865 |

Estimated production of meat, milk, and wool.

[The figures are in round thousands, i. e., 000 omitted.]

| Product. | 1919 | 1918 | 1917 | 1916 | 1914 | 1909 |
|---|------------|------------|------------|------------|------------|------------|
| Beef ¹pounds.. | 7,500,000 | 8,465,000 | 7,384,007 | 6,670,938 | 6,078,908 | 8,138,000 |
| Pork ¹do..... | 12,868,000 | 11,248,000 | 8,450,148 | 10,587,765 | 8,768,532 | 8,199,000 |
| Mutton and goat ¹do..... | 637,000 | 537,000 | 491,205 | 633,969 | 739,401 | 615,000 |
| Total.....do..... | 21,005,000 | 20,250,000 | 16,325,360 | 17,892,672 | 15,586,841 | 16,952,000 |
| Milk ²gallons.. | 8,495,000 | 8,438,000 | 8,288,000 | 8,003,000 | 7,507,000 | 7,466,406 |
| Wool (including pulled wool), pounds..... | 308,459 | 298,870 | 281,892 | 288,490 | 290,192 | 289,420 |
| Eggs produced ³dozen.. | 1,957,000 | 1,921,000 | 1,884,000 | 1,848,000 | 1,774,000 | 1,591,000 |
| Poultry raised ⁴number.. | 600,000 | 589,000 | 578,000 | 567,000 | 544,000 | 488,000 |

¹ Estimated for 1914-1918 by the Bureau of Animal Industry. Figures for meat production for 1919 are tentative estimates based upon 1918 production and a comparison of slaughter under Federal inspection for 6 months of 1919 with the corresponding 6 months in 1918.

² Estimated for 1914-1919 by assuming 362 gallons as the average yearly production of milk per cow. This average is given in the census for 1909.

³ Estimated by assuming a constant increase since 1910.

⁴ Annual averages for 1910-1914: Eggs, 1,695,000,000 dozen; poultry, 522,000,000.

Exports of live stock from the United States.

[Bureau of Foreign and Domestic Commerce, United States Department of Commerce.]

| Kind. | Annual average, 1910-1914. | Fiscal year ending June 30— | | | | | Three months, July to September, 1919. |
|-------------|----------------------------|-----------------------------|-----------------|-----------------|----------------|----------------|--|
| | | 1915 | 1916 | 1917 | 1918 | 1919 | |
| Horses..... | Number. 28,073 | Number. 289,340 | Number. 357,553 | Number. 278,674 | Number. 84,765 | Number. 22,776 | Number. 5,971 |
| Mules..... | 5,125 | 65,788 | 111,915 | 136,689 | 28,879 | 4,893 | 906 |
| Cattle..... | 88,225 | 5,484 | 21,287 | 13,387 | 18,213 | 18,376 | 20,803 |
| Sheep..... | 522,505 | 182,278 | 231,535 | 58,811 | 7,959 | 152,000 | 14,186 |
| Swine..... | 11,191 | 7,799 | 22,048 | 21,926 | 9,280 | 10,122 | 2,285 |

Exports of domestic foodstuffs and cotton from the United States—Continued.

| Article exported. | Annual average, 1910-1914. | Year ending June 30— | | | | | 1919 | | Three months, July to September, 1919. |
|---------------------------------------|----------------------------|----------------------|---------------|---------------|---------------|---------------|------------------------|-------------|--|
| | | 1915 | 1916 | 1917 | 1918 | Amount. | Per cent of 1910-1914. | | |
| | | | | | | | | | |
| Meat and meat products: | | | | | | | | | |
| Canned beef..... pounds. | 9,362,122 | 75,243,261 | 50,803,765 | 67,536,125 | 97,366,983 | 108,489,472 | 1,155.1 | 9,500,174 | |
| Fresh beef..... do. | 29,452,302 | 170,440,934 | 231,214,000 | 197,177,101 | 370,057,514 | 332,205,176 | 1,127.9 | 24,041,841 | |
| Pickled beef..... do. | 32,893,172 | 31,874,743 | 38,114,682 | 58,063,667 | 54,867,310 | 45,067,861 | 137.0 | 9,338,564 | |
| Oleo oil..... do. | 280,224,505 | 80,481,946 | 102,645,914 | 67,110,111 | 56,648,102 | 59,062,322 | 21.1 | 18,626,949 | |
| Bacon..... do. | 182,474,092 | 346,718,227 | 579,808,786 | 667,151,972 | 815,319,424 | 1,239,540,973 | 679.3 | 259,009,482 | |
| Hams and shoulders..... do. | 166,813,134 | 203,701,114 | 282,208,611 | 266,656,581 | 419,571,890 | 667,848,019 | 400.4 | 105,809,800 | |
| Pickled pork..... do. | 48,274,929 | 45,655,574 | 63,460,713 | 46,992,721 | 33,221,502 | 31,504,497 | 65.3 | 7,362,746 | |
| Lard..... do. | 474,354,914 | 475,531,908 | 427,011,338 | 444,769,540 | 392,498,435 | 725,577,868 | 153.0 | 154,092,726 | |
| Lard compounds..... do. | 67,318,857 | 69,980,614 | 52,843,311 | 56,359,463 | 31,278,382 | 131,750,503 | 195.7 | 19,030,447 | |
| Total meat and meat products..... do. | 1,291,198,027 | 1,499,628,321 | 1,838,111,120 | 1,871,807,311 | 2,270,829,321 | 3,341,076,961 | | 606,812,729 | |
| Cotton..... do. | 4,419,802,157 | 4,403,578,499 | 3,084,070,126 | 3,088,080,796 | 2,320,511,665 | 2,733,683,125 | 61.9 | 632,449,973 | |

VALUES.

On the basis of prices that have recently prevailed, the total value of all crops produced in 1919 is \$15,873,000,000, compared with \$14,222,000,000 for 1918; \$13,479,000,000 for 1917; \$9,054,000,000 for 1916; \$6,112,000,000 for 1914; and \$5,827,000,000 for the five-year average, 1910-1914. These values represent gross production and not net returns to the producer. The value of live stock on farms in 1919 was \$8,830,000,000, compared with \$8,284,000,000 in 1918; \$6,736,000,000 in 1917; \$6,021,000,000 in 1916; \$5,890,000,000 in 1914; and \$5,318,000,000 for the five-year average, 1910-1914.


This increased financial showing, it is again necessary to emphasize, does not mean that the Nation is better off to that extent or that its real wealth has advanced in that proportion. Considering merely the domestic relations, the true state is indicated rather in terms of real commodities, comparative statements of which are given in the foregoing tables. The increased values, however, do reveal that the monetary returns to the farmers have increased proportionately with those of other groups of producers in the Nation and that their purchasing power has kept pace in the rising scale of prices.



PROGRESS OF AMERICAN AGRICULTURE.




The results of agricultural operations during the war furnish guaranty of the ability of the present farm population of the country, with the area now in farms and in the existing state of agricultural science and practice, to meet the Nation's necessities for the near future if the requisite incentives are furnished. But there are reasons for further optimism. As has been repeatedly pointed out, we still have a large area of untouched tillable land. This is somewhat generally understood, but it is not so well known that, as the result of improved processes and better practices in all sections, there has been an upward tendency in the acre yields. As a matter of fact, the view seems more frequently to be expressed



that in this respect American agriculture has deteriorated. The facts disprove this, and in no part of the Union more strikingly than in the older regions, such as the New England and North Atlantic States.

Crop yields per acre in the United States show an upward tendency during the period for which we have reliable comparable statistics. The average rate of increase for the past 25 years has been about one-half of 1 per cent a year. This gain is not readily observed from one year to another, owing to the wide yearly fluctuations in yield. But when averages for a series of years are obtained, the effect of the seasonal variations is largely neutralized and the general trend is clear. The upward tendency is shown graphically in the following charts:









During the decades of the seventies and eighties, when there was a vast expansion of farm area in the West and crops were grown on a more and more extensive scale, the

tendency of crop yields per acre was downward. Since the early nineties, however, the movement has been upward.

In the decade of the eighties, that is, for the 10 years ending with 1890, the average yield per acre of wheat in the United States was 11.84 bushels; for the past 10 years, that is, for the 10 years ending in 1918, it was 14.87—an increase of 25 per cent.

For the 10 years ending in 1890 the average yield of corn in the United States was 23.43 bushels; in the 10 years ending in 1918 it was 25.81—an increase of 10 per cent.

The oats yield in the 10 years ending in 1890 averaged 25.92 bushels, but in the 10 years ending in 1918 it was 32.17—a gain of 24 per cent.

The potato crop averaged 72.97 bushels per acre for the 10 years ending in 1890, and 96.84 for the last 10 years—an increase of nearly one-third.

By a like comparison, it may be observed that the hay yield rose from 1.193 tons per acre to 1.432—an increase of 20 per cent.

Cotton, notwithstanding the ravages of the boll weevil, increased from an average of 169.78 pounds in the decade ending in 1890 to 175.73 in the last decade—a gain of 3.5 per cent.

Other field crops have likewise shown greater yields. The average increase per acre of all crops in the 10 years ending in 1918, compared with the 10 years ending in 1890, was about 16 per cent.

The tendency toward enlarged output per acre is general throughout the United States; it is not due to a shifting of production from one section to another. For example, in the old agricultural State of New York the increases for the two periods mentioned above were as follows: Corn 24 per cent, wheat 44, oats 21, barley 24, buckwheat 43, potatoes 30, hay 10, average of all (weighted) 18 per cent. The facts for the New England States may appeal to many as even more striking and significant. For the six New England

States, the following gains are shown in the 10-year period, 1909-1918, over the average for 1866-1875: Corn 33 per cent, wheat 63, oats 25, barley 27, rye 27, buckwheat 17, potatoes 27, hay 24, and all field crops 25 per cent; and for the 10 years, 1909-1918, over the average for 1881-1890: Corn 38 per cent, wheat 60, oats 24, barley 29, rye 44, buckwheat 45, potatoes 69, hay 23, and all field crops 26 per cent. For convenience of comparison, the accompanying table is inserted.

Comparison of crop yields in six New England States.

| Crops. | Percentage increase in average yields per acre during 10 years, 1909-1918, over— | |
|---------------------------------|--|-----------------------------|
| | 10-year average, 1866-1875. | 10-year average, 1881-1890. |
| Corn..... | 33 | 38 |
| Wheat..... | 63 | 60 |
| Oats..... | 25 | 24 |
| Barley..... | 27 | 29 |
| Rye..... | 27 | 44 |
| Buckwheat..... | 17 | 45 |
| Potatoes..... | 27 | 69 |
| Hay..... | 24 | 23 |
| All field crops (weighted)..... | 25 | 26 |

The gains noted are real; that is, they are not due to changes in statistical method. They are observed in the official statistics of most foreign countries, as well as in those of the United States.

The increased production per acre shown is due, in considerable measure, to the practice of better agricultural methods, including the use of more efficient farm machinery; better knowledge and fuller adoption of crop rotations; planting of crops better adapted to prevailing climatic conditions; development and adoption of varieties more resistant to plant diseases and insect pests; more general application of disease and insect control measures; increased and

more intelligent use of fertilizers; and improved efficiency in crop production generally.

FOREIGN YIELDS ALSO INCREASED.

Not only in the United States, but in most civilized countries of the world, the yield per acre has been tending upward in recent years. This is noted in respect to wheat in practically all wheat-growing countries. If we compare the average wheat yields per acre in the 10-year period, 1891-1900, with those in 1901-1910, we find that in the United Kingdom there has been an improvement of 6 per cent, that is, from 30.1 to 31.9 bushels; in the Netherlands, of 19 per cent, or from 27.7 to 33; in New Zealand, of 28 per cent, or from 24.6 to 31.5; in Sweden, of 14 per cent, or from 24.2 to 27.6; in Germany, of 23 per cent, or from 23.6 to 29.1; in Ontario, of 12 per cent, or from 19.4 to 21.8; in Manitoba, of 7 per cent, or from 17 to 18.2; in France of 8 per cent, or from 18.1 to 19.5; in Hungary, of 3 per cent, or from 17.3 to 17.8; in Japan, of over 2 per cent, or from 17 to 17.4; in Poland, of 3 per cent, or from 15.5 to 15.9; in Roumania, of 21 per cent, or from 14 to 16.9; in the United States, of 8 per cent, or from 12.9 to 13.9; in India, of 16 per cent, or from 9.7 to 11.3; in Caucasia, of 18 per cent, or from 9.5 to 11.2; in Russia, excluding Poland and Caucasia, of 14 per cent, or from 8.3 to 9.5 bushels. These countries are given in the order of their relative rank in yield per acre during the period 1891-1900. Satisfactory comparative data are not available for Argentina. Similar gains have been observed in other crops.

The average yields in the United States are frequently compared with the much larger yields in some European nations. In Belgium the average yield is about double that in the United States; in the United Kingdom, more than 60 per cent greater, and in France, nearly 15 per cent. It should be borne in mind, however, that the energy of each American farmer is spread over a larger area and that, although he produces less per acre, he produces much more

per man. The total output of the average farmer is probably greater in the United States than in any other country in the world. Thus, in Belgium, with its intensive system of farming, only about 5.3 acres are cultivated for each person engaged in agriculture, whereas, in the United States, the corresponding figure is 27 acres. Taking both acreage and yield per acre into consideration, the average American farmer produces 2.5 times as much as the average Belgian farmer; 2.3 times as much as the English; 3.2 times as much as the French; 2.5 times as much as the German; and over 6 times as much as the Italian.

For many years to come the average yield per acre in the United States may be expected to increase, although the total output per man may diminish. This country has a long distance to go before it comes in sight of its limit of farm production. It can further increase its output of commodities by continuing to secure increased yields per acre. It has been estimated by experts that only about 15 per cent of the land in cultivation is yielding reasonably full returns. The opportunity is presented, as conditions warrant, to bring the remaining 85 per cent up to the point of fair yield. One of the objectives of all good farmers and of the agricultural agencies assisting them is to promote increased yields along economic lines by the further application of scientific knowledge and the adoption of improved practices. The path of progress is pretty well charted and the agricultural forces are moving along it with gratifying speed. However, the maintenance of satisfactory increases necessitates the continuance and enlargement of investigational work, particularly such as is required to insure fuller control of destructive plant diseases and insect pests.

FARM LAND PROBLEMS.

The Nation can further expand its output of commodities by cultivating the tillable land which at present is unused, estimated to be over 60 per cent of the total. But there has

been no such full consideration of the policy which should be pursued in reference to the extension of the farm area as has been given to economical production. Since the Nation now retains but little land of ready availability, agricultural expansion will result mainly from efforts to utilize and to increase the productivity of farm lands now owned by individuals, corporations, and the States.

A number of important questions must be answered: How rapidly should new areas be developed? What means should be employed to bring new lands into use, so that settlers may achieve success, employ sound methods of husbandry, and establish a wholesome community life? What is the significance of the increase of tenancy and what may be done to establish a system of land tenure which will insure good farming and a sound and democratic foundation for American agriculture? What is the bearing of the increasing prices of land and the resulting speculation on the progress of agriculture and the welfare of the farmer?

EXPANSION OF AREA IN FARMS.

The expansion of the Nation's agriculture is limited by the supply of labor and capital available for farming purposes rather than by the scarcity of undeveloped lands. It is true that, in general, the best land is already in cultivation, but without question much of the remainder can be tilled when the country reaches the economic stage which would justify its utilization.

There are numerous fallacious opinions with respect to the need of extending the farm area. Many people, noting the prevailing prices of agricultural products, demand increased production and insist that the remedy lies in immediate and rapid expansion of the acreage in farms. Others, observing large tracts of unused land, deplore the great waste of our resources. Still others explain the movement of population from rural districts to cities by the nonavailability of land, which they attribute to land monopoly, speculation, and

other evils. The demand for farm products, unlike the demand for manufactured articles, does not expand rapidly to meet a large increase in supply. There is a tendency toward an equilibrium between urban and agricultural industry. If too much labor and capital are diverted from farming, the relative prices, and consequently the relative profits, of agricultural activity will increase, and there will be a tendency toward expansion. If this is excessive, however, relative prices and profits will tend to decrease and the industry may suffer depression. The inelasticity of demand for farm products sets a very decided limit at a given time to the increase of population and capital profitably employed in agriculture.

It is not in the interest of producers or consumers to have large fluctuations in agricultural production. There is always danger of glutting the market and of serious loss. The aim rather should be to secure a steady flow of commodities of sufficient volume to supply an increasing demand at prices which will yield the farmer a decent wage and a fair profit on his investment. It seems difficult to get it into the minds of some people that farming is a business and must pay; that under modern conditions there can not be an unlimited number of farmers. There could be a larger proportion of farmers to total population if each farm were self-sufficient and produced no surplus of consequence, but to-day the average farmer produces many times what he consumes of some things and is dependent for his prosperity upon their profitable exchange for other articles which he uses. There should be, and in the long run there will tend to be, no more farmers in the Nation than are needed to produce the quantity of products which can be disposed of at a profit. There will be farmers enough if the business of farming is made profitable and if rural life is made attractive and healthful. The consumers must be willing to pay prices for farm products which will enable farmers to produce them and to maintain a satisfactory standard of individual and commu-

nity life. The Nation also must be prepared to omit nothing to improve the countryside. It is of the first importance that satisfactory schools, with courses of study related to the problems of rural life, be provided, that good roads be constructed, and that adequate provision be made to give rural communities the requisite sanitary and medical services, including hospital facilities. When these requirements are met, we shall not have to concern ourselves as to the number of farmers and the adequacy of our agricultural production. There will then be no difficulty in retaining in the rural districts a sufficient number of contented and efficient people. What we need is not a "back to the land" propaganda, but an acceleration of the movement for the improvement of the countryside which will render the abandonment of farms unnecessary and the expansion of farming inevitable.

There is reason to believe that a considerable expansion in farm-land area occurred during the war. The acreage devoted to the 19 principal crops increased 10.1 per cent from 1914 to 1918. Accordingly, the crop area per capita increased from 3.22 acres in 1914 to 3.33 in 1918, or 3.4 per cent. This expansion probably resulted in part from the use for crops of land normally devoted to other purposes, especially to pasture. However, it seems to indicate that the farming industry has more than held its own during the period. This conclusion is confirmed by an increase not only in the per capita production of nearly all the important crops, but also, according to a recent report, in the number of cattle and swine per capita. Moreover, estimates for milk, eggs, and poultry indicate an increase in per capita production during the war. In view of these facts, it probably would be unwise to stimulate a large increase in the per capita farm acreage at the present time, especially where such an increase would have to be effected by utilizing land which is inferior or which would be made available at a heavy outlay for drainage, irrigation, or clearing. Apparently, therefore, American agriculture should consolidate

the gains already made; prepare for the period of competition which is to be expected with the return of normal world conditions, principally by increasing, through sound and economical methods, the productivity of areas already under cultivation; and utilize the services of the most experienced and judicious agricultural leaders in determining where, when, and how to bring into cultivation and develop public and private unused land.

The best experts of the Federal department and of the agricultural colleges should make a careful investigation of the possibilities of utilizing land not now devoted to agriculture. In respect to the 200,000,000 acres of cut-over land, the 60,000,000 requiring drainage, and the 30,000,000 which may be irrigated, there is great variation from district to district as to the possibility of economic use. Distinctive regions should be fully studied with a view to assemble all existing data on productivity, cost of making the land available, present tenure and prices, type of agriculture best adapted to the conditions, possible returns, minimum size of farms capable of supporting families in reasonable comfort, minimum equipment needed at the beginning of settlement, sources of credit, and marketing and transportation facilities.

LAND SETTLEMENT.

At present various private agencies are engaged in promoting land settlement. Many of them are honest in intention, promise, and practice; others keep within the letter of the law but, through exaggeration and indirection of statement, create false impressions in the mind of the settler. Many violate no canon of fair business practice, but their interest is in profits and they do not pursue a policy calculated to develop a profitable and wholesome community life. Only a few have made careful studies of the conditions of successful settlement and developed their business with a view to the settlers' progress and success.

Practically all are seeking to realize the highest possible price for their undeveloped holdings, and the settler is compelled to face the problem of adjustment to pioneer conditions while carrying a burden of land value which often represents, in part, the capitalization of a future increase in earning power.

The intending settler of small means is rarely able to distinguish between the good and bad methods of selling land in new regions. The more unscrupulous the land company the more lurid are its advertisements and the more extravagant its promises. Settlers often are induced to invest all their savings in land not suitable for successful farming, to purchase more land in relation to the capital available for development than they should, or to undertake projects the cost of clearing or reclamation of which will prove to be prohibitive. The results, in many instances, have been tragic failures after years of incredible hardships, waste of capital and of human lives, discouragement of intending settlers, and injury to the business of legitimate and well-meaning land concerns.

It would be desirable if governmental agencies, by systematic aid, should furnish reliable information to those seeking farms, should take particular pains, through their agricultural machinery, to give new settlers very special assistance and guidance, and, where conditions are favorable, should aid in the development of well-considered settlement plans.

TENANCY.

The increase of tenancy has become the subject of deep concern to thoughtful students of rural conditions. The tenant, on an average, remains on the same farm only about one-sixth as long as the owning farmer. Consequently, he often manifests little interest in the improvement of the farm and in the progress of the community. A certain proportion of tenants is normal and may not be unwholesome. Many farm owners, because of age or infirmity, find it necessary to

retire. Their farms are temporarily operated by their sons or other relatives who subsequently may become owners through inheritance or purchase. Large numbers of young men with little capital find tenancy a convenient stage in their progress to ownership. Certain local studies reveal the fact that nearly two-thirds of the farm owners who operate their farms have passed through this stage. Frequently it serves as a useful period of apprenticeship in farm management before the heavier financial burdens of ownership are assumed.

In a great many cases the farmer has not yet acquired sufficient experience as a manager to operate his farm efficiently without the assistance of the landlord. In some instances, also, the tenant has been reared in an environment characterized by lack of thrift, self-restraint, and systematic industry. He may not have the general intelligence or technical knowledge to stand alone in the management of a farm. Where these personal limitations exist the solution of the problem lies in education, training, and the development of systematic habits of industry and thrift rather than in radical changes in the system of tenure.

Since there will continue to be a certain number of tenants, every effort should be made to change the conditions of leasing so as to improve the methods of agriculture, increase the period of occupancy, and insure a fair division of returns; and the States should provide by law for a system of compensation by owners to tenants for unexhausted improvements and set up the necessary administrative machinery. Such arrangements have prevailed in England for many years to the benefit of all concerned.

Although landlords may, and often do, play an important part in financing and in operating farms, there are large numbers who live at a distance and who contribute nothing toward their efficient utilization or improvement. Moreover, they often fail to interest themselves in promoting the progress of the community in which their land is situated, although they benefit by such progress. Land, however, is peculiarly

important to all the people and the welfare and prosperity of the community, as well as its economic and social progress, depend so vitally on its use and the relationship of the population to it that serious thought must be given to the problem of limiting absentee ownership.

The endeavor to develop a more harmonious and efficient relation between tenant and landlord and to restrict absentee landlordism does not obviate the necessity of taking measures to retard the increase of tenancy. The road to farm ownership should be made as smooth as possible. This may be accomplished in part by providing more liberal credit facilities. The Federal Farm-Loan System has furnished a means whereby farmers may conveniently borrow under the conservative conditions of first-mortgage security. However, an analysis of the amount loaned shows that only a small proportion of the net proceeds was ostensibly obtained for the purchase of farms.

In some sections the growth of tenancy has been stimulated by the fact that the price of land has been higher than the level justified by current earnings. Consequently, it has been more profitable to rent than to buy unless one wished to speculate in land values. Recently there has been a tendency for prices to increase with extreme rapidity. There has been active, and in many respects unwholesome, speculation which has profited mainly the real estate agents. A heavy charge, therefore, has been placed against the earnings of the land on the assumption of the continuance of war prices. The advancing price of land is especially serious in the case of the undeveloped regions of the country. It constitutes an obstacle to development, for the actual settler is compelled to assume at the outset unduly heavy interest charges.

EXTENSION OF FORESTRY.

The continued dissipation of privately owned forests in every timber-producing region of the country is a matter of grave concern. The public does not fully realize its

seriousness. If the area having little or no value for other than forest purposes is not protected, much of it will become practically nonproductive. Millions of acres in the older parts of the country where supplies of timber are needed by the communities have become almost valueless. Where the land is not valuable for agriculture large-scale lumbering operations are followed by local industrial depression, the timber industries migrate, population decreases, farmers lose their local market, taxable values decline, schools and roads deteriorate, and the economic and social life of the community suffer.

The problem presented is very difficult. Public forests are confined to relatively limited areas, except in the West. These will by no means supply the future needs of the country. At present the greater part of the lumber produced annually is cut from private lands on which the appearance of new growth is at best a matter of accident, is likely to be long delayed, or may never occur. Without concerted action under public cooperation and direction the problem will not be solved. Private initiative can not be depended upon to secure the requisite conservation.

The preservation of forests in all forest regions is of immediate concern and importance to farmers. Timber is an important farm crop. Farm woodlands comprise about 20 per cent of the farm area of the country. At the last census the value of the products from them was greater than that of the potato crop and nearly double that of the tobacco yield. Forestry, therefore, must be assigned a place in farm management. Farmers also are vitally concerned with national forestry problems. They consume more wood than any other group and they are interested in seeing that there is available, at reasonable prices, a continuous supply of lumber and other forest products. A sound forestry policy does not conflict with agricultural settlement. In fact, it facilitates the cultivation of land

suitable for agriculture, and also seeks to secure the proper handling of existing forests and the reforestation of denuded regions. On the other hand, forest devastation retards agricultural development.

NECESSARY STEPS.

Certain things seem clear. Fire is a great menace not only on forested but also on cut-over areas. Adequate protection, therefore, should be required of all owners. The public, through both the State and Federal Governments, should cooperate in organizing this service and should share the cost of maintaining it. It should also adopt such practical measures as may be necessary to bring about the discontinuance of all practices which result in turning the forests into wastes, and should aid private owners to perpetuate their forests by proper management. A well-balanced policy requires a much larger program of publicly owned forests than at present. The acquisition of forest lands by the Federal Government is now proceeding under the Weeks forestry law. The total area approved for purchase to date is 1,835,298 acres. The continuation of the policy is sought by the National Forest Reservation Commission, and an estimate of an appropriation of \$10,000,000 will be placed before the Congress. And, furthermore, the consolidation of National Forest areas through exchange with private owners should be accelerated. There are now pending no less than 25 bills authorizing exchanges, and the enactment of a general law would be in the public interest. There is a growing demand for additions to the National Forests from the public lands in the States where such action is possible only through legislation. Recently a law authorizing the addition of 1,000,000 acres to the National Forests in central Idaho has been enacted.

Good forestry practice rests upon the possession of full and accurate data. Our present knowledge of the methods of securing the largest yields is inadequate. There is need

of further information regarding the amount, quality, and distribution of existing timber supplies. A detailed inventory of our present resources and a survey of present and prospective needs are essential for constructive planning.

FARM MANAGEMENT AND FARM ECONOMICS.

Until comparatively recently studies in farm economics were neglected. In the last 10 or 15 years it has come to be recognized that the prosperity of the farmer depends as much upon good business methods as upon his practices in plant culture and animal husbandry. In 1906 the Department of Agriculture inaugurated investigations in farm management, which remained in the Bureau of Plant Industry until 1915, when the Office of Farm Management was established as a branch of the Office of the Secretary. During the latter part of the calendar year 1918 steps were taken to reorganize the work. At my request, a committee composed of recognized authorities on farm management and agricultural economics made a thorough study of the activities of the office, not only with a view to enlarge the scope and increase the efficiency of the work but also to outline definite methods of procedure to be followed in the study of farm-management problems, and especially the cost of producing agricultural products. The members of this committee were: G. F. Warren, professor of agricultural economics and farm management, State College of Agriculture, Ithaca, N. Y.; Andrew Boss, chief of the division of agronomy and farm management, State College of Agriculture, St. Paul, Minn.; H. C. Taylor, head of the department of agricultural economics, College of Agriculture of the University of Wisconsin, Madison, Wis.; J. A. Foord, professor of farm management, State College of Agriculture, Amherst, Mass.; J. I. Falconer, professor of rural economics, State College of Agriculture, Columbus, Ohio; R. L. Adams, professor of agronomy, State College of Agriculture, Berkeley, Calif.; and G. I. Christie, Assistant Secretary of Agriculture and director of extension in Indiana.

This committee submitted a report to me, which I approved and which has been published as Circular No. 132 of the Office of the Secretary. It not only outlined the field of work of the Office of Farm Management but also recommended that its name be changed to Bureau of Farm Management and Farm Economics, and that the investigations conducted by it be carried on in close cooperation with the agricultural colleges and experiment stations in order to prevent duplication of effort, to promote the development of farm-management activities in the various States, and to unify the methods and improve the general character of all farm-management work. On the basis of these recommendations, separate conferences were held for the purpose of indicating in greater detail the activities proposed by the reorganization committee, and especially to consider the projects relating to cost of production, farm organization, land utilization, and farm life.

These conferences resulted in the following approved projects:

(1) **COST OF PRODUCTION STUDIES.**—The value and importance of such studies are set forth clearly in the report of the reorganization committee, as follows:

Cost of production studies are of value to the individual farmer and, at the same time, are helpful in ascertaining the economic status of farming as an industry.

From the standpoint of the individual farmer the primary purposes are:

- (1) To record the details of the farm business for reference.
- (2) To give an insight into the elements and interrelations of the different farm activities.
- (3) To furnish information that may enable the farmer to reduce costs or otherwise increase profits.
- (4) To make possible a comparison of the profitableness of the different enterprises and combinations of enterprises.

The records secured by cost of production studies give data for analyzing the farm business, and thus are of fundamental importance in the whole program of agricultural research and education. The results of such studies on a number of farms where a given type of farming is practiced are useful not only to the farmers from whose farms the results were obtained, but are of value in showing other farmers how to improve their methods.

From the standpoint of the public, cost of production studies provide the facts which give a basis for intelligent judgment upon the probable effects of any given legislation or other public activity upon the farmer as a producer and as a citizen. Cost of production studies are therefore one of the means of providing the basic facts needed by legislators and price commissions in comparing the profits of competing lines of production and estimating necessary price.

(2) **FARM-LIFE STUDIES.**—These studies are to be conducted with a view to make living conditions in the home and in the community more satisfactory to the farm family. They will cover the following topics: Rural home life; opportunities for social contacts in typical rural communities; the relation of educational and religious institutions to farm-life problems; problems relating to geographical population groups, such as the relation of urban and rural populations, the shifting of rural populations, race elements in rural districts; social aspects of tenancy and landlordism; rural organizations, their efficiency, scope, causes of success and failure; social aspects of various types of farm labor—the married and unmarried farm hand, seasonal and child labor; the relation of various forms of disability—the aged, illiterate, defective, dependent, delinquent—to farm-life problems; and the social consequences of local disasters due to natural causes, as well as of thrift and agencies for promoting it.

(3) **LAND ECONOMICS (LAND UTILIZATION)**, involving the consideration of land resources, values, ownership and tenancy, settlement and colonization, and land policies.

(4) **FARM ORGANIZATION.**

(5) **FARM FINANCIAL RELATIONS.**

(6) **FARM LABOR STUDIES.**

(7) **AGRICULTURAL HISTORY AND GEOGRAPHY;** and

(8) **DEMONSTRATION ACTIVITIES.**

The supervision of the task of executing the new program was assigned to Dr. H. C. Taylor, who was appointed Chief of the Office of Farm Management. Dr. Taylor, before accepting this position, owned and operated a farm in

Wisconsin and also was head of the department of agricultural economics in the college of agriculture, University of Wisconsin. The department also secured the services of Mr. Francis W. Peck, of the University of Minnesota, who has had wide experience in studies of the cost of producing farm products, to take charge of the enlarged activities in this important field; of Dr. L. C. Gray, of Peabody College, to direct the work relating to land economics; and of Prof. C. J. Galpin, of the college of agriculture of the University of Wisconsin, to supervise the farm-life studies. This is merely a part of the plan to secure some of the best available minds in the country to direct the work relating to farm management and farm economics.

APPROPRIATIONS REQUIRED.

Arrangements promptly were made to develop the activities of the Office of Farm Management along the lines suggested by the reorganization committee. As it was clear that existing funds were inadequate, I submitted to the Congress, on May 23, 1919, a revised estimate calling for appropriations, during the fiscal year 1920, aggregating \$611,990, compared with \$305,090 during the fiscal year 1919, an increase of \$306,900. Aside from statutory salaries, it was proposed to allot the appropriation to the following lines of work, in the amounts indicated:

| | |
|--|------------|
| Cost of production studies..... | \$245, 000 |
| Farm organization..... | 53, 600 |
| Farm finance and farm relations..... | 21, 560 |
| Agricultural history and geography..... | 29, 200 |
| Land economics (land utilization)..... | 112, 920 |
| Farm-life studies..... | 20, 560 |
| Demonstration activities (extension work)..... | 32, 820 |

It was hoped that the necessary additional funds would be included in the agricultural appropriation bill for 1920, which was then pending. Unfortunately, however, Congress did not take favorable action on the proposal. It not only did not grant the increases recommended but inserted a proviso in the bill which restricts the amount that may

be expended on cost of production studies during the present fiscal year to \$23,873.

Although the funds at the disposal of the office were small, every effort has been made to carry out the reorganization program along the lines indicated. I am renewing, in the estimates of the department for the fiscal year 1921, the recommendation that approximately \$611,900 be provided, and that the name of the present Office of Farm Management be changed to Bureau of Farm Management and Farm Economics.

Having secured the best experts available to direct the principal activities of the office, I am confident that the work now under way and proposed, if the necessary funds are appropriated, will be executed in a highly satisfactory way, and that facts and information of immense value to individual farmers in dealing with their own problems, and also to the Nation for its guidance in considering broad agricultural policies, will be obtained and made available.

CROP AND LIVE-STOCK REPORTING SERVICE.

Accurate and complete statistics are prerequisite to the satisfactory consideration of any problem. They are of overwhelming importance to the millions of people interested in rural life, and especially those charged with the responsibility of aiding, by legislative and administrative processes, the successful development of our great agricultural industry. Suggestions as to the direction of production and plans to improve marketing and distribution wait upon them, and in any national crisis they are essential to the intelligent handling of the Nation's food problems. In this direction, as in many others, the war has brought home in very direct fashion the need of improvement.

The value of dependable information on acreage, crop yield, number of live stock, and farm surpluses can not be overestimated. The Bureau of Crop Estimates has slowly developed an organization to secure and verify many valuable

data. It is now necessary to extend it. The time has arrived for placing the work in all the States on a county basis. It is important that the live-stock and feed-reporting service be enlarged, that farm surpluses be ascertained, and that information regarding foreign crop and live-stock production be more fully secured and reported. It is peculiarly urgent that this be done at the present time. The 1920 census is about to be taken. It will furnish new base-lines, and the department should be in a position, by reason of an improved service, to supply the country each year after the census with as full and accurate data as possible.

Estimates to make it practicable for the department to execute the enlarged program will be laid before the Congress for consideration at its regular session. If they are approved, the field force of the bureau will be strengthened by placing an assistant field agent and a clerk in each State. Additional specialists also will be appointed to collect, interpret, and present information regarding special crops and classes of live stock. The bureau then will be in a position to report for the Nation as a whole, for each State, and for each county, monthly or oftener if necessary, acreages to be planted; surpluses or deficiencies of seed, fertilizer, labor, and farm machinery; acreages actually planted; progress of farm work; acreages abandoned and harvested; damage from weather conditions, insects, and plant diseases; condition of crops and forecasts of production; yields per acre and production at or near harvest; acreages and yields of principal varieties of each crop; disposition and utilization of the crops produced; marketable surpluses and stocks on farms; prices received by farmers as distinguished from market quotations; prices farmers pay for supplies, machinery, and equipment; hours and wages of farm labor; and the foreign situation. These reports will cover about 70 crops, including such special items as vegetables, nuts, fruits, seed, oils, forest products,

and nursery stock, for all which adequate reports have not been available except in the census years.

Likewise, there will be given the number of horses, mules, dairy cattle, beef cattle, swine, sheep, goats, and poultry, by age and sex classifications corresponding with the census enumeration of January, 1920; of purebred animals of each kind; of those bred, born, or brought on to the farm; of those sold, slaughtered, or lost through disease, exposure, or other causes; of those remaining on hand and on feed; the condition of the various classes of animals; farm prices; and the feed situation, including the carrying capacity of pastures and ranges, the number of silos, the quantity of silage and other forage available, as well as the domestic meat, dairy, poultry, wool, and hide production, and the foreign situation.

Available foreign crop and live-stock estimates will be secured and published, especially for countries of deficient supply and those of surplus production in competition with the United States, and periodical world balance sheets will be prepared, showing for the principal countries of the world the production requirements, imports, exports, and net deficiencies or surpluses of the major crops and classes of live stock.

It is proposed to establish intimate cooperative relations with State departments of agriculture and State assessors. In this way greater accuracy will be secured and the aggregate expense to the States and the Nation reduced. As the value of reports depends not only on their completeness and accuracy but also on their quick availability, they will be issued very promptly and more frequently, summaries will be released on dates of issuance, and the Crop Reporter will be changed from a monthly to a weekly basis.

VALUE OF COMPLETE ESTIMATES.

It need scarcely be pointed out that county estimates are of great importance to the work of the county agents and the extension service in each State, to manufacturers

and business men who supply farmers with equipment and machinery, to banks which furnish funds for financing crop production and movements, and to transportation companies for supplying cars when and where needed to move crops. They have already been made in a number of States. Preliminary estimates of acreages intended to be planted will enable farmers to determine whether their plans should be modified. Estimates of surpluses or deficiencies in the supplies of seed, fertilizers, and farm help tend to equalize both distribution and prices and to insure adequate farm production. Estimates of acreage, yield per acre, and production of each principal variety of a given crop, in addition to total production of the entire crop, will show the relative adaptability and productivity of varieties, and therefore will be of assistance not only to farmers but also to seedsmen and to crop specialists and plant breeders of the State experiment stations and of the Federal Department of Agriculture. Those of crop damage by counties from insect pests and plant diseases will enable the entomologists and plant pathologists to work more intelligently in developing and applying remedies. Those of marketable surpluses on farms, or the portion of the crop sold from the farm and entering the channels of trade, will facilitate the satisfactory marketing and distribution of surplus production. Such estimates have been made for apples, peaches, potatoes, and truck crops, and they were promptly and effectively utilized by growers and marketing agencies.

Perhaps the most important feature of the enlarged program is that relating to live stock, which represents not only a farm investment of more than \$10,000,000,000 but also constitutes the meat supply of the Nation, a considerable portion of the export trade, a very important factor of successful farm management and economy, and 50 per cent of all farm sales. Yet for this important industry the bureau, with its inadequate facilities, has been

able to estimate, once a year, only the gross number of animals on farms, the number of brood sows, and the total losses from disease and exposure. No attempt has been made in the past to estimate dairy and poultry production between censuses, the annual value of which amounts to approximately \$3,000,000,000. The great losses occurring yearly from drought and feed shortage in portions of the Great Plains and in limited areas of other sections might, to a considerable extent, be reduced by having definite and detailed information regarding the feed situation.

The expenditure of money for the execution of this program will clearly be an investment, which should be made without delay in order that agricultural and business interests may have the benefit of the improved service during the period of readjustment. It should be borne in mind also that the proposals are in no sense experimental. Their feasibility and practical value have been fully demonstrated.

MARKETING AND DISTRIBUTION.

In the field of distribution, as well as in the field of production, the farmers of the Nation must assume the main tasks of improvement. The Government should furnish all possible aid in the way of information and suggestion, create favorable conditions under which production and distribution may take place, and especially see that the channels of trade are open and that abuses do not exist.

The present time is especially fruitful of proposals of a large and novel nature designed quickly to solve marketing problems. Recently measures have been introduced into the Congress proposing a private or a governmental agency of national range, with State and county subdivisions, to supervise, or even to direct, the handling or marketing of the Nation's farm products. The probability is that an undertaking of such character would break down of its own weight. There is no question that everything which can legitimately be done to eliminate

waste in marketing and to promote orderly distribution should be done. But the views of the most experienced students of the matter seem to be that we must approach the problem in simpler terms, work along lines which have clearly proven to be feasible, and promote existing tendencies and practices.

Certainly, we can proceed further, by State, Federal, and individual action, in standardizing the production, the handling, and the packing of farm products, and in promoting the use of standard containers and proper storage on farms, in transit, and at market centers. We can continue to furnish assistance in the preparation and installation of accounting systems, and more extensively and accurately gather and furnish to the farmers of the Nation all pertinent statistical information. I need scarcely emphasize the paramount importance of making available daily to producers facts as to market prices, supplies, and demands. The market news services of the Department of Agriculture have already clearly proved their value. The department now conducts and operates an inspection service on fruits and vegetables covering 164 markets. It publishes reports on the supply, commercial movement, and prices of most of the important products and, in cooperation with 14 States, is issuing exchange marketing lists which make known to county agents, breeders, and feeders in these States, where surpluses of live stock, feeds, and seeds are to be found. It is estimated that last year, through such service, the farmers in Iowa alone made local exchanges having an estimated value of \$1,500,000.

COOPERATIVE ASSOCIATIONS.

Particularly must the Federal and State agencies omit nothing to promote farmers' cooperative associations along right lines. Already, within a generation, many such bodies have appeared and rapidly expanded. It is estimated that they now market annually approximately \$1,500,000,000

worth of commodities. They are of very diverse forms and sizes. For the most part, where they have been successful, they have centered their activities on some one product, or on related products, in a given area. The indications are that, with the continued success of these enterprises and with the proper educational effort and direction, they will develop even more rapidly in the future. Through bulletins, news articles, and lectures, the Department of Agriculture has endeavored to stimulate these efforts. It has furnished suggestions for State legislation governing their organization and, in cooperation with 23 States, it has employed trained specialists to advise extension workers, including county agents, and others, with reference to cooperative marketing.

As I have said, the rational program would seem to be to expand these activities, which have clearly demonstrated their value, to follow the scent as it were, and further to develop the machinery through which increased assistance may be furnished. There should be in every State one or more trained market specialists of the Department of Agriculture, working in cooperation with the proper State authority, to stimulate cooperative enterprises and to aid farmers in their marketing work by helpful suggestions as to plans and methods. These experts could very effectively aid the extension workers. County agents generally have the assistance of specialists in many other lines, but at present they have not the requisite aid in distribution. They can not be expected to be expert in all agricultural matters or to be omniscient. The department is requesting increased funds to make this extension possible and will take the necessary action promptly if the appropriations are made.

GOOD ROADS.

Good roads are essential to the prosperity and well-being of urban and rural communities alike. They are prerequisite for the orderly and systematic marketing of farm

products, for the establishment of satisfactory rural schools, and for the development of a richer and more attractive rural life. Recognizing these facts, the Federal Government, through the passage of the Federal aid road act in 1916, inaugurated a policy of direct financial participation in road-building operations in the various States. This act appropriated \$75,000,000, to be matched by an equal amount from the States, for the construction of rural post roads over a period of five years, and \$10,000,000—\$1,000,000 a year for 10 years—for roads within or partly within the National Forests. It required each State to have a responsible central highway department with the requisite powers and funds. All the States have complied with the terms of the act, although it was necessary for them to enact additional legislation, or to amend their constitutions; to provide sufficient funds to match the Federal apportionment; and to strengthen existing central highway bodies or to create new agencies.

When these preliminary steps had been practically completed and the department and the States were about ready to proceed vigorously with the actual construction of roads, the United States entered the war. It soon became necessary greatly to curtail highway building because of the difficulty of securing transportation, construction materials, and the requisite services. After the armistice was signed, arrangements promptly were made for the active resumption and vigorous prosecution of road work in all sections of the country, not only with a view to repair the damage wrought by the heavy traffic forced upon our highways during the war, when maintenance operations were seriously interfered with, but also to provide adequate transportation facilities to serve the increased needs of agriculture and industry. Recognizing also that road-building activities would furnish suitable employment for many unemployed men during the period of transition from war to peace, the Congress at its last session, accepting the recommenda-

tion of the Department of Agriculture, appropriated \$209,000,000, in addition to the \$85,000,000 provided by the original act, for the extension of road construction in co-operation with the States, and also made some important amendments to the act. The definition of the kind of roads that can be constructed was greatly broadened and the limitation on the Federal contribution for any one road was increased from \$10,000 to \$20,000 a mile. These amendments have greatly facilitated consideration of and action upon the road projects submitted by the State highway commissions. There is now no special obstacle to the construction, in the different States of the Union, of the roads which serve the greatest economic needs.

TRoublesome Limitations Removed.

The act, as amended, places only three limitations on the type of road which may be built, as follows:

(1) That the roads shall be "substantial in character." This means that the road must be so constructed that it will carry the prospective traffic with such maintenance expenses that the total annual charges will represent a reasonable expenditure for the public service rendered by the highway. It is to the interest of the States that the roads on which Federal funds are used be substantially constructed, because the law requires them, or their civil subdivisions, as a prerequisite to receiving further funds, to maintain properly all roads built with Federal aid. There is nothing in the law which restricts types of construction between narrower limits than those established by sound finance and good engineering practice.

(2) That the amount contributed from the Federal Treasury in connection with any road shall not exceed 50 per cent of its cost or \$20,000 a mile. The main thing is to build a road that will stand the traffic in the particular section of the country where it is constructed. The conditions in certain regions may require a heavy, comparatively

high-cost type of road, while in others a lower cost type may meet all the requirements. Sentiment is growing throughout the country, even in the newer sections, in favor of more substantial roads. The people are beginning to realize that the expense of maintaining the lighter traffic types under heavy traffic is unbearable.

(3) That the road must be a "rural post road" as defined in the act as amended; that is, "any public road a major portion of which is now used, or can be used, or forms a connecting link not to exceed 10 miles in length of any road or roads now or hereafter used for the transportation of the United States mails." Under the original wording of the law, Federal funds could be expended only on roads upon which the United States mails "now are or may hereafter be transported." This feature was the most troublesome to the highway departments of the various States. It required a definite determination in each case of the actual post-route status of the road, which necessarily involved delays in many instances. Under the new definition, very few important roads, if any, will be debarred from receiving Federal aid, if all the other requirements of the act are met.

Following the amendments to the act, the regulations governing its administration and the standards for plans, specifications, and estimates were modified, and one of the most successful former State highway engineers in the country was placed in charge of the Federal aid road work. He has at his disposal a large staff of local and district engineer aids, and no pains will be spared to provide any further Federal assistance that may be needed. An advisory committee, composed of representatives of the State highway departments, selected at the request of the department, by the American Association of State Highway Officials, with due regard to geographic considerations, also has been appointed to work in intimate touch with the Federal bureau, meeting with its officers at stated periods and at such other times as may seem desirable.

LARGE RESULTS FROM PRESENT FEDERAL LAW.

The record indicates that from July 1, 1918, to November 1, 1919, the department approved 1,345 road projects, involving the improvement of 12,159 miles, at an estimated cost of approximately \$181,143,644. Of this sum, approximately \$78,592,167 represents Federal funds. Since the passage of the Federal aid road act, 1,927 projects have been approved. These call for the construction of 18,596 miles of road at an estimated cost of \$225,267,847, of which about \$95,498,140 will be borne by the Federal Government. Gratifying progress also has been made in connection with the National Forest road work. From July 1, 1918, to November 1, 1919, 74 projects, involving 923 miles of road, were approved, and plans were completed for the improvement of 50 others, aggregating 946 miles.

The 1919 program for Federal aid road building is greater than any previous annual road-building accomplishment in this country. It is so great, in fact, that it undoubtedly will be necessary for many of the States to postpone until 1920 the expenditure of the Federal funds because of the necessity of developing experienced contracting and engineering organizations from the stagnant conditions brought about by the war. Under the terms of the act, the apportionment to a State for any one fiscal year remains available for expenditure until the close of the succeeding year. It is estimated that the funds already provided will be sufficient to finance next year a program more than four times greater than any that has ever been undertaken. As indicated, \$294,000,000 has been made available from the Federal Treasury, and it is roughly estimated that the State funds to be expended cooperatively on road projects under the terms of the Federal act will aggregate \$385,000,000.

It is also true that some States will expend large sums in excess of those to be used on cooperative projects and that their several subdivisions will provide large additional

amounts. It is interesting to note that up to July 1, 1919, State bond issues aggregating \$224,800,000 had been authorized and approved by popular vote and that provision has been made for voting next year on proposals for the issuance of additional State road bonds to the extent of approximately \$314,000,000. During the present and the next fiscal year, there will be made available for road improvements at least \$1,000,000,000. Certainly, few laws, if any, have produced greater results, either in terms of expenditures for a good purpose or in terms of helpful legislation and machinery, than the Federal aid road act. It seems clear, in the circumstances, that the principal limiting factors in the 1920 program will be those of rail transportation for, and production of, suitable road materials, the contractors' organizations available, and the labor supply.

NO ADDITIONAL ADMINISTRATIVE MACHINERY NEEDED.

The suggestion has been made that the Federal supervision of highways should be taken from the Department of Agriculture and placed under a Federal highway commission. A bill having this purpose in view has been introduced in the Senate of the United States. It provides for a Federal highway commission of three, each receiving a salary of \$10,000 a year, whose duty, among other things, would be to establish, improve, repair, and maintain a system of highways "to comprise not less than 2 per cent nor more than 5 per cent of the total highway mileage actually used as such in any State as ascertained by the commission hereinafter provided for, nor less than 2 per cent nor more than 4 per cent of the total highway mileage actually used as such in all of the States as ascertained by the commission, and affording convenient ingress to and egress from each State at not less than three points and connecting with highways forming part of the national highway system in adjoining States." The commission is given the power to select or establish the highways to be comprised in the sys-

tem, after having requested the State highway departments to recommend routes, and to determine the order in which all or parts of such highways shall be constructed, reconstructed, improved, repaired, and maintained. The Federal Government is to assume the maintenance of these roads. The commission is furthermore empowered to take over the work of the Department of Agriculture relating to highway transportation, to construct and maintain buildings outside the District of Columbia, to operate housing and subsistence facilities and commissary stores for the benefit of its employees and others engaged on work under its direction, and to purchase, lease, operate, and maintain such motor and other transportation facilities as it may deem necessary in the performance of its duties.

In considering any proposal of this sort, certain fundamental considerations must be borne in mind: (1) The roads in each section of the country are of varying degrees of importance in the service which they render or may render to the particular locality, to the State, and to the Nation as a whole; (2) this is a big country and the traffic conditions and needs vary greatly from section to section; (3) the State highway departments, being in immediate touch with local conditions, are best able to classify the roads properly on the basis of the economic purpose which they may serve; (4) the Federal Government, under the Federal aid road act, is cooperating in the improvement of the roads of greatest importance, the classification of which is fixed by the State highway departments; and (5) when this classification has been carefully made and by agreement between the highway departments of adjoining States, the roads of first importance generally meet at State boundaries, and, therefore, become interstate highways of nation-wide utility. The Federal Government under the present law is aiding the State highway departments in the classification of their roads on the basis of importance and needs, and Federal aid

is rapidly being extended for their improvement, on projects submitted by the States and approved by this department.

The present machinery for supervising road construction is the Federal Bureau of Public Roads, one of the two most efficient agencies of the kind in the world, and the 48 State highway commissions. These, in effect, constitute an expert national commission, intimately in touch through its various parts with all sections of the Union, having no other purpose than that of serving the public interest. It is difficult to see what need there can be for additional or new machinery. Certainly, there is no necessity of creating a separate Federal highway commission or of substituting for the present cooperative program a plan which would commit or limit expenditure to a federally owned and maintained highway system. Such a plan would not meet present needs. There is as yet too much pioneer work required to trust the working out of proper highway policies to a small Federal commission.

Very properly the Federal aid road act places on the highway authorities of the several States responsibility, in large measure, for selecting the roads to be constructed. Obviously the local authorities are in a better position to judge what roads would serve the largest economic needs than any group of men sitting in Washington would be. It is the duty of the Federal Bureau of Roads, with its district engineers, to see that the provisions of the law are complied with. It is giving, and will continue to give, all possible assistance to the State authorities in all their technical problems, as well as in the planning of State systems and in the classification of roads. It has been the policy of the department from the outset, in order to prevent haphazard action, to have the State highway authorities prepare and present tentative State systems of roads. It was apparent that rigid systems not subject to modifications as conditions might require would be inadvisable. Each State has worked out a system and, in general, it is being followed in

the development of projects and the construction of roads. In a number of instances systems in general terms have been adopted by the legislatures. In formulating these systems, the engineers are giving due regard to interstate connections, that is, to roads connecting the system of one State with that of another, and as progress is made the construction of through roads will follow as a matter of course.

PROPOSED CHANGE WOULD MEAN LOSS.

I am convinced that nothing material would be gained by the proposed change. Much would be lost. Many complications would be introduced. The creation of a commission would entail unnecessary additional administrative expenditures and the commission could not do anything that can not be done more effectively by the existing cooperative machinery. I think it is not too much to say that there is a minimum of friction in the relations of the State and Federal authorities and that the majority of the State highway agencies are satisfied with the present arrangement and do not wish a change.

There would also be a radical change of policy. I am of the opinion that the people of the States will not be willing to substitute for the present policy of developing road systems on the principle of serving the broadest economic needs that policy advocated by those whose interest is in main or trunk line automobile roads primarily for touring purposes. The largest service will be rendered, not only to farmers but also to urban people, by following the principle of constructing roads of the greatest economic importance, selected after careful consideration by the State agencies having adequate knowledge and approved by the Federal department. It seems to me clear also that, as the work proceeds, we shall have roads which will be equally serviceable not only to those interested immediately in long-distance automobile travel and motor-truck transportation but also to those interested in getting their farm

produce to the market in the easiest and most effective manner and in the transportation of the mails. I clearly recognize the vast growth and importance of the motor-propelled vehicle passenger and freight traffic. It is estimated that we have 87 per cent of all such vehicles in the world, and we are only at the beginning of their use; but I am satisfied that the development of highways along present lines rather than along the lines proposed will result in their more extensive use. I have no prejudice against any sort of road except a bad road, or against any sort of construction except wasteful and unsubstantial construction. If traffic conditions require heavy construction, then I am in favor of it; and in any case, under the present law, the road must be substantial.

The road movement is growing very rapidly. The Federal aid road act has done much to promote it. Experience has brought about amendments to the law and helpful changes in administration. Comprehensive road programs have been inaugurated. They are being pushed vigorously. They will result, in a shorter time than most people imagine, not only in a network of good substantial roads in the various States of the Union, but also in the requisite interstate highways.

Why at this stage introduce complications and embarrassments? Why should not the friends of the movement for roads to serve the people cooperate? It is difficult for me to see why all who are animated by high public spirit in their thinking concerning highways should not cooperate in the development of present programs and in the perfecting of the existing processes and machinery, instead of attempting to overthrow them. I believe that many of those who are backing the proposed change do not know the facts and are not aware of existing conditions and possibilities.

CONTINUATION OF FEDERAL APPROPRIATIONS.

The period covered by the original Federal aid road act and its amendments will expire with the fiscal year 1921. The results to date clearly point to the desirability of continuing the policy of Federal participation in road building. If this is to be done, it is essential that a decision be reached at an early date, so that the States may be able to make the necessary financial provision and the State and Federal departments make the requisite administrative arrangements. If the financial condition of the Nation permits it, I believe it would be good policy to make available from the Federal Treasury, to be expended under the terms of existing legislation, \$100,000,000 for at least each of the four years beginning with the fiscal year 1922.

PAST ACTION AND FUTURE STEPS.

The promotion of agriculture and the betterment of rural life have, for many years, received the earnest attention and support of State and Federal authorities. Several generations ago the foundations were laid for the two great agricultural agencies—the land-grant colleges and the Federal Department of Agriculture—which have no rivals elsewhere in the world. The State colleges steadily developed until in 1918 they had plants and endowments valued at \$184,400,000, annual incomes aggregating \$47,700,000, and resident and short-course students numbering 123,000, of whom 45,000 were in agricultural courses. Their student body has greatly increased this year. They are now engaged, in cooperation with the Department of Agriculture, in agricultural extension work involving an annual expenditure of more than \$14,000,000. They have been conducting investigational and educational work for many years and have placed in all parts of the Union farm leaders with scientific and practical vision. The Federal Department of Agriculture, whose personnel now numbers more than 21,000, is expending from all sources during the current year \$41,800,000, aside from the \$294,000,000

made available by the original and amended Federal aid road act for the cooperative construction of roads.

As has been repeatedly pointed out, the last five or six years have been especially fruitful of legislation and administrative action looking to the improvement of production and distribution. The principal items are the following:

(1) The Bureau of Markets, excelling in the character and extent of its activities any other similar existing organization.

(2) The Cooperative Agricultural Extension Act, the object of which is to disseminate information among the farmers, mainly through trained agents. As has been indicated, there is now expended annually, from Federal, State, and local sources, more than \$14,000,000 for work contemplated by this act.

(3) The Cotton Futures Act, with amendments, under the provisions of which standards for cotton have been established; the operations of the futures exchanges supervised, and the sale of cotton put on a firmer basis.

(4) The Grain Standards Act, which aims to bring about uniformity in the grading of grain, enable the farmer to obtain a fairer price for his product, and afford him a financial incentive to raise better grades of grain.

(5) The Warehouse Act, which authorizes the Department of Agriculture to license bonded warehouses and which makes possible the issuance of reliable and easily negotiable warehouse receipts, permits the better storing of farm products, increases the desirability of receipts as collateral for loans, and promotes the standardizing of storages and of marketing processes.

(6) The Federal Aid Road Act, as amended, which made available \$294,000,000 for cooperation between the Federal and State Governments in the construction of rural roads. It has conduced to the establishment of more effective highway machinery in each State and strongly influenced the development of good road building along right lines. It will

stimulate larger production and better marketing, promote a fuller and more attractive rural life, add greatly to the convenience and economic welfare of all the people, and strengthen the national foundations.

(7) The Federal Reserve Act, which authorized national banks to lend money on farm mortgages and recognized the peculiar needs of the farmer by giving his paper a period of maturity of six months.

(8) The Federal Farm Loan Act, which created a banking system reaching intimately into the rural districts and operating on terms suited to the farmer's needs. It is attracting more capital into agricultural operations, bringing about a reduction of interest to farmers, and placing upon the market mortgages which are safe investments for private funds.

(9) The Vocational Education Act, which, among other things, provides for cooperation with the States in training teachers of agriculture and in giving agricultural instruction to pupils in secondary schools.

Among other steps which should be taken are the following:

(1) The building up, primarily under State law, of a system of personal credit unions, especially for the benefit of farmers whose financial status and scale of operations make it difficult for them to secure accommodations through the ordinary channels.

(2) Expansion of existing facilities and activities for aiding farmers in marketing, including especially the extension of the market news and food-products inspection services and the assignment of trained market specialists to each State, in cooperation with the State authorities, to stimulate cooperative enterprises, and to make helpful suggestions as to plans and methods.

(3) Continuation of the present policy of Federal participation in road building, through the appropriation, if the financial condition of the Nation permits it, of \$100,000,000 for at least each of the four years beginning

with the fiscal year 1922, to be expended under the terms of existing legislation.

(4) The regulation and control of stockyards and packing houses.

(5) Federal legislation further to protect consumers against misbranded, adulterated, and worthless feeds entering into interstate commerce.

(6) Similar legislation dealing with fertilizers.

(7) Increased support by States for rural schools and more definite direction of their instruction along lines related to rural problems and conditions.

(8) The requisite legislation for the improvement of the sanitary conditions in rural districts and for the building up of the needed hospital and medical facilities.

NEED FOR BROAD SURVEY OF RURAL CONDITIONS.

Present conditions, and particularly present states of mind, indicate the need of a fresh, broad survey of rural life, of its special problems, and of its relationships. It should be viewed as a whole. A comprehensive flexible program should be developed for the guidance of the different agencies, each of which has its peculiar functions and responsibilities. Furthermore, the principles and purposes governing agricultural life and agencies should be set forth for the education of the American public, particularly the urban part of it. The Nation as a whole needs a fuller appreciation of its basic industry, and a more definite sense of direction of its efforts to foster it. Many agencies are now following more or less well defined, helpful plans of their own devising, but these are at best piecemeal, and there is confusion of leadership and objectives. A program made by any one element would be partial and unsatisfactory. We should have a meeting of minds of all those directly concerned, of farmers, of agricultural leaders, and of business men.

You have already indicated your intention to call a conference at which there will be not only a generous representation of farmers but also of agricultural agencies and organizations and of business interests which have an intimate relation to farm problems. I believe that, because of changed conditions here and elsewhere, of existing uncertainties, and of disturbed states of mind, this conference should be called at the earliest possible date. It may be that, as one outcome of it, the creation of a rural life commission, with a temporary or a permanent status, will be determined to be in the public interest. Certainly, the best means of fostering our basic industry can not too frequently receive definite consideration by the best minds of the Nation.

Respectfully,

D. F. HOUSTON,
Secretary of Agriculture.

The PRESIDENT.

PREWAR CROP ESTIMATES IN GERMANY



By ALONZO ENGLEBERT TAYLOR,
Assistant to the Secretary of Agriculture.

IN 1878 the German Government introduced a method of estimating the crops of grain, potatoes, and roots based upon personal reports by communal authorities familiar with local conditions. The estimates were founded upon the peasants' statements of acreage, to which experience of yields was applied. In 1893, a second procedure was introduced. Preliminary forecasts were made by agricultural experts connected with the Government, and the final estimates were made as before by communal authorities. This was done because it was alleged by the central governments that the estimates of the local crop reporters were too low and presented a depreciative picture of agriculture in the Empire. The motive for lower estimates was reputed to lie in the landholder's desire to reduce taxes. It was during this time, under the régime of Caprivi, that the Bund der Landwirte was organized. This association became a strong political power and was able to unseat Caprivi. The Bund der Landwirte, as leader of the Agrarian Party in Germany, was allied to the Military and Conservative Parties in all policies and has been consistently Pan-Germanic ever since. It demanded and secured a high tariff on agricultural products and tried in every way to hinder importation of foodstuffs, in order to conserve to the landowners a monopoly of the market of Germany. Naturally this brought the Agrarians into conflict with the Social Democratic Party, which attempted to secure cheaper foodstuffs by importation. The political policy of the Agrarians, usually identified with the Centrum, was to make Germany independent in national subsistence and especially for the eventuality of future war. Under this policy everything was done to stimulate agriculture in efficiency and in profits.

During the years 1893-1898 the reports of the States were always higher than those of the communal authorities. The figures of the agricultural experts ran from 12 to 20 per cent higher than those of the communal authorities. In 1899 the reporting of crops by the local authorities was discontinued and the exclusive function placed in central offices.

When one compares the figures for yield of bread grains and potatoes in a series of years before and during the war, one obtains the following table, in rounded figures, the figures in brackets representing the amounts accounted for in the distribution of the Food Administration:

Bread grains and potatoes in Germany.

| Year. | Bread grains: Wheat and rye. | Potatoes. |
|-----------|---------------------------------|--------------|
| | <i>Tons.</i> | <i>Tons.</i> |
| 1911..... | 15,310,000 | 35,690,000 |
| 1912..... | 15,800,000 | 50,300,000 |
| 1913..... | 16,720,000 | 54,300,000 |
| 1914..... | 14,800,000 | 45,700,000 |
| 1915..... | 12,870,000 | 55,100,000 |
| 1916..... | 11,160,000 | 23,530,000 |
| | (9,650,000) | (20,580,000) |
| 1917..... | 8,970,000 | 33,820,000 |
| | (8,270,000) | (30,860,000) |
| 1918..... | 10,320,000 | 26,410,000 |
| 1919..... | 10,810,000 | 27,000,000 |

The average of bread-grain yields in 1911, 1912, 1913, 1914, and 1915 was 15,100,000 tons. The average of 1916, 1917, 1918, and 1919 was 10,360,000 tons, or 68 per cent of the previous average. The average of potato yields in 1911, 1912, 1913, 1914, and 1915 was 48,200,000 tons. The average of 1916, 1917, 1918, and 1919 was 27,760,000 tons, or 57 per cent of the previous average. On the basis of obvious but superficial considerations alone, these reductions might be regarded as the results of scarcity of fertilizer, work animals and farm labor and lack of rotation and diversification. This was, indeed, the interpretation commonly advanced in the German press. (Similar reductions in yield were reported for the other grains and for the root crops, but a discussion is best confined to bread grains and potatoes.)

The experiences of the departments entrusted with the control and distribution of foodstuffs during the first year

of the war led, however, to an analysis of crop estimates in Germany that necessitated a different conclusion. The official crop estimates were the foundation of the report of the Eltzbacher Commission (*Die Deutsche Volksernahrung und der englische Aushungerungsplan*, 1915). According to this report, the then present and prospective supplies of breadstuffs in Germany were such as to cause little concern, rather the contrary. The carry-over from 1913 was stated to be at least 1,500,000 tons. The crop was given as 14,800,000 tons, a total of 16,300,000 tons. Four hundred thousand tons were imported. The figure for the sum of the crop plus carry-over plus import minus the figure for seed (1,500,000 tons) left for consumption during the year 15,200,000 tons. Three million soldiers were fed almost exclusively on grain captured in the occupied areas to the east and west; and some grain and flour were shipped back into Germany. On the first of February an inventory of stocks of breadstuffs was taken and the amount present reported as 4,800,000 tons. Fifteen million two hundred thousand minus 4,800,000 leaves 10,400,000 tons of bread grains that had disappeared during five and a half months, representing a consumption of 1,890,000 tons per month. On bread-cards after February 1, the available 4,800,000 tons provided bread for the same people for seven and a half months, corresponding to a consumption of 640,000 tons per month. On the basis of these figures the Germans were supposed to have consumed breadstuffs in the autumn at the rate of 1,890,000 tons a month and during the following spring and summer months at the rate of 640,000 tons a month. This would correspond to a reduction of two-thirds in the bread ration. The stocks on February 1 should have been in the neighborhood of 10,000,000 tons, if the prewar consumption had occurred. The stocks actually found were 4,800,000 tons. Such a manifestly impossible situation could have had but one or several of five explanations:

The carry-over was exaggerated.

The bread consumption was colossal.

Much bread grain was fed to domesticated animals.

Stocks were concealed.

The crop estimates were greatly exaggerated.

The first really falls under the fifth, since it was a statistical and not an inventoried carry-over.

The failure to find in the inventory of February, 1915, even half of the stocks that statistically should have been in hand, caused a profound sensation in the classes in Germany that were permitted to know the facts. It was clear that the whole structure of the report of the Eltzbacher Commission was undermined, and that the food program of the nation rested on faith rather than on fact. A number of scientists (prominent among them Ballod) thereupon came into the open with the charge that the crop estimates of the empire presented exaggerated figures, as had indeed been previously alleged. Von Braun could find no evidence that the total supplies of bread grain available for the year (crop+carry-over+import) were over 12,400,000 tons, instead of the official 15,200,000 tons. Twelve million four hundred thousand minus 4,800,000 leaves 7,600,000 tons consumed or disappeared in five and one-half months, a figure considerably less than 10,400,000 tons, but still large enough to constitute a puzzle as difficult to the statistician as it was painful to the consumer. No one could pretend that the consumption of bread in the fall of 1914 was greatly above normal. There was much Christmas feasting in Germany in 1914, in anticipation of victory in 1915; but it was not feasting with bread. No evidence could be adduced tending to indicate concealment of material amounts of grain. There remained but two explanations. The crop estimates were glaringly exaggerated; or immense amounts of wheat and rye had been fed to domesticated animals.

The Government felt itself compelled to secure more reliable data, since a rationing could not be programed and established on stocks that did not correspond in bags and bins to the figures on paper. They restored, in 1915, the reporting by communal authorities and indeed doubled this. One forecast was done by the communal authorities just before the harvest; a second estimate was made just after the harvest. The estimates of the agricultural experts of the several States were carried out in November. In 1917 a fourth estimate was added, made late in the fall by experts of the Imperial Grain Department, that had charge of the mobilization of the grain for purposes of distribution according to the program of the military forces and of the food controller. The Imperial Grain Department has

carefully worked over the estimates of the years 1915, 1916, 1917, and 1918, and the result of this survey was expressed in the statement that the most reliable estimate, the one whose figures could be duplicated in actual grain, was the preharvest forecast of the communal authorities. Thus was vindicated, after two decades, the reporting system of the communal authorities discredited in the '90s by Agrarian politicians.

The following specific considerations have been advanced indicating that the estimates of former years were exaggerated.

The prewar consumption of bread and flour in Germany, as determined by milling statistics and study of the habits of the people, was not over 360 pounds of grain per capita per year. The prewar consumption of bread grains was at the rate of something over 900,000 tons per month. Such a higher consumption (520 pounds) as would explain the utilization of the yields of wheat and rye reported during the past 20 years has eluded all detection and has never existed.

The milling statistics leave an enormous gap between grain and flour. In the years 1908-1910 the crops of wheat and rye were given as 30,550,000 tons. The import was 5,090,000 tons; the export 1,970,000 tons. Three million tons were subtracted for seed. That left as supply 30,670,000 tons, regarding the carry-over from 1907 and into 1910 as a stand-off. During those two years the mills ground 21,860,000 tons, leaving unaccounted for 8,810,000 tons, or 29 per cent. In the year 1912-13, 10,930,000 tons passed through the mills. The demonstrable utilization of wheat in this country, as pointed out to the German Government by Ballod in 1915, accounts for 97 per cent of the crop figure for wheat.

In 1907 the German Government carried out a special survey of acreage under cultivation, an actual piece-by-piece count and estimate. This yielded the figure 24,900,000 hectares. The figure for the same year for cultivated acreage used for basis of crop reports was 26,100,000 hectares. A tabulation carried out in 1915 again gave results materially lower than those used by the crop reporters. A card index system is now in use.

France clung to the old method of communal crop reporting. Contrasting the progress of growing of grain during the last decades, we find that in France the acreage has fallen, from 1880 to 1913, from 14,200,000 to 13,800,000 hectares, while the yield has increased from 15,200,000 to 16,966,000 tons, a gain of 15 per cent. In Germany the acreage has increased from 13,500,000 to 14,400,000 hectares, while the yield has increased from 14,080,000 to 27,330,000 tons, a gain of 82 per cent. With all appreciation for German agriculture the increase is so large as to awaken distrust. Statistical grain has always been tangible in France but not tangible in Germany.

In Germany a ton of phosphate was supposed to increase the yield of grain 5 tons, of potatoes 8 tons. In France the increase in yield per ton of phosphate was reported as 1 ton for grain and 2.5 tons for potatoes. The contrast again awakens distrust.

The official explanation first given for the disappearance of wheat and rye in 1914 ran to the effect that it had been fed to domesticated animals. There was without question some feeding to animals, because the customary supply of barley from Russia was wanting. But the amount was much more than could be thus accounted for; and in any event this explanation can not avail, because the dilemma of the statistical hiatus was the same before the war. Up to 1906 it might have been assumed that material amounts of wheat and rye outside of the tailings (the tailings of rye were commonly stated to constitute 10 per cent of the crop) were fed to swine because of price relations. But in 1906 the import duty on barley was lowered to 13 marks per ton and that on rye raised to 50 marks per ton. The result was to create disparity between the prices of rye and barley and stimulate the growing of rye. During the five years before the war the mean price of barley was some 25 to 30 per cent below that of rye. As a result Germany became a rye-exporting and barley-importing state. It is folly to assume that between 1906 and 1914 the peasant fed high-priced rye to swine and sold cheap barley. The normal import of feed barley and maize before the war was not over 350,000 tons per month; but during the fall months of 1914 the grain that disappeared was almost three times that amount. The discrepancy in the figures existed before 1906. It continued

from that date until the onset of the war. It persisted until the introduction of a different method of crop reporting. Only one explanation remains: The crop yields were exaggerated.

What has been said of rye applies to wheat with still greater force. The milling statistics are kept separate for wheat and rye. According to the statistics for crop, import, and milling of wheat in the two years 1908-9 and 1909-10, 3,600,000 tons of wheat remained unaccounted for. To state that Germany raised and imported wheat to feed to domesticated animals in any volume, beyond the tailings, is absurd.

It is the general view now stated in official and scientific journals that the prewar reports of grain yields were at least 10, possibly at times 15, per cent too high. In a memorandum presented by the Food Administration of the present German Government to the American Relief Administration occur the following words: "The November estimate of the Imperial Statistical Bureau was in peace times demonstrably much too high."

What has been stated for wheat and rye holds in like manner for barley, oats, and the fodder roots. When the imported feeding stuffs were no longer available, the peasants found that they did not possess over 85 to 90 per cent of the feed grains that statistically they were supposed to possess. The army requisitions of feed grains were based on the crop reports. Thus the peasants' stocks were contracted from both directions.

The situation is statistically not so clear for potatoes, but it is agreed that the prewar figures for the potato crop must have been 15 per cent too high. The following table contains rounded figures for the average crops and utilization:

Average crops and utilization of potatoes in Germany.

| Use. | Average of 1911, 1912, 1913, 1914, and 1915. | Average of 1916, 1917, and 1918. |
|---------------------|---|--|
| | <i>Tons.</i> | <i>Tons.</i> |
| Crop..... | 48,200,000 | 27,900,000 |
| Seed and waste..... | 10,000,000 | 7,200,000 |
| Industry..... | 5,000,000 | 2,300,000 |
| Human food..... | 14,000,000 | 14,100,000 |
| Animal feed..... | 19,000,000 | 4,400,000 |

When one compares the data in this table and recalls the enormous amounts of concentrates that Germany used to import (barley, maize, oil seeds, oil cake, mill feed), it is clear that the figure representing the exaggeration in the crop report must lie largely in the amount recorded as devoted to domesticated animals. The elucidation now usually advanced in Germany to explain the exaggerated figures is that the experts of the agricultural departments of the several States, accustomed to operations on efficient estates, judged all productions per hectare by those to which they were accustomed. The Socialists, however, are not disposed to deny that the figures were padded for political purposes, in order to bolster up the program of the Agrarian party.

In foreign nations the revelation that the German crop reports have been exaggerated for nearly a quarter of a century will arouse two reflections. To the scientifically minded the statistical confusion that has been introduced through the use of the official German figures is appalling. To the practical farmer, however, as well as to the student of agriculture, the reflection will linger that it was upon these exaggerated crop reports that German propaganda for potash was largely based.

PROGRESS *in* ERADICATING CONTAGIOUS ANIMAL DISEASES

By JOHN R. MOHLER,
Chief, Bureau of Animal Industry.

COMBATING animal disease is a struggle against unseen enemies. Their attacks are felt in live-stock losses, and even when results are not fatal to animals there is nearly always a setback in production, growth, vitality, or all of these combined.


So swift and persistent are the attacks of many contagious diseases that after the appearance of visible symptoms little can be done to save the infected animals. The owner of such stock is stout-hearted indeed if he accepts his reverses and endeavors to recoup the loss in the face of dangers from similar attacks. Most live-stock men are courageous, accustomed to take risks, and ready to grapple with problems as they arise. But without the assistance of various weapons of science developed during the last few decades, farmers and stockmen would necessarily be on the defensive continuously. They would pay toll to one disease or another in the futile hope that each loss would be the last.

SCIENCE MAKES AGGRESSIVE ACTION POSSIBLE.

Fortunately, veterinary science, based on experimental work and research, has reversed the nature of the contest. A knowledge of methods of combating the unseen foe enables sanitary officials and persons engaged in the live-stock industry to take the aggressive. Public opinion on the control of these diseases also has given added impetus to the work.

Stockmen familiar with the trend of the industry know that as herds and flocks increase to meet human requirements, the control of disease becomes a greater problem. More than that, the tendency toward an increased number

of live stock throughout the country introduces a danger of infection much greater than when interchange of animals was mostly local. Congress and most State legislatures have supported disease-control work in a tangible way by voting funds for conducting systematic campaigns of eradication. Bureau of Animal Industry records and reports from States furnish evidence of encouraging progress in the work; and the results point to the value of handling problems in disease eradication on a Nation-wide scale wherever possible. There are several reasons.




Eradication of Contagious Pleuropneumonia.

The disease had existed ever since 1843. Eradication was begun in 1884 and completed in 1893.

While inspection and regulation are valuable safeguards in checking the spread of infectious diseases, the most satisfactory solution is eradication from the entire country, followed by suitable methods of preventing reinfection. In the case of some diseases, such as hog cholera, in which the source of infection is often very difficult to trace, complete eradication is a baffling problem. There is now being

waged, however, a series of aggressive country-wide campaigns against the most important live-stock diseases, with a view to their ultimate wiping out.



Eradication of Cattle Scabies.


Nearly one-half of the United States was affected in 1906. Eradication is nearly completed.

PROGRESS SHOWN IN CHARTS.

The accompanying charts give live-stock owners a comprehensive knowledge of progress in disease eradication. Based on official records covering a term of years, these charts show clearly that disease control and eradication are not hopeless tasks. Following is a brief statement regarding the prevalence or absence of the more important animal diseases in the United States and in the world at the end of the fiscal year which closed June 30, 1919.

CONTAGIOUS ANIMAL DISEASES FROM WHICH THE UNITED STATES IS ENTIRELY FREE.

African horse sickness.—As the name indicates, this is a horse disease found principally in Africa. The principal symptoms are extensive watery swellings and hemorrhage of internal organs. About one-third of the affected animals die.




Eradication of Sheep Scabies.

The task of freeing the United States from this disease is more than nine-tenths complete.

Foot-and-mouth disease.—This is a highly infectious disease affecting cattle and swine principally, but also attacking other animals and even people. The principal symptoms are blisters on the feet, mouth, and teats, a feverish condition, and (in dairy cows) caked udders. When internal organs are affected, which is particularly the case with calves, the disease usually is fatal.

Lymphangitis (ulcerative and epizootic).—These two forms of lymphangitis, caused by two different organisms, are very contagious and hard to cure. Although absent from the

United States, they have been a veritable menace since the war, owing to their prevalence among the horses used in the war areas of Europe. Special regulations were issued governing the inspection and quarantine of horses entering the United States from Europe. These appear to have been effective thus far in preventing these infections from reaching our shores.




Eradication of Bovine Tuberculosis in District of Columbia.

The per cent of tuberculous cattle has been reduced from about 19 per cent in 1910, when the work began, to 0.63 per cent in 1919.


Mal de Caderas.—This disease affects horses principally, producing a weakness of the hind parts, with staggering gait and finally paralysis. *Mal de Caderas* exists chiefly in the northern and central portions of South America, and in certain districts of Brazil it has caused the complete annihilation of the horse stock.

Cattle farcy.—This is a chronic disease of cattle occurring in France and the West Indies. It is characterized by nodular swellings in the skin, which spread to the glands and finally



Extent of Cooperative Tuberculosis-Eradication Work in the United States.

The chart shows the increasing number of herds under supervision.



Eradication of Cattle Ticks.


Every year since 1906 has shown progress.

the viscera, proving fatal within a year. While resembling the farcy of horses, it is caused by an entirely different germ and should not be confused with the external skin form of glanders. Fortunately, it has never been introduced into this country.

Malta fever.—

Malta fever is a disease of goats, and has been found occasionally in the southern part of the United States near the Mexican border. The disease is serious principally because it also affects people. Malta fever is scarcely known in the United States, though it was found at a quarantine station in 1905 in a herd of goats which were imported from the Island of Malta and entered at the port of New York. The disease was stamped out in quarantine.


In 1912 it had gained some headway when discovered in goats near the Mexican border. In this instance the disease was introduced in goats imported from Mexico. By means of vigorous quarantine methods it was



Suppression of Foot-and-Mouth Disease.

In 1870, 1880, and 1884 only a few head were infected; in 1902, 4,712 were infected; in 1908-9, 2,025; and in 1914-1916, 77,240 were slaughtered. The United States is now free from the disease.

confined to limited areas of the Southwest adjacent to the Mexican border and eradicated.



Extent of Hog-Cholera Losses.

Immunization by serum prevents recurrence of serious outbreaks of the pest.

acute, infectious disease attacks the bovine species, causing heavy losses. The digestive organs mainly are involved. Rinderpest exacts a heavy toll among cattle in Russia, South

Nagana.—This scourge is caused by the bite of the tsetse fly and generally is fatal. It is more prevalent in the central and southern parts of Africa, where on occasion it has annihilated the cattle of entire districts and has affected horses and other animals also. Therefore, nagana is one of the most destructive of animal diseases. It is excluded from the United States by quarantine methods.

Pleuropneumonia or lung plague.—This highly contagious disease causes heavy losses among the bovine species. It was stamped out of the United States in the early nineties and ever since has been excluded.

Rinderpest.—Sometimes called cattle plague, this

Africa, Asia, and the Philippines, but has never reached this country.

Surra.—This scourge is a fever affecting principally horses, asses, and mules. It causes watery swellings and is usually fatal. The disease is common in the Philippines and India. No satisfactory treatment is known. Surra has never been known to exist among live stock in the United States and is excluded through rigid quarantine. In 1906 one outbreak was halted at a Federal quarantine station where imported Indian cattle showing the infection had been received. All the infected animals were promptly slaughtered and burned, while the remainder of the herd was kept carefully isolated until all danger had passed.

CONTAGIOUS ANIMAL DISEASES FROM WHICH THE UNITED STATES IS RELATIVELY FREE.

Anthrax.—Anthrax now exists in the United States chiefly in isolated cases. It may be prevented with certainty by the vaccination of susceptible animals with anthrax vaccines.

Blackleg.—Blackleg is a disease affecting calves principally, and may be prevented by vaccination with blackleg vaccines.

Dourine.—Dourine, a disease affecting the reproductive organs of horses, exists to a limited extent principally among the animals of Indian reservations in New Mexico and Arizona. Eradication work is limited by the fact that most of the animals affected are wild ponies. The disease has only occasionally been found among horses on farms and it was then confined to a few farms in four or five Western States.

Glanders.—This disease, which affects horses and mules, is readily detected by several tests and is now under reasonably effective control. Either the blood test or the mallein test may be used.

IMPORTANT CONTAGIOUS DISEASES NOW BEING CONTROLLED.

The principal diseases now affecting live stock in the United States and which are a serious menace to the industry are hog cholera, tuberculosis, Texas or tick fever, contagious abortion, cattle scab, and sheep scab. Nationwide efforts against all these diseases have been in progress for a number of years, with the results shown in the charts.

Cattle scab and sheep scab have been eradicated almost entirely from the country at large, although these diseases are still serious in limited areas. Eradication of cattle ticks, which cause tick fever, appears likely to be completed about 1923.

Hog cholera may be controlled with assurance by the use of anti-hog-cholera serum inoculated simultaneously with hog-cholera virus.

Tuberculosis in live stock may be detected with reasonable certainty by the proper application of the tuberculin test. There are three principal tuberculin tests—the subcutaneous, the intradermal, and the ophthalmic—which may be used alone or together.

Contagious abortion is best controlled by sanitary measures, when combined with proper herd management, and each year recently has added to a knowledge of the best methods for preventing the spread of this disease.

Briefly, the general control of contagious animal diseases at the close of 1919 presents an encouraging outlook. The importance of sanitation on farms where live stock is kept can not be too strongly emphasized, since without suitable places for the infection to harbor, practically all the diseases are eradicated more rapidly, with greater ease, and at less expense.



By JOHN R. HASWELL,
Senior Drainage Engineer, Bureau of Public Roads.

A FEW YEARS AGO almost every farm neighborhood had one or two immigrants who had learned ditching "in the old country." Seemingly without effort they cut uniform slices of soil with the customary long, narrow-bladed tiling spades, and with the regularity of clockwork laid the excavated material in rows on the ditch banks. Experienced ditchers, however, are fast becoming rare, and the shortage in most sections of even unskilled labor has put a serious check on trenching by hand.

The lack of experienced men willing to do drainage excavation has resulted in the development of tile-trenching machines operated by steam or gasoline engines for digging the trench to the required depth at one passage. Trenching machines of this type are expensive and represent an investment in equipment larger than the individual farmer usually can afford to make when the amount of work that he will have for the machine is considered. The machines will complete the drainage work on the average farm in a comparatively short time and with a minimum of expenditure of labor. When cultivated fields are to be drained, rapidity of construction is of considerable importance, as frequently work can be done for only a short period during the spring

and fall when crops are not growing on the land. It is usually advisable to utilize the services of a contractor who owns a machine of suitable type, if available. In most communities, however, such a contractor is not available. If the work is to be done it becomes necessary to secure a suitable trenching machine. The most economical method of doing this is for a number of farmers to unite and purchase the machine jointly. This can be done with the cooperation of the local farm bureau or county agent, or independently. Experience with organizations for other purposes has shown that where a cooperative organization of this character is undertaken it is essential to the success of the enterprise that control be placed in a small board of directors, preferably not more than three or five.

In the spring of 1919 the farmers in the community of Hall, Ontario County, N. Y., held a meeting to decide on some way to get their farm drains constructed. It was decided that "the only satisfactory way to get their ditching done was to form a small company and purchase a tile-trenching machine to be operated in that vicinity," and the ditcher committee that was appointed entered into a contract to buy a power trenching machine. It is an interesting coincidence that this pioneer move in community ownership of trenching machinery took place near the point where, in 1835, John Johnston laid the first drain tile in the United States. A number of Mr. Johnston's methods are still followed in the locality, such as the use of small tile (2 to 3 inch) for laterals and close spacing of laterals.

The community machine was adopted because no other satisfactory method of construction could be had. No hand labor was available, no local contractors with machines, and the State-owned machine had the whole county to cover and could not work on an individual farm longer than six working days of 10 hours each in any one year. The sole idea of the State-owned machines is held to be "demonstration," while these people were satisfied with what demonstrations they had seen and wanted some completely constructed tile drainage systems on their farms.

The farmers most interested in the acquisition of the machine formed the Seneca Power Ditching Co., with five mem-



Two Methods of Ditching and Land Benefited by Drainage.
A. Cherry orchard on Johnston farm. The land was tile-drained between 1835 and 1850. **B.** Community trenching machine at Hall, N. Y. **C.** Cutting trench with ditching spade.
154887°—YBK 1919—6

bers, each having an equal share in the machine. Each member had wet land he wished to drain.

Besides the duties usually appertaining to the respective offices the work was divided among the officers and members of the company as follows: President, in charge of labor on the machine; secretary, in charge of repairs; treasurer, assists secretary; schedule man, schedules the farms and measures work; viewer, inspects new projects and supplies general information to new clients.

It must be understood that these men are farmers and do this work in connection with the trenching machine during



Trenching Machine.

Near view of digging wheel showing earth chute, trenching shield, and chain idlers.

time which must be taken from their farm duties. A skilled machine operator with some initiative is therefore of great assistance in conserving the owner's time. There is usually enough work around the machine to keep a helper busy.

The machine is shown on page 81. It will dig a trench 15 inches wide and 5½ feet deep, and is operated by a 25-horsepower gasoline motor of four cylinders. When the picture was taken earth was being discharged on both sides of the trench by the use of a chute, in the shape of an inverted V, placed inside the cutting wheel, under the point of discharge from the buckets. A near view of one side of this device is given, showing the digging wheel raised

(p. 82). The farmers much prefer to have the excavated earth delivered at both sides of the trench, since it makes back filling easier. See also page 84, where both sides of the chute are shown.

This company uses a very interesting time saver, in the form of a fuel wagon which is towed by the machine when on the road. As soon as a new job is reached the wagon is detached and parked beside the road. A local agent of an oil company has a contract to keep the gasoline drums filled and supplies the ditcher, no matter where it moves. Since the radius of operation decided upon was only 3 miles, with the village of Hall as the center, the tank-wagon driver has little difficulty in keeping track of the trenching machine. This is a great convenience to the owners, since the operator signs for the amount of gasoline at each delivery, and the monthly bill is rendered to the ditching company.

This company does not undertake any part of the tile laying. The charges for work are 20 per cent higher than for similar work by the State machine (see p. 86), but as the limit for work per individual in any one year is 1,000 rods, and the systems are small, a farmer can complete his drainage at the first attempt, if he so desires.

Another effort on the part of landowners to get drains installed resulted in the formation of the Warren County Ditching Co., which was incorporated in 1916 under the laws of Pennsylvania. The charter of the company contains 20 names. This company bought the smallest type of power machine on the market, made to cut a trench 11½ inches wide. Most of the soil in this section is extremely stony (p. 84), and some doubt exists as to the advisability of attempting to use this type of machine under such conditions. The power was furnished by a single-cylinder gasoline engine of 14 horsepower. From the outset the operation of the machine seems to have been beset by mishaps. Trouble was experienced in keeping a good operator with the machine. A larger machine would at least have had more power and the additional size would have permitted it to withstand greater shocks. Numerous breakdowns occurred, with consequent delays while waiting for delivery of repair parts. The view shows the machine in a field where it had been all summer. The use of the field was lost for



Trenching Machines and a Drained Spot.

A. Filling gasoline drums on fuel wagon. Trenching machine in background. B. A good crop of truck in a well-drained garden, wild swamp in background. C. Sighting in the grade. A competent operator is always "on the job." D. Light trenching machine broken down owing to rocky soil and previous poor operation.

that season because it was not desired to ruin the crop with a number of trenches cut across the field. The rocky nature of the soil is shown to the left of the trench in the picture. The machine has stood in this position so long that weeds have grown and obstructed the view of the spoil bank and trench. With a competent operator this machine would undoubtedly have given satisfaction if used in a soil free from rocks.

STATE-OWNED MACHINES.

The boldest step in farm drainage construction that has been taken in a number of years was the purchase of three traction trenching machines by the New York Food Supply Commission in 1917. This was done as a war measure. The next year the work was taken over by the New York State Food Commission, and 10 additional machines were purchased. To these were added 2 machines connected with the New York State College of Agriculture. The State commissions spent about \$50,000 on machines. The 10 machines supplied in 1918 were delivered at intervals, the last one having been put to work about the 1st of September. During 1918 the machines worked on 150 farms and, it is reported, cut about 40,000 rods of trench, which is estimated to be sufficient to benefit approximately 12,529 acres.

These machines were placed with the county farm bureaus, which executed contracts for the season in which they agreed to cut 5,000 rods of tile ditch, and also to pay the State a rental of 10 cents per rod for every lineal rod of trench cut. No county was to have more than one machine. The machine was to be put in good repair at the end of the season at the expense of the farm bureau using it. A standard price for trenching by State machines is fixed at the beginning of each season.

The farmers had to contract in writing with their farm bureaus for the trenches they wished cut. It was agreed that the finished work should be left as near to grade as the operator could manipulate the machine, the farmer agreeing to remove fast stones, true up the bottom of the ditch to grade where necessary, and lay the tile. The farmer was also expected to haul repair parts, gasoline, and other supplies needed for the machine. In some instances the machine operator and his assistant were boarded by the farmer.

The peace-time operation of these machines is under the direction of the Department of Farms and Markets of New York State.

The scale of prices in force during the year 1919 is based on the lineal rod of ditch, 15 inches wide, and varies with the depth as follows:

Prices for digging ditches with State-owned machines in New York, 1919.

| Depth. | Per rod. |
|--------------------------------|----------|
| 2 feet 6 inches or less..... | \$0. 55 |
| 2 feet 6 inches to 3 feet..... | . 65 |
| 3 feet to 3 feet 6 inches..... | . 80 |
| 3 feet 6 inches to 4 feet..... | 1. 00 |
| 4 feet to 4 feet 6 inches..... | 1. 25 |
| 4 feet 6 inches to 5 feet..... | 1. 50 |

Since these prices are based on actual cost plus a rental of 10 cents per rod for all depths a fair idea of the average costs can be had by deducting the rental from the above figures. Considerable quantities of stone were encountered by most of the machines, which caused a number of breaks and made a high repair bill. There would probably be no saving over hand labor were it available.

Now that the work is settling down to a peace-time basis it is the desire of the State officials of New York to sell the machines either to the county farm bureaus or to local custom operators who would operate the machines as private enterprises. The contracts for 1919 contain a paragraph permitting the purchase, between December 1 and 16, 1919, by the farm bureaus, at the price paid by the State. The money which the counties have paid as rental will be applied as part of the purchase price.

CONSTRUCTION BY MACHINERY.

The machine-cut trenches vary from 11½ to 15 inches wide, and some of the machines can cut as deep as 5½ feet. They are equipped with a grading device which allows the machine to cut a completely graded trench at the first cut, provided there are no stones or roots which obstruct the passage of the machine. In soft, wet, mucky loam a rock as large as a man's head can often be easily removed, while in a hard, dry clay a stone as large as one's fist may necessitate raising the cutting wheel and finishing the ditch to grade by hand. Large green roots should be cut with an ax, and stumps on

the ditch line should be split by an explosive or burned out. No machine which does not have a satisfactory grading device should be considered.

Only the average day's cutting should be taken into account in estimating the performance of a ditching machine, with proper allowance for time lost in changing from one trench to another and in delays caused by breakdowns. The consideration of a number of tile installations in connection with the work of the Bureau of Public Roads brings out the following facts: The farm with the minimum average day's trenching had soil with loose rock in the bottom of the trenches, which were 3 feet in average depth; only 439 feet was the average day's run, not quite 27 rods. The average under ordinary conditions of breakage, ground, etc., is about 800 feet, or less than 50 rods. The greatest average yet obtained was 1,540 feet, or 93 rods per day for the entire job, including time lost for repairs and rain. The soil was a heavy silt loam containing no rocks and few stumps. The average of the 15 New York State machines over one year was but four operating hours per day, owing to numerous moves from one farm to another, breakdowns, and rain.

Costs of construction can be itemized from the figures given for the New York State machines, adding the local cost of the tile. Roughly speaking, a system consisting principally of 4-inch tile will to-day cost 8 cents per foot installed, which in round numbers would probably equal \$75 per acre. This is with a spacing of laterals of about 50 to 60 feet. This is expensive work, but when properly done the results pay a big dividend. It will also be noted that in this class of work the machine effects no saving of money, but it does make the execution of the work possible where hand labor is not available.

Several types of horse-drawn trenching machines have been put upon the market, which, in some instances, have met with approval when the local conditions were favorable. No machine of this type yet developed will cut a complete, graded trench at one passage; only a layer from one-half inch to 4 inches thick is removed at a time. This makes it necessary to open up a considerable length of trench at one time, which is always objectionable, for, if rains occur, the trench is apt to cave and be partially filled up. On soft ground repeated passage of horses and machines breaks

down the banks of the trench and causes much difficulty in cutting it to the proper depth. A number of horses are required to operate most of the plows and machines; hand work is sometimes required to throw out the loose material; and in all cases, some hand work is necessary to secure a true grade. Most of these plows cost more than the average farmer cares to invest in a special implement for which he will have only a limited use.

INDIVIDUAL EFFORTS.

Power machine trenching for farm tile drains has been practiced for some years with success, but has been confined to neighborhoods where a contractor owned a machine, or to farmers with enough capital to buy a machine. Some farmers buy secondhand machines, put them in running order, and sell them again, after constructing their drainage systems. One machine is known to have belonged to four different owners in five years, and was still able to dig a trench when last reported. Each owner had paid about \$500 for the machine, to which was added \$100 additional for the cost of getting the machine from one farm to the other, and for repair parts necessary to place the machine in condition to operate. The machine would thus cost about \$100 for the period of work, exclusive of the interest on the investment, provided, of course, the cost price was realized in the sale. This happened in every instance reported. At present the increase in freight rates, and in the cost of spare parts, would change these figures materially.

These individual efforts are praiseworthy, since in every case the drainage has been installed, but it is not always the most economical procedure, as time is lost by new operators learning to manipulate the machine, and poor work results until they become skilled. Frequently new operators cause serious damage to the machine, because they do not know what to expect from it, and fail to act quickly and correctly in an emergency. Long delays result when repair parts have to be ordered from the factory. An operator who knows that his interest in the machine will end with the work he is then engaged in constructing will usually let the machine get into a run-down condition. On the next job it will require many days of close watching while running, until the new operator is able to operate the machine properly.

The solution of the matter is to have the operator go with the machine. This is impossible, in most cases, with a farmer owning his own machine and selling it at the end of the job. On the other hand, it is exactly what a contractor does. The permanent operator learns all the short cuts on getting the machine into position with the least loss of time, learns how to operate the machine at the highest speed, discovers by experience the best way to handle stones encountered in the trench, and is soon able to distinguish the discordant sound of something gone wrong from the steady hum of well-oiled mechanism.

In the instance cited above, the four farmers could have obtained better results if each had paid his share of the machine's cost, employed the same operator the entire time, and then jointly sold the machine. Trouble is encountered when the operating costs are assessed to the different shareholders. This has prevented very much cooperation in some sections and the difficulty of finding in one locality enough interested persons with capital to form a small company has held others from purchasing a machine to do the work.

Many of the States at present do not offer numerous opportunities for contractors for this class of work. The work would be scattered and of small amounts. Frequent moves would be required to get from one farm to another as the convenience of the landowner demanded. The contractor is not often in a position to say to the farmer, "You do the work now if you want to get it done." For these reasons and probably some local ones, contractors in general are not active in searching for small trench work. Occasionally a farmer with a machine will take up outside work after he has drained his own farm, or a pipe-line contractor will take up farm-drainage work as an adjunct. These instances are rare. Most of the contractor type of machines cut a larger trench than that desired. It therefore appears that the best way for the farmers to get their drains installed, when they are situated beyond reach of a contractor and have not enough land to make a \$3,000 to \$4,000 machine worth while, is to get a community machine by cooperative purchase. This is not to get a cheaper job, but to take advantage of the small amount of labor required with the machine as against doing the work entirely by hand.

COMMUNITY OPERATION.

Methods of conducting the business incident to the machine operation must necessarily differ with local conditions. Some general suggestions will apply in most cases.

It is hardly too much to say that the success of the enterprise in starting a trenching machine in a neighborhood is dependent on the quality of the operator who is retained to run the machine. He represents the owners on the job, is the go-between between them and the farmer, and should be a man of tact and foresight. Besides all these he must be qualified as a mechanic.

The operator should know his machine. A man that has attended a tractor school is valuable, provided he has had sound, basic instruction in gas-engine practice. He has to be observing and alert. A man who can stop the machine instantly when a chain flies off or the machine strikes a stone may save a week's salary by preventing the loss in breakage and the delay in installing a new part. A skilled operator can set grade targets on simple work with a carpenter's level, if the fall is great enough. In these instances the services of an engineer are not necessary.

Where there is considerable flat land to be drained, or the system is large—that is, contains single lines more than a quarter of a mile in length—an engineer should be employed, if available. Some county agents now have small drainage levels and can give satisfactory grades. The competent operator will measure down from the survey stakes and check the depths of cut.

Among the greatest benefits derived from having a complete survey made before any trenching is done is to have the main tile large enough to carry all the water that will be eventually discharged into it, and also to have it deep enough to enable laterals to be taken off to the lowest tributary land. A map should be supplied and be kept for future reference.

A survey will also determine the different quantities of tile of various sizes required. The tile should be on the farm, distributed to one side of the proposed lines if possible, before the machine comes upon the place. The tile should be laid in the trench close up to the machine, and the laying should proceed as fast as the machine cuts the trench. It

is recommended that the machine always cut up hill. Some tile layers ride on the projecting shoe of the machine in the bottom of the trench, while others use a tile hook for the smaller sizes most used and stand on the bank of the trench while using the hook. The tile layer is thus intimately associated with the working of the machine, and it seems to be a good policy to have him part of the construction crew. He is required to true up the bottom of the trench at the start before the machine has cut down to depth or where the cutters have been raised to pass over a stone. When the machine stops for minor repairs or to renew the supply of gasoline or water, the tile layer can usually be profitably employed in cleaning the cutters, replacing dull ones with sharpened cutters, or filling grease cups. Thus it appears that the tile layer can be advantageously used as one of the regular crew of the machine. This will keep the work around the machine well organized, and the tile installation will keep pace with the trench cutting. In soils subject to caving this is of prime importance. Damage seldom results from a trench caving in after the tile is in place, but it is a tedious procedure to remove wet earth from a trench if the sides have slipped into it before the tile is laid.

A helper is usually included in the machine crew. A large boy or young man can be used to advantage, or he can be an understudy for the operator. The progress of the work will depend in no small degree on the helper. He assists the operator in making repairs, refilling with gasoline or water, filling grease cups, and, if competent, can be of great assistance in setting grade targets.

The helper also passes tile to the tile layer, if the latter rides in the trench on the shoe of the machine. With the smaller sizes of tile a tile hook can be used to advantage and the helper's assistance will not be needed to pass the tile. He can then follow behind the layer and patch up any large cracks at the joints and blind the tile. Blinding is bedding the tile in the trench with loose earth from the sides, making certain that enough material is placed to cover the tile several inches deep. A good helper is like the quarterback on a football team. He is in the middle of most of the plays and yet covers the greater part of the field.

Thus the three men constitute the team to get the work done. The operator should be the foreman and have general charge. Besides operating the machine he should have an eye to the tile laying. The tile layer has a steady, plodding job, only interrupted by occasional stones in the trench, breaks in the machine, or when changing from one line to another. The helper, as his name implies, should be quick to help in any position where he can be of assistance. As these men get accustomed to working together they will take the little short cuts automatically, few orders will need to be given, and the maximum of work will be done with the minimum expenditure of energy.

The above is the ideal crew from the standpoint of getting work done, but the objection will frequently be raised by the farmer that he wants to lay his own tile and has a man available to do it. Also, the man in charge of the labor for the machine will hold that he has enough trouble with the operator and helper without having a third man to bother with.

VALUE OF TILE DRAINAGE.

The value of tile underdrainage on naturally wet farm lands has long been appreciated. In localities of cheap land the wet areas are left out of the scheme of cultivation, but as the region develops and values rise interest in drainage becomes stronger. Owing to the rise in land values the time comes when naturally well-drained farm land costs more than the cost of wet land plus the cost of the drainage and improvements. Under these circumstances the drainage of large tracts is profitable. Another phase of the subject is presented by the relatively small areas of low, wet land on individual farms. Here the cost of drainage works is usually compensated by the increased crop during the first few years after the drains are installed. The increased value of the farm, due to the removal of some unsightly wet spots, is often more than the outlay for the drainage construction. (See illustration of corn on peat land, p. 98.)

All of the agencies interested in improving farm production have persistently preached the need of drainage on wet farm land. Demonstrations have been made of the proper

way to install tile, and numerous publications have printed the results obtained from actual drains installed. But the question of how to get the work done, where to get the



How Drainage Helps.

A. Corn on peat bog that has been tile-drained and subdued. B. Crop of weeds on peat poorly drained by open ditch.

labor, has in most cases been "sidestepped." At present the community-owned machine offers the best solution of the problem.

HOW TO USE MARKET STATIONS

By G. B. FISKE,
*Investigator in Marketing
Fruits and Vegetables, Bu-
reau of Markets.*

"WE THINK we know how to raise crops well enough," asserted a confident farmer. "Anyhow, we are not sure that somebody from outside can tell

us just how to run our farms; but when it comes to selling our stuff we must admit that other people are closer to the market than we are and ought to be able to tell us something."

This is the first purpose of the market station—to supply information from trained men located at market centers where the produce is handled and sales are made. Accurate, prompt, impartial market news collected early in the morning is wired from city to city, is published during the day of collection, and reaches city dealers the same day and remote country shippers the next morning. This service appeals to dealers as well as to the shippers who are farmers and fruit growers, for neither class may act confidently without having before them the facts concerning actual sales each day and all the important items affecting the markets.

WIDE SCOPE AND CIRCULATION OF MARKET INFORMATION.

Such information is available through the Department of Agriculture concerning the marketing of 500,000 to 750,000 cars annually of fruits and vegetables worth three quarters of a billion dollars. The circulation of this market news is



Dealer's Display of Produce.

wide. It has been estimated four to five million general readers are reached through newspapers. Market bulletins, reports, reviews, and special articles on fruits and vegetables alone go directly to 125,000 growers and dealers. Telephone and telegraph reports on these products were sent out on request to about 19,000 people in 1918. They went to men who were glad to pay the toll charges. A Kansas fruit growers' association paid \$12 a day merely for telegraphic reports of carlot shipments.

CLOSE TO SELLING END.

Market stations are well termed "branches." Like the parts of a tree, they reach out in every direction from the central office. Connected by wire and mail service, there is constant circulation of vital news, out and return. The raw materials are gathered and worked over to make the reports, reviews, and press articles which are shed, like leaves and fruit, for the benefit of the public. The market station man is the caretaker, and he works from the early stir of activity in the market section until the day's stint is finished. Usually he is a man with considerable technical training, selected for the work because of experience in production or marketing.

The market station man's work, like that of the county agent, is localized, although it is at the selling end and not at the producing end of the agricultural deal. His field begins where that of the county agent leaves off, and he is in a position to analyze market problems comprehensively because he meets dealers, shippers, and producers and is in daily touch with local trade conditions.

WHAT IS A MARKET STATION?

But, dropping comparisons, what is a market station? It is a branch of the Bureau of Markets of the United States



Department of Agriculture established in a large city primarily for the purpose of collecting and distributing market news. Each branch office, connected by leased wire with Washington, receives and distributes daily the news from each station. Beginning in 1915 with four commodities reported from only a few of the larger cities, the number of branches was increased steadily, reaching 34 during the war but now reduced. The scope of a number of the leading branches has been enlarged.

In the various branch offices the following lines of work are represented:

Baltimore: Market news service on fruits and vegetables; food products inspection; grain supervision.

Boston: Market news on fruits and vegetables, dairy products, live stock, and meats; food products inspection, stockyards supervision; grain supervision.

Chicago: Market news on fruits and vegetables, dairy products, live stock and meats; food products inspection; seed reporting service; hay and feed market; stockyards supervision; grain supervision.

Cincinnati: Market news on fruits and vegetables; food products inspection; grain supervision.

Cleveland: Market news on fruits and vegetables; food products inspection.

Denver, Detroit, Indianapolis, Los Angeles, Omaha, Pittsburgh: Market news on fruits and vegetables; food products inspection; grain, stockyards supervision.

Kansas City: Market news on fruits and vegetables; seed, hay, feed marketing investigations; live stock and meats; food products inspection; stockyards supervision.

Minneapolis: Market news on fruits and vegetables, dairy products, hay and feed; food products inspection; transportation; grain supervision; grain standardization.

New York: Market news on fruits and vegetables, dairy products, live stock, and meats; food products inspection; stockyards supervision; transportation; grain; cotton.

Philadelphia: Market news on fruits and vegetables, live stock and meats; dairy products; food products inspection; stockyards supervision, grain supervision.

Portland: Market news on fruits and vegetables; grain supervision and standardization; stockyards supervision.

St. Louis: Market news on fruits and vegetables, live stock, and meats; food products inspection; stockyards supervision; grain supervision.

San Francisco: Market news on fruits and vegetables, dairy products; transportation; seed reporting.

Spokane: Market news on fruits and vegetables, hay, and feed; grain supervision.

These stations supply market news on fruits and vegetables, live stock and meats, dairy products, grain, hay, and mill feeds, and seeds. This service tends to displace many private reports quoting news which is likely to be of a less comprehensive, prompt, and reliable nature. The fertilizer sections have conducted inquiries and made reports on the supply and public demand for fertilizers and fertilizer material. The transportation sections have been of great value in securing regular and complete reports of shipments, obtaining the prompt unloading and return of cars, and securing cars and transportation facilities for shippers. The food products inspection work provides an official inspector at important central markets to investigate and certify the condition of shipments upon arrival. The importance of this inspection is plain as supplying a basis for settlement of differences between country shippers and city receivers of carlot produce. Consignments of less than carlots may be inspected also at little cost to shippers.

Each permanent market station secures from local freight agents in each of the more important markets the number of cars arrived of each crop being reported and, if possible, the number of broken and unbroken cars on track. Reports of home-grown stock are also obtained when on the market in large quantities.

COOPERATIVE HELP AND INFORMATION.

Through cooperation with headquarters at Washington, much important material is given out from the market stations concerning the general work of the Bureau of Markets and information more or less directly related to market conditions but collected by other bureaus or departments. Among such important items are reports of stocks in cold storage, reports of crop yields and conditions, export and import statistics, and special regulations affecting marketing.

Cooperation of the market stations with State marketing agents in 27 States is decidedly helpful. The National service is concerned chiefly with the wholesale marketing of produce shipped from one State to another, but the State agents are interested in local produce, both wholesale and retail. The National and State forces are often united not only in securing information, but in helping to solve special

marketing problems and conditions, such as the more rapid movement of crops in seasons of heavy production.

MARKET TERMS AND ABBREVIATIONS.

Most of the abbreviations in the market reports are in common use elsewhere and are readily understood. A few, however, may require brief explanation:

"A2½" and "B2½" refer to standard apple grades established by law in various States. The figures describe in inches the least diameter of the fruit in that grade. "4's" or "6's" are carriers holding four or six baskets. In cantaloupe reports "45's" are crates containing 45 cantaloupes. The term "carlots outweigh" refers to carlot sales at unloading points made on the basis of the weight of contents at the time the car is unloaded.

ABOUT THE MARKET QUOTATIONS.

The market quotations reported in the daily bulletins are obtained daily. This information is wired to Washington, where telegraphic summaries are prepared and sent to each office from which bulletins are issued.

Many of the terms referring to quality, condition, etc., are necessarily general, because it is impossible to report the specific condition of each separate car or consignment. The quality and condition of a crop which is being reported from a given district may cover several cars.

Price quotations, unless otherwise stated, apply to the price at which the bulk of the merchantable stock of any given commodity is being sold. Prices for an extra fancy grade may be higher than the quotations reported. Likewise a poor or inferior product may sell for less than the quotations given in the bulletins.

By "jobbing price" or "sales to jobbers" is meant the price at which jobbing lots of any commodity are sold when the car is broken, or the price at which the jobber buys. By "jobbing lots" is meant large quantities in which the fruit is sold by the carlot receiver to the jobber, such as 25, 50, or 100 bushels, barrels, crates, dozens, baskets, or other unit of container or measure by which fruit or produce is sold. Strawberries, peaches, cantaloupes, or other quickly perishable commodities are usually "jobbed" in smaller quantities than

the less perishable products, such as potatoes, cabbage, and onions. The "jobbing price" does not mean the original carlot price nor the price to retailers in small lots.


Not all products are reported on the jobbing-price basis at all seasons of the year. For example, during the period of heaviest movement of potatoes, most shipments are sold in carload lots intact by the receiver to the jobber; hence, during this period carlot prices are quoted on potatoes. In some markets onions, cabbage, citrus fruits, watermelons, and bulk apples are sold on carlot basis, and in a few markets barreled apples are sold in carlots for storage. In every case, the basis upon which quotations on any particular commodity are made is stated in the bulletin, and all exceptions are indicated.

There may not always be a definitely determined jobbing price in some of the smaller markets, where the functions of the carlot receiver, jobber, commission merchant, and wholesaler are not clearly separated. In such case, the quotations are usually on the basis of sales to large retailers, chain stores, or others who buy in jobbing lots, though they may not conduct a jobbing fruit or produce business. If there is any question at any time concerning the quantity basis on which quotations are made in any market, inquiry may be addressed to the Chief, Bureau of Markets, Washington, D. C., for a more complete explanation of local conditions in a given market.

Prices quoted in market bulletins represent actual sales, not prices asked or quotations given, or predictions as to probable future prices. Hence, it may be that on a rising market the prices quoted may seem low when the bulletin is received, and, vice versa, on a declining market the prices given may be high by the time the bulletin is received.

Quotations usually represent the condition of the respective markets up to approximately 9 a. m., local time, but bulletins are not issued until about noon. Consequently, it is impossible to include fluctuations which may occur between these hours in the market bulletins.

In many important markets it would be impossible to get carlot price quotations, because very few or no cars are sold intact by the original carlot receiver in that market to the local jobber, hence there would be no basis of actual sales upon which to report a carlot price. In most of the important markets there is, however, a fairly well defined



Direct Circulation of Market News.

jobbing trade which buys at the prevailing jobbing price for the day.

Returns to a grower or shipper who may have consigned a shipment to a commission merchant are usually made on the basis of the jobbing price received, from which, of course, freight, commission, and other expenses are subtracted. Hence, shippers of consigned products are usually more interested in the jobbing prices prevailing in a given market than in carlot price quotations.

In certain western and southern markets, however, very few shipments are accepted on consignment. Large dealers prefer to purchase their requirements outright in order to be assured of a steady supply. As a sufficient supply to meet the market demands is usually purchased,

Produce in Freight Terminal, Cleveland.



Transferring a Shipment of Produce at a Railroad Terminal and Ferry, New York.

consignments tend to overload the market and may be sacrificed if shipped without making previous arrangements.



Inside a Produce Warehouse, Baltimore.

Thus, in markets where consignments are not looked upon with favor or where previous connections have not been established, the farmer who ships on consignment can not be sure of receiving the prices quoted in the market bulletins.

The jobbing price more truly represents the actual market conditions. In other words, the jobbing price responds to increased or diminished supply or demand more rapidly than

either carlot or retail prices, hence gives a better indication of the state of the market than would either carlot or retail prices.

In order to estimate what he should expect to receive for his product in a given market and on a given day, the grower or shipper should first consider the grade, pack, quality, and condition of his product compared with the bulk of that product as quoted in the bulletins for that day; second, deduct freight or express charges, other costs, and commissions.

Even after proper deductions have been made, returns may not always agree with prices quoted in the bulletins, because of unexpectedly heavy receipts later in the day, sudden changes in weather, or other factors which influence the market quickly. In some markets, therefore, prices may materially change during the day from those prevailing at the time when market quotations were secured in the early morning.

Anyone desiring to secure information more quickly than is possible through the

Unloading Produce in Freight Yards,
Pittsburgh.



Loading Potatoes at Boston Terminal, Charlestown Freight Yards ("Potato Row").

mails may have all or any part of any report sent by telegraph, charges collect, from the nearest station. A blank for entering the details of the desired telegraphic service will be furnished upon application.

"MARKET AND PRICE" PHRASES.

"Market excited." This represents a condition of uncertainty and a decided bullish tendency on the part of the seller. It suggests a rapid upward tendency and considerable price fluctuation.

"Market stronger." This represents a condition of increasing confidence on the part of the seller, with the likelihood that the present demand will consume present supplies, and supplies in sight can be absorbed at prevailing or slightly higher prices.

"Market strong." This represents a condition of firm confidence on the part of the seller. There may be a good demand and supplies may be relatively light, so that the seller is likely to stiffen the price at the first opportunity.

"Market active." This represents a condition of quick sale, good demand, and a generally healthy condition. There may be no decided change in prices, although it often indicates an upward trend.

"Market firm." This represents a condition of strong confidence in general conditions, resulting often in the strengthening of a price range, but seldom in actual price advances.

"Market steady." This represents a normal movement, with steady, consistent trading showing no decided price changes one way or the other.

"Market unsettled." This represents a condition of uncertainty on the part of sellers and usually indicates a weaker tendency. There may be no actual price changes one way or another. Represents a waiting attitude, with spasmodic trading.

"Market dull." Represents light trading and suggests a condition of uncertainty and possible depression. There may not be any actual change in prices.

"Market weak." This may be used in describing a condition of actual price decline, with the possibility of further decline, and represents a decided lack of confidence on the part of the seller. It may also be used when no actual price declines have taken place, but with large supplies on hand and heavy supplies in sight it is the prevailing opinion that a decline is inevitable.

"Market weaker." This is a comparative term and refers back to conditions of the previous day. It may represent an actual decline in price, although the relation of market price should not be the governing factor. The reporter should conclude by his "sense" of the market that less confidence exists than when the market is steady.

"Market demoralized." This term is to be used only in very unusual cases and represents a condition when stock can not be moved at any price. It represents a market so completely glutted that even stock of high quality can not be moved.


As used in the official market news reports, "market" represents the views of the seller and "demand" those of the buyer.

USING A MARKET REPORT

The veteran reader of market reports, trying to size up the produce situation, is likely to begin by taking up the latest daily schedule of a leading staple, say potatoes. He looks over the report from a leading market, in this case very likely Chicago, and notes that carlots are quoted 15 cents per hundredweight lower than yesterday. He glances at the reports for Minneapolis, Kansas City, New York, Boston, and Philadelphia, and notes that prices in these cities show little decline.

To find the reason of the weakness in Chicago he notes the report with more care and observes records of heavy arrivals of stock from Minnesota, Michigan, and other northern shipping States and concludes possibly that the drop was caused by these large offerings reaching the nearest leading market, in conjunction with the heavy supplies from other producing sections. If condition of the stock is noted as poor or ordinary or with much field frost, he decides that a part of the


Market Centers in Norfolk, Va.



market weakness may be due to that cause. Possibly poor demand and some stock poorly graded may be mentioned as adding to the unfavorable market position. From his file of daily reports for the week, or the Weekly Review issued by the Bureau of Markets, he notes whether the decline has been persistent or whether it seems to be one of a series of short ups and downs or part of a reaction from an advance.

According to the nature of the movement, he decides whether the recent trend has been definite in one way or the other. Concluding perhaps that the decline marks a general downward trend, he glances over the reports from leading producing sections supplying Chicago and finds that the trend of f. o. b. prices is also downward at Waupaca, Wis.; Moorhead, Minn.; Grand Rapids, Mich.; and in the Grand Junction district of Colorado, and that hauling and shipping are active at these points.

Evidently the western crop is now moving fast and the Chicago carlot market has been first to feel the effect in a marked degree. Reports of relatively light arrivals at other midwestern consuming markets may confirm this. He mentally goes over the crop conditions with the aid of the carlot summary, weekly reviews, and special articles if the main facts are not already in mind. He notes the size of the crop and the amount shipped from each State for the season to date. He observes carefully the attitude of growers, buyers, and shippers; whether anxious to trade or holding back. He takes into



account the car supply, whether abundant or if shortage exists, and the weather conditions, whether especially favorable or otherwise for rapid and safe transportation. He glances over all the reports to note any indications of slackening demand. If it is late in the season he takes note of conditions in eastern shipping sections and consuming markets. He may even note arrivals of Canadian stock and exports and imports if there is reason to suspect important developments on such lines. If the new southern crop is about ready or beginning to compete, he takes that into account—its size, condition, quality, and location. Then, having the situation in mind in all its essential aspects, he forms his own judgment of the probable course of the market.

From daily observation he is able to carry the general points in mind, and often hardly more than a glance at the report of the leading markets is needed. He is able to detect the hinge on which the market is turning and almost to feel its movement. He says, "Chicago carlots are off another 10 cents; the market is going down," basing his conclusion not merely on the decline itself but on its relation to the previous trend and to the other conditions which he has kept in mind almost unconsciously. Another time the "hinge" of the market may be in the East, turning on big reserves of stock in Maine or Canada or the shipments of the new crop from Virginia. The critical market then may be New York, Boston, or Philadelphia. Prices and conditions at the end of the old crop season often foreshadow in some degree the market for the new crop, and the market behavior of the new crop may be some indication of the coming market for the main crop.

To size up the situation for any crop at any time requires the quick balancing of many facts and causes. No general directions can be given to fit every case. The way to learn to use market reports is to use them. Expert use comes from long practice. In time the reader learns to read between the lines and to feel the market from indications that may mean little to the beginner. The expert's quick sizing up of the situation appears like magic or guesswork to the person little experienced in this line.

The behavior of the potato market is in general like that of other staple fruits and vegetables which have a shipping season continuing throughout the winter. There is often a time of low prices during the main harvesting season, followed by recovery lasting perhaps until the end of the calendar year; then comes an irregular course throughout the winter, depending partly on condition of weather and transportation, and finally a new movement in the spring either up or down, according to the supply on hand when the active spring movement begins.

SEARCHLIGHTS ON THE APPLE MARKET.

The apple grower, shipper, or dealer, like the potato handler, needs experienced and intimate knowledge of the situation. A study of such markets as Chicago, Denver, Kansas City, St. Louis, and the eastern auctions may afford an indication of the boxed-apple situation. The eastern barreled-apple market centers in such cities as New York, Boston, Philadelphia, Detroit, and Pittsburgh, but in seasons of shortage of the western crop the middle-western markets have an important relation to the outcome of the barreled-apple marketing season. The whole commercial apple situation must be in mind. Where is the crop this season and how located in the box and barrel sections? Which varieties are yielding most this season and what is the market quality? What is the probable export situation and the eastern competition from Canada or elsewhere? Will the sugar shortage or high prices interfere seriously? How has the market started, as indicated by sales of early kinds and advance contracts for late varieties? What is the apparent attitude of commercial buyers? Are they disposed to contract freely and is cold-storage space in demand? Are the box and barrel supply and the labor situation likely to affect the handling of the crop? What is the general business situation as related to the consuming demand? What is to be said regarding the outlet for dry and evaporated stuff and for fruit-juice products?

PLENTY OF BACKGROUND NEEDED.

All such points must be kept constantly in mind in order to grasp the full meaning of the day-to-day and week-to-week changes shown in market reports and reviews. Each

crop is a market situation by itself, although at times a number of leading lines of produce appear to move in the same direction under the influence of general causes, but in general each crop demands a good background including all the facts that may indicate or explain the market changes.

A COMMON COURSE OF THE MARKET.

The ordinary or natural market course of a line of perishable produce is somewhat as follows: It starts high with active movement even for inferior stock, because the demand has the sharp edge of novelty and appetite. The price gradually declines and poor stock becomes harder to sell as the supply increases. Lowest prices arrive soon after the heaviest shipments commence and a glut may occur, especially if many sections are shipping at once and there is much poor stock. Then, with a decreasing supply, prices advance, sometimes recovering much of the early decline, but usually not reaching the opening prices because demand is far less keen at the end of a long season. If the last of the shipments are inferior, as happens frequently with many perishable crops, the season may close at or near bottom prices.

The common or natural market developments do not always take place as might be expected. Quite frequently superior quality of the main crop or absence of general competition will bring higher prices in mid-season. Unexpected shortage may cause the reserve stock in storage to sell at very high prices at the close of the season, especially the less perishable crops like potatoes, onions, apples, cabbage, etc. Careful study of crop, storage, supply, and shipment should enable a fairly good judgment to be made of the outcome.

On the other hand, it is very difficult to form any reliable market judgment for the quickly perishable, short-season crops like strawberries, peaches, and melons. Markets in such lines are irregular, differing widely at the same time in different cities because the nature of the crop does not admit of safe transfer between distant points or long keeping in cold storage. These lines feel quickly and severely the effect of oversupply, whether of carlots or from neighboring sources. As these crops are not strictly necessities, the demand is somewhat uncertain, depending largely upon the buying power of the public, which may vary greatly from season to season.

THE EBB AND FLOW OF VALUES.


The course of the market often appears like that of the tide, advancing or receding gradually all along the line, moving at a different rate in some places than at others and the general direction almost concealed by the ups and downs of the separate waves, but in general moving irresistibly in the appointed direction until the turn comes. Then occurs the backward movement, as mixed and puzzling as the first, but still quite definite in direction and limited in extent.

Of the main price movements, it may be said in general that they usually go farther in either direction than the conditions seem to warrant. This is owing to market momentum. When an upward price movement is well under way, buying may be increased rather than lessened. Numerous buyers stock up because they fear to be caught by a further rise. This added buying, in connection with the original cause of advance, may carry prices much higher than expected, but there is still more buying by those who fear that prices are "going out of sight." When this buying is done there is a lull. Heavy supplies are attracted by the high level of prices reached and the drop begins. Many buyers hold off now because they were heavily supplied during the rise or because they expect to be able to buy lower down. Demand is poor and prices decline until bargain hunters appear and regular buyers regain courage; then the demand gradually catches up. Noting the decrease of stocks in sight, more buyers come in and the price again starts upward.

Many typical big moves of the produce market follow this general course. Starting from the top of a rise, there is a long, irregular, wavelike decline. At the bottom there is a quick rebound which may bring values half way to top again. Then a second reaction occurs in which much of the recovery is lost. After that the market starts on new lines, either up or still farther down, according to underlying conditions.

If markets could always be judged from the past, the problem would be simple, but each season has its own features. The best that can be hoped is that judgment based on the past and a forecast of the probable future conditions will be right more often than wrong. The grower as well as the seller of produce is obliged to take risks. Some years all his

well-thought-out calculations will go for naught. The market will go contrary to his hopes and his crop will be disappointing either in yield or in value. That is the danger and fascination of the produce business—all the more reason for him to use carefully what information he can secure in order that in the long run he may have a fair return.



Monthly Average Prices of Leading Crops, Market Season of 1918-1919.

THE CITY AS A MARKET.

In considering a market for produce the first question is, How has it acted in the past? Has it usually paid high prices for the line of produce in mind? What grades and varieties seem to fare best? Is this market often glutted with home-grown or carlot produce or with imports? Is it a diverting point for shipments to other cities? What are the freight charges and the special costs of distribution compared with other markets that might be used?

It is unsafe to judge from high prices that may prevail at a given time. New York is often the highest in prices and soon after becomes the lowest. Boston is often a high-priced market, not considering the cost of freight, but at times is greatly depressed owing to liberal home-grown or Canadian offerings. Baltimore is often low-priced because of the nearness of large producing sections with water transportation, but at times quotes high prices. Middle-western markets may at times be best even for eastern shipments. Sometimes a distant market poorly supplied with the line in question has been the best outlet. All such differences may be quickly reversed by temporary changes. Judgment of probabilities must take into account the whole situation of supply and demand in addition to the day-to-day reports.

MARKET NEWS A HELP TO PRODUCERS.

A producer might be tempted at about this point to conclude that shipment, even on consignment, is a business by itself and that he would better sell his crop on the spot for cash. This is, no doubt, the safer course in sections where the local buyers are numerous and where they operate in free competition, but often there is little or no competition and sometimes the buyers hesitate because of heavy supplies on the markets or the doubtful condition of the stock. In that case, producers must consign, either as individuals or through associations.

A large number of growers have no outlet for any considerable surplus produce except through shipment to distant markets. In any event, a close, up-to-date knowledge of the markets helps greatly in checking up the offers of local buyers and returns made by dealers and local marketing associations. The well-informed producer knows the condition of the market and has confidence in his position. Said a Boston apple buyer who had just returned from a business trip in western New York: "We have to pay all the stuff is worth nowadays. The growers are all wise. They know as much as we do. Once in a while we catch a man who has not heard the news, but such fellows are getting scarce." These well-informed growers were in close communication with one another by telephone. Some of them had called up the nearest market station, on the buyer's arrival, and what one grower knew all the others quickly

had by telephone and the buyer was confronted with market news more recent and complete than his own. They would sell their apples, but not below the market, and the buyer was reduced to his rightful position as a holder of stocks and a carrier of risks, but not able to take any undue advantage of the growers.

Numerous letters written by producers to the Bureau of Markets show that the possession of reliable market news vastly strengthens the holder's position. Even the buyer is helped by the service. With the situation well in hand he acts with sounder knowledge and may avoid excessive risks from overbuying or by shipping to overloaded markets. Dealers are quite ready to admit the value and stabilizing effect of dependable market reports.

A grower in Maryland said: "I watched your reports and I noticed that Boston was constantly buying my grade of peaches at a price which would enable me to pay additional freight on all I sent there, so I made about \$70 per car on the proposition."

A grower at Brigham, Utah, writes: "I demanded a price consistent with your reports of market conditions and received it." According to a Massachusetts correspondent the news service "saves thousands of dollars annually for the onion growers of Connecticut Valley."

A railroad agricultural agent in Mississippi declares that the daily market report by wire made possible a combined saving of \$1,000 in one day to growers at three shipping points. "Your office goes a long way toward running down the brokers, dealers, or shippers who are in the habit of making false statements for personal benefit," writes a firm of dealers at Fort Worth, Tex.

SAVING THE MATERIAL.

Market reports, carlot figures, and special articles may be kept conveniently for reference in holders sold at the stationery stores or simply by perforating and fastening them together with twine. They should be filed by crops and according to the calendar years for convenience in comparing prices and other conditions, season by season. By reference to these files at critical times in the market, the shipper is enabled to secure a long-range view, with plenty of background to assist in outlining correct estimates of the situation. The special articles which give a long-time summary

of the market for the crop-shipping season and with comparisons for similar crops in preceding seasons are very convenient in making quick estimates of this kind. The value of all this material is greatly increased by keeping it at hand in a form readily available for reference.

WHAT THEY WANT TO KNOW

A market station, as a side line, serves as a clearing house for information. All kinds of inquiries, hundreds of them, come from local people who want to know. They write to the station because it is the most accessible Government branch and the general address is easy to remember: "Bureau of Markets," New York, Chicago, or Detroit, as the case may be. These inquiries, except such as refer to the local market situation, which may be answered direct, are forwarded to Washington, where they are referred to the best-qualified technical men in the various departments.

Questions received are a valuable hint regarding the kind of help wanted by producers and consumers in general. It is plain that the information asked for by a few growers must be wanted by others and, if practicable, the material is sooner or later put into shape for general distribution in newspaper articles or official bulletins.

Men in the market stations are in a position to find out more of such needs. They meet dealers and shippers continually in the course of their work and learn what information is most needed. Large producers often visit the stations and the Washington office to submit special problems for solution.

For instance, some Maryland tomato growers, unable to move their surplus, come in to present their troubles and are immediately put in touch with leading canners who handle tomatoes. A prominent New York State potato grower receives information regarding the probable relative market position of his stock if shipped to a distant city. Spinach growers in Texas who apply by telegraph obtain addresses of canners and large buyers. A group of middle-west onion producers are told how to apply for Army contracts. Scores of small growers in widely-scattered sections are advised regarding the possibilities of marketing in small lots by mail or express or motor truck. A manufacturer of fruit juice receives a list of principal shipping points where fruits should be plentiful, and, on the other hand, a

berry grower remote from ordinary markets receives addresses of fruit juice makers.

Requests for lists of dealers need to be answered with considerable discrimination. In large markets the trade specializes to a considerable extent and the list should include dealers adapted to the class of business offered. Small shippers, for instance, should not be directed to firms handling carlots only or to auction concerns. Large shippers should be directed, if possible, to firms which make a specialty of the product intended to be shipped. Even in the separate commodities there is often specialization; some firms, for instance, handle only California fruit, others handle early potatoes but do not take up the late crop to any extent. Some firms that handle northern onions do not deal extensively in the southern Bermuda crop, and some do not handle green onions or bunched stock.

Best results naturally are secured by assisting the shipper to find the class of dealers accustomed to handle, in a large way, the kind of business which he offers. The overworked market station man is evidently not able to take up investigations for individual shippers. He can only send out a classified list believed to be reliable in a general way.

Often request is merely for the official price quotation for a certain day or week, this information being wanted in connection with damage claims or as a check on returns of commission dealers. Whatever the question, somebody in Washington is ready to spend hours, perhaps days, in looking up the facts in order that some unknown correspondent may benefit. Most of the market station men are also producers, or have been connected in some way with handling produce, and they are in a position to realize fully the troubles and problems of the people who write inquiries.

READY TO HELP.

The market man is close to the selling end and he is anxious to help.

Market reports on the crop you raise are free. Ask for them.

Keep the reports, reviews, and special articles on file. They will help in following and understanding the markets.

Send the market station man questions. If he can not answer them he knows who can.

ATMOSPHERIC NITROGEN *for* FERTILIZERS

By R. O. E. DAVIS,
Scientist, Bureau of Soils.

NITROGEN in some form is necessary for the maintenance of animal or vegetable life. No animal or vegetable cell can exist without containing nitrogen in combination with carbon, hydrogen, oxygen, and sulphur. In spite of its essential nature, however, neither animals nor plants can utilize nitrogen unless it is fixed in some combination. Nitrogen in its elemental form constitutes about four-fifths by volume or three-fourths by weight of the atmosphere, but this elemental form must combine with other elements before it can be assimilated. Plants are nourished by the nitrogenous substances contained in the soil and water, and animals by the nitrogenous substances in plants and other animals. The use of fertilizers containing nitrogen is to meet this demand of plants for this essential element.

In addition to being so essential to life nitrogen is the chief and most used element in explosives, and many of the combinations of nitrogen that may be used as explosives may also be used as fertilizers or else by easy transformation may become available to plants as fertilizers. Thus the problem of supplying nitrogen compounds in war is closely linked to the problem of supplying fertilizers in peace. A difference lies in the preparation and application of the products.

SOURCES OF NATURAL NITROGEN SUPPLIES.

Under natural conditions small amounts of atmospheric nitrogen are continually combining with oxygen and hydrogen to form ammonia and nitrate, and these compounds are carried into the soil by rains and snow to be utilized by plants. Also the action of certain bacteria on the roots of

certain legumes are causing continuously some nitrogen of the air to enter combinations useful to plants. In the life cycle of the plant some of this nitrogen becomes free again when nitrogenous material decays, some is utilized again in other plant growth. Materials of both vegetable and animal origin (such as dried blood, tankage, fish scrap, cottonseed meal, manure) are used to increase the nitrogen store in the soil, but these are insufficient to meet the demands.

The world's principal source of nitrogenous material in the past has been the nitrate beds of Chile. While these deposits are enormous they are not inexhaustible, and it is easily conceivable that a country might be cut off from this supply at a time when nitrates were absolutely essential. This is just what happened to Germany through the operations of the English blockade. But Germany had foreseen the danger and had developed the production of nitrate from artificial sources to such an extent that she could meet her demands without importing Chilean nitrate. Other countries had not progressed so far and the war gave a great impetus to the study of the production of artificial nitrates.

COAL A SOURCE OF AMMONIA.

One source of nitrogen in coal-producing countries is ammonium sulphate from coke ovens. Bituminous coal suitable for making coke contains from 0.8 to 1.5 per cent nitrogen, which may be recovered in the gases evolved in cooking. In this country much of the coking in the past has been in the beehive coke ovens, where all the volatile materials driven off by heat are allowed to escape and the valuable ammonia is lost. During the war many beehive ovens were displaced by by-product ovens, and the production of ammonium sulphate in this country rose from 100,000 tons in 1909 to 188,000 in 1913 and 357,000 tons in 1917.

INSUFFICIENT SUPPLY.

The consumption of fixed nitrogen in the United States in 1913 amounted to about 140,000 tons, or the equivalent of practically 650,000 tons of ammonium sulphate. The European war produced an unprecedented demand for nitrogen for explosives, and the difference between our production and potential consumption became enormous. This condi-

tion resulted in renewed efforts to establish processes for fixing atmospheric nitrogen in combinations that would be useful for explosives or fertilizers. Such methods have been used largely during the war, but in this country their commercial development has only just begun. Indeed, much improvement in the methods remains to be accomplished.

SUPPLY OF NITROGEN INEXHAUSTIBLE.

The desirability of such methods is readily seen when the extent and quantity of the raw material is considered. The atmosphere covers the earth, and above every square mile of the earth's surface there is estimated to be about 21,683,200 tons of nitrogen, while the total area of the earth's surface is estimated at 199,712,000 square miles. That there may be no danger of exhausting the raw material is readily seen from the figures for nitrogen consumption. In 1913 the total consumption of nitrogen for the world is estimated at 787,000 tons, of which 62,000 were produced by some form of nitrogen fixation. In 1917, the consumption had increased owing to the war to 1,231,400 tons, of which 388,000 were produced by fixation methods.

CONVERSION OF ATMOSPHERIC NITROGEN.

The conversion of the nitrogen of the air into compounds available for use may be accomplished in several ways, the principal ones of which are:

1. The direct oxidation of nitrogen and its conversion into nitric acid.
2. The combination of nitrogen with metals to form nitrides, which may be treated to furnish ammonia.
3. The formation of cyanides or cyanogen compounds by combination of nitrogen with metals and carbon.
4. The formation of a compound with carbide, producing cyanamid.
5. The direct combination of nitrogen and hydrogen from its elements for the formation of ammonia.

THE ARC PROCESS.

The direct oxidation of nitrogen in the electric arc to form nitric acid was the first of the processes to be developed abroad. Many forms of arcs, through which air

passes or is blown, have been proposed, but the principle involved is the same, the union of oxygen and nitrogen at the temperature of the arc. The only commercially successful plant is located in Norway, where electric power is cheap. The method itself is very inefficient as regards production in relation to power consumed. The low cost of electric power in Norway makes the process workable there.

It is generally conceded that this process would not be adapted, in its present state of development, for use in the United States. Apparently there is not a sufficiently large amount of cheap hydroelectric power available in America within reach of points where nitric acid would be used. The cost of installing the process is high, and the product, nitric acid, is not economically transportable. Nitric acid is not readily converted into materials that are used for fertilizers. Calcium nitrate and ammonium nitrate formed by neutralizing nitric acid with lime or ammonia are of some value as fertilizer material, but can not be used readily in mixed fertilizers demanded by American farmers. In spite of the simplicity of the arc process, and the supply of raw material without cost, the disadvantages are seemingly greater than the advantages for this country.

NITRIDE PROCESS.

The nitride process consists of the combination of nitrogen with various materials under the influence of high heat, and the nitrides produced may be treated subsequently to furnish ammonia. The best developed of the nitride processes is that of making aluminum nitride from alumina, coke, and nitrogen heated to a temperature of about 1,800° C. in an electric furnace. The process has not been developed sufficiently to show what the ultimate power requirements would be, although they are known to be rather high. At present, however, it is not used on a commercial scale for the production of ammonia.

CYANIDE PROCESS.

The cyanide process is one depending upon the formation of cyanides by the combination of nitrogen with metals and carbon. There is no difficulty in the chemical reaction involved. Sodium carbonate, ground coke, or carbon in some

other form is brought into contact with finely divided iron and heated to redness, and nitrogen or air passed through the mass. The nitrogen is fixed as sodium cyanide. The reactions take place readily, but mechanical difficulties of carrying them out have not as yet been entirely solved. The sodium cyanide formed may be readily converted into ammonia, and the sodium carbonate recovered for further use. The product obtained here, as in the case of the nitride process, is ammonia. This process, however, at present is not a commercial success.

CYANAMID PROCESS.

The cyanamid process consists of the union of nitrogen with carbide at the temperature of the electric furnace. Raw materials required in the process are lime, anthracite coal, or coke for producing calcium carbide and nitrogen obtained from liquid air. The process consists of the production of the carbide in a large furnace by heating lime and coke or anthracite coal. The second step involves the fine grinding of the calcium carbide without contact with air and heating the ground mass to a red heat, when nitrogen is introduced and is absorbed by the carbide to form cyanamid. The cyanamid may be treated with steam for the production of ammonia. This is necessary where nitric acid or nitrates are to be formed, but cyanamid itself has a value as a fertilizer material. This process has been worked commercially in Germany, producing about one-third of the German requirements during the recent war. It has also been worked successfully in other countries, and the only commercial plant for fixation of nitrogen on the American Continent used this process. This plant at Niagara Falls has been in operation for a number of years, producing cyanamid daily for agricultural purposes. The advantage of this process is that it gives a product which is salable as a fertilizer material or convertible into materials which may be used for fertilizers. The disadvantages are that it involves a high consumption of power and the cost of the finished product is comparatively high. In addition the product is very disagreeable to handle because of the irritation to the mucous membranes when the dust is breathed by animals or men working with it.

HABER PROCESS.

The Haber process is based upon the direct combination of nitrogen and hydrogen in the elemental form to produce ammonia. The process has to be carried out at a pressure of 100 to 200 atmospheres and a comparatively high temperature, about 550° centigrade. The process was first developed in Germany, and during the recent war it contributed at least one-third of the fixed nitrogen required by that country. In no other country has this process been worked commercially, but a great deal of work has been done toward developing it. It has a number of advantages. The power required is small, the product—liquid ammonia—is readily available for oxidation, and the nitric acid obtained is convertible into fertilizer materials. The raw materials—air, water, and coal—are available in large quantities. The disadvantages of the method involve the use of highly technical labor and the mechanical difficulties of carrying out the operations at pressures of 100 or more atmospheres.

THE PROSPECT.

From this summary of the nitrogen-fixation processes it would seem that only two are readily adapted to use in this country at present, and when the United States, during the World War, found itself in need of nitrogen these two methods were recommended by a committee of scientists appointed to investigate the fixation processes. As a result two plants were built, known as the Nitrate Plants Nos. 1 and 2, at Sheffield and Muscle Shoals, Ala. Plant No. 1 was completed but never really came into operation up to the time of the armistice. This plant was designed to produce 60,000 pounds of anhydrous ammonia per day. Plant No. 2, for the production of cyanamid, was completed, but operation is suspended pending decision of the method of the plants' disposal. This plant was designed to produce 110,000 tons per annum of ammonium nitrate. The utilization of these plants now becomes a peace-time instead of a war problem.

The intention is to use these for producing fertilizer material in times of peace, and indeed this is the only field in

which so large an amount of nitrogenous products could be used. The problem presents difficulties from a commercial standpoint. In war a workable method is all that is asked, the cost is of little importance; in peace the product must be marketable in competition with other sources of nitrogen.

The great bulk of the product from the plants is cyanamid, and this has several objectionable features as a fertilizer. Because of its irritating effect on men and animals, objection is made to its use. Also, the manner of its application is different from that of other fertilizers. The desire then is to convert the cyanamid into other products not objectionable. This can be done, but the problems to be solved involve the question of costs, and the products must fit into the farmers' experience and occasion least change in agricultural practice.

The United States in 1913 consumed about 140,000 tons of inorganic nitrogen, equivalent to 658,000 tons ammonium sulphate, of which nearly two-thirds was Chilean nitrate. Under the stress of war, with the possibility that shipments of nitrate might be stopped, plants were built with an annual capacity of nearly 50,000 tons of fixed nitrogen. In the year 1917 our by-product coke ovens produced about 80,000 tons of nitrogen, or about 400,000 tons of ammonium sulphate.

Assuming that all the plants and by-product ovens will maintain this production, our total capacity is about 130,000 tons of nitrogen or 611,000 tons ammonium sulphate, close to but less than the total consumption in 1913 in the United States.

As a great agricultural country, we can use much more fixed nitrogen in the future; in fact, the percentage increase in world nitrogen consumption was nearly as great in the four years preceding the war as from 1913 to 1918, despite the large demand for nitrogen in explosives in the latter period. The utilization of these plants will place us in a position where expansion will be easy in time of emergency, and assure us independence as regards a plentiful supply of this most essential element both in war and in peace.



A Geographical Presentation.


By J. H. ARNOLD, *Agriculturist*, and R. R. SPAFFORD, *Assistant in Agricultural Economics, Office of Farm Management.*

SOURCE OF MATERIAL.

THIS geographical presentation of farm practices in growing wheat in the United States is based on reports obtained by the Bureau of Crop Estimates from about 7,000 farmers. Questionnaires were distributed to crop reporters in the wheat-growing regions, and the resulting reports cover practically every county in the United States where the wheat crop is of any importance (see map 1). Where wheat is most extensively raised the records average 8 to 10 per county, and for the entire wheat area the average is about 4 per county. The form of the questionnaire is illustrated on page 125. While not always complete in all respects, on the whole the answers show a serious attempt on the part of the farmer to give as accurately as possible the facts asked for. On many records farmers included notes on these practices, telling how they varied from year to year, depending on weather conditions, etc. Also, there were many notes giving excellent reasons why operations were performed as they were. The authors' thanks are due to the farmers who have cooperated in this work.

These records were read and the data relating to practices in growing wheat were embodied in the accompanying maps.

The practices as reported, while no doubt subject to more or less improvement everywhere, doubtless represent pretty well what the average wheat farmer considers practical and economical under present conditions.



Where the Data Apply.

MAP 1.—Areas covered by reports on farm practices in growing wheat. These reports cover practically all the wheat-growing areas in the United States.

WINTER AND SPRING WHEAT.

The labor requirements of winter and spring wheat differ especially in their seasonal distribution, so that for the sake of clearness in presenting the geography of practices the reader's attention is called to map 2. This map shows by means of dots the areas of greatest production in different parts of the United States, and by means of lines the choice of the farmer as to whether he will sow his wheat in autumn or spring. As a rule, winter wheat, when not winterkilled, yields better than spring wheat and permits a better distribution of labor. For these reasons it tends to push northward as far as the climate will allow. The southern limit of wheat growing coincides very distinctly with the northern limit of cotton growing. Conditions under which cotton is produced do not, generally speaking, favor wheat raising. To some extent in Texas, however, wheat is grown in cotton territory.

The operations required in producing wheat may be conveniently grouped in four divisions: (1) Preparation of seed bed and sowing; (2) harvesting; (3) thrashing; and (4) marketing. Considerable information was obtained on

Reported by.....


P.O. Huntertown County Allen State Ind.

[illegible]

A Typical Report as Made out by a Farmer.

marketing, but since methods of delivering grain to the local market are much the same everywhere, no attempt is made to present this information geographically. In reading the discussion of operations which follows there should be kept in mind not only the zones of winter and spring wheat production but certain distinct areas within each

zone. These areas may be defined as (1) the Eastern Area, characterized by a humid climate where wheat growing is more or less tied up with the growing of clover and grasses which have a prominent place in rotations (the eastern portions of the Dakotas, Nebraska, Kansas, and Oklahoma and all the wheat-producing States east are included in this area); (2) the Great Plains Area, where legumes and grasses do not as a rule enter into rotations and where dry-farming methods are used; (3) the Pacific Area, where summer-fallowing prevails, and (4) the Rocky Mountain Area, where wheat is raised in small favorable spots here and there, frequently under irrigation.




Where Wheat is Produced.

MAP 2.—Distribution of wheat production in the United States and Canada according to the 1910 Census. The heavily-shaded areas show where production is greatest. The heavy dark line on the map shows where the farmer's choice was 50 per cent winter wheat and 50 per cent spring wheat. The line symbolized by "S" shows where the choice was 90 per cent spring and 10 per cent winter wheat. The line symbolized by "W" shows where the choice was 90 per cent winter and 10 per cent spring wheat.


PREPARATION OF SEED BED FOR WHEAT AFTER BROADCAST CROPS.

Generally speaking, cultivated annual crops may be divided into two groups, viz, broadcast (or drilled) and intertilled crops. The change from broadcast to intertilled crops and vice versa is practiced in most parts of the United States. This is done in consideration of the value of rotation in maintaining proper soil conditions for growing crops and in the



Spring Wheat—Spring Plowing.


MAP 3.—Areas where spring plowing is common in preparing seed bed for spring wheat. The more densely-shaded areas indicate where the practice is most common and the lighter shaded areas where other practices, such as fall plowing or disking cornstalk ground, is also more or less common. See maps 4 and 14.



Spring Wheat—Fall Plowing.

MAP 4.—Areas where fall plowing for spring wheat is a more or less common practice.

economical use of labor; and so, as brought out in the maps which summarize these practices, it is very natural for the farmer to fall into the practice of following corn and other intertilled crops with wheat wherever practicable. After a broadcast crop the land is usually more or less weedy and the top soil is hardened. So where wheat is to follow there is, as a rule, need of considerable work in preparing a proper seed bed.




Winter Wheat—Late Summer and Fall Plowing.

MAP 5.—Areas where late summer and early fall plowing is done for winter wheat. In all winter wheat areas where continuous cropping is practiced farmers, as a rule, try to plow as soon as possible after harvest.

Long experience has taught farmers the general principle of seed-bed preparation for wheat, and agronomists by careful experiments have explained it on a scientific basis. The seed bed should be firm and moist, well packed underneath, and more or less loose on top. The usual operations to accomplish these purposes after broadcast crops are plowing, disking, harrowing, rolling, or dragging. In the eastern area plowing is nearly always mentioned as the first operation. Only occasionally is the land disked before plowing. In the Great Plains Area plowing is frequently omitted, disking the stubble or listing taking its place. Sometimes the wheat is drilled into the stubble without any previous preparation.

As a rule no particular sequence is followed in performing the operations before drilling. The farmers that reported pointed out very frequently in notes the fact that operations in seed-bed preparation were not done according to any set rule, that the order in which they were done and the number of times performed varied according to the number and kind of obstacles to be overcome. It is thus obvious that one year may require more labor in preparing a seed bed than another.




Wheat—Summer Fallow.

MAP 6.—Areas where the summer-fallow practice prevails. The first operation in summer-fallowing is usually plowing. The ground is afterwards kept clean by cultivating, usually with the disk harrow and "weeder."

The disk may be used to pulverize the soil, to destroy weeds, or to pack the subsurface. The harrow is used principally to smooth and loosen the surface, as well as to destroy weeds. The roller is used to pack the surface, the object being usually to bring moisture to the top to start weed growth to be later destroyed, or to hasten the starting of wheat or grass seed sometimes sown with wheat. The plank

drag or similar implement, besides serving the purpose of the roller, is used to crush hard clods and to level the land after rough plowing. In summer-fallow areas farmers report the frequent use of the "weeder" in addition to the harrow and disk. This implement, of which several forms are in use, sometimes operates with a rod or knife just beneath the surface, thus killing weeds without pulverizing the top soil, which under certain conditions should be left cloddy.



Wheat—Listing Instead of Plowing.

MAP 7.—Areas where the lister is used in beginning the preparation of seed bed for winter wheat. Listing and "working down" the ridges takes the place of plowing.

After a broadcast crop, such as wheat, oats, or barley, the ground is usually plowed either in the spring or fall. In the dry, short-season areas of the spring-wheat zone, spring plowing (not including "summer-fallow" plowing) was more frequently reported than fall plowing, while eastward in Minnesota, Wisconsin, and the New England States fall plowing is more commonly mentioned than spring plowing (see maps 3 and 4). In the more northern or high altitude areas the season for fall plowing is comparatively short. Besides, in these higher and drier areas it is obvious that

stubble and weeds left on the ground during the winter may serve to catch and hold the light drifting snows that would ordinarily be blown off the plowed ground.

In the humid areas of the winter wheat zone, where continuous cropping is the rule, the aim is usually to plow after a broadcast crop as soon as possible after harvest in order to check weed growth and to conserve moisture (see map 5).




A Lister in Operation—
Kansas.

The lister leaves alternating furrows and ridges. The ridges are later "worked down" and cross-harrowed, after which the wheat is drilled. This implement is also used in planting corn.

Where summer-fallowing is practiced, plowing is done in the fall, winter, or spring according to locality and conditions of soil and weather (see map 6). In California more fall and winter plowing was reported than spring plowing, while in Washington spring plowing for summer fallow was much more frequently mentioned. After plowing, the ground is cultivated with such implements as the disk, harrow, and weeder in order to check weed growth and to conserve moisture. Where this method is an established

practice, a wheat crop usually alternates with summer fallow, thus providing a crop once in two years. In some places, however, the land is summer-fallowed only after two or more years of continuous cropping.




Wheat—Rolling Seed Bed.

MAP 8.—Areas where it is a common practice to roll the seed bed for wheat. In some places drags of various kinds, such as the plank drag, are used instead of the roller.

In portions of the Plains Area listing takes the place of plowing to a considerable extent (see map 7). The lister (see page 131) is an implement that "cuts and covers," but is effective in checking weed growth, in conserving moisture, and in preventing soil blowing. The lister, however, leaves the surface in alternate furrows and ridges so that a special operation is required to level the surface and loosen up the ground left unturned. This is usually done with a "disk sled" or cultivator, after which the ground is cross-harrowed just before the drill. Listing is much more common on light sandy soils than on heavy soils. About the same amount

of labor is used in listing and sledding down ridges as is used in plowing. Taking into consideration, however, the fact that early plowing or listing increases the yields very materially, an economic advantage is gained by the use of the lister in that with the same crew twice as much ground can be covered in a day as with a plow.



Wheat—Planking or Floating Seed Bed.

MAP 9.—Areas where the plank drag and other similar implements for smoothing and packing the seed bed are commonly used. For soils that tend to form hard clods after plowing, or for stony ground, the drag is usually more suitable than the roller.

In all areas where either spring or fall plowing is done, other operations follow, such as disking and harrowing, and frequently rolling and dragging. The frequency and number of such operations after plowing are to a large extent determined by climate and soil conditions and the general type of farming. In northern Ohio, southern Michigan, and northwestern New York, for instance, each of the operations mentioned above is frequently done several times in preparing a single seed bed. Rolling is often done after drilling and again in the spring to pack the soil after it has been heaved

by frost. On the other hand, on wheat farms in the Plains Area or even in the Pacific Area, where summer-fallowing is common, much less work is done after plowing. Neither the roller nor the plank drag is used to any extent in dry farming, since where this method is used a more or less loose, rough, or, in some cases, cloddy, surface has been found to be better than a smooth packed surface. Map 8 shows where the roller is in common use. The plank drag,




Wheat—Disking Small-Grain Stubble Instead of Plowing.

MAP 10.—Areas where disking small-grain stubble is sometimes practiced instead of plowing.
As a rule, when adopting this method, the cleaner stubble is selected.

of which several types exist, serves to a large extent the purpose of the roller. Even in the irrigated districts of the West only a few reports mentioned the roller. While this implement is used wherever the roller is found, it seems best adapted to the more southern parts of the humid winter-wheat area (see map 9). Here the wheat soils are usually heavy and easily form hard clods, and the land is often stony—conditions which call for the drag rather than the roller.


One reason why surface packing is so common in the Eastern Area is that here in fitting the seed bed for wheat it is frequently at the same time fitted for a meadow to follow wheat, so that better to insure a stand of grass the ground usually needs firm packing near the surface; also a smooth surface is desirable when cutting hay. The roller and plank drag are implements which accomplish this purpose quite satisfactorily.



Wheat—Drilled in Small-Grain Stubble.

MAP 11.—Areas where farmers sometimes "stubble in" wheat with the disk drill, without any previous preparation of seed bed. Doing this is not generally considered a good practice, but on clear land it often proves economical.


Disking stubble and "stubbling in" are common practices after broadcast crops in the Plains Area, in both the winter and spring wheat zones. Maps 10 and 11 show the distribution of these practices. In places where such practices are common, average yields are comparatively low and crop failures are more or less frequent, and to meet such conditions economically extensive methods are used. Here the farmer usually plows the weediest land, disking stubble that is less weedy, and simply drilling or "stubbling in" the cleanest land. The following of such practices is governed



Wheat—Drilled in Standing Corn.

MAP 12.—Areas where winter wheat is drilled in standing corn. Clean cultivation of the corn makes an excellent seed bed for winter wheat.

to a considerable extent also by soil conditions during the period for preparing seed bed. For instance, if it is too dry to plow or list in season, the farmer is compelled to resort to disking and stubbling in. Besides, in this region where




Wheat—After Harvesting Corn or Other Intertilled Crop.

MAP 13.—Areas where it is a common practice to sow winter wheat on ground from which an intertilled crop such as corn, tobacco, potatoes, etc., has been removed.

PREPARATION OF SEED BED AFTER INTERTILLED CROPS.

The cultivation of such crops as corn, tobacco, potatoes, or beans may also be a means of either preparing or partially preparing the seed bed for wheat, thus saving a considerable amount of labor. Ordinarily the ground is disked or harrowed preceding sowing. In some cases, however, where clean level cultivation has been given, no work is required other than drilling.



Wheat—Cutting with Header.

MAP 16.—Areas where wheat is harvested with the header. The header is adapted to the dry plains area and to the summer-fallow areas of the Pacific Northwest. The wheat is cut and stacked in one operation. In the Pacific areas the headed wheat is often hauled directly to a machine and thrashed.

Two important phases of this practice have developed in the United States. The choice depending mainly on climatic conditions, wheat is sown (1) in standing corn, or (2) after the intertilled crop has been removed. Maps 12 and 13 show where these practices, respectively, prevail. Drilling wheat in standing corn is more or less common in the heart of the Corn Belt. The most pronounced centers of this practice, however, lie in south-central Indiana and

in the central portion of Nebraska. The practice extends farthest north in Michigan. Here the climate, modified by the Great Lakes, permits the growing of winter wheat as well as corn. The practice also pushes northward into southern South Dakota, where the winter-wheat zone reaches its northern limits in the Great Plains. Within the belt where this practice is common wheat sowing may begin from the



Wheat—Cutting and Thrashing with the Combine.


MAP 17.—Areas where the combine is used. This machine cuts and thrashes the grain in one operation.

middle of August in the northern part to about the middle of September in the southern part, a month or six weeks before corn is ripe enough to husk, or two to three weeks before it would usually be ready to cut and shock.

South of this belt corn ripens earlier and may be cut and shocked before the season for drilling in wheat begins. Here, mainly on account of the Hessian fly, sowing is put off till about September 20 to October 1 and later. Near the Great Lakes region the practice of sowing winter wheat after the

harvesting of intertilled crops pushes north into Michigan, where wheat follows beans or corn put in silo.

In the extreme southern part of the winter-wheat zone farmers usually mention plowing after removing the corn or other intertilled crop. This is feasible, because before sowing time begins the corn may not only be cut and shocked but husked and the fodder removed. Besides, in the more



Wheat—Cutting with the Cradle.

MAP 18.—Areas where the cradle is commonly used in cutting wheat. As a rule, this method is used only when the wheat fields are too small or when there are too many obstacles for the economical use of the binder.

southern area, land in intertilled crops usually late in the fall has become too weedy to be used as a seed bed for wheat.

In the western part of the Great Plains corn is grown very largely with the end in view of preparing a seed bed for wheat. The cultivation of a corn crop serves practically the same purpose as summer fallow. The average yields as a rule are somewhat less than under the strictly summer-

fallow method, but not enough less when considering the value of the corn crop to make the summer fallow the more profitable practice. Besides, wheat sown on corn land is rarely seriously injured by soil blowing, which is more likely to occur on summer-fallowed land.



Wheat—Areas Reporting Irrigation Practices.

MAP 19.—Areas where wheat is raised under irrigation.

Spring wheat may also follow an intertilled crop. Where this is done the wheat is either drilled or broadcasted. If on cornstalk ground (see map 14), the wheat is frequently sown broadcast with a seeder, then "cultivated in," or "disked in," and afterwards harrowed. Sometimes the stalks are cut with a stalk cutter, after which the seed is broadcasted and covered by disking or harrowing.

DRILLING AND BROADCASTING.

Winter wheat is usually put in with a drill. In the Pacific Area, however, where sowing is done just before the rainy season begins or during the winter, it is frequently broadcasted, generally with the end-gate seeder. Broadcasting



A Binder in Operation.

The bundles are dumped in piles convenient for shocking.

in this way saves labor, but as a rule more seed per acre is required than with the drill. Where small patches of winter wheat are grown in mountain regions and where the land is somewhat stony, it is usually broadcasted by hand.



A Header in Operation.

The wheat is hauled to the stack in "barges."

In the spring-wheat zone also, broadcasting as well as drilling is common. Here the wheat is sown early in the spring, when the top soil usually remains moist on account of cool weather and slow evaporation. Under such conditions the chances of starting and growing are sufficiently certain when the wheat is covered simply by a disk or harrow.



A Combine in Operation.

This is one of the larger types. Smaller combines drawn by 10 or 12 horses are in common use. Here the wheat is run into wagons. More often the wheat is sacked and dumped, the bags being gathered and hauled in later.

HARVESTING.

Four distinct methods of harvesting are now commonly used in the United States—(1) with the binder, (2) with the header, (3) with the combine, (4) with the cradle. The areas where these different methods prevail are shown on maps 15, 16, 17, and 18.

The binder is used in all parts of the United States. Throughout the Eastern Area, the more humid portions of the Plains Area, and where wheat is raised under irrigation (see map 19), this method is used almost exclusively. With 7- to 8-foot binders on moderately large fields, a driver, 2 shockers, and 4 horses will harvest as a rule 12 to 18 acres

154887°—YBK 1919,—6

per day, depending on the stand of grain and the condition of the field. In the rougher parts of the country usually 5- to 7-foot binders are used, but the crews are generally the same as in the smoother areas. Here with such machines and crews 8 to 12 acres a day are usually harvested.



A Cradle in Use.

After being cut the wheat is raked into bundles by hand and tied with bands made from the wheat.

In the western part of the Great Plains wheat is usually cut with a header. In the winter-wheat portion of this area it is used almost exclusively. The header is also in common use in the Pacific Area, where the wheat is often headed and hauled directly to a stationary thrasher, while in the Great Plains it is stacked and thrashed later in the season. On page 142 is shown a header crew at work in a Kansas wheat field. The header cuts the grain near the heads and elevates it into a "bargo" from which it is thrown on a stack. In the Kansas wheat fields the 12-foot header was reported most frequently and with a crew of 5 to 7 men and 10 to 12 horses, 20 to 30 acres per day are usually harvested. In the Pacific Area the machines tend to be larger, frequently of 14-foot cut.

The crews are also larger, usually 6 to 8 men and 12 to 15 horses, harvesting 25 to 35 acres per day.

The header is particularly adapted to areas where wheat usually develops a short, stiff straw and where the harvesting season is normally dry. Plows, listers, or disks may follow immediately after the header, while in the case of bound grain, stacking or thrashing out of the shock must take place before these operations may be begun.




Wheat—Barn Thrashing.

MAP 20.—Areas where wheat is hauled from the shock and put into the barn, where it is later thrashed.

In many localities of the Pacific Area wheat ripens during an almost rainless period and under such conditions the combine harvester and thrasher can be used. This machine harvests and thrashes the wheat in one operation. It is the most economical method of harvesting and thrashing wheat where the climate and topography of the land permit.

One of the larger types of "combine" drawn by horses is shown on page 143. Smaller machines which require less help for operation are coming into general use. The combines mentioned in the reports range in size from 9- to 25-foot cut, the larger ones being drawn by tractors. The smaller crews, 2 to 3 men and 12 to 14 horses, harvest and thrash, as a rule, 10 to 20 acres a day, while the larger machine with crews of 4 to 7 men and 20 to 38 horses may harvest and thrash 25 to 40 acres.



Wheat—Thrashing Stacked Bundles.

MAP 21.—Areas where wheat is usually stacked, to be thrashed later.


The cradle is used only in places where the acreage is very small or where the fields are too rough or stony for the binder. On page 144 is shown the cradle in use. The reports on this practice show $1\frac{1}{2}$ to 2 acres per day to be the usual amount cut by one man. A crew of 2 to 3 men will cut, bind, and shock from 2 to 4 acres per day.

THRASHING.

In all parts of the United States thrashing is done almost entirely by machinery, the power being furnished either by steam or gas engines. A few records from isolated regions mentioned horse-power thrashers and occasionally one was found that mentioned thrashing with a flail. When thrashing is done with the combine, as previously described, the

power is more usually furnished by horses, although engines are in frequent use.

In considering thrashing, however, from the labor distribution standpoint, it is important to classify this operation under four distinct heads: (1) Barn thrashing, (2) thrashing bound grain from the stack, (3) thrashing from the shock, (4) thrashing headed grain from the stack. These practices differ according to fairly well-defined geographical areas.



Wheat—Shock Thrashing.

MAP 22.—Areas where wheat is thrashed from the shock.

Map 20 shows barn thrashing to be confined almost wholly to the moister summer climates of the Eastern Area. Also a small amount of barn thrashing is recorded close to Puget Sound, in Washington. As soon after harvest as wheat is fairly dry in the shock, it is hauled to the barn and placed in the mows. Where this practice obtains barns are usually large. The machine is set in the barn and the straw run on a stack just outside, where it is convenient for winter feeding and bedding, while the grain is usually run directly into bins provided in the barn. One of the advantages of this method is that thrashing may be done at almost any convenient time regardless of the weather.

Stack thrashing of bound grain is practiced, generally, over the Eastern Area and in the irrigated areas of the Rocky Mountains. The practice is most common, however, where

dry weather usually prevails during the late summer and fall (see map 21). Frequently where barn thrashing is the rule the entire crop can not be accommodated in the barn, in which case some of the wheat is stacked. Where the acreage of wheat is small and where it is difficult to move a machine about, stack thrashing usually was reported even if weather conditions might favor shock thrashing.

Shock thrashing is done to a greater or less extent in all areas except where the header or combine is exclusively used. As a dominant practice, however, it is reported most frequently in the Corn Belt and the eastern portion of the Great Plains. Map 22 shows the distribution of this practice.

Thrashing headed grain from the stack is obviously confined to the areas where the header is in common use (see map 16). In the Pacific Area, however, as previously mentioned, headed grain is frequently hauled directly to a stationary thrasher.

SIGNIFICANCE OF FACTORS UNDERLYING PRACTICES.

The foregoing geographical presentation of farm practices in growing wheat strongly suggests the thought that improvement in the economy of farm practices in growing wheat can be greatly facilitated by considering them in the light of the climatic, soil, and topographic features of the area where they have been developed; also it is obvious that practices suitable for any given area can not be transplanted unmodified to another. The farmer, however, can get helpful suggestions from a knowledge of practices followed in other areas.

The records and notes of the several thousand farmers reporting indicated that some farmers everywhere are seeking to improve their practices in wheat production by the use of labor-saving machinery and by other devices for economizing labor as well as for increasing yields. Economy in the utilization of labor is well illustrated by the practice of sowing wheat after clean-cultivated crops, as when wheat is drilled in standing corn or drilled in after such crops as corn, tobacco, potatoes, or beans have been harvested. Even the practice of "stubble in" on clean stubble land may under certain conditions be real economy.

The principle of economy and adaptation of methods to local conditions is well illustrated by the several methods of harvesting wheat. Each of these methods previously mentioned is, obviously, the most economical as well as practical for the areas where it prevails. Where there is diversity of conditions to be met in harvesting, there is likewise a diversity of methods. For instance, in the Pacific Area where within short distances there exists a great diversity of climatic, soil, and topographic conditions, three of the four usual methods of harvesting are in common use. In the broad, level river valleys of California where the harvest season is practically rainless and where the wheat will stand till dead ripe without injury from wind or hail, the combine is used almost exclusively. On the edges of these valleys and in the foothills of the mountains, however, where fogs or occasional rains may dampen the wheat, the header and binder are in common use. The same diversity of conditions prevails generally in other parts of the Pacific Area, and likewise similar diversity in practices.

In the Great Plains, on the other hand, where like conditions prevail over wide areas, there is little local diversity in harvesting methods. For instance, within the winter-wheat zone of the Great Plains, harvesting is done almost exclusively with the header. The transition from the header to the binder is somewhat gradual along the eastern edge of this area, where the farmer will frequently own a binder as well as a header, or a binder attachment to the header. Then as one travels farther east the header will disappear altogether, the binder method alone being used.

It is of interest in this connection to notice that a few farmers are using the combine in the Great Plains (see map 17). This doubtless indicates experimental use rather than an established practice in these localities. It is probably safe to conclude that the combine has never secured a permanent foothold in the Great Plains, largely on account of marked variation in weather conditions from year to year and on account of the danger of occasional heavy rains and hailstorms during any harvest season, making it too great a risk to put off cutting wheat until dead ripe.

Listing land instead of plowing is a striking illustration of the development of a practice to solve a difficulty in the distribution of labor and at the same time to increase the

yield of wheat. In the more southern part of the winter-wheat zone in the Great Plains where this practice prevails, alfalfa and sorghum are more or less important crops in addition to wheat. These crops demand considerable attention after, as well as before, harvest and thrashing. Between the beginning of harvest, June 15 to July 1, and about October 1, work on the seed bed for the succeeding wheat crop must be done, as well as harvesting, thrashing, making alfalfa hay, cultivating, and sometimes cutting sorghum. These crops demand attention in their season, and another factor in the problem is that early plowing or listing will usually increase the yield of wheat several bushels per acre. In view of this set of complex conditions, the farmer has found the lister, an implement originally devised for corn planting in the Great Plains, to be a tool well suited to helping partially to solve this problem of labor distribution and better yield. A crew of one man and three horses will cover 5 to 6 acres per day with a lister, while the same crew with a plow will cover but $2\frac{1}{2}$ to 3 acres. In total amount of labor required, however, there is probably little if any economy, since the listed ground must later be worked down with other implements. The main advantage is that with a lister more ground may be covered early in the season, thus increasing the chance of higher yields. This practice, while at present limited to one distinct wheat-farming area, could possibly with profit be extended to others having similar conditions and problems to meet.

Rolling, or otherwise smoothing and packing the surface of the seed bed for wheat, is frequently thought of as characteristic of especially efficient practices. From the foregoing study it is a fair conclusion that such a practice under dry-farming conditions as a rule would be decidedly inefficient and under certain conditions disastrous. In dry-farming in general the implements used should leave the surface rough and, under some conditions, even cloddy, to prevent blowing and winterkilling. However, occasionally a farmer in these areas rolls winter wheat in the spring with some form of subsurface packer and considers it a good practice.



By **GEORGE K. HOLMES,**
*Statistical Scientist, Division of Crop Records,
Bureau of Crop Estimates.*

STEPS TO A CROP OF 1,439,000,000 POUNDS.

COLONIAL PRODUCTION.

WHEN Europeans first came to North, Central, and South America and to the West Indies they found the natives using tobacco in various ways. The explorers carried small quantities of tobacco when they returned to their home ports and by example and instruction initiated the use of the plant by smoking in western Europe. Before 1607, the year of the Jamestown settlement, tobacco plants were growing in European gardens from seed brought from America. It was observed that the plant grew in different varieties in the Western Hemisphere. The Virginia plant, known to the Indians as "apooke," is described by Strachey as being poor and weak in comparison with that of the West Indies. Its height was less than 3 feet, its bloom yellow, and the leaf short, thick, and rounding at the upper end. The whole plant was dried over a fire, or sometimes in the sun, and leaves, stems, and stalks were crumbled to powder.

On the Atlantic seaboard of North America tobacco was first cultivated by one of the white race when John Rolfe raised it in his garden at Jamestown in 1612. Cultivation by other members of that colony followed and by 1618 as much as 20,000 pounds was sent to England, where demand and market, although small, had already been established. The export of tobacco from Virginia doubled the next year, and in three years from 1618 it trebled. A half million pounds measured the export in 1627, about 1,500,000 pounds in 1639, about 23,750,000 pounds in 1664, presumably from Maryland as well as Virginia, and with an irregular upward movement the quantity exceeded 107,000,000 pounds in 1770. Exports were small, but did not cease, during the Revolution, after which they rapidly rose to 101,000,000 pounds in 1790, when the estimated production was 130,000,000 pounds.

In colonial times the English navigation laws prohibited shipments of tobacco to any country of Europe, except England, and, eventually, Scotland, to promote purchases of British manufactures by the colonists, and these shipments are all that is known concerning the quantity of the production. With them should be included unknown colonial consumption and undetected smuggling.

RECORD OF THE CENSUS.

The first United States census of agriculture, for 1839, found a crop of more than 219,000,000 pounds of tobacco, but in 1849 it was under 200,000,000 pounds. By 1859, it had more than doubled the crop of 1849 and reached 434,000,000 pounds, followed by reduction to 263,000,000 pounds in 1869, in consequence of the Civil War. After that year, production advanced to 868,000,000 pounds in 1899, to 1,056,000,000 pounds in 1909, and to 1,439,000,000 pounds in 1918, the largest crop ever raised, as estimated by the Bureau of Crop Estimates.

DISTINCTIVE TYPES.

In the tobacco-producing States, distinctive types of tobacco grow. Cigar types grow north of Maryland and the Ohio River and in Georgia and Florida. Together, they are about one-fifth of the national crop. About four-fifths of

the crop embraces types described as chewing, smoking, snuff, and export types, growing mostly in the Southern States. Less than 1 per cent of the entire crop is unclassified by type.

GEOGRAPHIC REDISTRIBUTION.

In the course of time, the relative production of tobacco in the various geographic groups of States has changed considerably, owing to extension to new regions and to changing fancies for some of the types. In 1839, more than one-half of the national crop was produced in the South Atlantic States, or 54 per cent, but the fraction declined to 21 per cent by 1889, with recovery to 35 per cent in 1899, and to an average of 36 per cent in the five years 1914-1918.

The South Central States had second place in 1839, with 38 per cent, and the percentage rose as high as 53 in 1889, and fell to an average of 41 in the five years ending with 1918, or above that of the South Atlantic States. Production has been almost entirely east of the Mississippi River.

Third place has been held by the North Central group since 1839, with nearly the entire production in the eastern subdivision. The fraction increased from 8 per cent in that year to 18 per cent in 1869, since which year it has declined to the average of 14 per cent in 1914-1918.

The North Atlantic States produced less than 1 per cent of the tobacco crop in 1839, but had raised the fraction to 13 per cent in 1879. In recent years this has declined, and during 1914-1918 has been 9 per cent. Merely a trace of tobacco production has existed in the Mountain and Pacific States.

The North gained relatively in tobacco production from 1839 to 1879, and rose from 8 to 28 per cent of the total, and thereafter the relative gain was transferred to the South, where it reached 77 per cent of the whole crop in 1914-1918.

Virginia led in tobacco production in 1839, with 34 per cent, or more than one-third, of the national total. The Civil War placed Kentucky in the lead, and by 1869 that State produced 40 per cent of the whole crop. This lead has been held to the present time, the average for 1914-1918 being 35 per cent. By 1899, Virginia had fallen behind North Carolina also, when the latter State produced 15 per

cent of the total crop, but North Carolina did not continuously hold second place until in more recent years. In the five years, 1914-1918, North Carolina's fraction was 18 per cent and Virginia's 11 per cent, which placed the latter State third in order. During the same time, Ohio held fourth place, with 8 per cent, and, in order, followed Pennsylvania with 4.5 per cent, Wisconsin with 4.4 per cent, South Carolina with 3.5 per cent, and Connecticut with 3 per cent.

PER CAPITA PRODUCTION INCREASING.

Tobacco production per capita apparently declined from 11.1 pounds in the period 1839-1844 to 7.4 pounds in the decade following the Civil War. The information is not as dependable as is desired, but at least the indication was a declining ratio to population. The tendency of the ratio was reversed after 1865-1874, and by 1895-1904 the ratio was 9.3 pounds, followed by 10 pounds in 1905-1914. The yearly ratios of 1915-1919 ranged from 10.6 to 13.7 pounds. Whether this increased per capita production is due to increased acreage more than to increased yield per acre will be examined later.

PRICE PER POUND TO GROWERS.

Little information is at hand concerning the price of tobacco to growers before 1863. In the money of the time the Jamestown tobacco sent to England in 1618-20 had a price of 54 $\frac{1}{2}$ cents per pound, but by 1639 the price had fallen to 6.08 cents and by 1664 to 3.09 cents. A price of 1.52 cents is recorded for the Virginia and Maryland crop of 1730, of 4.2 cents for that of 1735, and from 2.3 to 4.56 cents thereafter for the colonial crops of various years to 1790. The producers' average selling price of the tobacco of 1847 has been estimated to have been 5 cents per pound; of 1849, 7 cents; and of 1853, 10 cents per pound.

The annual estimates of the producers' average price of tobacco by the Bureau of Crop Estimates began in 1863 with 14.8 cents per pound in gold. In the decade 1865-74 the average was 9.5 cents, and low-water mark since the Civil War was reached in 1895-1904, when the average was 7 cents. In one year—1896—the price was as low as 6 cents.

Thereafter the upward movement of prices brought tobacco to 10.1 cents per pound in 1905-14, 14.7 cents in 1916, 24 cents in 1917, 28 cents in 1918, and 39 cents in 1919. The gain in price since 1896 may not have been entirely due to the diminishing purchasing power of the dollar. There was increased cost of production, and producers have been stronger financially and more able to hold for a higher price. Moreover, the postwar demand has been unprecedented.

VALUE OF CROP.

While the value of the tobacco crop is of great importance locally, it has become a matter of some consequence also as an item in the national total of all crops. Its fraction of the total is small because of the towering magnitude of corn, cotton, wheat, hay, and oats, yet the tobacco crop is exceeded in value to the producer by only six crops, and in 1919 its value was equal to the combined value of apples, cranberries, oranges, peaches, cowpeas, hops, soy beans, broom corn, and maple sugar and sirup; it almost equaled the value of the potato crop; it was more than two and one-half times the value of the barley crop; and its value was greater than the combined values of buckwheat, the kafirs, rice, rye, flaxseed, and sugar beets.

To the great value of \$402,000,000 for the tobacco crop of 1918, and \$543,000,000 for that of 1919, the crop has increased from the \$10,950 of the Jamestown crop of 1618. It is computed that the crop of 1664 was worth \$734,000 to the colonists; \$1,030,000 was reached in 1684, and \$1,114,000 in 1698. By 1762 the value had become \$4,413,000, and this seems to have been about the limit until 1790, when the estimate is \$4,420,000. The amount had become \$11,000,000 by 1847, \$19,900,000 by 1853, \$37,000,000 by 1866, and \$106,000,000 was reached in 1909.

VALUE PER ACRE.

Per acre of production, the gross value of the tobacco crop to producers declined from \$68.24 in 1865-1874 to \$53.78 in 1895-1904. Then followed rapid rise to \$83.60 in 1905-1914, and \$120.05 in 1916, \$197.92 in 1917, \$243.62 in 1918, and \$285.37 in 1919. This is a crop that requires much attention and labor, from the time when seed is sown in frames

or other favorable place to obtain plants for resetting, to the ultimate stripping of leaves from stalks and packing for sale, and the amount of gross income per acre may not be fairly comparable with that of such a crop, for instance, as wheat.

TOBACCO AS A WORLD CROP.

While it is not possible to ascertain how much tobacco is produced in the entire world, it is possible to do so for many countries and thus account for most of the world's production. For countries for which estimates were available, the total of 1900 was 2,201,000,000 pounds. The world crop touched 2,834,000,000 pounds in 1910 and fell to 2,254,000,000 pounds in 1914 and 2,153,000,000 pounds in 1915.

About one-half of the world's tobacco crop, as nearly as it can be ascertained, was produced by the United States in 1915. The fraction previous to 1909 was hardly one-third back to 1900, before which year the world's crop has not been compiled. European Russia (proper) was next although far below the United States in production from 1900 to the beginning of the World War, with a fraction of about 6 to 10 per cent of the world's total. Third in order below was Austria-Hungary, whose fraction was 5 to 8 per cent. The fraction of the Dutch East Indies, the source of the Sumatra leaf, varied from about 3 to 8 per cent; the place of the Japanese Empire is indicated by about 3 to 7 per cent; Germany's by about 2.5 to 4 per cent; Brazil's by 1.5 to 4 per cent; and that of Mexico and of Asiatic Russia each by 1 to 2 per cent.

Under the dominion of the United States, the Philippine Islands advanced from a previous fraction of 1.5 to 2 per cent to as much as 4.7 per cent of the world's production. From these islands comes the so-called Manila tobacco. Porto Rico's fraction has been from about one-fifth to one-half of 1 per cent. In 1915, the United States and its possessions produced more than one-half, or nearly 54 per cent, of the world's crop of tobacco, and in 1914 and 1913 about an even one-half.

AREA DEVOTED TO TOBACCO.

Since the estimate of 216,400 harvested acres of tobacco in the United States made by the Bureau of Crop Estimates

for 1863, the area has irregularly increased to 1,647,100 acres in 1918, and 1,901,200 acres in 1919, with intermediate census acreages from 1879 to 1909.

Tobacco is one of the "principal" crops and is rated as one of considerable importance from a national point of view, and of high importance within the limits of some of the States, and yet the area occupied by it is a very insignificant fraction of farm and of crop area. The census for 1909 found 1,294,911 acres devoted to tobacco, and this area was 0.41 per cent of the total crop area, and 0.15 per cent of the farm area.

YIELD PER ACRE.

Fundamental to agriculture is the yield per acre. In the case of tobacco, 10-year averages have been adopted, when possible, to smooth out yearly variations. During 1865-1874, the national average yield per acre was 722.3 pounds, and it fell to 719.9 pounds in the following 10 years, and to 714.4 pounds in 1885-1894. Thereafter the gain has been marked, and the average of 768.8 pounds during 1895-1904 was followed by 827.5 pounds during 1905-1914. During 1915-1919, the yearly yield ranged from 730.8 to 873.7 pounds.

To discover whether this apparent gain in yield per acre, which began with the decade of 1895-1904, is not an arithmetical fiction due to a redistribution of the crop geographically, it has been analyzed by States, with the result that gain has been found in all of the prominent tobacco States for periods covering the last 20 to 40 years. In the last 10 years the average yield per acre in these several States has gained upon a former decade with the lowest average, at the end of a decline, by 12 to 40 per cent. The gain in Kentucky is 22 per cent in 40 years, in North Carolina 40 per cent in 30 years, in Virginia 19 per cent in 30 years, in Ohio 16 per cent in 20 years, in Pennsylvania 20 per cent in 20 years, and in Wisconsin 24 per cent in 40 years. These increases, as well as the increase for the national total, must express the results of an improved agriculture.

More fundamental than the tendency of yield per acre is that of the ratio between this yield and population. Answer is wanted to the question, "Is the productivity of the soil gaining as fast as population?" The significance

of the answer is modified by a changing percentage of the population who use tobacco, but nothing is known concerning this modification. The average yield of tobacco per acre per 1,000,000 of the population was 18.5 pounds in the decade 1865-1874; it fell to 14.4 pounds in the next decade, to 11.5 pounds in 1885-1894, to 10.1 pounds in 1895-1904, and to 9.1 pounds in 1905-1914, and the yearly averages for 1915-1919 range from 6.9 to 8.3 pounds.

The inference is plain that apart from the unknown fraction of the population that has used tobacco from year to year the yield of the soil in tobacco has declined for half a century in its ratio to population. In connection with this declining ratio, it is observed that during the period covered, a half century, the per capita production per acre declined 57 per cent, while the population increased 139 per cent. It follows that if the number of users of tobacco did not increase as much relatively as the population did the production per acre per capita of tobacco users may have declined less than is computed for the entire population, if it declined at all. Concerning this, however, there is no information.

EXPORTS OF DOMESTIC TOBACCO.

Tobacco was the first export of the colonies. Jamestown sent 20,000 pounds of it to England in 1618, and the exports grew to 500,000 pounds in 1627. The quantity sent to England from Virginia and other colonies increased irregularly until, for a few years before the Revolution, it was about 100,000,000 pounds a year. Not until the fiscal year beginning in 1835 was this mark permanently reached; the 200,000,000-pound mark was permanently reached in 1870, the 300,000,000-pound mark in 1899, and the 400,000,000-pound mark in 1912. The weight of manufactured tobacco is included. The highest export was over 684,000,000 pounds in the fiscal year beginning in 1918, partly to supply deficiency in stocks in Europe caused by the war.

The average export value of the exports of unmanufactured tobacco advanced to \$21,000,000 in 1858, and this amount was not permanently passed until 1884. The average of 1895-1904 was nearly \$28,000,000 and of 1905-1914 it was nearly \$40,000,000. During the war years the value advanced from \$44,000,000 in 1914 to \$190,000,000 in 1918.

EXPORTED MANUFACTURED TOBACCO.

After the Revolution small quantities of manufactured tobacco were exported, and the quantity increased relative to total tobacco exports, as well as absolutely, until by 1859 it was 9.3 per cent of all tobacco exports. In 1868 manufactured tobacco almost entirely disappeared from exports and did not return appreciably until 1897, since which year to 1915 the quantity has been about 3 to 4 per cent of the total tobacco exports. The fraction was 6.2 per cent in 1916, 11 per cent in 1917, and 8 per cent in 1918 for the fiscal years beginning with July.

EXPORTS DECLINING RELATIVE TO POPULATION AND PRODUCTION.

Tobacco exports per capita have persistently declined since 1790. From that year to 1794 the average exports of domestic tobacco were 19.7 pounds per capita, and by 1845-1854 the average had fallen to 6.1 pounds. During 1875-1884 it was 4.9 pounds, and by 1905-1914 it had become 4.1 pounds. From 1915 to 1918 it varied from 3.1 to 6.5 pounds.

The exported fraction of the crop, too, has been a diminishing one. For 1790 the fraction was 78 per cent; for 1845-1854, 67.2 per cent; for 1875-1884, 53.9 per cent, from which the decline was steady to 40.6 per cent in 1905-1914. The percentage was 43 for 1915, 38.1 for 1916, 26 for 1917, and 47.5 for 1918, no allowance being made for the carry-over.

CHIEF COUNTRIES TO WHICH TOBACCO IS EXPORTED.

In prewar years, the United Kingdom received more than one-third of the tobacco exported from this country, and about one-tenth went each to France, Germany, and Italy. Over 6 per cent went to the Netherlands, 5 per cent to Spain, 4 per cent each to Australia and Canada, 3 per cent to Belgium, and 2 per cent to China. Of course, the war very much disturbed these percentages.

PRINCIPAL EXPORT COUNTRIES.

The average yearly exports of tobacco in the world's trade grew from 755,000,000 pounds in 1904-1908 to 924,000,000 pounds in 1909-1913, of which latter quantity the share of the United States was over 41 per cent. In the latter period, the Sumatra leaf of the Dutch East Indies

supplied 18 per cent of the world's tobacco exports; 6.5 per cent went from Brazil, 5 per cent from Turkey, 4 per cent from Cuba, 3 per cent each from British India and the Philippine Islands, and 2.5 per cent each from Algeria, Russia, and Santo Domingo.

TOBACCO IMPORTS.

Tobacco varies greatly in its characteristics as they appear to smokers, and fancy, perhaps created by habit, gives preference to one or another of the many varieties and sub-varieties of the plant produced throughout the world. For this reason, the United States, the greatest tobacco producing and greatest tobacco exporting country in the world, also imports tobacco enough to make it the sixth in order among the tobacco importing countries of the world.

There is a record of the import of 5,481 pounds of tobacco into this country in 1789. For many years thereafter small quantities of tobacco were imported yearly, until over 1,000,000 pounds were received in 1838. By 1858, the imports had grown to 15,000,000 pounds, a quantity that was not subsequently equaled until 1882. In the few years preceding the World War, the tobacco imports had become about 50,000,000 pounds, and during the war the quantity rapidly expanded to 64,000,000 pounds in 1915, 76,000,000 pounds in 1916, and again in 1917, followed by 73,000,000 pounds in 1918. Shipments of tobacco to contiguous United States from the Philippine Islands are included in the total imports of tobacco for all years, when they existed, and shipments from Porto Rico before 1900 and for 1914 and later years.

NOW MAINLY UNMANUFACTURED.

For many years the imported tobacco was mostly if not entirely in manufactured form, but by 1846, when the first record of imports of unmanufactured tobacco was published, about one-half of the imports were manufactures. The Civil War reduced the fraction to one-fifth and attendant legislation to one-eighth. In the 10 years 1875-1884, the fraction was 8.7 per cent for manufactured tobacco; in 1885-1894, 6.2 per cent; in 1895-1904, 3.7 per cent; and in 1905-1914, 4.8 per cent. The yearly percentage increased from 6.0 to 9.3 from 1915 to 1916, and remained at the latter figure in the following two years.

IMPORTS AN INCREASING BUT SMALL FRACTION OF PRODUCTION.

As a fraction of this country's crop, the imports of tobacco never exceeded 5 per cent until 1906, when they were 5.4 per cent, and never exceeded 6 per cent, except in 1915, when they were barely more, except in 1916, when they were 6.6 per cent, and except in 1917, 6.1 per cent.

By 10-year periods, tobacco imports were equal to 2.2 per cent of the crop in 1865-1874, followed by irregular increase to 3.2 per cent in 1895-1904 and to 4.9 per cent in 1905-1914.

TOBACCO IMPORTS IN THE WORLD'S TRADE.

The fragrant leaf of Cuba is by far the chief tobacco imported into the United States. Before the recent war it was 45 per cent of the total tobacco imports, but the fraction greatly declined during the war and in the year beginning with July, 1917, it was only 19 per cent. In prewar times, 12 per cent of this country's tobacco imports came from Turkey in Asia and 10 per cent from Turkey in Europe, or 22 per cent from that Empire. The war extinguished the direct trade movement, but apparently tobacco imports from Greece, which were normally little more than 1 per cent, took up this movement, with the result that tobacco imports from that country grew to 17 per cent of the total in 1917.

Next in order below was Sumatra's thin leaf, with 11 per cent of the total tobacco imports into the United States before the war, or at any rate this was the fraction for the tobacco received from the Netherlands. So-called Egyptian tobacco, that is, tobacco consigned from Egypt, made a mere trace in the tobacco imports into this country, both normally and during the war. Porto Rican and Philippine tobacco will be mentioned under trade with these possessions.

Before disturbance of the world's trade by the war the world's tobacco imports, which were mostly ascertainable, increased from the yearly average of 717,000,000 pounds in 1904-1908 to 844,000,000 pounds in 1909-1913. Germany was the chief tobacco importer among the nations, and received 22 per cent of the world's total in the former period and 20 per cent in the latter. The United Kingdom received 12 and 14 per cent, respectively, in the two periods; France, 9 and 8 per cent; Austria-Hungary, 7 and 6 per

cent; the Netherlands, 7 per cent in both periods; Spain, 6 per cent in both periods; Italy, 5 and 6 per cent; the United States, 5 and 6 per cent; Belgium, 3 per cent in both periods; Egypt, 3 and 2 per cent; Canada, China, and Switzerland, each 2 per cent in both periods; Denmark, 2 and 1 per cent; Argentina and Australia, each 1 and 2 per cent; and Aden, British India, Finland, Portugal, Southern Nigeria, and Sweden, each 1 per cent in both periods.

NATIONAL NET SURPLUS OF TOBACCO.

It has already been made apparent that the United States has always been a surplus country as a net result of the inward and outward movements of tobacco in foreign trade. From the small beginning at Jamestown, the national tobacco surplus grew to be 36,000,000 pounds in 100 years, 80,000,000 pounds in 200 years, and 326,000,000 pounds in 300 years, or rather in the normal years before the World War. Most of this tobacco has been unmanufactured. With regard to manufactured tobacco, in some years the United States has received more than it exported, but beginning with 1892 the exports have predominated in every year, and the yearly average net surplus for 1905-1914 is 11,000,000 pounds, or 3 per cent of the net surplus of all tobacco.

The national net surplus of tobacco, as a fraction of the production, persistently declined from the Civil War to the present time, the decline being from 74 per cent in 1865-1874 to 36 per cent in 1905-1914, and 34 per cent for the four years 1915-1918. Otherwise stated, under normal foreign trade, the tobacco crop could be reduced to a little less than two-thirds of its recent proportions and still provide enough for the national consumption, but this would be in abstract pounds instead of concrete varieties of tobacco actually in demand.

PHILIPPINE ISLANDS AND PORTO RICO.

Interchange of tobacco between contiguous United States and the Philippine Islands was weak until 1909, when the tobacco imports from that possession, mostly manufactured, suddenly rose to 1,200,000 pounds. This was about the average until 1916, when the imports reached 5,100,000 pounds, followed by 11,700,000 pounds in 1917, and 8,700,000

pounds in 1918, the unmanufactured tobacco being about one-half of the total in the last year.

There has also been a considerable movement of tobacco from the United States to the Philippine Islands, beginning in 1909. Before that year, and in 1914 and 1915, the exports exceeded the imports; but from 1909 to 1913 the average yearly excess of imports was 641,000 pounds, in 1916 it was 4,100,000 pounds, in 1917 it was 10,900,000 pounds, and in 1918 it was 7,500,000 pounds, or about 1 per cent of the national consumption.

Shipments of tobacco from Porto Rico to the United States have been much larger than those from the Philippines. The yearly average for 1904-1913 was 6,300,000 pounds, three-quarters of which was unmanufactured. The quantity grew to 19,300,000 pounds in 1917, and was 17,500,000 pounds in 1918.

On the other side of the account, shipments of tobacco from the United States to Porto Rico averaged 1,500,000 pounds yearly during 1904-1913, and reached 2,000,000 pounds in 1917. After subtracting the tobacco shipments from the United States to Porto Rico from those to the United States from Porto Rico, the net receipts by this country averaged 4,700,000 pounds yearly from 1904 to 1913, and ranged from 8,200,000 to 17,500,000 pounds from 1914 to 1918, or from 1.2 to 2.4 per cent of the national consumption.

In the combined tobacco trade of these two possessions with the United States, the net average annual receipts by this country were 5,100,000 pounds in 1904 to 1913, and rapidly rose to 28,100,000 pounds in 1917, followed by 25,000,000 pounds in 1918, or 3.4 per cent of the national consumption.

LARGE YEARLY CARRY-OVER OF TOBACCO.

Tobacco has a remarkable commercial feature in its enormous carry-over from one crop year to another. The quarterly report of stocks of leaf tobacco in the hands of dealers and manufacturers, made by the Bureau of the Census, small businesses being excluded, shows that the leaf stocks of chewing, smoking, snuff, and export tobacco are lowest on October 1 and the cigar types on January 1. For all stocks October 1 is the time when they are lowest.

For October 1 the reported stocks of leaf tobacco in the hands of dealers and manufacturers were 1,047,000,000 pounds in 1912, and the quantity increased year by year until in 1919 it equaled 1,264,000,000 pounds, or almost as much as the crop of that year. Of that amount, the stocks of domestic chewing, smoking, snuff, and export types were 892,000,000 pounds, the domestic cigar types, 292,000,000 pounds, the Porto Rican tobacco 11,000,000 pounds, and the imported types 69,000,000 pounds. The quarter when stocks are highest is April 1, and in 1919 there were 1,627,000,000 pounds on that date, or 13 per cent greater than the crop of 1918 and 29 per cent greater than the stocks of October 1, 1918.

Supply and distribution of leaf tobacco in the United States, 1918.

[From Bulletin 139, Bureau of the Census. Production of 1918; consumption of calendar year 1917; trade with foreign countries and possessions, calendar year 1918.]

| SUPPLY. | |
|---|----------------------------|
| Total (exclusive of stocks held by small manufacturers and dealers and by growers)..... | Pounds. 2,611,288,797 |
| Stocks held at beginning of year—total..... | 1,176,234,657 |
| By manufacturers and dealers within the scope of the law..... | 1,129,176,763 |
| By small manufacturers and dealers and by growers..... | Unknown. |
| In United States bonded warehouses..... | 47,057,894 |
| Production..... | ¹ 1,340,019,000 |
| Imports (gross)..... | 83,563,850 |
| Shipments from noncontiguous territories..... | 11,471,290 |
| Hawaii..... | 20,643 |
| Porto Rico..... | 11,450,647 |
| DISTRIBUTION. | |
| Total (exclusive of stocks held by small manufacturers and dealers and by growers)..... | 2,611,288,797 |
| Exported..... | 425,630,104 |
| Domestic..... | 406,291,746 |
| Foreign..... | 19,338,358 |
| Consumed (during 1917)..... | 684,913,794 |
| In registered factories..... | 658,066,105 |
| In bonded manufacturing warehouses..... | 26,847,689 |
| Shipments to Porto Rico..... | 1,143,793 |
| Stocks held at end of year—total..... | 1,234,884,396 |
| By manufacturers and dealers within the scope of the law..... | 1,180,447,727 |
| By small manufacturers and dealers and by growers..... | Unknown. |
| In United States bonded warehouses..... | 54,436,669 |
| To balance supply..... | 264,716,710 |

¹ Subsequently revised by the Bureau of Crop Estimates to 1,439,071,000 pounds.

ANALYSIS OF CONSUMPTION.

When Europeans established colonies on the Atlantic seaboard of North America, the natives had been using tobacco from time immemorial. From them, the whites learned to smoke it, to chew it, and to use it as snuff. Without mentioning the numerous varieties and subvarieties of preparations of tobacco that are now used, it is sufficient for the present purpose to say that eventually it was used for smoking in the form of cigars, cheroots, cigarettes, and many preparations for the pipe; for chewing as fine cut, plug, and twist; and in finely pulverized condition, as snuff in the nose, or on one end of a small stick of wood in the mouth. Besides these personal uses, it was learned that a decoction of stems or leaves would rid plants of insects and domestic animals of external parasites, if the animals were "dipped" in it, and that the smoke would expel insects from plants.

GREAT GAIN OF THE CIGARETTE.

Since 1895, the Commissioner of Internal Revenue has ascertained and published the quantities of leaf tobacco used in this country in the manufacture of cigars, cigarettes, and "tobacco and snuff," the last class being chiefly chewing and smoking tobacco. Certain imported tobacco withdrawn from bonded warehouses, mostly in Florida, is not included.

After converting these three classes into percentages of the total leaf tobacco used by manufacturers, it appears that the fraction for cigars increased from 25 per cent in the calendar year 1896 to 30 per cent in 1907, when the advance was arrested. From 1908 to 1914 the percentage ranged from 27 to 29, and a rapid decline followed during the World War to 26.5 per cent in 1915 and 1916 and to 25 per cent in 1918.

More than one-half of the leaf tobacco annually used by manufacturers during this period has become chewing and smoking tobacco and snuff, but the fraction has been a declining one. From about 70 per cent of the total in the earlier years, it fell to 65 by 1911, to 61 per cent by 1915, followed by rapid fall to 52 per cent in 1918.

Necessarily, the third class, cigarettes, must have absorbed the relative losses of the other two when they occurred in the same year. Early in the period under review,

about 5 per cent of all leaf tobacco used by manufacturers was converted into cigarettes, but years of decline followed to 3 per cent in 1905. Thereafter the upward movement was strong. It reached 4 per cent in 1908, 6 per cent in 1910, 10 per cent in 1913, 12 per cent in 1915, 15.5 per cent in 1916, 20 per cent in 1917, and 23.5 per cent in 1918.

The result of these three movements in consumption was that the leaf tobacco used for cigarettes, which was equal to about one-fifth of the leaf tobacco used for cigars in the earlier years of the period, increased to almost the same quantity in 1918. As a ratio to chewing, smoking, and snuff tobacco, cigarette tobacco advanced from about 7 per cent in the earlier years to 46 per cent in 1918.

This period of 23 years began with a leaf consumption which was apportioned five-twentieths to cigars, fourteen-twentieths to chewing and smoking tobacco and snuff, and one-twentieth to cigarettes; in 1918 the apportionment had become nearly five-twentieths each to cigars and cigarettes, and a little more than ten-twentieths to chewing and smoking tobacco and snuff. The figures are based on pounds of tobacco and not on number of units of manufacture. The extraordinary advance of the little cigarette during the war was connected with the mobilization of great military and naval forces.

POUNDS OF TOBACCO USED.

Tobacco needs to be cured by the growers after it is harvested and variously aged and treated by the manufacturer afterwards. The processes require much time, and this is considerably lengthened while the finished products are carried by wholesale and retail dealers. As has already been shown, the stocks of leaf tobacco in the hands of manufacturers and leaf dealers are very large relative to the size of the crop, and the carry-over is relatively enormous. Unlike potatoes, for instance, which must be consumed within the crop year, tobacco's ultimate consumption is long delayed. For this reason, the quantity of the ultimate consumption of tobacco in any single year is not known, and, to avoid mostly the one-year error, the average of a group of years should be taken. The formula adopted for this article for determining the quantity of tobacco consumption is: pro-

duction plus or minus the net result of the foreign trade, possessions being treated as foreign countries.

The oldest year for which tobacco consumption is estimated is 1790. Perhaps at that time the objections to the estimate for one year were not as strong as they are now. At any rate, the quantity appears to have been nearly 29,000,000 pounds. For 1839 to 1844, the yearly consumption is reckoned to have been over 60,000,000 pounds, and for five years of the decade 1845-1854 the average stood at over 71,000,000 pounds. In the entire decade 1865-1874, the yearly tobacco consumption had increased to nearly 76,000,000 pounds. Thereafter the increase was more marked. The average consumption of 1875-1884 was 219,000,000 pounds; of 1885-1894, 312,000,000 pounds; of 1895-1904, 401,000,000 pounds; and of 1905-1914, 588,000,000 pounds. The quantity of tobacco available for consumption, according to the process used, increased from 669,000,000 to 790,000,000 pounds from 1915 to 1916, and was 1,000,000,000 pounds in 1917 and 828,000,000 pounds in 1918. The average of the last two years is better for those years than the numbers mentioned, and this is 914,000,000 pounds. Prewar consumption was eight times the consumption of 40 years before, and in the war years apparently 10 times that quantity.

To one who knows that many a cigar sold as "an Havana" contains no Cuban tobacco, but at the best is wholly or partly composed of tobacco grown in the United States from seed of the "Havana" variety, it will be no surprise to know that the foreign tobacco consumed in this country is relatively small. In the five decades before the World War its fraction of the total consumption ranged from about 5 to 8 per cent, and during the war was about 9.5 per cent. The absolute quantity consumed, however, has had a strong upward movement. The average yearly consumption of foreign tobacco rose from 6,000,000 pounds in 1865-1874 to 45,000,000 pounds in 1905-1914, and the computed yearly consumption during the war years was about 72,000,000 pounds.

PER CAPITA CONSUMPTION.

Much waste of tobacco attends the smoking of cigars and cigarettes, and an appreciable waste goes with pipe smok-

ing. There is some destruction of tobacco after harvest, relatively small, by weather, fire, and vermin. All together there must be a lost fraction of tobacco that figures as available for consumption that is more than perceptible.

The computed per capita consumption of tobacco in this country has been steadily gaining since 1865-1874. Before that time, back to 1839, it seems to have been about 3.3 pounds. Following the Civil War the computed average is as low as 2 pounds, and this was followed by a climbing movement that reached 6.4 pounds in 1905-1914 and 8 pounds during the following four years. For domestic tobacco the per capita consumption grew from 1.8 pounds in 1865-1874 to 5.9 pounds in 1905-1915 and for foreign tobacco from 0.16 to 0.49 of 1 pound. What was said on a previous page concerning the unknown fraction of the population that does not use tobacco should be recalled.

FRACTION OF THE CROP USED.

From 30 to 35 per cent of the tobacco crop was equivalent to the consumption, respectively, of 1839-1844 and 1845-1854, including foreign tobacco. In the decade after the Civil War the fraction was apparently 26 per cent, and from that low figure it has grown steadily to 64 per cent in 1905-1914, and perhaps to 67.3 per cent during the war years 1915-1918. That is to say, consumption is overtaking production and has nearly reached the two-thirds mark. Leaving foreign tobacco out of account, domestic tobacco consumption has become about three-fifths of the crop, whereas it was under one-half 30 years ago.

Relationships exist among several per capita ratios. Regarding recent years as present time it may be said that tobacco production per capita is increasing, because tobacco acreage is increasing faster than population. Production per acre per capita is decreasing; fertility improvement is not keeping up with human multiplication and immigration. The excess of tobacco exports over imports per capita is declining. The resultant of all these movements is an increasing per capita consumption of domestic tobacco that is absorbing a larger and larger fraction of the per capita production.

HISTORIC COURSE OF IMPORT DUTIES.

Tobacco has been subject to an import duty every year since the present Nation began under the Constitution. The first act relating to this subject was approved July 4, 1789, and took effect August 1. It subjected imported snuff to a duty of 10 cents per pound; unmanufactured tobacco, 6 cents per pound; and manufactured tobacco, 5 per cent ad valorem. To conform to subsequent classifications of tobacco the course of the duty as applicable to each class is given below from the first act to 1919.

The duty on unstemmed wrapper tobacco, which began at 6 cents per pound August 1, 1789, was changed to 7½ per cent ad valorem in 1792 and this was increased by steps to 15 per cent in 1804. The War of 1812 caused an increase to 30 per cent in that year, but the rate was reduced to 15 per cent in 1816 and stepped up to 20 per cent in 1841 and 30 per cent in 1846. The rate fell to 24 per cent in 1857, rose to 25 per cent in 1861, was changed to 25 cents per pound in 1862, after which year it was 50 cents per pound for 60 days in 1864, 35 cents later in 1864, 75 cents in 1883, \$2 in 1890, followed by \$1.50 in 1894, and \$1.85 in 1897.

Previous to 1862, rates of duty on stemmed wrapper were the same as on unstemmed. In that year the rate of 35 cents per pound was imposed, followed by 70 cents per pound for 60 days in 1864, 50 cents later in 1864, \$1 in 1883, \$2.75 in 1890, \$2.25 in 1894, and \$2.50 in 1897.

Unstemmed filler tobacco had the same rates as unstemmed wrappers until 1882, after which year the rates remained at 35 cents per pound. Likewise, stemmed filler tobacco bore the rates of stemmed wrappers until 1882. The duty was reduced to 40 cents per pound in 1883, and restored to 50 cents in 1890.

Stems were first mentioned in a tariff act in 1865, when a duty of 15 cents per pound was imposed. Their entry was made free in 1890. Before 1865, if any stems were imported, they bore the rates of "other unmanufactured tobacco."

"Other manufactured tobacco" had the rates of duty on leaf tobacco before 1861, when a duty of 30 per cent ad valorem was imposed, or 5 per cent higher than the leaf duty. The rate was changed to 60 per cent for 60 days in 1864, to 35 cents per pound later in 1864, to 30 per cent ad valorem

in 1883, to 35 to 50 cents per pound in 1890, to 40 cents in 1894, and to 55 cents in 1897.

Manufactured tobacco was free of duty for two years, from July 1, 1792, to June 30, 1794. With this exception, snuff has always been subject to a duty, 10 cents per pound in 1789, 12 cents in 1794, 24 cents in 1812, 12 cents in 1816, 40 per cent ad valorem in 1846, 30 per cent in 1857, 10 cents per pound in 1861, 35 cents in 1862, 70 cents for 60 days in 1864, 50 cents later in 1864, and 55 cents in 1897.

Beginning with a duty of 5 per cent ad valorem in 1789, cigars, cigarettes, and cheroots were free for two years from 1792 to 1794. In the latter year, the rate was made 4 cents per pound; in 1804, \$2 per 1,000; in 1812, \$4 per 1,000; in 1816, \$2.50 per 1,000; in 1842, 40 cents per pound; in 1846, 40 per cent ad valorem; in 1857, 30 per cent; and in every year, beginning with 1861, there has been a combination of specific and value duties, the details of which are sometimes too many to be repeated. The duties of 1861 ranged from 20 cents per pound for the cheapest cigars, cigarettes, and cheroots, to 60 cents per pound plus 10 per cent ad valorem on the costliest; those of 1862, from 35 cents per pound to \$1 per pound plus 10 per cent ad valorem; for 60 days in 1864, from 70 cents per pound to \$2 per pound plus 20 per cent ad valorem; and, later in 1864, the duties were made from 75 cents per pound plus 20 per cent ad valorem to \$3 per pound plus 60 per cent ad valorem. In 1866, a more simple rate was adopted, \$3 per pound plus 50 per cent ad valorem, followed by \$2.50 per pound plus 25 per cent ad valorem in 1883, \$4.50 per pound plus 25 per cent ad valorem in 1890, \$4 per pound plus 25 per cent ad valorem in 1894, and \$4.50 per pound plus 25 per cent ad valorem in 1897.

Scrap tobacco, first mentioned in the tariff act of 1909, was made to bear a duty of 55 cents per pound, and this was reduced to 35 cents in 1913.

"Other manufactured tobacco," except for the free period of two years from 1792 to 1794, has always been subject to a duty. The rate of 1789 was 5 per cent ad valorem; of 1794, 4 cents per pound; of 1812, 8 cents per pound; of 1816, 10 cents per pound; of 1846, 40 per cent ad valorem; and of 1857, 30 per cent. A change to 35 cents per pound was

adopted in 1862, to 70 cents for 60 days in 1864, to 50 cents later in 1864, to 40 cents in 1883, and to 55 cents in 1897.

INTERNAL REVENUE RATES.

The needs of the Government for revenue led to the first internal revenue act, in force July 1, 1862. There were taxes on tobacco products and on the businesses of tobacco manufacturing and dealing. On each 1,000 cigars made, the tax was \$1.50 to \$3.50. Rates of \$8 to \$40 per 1,000 were provided in 1864; \$10 in 1865; \$2 per 1,000 to \$4 per 1,000 plus 20 per cent ad valorem in 1866; 18 cents per pound to \$3 per 1,000 in 1902; 75 cents per pound to \$3 per 1,000 in 1909; and \$1.50 per pound to \$15 per 1,000 in 1919, war expenses being the cause of these high rates.

The cigarette tax of 1864 was \$1 per 100 packages of 25 or less cigarettes each; of 1865, 5 cents per package of 25; of 1866, \$2 per 1,000 to \$4 per 1,000 plus 20 per cent ad valorem; of 1902, 18 cents per pound to \$3 per 1,000; of 1909, \$1.20 to \$3.60 per 1,000; and of 1919, \$3 to \$7.20 per 1,000.

On cheroots, the tax was \$3 per 1,000 in 1864, or much less than on the same number of cigars, but in 1865 they were made to pay the cigar tax of \$10 per 1,000, and in 1866 and subsequently the cigar tax applied, made elastic so as to fit different weights per 1,000 and different values.

Under the first Internal Revenue Act, snuff paid a tax of 20 cents per pound; in 1864, the rate went up to 35 cents; in 1865 to 40 cents; down to 32 cents in 1868, and to 6 cents in 1902, after which rate followed 8 cents in 1909, and 18 cents in 1919.

The law distinguished between "manufactured" and "smoking" tobacco before 1902, and placed on manufactured tobacco a tax of 10 to 15 cents per pound in 1862, changed to 15 cents in 1863, to 35 cents in 1864, to 35 to 40 cents in 1865, and to 30 to 40 cents in 1866. The tax fell to 32 cents per pound in 1868, and to 6 cents in 1902, after which rate the tax rose to 8 cents in 1909 and 18 cents in 1919.

In the case of smoking tobacco, the original tax of 2 to 5 cents per pound in 1862 was followed by 5 cents in 1863, 15 to 25 cents in 1864, 35 cents in 1865, 15 to 40 cents in

1866, and 16 cents in 1868, after which rate the tax on manufactured tobacco applied in 1902 and subsequently. The smoking tobacco taxes applied to tobacco scraps in 1868 and later.

Occupation taxes were placed on tobacco manufacturers and wholesale and retail dealers by the act in force July 1, 1862. The details of some of the rates are too elaborate for restatement, but, in brief, it may be said that the simple tax of \$10 a year on tobacco manufacturers beginning with July 1, 1862, was somewhat elaborated and increased a few years later, and the tax was eventually abandoned. The expenses on account of the World War, however, compelled a return to this tax in 1919, with the provisions that the yearly tax on the business of manufacturing "tobacco" should be \$6 to \$24 plus 16 cents per 1,000 pounds of tobacco used above 200,000 pounds; of manufacturing cigars, \$4 to \$24 plus 10 cents per 1,000 cigars made above 400,000 cigars; of manufacturing cigarettes, 6 cents per 10,000 made.

Tobacco dealers, too, originally paid occupation taxes, wholesalers \$50 a year and retailers \$10. Soon there was elaboration of the tax, increase or perhaps decrease for small dealers, the inclusion of leaf dealers, and in 1902 an abandonment of the tax.

INCOME OF THE GOVERNMENT FROM TOBACCO.

The rates of duty and the internal tax rates on tobacco have produced in their operations a large amount of income for the Government, and now much more than formerly. To go back no farther than the fiscal year 1866, it may be noted that the customs collections for that year were nearly \$5,000,000; the \$10,000,000 milestone was reached in 1889, and the \$20,000,000 milestone in 1903. Since that year the highest customs collections on account of tobacco were nearly \$30,000,000 in 1917, but the amount fell to \$22,000,000 in 1918. If these amounts of customs seem small it may be remembered that this country has always had a tobacco surplus, and that the imports of tobacco are naturally confined to specialties not here produced.

The internal revenue has always been much larger than the customs receipts from tobacco. In the first year's operation of the law, 1863, the income was \$3,000,000, in the next

year \$9,000,000, and the amount increased to \$31,000,000 by 1870, \$41,000,000 by 1877, and \$47,000,000 by 1882. After that year, the amount declined and remained relatively low until 1898, with a low water mark of \$26,000,000 in 1884. Suddenly, in 1899, the income jumped to \$52,000,000 and the amount reached \$71,000,000 in 1912, \$85,000,000 in 1916, \$102,000,000 in 1917, and \$156,000,000 in 1918.

These two sources of revenue for the Government together produced \$13,000,000 in 1865, \$52,000,000 in 1897, \$75,000,000 in 1909, \$104,000,000 in 1913, \$132,000,000 in 1917, and \$178,000,000 in 1918.

As a fraction of the total ordinary receipts of the Government, the customs income from tobacco has always been small. It did not continuously equal or exceed 2 per cent of the total receipts until 1884, and, generally speaking, its position was between 3 and 4 per cent of the total after 1898 and until 1916. The great war income reduced the fraction to 0.5 per cent in 1918.

The fraction of the total ordinary receipts derived from the internal tax on tobacco reached 11 per cent by 1873 and 16 per cent by 1878, after which year there was a period of recession until 1898, when there was restoration to 10 per cent, but not until 1915 was 11 per cent reached. The fraction was 9 per cent in 1917, and 4 per cent in 1918.

The time when customs and internal income from tobacco together were the largest fraction of the total ordinary receipts of the Government was in the 70's of the last century, and the highest fraction, 17.4 per cent, is found in 1878. Since 1879, the fraction has in general ranged from about 10 to 14 per cent until 1912, followed by increase to about 15 per cent in 1915, and rapid drop from 1916 to 4 per cent in 1918, notwithstanding the great increase in the amount of the income from tobacco.

MAGNITUDE OF THE TOBACCO-MANUFACTURING INDUSTRY.

By the time that this country had recovered from the industrial depression of 1893-1897, the production and consumption of tobacco products had become fairly normal. The Commissioner of Internal Revenue reports that the average yearly number of large cigars made in 1899-1901

was about 5,500,000,000 and that the number had increased to the yearly average of 7,200,000,000 for 1916-1918, or 30 per cent. Corresponding figures for small cigars, including cheroots, are 669,500,000 made in the average of 1899-1901 and 900,100,000 in the average of 1916-1918, an increase of 35 per cent. Exports of cigars and cheroots reached the number of about 2,400,000 in the year ending with June, 1917, 15,000,000 in 1918, and 33,100,000 in 1919.

Large cigarettes are not made in any great numbers, relatively speaking, and the average product of 1899-1901 was 4,100,000, while that of 1916-1918 was 23,500,000, or 469 per cent greater.

The most outstanding fact in the tobacco industry is the production of small cigarettes. The average number made in 1899-1901 was 3,200,000,000, and a number that reaches a billion seems large, but in 1916-1918 the average production of small cigarettes was 32,800,000,000, a gain of 913 per cent in 17 years. In 1918 the number rose to 37,900,000,000. It is true that billions of these cigarettes were exported in the war years, the number for the year ending with June, 1917, being about 6,500,000,000; for 1918, about 9,100,000,000; and for 1919, about 13,600,000,000. Still the number remaining for domestic consumption averaged about 23,100,000,000 in the three years, and the consumption by the military and naval forces of the United States, wherever situated, is almost entirely treated as "domestic."

In weight of product, smoking tobacco by far leads every other product. For 1899-1901, the average was 105,400,000 pounds, and in 1916-1917 the quantity had grown to 241,700,000 pounds, a gain of 129 per cent. Plug tobacco is next in weight below smoking tobacco, and averaged 170,700,000 pounds in 1899-1901 and 172,500,000 pounds in 1916-1917, only a little more than in the earlier years. Before 1917, cigars exceeded cigarettes in quantity of leaf tobacco used in their manufacture, and the excess was great until the World War was well advanced. In 1917, cigarettes passed cigars in this respect, and held the lead in 1918.

In quantity of product, snuff now follows below cigars. The average production of 15,300,000 pounds of snuff in 1899-1901 grew to 34,900,000 pounds as the average of 1916-1918, a gain of 127 per cent, a conspicuous fact for such a

product. It is not exported. Tobacco twist has been a farm product from early times, and as a factory product it has increased to an average of 15,600,000 pounds for 1916-17. Fine cut tobacco, used mostly for chewing, has long been about stationary in quantity of product, with a yearly range from about 10,000,000 to 12,000,000 pounds.

In making brief references to the proportions and growth of the tobacco manufacturing industry, it may be mentioned that during the 15 years from the census for 1899 to that for 1914, the capital of this industry increased from about \$112,000,000 to \$304,000,000, or 172 per cent, establishments with products for the year valued at less than \$500 being excluded. The average number of wage earners increased from 133,000 to 179,000, or 35 per cent; the wages paid during the year from \$48,000,000 to \$78,000,000, or 62 per cent; and the gross value of products from \$264,000,000 to \$490,000,000, or 86 per cent.

THE OPEN ROAD THROUGH THE NATIONS FOREST



By JOHN L. COBBS, Jr.,
Forest Service.

THE old frontier has gone, never to return. Over west-bound trails, where once the sweating mule teams of the emigrants plodded slowly along, high-powered touring cars now poke their fastidious noses; over high mountain passes that the weary pack mules of hardy trapper or prospector climbed with such difficulty, the ubiquitous "flivver" chugs cheerfully across the range. The last frontier is no more. The bad men of the cow towns and mining camps have doffed their "chaps" and donned overalls. They have put away their six-shooters and carry monkey wrenches instead. No longer does the talk concern mavericks and steers and roundups and outlaw horses, but rather spark plugs, cut-outs, cylinder oil, and gas.

In the National Forests, which include much of the wildest mountain country of the West where the last frontier made its final stand, good roads are on the way, where they have not actually arrived, and their coming will make life easier for thousands of people in the little, isolated settlements which have heretofore been cut off from communication with the outside world.

Travel has always been slow and tedious in those mountains. When the Forest Service took over the administration of the National Forests in 1905 the biggest handicap with which it had to contend was the difficulty of getting around in the great areas that had been placed in its care. Many of the Forest boundaries extended down to the open country of the foothills; at places the settlements followed arable valleys back into the mountains. A few long-traveled roads picked their tortuous way through low passes across the ranges; occasional trails, blazed by stockmen or prospectors, led back to high range camps or lonely mining claims. Large sections of the Forest country had not been mapped, and much of it had been explored only by wandering trappers or prospectors, who had followed well-worn game trails, and left only an occasional blaze to mark the way they had gone. Except in the more sparsely timbered country, all travel off the well-beaten ways was by foot or saddle horse, and communication between outlying settlements was slow and uncertain.

As a result of this difficulty of travel the whole work of the Forest Service was retarded. Because there were no roads or trails over which men and supplies could be transported to fight them, Forest fires often burned unopposed for days, or even weeks, and destroyed millions of feet of timber. Administration of the Forests was rendered difficult because the rangers and other forest officers often had to travel long distances over roundabout routes to attend to trivial routine matters. The high cost of packing supplies to crews at work in remote places on the Forests ate heavily into the available money, and the slowness and uncertainty of travel and communication were a never-ending cause of delay and annoyance.

It required no master mind to decide that the opening up of ways of travel and communication was the prime essential for a successful, businesslike administration of the Forests. Construction of trails was one of the first activities inaugurated, and even with the limited funds available for the work, each year saw new projects gradually built up along important valleys and across high mountains into places that had never been trod by shod horse before.

It was soon realized, however, that trails are a makeshift which will serve only so long as the volume of traffic is relatively light. With the growth of business on the Forests, the rapid settlement of the agricultural lands within and adjacent to them, the desire of the settlers for better living conditions, and the advent of the automobile there arose an insistent demand for roads to serve the needs of the Forests and of the nearby communities alike.

The plight of many of these little communities is far from enviable. Land hunger, the search for precious metals, the ever-present urge to push on into new country have led adventurous men and women to settle down in many an out-of-the-way place where they found the thing they sought. Content at first to put up with the inconvenience which their isolation forced upon them, these hardy pioneers and their descendants, as time has passed, have come to want the advantages which the outside world enjoys. They are no longer satisfied to



The Cody Road in the Shoshone National Forest, Wyoming.

live under primitive conditions. Roads over which to market the products of their farms and their mines are the first essential—roads of any sort, to begin with, but better and better roads to meet the increasing traffic as time goes on.

Distances, like everything else, are everlastingly big in the West. The cost of even plain dirt roads in easy country is sure to run high, and where construction is difficult, as it usually is, road building is an expensive undertaking. In most cases the counties in which the little, isolated communities are located are sparsely settled and consequently hard up at best; and added to this is the fact that many of them have a large percentage of their area included in National Forests or other reservations on which no taxes can be levied. Not unnaturally, therefore, these counties look to the Government for assistance in the construction of the needed roads.

The justice of their claims was recognized and in order to compensate them for the loss of taxes on Government lands Congress provided that 25 per cent of all receipts from the National Forests should be returned to the counties. As a further help, provision was made that an additional 10 per cent of the receipts should be spent for roads and trails within the Forests, and the funds from these sources proving inadequate to meet the constantly increasing need, \$10,000,000, available at the rate of a million a year, was appropriated by section 8 of the Federal aid road act in 1916. Finally in February, 1919, section 8 of the Post Office act made available \$3,000,000 a year for the fiscal years 1919, 1920, and 1921.

With the money provided for road building there was no trouble in finding worthy projects upon which to spend it. Not only was there need for new roads into undeveloped territory, but also for repairs and relocation of existing roads, many of which had been used since pioneer days. There was so much work to be done that the decision as to which projects should be undertaken was not easy. Each community contended that its needs were paramount. Each advanced supposedly unanswerable reasons why its own project should be built without delay. Certain projects of obviously great importance were selected and considerable construction done from 1913 to 1916.

In the latter year, when the money under section 8 of the Federal aid road act was made available, the necessity of taking a long look ahead to determine the ultimate road



Travel Has Always Been Difficult in the Mountains of the West.

needs of the Forests became apparent. Steps were consequently taken to work out a plan of road development for each Forest which would look to the construction, in the order of their relative importance, of all the roads needed


during the next 10 years. These plans have been completed and are brought up to date each year. Studies are made of the need and importance of each project, as shown by the effect it will have upon the opening up of the National Forests and the development of the near-by communities.

In order to obtain the maximum results, cooperation on the part of the State or county is ordinarily required, but may be waived in exceptional cases. Such cooperation is usually made in money, but in many localities where ready cash is scarce the settlers often find it easier to give their work or that of their teams for a specified period.

All projects to be undertaken are selected and arrangements made for their financing by the Forest Service. Most of the larger projects are constructed under the supervision of the Bureau of Public Roads. On the smaller projects the entire work is carried out by the Forest Service.

There is an endless variety in the roads under construction and those to be built. They vary all the way from shooting out a rocky point in some well traveled route to the construction of 70-odd miles of new road. On some of them, in the more sparsely timbered parts of the Southwest, construction will be largely a matter of ditching and crowning; on others, in the Northwest, clearing the right of way alone is in itself a big job; and on still others the road must be blasted out of solid rock, and progress must be counted almost in inches. There are roads through splendid open stands of pine that follow long tangents; there are others which wind in and out of narrow canyons, across wind-swept ridges, and along the foot of towering cliffs to gain some distant pass.

The needs which these roads will meet are as varied as the character of the country they traverse. Some, like the Yaak Valley Project in the Kootenai National Forest in Montana, will connect outlying settlements, until now dependent upon a narrow trail, with their supply points and markets. Others, like the Trinity River and Klamath River roads in California, will form links in through routes at the same time that they give scattered ranches an outlet for their products. The Bitterroot-Bighole road in Montana connects two prosperous communities, each particularly adapted to certain kinds of agriculture and each needing the products of the other, which are separated by high mountains.



A. A new Road Along an Old Route, Blewett Pass Project, Washington.
B. A Shady Nook on a Forest Road.
C. A Camp in the Heart of the Hills.




Motoring Along the "Top of the World" on the Rabbit Ears Road, Colorado.

The first year this project was completed more than 500,000 pounds of fruit alone was hauled from the Bitterroot Valley into the Bighole country.

Practically all of the roads will open up to tourists large sections which have heretofore been inaccessible to motor travel. Some roads are being built primarily to enable the public to see and enjoy the beauties of the mountain forests. The Laguna Project in California was constructed solely for the purpose of opening an attractive area in the Laguna Mountains to residents of the Imperial Valley, where during the summer months the heat is well-nigh unendurable. The Mount Hood Loop in Oregon and the Ketchum-Clayton road in Idaho will each allow vacation seekers to motor into sections where the beauty and grandeur of the mountains beggar all description.

Many of the roads follow long-traveled routes or have a close association with local history. The Fourth of July Canyon road follows the route chosen by Capt. John Mullan on his expedition from Fort Walla Walla to Fort Benton, then the head of navigation on the Missouri River. The white pine tree on which he carved the date—July 4, 1861—on which he chose the route, is still to be seen a short distance to the side of the new road which has replaced the original way. The blaze and the lettering are as distinct as on the day they were made.

Over the route of the Bitterroot-Bighole road, already mentioned, Chief Joseph led his band of valiant Nez Percés in his endeavor to avoid a battle with the whites. At the Bighole battlefield, to which this road leads, he was overtaken and attacked by the regular troops and a few volunteers. After the surprise of the first attack, however, the whites were outgeneraled by the wily chief, and after heavy losses were driven into a small gulch and surrounded. They were saved from annihilation only by the coming of the night. The Nez Percés, who were anxious to avoid further fighting, slipped away under cover of darkness and began what is considered one of the ablest retreats in military history, for the pursuit was taken up a few days later by fresh troops. Encumbered though they were with squaws, papooses, and household goods, Joseph's superb leadership enabled the Indians to lead troops under General Miles a



The Road in the Making.

The Lure of the Open Road.

A Summer Camp by the Wayside.

chase that stretched over hundreds of miles and that ended only when the Indians had almost reached the Canadian line. The Clifton-Springerville road in Arizona penetrates the favorite haunts of Geronimo and his band of Apaches,



A Forest Service Travelers' Registry Booth.

The "Fourth of July Tree," Marked by Capt. John Mullan, July 4, 1861.

"Fisherman's Luck" on a National Forest.

who brought terror to the countryside a comparatively few years ago.

And so the list might be lengthened indefinitely, for there is romance in these Forest roads—the romance of the trapper, prospector, Indian fighter, cowboy, and emigrant. For each has trod the routes that these roads follow; each has done the part which fate assigned to him and then passed on; each

has made it easier for the man who came behind, until for many years there has been no part of our West where men may not go with safety.

Not that the winning of the great mountain region is complete. What has been done toward building roads into the National Forests is hardly a beginning of what is needed to make these great public properties play their full part in the Nation's life. The roads that have been built and those for which funds are in sight are only a first step. Many years must pass before there is an open road through all the Forests. But a start has been made; the work goes on.

The old West has gone, never to return. The last frontier has passed. New roads stretch up the valleys and across the passes. At night perhaps the ghosts of Lewis and Clark, Carson, Bridger, Fremont, and all the others on the long list of pioneers who heard the whisper and "crossed the range to see," watch powerful motor cars speed along the same routes over which they toiled so painfully. Do they mourn the passing of the last frontier? Not they! Rather they say to each other "I told you so," for they were empire builders, those old pioneers, and with the coming of the open road through the Forests they see the completion of the winning of the West of which they dreamed.



Influence of DEPRECIATION OF EXCHANGE on Agricultural Production

By ALONZO ENGLEBERT TAYLOR,
Assistant to the Secretary of Agriculture.

MUCH has been written concerning the influence of depreciation of exchange upon the manufacture of industrial commodities with reference to domestic consumption and to exportation. To the extent that the farmer is engaged in productive consumption, the influence of depreciation of exchange is equally obvious, though scarcely susceptible of measurement. But the agrarian in a food-importing country, under circumstances of pronounced depreciation of currency, is placed in a situation of particular instability.

Agriculture in most countries of Europe has been operated collectivistically for four years. The peasant has not been a free agent. To a greater or lesser extent he has been compelled to follow an official program. The acreage he was to cultivate and the division of this acreage among the different crops were prescribed. In particular, the acreage to be devoted to grains, potatoes, and sugar beets was marked out by program. The number of domesticated animals that the peasant could keep, the degree of breeding, and the number that should be killed each year were regulated by enactment. The disposition of the produce, both plant and animal, was under strict supervision, including the food of the peasant's own family. Prices were fixed for most of the products of the soil and of the dairy and animal husbandry. And in many countries the articles required by the agriculturist—seed, machinery, fertilizer, containers, and fuels—were priced by regulation. In short, agriculture was collectivistically operated except for the risks, which were left to the farmer. It was necessary to set prices high in order to secure production, with the result that everywhere in

Europe agriculture has been unusually profitable during the war. In addition to this, the European peasant has been more successful in escaping taxation than the industrial producer; and in every country it has been possible for him to indulge in illicit trade, with the result of further increment in income. As against this, the period of reconstruction has placed the European peasant in a dilemma, the outcome of which neither he nor the governing authorities can foresee. Illustrations for France and Germany will make the situation clear.

The fixed price for wheat for the grower for the crop of 1919 in France was 75 francs per quintal. The offer of this high price had the result of a relatively good acreage, but the yield was low on account of unfavorable weather. The amount of wheat available for consumption during the year is in the neighborhood of 4,500,000 tons. This is sold to the miller for 55 francs per quintal. This 20 francs has constituted an indirect subsidy of bread which if applied to the entire crop would have represented 900,000,000 francs. France needs to import in the neighborhood of two and a half million tons of wheat if she is to maintain anything like the prewar consumption of bread. Seven million tons of wheat must be considered a modest intake for the French people when the relative scarcity of other foodstuffs is considered. With the franc worth 9 cents in international trade, the bushel of wheat in New York will cost the French buyer, in terms of dollar credits, 27 francs, or 99 francs per quintal. The cheapest freight rate available to the French importer, who must charter a foreign bottom, is a little over a shilling a bushel. Since he must purchase this carriage with the depreciated franc, transportation of the quintal from New York to a French port will cost him in the neighborhood of 11 francs, bringing the total cost of the wheat up to 110 francs per quintal. This wheat is also sold to a miller at 55 francs per quintal. The state subsidy on the imported wheat would amount to 1,375,000,000 francs. If this program had been carried out, the national bread subsidy of France during the crop year 1919 would have reached the appalling figure of 2,275,000,000 francs, corresponding to practically 55 francs per capita. Fortunately for the future of France, it was decided in January, 1919, that the

millers must pay to the government the full cost of the wheat, whether domestic or imported, and the cost of bread must rise in proportion.

Germany furnishes the second illustration. The fixed price for wheat of the crop of 1919 was 330 marks per metric ton, which with premiums for early thrashing was expected to bring the mean price to about 360 marks. Rye was priced a little lower. The crop of wheat and rye is supposed to yield a millable supply of 9,000,000 tons, sold to the mills at cost. There is a bread subsidy in Germany, but it is applied to the cost of the finished bread, as in England, and not to the wheat on its way to the mill. Germany requires 2,000,000 tons of wheat. If she were to purchase this wheat in New York with dollar credits, secured through forced sale of German marks at 2 cents, the wheat would cost 4,400 marks per ton. She must also purchase ocean carriage at 2 cents per mark; so that with transportation added the ton of wheat would cost her in Hamburg in the neighborhood of 5,000 marks. Now as a matter of fact the food controller is not securing the wheat from the peasants for 360 marks; he is paying all the way from 700 to 1,000 marks per ton, because the peasant also figures on the depreciated mark, and the government is not in position to coerce the peasant into delivery of the grain at the price in marks fixed before the armistice. But at a thousand marks per ton for domestic wheat the imported wheat is still 5 times as expensive as the domestic grain.

I have selected American wheat as the illustration, assuming the price to be identical with the world price. As a matter of fact, when the freight rates are equalized for the different parts of the world concerned, the distant wheat-exporting nations can lay down wheat in the world market for something like 10 cents a bushel below the figure resulting from the fixed price to the American grower.

A wide difference in price between imported and domestic wheats creates for the government of the country concerned urgent, delicate, and precarious problems in the direction of both consumer and producer. If the imported wheat is sold at its cost price, it is beyond the reach of the poorer or even middle classes. If it is sold at the price of domestic wheat, this necessitates a huge subsidy in the form of paper

money that prospectively will one day have to be redeemed at a much higher rate. Printing paper money to make food less dear for more or less unemployed masses represents an appalling violation of the first principles of economics in the administration of national fiscal affairs. But the government may not be strong enough to resist the economically evil temptation. One must fully evaluate the urgency of such a situation in order justly to appreciate, and not condemn though not condone, the frantic efforts now being made by Europeans to purchase wheat on credit. Taking the arbitrary import figure of 14,000,000 tons of wheat, that before the war cost Europe approximately \$600,000,000, this could, during the month of January, have been purchased for use in Europe in terms of gold for about \$1,500,000,000. But in terms of depreciated currency, in the amounts required by each importing nation and calculated at the current rates of exchange of that month, the cost would have been over \$4,000,000,000, in terms of par. From the point of view of the consuming population, comparison of the three figures (600-1500-4000) illustrates that the problem is for the government concerned crucial and critical.

From the standpoint of the wheat grower in the importing country, however, the problem is just as critical, though not so crucial in the immediate sense. The government concerned must decide between fixing a price for the new crop of wheat and setting the market free. If the market is set free, the price of home-grown wheat in the particular country will tend to rise to the price of foreign wheat. If a fixed price is to be established, this must be such as to convince the peasant that it will offer an adequate remuneration in view of the high prices that he must pay for everything on account of inflation of currency. The largest acreage would probably be obtained by setting the market free. To what extent, if at all, the price of home-grown wheat would be higher with a free market than in the case of a fixed price, if that price were high enough to insure anything like the same acreage, is something that no one in Europe will venture to answer. Yet an answer must be attempted and a policy defined in one direction or another.

For the government concerned the problem centers about three facts:

(1) The depreciation of currency, to which the price of the imported article is directly (or more than directly) proportional.

(2) The elevated prices of domestic commodities.

(3) The wage level of the workers.

Now while the price level of a domestic article tends to rise whenever the imported article appears in the market, it can not in fact attain the level of the price of the imported article when the depreciation of exchange is profound. On the other hand, the sympathetic rise in the price of the domestic article toward the level of the imported article will still be very marked when considered in connection with the buying power of the mass of consumers. The wage curve in continental Europe has lagged far behind the curve of cost of commodities, for the simple reason that unemployment is widely prevalent, owing to palsy of industry, disorganization of transport, lethargy in the working classes, and timidity among entrepreneurs.

Naturally the standard of living has fallen greatly, in many countries to such an extent that the death rate has risen. It is a fair statement to make for Germany in December, 1919, that wages were 2 or 3 times the prewar level, domestic commodities (except where subsidized) 5 times the prewar level, and foreign commodities when purchased at current rates 20 times the prewar figure. In the summer of 1919 in Vienna the writer saw imported flour advertised for sale in a shop window at what amounted to 62 times the prewar price of Austrian flour! Accepting the figures stated for Germany as the basis of discussion, if the German peasant could sell his wheat for 5 times the prewar price and pay not over 3 times the prewar price for labor and not more than 5 times the prewar price for the ordinary commodities, including machinery and fertilizer, it would seem as though such a fixed price ought to be regarded as sufficient. But on the one hand, the peasant fears that he will sell at a time when the mark is worth less than it is now; and on the other hand he sees no reason why his wheat should be priced so much below that of imported wheat. The German peasant, of course, does not understand the operations of international exchange. He merely compares the two prices and is dissatisfied. When in the summer of 1919 German bacon sold

in the shops for 60 cents while American bacon sold for \$2.80 (par prices) the most violent dissatisfaction was provoked in the peasant. The natural temptation of the peasant to sell his produce through illicit traffic is greatly exaggerated by wide contrast between the sales price of domestic and imported foodstuffs. Striking contrasts in prices tend everywhere to social unrest.

But this is not all. The situation presents one further unfortunate angle. The peasant has reached the point in continental Europe when price in terms of currency holds for him a steadily diminishing interest, because he can do so little with the currency after he gets it. What the peasant wants is commodities, not money. In the present Roumania and in the Kingdom of the Serbs, Croats, and Slovenes are 2,000,000 tons of wheat that could be regarded as exportable surplus if market conditions were normal. These peasants do not wish lei or dinar or crown, or even lire or franc; they wish shoes, clothing, hardware, corrugated iron, agricultural machinery, cloth, harness, and other commodities essential to their work and existence. This is more or less true of every nation in Europe except the United Kingdom, Scandinavia, Holland, Switzerland, and Spain, though of course in France and Italy to a much less extent true than in Germany or Poland. But it is everywhere a fact that the peasant measures money by the facilities of his local market; he estimates price by what he can buy in the local market. In the absence of commodities price has little attraction. The peasant knows there is no use in hoarding paper money; and he is also beginning to realize that for the immediate present there would not be much more use in hoarding gold. Peasants in Southern Russia have been known to refuse gold for wheat and insist on commodities instead, simply because they realized that the possession of commodities was a source of strength and the possession of gold a source of weakness.


These factors had not become sufficiently clear at the time of the fall planting of grain in Europe in 1919 to have exerted a positive influence upon the Government or the agrarian classes. But they are exerting a positive influence upon program and performance of agriculture at the time of the spring planting of 1920. And they will exert a

still greater influence at the time of the planting of wheat and rye in the fall of 1920.

Inversely, the same problem confronts the producer in the exporting nations. If the wheat growers in Canada, the Argentine, and Australia, whose markets lie largely outside of domestic consumption in their own countries, have to face selling grain to distant importing nations whose currencies vary from 10 to 40 per cent of normal buying power, they will not be encouraged to plant large acreages. If, on the other hand, they believe that the sale of the exportable surplus in each country stands a good chance of being accomplished through the extension of credits so that the importing nations can purchase at the gold price, they may be tempted to plant large acreages. And, naturally, the domestic prices in these countries will be influenced by the buying power of the importing nations of Europe. There is no scarcity of commodities in the wheat exporting countries; it is merely a question of price. But the high prices of commodities that the wheat grower must purchase make him pause when he considers the acreage he is to plant to a crop, the largest part of which must find a market abroad under conditions rendered so unstable by depreciation of currency as to lie outside of any estimate of probability. In the final analysis, one can not sell unless one buys, and this holds even for foodstuffs essential to continued existence. And the farmer, like the manufacturer, may reach the place where he must decide between selling on credit and contracting his plant.

Lastly, the grain grower in Europe and in the grain-exporting nations of the world is faced with the necessity of return to the normal practices of agriculture. Everywhere has occurred a break in the customary rotation, diversification has not been maintained, fertilizer has been lacking, and cultivation has been inefficiently done. In a word, during the last five years the soil has been exploited, not developed. A return to the development of the soil is everywhere the order of the day. But correct agriculture is one thing in a normal world, where returns can be foreseen. It is a totally different thing in an abnormal world, where the farmer fears that correct agricultural practice may result

in large immediate loss or at least in failure to secure large immediate gain. Correctly analyzed, the situation with the producers in the importing nations of Europe and in the exporting nations of the world are the reverse sides of the same problems. And it is clear that until the agriculture of Europe can become normal in technique and economics, agriculture nowhere in the world will be normal in technique or economics.



By T. P. WHITE,

*Division of Hog-Cholera Control,
Bureau of Animal Industry.*

THE efforts put forth by farmers and stockmen during the late emergency in building up large herds

of domestic animals bid fair to continue even under normal conditions. Economic facts point to the necessity for continued increased production of meat-producing animals, and farmers, realizing that swine growing is perhaps the most profitable phase of live-stock production, have given particular attention to the improvement of their swine herds. They have selected for breeding purposes a better quality of stock, in point of prolificacy and marketable variety. They have been quick to recognize and adopt the type which brings the greatest and quickest returns for money invested, and their activities in that respect have been amply rewarded. The number of hogs on farms of the country January 1, 1919, totaled 75,587,000 according to the Bureau of Crop Estimates. At an average valuation of \$22.04 per head, by the same authority, that number of swine represented an item of national wealth amounting to \$1,665,837,480.

An industry of such magnitude must have ample protection against possible losses and reverses. As a national asset it calls for the united action of State and Federal authorities in the adoption of means for safeguarding the investments and interests of those whose revenues are derived chiefly from this source as well as to protect the food supply of the general public. With this realization, the Department of

Agriculture is continuing its efforts to control the most dangerous factor in swine production—hog cholera.

With the available funds at hand assistance has been extended to the various States in which the extent of hog raising justifies the expenditure. In return it is expected that State authorities will endeavor to lend a full measure of cooperation, at least in matching the Federal help with the same amount of funds, by applying quarantine and enforcing rules and regulations necessary to restrict the movement of infected animals, by the proper disposal of hogs dying from cholera, and by the cleaning and disinfecting of premises.

LESS HOG CHOLERA IN SWINE MARKETING.

The work already accomplished in the reduction of losses from cholera and the placing of the swine industry on a safe and sound basis is a matter of record. The following striking figures show the number of hogs found affected with that disease and destroyed as unfit for food at the various slaughtering establishments under Federal inspection within the last five years. During the year ended June 30, 1914, the period of the last heavy outbreak of cholera, 116,107 hogs were condemned at Federally inspected establishments throughout the country. That year marked the beginning of systematic efforts by the department, in cooperation with State authorities, to suppress and control hog cholera. The following year the number of hogs found at these centers and condemned at ante-mortem and post-mortem inspections on account of cholera dropped to 108,955. For the fiscal year 1916 the number was reduced to 75,894; in 1917 to 39,519; in 1918 to 24,721; and in 1919 to 26,316, showing a reduction of over 77 per cent in the five years. The condemnations in 1919, though more numerous than in 1918, were a smaller percentage of the hogs slaughtered.

As stated in previous publications, the ultimate object of the work is the complete eradication of hog cholera. However, many factors have retarded progress. Errors both of omission and of commission have impeded efforts to eradicate the disease from American farms. That outbreaks have been promptly suppressed and controlled generally is regarded as encouraging, considering that at the beginning of the

campaign some communities had but a scant knowledge of the ways in which the infection was spread, had little conception of the nature of the ailment, took no precaution to avoid exposure, and had a prejudice against the serum treatment. In many cases even distrust of the activities put forward was evident. These handicaps have been overcome, but others remain to be met. The success of the work depends largely on the measure of cooperation extended by State agencies, live-stock producers and dealers, and practicing veterinarians. Among the problems still incompletely solved and which need special attention are: The failure or relaxation on the part of those farmers and officials concerned to observe prescribed methods to prevent the introduction and spread of infection; the lack of restriction in the traffic in infected animals; the improper disposal of hogs having died of cholera; the aversion on the part of owners of infected premises to clean and disinfect; the promiscuous use of hog-cholera virus in the treatment of the disease by irresponsible or incompetent individuals; and the sale, purchase, and transportation of cholera hogs by unscrupulous dealers. All these things will have to be met either by laws, rules, and regulations or through voluntary action based on a mutual understanding in order to obtain that full measure of cooperation essential for the complete extermination of hog cholera.

GARBAGE FEEDING AND STOCKER HOGS.

The extensive use of garbage as a feed for hogs and the large number of swine being shipped back to farms from public stockyards to be finished for market have been sources of much difficulty in the control of hog cholera. When the feeding of garbage is carried on in isolated locations, losses from cholera have not been very extensive, especially when the lots were well fenced and the animals had received the immunizing treatment. All such places, however, are considered infected centers, and farmers and swine owners in the vicinity should be on guard to prevent infection being introduced from those sources to their premises. To safeguard against possible losses, herds of hogs on farms within a certain radius—usually about 5 miles—should be kept immunized against cholera at all times. Under this

method of hog feeding, however, much trouble has developed from individuals who have undertaken to raise hogs on a small scale on a portion of a farm or in suburban sections. Such efforts have been made without proper equipment and the hogs fed were not immunized. The results have been, in many instances, the loss of animals, the creating of infection centers, and the spread of cholera. When fed to swine not given the cholera-preventive treatment, garbage should first be thoroughly cooked, for the reason that pork trimmings in the garbage may carry hog-cholera virus, though there are certain drawbacks, from the standpoint of nourishment, when ordinary mixed garbage is cooked. Simultaneous inoculation to make the animals immune to cholera, therefore, is advised as the best protection for garbage-fed swine.

The practice of shipping feeder hogs back to the farms from public stockyards has been another source of anxiety to those engaged in controlling hog cholera. Although such animals receive the preventive treatment at the point of origin, the handling, loading, and shipping immediately after the treatment—also the long distance hauled, the exposure to bad weather conditions, and other factors unknown—have in some instances interfered with the degree of immunity acquired. At certain dates after reaching destination some of these hogs have become susceptible and developed cholera, and in many cases before the ailment was recognized and properly treated severe losses have occurred, not only in the shipments but in the herds originally on the farms. New stock should in all cases be kept apart from the hogs already on the premises, the animals should be closely watched, and if evidence of disease appears the services of some one competent to make a correct diagnosis and to give the proper assistance should be promptly secured.

THE MONEY VALUE OF SANITATION.

With all the information disseminated, the demonstrations given, and the knowledge of cholera broadcasted, there still exists a lack of cooperation in the cleaning and disinfecting of infected premises. This is due, no doubt, to the security felt by the owner of hogs in the use of antihog-cholera serum. The feeling of security is well founded, but should this attitude become general and all farmers and stock raisers de-



Burning, a Safe Way to Destroy a Diseased Hog Carcass.

A metal wheel is placed on stones with wood underneath. The carcass is put on the wheel and slashed so that the fire will easily reach the fat.

pend solely on the serum treatment for protection, the country will remain with a perpetual source of infection, and the use of millions and millions of cubic centimeters of an expensive product will be necessary each year, adding materially to the cost of production. In 1918, figuring at a low estimate, approximately \$5,280,000 worth of serum was produced, all of which, plus the cost of administering it, was paid by American farmers. Even with that high legitimate expense there occurred a loss of over 2,000,000 hogs from cholera. While this is a pronounced reduction in the number of hogs lost in previous years, the monetary loss, owing to the high value of the animals, still amounted to more than \$60,000,000. Truly, this is an unwarranted waste, particularly in these times of reconstruction, when economy should be the watchword. A few days each year of scraping, cleaning, and disinfecting buildings, pens, and small lots to which hogs have access will be time well spent and also will add much to the efforts being made to reduce the preventable losses.

FAKE REMEDIES FOR HOG CHOLERA.

Numerous mixtures and combinations of drugs and chemicals are still being offered to the public and represented as being cures for hog cholera. These remedies vary greatly in appearance and consistence. Some are powders and others are sold in a liquid form. Many different drugs and chemicals are used in compounding these so-called hog-cholera cures. Sulphur, charcoal, black antimony, common salt, arsenic, and Glauber's salt are not infrequently used, and even the ordinary coal-tar dips have been represented and sold as being effective cures for this disease. Tests properly conducted have uniformly shown these so-called remedies to be valueless as cures for hog cholera. Usually before fake remedies are discovered and excluded from the market, however, many farmers are victimized.

Oftentimes home remedies are used by hog raisers with the honest conviction that cholera has been cured or avoided by their use. An employee of the department stationed in a Southern State some years ago discovered several kinds of home applications being used for the disease, such as turpentine, lye, and tobacco juice, and on one occasion was confi-


dentially informed, as a favor, that as a preventive treatment the only infallible agent was "skunk meat." The informant very modestly denied himself any credit for the discovery. He narrated that when a boy he had gone hunting, and returned home with a skunk. Fearing the just wrath of his father for his acquisition he promptly skinned the animal, secreted the pelt, and threw the carcass in the hog lot, where it was quickly devoured by the hogs. Lo and behold! cholera, which had been rampant on that farm and had caused severe losses in previous years, disappeared, and never had another case of the ailment developed on those premises. It took a lengthy and tactful talk to convince the old gentleman that his conclusions, though honestly drawn, were of no weight and that his remedy was just as worthless as all the other home remedies. It was pointed out that either the disease existing had been incorrectly diagnosed, or if cholera was actually prevalent it had run its course, and that the feeding of skunk meat or any other of these so-called cures could have no effect whatever in preventing or curing hog cholera.



One Method by Which Hog Cholera May Be Spread.
Hogs in running streams may be infected from farms upstream.

In the early days of serum production many instances were found where "substitute" blood had been sold and used to immunize herds of swine. In one case where an inspector was called to investigate the cause of hog losses on a farm he was told that the existing disease could not be cholera, as the animals had been treated with "serum blood" two weeks before. As the herd showed positive evidence of cholera, inquiries brought out the fact that the farmer had been the victim of unscrupulous practice resorted to for money. Among other questions the owner was asked if he thought the serum used was fresh and potent, to which he quickly replied that it could not be any fresher, as it had been drawn from a mule and injected into the hogs at once. And he added: "She's the healthiest mule on my farm." Of course, the blood taken from the mule was of no more value as a serum than water taken from the well.

The moral has been told repeatedly. There is no recognized preventive treatment for the disease except the anti-hog-cholera serum properly administered and followed by judicious care of the animals after the inoculation. This, coupled with the quarantine of infected premises, the isolation of sick hogs and newly purchased stock, the burning of dead ones, and thorough cleaning and disinfecting of swine quarters, will in time, if generally adopted, bring us to the goal we have set—the extermination of hog cholera.



By BRADFORD KNAPP,
Chief, Office of Extension Work in the South.

TWO distinct and somewhat different things are now being described under the general term "demonstrations:"

- (a) An act performed by an extension worker with his own hands to illustrate an agricultural or home economics practice in the presence of persons who are expected to acquire the information.
- (b) An act or series of acts in the production or sale of a farm product performed by a farmer, or some member of his family, on his own place, or by a community, or group of farmers, or members of their families, for the purpose of perfecting themselves in improved agricultural practices, and at the same time assisting others to acquire the same information.

The difference lies in the fact that the first class of demonstrations is by the person giving the information; and the latter class, and much the more important of the two, is by the person acquiring the information.

Of all types and kinds of demonstrations, by far the most difficult are those in cooperative marketing and the purchase of supplies. Such demonstrations, as we shall see later, should always fall within the second type described above. They involve large undertakings, business skill and experience, and a fund of knowledge beyond that necessary for the ordinary demonstration of a purely productive character. They call for a very high quality of leadership on

the part of the extension worker. To influence a group of men to organize, to take personal and collective responsibility, to decide important business matters intimately connected with their collective and individual gain or loss, and to have the entire undertaking result ultimately in the true spirit of cooperation and in good business methods and successful operation, is a very difficult undertaking. Such demonstrations are the real challenge to county agents and specialists in marketing. The very difficulty of the task constitutes one of its attractive features.

From the very beginning of the demonstration work in the South, county agents and those who have supervised their activities have felt impelled to deal with the important problems of marketing and purchasing of supplies. In fact, almost every real demonstration has involved something of a marketing problem. In writing up the results of a 5-acre demonstration in corn, invariably the county agents and those interested in the demonstration set down the sale of the crop and the profit per acre as the index of its success. Corn club and pig club boys, canning and poultry club girls, have always been taught to sell their product, either individually or collectively. Most demonstrations which involve the production of crops or live stock are incomplete until the product has been marketed and the entire financial undertaking successfully finished.

RELATION OF COUNTY AGENTS TO MARKETING DEMONSTRATIONS.

County agents and specialists in marketing are employed as public officers, and their salaries are paid in part from funds of the United States Department of Agriculture, part from the State college of agriculture, and part from some source within the county. The county fund is frequently used by the agricultural college as an offset to Smith-Lever funds. The majority of such county funds are appropriated by the county taxing body and are therefore public funds. That they may be in some cases otherwise obtained does not vary the rule, because, as stated above, such other funds are generally used as an offset and are therefore subject to the same rules as other public funds, for such they become on account of their use.

Such public officers in extension work are employed to disseminate among the people useful and practical information on subjects relating to agriculture and home economics and to encourage the adoption of the practices advocated. The whole service is an educational activity intended to ascertain the needs of the farmers and their families, assess their problems, and bring to them such knowledge, information, and experience as have been acquired elsewhere. The law creating this service never intended extension workers to be employed for the purpose of saving farmers the cost of ordinary personal service.

At what stage the work of a county agent, in a demonstration of either character as suggested above, may become a matter of pure personal service is difficult to say. No fixed rule can be laid down. For example, the extension worker, either specialist or county agent, may show a farmer how to grade and pack fruit or vegetables for market. He may have to repeat the instruction a number of times before the farmer and other members of his family become sufficiently proficient to rely upon their own resources. If he continues the operation of assisting them in grading and packing beyond the point necessary to impart the information thoroughly it becomes mere personal service and the public funds are being used to employ a man free of charge for a farmer.

The same principle holds in demonstrations in marketing and purchasing. If groups of farmers decide to organize for the purpose of marketing their products or purchasing supplies it is the duty of the county agent and extension specialist in marketing to assist such farmers and give them all possible information regarding the best methods of organization and correct business practices for such organizations, to assist them in adopting a proper constitution, by-laws, and rules for the conduct of business, to furnish them with practical information and instruction in grading, standardization, methods of packing, shipping, etc., and in general to bring them information which will assist such groups of farmers to organize properly, to avoid mistakes, and to transact their business successfully.

Neither the county agent nor the specialist in marketing has the right to actually engage in business performed for

the farmer or for groups of farmers, except such as may be necessary for the sake of demonstration, and it is doubtful whether this is ever absolutely necessary. Conditions in various counties and in different sections vary widely. It may be necessary to do more under one set of circumstances than would be necessary under another set. The county agent and the specialist can not go far wrong if they stick to the rule that when they go beyond such service as may be absolutely necessary in order to put on a good demonstration, and perform a service, free of charge, which ought to be borne by the business itself, and would have to be so borne if the farmers transacted the business themselves, they are outside the field of educational activity and performing a personal service. As said before, qualities of leadership are here shown in their strongest contrasts. The able and resourceful leader never finds it necessary or advisable to perform mere personal service; the man lacking in these qualities often goes far afield and has difficulty in extricating himself after the situation has existed for some time.

The main object of extension work of this character is to establish activities which will endure and become self-sustaining. If this is not done, it is not a good piece of business and therefore not a good demonstration. If, after the demonstration has been carried out once, the enterprise fails because the county agent's time is occupied with other and important work, it is a sure indication that the work either should not have been begun or else that it was not well done.

WHEN SHOULD DEMONSTRATIONS IN MARKETING AND PURCHASING BE UNDERTAKEN?

This is a difficult question. Generally speaking, such demonstrations should not be undertaken unless the marketing of products and the purchasing of supplies are real problems in the community and in the county. Where the farmers are getting a fair price for their products, as compared with the prices at which buyers are passing them on into the trade, or in cases where merchants are dealing fairly with farmers in selling them supplies at cost, plus a reasonable profit, it is altogether probable that cooperative enterprises among farmers may not be able to improve existing methods of doing business. But there are some distinct and definite

business improvements which can be and often are brought about by cooperative enterprise, and which should be considered. Where cooperative effort among farmers will bring a definite improvement in the methods of doing business, and especially where the improvement produces a marked change in the price received by the farmer for his products, or the price paid by him for supplies, the cooperative effort is certainly warranted. In the following cases cooperation among farmers often improves the business methods, and, therefore, demonstrations in marketing and purchasing are warranted under these circumstances.

(1) Cooperative purchasing is generally done on a cash basis, in wholesale lots, and under such circumstances is an improvement over making purchases at retail prices on credit. Local dealers and merchants are often willing to furnish supplies to farmers at wholesale prices for cash on very close margins. Under such circumstances farmers' organizations will find it advantageous to deal through such local merchants.

(2) The sale of farm products in small lots to local buyers is generally done without grading and without any effort at standardization and without ever focusing any attention upon community standard or quality of the product. Cooperative marketing introduces means of proper grading and standardization and does focus the attention upon the quality of the product. Where products are produced without cooperative effort there is no opportunity to reach back into the problems of production and no preparation for a better profit through better methods of marketing. Experience shows that cooperative production, standardization, grading, and marketing generally improve the ordinary haphazard production and marketing.

(3) Farmers in some sections find difficulty in marketing their products, especially in disposing of them through local dealers. The spread between the price paid the farmer and the price received by the buyer may be abnormally large or even beyond all reason, as it is in some cases. Under such circumstances cooperative marketing and shipping of farm products constitute about the only solution of the problem.

Cooperative marketing and purchasing, then, are the best methods to be instituted, through demonstrations, where and

when there is a need for a better system of business to supplant a poorer system.

SOME EXAMPLES.

The object of this paper is to give a few specific examples of demonstrations in marketing and purchasing by county agents in the South, and to illustrate the difficulty of the task, with some explanation of the methods actually undertaken in the field.

PROVINCE OF SPECIALISTS.

The paper deals exclusively with the acts of the county agents, but the writer desires to set down here as a general principle that demonstrations in marketing and purchasing should not be undertaken by county agents without consulting with marketing specialists of the extension service.

MISSISSIPPI.

Cooperative marketing has had more attention from county agents in Mississippi than in any other Southern State, for the simple reason that marketing became the most important problem in that State. From the year 1910 to 1916 or 1917 the State underwent a rather important agricultural revolution. The acreage in cotton decreased 15.9 per cent, and the production of corn increased 42.6 per cent. The acreage and production of oats increased 150 per cent, and hay increased more than 200 per cent. Alfalfa, soy beans, cow-peas, and other forage crops were increased greatly. Lands thrown out of cultivation in some sections produced grass for the grazing of cattle. The increases in live stock from the 1910 census to January 1, 1919, were: Dairy cattle 27.7 per cent, other cattle 21.4 per cent, swine 76.6 per cent. There was also a great increase in sorghum, sweet potatoes, and other minor crops. The marketing of cotton was a well established and well-understood business, but the farmers of Mississippi found great difficulty in marketing these new farm products.

PRENTISS COUNTY.

In Prentiss County no cooperative marketing was done prior to the present organization. Buyers of farm products

purchased at their own price, and this was generally 25 per cent below the market value. Under such circumstances there was little inducement for farmers to diversify and to grow other crops for marketing. The county agent began to talk with the farmers regarding cooperative marketing in the fall of 1917. The farmers were hard to convince. Talk would not bring results; the situation required action. They had never had any experience and did not understand cooperative shipments.

By hard work the county agent got a number of farmers to load a car of corn, each farmer's contribution being weighed separately and the records kept by one of the banks. The price received was about 25 cents per bushel above local prices. The local price advanced immediately 25 cents a bushel. The cooperative shipments of corn were continued, but almost without any responsible organization. Farmers seemed to realize that by this method prices were being sustained at a higher figure. This experience led to an experiment in shipping a carload of hogs, with such marked success that the farmers were aroused to greater interest. All of this time there was a very loose and incomplete organization; in fact, the farmers might be said merely to organize for each shipment. As they had experience after experience in the new work the necessity of organization became apparent, and the Farmers' Cooperative Association of Prentiss County, Miss., was organized, with a complete corps of officers, a board of directors, and a regular marketing agent employed. The county agent is in no way officially connected with the organization. He often meets with the board of directors and advises and counsels with the officers of the association. This organization has had a volume of business during the last 12 months of more than \$250,000. One farmer instances bringing some hogs into town and being offered 11½ cents by a local buyer. He put them into one of the cooperative shipments and received 17½ cents for them. The merchants say that if this cooperative marketing were taken away from the farmers of that county there would almost be a revolution, such is its popularity. The merchants, bankers, and others are equally attached to the new plan. One farmer says that corn advanced on the local markets 20 cents, sorghum sirup 22½ cents a gallon, and hogs

from 2 to 4 cents per pound. From August, 1917, to August, 1919, bank deposits in one bank in this county increased from \$148,000 to \$317,000, and in another bank from \$221,000 in August, 1917, to \$482,000 in 1919.

This is a good example of a demonstration in marketing which began under great difficulties and gradually rounded out into a good organization.

LAFAYETTE COUNTY.

In Lafayette County the county agent found practically the same situation regarding the local prices of commodities other than cotton and took up the problem of demonstrations in cooperative marketing as early as December, 1916. The object of the demonstration was to show farmers that the existing system of marketing was inadequate and was one of the reasons why a better diversified system of farming had not taken a stronger hold in the county. In December, 1916, the county agent arranged for a cooperative shipment of hogs. There was no organization and little responsibility on the part of the farmers, but the car of hogs brought the best price ever secured up to that time by the farmers of the county, and general satisfaction was expressed by all those concerned. Many shipments, the total value of which ran up to \$75,000, were made under this haphazard and incomplete plan during the year 1917. The banks generally transacted the actual business, though the county agent in many cases did a great deal of the work himself. In each instance, such organization as existed was loose and indefinite, and little responsibility for determination of business policy and the like was undertaken by the farmers or any representative of the farmers, except in individual cases. The better prices had a marked effect.

As often happens, inevitably there came a time when business difficulties arose. Claims came back on shipments, refunds were demanded, and all concerned were convinced that the only solution was a definite organization founded upon good business principles, with thorough individual and cooperative responsibility. Early in 1918 an organization was formed known as the Farmers' Cooperative Marketing Association, with a constitution and by-laws, and arrangement was made for employment of a marketing agent and for a

marketing committee. The secretary of the association was paid a salary of \$100 per month to act as marketing agent. This salary was secured by deducting 1 per cent from the proceeds of hog shipments and 2 per cent from the proceeds of all other products. The fund thus secured was known as the "operating fund." During 1918 products worth \$165,000 were shipped by the association; from January 1, 1919, to July 1, 1919, \$224,000 worth. All hogs and other products are carefully graded before shipment. People of the county generally, and especially those belonging to the association, are greatly interested in and pleased with this organization. Bank deposits in the county increased from August, 1916, to August, 1919, from \$310,000 to \$911,000.

As a whole this is a good demonstration of progress from no marketing organization among farmers to one which assumed responsibility for all the business. The education of the farmer and progress toward a responsible organization were somewhat slow, but the result seems to have been obtained gradually and quite surely.

WINSTON COUNTY.

The progress in Winston County is interesting. Prior to the fall of 1916 no attempt at solving the marketing problem had been made. Cotton, of course, had a ready market. All other farm products were sold by the farmers individually to dealers, when they could persuade such dealers to buy. Cattle and hogs were bought at the dealer's own price. A carload of hogs had never been shipped out of the county. Ten hogs would glut the local market. Generally farmers were not growing hogs in excess of their own individual needs. Butchers in one of the principal towns of the county in the spring of 1916 were paying farmers 8 cents a pound for corn-fed hogs, killed, dressed, with heads and feet cut off. There had never been any cooperation among the farmers in this county, other than in the Noxapeter community. There an organization had been perfected during one season to grow and market a cabbage crop, resulting in a disastrous loss to the farmers, due to lack of wisdom in the entire plan. During the summer of 1916 the county agent asked the specialist in marketing of the State extension service to come to the county and talk on the subject of organization and

cooperative marketing. One of the specialists then assisted the county agent in the organization of six farmers' clubs. Men joined these clubs and put hogs on feed for future marketing. The first cooperative shipment of hogs resulted in such a great increase over prevailing local prices that the cooperative hog marketing business was relatively easy thereafter. In 1917 a county advisory board composed of members of the board of supervisors and four farmers from each district of the county was appointed for the purpose of assisting the county agent in his work. This organization, working with the farmers' clubs, has appointed a marketing committee which handles all of the marketing business transacted by the organization. The organization now in existence is called the Winston County Farmers' Market Association. From October, 1917, to October, 1918, this association marketed \$92,553 worth of farm products, and bought \$10,000 worth of fertilizers and seeds cooperatively. Up to August 1, 1919, they had marketed \$68,300 worth of farm products and purchased seeds and fertilizer valued at \$38,000.

This demonstration is a good one, though the organization has probably not reached the full stage of entire responsibility most desirable in such cases.

The deposits in the banks of Louisville increased from December, 1916, to December, 1918, from \$376,663 to \$581,183. Farmers and business men all seem delighted with the improved conditions brought about by this marketing enterprise.

These few examples are given to show the kind of work going on in Mississippi. Practically every county agent in the State is putting on some marketing demonstrations. In 1918 the total value of products shipped by farmers' organizations formed for demonstrations in marketing was \$3,396,183.

ALABAMA.

Alabama has undergone the same changes as Mississippi. The number of hogs, cattle, and dairy cows has increased in about the same proportion. There has been a distinct change in acreage, especially in the southern counties, where the cotton acreage and production has greatly decreased and the acreage and production of other crops increased accordingly.

In this State demonstrations in marketing have mainly been the arranging for "sales days." These sales days have been arranged for the selling of crops and live stock where the marketing problem became difficult, especially where the prices, under the existing system of marketing, were inadequate. For example, in 1918 a large acreage in Harrison County was planted to peanuts. When this crop was harvested and offered for market there was practically no demand for peanuts, and a number of farmers sacrificed their crops at relatively low prices, ranging from \$80 to \$90 per ton. They sought the county agent for relief. In March the county agent, in cooperation with the marketing specialist of the extension service, got in touch with buyers who were in the market for peanuts for the confectionery trade and for milling purposes. These buyers agreed to settle for peanuts bought from farmers on grades and weights established at the time of purchase. The county agent and the extension specialist assisted the farmers in grading. During the week ending April 5, 125 tons of peanuts were shipped out of the county at \$110 per ton, f. o. b. cars. During the next week 11 cars were shipped out on the same basis. The total sales for this week amounted to \$26,000. It is estimated that the saving to the farmers in these shipments was \$5,000. No definite cooperative organization was established for making these sales, but the farmers were enabled to dispose of their crops to better advantage through arrangements perfected by the extension service without the extension service finding it necessary to transact any of the business. The result was to demonstrate to farmers the advantages of a better system of marketing.

In south Alabama great attention has been paid to cooperative sales days for the sale and shipment of hogs. Prior to the establishment of this plan there was very little system in the sale of hogs and the prevailing prices were several cents lower than prices paid at larger points. The main difficulty was the small farmer who had much less than a carload lot, usually from 1 to 5 head. The county agent and the extension specialist in marketing arranged for sales days. The associations organized are composed of farmers who organize for the purpose of selling hogs on these sales days or shipping them direct to market as a cooperative shipment. The

farmers pay for the scales, and where pens are provided the farmers build and pay for the pens. They also pay for weighing and grading. A charge of 5 cents per head is made for weighing and there is a membership fee in the association of \$1. This money is generally paid for the scales and the pens. Thus far the county agent has generally cooperated with the associations in helping them fix the dates of shipment and has brought them the news service regarding market prices of hogs at central markets. On the sales days the hogs are weighed and graded and are then offered for sale, the association reserving the right to reject any bids. Notice of sales was given to local and packer buyers. If the bids are not satisfactory, the association proceeds to ship the hogs to the most advantageous market. The shipment is generally made in the name of a local bank and the returns are received by the bank and divided according to prearranged plans, the checks being mailed by the bank to the farmers interested.

The result has been that the farmers are not only able to get market prices for their hogs, but the buyers operating in that territory have had to pay close to the market price in order to handle hogs. Quite a number of these county associations have reached the stage where they operate without any assistance from the county agents.

LIMESTONE COUNTY.

The present county agent in Limestone County began work in September, 1914. At that time there were few hogs in the county and most of the meat consumed was shipped in. Ravages of hog cholera had practically wiped out the hog business of that county in 1913-14. The county agent spent the greater part of his time in 1914-15 in demonstrating the use of the antihog-cholera serum and in convincing farmers that by its use they could produce hogs profitably. In March, 1916, the county agent organized the first community better-farming association and during the balance of that year organized nine others. Each of these community organizations had an exhibit at the county fair. Six of them bought breeding stock cooperatively, five of the Duroc-Jersey breed and one Poland-China. The county agent

worked his boys' clubs through these associations and used the boys' club work in helping to introduce a better breed of hogs. Bankers assisted in financing the enterprise. One of these associations won the State first prize awarded by the Duroc Association for exhibiting registered Duroc hogs in 1917-18.

During these two years there was no surplus of hogs to be shipped out of the county, hence the marketing problem was not uppermost, but in 1919 this problem became critical. A county-wide association, known as the Better Farming Association, in which all of the clubs were affiliated, was organized in March, 1919. This association was quite similar to the farm bureaus in Northern States. Through community organizations the farmers shipped cooperatively 20 carloads of hogs during the year. At the first shipment in 1919, 70 per cent of the hogs were graded as No. 1. These hogs netted 18 cents a pound, or 4 cents more than the local buyers had been paying. The county agent is active in assisting the farmers in their demonstrations. They have been inexperienced in organization and the county agent has done more work than might otherwise be necessary, but the farmers are rapidly assuming responsibility, and as the marketing committee and the business manager assume greater responsibility the county agent will need to pay but little further attention to this enterprise. In this demonstration there was good organization for educational purposes, but the demonstration has rounded out into complete business responsibility rather slowly, mainly due to local circumstances.

Examples in Alabama could be multiplied, but these are sufficient to illustrate the working out of the general plan for demonstrations in cooperative marketing. Every county agent in the State is doing some work along this line.

TEXAS.

HENDERSON COUNTY FARMERS' COOPERATIVE SOCIETY.

In 1916-17 the county agent of Henderson County and the specialists in horticulture of the extension staff at the agricultural college put on a series of demonstrations throughout the county in pruning and spraying peach orchards. The growers who sprayed and cared for their fruit

received little encouragement from buyers in 1917. Although they had a better grade of fruit, they enjoyed no preference over "orchard run." The buyers said there was no market for fruit. They took it at prices ranging from 50 cents to a dollar a bushel. In the winter of 1917-18, after conducting a spraying demonstration on one of the farms in question, the subject of marketing was brought up, and the farmers announced that if they did not get better prices they would abandon their orchards and go out of business. Eighteen men were present at this demonstration. They organized the Henderson County Farmers' Cooperative Society, but the first real meeting for thorough organization of the business was held in June, 1918, with 46 men present. The business was actually begun that year with more than 100 paid-up members. A board of directors was appointed to handle the business of the society and a sales manager was paid a salary for handling the active business. The county agent assisted in this organization but did not have any official connection with it. He and the specialists of the extension staff gave the association every possible assistance regarding business management, grading, packing, marketing, accounting, and the like. During the season of 1918 this association sold 33 cars of peaches and 36 cars of melons and purchased 4 cars of oats, 2 cars of alfalfa, 1 car of cotton seed, 2 cars of peach baskets, and 1 car of fertilizer. They averaged from 50 to 75 cents a bushel more for their peaches than was received by other farmers in the local markets. Watermelons sold at \$75 a car more than local buyers were willing to pay. The total turnover of the society during the year 1918 was approximately \$125,000. In 1919 they shipped 144 carloads of peaches valued at something over \$112,000. The record of their shipments of other products has not been received. This organization has a very competent manager, and has adopted a broad policy which is bringing all of the farmers in the county into a fine cooperative organization. This was a well-managed and effective demonstration.

LIBERTY COUNTY EGG CIRCLE.

In Liberty County the county agent found the farmers' wives having very great difficulty in the marketing of eggs,

especially in the summer. The price was exceedingly low and the quality inferior. Believing this to be an important problem, he encouraged a group of farm women to organize the Dayton Egg Circle. These women were organized into an association with a secretary-treasurer, who was also the business manager. They adopted a standard trade-mark. Each egg was stamped with the number of the member as well as the trade-mark, and arrangements were provided on each farm for producing infertile eggs. Each member agreed to gather the eggs twice daily and follow instructions regarding the care and marketing of them. The association had 12 members to begin with and they had difficulty in getting two cases of eggs a week. From July 15, 1915, to the same date in 1916, the total shipments were 9,870 dozen, bringing in \$2,185, which was distributed among the members. From June, 1917, to June, 1918, they shipped 13,830 dozen. At that time they had 28 members. From June, 1918, to June, 1919, they shipped 29,377 dozen, bringing in \$8,975.91. Since the first demonstration the county agent and specialists have not found it necessary to devote any particular amount of time to assisting this organization. It is an excellent example of a good marketing demonstration.

WILLIAMSON COUNTY.

Two excellent pieces of work done in Williamson County are worthy of mention as good demonstrations.

COOPERATIVE SALE OF WOOL.

In quite a number of counties in west Texas sheep and goat raising is important, but the county agents found it suffering because of lack of system in marketing. The wool of that territory was generally bought in small lots by local buyers at prices much below prevailing market prices, as was shown by this demonstration. The result was to discourage production. In 1918, for example, the county agent in Williamson County, assisted by the specialist in sheep production of the extension service, organized the Williamson County Sheep and Goat Breeders' Association, the objects of which were, first, advancement of education along lines of feeding, breeding, and management; second, cooperative marketing of lambs, fat sheep, and breeding stock; third,

cooperative marketing of wool and mohair; fourth, buying of breeding stock and cooperative use of valuable rams. The membership of the organization in Williamson County decided to market their mohair cooperatively, and approximately 48,600 pounds of wool and 4,500 pounds of mohair were gathered in a public warehouse in Georgetown and a special sales committee was appointed by the executive committee of the association to receive bids from local dealers. All such bids were turned down because of the knowledge gained by the association of prevailing market prices elsewhere. One local buyer called up over 30 of the local growers of the county, trying to buy their wool separately from the association. This wool was sold by the association to a Boston firm at an average price of 65½ cents a pound, while local dealers offered an average price of 50 cents. The mohair sold for 77 cents a pound, while local buyers made no bid on mohair at all. This is an excellent demonstration of good organization and good marketing business. Thirteen such organizations were perfected in Texas in 1918, and over 650,000 pounds of wool were handled by these associations at an estimated increased profit of \$60,000 above local dealers' prices.

EMERGENCY PURCHASE OF FEED.

The year 1918 was the culmination of three years of disastrous drought conditions in Texas. The amount of feed produced in the State, especially in the central and western portions, was totally inadequate for local needs. Local prices were abnormally high and it became necessary for the Government to establish a market news service to assist farmers in that territory in locating supplies of feed. Wherever possible, local dealers handled the business for local groups of farmers.

What was done in Williamson County is a fair sample of what was done in many other counties. The county agent simply furnished the Government news service for the benefit of the farmers of the county. There were in Williamson County quite a number of community organizations of farmers working with the county agent in a manner similar to groups of farmers in Northern community organizations under the farm bureau system. These groups were dealing

with educational problems in the main by using their secretaries and with the advice of the county agent transacting the business through local banks or through local feed dealers where such feed dealers were willing to handle the business of such groups of farmers on the basis of the cost plus a reasonable commission for transacting the business. This was the plan of doing business. In this manner something over 200 carloads of feed were brought into the county for the purpose of sustaining live stock on the farms. In addition 16 carloads of planting seed were also bought cooperatively by these associations. The county agent did not transact any of the business of these concerns, but simply put them in touch with the market news service and with banks. The market news service gave them information regarding the location of carloads of feed of various kinds which could be bought and the prices asked for the same f. o. b. point of origin. The business was transacted between the local banks and the banks at point of origin, except where circumstances made it possible to use dealers at both ends of the line. The saving in corn was from 5 to 15 cents per bushel, cottonseed meal 15 cents a sack, oats 15 cents a bushel, and the average saving in hay \$4 a ton.

It is true that this demonstration was possibly somewhat temporary in its character, and yet the education and experience gained by the farmers over a large territory in west Texas through these cooperative purchasing efforts in 1918 left them much better prepared than ever before to deal with their ordinary business affairs. The experience gained in a somewhat loose organization for a temporary purpose is reflected in a general increase of better grading, better marketing, and better methods of purchasing supplies.

This emergency work was done in quite a large number of counties, in many of which local grain dealers rendered important service by selling on a wholesale basis plus a small profit to groups of farmers who were trying to meet the peculiar emergency which they were facing. The total number of carloads of feed purchased in this manner in Texas ran up to 4,871, and the total saving, including a half-rate on freight conceded to them by the Railroad Administration, was approximately \$785,543.

These few illustrations have been given merely as examples of a large amount of work of county agents in the Southern States in dealing with the difficult problems of marketing and purchasing. The most important lesson to be gathered from these examples and from a study of all the experiences of county agents in the South in the last 10 years is that responsible and efficient organization and management are necessary to the success of all such activities. Some county agents seem to think it possible to do marketing without organization, but experience shows that, sooner or later, the absolute business necessity of a responsible organization becomes apparent and the entire effort fails unless this is provided. Experience also shows that education and demonstration make organization possible. A responsible organization is the key to a good demonstration in marketing or purchasing.

The total value of products sold or purchased in marketing and purchasing demonstrations, in which was included the annual turnover of organizations of farmers fostered and encouraged by county agents during the year 1918 for the purpose of purchasing supplies or marketing farm products, was as follows:

Purchase of fertilizers, lime, etc., amounting to 64,382 tons, valued at \$1,906,122, exclusive of nitrate of soda, handled by county agents under war provisions in the Department of Agriculture; cattle marketed in cooperative shipments valued at \$1,340,294; swine marketed in cooperative shipments, \$2,749,948; corn, wheat, and other grain marketed, 1,395,960 bushels, valued at \$1,590,448; miscellaneous agricultural products marketed, valued at \$2,631,985. The grand total of the value of the marketing and purchasing effort of organizations fostered by county agents and put on at first as demonstrations, from figures made on the annual turnover of such organizations following such official demonstrations, was \$17,156,232 for the year 1918. It is estimated that the saving to farmers averaged 16 per cent, or approximately \$2,834,067.



By A. M. DANIELS,
*Assistant Mechanical Engineer, Division of Rural Engineering,
Bureau of Public Roads.*

ECONOMIC VALUE OF ELECTRICITY.

ELECTRIC light and power in farm homes not only removes drudgery but saves time and money as well. The time required to operate the churn, the separator, and the washing machine, and to do the ironing, the cleaning with the vacuum cleaner, and the pumping of water has been reduced materially in many cases. More time is made available for other things and not infrequently it has been possible to reduce the amount of hired help.

An inquiry by one firm to obtain the opinion of users of electricity on the farm and in the home regarding saving in time and money brought reports from a total of 67 persons. Their average total saving by the use of electricity was 20½ hours per week for all uses. This really should be higher, since comparatively few included the saving in time due to the elimination of the cleaning of lamps. An average of 2½ hours per week was shown as saved on churning; 3.83 hours per week on operating the separator; 4.46 hours per week by not having lamps and chimneys to clean; 3.52 hours per week on using the washing machine; 2.76 hours per week on doing the ironing; 10.31 hours per week on pumping water; and 6.32 hours per week saved on other applications of electricity. The average estimated value of the time saved was \$33.80 per month. This was realized by the employment of less hired help in some instances; in others by the release of labor for other work, while in some cases the value of the time saved was estimated at from 20 to 40 cents per hour.

To-day as never before is the need of labor-saving devices in the home being felt. The servant problem is rapidly be-

coming more serious. The increasing wages of household servants and washerwomen are approaching a point which the family of average means can not meet. Through electricity, the tireless servant, is perhaps to be found the solution. Washing and ironing machines for household use, electric dishwashers, vacuum cleaners, toasters, ranges, and the whole series of electrical household specialties for use in the city and in farm homes where electricity is available certainly have brought relief to many and are only waiting to be called upon by many others.

Comparatively few of our farm homes to-day have electricity available. The number, however, is increasing rapidly, owing principally to the advent of the farm lighting and small power plant. In addition to this means of supply, some farm homes are so situated that electricity can be obtained from high-power transmission lines that pass within a reasonable distance; others are near streams of water which may be developed as sources of energy for farm or community hydroelectric plants; while in some localities successful windmill electric generating plants have been the means of supply. In the Yearbook for 1918 (Separate 770), directions are given for conducting preliminary surveys to determine the possibilities of a particular stream.

Where farm homes are supplied with electricity from transmission lines, central stations, or farm hydroelectric plants taking current directly from the generator, it is usually supplied at 110 to 115 volts. Windmill electric plants may be of this voltage, but on account of the relatively high battery investment they are more likely to be of the 30 to 32 volt type. The engine-driven farm lighting and power plants, which are multiplying rapidly at present, are mostly of the 32-volt type; many of the companies supply these plants operating at 110 volts also.

USES.

The uses for electricity, or the tasks to which it can be applied about the farm home, are almost unlimited. The man who may install it primarily for lighting will soon find himself applying it to other tasks, and as he begins to see what it can do for him and the multiplicity of its usefulness

becomes apparent he will realize how electricity is each day lessening his labors and making this old world a happier and better place in which to live.

The first thought of electricity is usually for lighting, and this is not improper. But it should not be overlooked as a source of power. It was not so long ago that, with the exception of water power and the steam engine for the heavier work, the farm was without motive power and thus hand labor was not eliminated on the farm as it was in the




Milking by Electricity.

Electrically operated milking machines have been responsible for a saving in hired help equivalent to \$50 and more per month.

city and in the industrial world. In recent years great strides have been made. Mechanical milking is now a reality and with it a reduction in hired help.

The utility motor adapts itself wonderfully well to a number of uses, thus saving the expense of installing a separate motor for each job. Several types are available. Sometimes a support rod is attached to the motor base to steady it when in operation. This is a desirable asset.

Then there are the many tasks of the kitchen where a little motor can do in but a fraction of the time consumed



Portable Utility Motor.

Capable of being carried about from place to place, a portable motor with stand serves to reduce the time required to complete many jobs and saves the expense of providing a different motor for the separator, churn, fannin^g mill, grindstone, washing machine, and many other kinds of apparatus.

by hand work, jobs that, though not particularly tiresome, are nevertheless irksome; such as grinding meat and coffee, stuffing sausage, mixing bread, or sharpening knives.

The electric range will be better appreciated as its advantages become better known and will be used where electric plants of sufficient size to operate a range are available. Many heating units such as table utensils, fireless cookers, water heaters, griddles, and others, are already in use and are proving themselves to be desirable under different conditions. The washing machine, electric iron, vacuum cleaner, sewing machine motor, and motor-driven pumping units are all helping to make life on the farm more enjoyable and appreciated.

LIGHTING.

Lighting probably is the influencing factor in a decision to have electricity available in the farm home; therefore it usually will be considered first.

But before any definite steps are taken toward purchasing electricity from a central station or high-tension transmission line, or installing a private farm hydroelectric plant or an engine-driven plant, it is advisable to make an estimate of the average daily load.

If it is assumed that in the list below the distribution of lamps and the time that they will be burned is a fair average



Motor-Driven Sewing Machine.

The machine is mounted on a wood base and may be placed on any table for use. A foot-operated switch permits starting and stopping readily

for conditions prevailing on the average farm, then the following represents an electrical load for one day on that farm.

Estimate of daily lighting load.

| Location. | Lamps. | | Hours per day. | Total watt-hours. |
|--|---------|--------|----------------|-------------------|
| | Number. | Watts. | | |
| Living room..... | 2 | 40 | 3 | 240 |
| Dining room..... | 2 | 20 | 2 | 80 |
| Kitchen..... | 1 | 20 | 3 | 60 |
| Bedrooms (3 bedrooms)..... | 1 | 20 | $\frac{1}{2}$ | 30 |
| Barns..... | 8 | 20 | 2 | 320 |
| Other outbuildings..... | 4 | 20 | $\frac{1}{2}$ | 40 |
| Miscellaneous, porch, yards, etc..... | | | | 100 |
| Total average lighting load per day..... | | | | 870 |

With this schedule before him the farmer is in a position to interpret his needs for lighting more intelligently.

WIRING PLANS FOR THE HOME.

In building or purchasing a home it is desirable to incorporate in its construction or furnishings all such features as will insure maximum comfort and convenience. Electricity aids materially in supplying these features, particularly if care and thought are given to laying out the system.

It is no doubt true that many builders of homes delay the wiring of their houses until after they are built. Probably this tendency is more pronounced in rural districts than in cities. This may be because they are not quite convinced that electrical devices will supply the comforts and conveniences attributed to them. Or perhaps they may be under the impression that a haphazard system of wiring that can be installed cheaply with no provision for the future needs will be just as satisfactory. Sooner or later this will give reason for complaint. Especially will this be the case where electric lights and heating devices are used on the same outlets. To be obliged to unscrew a lamp from a socket, screw in a plug for a heating device, and when through using it, unscrew the plug and replace the lamp will offset much of the convenience which the electric heating unit offers. Perhaps no better example could be mentioned than the necessity of using the baby milk warmer at night in a room equipped with but one electric light.

Where it is intended to use electricity for lighting and for various devices for heating and cooking, the arrange-

ment of the electric circuits should be carefully considered.

The wiring of houses for electric heating devices can be classed under three general plans. They differ princi-



pally in cost of installation. The first plan is the most complete. It comprises separate heater circuits to the different rooms, all radiating from a single location and measured in another meter than that used for

lighting. This system is the most expensive and is applicable principally to those houses for which electric current is pur-



The Vacuum Cleaner.

These machines are obtainable in various styles. A. The bag type. As shown it is equipped for carpet cleaning. Attachments enable it to be used for other cleaning operations. B. The cylinder type. As shown it is equipped for furniture cleaning.

chased from a high-tension transmission line or central station company. The second plan combines the use of lighting circuits and a separately metered, heavier wired circuit from which current can be drawn for the operation of at least the larger cooking utensils. This system also generally presupposes the purchase of current, but is also applicable to such houses as may be supplied from farm hydroelectric plants. The third system is the simplest and comes nearest to being in almost universal favor. It makes use of lighting circuits provided with proper outlets at various points throughout the house. It is the only one which may be considered in connection with a low-voltage (32-volt) storage battery plant and also with many of the 110-volt outfits.

SWITCHES.

A liberal use of switches in a home is recommended, as it invites economy by encouraging the putting out of lights when leaving a room. The flush type placed in metal cut-out boxes sunk in the wall are largely used. They are very satisfactory and should generally be located just inside of entrance doors. For large rooms it is well to have more than one switch and sometimes it is desirable to use a switch one turn of the handle of which lights one group of lights, the second, an additional group without putting out the first group, and the third turn puts all out.

HALL LIGHTS.

It is customary to arrange lights for halls and stairs so that they may be turned on or off from one or more switches, usually two, one on the first floor and one on the second floor. These switches are known as 3-way or 4-way, or 3-pole or 4-pole, switches. Thus a person on a lighted first floor wishing to go to a dark second floor is enabled to light the second-floor light from the first floor, go upstairs and from there extinguish the first-floor light.

CLOSET LIGHTS.

A ceiling light placed in a closet is very desirable, especially if the light from a window does not enter it. Switches for closets are often set in the door joints and operated by the movement of the door. If, however, the door is to be left open for ventilation, wall switches are



of the switch, as is not infrequently the case of cellar lights controlled from the first floor, a pilot light switch that contains a small pilot light which burns when the switch is on serves to economize current. This type of switch is to be recommended in

preferred, for otherwise it would be necessary to unscrew the lamp from its socket.

PILOT SWITCHES.

For a switch to operate a light which is not visible from the location



Drop Shower and Wall Switch.

Lighting fixtures of this type frequently produce pleasing effects, although the inverted dome (not shown) is preferred by many. *B.* Wall (flush type) push switches are usually placed about 3 feet 10 inches from the floor. When desired they may be placed higher so as to be out of reach of small children.

connection with all heating or other appliances which are fixed in position and do not visibly indicate when current is on. Switches of this type are obtainable as combination units which may be placed together in the same wall outlet and covered with a single plate.

BASE AND WALL RECEPTACLES.

A liberal distribution of flush receptacles and plugs throughout a residence will be found handy for a great variety of purposes. When wiring is being done the installation of a few for which at the moment no use appears will cost but little more and the chances are that as the advantages of electricity become better known they will be found very desirable. Such receptacles may be placed generally on or just above the baseboard and the plates may be painted to match the surroundings so that they will be inconspicuous. It is well to install two spare receptacles in each main room and hall.

OUTSIDE OUTLETS.

The porch should have one or more outlets in the ceiling and if a living porch is provided receptacles should be placed in the side wall 12 to 15 inches above the floor (to prevent water splashing on them), to which may be connected a reading lamp, chafing dish, or such other useful electrical device as may be needed. The lights in the ceiling should be controlled by a switch just inside the door or if it may be desirable to turn them on or off from the outside as well, a double switch (on inside and outside) can be used.

FLOOR RECEPTACLES.

The use of heating devices on the table calls for floor outlets to avoid a wire dangling from the lighting fixture above. Floor boxes with cone-shaped tops projecting above the floor to prevent water from entering the box and to protect the wires are obtainable, or the cone tops can be removed and a flush top substituted.

CELLAR LIGHTING.

Outlets in the cellar should be so located as to best illuminate laundry appurtenances, furnaces, and fuel storage bins,

and pumps or other apparatus that might need attention. Small consumption lamps, 10 or 15 watt, usually are sufficient for general illumination in the cellar. For a work bench or other utility requiring better light, 40-watt lamps are better. Store rooms for vegetables and other edibles should be well lighted from the ceiling, with a controlling switch at the door or a pendant switch at the lamp. At least one light in the cellar should be located to illuminate the stairway, and this light should be controlled from a switch at the head of the steps.

ROOM LIGHTING.

It is a decided mistake to attempt to limit outlets in residences to the fewest possible permissible with the original furniture layout. They should be planned with a view to any rearrangement of furnishings. It is always possible to cap outlets until needed. All portions of a room should be properly illuminated and the lighting layout should be studied with this in view.

HALL LIGHTING.

A soft general illumination adapts itself well to halls, with the possible addition of a portable table or standard lamp.

PANTRY LIGHTING.

The pantry should be well lighted from a high center outlet so that contents of dressers and cupboards can be seen distinctly. The outlet should be controlled by a switch at the door.

KITCHEN LIGHTING.

A ceiling outlet controlled from a switch at the door into the dining room is always recommended. If no other lights are provided there is annoyance from shadows at the stove, at the sink, or other points where one works. For this reason side outlets are advised, particularly at the sink and near the other most-used portion of the room.

LAUNDRY.

As the laundry is usually finished in light color, comparatively little general illumination from ceiling fixtures

is required. At the ironing board a drop light should be provided with a socket of the double outlet type, or provision be made for a separate outlet for connecting the electric iron.

BATHROOM LIGHTING.

For bathrooms of the size found in most houses, one drop-light from the ceiling or a bracket with the lamp located in front of and slightly above the mirror is usually sufficient. When the room is larger than the average, the installation frequently includes a ceiling outlet with a side outlet placed on each side of the mirror. The ceiling outlet is usually controlled by a switch at the door, while the side outlets may have chain pull or key switches. The side fixtures at the mirror, if installed, should project 8 to 15 inches from the wall and be so placed as to light well each side of the face. Bathroom lights should never be so placed as to throw the shadow of anyone in the room on the window shade.

SEWING-ROOM LIGHTING.

The general illumination of the sewing room may be from the ceiling, with one switch control, or, where the room is small, one light, either drop from ceiling or wall outlet, will be sufficient. Though not absolutely essential, side lights installed to brightly illuminate the sewing and cutting table and the location where the comfortable chair for hand sewing is usually placed add conveniences not commonly met. A separate outlet for the pressing iron should not be overlooked, and the need of an electric fan in warm weather may call for another outlet, although in most cases it will be attached to the lighting socket.

ELECTRIC COOKING.

The use of electricity for general cooking purposes is really deserving of far more space than can be given in this short article in order to convey properly even a fairly accurate conception of its merits. Among its advantages, and they far outweigh the disadvantages, may be mentioned those that follow.

As compared to other methods of cooking, little heat is thrown into the room. This makes it strongly favored for

hot weather, when the average kitchen is too hot to work in comfortably most of the time that the cooking is going on. Contrary to conditions existing in kitchens where fuel is consumed at the burners of the stove, no products of combustion pass into the air of a room, hence with electric cooking the air is decidedly better when the outside temperature requires that doors and windows be kept closed. The rate of cooking can be more definitely and quickly regulated. Electric cooking utensils are not covered with soot and therefore are easier to wash and clean. If a breeze is blowing through the kitchen on a summer day no attention need be paid to it, as there is no danger of explosion or other trouble due to the possible extinction of the flame. In fact, with electric cooking there is practically no such fire risk as there is with coal, gas, or gasoline. Some cooking can be done on the dining-room table, and this sometimes appeals strongly to those who do not like to absent themselves from the family meal or who like to have things hot from pan to plate.

Electric cooking is no doubt a desirable asset to any household. It must be regarded as more expensive, when dollars and cents are considered, but many who use it rate the convenience and advantages as well worth the difference. Electric cooking, however, can not be considered as possible with the ordinary farm light and power outfit. Service from transmission lines, central stations, and even from some private hydroelectric plants of more than the usual capacity does make it available.

SOME LIGHTING-CIRCUIT APPLIANCES.

There are several appliances that can be used on electric lighting circuits. Several types of portable disk stoves are available. They may be obtained for either the 32 or 110 voltage. Bacon and eggs and griddle cakes may be cooked on these stoves. Toast may be made by placing a piece of wire netting between the bread and the top of the stove. They may be used in the dining room, sick room, etc. They are made in at least three sizes, and the largest ones are provided with a three-point switch which permits a regulation of temperature.

The electric toaster permits the toasting to be done where it can be watched without undue inconvenience. Many claim that the sooner toasted bread is served after toasting the more delicious is its flavor. To be able to toast bread at the table during the meal has much to recommend it to those of



this opinion. These toasters may be obtained for either the 32 or the 110 voltage.

For those who hold that coffee should not be boiled and should be served directly it is made in order to retain the delicate and distinctive aroma which may be lost in the form of vapor, the coffee percolator has much to commend it. They are obtainable in several sizes for both the 32 and the 110 voltage.

Being obtainable in a number of different designs and designed for perfect control and regulation of heat, the electric chafing dish permits the preparation of a small meal in any room where an electric-lighting plug exists. They too are procurable for either the 32 or the 110 voltage.

Labor Savers.

When one can afford to equip each labor-saving device with a separate motor, it is to be desired. A. Motor-driven washing machine and wringer. B. Motor-driven separator.

The hot-water bottle has seen so much use in many homes that some would not care to be without one. The application of heat is recognized by the medical profession as a very important and reliable means of relieving suffering.



The Electric Iron.

Probably the best known and most used of all labor-saving devices. Heated from within by a continuous supply of heat, it avoids the changing of irons over a hot stove and permits a more pleasant room in which to work.

And the electric heating pad eliminates the danger of leaking water and provides or maintains a constant maximum temperature. A regulating switch permits adjustment for different degrees of heat.

For table cooking the table grill fills a long-felt want. With it one may fry, broil, toast, boil, or have a hot plate,

each necessarily limited in capacity but functioning perfectly. The utensil consists of a horizontal series of open radiant coils which glow almost instantly upon turning on the current. A vessel is supplied for boiling water or steaming eggs, the cover of which when inverted forms a frying pan. Under the heating coils is a compartment for broiling, while bread may be toasted on gratings directly over the heating coils.

WASHING MACHINE.

The washing machine has perhaps done as much (if not more) toward relieving the housewife of much of the extra burden, which has been thrown upon her under present economic conditions, as any other of the labor-saving devices. There is no doubt that, in a measure, it replaces the washer-woman. Let no one have the impression, though, that it does the family wash and therefore offers a complete solution of the problem. The installation of a washing machine removes much of the drudgery and heavy work of washing, but when the job is once started practically all of one's time is required until the clothes are out on the line. It has thus made it possible for girls 14 years old to do the family wash, whereas under the old manual way it would have been considered that the labor required made that out of the question.

These machines are manufactured by many companies and require comparatively little current for operation. They may be operated from any lighting socket.

ELECTRIC IRONS.

Electric irons are available in weights of 3, 4, 5, and 6 pounds. The lightest consumes about 350 watts, the heaviest about 580. The 4-pound iron probably is the most used. The electric iron is the most popular of all the household conveniences. It is manufactured in several shapes. In one, a pull-off plug makes the electrical connection to the heating element of the iron. In another, an indicating "on and off" switch is added, while in still another a permanently attached cord is provided. One type can not be recommended above the other two.

FEDERAL SUPERVISION OF LIVE STOCK MARKETS



By LOUIS D. HALL,

*Specialist in Charge, Marketing Live Stock and Meats
Bureau of Markets.*

UNIQUE among the marketing systems of the world, the stockyards centers of the United States are the most highly organized institutions in existence for the sale of live stock and for the manufacture and distribution of live-stock products. Contrasted with the village market place, where the farmer dickers directly with the butcher over the price of his pig or cow, the mammoth modern live-stock markets of America have become the wonder of the world. The Chicago stockyards, foremost in volume of business among all markets of any kind, draw their supplies of animals from the most remote coasts and corners of the country, and transact annual live-stock sales of about a billion dollars, or more than three millions a day. Kansas City, Omaha, St. Joseph, East St. Louis, Fort Worth, St. Paul, Sioux City, Denver, and other important points likewise have developed to the degree of great public centers of interstate live-stock trade. In all there are now about 70 public markets to which live-stock shipments are consigned regularly.¹ During 1919, the numbers of animals passing through these points were about 25 million cattle, 27 million sheep, and 45 million hogs, which, although including many

¹ Methods and Cost of Marketing Live Stock and Meats, Report 113, Office of the Secretary, U. S. Department of Agriculture, page 39.

duplications due to counting stock at more than one point, still represent a considerable majority of the meat animals marketed in the United States.

Natural economic conditions have been chiefly responsible for the development of these market centers. Unlike the more thickly and homogeneously populated countries of the Old World, our largest consuming and distributing centers and export points are located along the Atlantic seaboard while our supply of meat animals is chiefly in the middle and western sections. This situation precludes the direct local movement of meat animals from producers to retail dealers, except to a limited extent. Consequently the development of large live-stock markets and packing centers at intermediate points was inevitable. With the gradual westward drift of the centers of population and industry, together with the development of improved transportation, refrigeration, and methods of packing and distribution, a corresponding development of live-stock markets has occurred at points nearer the producing centers, and at the present time such markets exist in almost all parts of the United States.¹


Coincident with their remarkable development in magnitude and organization, these great markets have produced problems which have a vitally important bearing upon live-stock production and which, therefore, directly affect every citizen either as a producer or as a consumer of meats. The root of these problems consists in the concentration of ownership and control of the stockyards and other facilities at many of the important live-stock centers, which gradually have been absorbed by Chicago meat-packing interests. These interests, according to the Federal Trade Commission, now own or control 28 stockyards through which pass 84 per cent of the live stock shipped to market centers in this country.² As this group of packers is regarded by most stockmen and farmers as a virtual monopoly in their control of the meat supply, and as it is considered that they are able to manipulate market prices and movements to a large extent, the consequent effect of their gradually gained domi-

¹ Great Central Markets for Live Stock and Meats. Proceedings of Second Pan-American Scientific Congress, Vol. III, p. 335-341.

² Report of the Federal Trade Commission on the Meat Packing Industry. Part III, p. 11.

nation of most of the principal stockyards and of the meat trade in the largest cities has been a growing distrust and dissatisfaction on the part of live-stock producers with regard to marketing conditions.

The resultant situation relative to the production of meat animals is shown strikingly by the diagram below, which means, substantially, that the beef cattle supply remained at a standstill for 20 years before the war with Germany, and the hog supply for practically 30 years, while the number of sheep had diminished heavily. Although production was stimulated by the rising prices and by the optimism which naturally spread among food producers after the magnitude of Europe's war-time food needs became apparent, still the discrepancy between the domestic demand and the limited



Trend of Population and Live Stock in the United States,
1870 to 1919.

supply of live stock, together with the apparent need for greatly increased quantities of meat for the fighting forces, produced a serious situation which had a critical bearing on our position from a military point of view. Under these circumstances, the President, at the suggestion of the Food Administrator in March, 1918, appointed a commission to consider and formulate a national policy relative to the meat supply. Recognizing the prevailing lack of confidence as an important factor in the situation, this commission recommended to the President the licensing and regulation of the stockyards, the establishment of a governmental system of animal grading, and the official reporting of the distribution of live stock, meats, and other products from prin-

cial packing points. Pursuant to this recommendation, a proclamation making it effective was issued by the President, June 18, 1918, under authority of the Food Control Act. The organization and administration of the live stock market supervision service was immediately undertaken by the Department of Agriculture at the direction of the President, the Chief of the Bureau of Markets being designated as the administrative officer in immediate charge of this service.

In accordance with the President's proclamation, the stockyards, live stock commission firms, traders, and order buyers subject to license were notified of the license requirements, which became effective July 25, 1918, to remain in force until the conclusion of peace. A tentative draft of rules and regulations was submitted to several thousand representatives of all classes of interests affected, including live-stock producers, whose suggestions and criticisms were carefully considered before the issuance of the general regulations governing licensees. These regulations were signed by the President and issued July 26, 1918, as Circular 116, Office of the Secretary of Agriculture. When it was found shortly thereafter that certain features of the buying operations of slaughterers, packers, renderers, and other buyers in licensed stockyards were not fully covered by the Food Administration's control, a supplementary proclamation pertaining to those classes of business was issued by the President on September 6, 1918, and the general regulations were amended accordingly.

The general principles aimed at in the drafting of the regulations were to require adequate facilities, equipment, and service at live-stock markets; to prevent extortionate or excessive charges for yardage, feed, commissions, and other service; to prohibit unfair dealing, deceptive practices, and unwarranted combinations, manipulations, or discrimination in the purchase and sale of live stock, including the circulation of false or misleading market information; to require the keeping of full and accurate records by licensees, such records to be subject to examination by authorized officials; and otherwise to foster and further open and fair competition in efficiently conducted market places.


The issuance of licenses proceeded promptly from the effective date (July 25) fixed by the President's procla-

mation, and shortly thereafter substantially all concerns affected had been duly licensed. Licenses are now held by 123 stockyards, 410 commission men, 115 order buyers, 1,052 traders, speculators, and scalpers, 304 slaughterers, meat packers, renderers, and other buyers, and by 988 licensees conducting various combinations of these lines of business, making a total of 2,992. One hundred and eighty-six licenses have been canceled, including those surrendered on account of discontinuation of business and two cases of violation of regulations. A number of additional cases are pending.

To expedite the organization of a corps of competent market supervisors and assure the effective administration of the regulations, several men of recognized standing and successful experience in different branches of the live-stock industry were added temporarily to the live-stock staff of the Bureau of Markets. Local representatives of the bureau's live-stock market report service, who already were stationed at the stockyards at Chicago, Kansas City, Omaha, East St. Louis, South St. Paul, Denver, Salt Lake, and Portland, were instructed to perform the duties of acting market supervisors at their respective markets. As rapidly as other competent supervisors were available the service was installed at the following additional points: Billings, Boston, Buffalo, Cincinnati, Cleveland, Fort Worth, Indianapolis, Jacksonville, Lancaster, Louisville, Nashville, New Orleans, New York, Oklahoma City, Philadelphia, Pittsburgh, San Francisco, Sioux City, St. Joseph, and Washington. The supervisors in charge of these 28 markets also were made responsible for the supervision of the various other stockyards in their respective districts. Thus all of the licensed stockyards in the United States were shortly brought under effective supervision. Assistant supervisors also have been assigned to some of the larger markets, such as Chicago, Kansas City, Omaha, and East St. Louis. On account of the curtailment of available funds and the anticipated conclusion of peace, the branch offices of this service at Billings, Buffalo, Cincinnati, Cleveland, Jacksonville, Lancaster, Nashville, Oklahoma City, Salt Lake, Sioux City, and St. Joseph have been discontinued since July 1, 1919.

Many hundreds of complaints and adjustments have been handled by the local supervisors, illustrative of which may

be mentioned the installing of needed stockyard facilities, such as scales, pens, alleys, chutes, docks, and viaducts; employing additional yardmen to relieve congestion of stock in the yards; requiring the furnishing of feed of suitable



In the Stockyards.

A. A well-equipped stockyard showing sheep house (rear) and hog sheds (center). **B.** Cattle alleys and exchange building in a typical stockyard.

quality and accounting for feed at actual or carefully estimated weights; reducing excessive charges for feed; cleaning pens and alleys which were unfit for use; rearranging weighing schedules and promoting earlier hours of trading to eliminate avoidable congestion and delays; correcting

abuses in the disposal of crippled animals; tipping stockyards employees to secure special privileges in yarding and handling stock; deceptive practices in the buying and selling of stock; and readjusting inadequate rates of payment for dead stock.

As an example of the readiness with which the trade cooperated in bringing about these improvements, the following notice issued by the Chicago Live Stock Exchange on June 25, 1918, to its members is cited:

In view of the proposed licensing of commission merchants under the proclamation of the President of the United States and the probability that licensees will not be permitted to take advantage of any assistance from so-called crippled hog traders, scalpers, or followers, the board of directors of this exchange has this day caused to be issued this notice, taking effect July 1, 1918, that on and after that date commission merchants shall yard all stock from the trains, feed, water, and weigh same by their own employees, and that no service whatever shall be given or rendered by any persons not on the payroll of a commission concern.

These instructions did not alter the arrangement whereby the stockyard company renders certain services in the delivery of stock and feed to pens. This action was designed to eliminate one of the most common causes of complaint against the methods of handling consignments of stock in the yards.

The following notice issued by the acting market supervisor at Chicago illustrates the manner in which earlier hours of trading were promoted at that important point:

At a meeting held on April 8 of officials and representative members of the Chicago Live Stock Exchange and Traders' Live Stock Exchange, packer buyers, and officials of the Union Stock Yards and Transit Company with representatives of the Bureau of Markets, the matter of an earlier market at Chicago was considered. It was agreed that the earliest hours of trading consistent with the proper handling of the stock are desirable and to the advantage of all interests concerned and representatives of the various interests present expressed their willingness to cooperate with the Bureau of Markets to that end. Officials of the Stock Yards Company stated that the scales would be opened and ready to receive and weigh stock earlier than at present if the advancement of the hours of trading renders this necessary. Effective Monday, April 14, commission men will be expected to have their stock ready to offer for sale not later than 9 o'clock, as far as possible, and buyers to be in the yards ready to buy by that time. It will be understood that the early appearance of buyers and sellers on the market does not necessarily indicate an unusual market condition but is in compliance with the plan for the establishment of an earlier market.

Patrons and members of the trade at various markets have stated that the stockyards have been kept in a cleaner condition since supervision was inaugurated than ever before. Enthusiastic friends of the service at one of the important stockyards state that the annual saving in shrinkage effected by the improvement in terminal switching and unloading of stock trains at that point amounts to more than the total cost of supervision at all markets. It is generally agreed by all who have carefully observed the working of the service that the activities of the local supervisors and their assistants, besides producing many actual savings and correcting numerous specific abuses, have also prevented many former irregular practices and exerted a salutary influence on trading conditions through their mere presence on the market.

Among the matters referred to the Washington office for consideration, those of principal importance, and in which public hearings have been held, are increased rates of commission and yardage, alleged discrimination by members of live stock exchanges against nonmembers, discrimination by a stockyards company as to the use of vaccinating facilities and privileges, theft of live stock, false returns to consignors, and overcharges for feed by stockyards and commission firms. A commission firm which made a practice of rendering false returns was required to restore to its shippers more than \$18,000 and its license was canceled. Another licensee has been caused to refund over \$20,000 wrongfully withheld through the manipulation of feed accounts. Other irregularities disclosed through complaints or by auditors and investigators of the supervision service have been dealt with as the circumstances appeared to warrant. Considering the number of concerns licensed and the immense volume of business affected, it is only fair to say that the abuses found have been comparatively few, and, with some exceptions, not of a flagrant sort.

In accordance with a further recommendation of the President's Meat Commission, specific attention has been given by the Bureau of Markets to the development of standard market classes and grades of live stock, in connection with the supervision of live-stock markets and the market report service.¹ Specialists in live-stock classification,

¹ Government Market Reports on Live Stock and Meats. Yearbook, U. S. Dept. of Agriculture, 1918, pp. 379-398.

together with the Bureau's local representatives, were assigned to a thorough investigation and comparison of the market classifications in use at Chicago, Kansas City, Omaha, East St. Louis, Fort Worth, St. Joseph, Sioux City, and St. Paul. On the basis of this investigation a uniform classification was adopted for use in live-stock reports at all markets from which quotations are issued by the Bureau, and for the guidance of all the market supervisors. This marks an important step in the stabilization and supervision of market conditions, furnishing, as it does, an entirely new and long-needed means of comparison between prices of live stock sold at the various markets, and between prices of



Waiting for a Buyer.

live animals and corresponding grades of dressed meat. Records also have been kept showing the numbers and prices of live stock purchased by slaughtering concerns, and shipments of live stock, including stockers and feeders, from the various markets. Preliminary arrangements also have been made for the reporting of dressed meat shipments from principal packing points, but it has been impracticable as yet to put this feature into operation because of the lack of sufficient assistance.

Besides the duties specifically provided for in the President's proclamation, the administrative staff and local supervisors have cooperated actively with other branches of the

Government in important activities pertaining directly to the live-stock markets. Information and assistance have been furnished to the Railroad Administration in connection with the revision of train schedules and terminal switching arrangements so as to secure the arrival of stock at markets earlier in the day; in the development of uniform rules for feeding in transit; and in the conduct of embargoes against live-stock shipments during the periods of excessive market receipts. Committees appointed by the Federal Food Administrator for the administration of an agreement relative to minimum prices for live hogs were furnished the services of local supervisors and the use of the bureau's facilities for the collection and distribution of pertinent information, thereby assisting materially in the stabilization of the hog market at a most critical period.

In connection with the selection and grading of dressed beef for the Army, Navy, and fighting forces of the Allies, for which the Department of Agriculture was responsible temporarily and which required the rapid organization and prompt inauguration of an inspection service at the principal market centers by the Bureaus of Markets and Animal Industry, representatives of the stockyards supervision service, many of whom were experienced in the grading of beef, assisted effectively in starting and maintaining this important function, which exerted a direct and beneficial effect upon the live-stock markets by creating a needed outlet for choice and good beef of lighter weights than previously had been included in the specifications.

Constructive methods, constant counsel with competent and recognized representatives of the various interests concerned, conservative action in cases requiring the exercise of administrative authority, and absolute fairness to all parties affected, have been the policies of those responsible for the conduct of this service. Despite the brief period of its existence and the consequent imperfections, mistakes, and lack of complete efficiency which characterize all new enterprises of such scope, the initial results nevertheless demonstrate conclusively the value and the possibilities of such a supervision over the markets through which passes the bulk of the Nation's meat supply.

COOPERATIVE IMPROVEMENT OF CITRUS VARIETIES

By A. D. SHAMEL,

Physiologist in Charge of Fruit-Improvement Investigations, Office of Horticultural and Pomological Investigations Bureau of Plant Industry.



IMPORTANCE OF THE CALIFORNIA CITRUS VARIETIES.

DURING the crop year 1918-19 about 39,100 carloads of oranges and grapefruit and 9,963 carloads of lemons, or 49,063 carloads of citrus fruit, were shipped from California. In the wholesale markets this crop brought more than \$100,000,000. After the expenses incurred in packing, transporting, and marketing were deducted from this amount, approximately \$75,000,000 was returned to the citrus growers in California.¹

Only a few varieties of citrus fruits were grown to produce this result. The Washington Navel orange crop, which ripens during the winter months, amounted to approximately 17,000 carloads; the Valencia orange crop, which ripens during the summer months, amounted to about 20,000 carloads. Other orange varieties of minor importance produced about 1,500 carloads. The Eureka and Lisbon varieties of lemons, differing mainly in the season of production, so that mature fruits are marketed during the entire year, produced 9,963 carloads. The Marsh is the only grapefruit variety grown commercially, and this crop, which

¹ Information furnished by the California Fruit Growers' Exchange.

ripens during the summer months, amounted to about 600 carloads of fruit.

The high commercial reputation of the California citrus fruits has largely resulted from marketing regular and uniform supplies of good fruit produced by a few standard varieties, which are readily identified by the trade and by the consumers. For this reason the importance to the citrus industry of conserving and improving these varieties, now that their reputation has become fully established, must be apparent to every thinking person.

Most of the development of the citrus industry in California to its present great commercial importance has taken place within the last 25 years. Its rapid growth during this period is one of the marvels of horticulture. The principal markets for the crop are a long distance from where the fruit is grown. The climate, soil, and cultural conditions in the citrus districts necessitate constant vigilance and intelligent effort in order to produce successful crops. These and other circumstances have resulted in the development of many improved cultural and marketing practices, largely by the aid of scientific research, which have proved to be invaluable not only in the profitable growing and marketing of citrus crops in California, but also in the production and marketing of fruit crops in other sections of the United States.

OCCURRENCE AND FREQUENCY OF BUD VARIATION.

During recent years many California citrus growers have noticed the presence of undesirable trees in their orchards. This condition seemed more apparent in young orchards or those farther removed from the original trees from which the varieties developed than in the older orchards which were more closely related to the original parent trees. Many of these trees apparently produced irregular, light crops of inferior quality. In some cases the commercial and eating quality of the fruit from the offtype trees proved to be so poor that it became necessary to sort them out from the general crop and throw them into the cull bins. This condition increased the expense of assorting the crop and also materially reduced the merchantable yield of the orchards. In many instances the inferior and worthless fruits from the undesirable trees could not be easily identified in the


packing houses and were inadvertently included with the regular pack; the consumer was disappointed in their eating quality, and a loss of reputation for the crop as a whole inevitably resulted.

Acting upon the request of some of the leading citrus growers in southern California, the Bureau of Plant Industry in 1909 began an investigation for the purpose (1) of ascertaining the variations which have taken place in the important commercial citrus varieties grown in California through bud variations and to learn the comparative value of the different strains arising from these variations for commercial fruit production; (2) to determine the extent to which undesirable variations have been propagated, as shown by the percentage of such undesirable trees existing in the parent bearing orchards; and (3) through improved methods of propagation to reduce the number of undesirable variations which enter into commercial citrus-fruit orchards.

These investigations have been carried on by means of records and observations of individual trees. The term "performance record" is used here to mean the record of the number and commercial quality of fruits borne by individual trees during a period of years. Mostly these studies were made in performance-record plats, consisting of groups of trees grown under comparable conditions, selected for the purpose of determining the behavior of the trees by means of individual-tree records of production, observations, descriptive notes, and photographs.

In addition to securing accurate individual-tree yield records, a very careful study of the tree, flower, and fruit characteristics was made. These data showed that striking bud variations were of frequent occurrence in many of the citrus trees. For example, typical Washington Navel orange trees each grown from a single bud and bearing fruits similar to those shown in figure 1, were often found bearing several distinct types of navel oranges, such as those shown in figure 2. In some cases these variations occurred as single fruits possessing characteristics different from those of the Washington Navel orange. In other instances Washington Navel orange trees were discovered having one large limb bearing many fruits which were so different from the other fruits on the tree as to be classed as belonging to

a totally different variety. Several individual trees were found on which nine different strains of the navel orange were borne on different limbs, all of them arising as bud sports in these trees. The differences in the characteristics of the fruit variations in some of the trees were found to be almost as important from the commercial standpoint as those which differentiate horticultural varieties. These




Best Strain of the Washington Navel Orange.

FIG. 1.—Typical fruits from a tree of the best strain of the Washington Navel orange variety.

variations were not confined to the Washington Navel orange, but were found almost as frequently in the trees of the other varieties studied.

The number of the important fruit variations borne by individual citrus trees differed greatly. A few trees in all of the varieties have been found without any apparent or marked variation in fruits other than the usual modifications of size, shape, texture of rind, color, and quality which are probably due to the influence of season, culture, or other

environmental conditions. Fortunately, from the standpoint of the conservation and improvement of the varieties, the inherent variations have been found to occur most frequently in the trees of the inferior strains of all of the varieties. The most productive trees in all cases so far studied and those bearing the most desirable fruits have produced comparatively few of these marked fruit or other bud variations.¹



Dry Strain of the Washington Navel Orange.


FIG. 2.—Typical fruits from a tree of the dry strain of the Washington Navel orange variety, showing the undesirable and worthless characteristics of the fruits of this strain. This and other inferior strains originated as bud variations of the best strain, and their accidental propagation has been the source of great loss annually to the growers possessing them.

ORIGIN OF STRAINS.

The term “strain” is here used to designate a group of individuals of a horticultural variety which differ from all other individuals of the variety in one or more constant and recognizable characteristics capable of perpetuation through vegetative propagation.

¹ The detailed results of the investigation of the variations of citrus varieties in California have been presented in a series of publications of the United States Department of Agriculture. These reports are in Department Bulletins 623, 624, and 697, to which the reader is referred for further information as to the occurrence and frequency of bud variations.

One of the first and most important individual fruit variations observed in Washington Navel orange trees was a large, coarse fruit, which is commonly called an Australian Navel orange. Soon after the discovery of this single fruit variation in the crop of a typical Washington Navel tree, a limb was found in a near-by Washington Navel tree bearing 56 typical Australian fruits. A further study of this



Several Strains of Lemons from the Same Tree.

FIG. 3.—Typical fruits of several strains produced by different branches on a variable Lisbon lemon tree which was grown from a single bud.

orchard revealed several trees bearing all, or nearly all, Australian fruits, and having the peculiar upright habit of growth so characteristic of the trees of this strain.

An investigation of the single fruit variations found in the trees of the varieties studied revealed their occurrence in other trees as limb sports and in other cases as individual trees. This condition illustrates the probable origin of the

many diverse strains in citrus varieties, due to the accidental propagation of limb sports, and is an important reason for obtaining performance records for use in the selection of bud wood for propagation.

So far, 13 strains of the Washington Navel orange, 12 strains of the Valencia orange, 6 strains of the Marsh grapefruit, 8 strains of the Eureka lemon, and 5 strains



A Drone Tree.

FIG. 4.—A typical unproductive or drone tree of the shade-tree strain of the Eureka lemon variety. The trees of this strain show extraordinarily rank vegetative growth and bear light, inferior crops as compared with the trees of the productive strain.

of the Lisbon lemon varieties have been found, their characteristics described, and the behavior of typical trees determined. The origin of all these strains has been traced to bud variations, examples of which are shown in figure 3. Their distribution in established orchards has been largely the result of accidental propagation of the bud variations, due to a lack of knowledge of the importance of the varia-

tions and their significance in the work of maintaining the citrus varieties.

The extent of the occurrence of trees of the diverse strains of the citrus varieties in California has been studied carefully




A Productive Lemon Tree.

FIG. 5.—A typical productive tree of the best strain of the Eureka lemon variety.

in many districts by means of orchard surveys. The percentage of offtype trees, that is, trees belonging to strains different from those desired in the orchards and usually inferior to them, has been found to vary from 10 to approximately 90. An average of 25 per cent of the trees in the

orchards studied have been found to belong to strains which differ markedly from the typical or best strain of the variety. The largest percentage of variations from the superior strains has been found in the younger orchards.

The trees of one of the strains of the Eureka lemon variety possess unusual vigor of growth and habitually bear light crops of inferior fruits. A typical tree of this strain is shown in figure 4. On account of their large size as compared with the trees of the productive strain, the density of their foliage, and their poor crops, they have been called shade trees. These trees usually develop a



Orange Variations on the.
Same Branch.

FIG. 6.—A branch from a Ruby blood-orange tree bearing a fruit possessing a navel and a normal fruit without a navel; an example of the variation of fruits frequently found in citrus trees.


very large number of rank, upright-growing, nonfruiting branches, commonly called suckers. Formerly this sucker growth was generally used by citrus nurserymen for propagation. In one of the older Eureka lemon orchards in southern California 10 per cent of the trees were found to be of the Shade-Tree strain. In a younger orchard, the trees of which had been grown from sucker buds secured in the older grove, 25 per cent of the trees were found to be of this

strain. In a still younger orchard, where the trees had been grown from sucker buds secured in the second orchard, the percentage of shade trees was found to be 75. This astonishing increase in the percentage of shade trees in the younger

orchards is due to the fact that the bud cutters in each instance secured a large share of their bud wood from the trees of the Shade-Tree strain, as the sucker growth was most easily secured from them.

The shade trees in these three orchards have recently been top-worked, using fruit-bearing bud wood secured from superior trees of the Productive strain of the Eureka variety, an example of which is shown in

figure 5. Without exception the growth and fruits from these selected buds, which were top-worked on the shade-tree trunks, as shown in figure 7, have proved to be of the desired Productive strain, as shown in figure 8. Many other equally striking and important instances of the development and subsequent elimination of undesirable strains in California citrus orchards might be described. In every case investigated, the origin of these strains has been traced to bud variations, an example of which is shown in figure 6, which are of frequent occurrence and of very great importance from the viewpoint of the conservation and improvement of the established citrus varieties.



A Top-Worked Shade Tree.

FIG. 7.—A typical Eureka lemon shade tree, such as that shown in figure 4, top-worked with buds secured from a superior performance-record parent tree, such as that shown in figure 5. This photograph was taken three months after top-working.

ISOLATION OF THE STRAINS.

Enough evidence has been secured to warrant the assertion that all the strains of each of the citrus varieties discovered in these investigations can be isolated through bud



Good Results from Top-Working.

FIG. 8.—A top-worked shade tree of the Eureka lemon variety, such as that shown in figure 1, three years after top-working. The barren, rank growth of the original shade tree has been replaced with the productive normal growth of the best strain. Out of 16,000 trees in this orchard 3,200 worthless shade trees have been successfully top-worked.

selection. This conclusion is not intended to convey the idea that bud variation within these strains can be entirely eliminated; on the contrary, the investigations have shown that some variation will likely continue as long as the strains are propagated.

What has been demonstrated is that variation can be controlled by bud selection to such an extent that the individuals of the strain can be brought to a condition of practical uniformity as regards crop production and other characteristics. At this time there are several thousand acres of bearing citrus orchards in California in which the trees have been propagated from carefully selected buds, secured from superior performance-record trees. In these orchards the progenies of each of the parent trees have been kept separate. Performance-record studies of these progenies and a comparison of their behavior with that of the parent trees conclusively demonstrate that through bud selection each of the important citrus strains has been isolated. The uniformity of the progenies and the superior and heavy crops of those of desirable strains have proved beyond any doubt that it is practicable commercially to isolate and propagate only the best strains and to eliminate the inferior ones through careful bud selection, based upon individual-tree records and intimate tree knowledge.

COMPARATIVE VALUE OF THE STRAINS.

As a rule, only one of the many strains in each of the citrus varieties has been found to be worthy of commercial propagation and profitable for cultivation. The value of the product of the trees of the best strains as compared with that of the trees of the inferior strains may be illustrated by the records of production of the trees of the best Washington Navel orange strain and those of the inferior Australian strain in the investigational performance-record plot. In these studies it was found that the trees of the best Washington Navel strain produced an average of 4.73 packed boxes of oranges per tree per year during the period of observation. Under similar conditions the trees of the Australian strain produced 0.76 of a packed box per tree per year. On an acre basis, this yield amounted to 378.6 packed boxes per acre for the best trees, compared with 61 packed boxes per acre for the inferior trees. The actual value of this production was \$635.05 per acre annually for the high-producing trees, as compared with \$100.04 for the low-producing trees of the undesirable strain. Even greater

differences in production and value of the crops from the trees of different strains have been found in other varieties. When it is remembered that on the average 25 per cent of the trees in the orchards studied have been found to be inferior strains, the commercial importance of growing only trees of the best strains can be appreciated.

OBJECT OF COMMERCIAL TREE-RECORD WORK.

The trees of the best strain in each variety have usually been found to be the heaviest producers of fruit. On the other hand, the trees of the inferior strains have usually been found to bear light crops of inferior commercial quality. For this reason individual-tree records of production are of very great value in determining the proportion of different strains of trees in citrus orchards.

The demonstration of this condition in both experimental and commercial tree-record work has led many of the leading citrus growers to undertake individual-tree record work in their orchards. Such records are now being kept on more than 50,000 acres of citrus orchards in California.


The object of the commercial tree records is (1) to locate the drone trees, or those of the inferior strains in the orchards; (2) to find the superior trees, or those from which bud wood may be secured for propagation; (3) to aid in giving the trees individual care, such as cutting out limb sports or other undesirable growth, treatment for disease, or any tree injury; and (4) to secure definite evidence as to the effect of cultural treatments and other experimental tests.

METHOD OF KEEPING INDIVIDUAL-TREE RECORDS.

The method of keeping individual-tree records in citrus orchards now commonly used in California will be briefly described. Various minor modifications of this method have been and are being tried in some orchards, but the principles underlying this work are fundamentally the same in all cases. It may be found advisable to modify or change the method somewhat, owing to local conditions, but these changes should not be made until experience has shown them to be necessary in order that the records may be secured in the most natural and logical manner.

INDIVIDUAL-TREE NUMBERS.

Each individual tree in the orchard receives a number. This number consists of three parts, (1) the number of the block or division of the orchard, (2) the number of the row in the block, and (3) the position of the tree in the row, always counting from some fixed point, as, for example, the



Individual-Tree Numbering.

FIG. 9.—The arrangement of an individual-tree number on the trunk of a bearing citrus tree in a commercial orchard.

irrigation head. A tree located in block 14, row 18, and the twentieth tree in the row, has the number 14-18-20. Where there are several different orchards the tree number in the performance-record notes is preceded by the number or name of the orchard or its abbreviation.

In the case of bearing trees this number is painted on the tree trunk or on one of the main limbs, arranging the number in a vertical column in the form shown in figure 9. The figures are made with a common lettering brush and pure white-lead paint. Very young trees, on which space is not available for painting the number, are designated by attaching a

metal or other tag bearing the number.

The tree numbers are always placed in the same relative position on all the trees in the orchard, for convenience in finding them. Large, distinct figures are made, so that they are easily legible. The cost of tree numbering has varied somewhat with labor conditions, but at present the numbers are being applied at an average cost of about 2 cents a tree.

PICKING.

When picking the trees where individual-tree records are secured it is usually necessary to distribute the field boxes to the individual trees instead of in box rows, as is ordi-

narily done. Each picker gathers the fruit from one tree, and usually the same man picks all the trees in each row. All the fruit from each tree is placed in boxes at its base, as shown in figure 10. Care is taken in the beginning to



Commercial Performance Record Taking.

FIG. 10.—Securing performance record of the number of full boxes and the weight of a partly filled box of fruit produced by a Washington Navel orange tree in a commercial orchard.

see that none of the fruit from a tree is accidentally carried in the picking sack to a neighboring tree. Pickers quickly realize the importance of keeping the fruit of each tree separate. In some instances this arrangement has been found to stimulate care in picking and to accelerate markedly the rate of picking. Each picker's work is always open to inspection. With one picker on a row the natural tendency

is to induce the slower pickers to keep up with the faster workers. Inasmuch as the field boxes are near the tree being picked, this arrangement does away with the necessity for each man walking with his filled picking sack from the tree to the box row, as was formerly the case, and in this way saves considerable time. Extensive experience with commercial individual-tree picking work during the past eight



Welghing, an Essential Step.

FIG. 11.—Recording the weight of lemons produced by a Eureka tree at the time of one of the regular monthly pickings. The arrangement of truck and scales is convenient for securing the weight of fruit where this method of keeping individual-tree records is desired.

years has shown that the cost of picking the crops in this way is not much, if any, greater than where the crops are picked in the ordinary manner.

RECORDING INDIVIDUAL-TREE PERFORMANCE.

The foreman of the picking crew usually records the individual-tree yields, as shown in figure 11. Each day, after the trees have been picked and before the boxes of fruit are assembled for transporting to the packing house,

or at convenient times during the day, the foreman records in a field notebook the number of boxes picked from each tree. The partly filled boxes are usually recorded as estimated fractional parts of a full box, frequently as eighths. Some growers do not consider this estimate accurate enough and weigh each partly filled box and record its weight of fruits in terms of pounds and ounces.

A convenient and widely used form for recording the yield of each individual tree is as follows:

Variety..... Date.....
Block No..... Row No.....

| Tree No. | Boxes. | Part boxes. | Quality. | Notes. |
|----------|--------|-------------|----------|--------|
| 1..... | | | | |
| 2..... | | | | |
| 3..... | | | | |

If more than one picking is made from each tree, enough additional columns are provided to care for these data.

Where this form is used it is only necessary for the foreman to insert the name of the variety, the date of picking, and the block and row number on each page. Care is taken to look at the tree number each time before recording the data, in order to be sure that no mistake is made.

In addition to the number of boxes of fruit borne by each tree the foreman usually makes a note of the apparent quality of the fruits and of any unusual tree condition. These notes are usually made by means of symbols, as, for example, A, for first grade; B, for second grade; and C, for culls. A tree showing evidences of disease is marked by recording X along with the yield data. Various amplifications of this system are in use in many orchards, and have been found to be of great service in giving the trees individual attention and care.

COOPERATION IN SECURING AND DISTRIBUTING BUD WOOD.

The California Fruit Growers' Exchange, a cooperative organization of about 10,000 members, recognizing the com-

mercial importance of this work, established in May, 1917, a department of bud selection. The work of this department is to secure bud wood from superior performance-record trees and distribute it to propagators. The head of this department is a scientifically trained man, who is familiar with the research which has led up to the introduction of improved methods of securing and propagating reliable citrus bud wood. The object of the work is to put into practice the results of the investigation of this subject by the Bureau of Plant Industry in order to improve the quantity and quality of the citrus production in the State as a whole. It is looked upon by those interested as a public service, both to the producer and to the consumer, and for this reason has the whole-hearted cooperation and support of everyone concerned. This service is performed at cost, and from the beginning has been self-supporting. The operation of this department is briefly outlined in the following paragraphs.

THE SELECTION OF SUPERIOR PARENT TREES.


For several years preceding the establishment of the bud-selection department many of the leading citrus growers possessing the best orchards in the State had been keeping individual-tree records of all the trees in their orchards. Some of the largest orchards are approximately 1,500 acres in extent. The tree records of all of these orchards were made available for the work of securing and distributing reliable bud wood. A careful survey was made of these orchards, which are located in every important citrus district in California, and a detailed analysis was made of the individual-tree records of production. The orchards showing the best and most consistent records for each variety and those where the fruit was found to bring the highest market price in its class were selected for more detailed study. Usually three or more years of individual-record keeping were required before any selection of parent trees was made.

In the orchards where the conditions were found to be satisfactory for this work all the highest yielding trees were carefully inspected in connection with their past performance. The type of fruit was carefully examined. The uni-

formity of fruits on all parts of the trees was studied. All trees bearing irregular fruits or those having variable branches were immediately excluded from further consideration. The highest yielding trees which were found to bear uniform fruits of the best type for the variety were selected as sources of bud wood for propagation. In this work the individual-tree records have been found to be invaluable. Experience has shown that an intelligent selection of trees could not have been made without them. In addition to the records and the examination of the trees, their habit of growth, and the characteristics of the foliage and fruits, the selection of parent trees has been guided by an intimate knowledge of the trees of the variety gained through systematic individual-tree record work by those having a natural inclination for it.

KIND OF BUD WOOD.

Only fruit-bearing bud wood is cut from the parent trees for propagation. Usually only those bud sticks are secured which have one or more typical fruits attached, as shown in figure 12. As a rule, 5 large viable buds are obtained on each orange bud stick and 10 strong buds with each lemon bud stick. The buds from this young and somewhat



Fruit-Bearing Orange Bud Wood.

FIG. 12.—Typical fruit-bearing Valencia orange bud stick, showing the type of bud wood secured for propagation.

immature growth have been found, both experimentally and commercially, to give better results in propagation than the buds from older growth or from sucker wood. On the average, 500 good buds are secured from each full-bearing parent tree during a season.

HANDLING THE BUD WOOD.

The bud sticks from each parent tree are kept in separate bundles. A tag with a serial number is attached to each bundle. A duplicate tag with the same serial number, the number of the tree from which the buds were cut, and the name of the propagator to whom the buds are to be sent is filed in the bud-selection department. With this information, together with the individual-tree records, it is possible at any time to trace any progeny in a nursery to the parent tree and to examine the performance record of the parent tree for the information of the nurseryman, a prospective purchaser of the progeny trees, or any other interested person.

The leaves of each bud stick are trimmed off immediately after cutting, as shown in figure 13. As soon as all the bud sticks desired are secured from a tree, they are tied in a bundle, tagged, and packed in moist, sterile sphagnum moss. Several bundles of bud wood are usually packed tightly together, and this package is covered with strong burlap. These packages are kept in a cool temperature, preferably about 70° F., until the bud wood is delivered to the propagator. Under these conditions citrus bud wood can be kept safely for several weeks. However, experience has shown that it is desirable to use the buds as soon as possible after cutting them from the parent trees.

COST OF THE WOOD.

Inasmuch as the business of securing and distributing these buds is conducted by a cooperative nonprofit organization, the buds are supplied to propagators at cost. At the present time a charge of 5 cents is made for each good bud to members of the cooperative organization or 6 cents for each bud to propagators who are not members of the organization. As soon as the volume of business warrants,

this cost will be reduced. The owners of the trees from which the buds are cut are paid $1\frac{1}{2}$ cents for each bud secured from their trees.



Fruit-Bearing Lemon Bud Wood.

FIG. 13.—Two typical bud sticks on a superior Eureka lemon parent tree. The leaves have been cut off the one on the right in order to show the method of preparing the bud sticks for packing.

The cost of maintaining this bud-selection department includes the payment for the buds to the owners of the parent trees, the assembling, tabulating, and studying of extensive individual-tree data, the selection of the superior

parent trees, collecting information regularly as to the behavior of the buds and the trees grown from them, and the survey of new orchard areas for the location of additional parent trees. In 1919 an experimental citrus nursery of 7 acres was established for the purpose of trying out different methods of budding, determining the comparative value of different kinds of stocks, and securing other important information for the benefit of the propagators and the growers

USES OF SELECTED BUDS.

The buds secured from the superior parent trees are being extensively used by growers for top-working undesirable or drone trees in established orchards or for top-working the trees of one citrus variety with another and by propagators who are growing trees for sale or for their own planting. Up to this time a large proportion of the buds have been sold to nurserymen, who quickly realized the importance of furnishing to planters trees grown from reliable buds. An illustration of nursery trees grown from these buds is shown in figure 14. In fact, under present conditions it is almost impossible for nurserymen in California to sell at any price any other kind of citrus trees. The trees grown from the selected buds sell for a much greater price than the added cost of the buds to the nurserymen. The increasing appreciation by citrus growers of the importance of planting good trees makes it seem certain that the utilization of this work will be greatly increased in the near future.

In the following table the development of the bud-selection service is shown by the number of buds sold each season from the inauguration of this work to date:

Buds sold from superior parent trees.

| Year and budding season. | Number of buds sold. | Year and budding season. | Number of buds sold. |
|--------------------------|----------------------|--------------------------|----------------------|
| Season of 1917: | | Season of 1919: | |
| Spring..... | 25,550 | Spring..... | 168,530 |
| Fall..... | 82,850 | Fall..... | 232,187 |
| Season of 1918: | | Total..... | 754,530 |
| Spring..... | 158,455 | | |
| Fall..... | 88,968 | | |

Out of the total number of buds distributed approximately 75,000 were used for top-working established undesirable trees, and the remainder were used by propagators for propagating nursery trees. These buds were secured from superior parent trees in 21 orchards located in southern California.

During the war comparatively little citrus propagation was carried on. Since the close of the war California nurserymen have planted more than 100 bushels of citrus seed for growing stocks. This recent great activity in stock production indicates that there will be a very largely increased demand for the selected buds for use in budding this stock in the near future.

SECURING RELIABLE TREES.

The bud-selection department maintains an office where records are kept of all the available trees for sale that were grown from the selected buds furnished by that department. The parentage of these trees, their condition of growth, and other details are furnished to all inquirers without cost. From these data the planters can intelligently decide where to buy reliable and satisfactory trees. This service is proving to be an invaluable aid to citrus growers.

The widespread membership of the cooperative organization, continually advised as to the progress of the work of bud selection and propagation, has been the most effective way through which this information has been made available to the citrus industry as a whole. The officials of the State University and the United States Department of Agriculture, farm journals, and horticultural clubs have cooperated in bringing this work to the attention of all interested persons. At present there seems to be no good reason why every prospective planter in California should not be able to secure reliable information as to sources of good citrus trees for planting.

RESULTS OF BUD SELECTION.

Extensive orchards of all the important commercial varieties, in which the trees were propagated from carefully selected buds secured from superior performance-record

trees, are now in bearing in California. Careful surveys of these orchards have shown without any doubt that they are superior to comparative orchards in which the trees were



Strain Characteristics Revealed in the Nursery Trees.

FIG. 14.—Nursery trees of the best strain of the Eureka lemon variety two years after budding on sour-orange stock. These young trees blossomed and small fruits developed while still in the nursery row. This is characteristic of the young trees propagated by the use of the improved methods described in this article.

propagated without care in bud selection. It is becoming increasingly difficult to find young citrus orchards where the trees were propagated without the use of carefully selected buds. This demonstration of the superiority of the



Trees Produced from Selected Buds.

Fig. 15a.—A typical 3-year-old Eureka lemon tree in a large commercial orchard, showing the early production of uniformly good fruits secured from trees propagated from fruit-bearing wood buds selected from superior performance-record parent trees.

Fig. 15b.—A 3-year-old Marsh grapefruit tree in a commercial orchard, showing the heavy production of uniformly desirable fruits developed by trees propagated from selected buds secured from superior performance-record parent trees.

154887° YBK 1919—18 + 19


273

trees grown from buds secured in the manner described in this article has been the compelling force that has made the bud-selection work commercially successful.

The trees grown from the selected buds have shown unusually early production of heavy crops, as shown in figure 15*b*, and are bearing regular crops of uniformly superior quality; in other words, they are producing fruits similar to those borne by the parent trees. This uniformly good production, an example of which is shown in figure 15*a*, has been achieved at no greater cost than the irregular crops having a considerable proportion of fruits of worthless strains, produced by mixed-strain trees, in the ordinary orchard. The uniform fruits on the trees grown from the selected buds reduce the cost of assorting and packing the crops, compared with the ordinary crops. The uniform market grades made possible by the uniformity of fruits increase the confidence of the consumer in the fruit and induce a larger consumption. This condition is economically valuable, both to the producer and to the consumer; it stabilizes the industry as a whole and adds materially to the reputation and value of the crops.

COOPERATION AN ESSENTIAL.

The utilization of the results of scientific research in the improvement of citrus fruits through bud selection has largely been made possible through an organized citrus industry. While the investigation of this subject could probably have been carried on without this organization, it was as a matter of fact largely encouraged and fostered by it. In the opinion of the writer the widespread use of the improved methods of bud selection and propagation could not have been so quickly and efficiently introduced commercially in the citrus industry without the active participation of the cooperative growers' organization, the California Fruit Growers' Exchange.



By J. A. KIERNAN and L. B. ERNEST,
Tuberculosis Eradication Division, Bureau of Animal Industry.


THE practicability of eradicating tuberculosis of cattle and swine has been demonstrated in a number of herds in practically every State. Herds which have contained a very high percentage of diseased animals have been freed of tuberculosis by systematic testing and the removal of reactors, and afterwards have been maintained on a healthy basis. Likewise, herds which at the outset of the control work were but slightly affected have been cleaned up and kept as healthy herds.

RESPONSIBILITY OF OWNERS.

Many owners pay as strict attention to their healthy herds as though tuberculous animals had been found in them. Such owners have had their animals regularly tested and have not permitted animals from outside sources to be brought into the herds until they have been proved free from tuberculosis. This is the proper attitude for the owners of herds to take.

The responsibility for free herds and for keeping them free from tuberculosis rests on the owner and not on the State or Federal authorities. Obviously there is not a sufficient number of State and Federal inspectors to test all the cattle in the United States, nor is it desirable to try to conduct the campaign on that basis. There should be a sufficient corps of State and Federal inspectors to assist the owners in eradicating the disease, but the greater part of the

work should rest on those whom it will benefit most. In practically every section of the United States there are qualified veterinarians who will test cattle with tuberculin and who can advise how to handle the herd so as to free it from the disease or to keep it free.



This Barn Housed an 82 Per Cent Tuberculous Herd.

The cattle shown are a number of the reactors obtained as a result of the tuberculin test. Note that the interior is apparently maintained in a sanitary condition. The runways are of concrete but the stalls and gutters were constructed of wood and permitted seepage. The seepage was retained to a depth of about 2 feet. Cattle should never be housed under such insanitary conditions.

THE ACCREDITED-HERD PLAN.

The accredited-herd plan, by which owners of tuberculosis-free herds receive State and Federal recognition, has met the approbation of breeders of cattle all over the United States, and it is reasonable to expect that this plan will be followed until most of the purebred herds of the country are under supervision. The accredited-herd plan has been

conducted only in a general campaign, without concentration of effort in any particular locality; but it would be advantageous for a county having a large number of purebred herds to make an effort to have the tuberculin-testing work extended to every herd in the county.

The advantages of such a plan are readily understood. It would call the attention of prospective buyers all over the United States to the possibility of a wider field for choice of purebred cattle in the numerous herds accredited, and there can be no doubt that cattle in such a locality would sell at better prices because buyers would save a great deal of time by not having to look up animals from scattered accredited herds.

FACTS REGARDING LOSSES DUE TO TUBERCULOSIS.

No discussion of a better and larger live-stock industry of the Nation can be complete without consideration of live-stock losses directly attributable to tuberculosis. It is imperative that these losses be reduced. A campaign for the control and eventual eradication of this disease was started in May, 1917, by forming the Tuberculosis Eradication Division of the Bureau of Animal Industry. The results obtained by 2½ years of systematic control effort indicate that there has been an appreciable effect on the losses sustained from the disease.

The records kept by the department show that about 65 per cent of cattle and swine slaughtered in the United States annually are killed at official establishments where Federal meat inspection is maintained. The number of cattle and swine slaughtered at official establishments during the fiscal years 1917, 1918, and 1919 and the number of carcasses condemned on account of tuberculosis were as follows:

Federally inspected cattle and swine carcasses condemned on account of tuberculosis.

| Fiscal year. | Cattle. | | | Swine. | | |
|--------------|-------------------|-----------------|-----------------------------|-------------------|-----------------|-----------------------------|
| | Slaugh- tered. | Con- demned. | Per cent con- demned. | Slaugh- tered. | Con- demned. | Per cent con- demned. |
| 1917..... | 9,299,489 | 46,351 | 0.50 | 40,210,847 | 76,807 | 0.19 |
| 1918..... | 10,938,287 | 40,792 | .37 | 35,449,247 | 59,740 | .17 |
| 1919..... | 11,241,991 | 37,600 | .33 | 44,398,389 | 65,838 | .15 |

The figures show a noteworthy improvement in the situation, yet the losses from condemnation are still large—much larger than they would be if every owner of cattle and swine were vigilant in combating the disease. It is known also that the per cent of tuberculosis among animals slaughtered at uninspected abattoirs is greater than that at Federally inspected establishments. In addition there are other important though less conspicuous losses. The feed, for instance, given to diseased animals is practically wasted, because when they are slaughtered a considerable percentage of them must be disposed of for purposes other than food.



A Diseased Heifer from a Tuberculous Herd.

While mere physical appearance is not a definite means of judging when an animal is tuberculous, unthrifty condition and a cough are sufficient warning to have the tuberculin test applied.

Besides the condemnation of cattle for tuberculosis at abattoirs, there is each year a considerable number of deaths among mature cattle directly attributable to tuberculosis. Likewise there is a considerable mortality from this disease among calves.

Had the spread of tuberculosis been allowed to continue at the same rate that it progressed from 1907 to 1917, by 1937 the disease would undoubtedly have exacted an annual toll from the live-stock producers of this Nation of one hundred million dollars, and this would have been only a

part of the loss. Our splendid purebred and grade herds of cattle and swine would have been undermined by tuberculosis, and in consequence the reputation of the United States as a producer of high-class cattle and swine would have received an irremovable stigma.

In addition to the losses which can be rather accurately estimated from available records, there is an enormous loss due to this disease which can not be specifically determined. Many herds of cattle from which the owners derive a considerable revenue through the sale of the products are so badly affected that when they are submitted to an official tuberculin test from 50 to 90 per cent of the animals react to the test. The salvage obtained from these animals does not compensate for the loss, because, except in rare instances, cattle known to be diseased can be sold only for immediate slaughter. There is of course a wide difference between the beef price of an animal and its value as a producing or breeding animal. In most States part of this difference is met by indemnities paid the owner through the cooperation of the State and Federal Governments under the accredited-herd plan.

However, the greatest loss in these cases is the loss of the milk and milk products which have been previously a source of income to the owners. The writers know of herds bringing a net profit of from \$600 to \$700 or more per month which were necessarily destroyed by reason of an unusually heavy infection. Such losses as these can not be accurately estimated for the country at large.

The breeder of purebred cattle is in an especially unenviable situation when a large percentage of reactors is found as a result of the test. Among a number of instances known to the bureau is that of a breeder who owned a herd of about 70, and as the result of the test lost 62 head. A majority of these reacting cattle were valued extremely high, but as he had no facilities for maintaining all of them under quarantine, it was necessary that 45 head be sent to a slaughtering establishment. This man estimated his loss at from \$20,000 to \$30,000.

Many instances of serious losses due to tuberculosis occur also in swine. A report was recently received showing that

of 68 hogs shipped from a certain point in Illinois all were affected with the disease, and 33 of them were entirely condemned as unfit for food. Cases of this kind are not unusual.

Finally, the losses react upon the original owners, since most buyers of live stock know the infected areas and offer prices in accordance with that knowledge. In fact, such buyers will purchase animals only subject to a test, when they are from some areas known to be especially heavily infected.

HOW TO AVOID SERIOUS LOSSES.

The campaign to eradicate tuberculosis from live stock is now being conducted in 45 States in cooperation with the live-stock owners and the respective State live-stock sanitary officials. Arrangements are being made to have other States engage in the work. However, State and Federal officials can not prevent losses from the disease without the assistance and hearty cooperation of the owners.



A Herd Once Diseased—Now Healthy.

Portion of a herd of 78 cattle, of which 45 per cent were tuberculous in 1913, 16 per cent in 1914, and 12 per cent in 1915. This herd, containing approximately 80 head of cattle, has been found to be free from tuberculosis in subsequent tests.

The first step is for the owner to sign an agreement placing his herd under the joint supervision of the State and the Bureau of Animal Industry for the control of the disease; then skilled operators are detailed to conduct the test. Reacting animals should be promptly removed from the herd and either isolated or immediately slaughtered. Assistance is offered to insure a proper cleaning and disinfection of the premises formerly occupied by diseased cattle. The agreement entered into by the owner entails that he should sub-

mit his herd to a tuberculin test whenever deemed necessary by proper Federal or State officials and that no new cattle should be added to the herd after such tests unless the additions are properly tested and approved by these officials. The tuberculous cow is regarded as being the principal cause of infection in healthy herds; therefore especial care should be taken to purchase cattle only from those herds known to be free from the disease. One owner known to the writers failed to exercise this precaution and it cost him in one and one-half years 82 per cent of his fine grade herd and a revenue of several hundred dollars a month.

CLEANING UP AREAS.

The individual efforts of owners to free their herds suggest the thought of entire communities or counties establishing free areas. This work is, in fact, now being taken up. If a county contains, say, 25,000 cattle and 250 of them are tuberculous, why not kill the affected ones and obtain a 100 per cent healthy county? Of course one test will not accomplish such a clean-up, but by a persistent effort a tuberculosis-free county may be attained.

This is proved by the results of the cooperative tuberculosis-eradication work in the District of Columbia. In 1909 the Commissioners of the District promulgated an order requiring a tuberculin test on all cattle within the District and on all intended for movement into this area. As a result of this cooperative work conducted by the Bureau of Animal Industry the per cent of tuberculous cattle has been reduced from 18.87 per cent in 1910 to 0.63 of 1 per cent in 1919, thus establishing an area practically free from the disease. If this area can be made free from the cattle plague, why not all the counties in States where the disease exists to a much more moderate degree than was found at the beginning of the work in the District of Columbia?

In time it will be possible so to reduce any area infected with tuberculosis in live stock that owners will find it unprofitable to keep infected animals or those suspected of being infected with that disease. Experience has shown also that the longer diseased cattle are kept in a herd the greater will be the loss when the clean-up campaign begins.

METHODS OF TESTING.

The methods employed by the cooperating State and Federal officials include not only the application of the subcutaneous tuberculin test, to be followed by the proper cleaning and disinfection of the premises, but also include, in special cases of badly infected herds, the application of the ophthalmic and intradermal methods of tuberculin testing. The intradermal test can be and is profitably employed on range cattle or others which are difficult to restrain or on animals showing abnormal preliminary temperatures. The ophthalmic test has proved to be especially valuable as a check test and has revealed a considerable number of cases of tuberculosis which had escaped other methods of diagnosis. In its application a disk containing the diagnostic tuberculin is placed in the eye of the animal. If the animal is not diseased no disturbance is indicated, but if infection exists there follows a characteristic formation of pus in the treated eye.

A problem of considerable importance is the tuberculin testing of cattle at public stockyards. Such testing is aimed to check traffic in diseased animals and to protect communities which have little bovine tuberculosis from infection by cattle that are diseased or of doubtful health. This condition applies especially to dairy stock and to breeding cattle, but in preventing interstate movement of tuberculous animals live-stock sanitary officials recognize the need for doing the work in the most expeditious manner.

BENEFITS DERIVED FROM TUBERCULOSIS-FREE HERDS.

Many inquiries have been made with a view to obtaining reliable information as to the comparative value of cattle known to be free from tuberculosis and those the health of which is not definitely known. Many breeders and live-stock owners will not introduce animals into their herds unless they are reasonably certain that no tuberculosis exists in the herds from which the animals are taken. To such owners an animal of doubtful health has no intrinsic value and they will readily pay a premium for animals from accredited herds. For grade cattle \$10 per head is a conservative estimate of the premium on animals

known to be free from tuberculosis, and \$25 per animal is likewise a reasonable estimate of the premium on purebred cattle. When these figures are applied to the total number of dairy and beef breeding cattle in the United States the reader will recognize the enormous toll imposed by this insidious disease.

It is reasonable to expect that within a few years American breeders will be selling for export many more breeding animals than are being exported at the present time. The degree of success to be attained in the future export trade will depend largely on the class of animals now sold. If a reputation for producing cattle free from tuberculosis and other infectious diseases is established, American breeding stock will be in demand all over the world.

The United States breeders have knowledge of the areas in foreign countries from which it is safe to import animals, and also have information of certain localities and even of numerous herds out of which it would be dangerous to purchase animals on account of tuberculosis. It is only reasonable to expect that precautions based on similar knowledge will be taken by breeders of other countries to protect their live-stock industry from disease. The accredited-herd list of tuberculosis-free herds indicates to the foreign as well as the domestic buyer where he may obtain cattle officially recognized as free from that disease, and the time will come when prospective buyers will be reluctant to make speculative purchases from unlisted herds.

The following table shows the number of herds and the number of cattle in each State under supervision for the control and eradication of tuberculosis. It indicates also the location of inspectors in charge of this work. Owners desiring information on the subject of tuberculosis are requested to write to the inspector in charge of the work in the State in which the cattle are located.

286 *Yearbook of the Department of Agriculture, 1919.*

Location of Federal inspectors, also number of herds and number of cattle under supervision, August 1, 1919.

| State. | Federal inspector. | Address. | Herds. | Cattle. |
|------------------|-------------------------|--|--------|---------|
| Alabama..... | Dr. C. J. Becker..... | 1108 Jefferson County Savings Bank, Birmingham. | 785 | 3,285 |
| Arkansas..... | Dr. Joe. H. Bux..... | Old State House, Little Rock.. | 69 | 962 |
| Colorado..... | Dr. W. E. Howe..... | 444 Post Office Building, Denver | 5 | 186 |
| Connecticut..... | Dr. E. A. Crossman..... | 2001-2002 Customhouse Building, Boston, Mass. | 57 | 1,506 |
| Delaware..... | Dr. W. G. Middleton... | Statehouse, Trenton, N. J..... | 12 | 626 |
| Florida..... | Dr. J. G. Fish..... | P. O. box 467, Tallahassee..... | 402 | 7,034 |
| Georgia..... | Dr. W. M. MacKellar... | 526-529 Federal Building, Atlanta. | 434 | 12,426 |
| Idaho..... | Dr. F. E. Murray..... | 326 Federal Building, Salt Lake City, Utah. | 15 | 345 |
| Illinois..... | Dr. J. J. Lintner..... | 316 Exchange Building, Union Stock Yards, Chicago. | 447 | 12,285 |
| Indiana..... | Dr. J. E. Gibson..... | 33 State House, Indianapolis... | 233 | 5,641 |
| Iowa..... | Dr. F. H. Thompson... | 15 Federal Building, Des Moines | 323 | 12,476 |
| Kansas..... | Dr. H. M. Graefe..... | 22 Federal Building, Topeka.... | 164 | 5,892 |
| Kentucky..... | Dr. W. F. Biles..... | Capitol Building, Frankfort..... | 346 | 5,398 |
| Louisiana..... | Dr. R. W. Tuck..... | 323-324 Post Office Building, New Orleans. | 253 | 6,865 |
| Maine..... | Dr. E. A. Crossman..... | 2001-2002 Customhouse Building, Boston, Mass. | 821 | 10,352 |
| Maryland..... | Dr. T. A. Ladson..... | 825 Fidelity Building, Baltimore | 324 | 5,961 |
| Massachusetts... | Dr. E. A. Crossman..... | 2001-2002 Customhouse Building, Boston. | 71 | 2,117 |
| Michigan..... | Dr. T. S. Rich..... | Old State Block, Lansing..... | 216 | 6,377 |
| Minnesota..... | Dr. W. J. Fretz..... | 4-6 Army Building, St. Paul.... | 1,175 | 28,933 |
| Mississippi..... | Dr. J. A. Barger..... | 605 Millsaps Building, Capital and Roach Streets, Jackson... | 1,068 | 12,286 |
| Missouri..... | Dr. Ralph Graham.... | 9 Federal Building, Jefferson City. | 23 | 1,078 |
| Montana..... | Dr. Rudolph Snyder... | P. O. box 844, Helena..... | 721 | 12,510 |
| Nebraska..... | Dr. S. E. Cosford..... | 332 Federal Building, Lincoln... | 139 | 3,304 |
| Nevada..... | Dr. F. E. Murray..... | 326 Federal Building, Salt Lake City, Utah. | 4 | 259 |
| New Hampshire.. | Dr. E. A. Crossman.... | 2001-2002 Customhouse Building, Boston, Mass. | 21 | 834 |
| New Jersey..... | Dr. W. G. Middleton... | Statehouse, Trenton..... | 44 | 2,159 |
| New York..... | Dr. H. B. Leonard..... | Care Dr. J. G. Wills, chief veterinarian, Albany. | 145 | 5,508 |
| North Carolina.. | Dr. R. E. Brookbank.. | 418 Lyric Building, Richmond, Va. | 651 | 8,174 |
| North Dakota.... | Dr. H. H. Cohenour.... | 349 Federal Building, Bismarck. | 946 | 15,770 |
| Ohio..... | Dr. L. E. Davis..... | P. O. box 935, Columbus..... | 754 | 15,265 |
| Oklahoma..... | Dr. W. C. Drake, Jr.... | Department of Agriculture, Capitol Building, Oklahoma. | 45 | 2,281 |

Location of Federal inspectors, also number of herds and number of cattle under supervision, August 1, 1919—Continued.

| State. | Federal inspector. | Address. | Herds. | Cattle. |
|-------------------|-------------------------|---|--------|---------|
| Oregon..... | Dr. S. B. Foster..... | 530 Post Office Building, Portland. | 139 | 3,644 |
| Pennsylvania.... | Dr. P. E. Quinn..... | P. O. box 327, Harrisburg..... | 507 | 7,914 |
| Rhode Island.... | Dr. E. A. Crossman.... | 2001-2002 Customhouse Building, Boston, Mass. | 23 | 443 |
| South Carolina... | Dr. W. K. Lewis..... | 901-902 Liberty National Bank Building, Columbia. | 170 | 6,756 |
| South Dakota.... | Dr. J. O. Wilson..... | 309 Federal Building, Pierre.... | 413 | 5,433 |
| Tennessee..... | Dr. Robert Jay..... | 405 Seventh Avenue North, Nashville. | 446 | 10,001 |
| Texas..... | Dr. R. E. Jackson.... | 606 Flatiron Building, Fort Worth. | | |
| Utah..... | Dr. F. E. Murray..... | 326 Federal Building, Salt Lake City. | 40 | 1,150 |
| Vermont..... | Dr. A. J. De Fosset.... | Care Commissioner of Agriculture, Montpelier. | 430 | 12,677 |
| Virginia..... | Dr. R. E. Brookbank.. | 418 Lyric Building, Richmond. | 1,038 | 27,021 |
| Washington..... | Dr. S. B. Foster..... | 530 Post Office Building, Portland, Oreg. | 113 | 3,560 |
| West Virginia.... | Dr. G. W. Neff..... | Care Commissioner of Agriculture, Charleston. | 97 | 1,893 |
| Wisconsin..... | Dr. J. S. Healy..... | 11 East Wing, State Capitol, Madison. | 550 | 15,392 |
| Wyoming..... | Dr. W. E. Howe..... | 444 Post Office Building, Denver, Colo. | 3 | 62 |

As the number of herds that can be taken under official supervision for the eradication of tuberculosis at present is limited, it is recommended that cattle owners obtain all the information they can respecting this disease and, if they have reason to believe that it exists in their herds, they should employ measures to exterminate it regardless of the fact that an official can not be obtained to assist them. It is of economic importance that each owner be responsible for the health of his herd. Live-stock owners also may be of great immediate assistance in tuberculosis-eradication work, with much benefit to themselves, if they will isolate all animals brought into their herds until such animals are definitely known to be healthy, and will maintain clean and sanitary surroundings.

The gradual increase in the number of live stock in the United States and in the shipment and exchange of animals makes disease control and eradication a problem demanding

the closest cooperation among live-stock owners, sanitary officials, and the public in general. The regulations which have been found necessary are directed at a small minority of conscienceless people who, if unrestrained, would spread disease all over the country. In addition many of the provisions regarding the handling of live stock in interstate traffic are a check on carelessness or indifference to public welfare. It is believed that the great majority of live-stock men, knowing these facts, will support regulations which are intended to correct the conditions.

TUBERCULOSIS IN SWINE.

Eradicating tuberculosis from cattle will practically solve the problem of controlling the disease among swine. That is the opinion of veterinary experts experienced in the handling and post-mortem examination of swine received at the principal market centers. By means of a simple and practical marker, hogs may be tattooed with distinguishing letters and figures, and when disease is found by post-mortem examination the identity of such animals is known. With a simple system of records it is thus possible to trace a shipment to the farm from which it came and stamp out infectious diseases at their source. Evidence shows that swine become infected with tuberculosis principally from cattle, either by following them in feed lots or pastures, by receiving infected dairy by-products, or by eating tuberculous carcasses.

The REORGANIZATION of the COUNTRY SCHOOL



By ALVIN DILLE,

Specialist in Agricultural Education, States Relations Service.

THE World War brought to the attention of the people of the United States one of the weaknesses in our system of education, that more than one-half our 6,000,000 illiterate adults live in rural sections where the school facilities are poor.

Further, the reports of the Commissioner of Education show that about one-half of the school children of the nation are enrolled in village and country schools, and that these children are laboring under distinct educational disadvantages. Fully 200,000 of the schools of the open country may still be classed as one-room schools of pioneer type, which, at their best, meet but poorly the needs of modern agricultural communities.

"The little red schoolhouse" of bygone days played so prominent a part in pioneer life, that it has been praised in song and in story and has won for itself a place in the hearts of the country people. It had a unique setting, was peculiarly an American institution, and was a distinct part of pioneer life. A belief in the almost magic efficiency of the rural school offers a real stumbling block to those who would have this school keep pace with the changes in the world around it. While we may justly be proud of this little one-room school, we are apt to forget that the basis for our pride is the fact that we still keep some kind of a school, and not the fact that this school is so good in itself. The question that we must ask of all our schools, both city and country, is not whether they did what they could for our grandfathers,

but whether they are doing to-day all that we want them to do for our children? We should not ask if they have produced great men, but whether they help the common man to make and use his opportunities and to strive with a steady purpose. It is necessary that the country school should do this, for on it rests the burden of the prosperity of the entire country. Unless the nation has a body of enlightened and



The Old and the New.

A. The old—a type of one-room school failing to meet the educational needs of the community. B. The modern rural school consolidated—a school for the entire community, young and old.

ambitious farmers, keeping their own farms from generation to generation, agriculture can not flourish and the nation can not prosper.

The social, economic, and industrial changes of the last 50 years have been great. Progress in farming methods has been so rapid of late that many have failed to keep up with it or to grasp its bearing upon society.

With the introduction of labor-saving farm machinery and corresponding strides in the cheap and rapid production of foods and other farm products, significant readjustments have taken place. The absolute inadequacy of the rural

school to meet these new educational and social needs is evident to any one who has studied the problem. The great change in agricultural methods and the great increase in scientific knowledge relating to agricultural processes have created a new body of knowledge of fundamental importance to country people. New standards in education have been created and new demands have been made upon the school, which the school has been very slow to meet. The result of the many changes in rural life is that the rural school has lost its earlier importance and finds itself inadequate to respond to the demands made upon it. Nothing short of a reorganization of the rural school along good educational and administrative lines will meet the needs of the present and the future.

STANDARDS OF REORGANIZATION.

Dr. Dewey well expresses the mission of the public school when he says: "What the best and wisest parent wants for his own child, that must the community want for all its children. Any other ideal for our schools is narrow and unlovely."

The country boy and girl are entitled to just as good an education as their city cousins, and until this is given them rural education does not measure up to its proper requirement. If the American farmer expects to play his part in the program for reconstruction and reform he must provide an education for himself and his children that shall fit them both for the task. Never before has the need for the training of the rural population been so urgent as to-day, and never before has the demand for a new rural school been so clearly defined. This does not mean that the country child should receive a fundamentally different education from the child who expects later to work in a mine or teach school, but it does mean that the country child has as much right as the city child to a training which will enable him to live in the world in which he finds himself and understand his share in it, and to get a good start in adapting himself to it. It is the business of every school to train its pupils to be successful as human beings and as American citizens. To do this it must take into account and make use of the conditions around it—the interests, the needs, and the occupations of

the families of its pupils. This does not mean that our rural schools shall be a copy of the city schools, but that there shall be set up in every rural community a school which will base its work upon the life of the community and the needs of the community, so that its pupils shall receive the necessary training that will enable them to fit successfully into the life of the community. The great function of this school will be to furnish the boy with the particular knowledge required for the life that he is to live, for knowledge lies at the basis of his efficiency. It must shape the attitude of the pupil so that he will meet his part of the world's work or its play in the right spirit. It must not leave him a parasite, ready to prey upon others, but must make him willing and glad to do his share. Finally, the school must give him the individual training in technique or the skill required in his different activities; not to do this in the best way possible is to leave him a well-intentioned and well-informed bungler, falling far short of efficiency.

The means by which the school is to accomplish these ends are: (1) The social organization of the school, or the life and activities that go on in the school from day to day; (2) the curriculum, or the subject matter which the child is expected to master; and (3) the instruction or the work of the teacher in helping the pupils to master the subject matter and adjust themselves to the organization of the school. These factors will necessarily differ according to the particular type of the school in question, but in general the social organization of the rural school will center in the life of the rural community; the course of study should center in the one occupation of common interest, agriculture, and the teacher's instruction and guidance should focus upon improving rural conditions in general and bettering the farm practices of the district. The school is the best and most available center for the upbuilding of the country community and should become the most immediate and effective local agency in the solution of the farm problems. The rural school must become a real part of the active life of the community; it can not afford to go its own way, isolating and shutting off all outside influences. In view of the present conditions prevalent in the rural school, what are some of the most urgent

deficiencies and how shall they be supplied in the reorganization which must come about if the school is to function properly?

EDUCATIONAL REDIRECTION.

What we need and what we must have to solve the problem of rural education is not a city school whose influences lead young people of the farms directly away from the land, but a country school, improved, modernized, and adapted to the needs of present country life; a school whose atmosphere is distinctly rural, whose teachers are rural minded and in full sympathy and harmony with farm life and farm problems, but no less well-trained and cultured than city teachers. It means a larger school, in the sense of a larger enrollment and of serving a larger territory than the little one-room school served. It means the employment of enough teachers to give ample time for instruction and recitation in every class and affording suitable grading and classification for all pupils. It means an enlargement and enrichment of the course of study which will give the best development of the present conception of modern education—the adjustment of the individual to his environment. While the basic subjects taught in the rural school will not and should not differ greatly from those taught in the city school, they must be made more applicable to farm life. Much of the old course may be eliminated entirely, and in the remaining studies the emphasis must be shifted to the vital and practical interests of everyday life. The rural school, therefore, must teach the basic subjects that belong to all culture—that every normal intelligent person should study just because he belongs to the twentieth century civilization—and in addition the subjects that give him the knowledge, the attitude, and the technique belonging to the life on the farm.

THE COURSE OF STUDY.

This curriculum, briefly, may be outlined as follows:

Language.—Mastery of the English language is the birth-right of every child. First of all he should be able to speak it correctly and with ease. Next he should be able to read it understandingly and with enjoyment, and should become familiar with the best in its literature. He should be able

to write it easily, with correct spelling and good composition. Finally, he should know something of the structure, or grammar, of the language, though formal grammar is of little value in the learning of a language. The proper substitute for a grammar is live language lessons dealing with familiar objects, scenes, stories, and experiences within the pupil's comprehension and knowledge. In addition the child must learn to read, not only to pronounce the printed words of a page, but to grasp the thought and feeling and to express them in oral reading. The present rural school course in reading is wholly inadequate, and as a result most rural school children seldom attain such skill and taste in reading that it becomes a pleasure. This must be remedied, not only by teaching the child the mechanics of reading, but by leading him to read and love good books. This can only be done by supplying the books and giving him an opportunity to read them.

Arithmetic.—Without doubt number is an essential part of the child's education. Yet there is nothing so magical about the mere art of numbering things that should make arithmetic require so large a proportion of the time as it is now receiving. By a wise choice of material, eliminating the "useless lumber" found in most arithmetic texts, it is altogether probable that the child can learn in half or two-thirds the time ordinarily allotted all the arithmetic needed, not only for practical use, but also for mental development in the mastery of arithmetic.

History and civics.—The study of history instills into the minds of our children love of country and of liberty, and should therefore receive careful consideration. It should not deal chiefly with wars and politics. The meat of the subject is the big, stirring events that influence the lives, deeds, and aspirations of individuals. The child should know about the people of his country, their home life; their industries; their schools and churches; their bravery; their hardships and adventures. He must come to know something of all the great men of the nation. In civics the great problem is to influence conduct in the direction of upright citizenship and to secure such a knowledge of the machinery of government as will lead to efficient participation in its activities.

Geography.—The country is the most appropriate place for the teaching of geography and nature study, because an abundance of material lies right outside the door of the school. Geography, therefore, can be made one of the most vital and useful branches in the rural school. It is to begin wherever the life of the child touches nature in his immediate environment and proceed from this to other parts of his home land and finally to all lands. The intimate interrelations existing between geography and such subjects as agriculture, history, language, and natural sciences are obvious.

Health and hygiene.—Health is at the basis of all success and happiness, and no subject can be more important in the education of the child than practical hygiene. This course should emphasize the laws of hygiene, but with particular bearing on right living under the conditions imposed by the farm. Food and clothing; work, recreation, and play; care of the eyes and teeth; bathing; ventilation of the home, especially of the bedrooms; danger of contamination to water and milk supply; childhood afflictions like adenoids, diseased tonsils, measles, and the like—these are some of the practical topics that every child should study. But we must go one step further; this subject must be presented so effectively and so concretely that it will lead to better habits of living.

Agriculture.—Agriculture, of course, is a preeminent subject for the rural school; it is of immediate practical importance and is also so useful a cultural subject that it is being introduced into many city schools. Rural life centers about the country home and in the one big industry, agriculture. The farmer's great, vital problem is how to make his country home the happiest and best possible place to live in and how to make agriculture profitable, enjoyable, and capable of supporting the right kind of home. That for this reason agriculture is the logical subject around which to build the rural school curriculum is self-evident. The question is, What should the study of agriculture embrace and how should the other subjects correlate with it?

It is possible to give children in the rural elementary school much useful information concerning agriculture, even if it can not be taught to them as a science. Perhaps it is possible to develop a scientific attitude and interest that will

lead to further study of the subject in high school and college and that will in the meantime serve to attach the boys and girls to the farm.

To begin with, a strong course of nature study should run through the grades and blend into the formal intensive study of agriculture in the last two grades of the elementary school and the rural high school. The particular mission



Practical Instructions in Agriculture.
A class in stock judging in a rural school.

of this nature study is to open the eyes and minds of the pupils to the wonders of their environment and to the opportunity for first-hand observation and lessons in soils, plant and animal life, and a host of natural phenomena with which they daily come in contact. To supplement the work of the school and make it directly applicable to the child's home life, the planting and care of plants, bird study and protec-

tion, home gardening, weed control, insect and plant disease control, and similar activities fall within this scope.

It is agreed by all teachers of agriculture that instruction in this subject shall follow as far as possible the following lines: (1) It shall be seasonal, that is, the subject matter relating to the farm practice of the district can be best taught at the season when these practices are being carried out on the farm; (2) it shall be practical; and (3) it shall be related directly to the life of the community and the instruction shall center in the lines of community endeavor in which the majority of the farmers are engaged, or which may be especially adapted to the locality. To this end the pupils can be made familiar with the best methods of planting, cultivating, and harvesting the various crops; and with the plant diseases and insect enemies which affect them; with seed selection; rotation of crops; soils and soil management; the growing of fruits and vegetables; and many other practical things applying directly to farm life. In a like manner the animals of the farm may be studied and a knowledge gained of the best breeds and types of farm animals, their breeding and care, and the handling and disposal of the animal products of the farm. Both laboratory and field work should be made prominent throughout the course. In order that the principles taught in the school may be carried out in farm practice, the pupils should be encouraged to undertake "home projects," such as keeping a garden, caring for a cow, or growing chickens. Their instruction at school should center about their projects. The project should be carried out on a business basis; should be carefully planned and worked out under as close supervision as possible, and be conducted with the view of showing a money profit at its completion. Aside from the value to the pupil as farm practice, it has also the educative value as a management project and carrying to its finish a definitely planned enterprise.

Home economics.—While the country girls, like the country boys, should have good training in the elements of agriculture, the distinctive field of the girls along industrial lines lies in the art of home making, embracing such branches as cooking, sewing, care of the sick, home planning, and home management. These subjects can be presented successfully in a concrete and applied form, and nothing could

be more vital to the interests and welfare of the girls. To furnish the proper facilities for this work a well-equipped department is necessary. While it need not be elaborate or expensive, yet it should at least be on a par with the facilities found in the better equipped farm homes, and may even be somewhat in advance of them, in order to impress upon the community the need of lightening the burdens of the



Applied Home Economics.

Serving a hot lunch in a rural school.

average farm home. The farm kitchen deserves to share more generally in the labor-saving devices so commonly found outside the home, but too frequently not appreciated inside of it.

Farm shopwork.—The modern farm, with its variety of machinery, tools, special types of buildings, drainage systems, concrete construction, and the like, taxes the ingenuity of the farmer to keep things in proper repair and calls for a deftness of hand and no end of originality and self-confidence. Therefore a thorough course in farm shopwork in the rural school is indispensable. The work attempted may cover the use of tools, the finishing of different kinds of woods, rope tying and splicing, the care and sharpening of

farm tools, harness and leather work, concrete construction, the elements of blacksmithing, and the making of ordinary repairs on buildings. The older boys may branch out into project work and construct chicken coops and brooders, seed-corn racks, feeding racks for stock, wagon boxes, self-feeders for poultry and hogs, home furniture, and similar articles commonly found on a farm. This list is merely suggestive and will vary with the school or the community and with the season of the year.

Physical training, games, and play.—Because of its isolation and independence, country life has greater need of play and recreation than city life. Most rural schools have been too small to get enough children of corresponding ages together for interesting games or sports, and again many think that the rural child has enough exercise and does not need the physical training that comes from plays and games. Certain forms of farm work done by children are often so severe a tax on their strength that a corrective exercise is necessary to save stooped forms, curved spines, and hollow chests. Furthermore, the farm child, lacking the opportunities of the city child for gaining social ease and control, needs the development that comes from physical training to give poise, ease of bearing, and grace of movement. Some of the worth-while and suitable country plays and games are suggested: (1) The common folk and children's games at school led and supervised by the teachers; (2) baseball, basket ball, volley ball, track work, and similar games of skill and competition; and (3) play festivals, pageants, picnics, harvest home, community singing, bands and orchestras, debating and literary societies.

The main features of the curriculum here proposed are so much broader and richer than are offered by the present rural school that it will appear to many as visionary and impossible. That it is impossible for the old type of rural school is readily admitted, but it is entirely practicable and possible in the reorganized school and is being successfully presented, in general at least, in many of these schools.

PHYSICAL IMPROVEMENT.

The program of studies outlined above does not contemplate their being carried out in the present poorly equipped,

one-room, one-teacher rural school. The broadening of the curriculum presupposes better physical equipment for the rural schools. As they exist to-day the rural schools have inadequate buildings and equipment. The building is usually located in a barren spot of ground and is constructed without any reference to architectural effect. Of the plain "box-car" type, no attempt is made to decorate the room or to relieve in any way its ugliness and monotony. If there is a library it may contain only a few dozen volumes, poorly selected and often without any case for protection. Of equipment outside of desks and blackboard there is almost none. The work of the farms about it is done with modern and efficient machinery, but the work of the farmer's school is done with inadequate and out-of-date equipment. The greatest advantages of improved physical equipment in the reorganized rural school are to be derived from the abandonment of two or more of the one-room schools, depending upon size of districts and enrollments, and erecting in their stead a single building large enough not only to accommodate the present enrollment but also to serve the community for years after its erection. It goes without saying that these buildings should be constructed of durable material and that they should be attractive, safe, sanitary, and in keeping with the highest community ideals. Whatever the size or kind of school building a district may be planning to build there is wisdom in making it conform to the "unit plan of construction." This takes into account both the present and the future needs of the district, requires a symmetrical design for the complete building, and allows for additions at a minimum cost without disturbing the part originally constructed.

In general every school building that accommodates one hundred or more pupils should provide for the following: (1) A suitable auditorium with a stage, a good stereopticon, and, if possible, a moving picture machine; (2) a home economics laboratory with a lunch room adjoining; (3) a gymnasium with shower baths and lavatories for both sexes; (4) a well-equipped laboratory and classrooms for science and agriculture; (5) a well-equipped room for farm shopwork. It is usually possible, and often advisable, to have one room serve for gymnasium and auditorium, and this should be

freely used for all kinds of school and community gatherings. Too much emphasis can not be laid upon this all-important community-center auditorium. The agricultural department and laboratory should be opened as freely to farmers for consultation as for class instruction during school hours, and in the matter of such work as seed corn testing, germination and purity tests of grass seeds and grains, grafting and care of fruit trees, feeding rations, and the like, the work should supplement the actual work on the neighboring farms. The same may be said with equal force of the farm shopwork of the boys and the home economics of the girls. Should this new school fail to make its industrial work for both boys and girls distinctly practical and directly applicable to actual farm conditions, it would fail in one of the fundamental purposes for which it was created.

In every way possible the further construction and equipment of the school should be modern and sanitary; ample land should be provided not only for demonstration purposes in teaching agriculture, but also for the games and plays necessary; and this playground should be simply equipped with playground apparatus for children of various ages.

THE THREE MILLSTONES ABOUT THE NECK OF RURAL SCHOOL PROGRESS.

(1) Absence of real professional supervision, (2) insufficient revenue, associated with the too small district unit of taxation, and (3) the untrained teacher—of these evils the first two are the natural result of the way in which our rural-school system was evolved in the settlement and agricultural development of the country. If the rural school is to come into its own, both organization and supervision must be changed, and with the coming of effective supervision the untrained teacher would quickly disappear. A sufficient revenue is absolutely fundamental to rural school improvement. Good teaching, modern buildings, ample equipment, efficient supervision, all cost money—more money than country people are often willing to pay. As a rule farmers usually raise but a small fraction of the amount they might legally levy for school purposes. Rural school penury is

almost proverbial. About \$33 is expended annually for the education of the city child, while for each country child but \$13 is used. Until this inequality is remedied the lack of revenue will remain a fundamental difficulty with the rural school.

It is fundamental that the State should share with the local community the support of the rural school. The cities are dependent upon the farms for much of their wealth, and it is but fair that they should help in the education of the country children, since any agency that improves rural conditions contributes to the welfare of the city. Many States contain sparsely settled localities that are unable to raise sufficient funds to support an efficient school, and these communities especially should receive the help of the State. Perhaps the unwillingness of the farmer to support his school better is due to the fact that he does not realize adequate returns. In localities where the reorganized school is in operation the financial support is adequate and given cheerfully.

The reorganization of the rural schools is leading directly away from the one-teacher school, and the factors necessary for reorganization can not be found in the one-room school. Educationally the graded system gives the rural children all the advantages of the city children. Three or four teachers working together, doing the work formerly done by one, can do greater justice to the children under their charge. Redirected teaching and vitalized courses of study can then become a reality. This and the ultimate fulfillment of such a course through a good high school make the new system the adequate solution of the rural school problem.

These results can best be attained by uniting several districts into one and erecting a building adequate for the new work. Consolidation of the country schools, therefore, is the best way by which this reorganization may be brought about.

For many localities, of course, consolidation is impossible, and for the children of these districts the one-room school must continue to serve. Good teaching may be done in these schools by well-trained teachers, who are themselves of the country, are acquainted with country life, and in sympathy with rural ideals.


In many small one-room schools throughout the country these devoted teachers are found, and, in spite of many handicaps, they are successfully adapting the work to the community needs, and are giving the boys and girls a useful type of training. If a district should find consolidation impracticable and well-nigh impossible, attention should be directed to the improvement of the small one-room school, with the purpose of making it stand truly for rural life and rural education.

CONSOLIDATION THE BEST MEANS OF SECURING EFFECTIVE REORGANIZATION.

In the matter of material equipment the weakness of the district system of organization manifests itself clearly. In some places the little district school, because of its remoteness and of scanty population, must for a time at least remain as it is. In many other regions, though, there is no business or educational reason for the continuation of so many small and relatively expensive schools. The needs of rural people could be much better served, much better schools for their children could be provided, and not infrequently a financial economy could be effected if the long-outgrown district system were in a large measure superseded by a more rational and more business-like system of consolidated schools. Such a reorganization must be effected before much progress can be made in redirecting and revitalizing rural education.

Some of the advantages of the consolidated school to which the children are carried in conveyances may be mentioned briefly, as brought out by experience: (1) Both the enrollment and the attendance for the area consolidated are materially increased. This is particularly true of the upper grammar grades. (2) Tardiness is practically eliminated and absences are reduced to a minimum. (3) Pupils arrive dry and warm each day, with no wet clothing to be dried; colds and other troubles, due to exposure, are materially reduced. (4) The pupils are under care of a responsible person coming to school and going home. Quarreling, smoking, profanity, vulgar and improper language are prevented. (5) Better grading and classification is possible; classes are large enough to stimulate enthusiasm and gen-

erous rivalry; pupils can be placed where they can work to best advantage; interest, enthusiasm, and confidence come from contact with numbers. (6) The grading of pupils and the assembling of a large group of children make possible the rural high school, with a vital course of study fitting into the redirected elementary course, affording the rural children an opportunity for studying in a broader sense, with an enlarged vision, those fundamental subjects necessary to a richer country life. This makes possible the slogan of the twentieth century, "A high school within reach of every rural boy and girl." (7) All the advantages



Going to School a Pleasure.

A modern autobus carrying school children to the consolidated rural school.

of better school buildings and sites and better equipment follow this consolidation plan, and often cost less per capita than the much inferior equipment of small and scattered schools. (8) It leads to a school term of eight or nine months, instead of the five or six months commonly provided for in the district schools; to the employment and retention of better teachers; to better supervision for the school; and to a higher grade of instruction. (9) Community interest in education is quickened and community pride in the school is awakened. This leads to community interest as opposed to district interest; tends to break down the isolation and

stagnation of rural communities; and leads to a deeper sympathy and better fellowship among the people. It improves the community as well as the school, and opens the way for such a school to become a center for all the better life of the community. (10) It offers to the rural boys and girls, and hence to country parents, all of the desirable educational features and advantages which the city boys and girls now obtain without obliging them to go to the city to obtain them. (11) The transportation feature indirectly aids in the building of better roads, which in turn make rural life more attractive and help to break up the isolation of the country home. (12) In reducing the number of teachers needed it eliminates many of the poorest and weakest and also reduces by from 60 to 80 per cent the number of trustees needed to manage the schools. Both of these are gains of much importance. (13) Such a school with its modern equipment and enlarged and vitalized course of study, together with the high-school advantages, makes possible the extension of its influences throughout the entire community through varied activities which touch the farm and farm home through courses in agriculture and home making. (14) The school becomes the community center for this new district. Here the various educational activities center. Through special courses offered for the farmer and his wife, the educational opportunities are placed before everyone in the district. The school becomes truly a center of influence touching the life of every part of the community, and by making its instruction center about the needs of the community, its life and interests, justifies itself as the really adequate "college of the people."

Miss Mabel Carney writes in her book "Country Life and the Country School," "The great adaptability of the good consolidated country school for community service and rural life regeneration can not be too strongly emphasized. Wherever it has been established, in practically every instance on record, this attribute has been illustrated. The consolidated school builds up the community as no other institution of rural life has yet done. It even defines community boundaries and establishes a community sense where none has existed before. It overcomes petty jealousies, swallows small differences, and enlarges and intensifies the

community idea into something significant and tangible. It brings neighbors on opposite sides of the hill together, introduces those who live on different roads, forces the civil meeting of families that 'haven't spoken since the war,' and in every way furthers the progress of the brotherhood of man among farmers."

Finally, the consolidated school is the most economical system of rural education. The better social and educational benefits it yields are the guarantee of its value. Considering its social, educational, leadership, and financial aspects, consolidation of rural schools is the best educational system and offers the largest prospects as a means of community improvement. It will be a center of community pride and effort for those beyond school age as well as for children. To it will turn the old man and the little child, the mother, and the father. The young people of the community will seek its doors. Its instruction will be in terms of daily living and present activity. The spirit of this instruction will go out through all the country and find expression in better homes, better churches, strong, rightly directed farm organizations, good roads, and greater crop yields; in better business, better farming, and in a happier people and a more satisfying country life.



By ROB R. SLOCUM,
*Poultryman, Animal Husbandry Division,
Bureau of Animal Industry.*

A WIDE DIVERSITY of methods is found in poultry keeping. Rations are fed varying all the way from those of the utmost simplicity to those which are decidedly complicated. Houses are used which differ widely in their general plan of construction. Methods of management in use are widely divergent in many cases, and this diversification frequently creates the idea that the care of poultry, and especially the farm poultry flock, is a highly complicated matter. Actually, however, this is not the case. The mere fact that success is attained under widely different methods of feeding, housing, and management indicates that so long as certain fundamentals are observed the actual details or methods may be very different without materially affecting the results. Where poultry is kept as a specialized business it well repays the owner to study these details of management for the purpose of securing the very highest possible return from his hens. So far as the farm flock is concerned, where the farmer is not a specialist




along poultry lines, good results will be obtained if the underlying fundamentals of successful poultry keeping are observed. It is a thorough understanding of these fundamentals which is especially needed in connection with the farm flocks. Farmers can hardly be expected to concern themselves particularly with the less fundamental and more specialized phases of the business. But it must not be understood from this, however, that the flock may be neglected and good results still obtained.

Success with the farm poultry flock depends, therefore, under usual conditions, on the observance of the fundamentals underlying successful poultry keeping, and this means doing a relatively few things in the right way and doing them at the right time. The place of poultry on the general farm must be definitely understood. It must be remembered that the poultry flock is merely one of the activities with which the farmer is engaged and that he will be unable to devote to his flock a great amount of time. The part which poultry should play, therefore, is to fit into the general farm management in such way as to help maintain a proper balance in farm operations and to utilize materials which are suitable for feeding the hens but otherwise would be wasted.

GOOD STOCK STIMULATES INTEREST.

The first fundamental of successful farm poultry keeping is good stock. Of course it is well known that farmers may at times get fairly good results from ordinary stock, but at



the same time it must be remembered that with the same care and attention better results will be obtained from good stock. By good stock is not necessarily meant stock which has been bred for exhibition purposes. It means standardbred stock or purebred stock, which by virtue of its pure breeding has been systematically developed and which is better fitted, therefore, to give the results expected of it and to yield a more uniform and more desirable product.

On the average farm the poultry flock is expected to furnish eggs and poultry for the farmer's table as well as to produce a surplus for sale. For that reason it is usually found that the so-called general-purpose breeds, such as the Plymouth Rock, Wyandotte, Rhode Island Red, and Orpington, which are good layers and at the same time make suitable carcasses for the table, are best suited to the


farm needs. A further advantage of good stock is the fact that the owner will take a pride in such a flock which he will not feel in a flock of mongrels, and as a result he will give the hens better care.

SELECTION OF BREEDING STOCK.

The selection of the breeding stock is important. In most farm flocks no trap nesting or pedigree breeding is possible on account of the labor and time involved, but if careful attention is given to the selection of breeders, advances may be made. It is much better to select from the flock as many of the very best individuals as are needed to make up the breeding pen rather than to breed from the flock indiscriminately. The principal basis of selection of these breeders should be along the lines of vigor. Be sure that the breeders show every evidence of health, vigor, and stamina.

HOW CULLING IMPROVES THE FLOCK.

In every flock there will be found a great difference in the productivity or egg-laying ability of the various individuals. While some hens will prove to be very profitable, others are kept at a loss and are a drag upon the profitable hens in the flock. It is important, therefore, to cull out the unprofitable producers, as this will increase materially the profit realized from the flock as a whole. Any hens found to be sickly or in poor condition should be culled as soon as discovered. In addition, at least one thorough culling should be made, preferably between August 15 and September 15. At that



A Profitable Hen.
She produced 160 eggs in a year.

time each hen should be handled and carefully examined, and those which show evidences of laying should be retained, while those which have stopped laying and begun to molt should be discarded from the flock for the following year. A further examination of the hens late in October or early in November will enable one to pick out those which are still laying, and by virtue of that fact are probably the best layers of the flock, and should be selected as breeders.

JUDGING THE SIZE OF FLOCK.

A suitable size of flock for the particular farm in question and for the kind of farming which is being carried on is an important factor in securing the best possible results. As long as the farm flock is intended as an agency for utilizing waste it should not be so large that the waste products available on the farm play a very small part in sustaining the hens. Practically any farm of average size can maintain to advantage a flock of 100 laying hens, and many farms can maintain considerably more. Judgment must be used with regard to the size of the flock on the basis of feed available and the range over which the hens can roam and pick up feed for themselves.

The size of the flock also has a direct connection with the housing which can be provided. It is not an infrequent occurrence for an effort to be made to keep a farm flock which is very much too large for the available housing space. In such cases the hens, being crowded, do not give good results, and frequently a better profit would be realized by keeping

A Less Profitable Hen.

She produced only 80 eggs in the same period as the hen on the opposite page.





Interior of a Movable Poultry House.

This house, 7 by 10 feet, is suitable for a farm flock of 30 hens on free range. Notice the dropping boards, which enable one to keep the house in a cleaner condition, the nests, the straw litter on the floor to promote exercise, the dry-mash hopper, and the ventilator in the rear wall for use in hot weather.


a smaller flock which can be comfortably housed rather than the larger flock which results in crowding.

ESSENTIALS OF GOOD HOUSING.

Suitable housing does not mean expensive housing. Frequently old sheds or other outbuildings can be easily and cheaply transformed into suitable poultry houses. While there may be a great range in the kind of house used, and while the owner may consult his own preferences to a considerable extent, certain fundamentals of good housing must be observed. Such fundamentals consist of a house which is free from drafts, which provides plenty of ventilation either by an open front or by the use of windows, which is dry, and which provides space enough for the hens to keep them comfortable and contented. Where it is necessary to confine the flock to the yard, not less than 4 square feet of floor space should be allowed for each hen. With hens upon free range, as they should be whenever possible, a minimum floor space of 3 square feet per hen should be allowed.

GOOD FEEDING AT MODERATE COST.

Feeding, of course, is important. If the hens do not get sufficient or proper feed they can not be expected to give satisfactory and profitable results. A complicated ration is not necessary. The aim in feeding the hens should be to use, so far as possible, the grains which are grown on the farm or which are available in the immediate neighborhood. One of the most successful methods of feeding is to give a light feed of grain or a mixture of grains in the morning and a feed of the same material at night, the night feed consisting of about as much as the hens will clean up. In

**Suitable Feeds for Poultry.**

1, Wheat; 2, cracked corn; 3, oats; 4, corn meal; 5, meat scrap; 6, middlings; 7, bran; 8, grit; 9, charcoal; 10, oyster shell; 11, water.

addition a dry mash should be provided where the hens can have access to it continuously. When considerable quantities of waste food are available for the hens to pick up from the fields, the amount of grain fed may be cut down. Oftentimes judgment in this respect is faulty, and but for the dry mash there would be danger that the hens would not receive enough feed. With the dry mash at their disposal they are able to make up any deficiency of feed due to faulty judgment as to the quantity they get in the fields.

One of the most common mistakes made in feeding farm poultry is failure to provide animal food in some form. Of course during the spring and summer, when quantities of insects are available, they may supply the hens' wants in this regard, but during those parts of the year when insects are not available, or are scarce, it becomes necessary to provide animal food. Milk, usually fed either as skimmed milk or buttermilk, provides an excellent source of animal food, but when milk is not available the hens should have beef scrap or meat scrap. While this product is high in price, it is economical, and should be included in the hens' ration because of the increased production which will result.

During the winter it is necessary to provide some form of green or succulent feed, such as mangels, cabbage, clover, alfalfa, or sprouted oats.

TIMELINESS OF HATCHING.

With the average small farm flock where hens of a general-purpose breed are kept, it is most satisfactory to let the hens do the hatching. When the hens are of a nonbroody breed it is of course necessary to use incubators or else to purchase baby chicks. Whatever the method of hatching, it is most important that this be done at the right time of year. The proper time of hatching varies with different localities, being earlier in the South and latest in the extreme North. The aim should be to hatch the chicks at such a time as will allow the pullets to reach their full development and begin laying in October or November, as these earlier maturing pullets must be depended upon very largely for the fall and winter egg production. Late-hatched chicks do not mature in time to produce fall and winter eggs, nor do they live or grow so well during the hot weather, which comes when they are still young.

METHODS OF BROODING.

In raising the chicks, if hens are used for hatching, they of course can be used also for brooding. It is best to confine the hen to a coop for at least two weeks, allowing the chicks to come and go as they please. If hens are not available for brooding it becomes necessary to resort to a heated brooder. Perhaps the most successful method of brooding now in common use is the coal-stove hover, which is placed in a colony house and which allows brooding of from 300 to 400 chicks in one lot.

The important thing in raising chickens is to see that they are liberally fed and have proper conditions for development so that they will make a continuous growth. Anything which checks the growth of chicks has a lasting effect upon their development in later life. As the chicks grow older and larger and do not need heat it is very necessary that they have plenty of room in their growing quarters. Nothing will do so much harm and cause so much loss and trouble in growing stock as to keep them in crowded quarters. Be sure that the young stock have roost room enough so that they can all get on the roosts without undue crowding.

PRINCIPAL POINTS IN MANAGEMENT.

In any lot of chicks there will be found certain stunted or unthrifty individuals. Such birds will never pay for the feed and care used in trying to rear them. It is not only good sense but good business judgment to cull these un-



A Happy Family.

But do not let the hen run with the chicks until they are at least two weeks old. Otherwise chicks that could have been saved will be lost.

thrifty chicks just as soon as they are discovered. There will also be found certain cockerels which exceed their fellows in the rapidity of growth and maturity. It is well to mark and save such cockerels which reach a good size to use as breeders. In the general care both of the laying stock and the growing stock it is necessary to use good common sense just as in handling any other class of live stock. Regular attention must be given and care must be taken to see that their quarters are kept clean and sanitary. Carelessness and thoughtlessness are probably responsible for more poor results than is lack of knowledge as to what the flock really needs. If a farm flock is to be kept the aim should be, of course, to make it profitable. It is, therefore, poor business to neglect or overlook the usual everyday care which must be given the flock in order to get these profitable results.

Lice and mites are common and are not conducive either to good results with the flock or to the comfort of the fowls. It is absolutely unnecessary for poultry to be seriously troubled by either lice or mites. Regular attention and proper treatment of the quarters will rid the flock of mites, and if body lice are found the birds should be treated for these also. Usually if a place is provided where the hens can dust themselves they will keep the lice in check.

MARKETING TO OBTAIN FULL VALUE.

The marketing of the product, particularly eggs, has an important bearing on the profits of the flock. Under most conditions it is impossible for the farmer to seek a special market for his eggs, but he should be very careful to see that the eggs are gathered regularly and frequently and promptly taken to market. Failure to do this is responsible for the spoiling of a great many eggs. When the methods of buying are such that payment is made for good eggs only, a plan which is becoming more widespread and bids fair to be compulsory in most States, the farmer will suffer a decided money loss if he does not make it his business to see that all the eggs delivered are fresh and marketable at full value. One of the greatest causes of spoiled eggs during the hot summer season is the development of chick embryos in fertile eggs. This loss is preventable simply by produc-

ing infertile eggs. All that is needed to accomplish this is to separate the male birds from the females as soon as the breeding season is over. All the eggs sold will then be infertile and incapable of embryo development.

THE FARM FLOCK MADE PROFITABLE.

The farm poultry flock should be one of the most profitable branches of the farm business. To bring this condition about it is necessary to keep good stock and to have the flock of a suitable size, properly housed, fed, and cared for. This is not a complicated matter and the farmer should not think that it requires such specialized knowledge and skill as to discourage him at the start, make him throw up his hands with the cry, "What's the use?" and let the hens shift for themselves. The farm flock needs the application of good common sense in the form of proper care regularly given, to which the hens will respond just as quickly as the hogs, cattle, or horses.

WHY PRODUCE INSPECTION PAYS



By H. E. KRAMER, *Specialist in Charge, Food Products Inspection Service*, and G. B. FISKE, *Investigator in Marketing Fruits and Vegetables, Bureau of Markets*.

WHAT about that car of farm produce? It is a long haul to New York or Chicago from Melon Valley or Potatoville. Many are the links in the moving chain of transportation between the remote shipping points and the big terminal markets.

When a link breaks, slips, or forms a kink the people at each end know something is wrong, but it is not so easy to be sure of the kind, extent, or location of the trouble.

FROM FARM TO MARKET.

The receiver telegraphs that the carload is in bad condition. There is poor grading, or careless packing, frost damage, overripeness, rot, breakage, mold, disease, or any one of half a dozen other kinds of injury. The shipper naturally is worried. There is a prejudice in favor of one's own produce and nobody likes to believe it is not as good as any in the market.

Has the shipper still to learn how to grade and pack properly? Did the produce really arrive in bad order, or did some unscrupulous dealer possibly seize upon a trifling excuse to reject a shipment arriving on a falling market, or did he seek a pretext to depress its value or to gloss over

a sale made at what seemed unduly low prices? If really damaged, to what amount? Was the whole load affected? What was the actual condition on arrival? Was the loss due to bad handling and packing or to delay and neglect by the transportation company or by the receiver? Was the cause a disease which may develop also in the rest of the crop?

INFORMATION NEEDED.

Some of these questions interest the receiver and the railroads as well as the shipper or producer. No one cares to assume blame and incur loss for what happened to the produce while it was in the hands of others. How settle all these questions without undue expense or delay? Since the establishment of the Federal Inspection Service two years ago, the answer is comparatively simple. "Telegraph to the Federal inspector in the nearest large city, asking him to report on the shipment." He is a trained man with considerable experience in handling produce, a competent and certified judge of grades and condition.

THE USEFUL CERTIFICATE.

The inspector's verdict is commonly accepted by dealers and shippers and by courts, railroads, and express companies. With the shipment officially inspected, all parties concerned have learned all that it is practicable to know about its exact condition and grade, and many causes of troublesome disputes, costly law suits, and lasting dissatisfaction are removed. The inspection certificate is a prime lubricator of the long chain belt that runs from Truckville to the big city. It removes fully half of the sources of worry and uncertainty, and narrows the market question down chiefly to a matter of salesmanship. When the exact nature of the goods is known, the buyer and seller can get together in business, regardless of distance.

The shipper wants the certificate as proof that the stock was graded as he marked and billed it, and as evidence that it arrived in good condition, or at least to show the exact extent of depreciation. The receiver wants the certificate as a fair explanation of his failure to accept the goods at the stated price, or to sell them as first-class produce. The man

in the country and the man in the city each know that the other has a copy of the certificate, and there is little room left for dispute regarding the basis of settlement. Railroads are using the inspection service more and more in order to know where they stand in the event of claims for damages. The inspector's report may even help to locate the cause of the trouble—whether it started during the harvest or during the railway journey or in the receiving yard. Shipments tend to become standardized, and all parties are better assured of obtaining full value for their money under the inspection system.

The result is the saving of large sums in the aggregate. According to a statement from the Quartermaster's Office, the Government was saved thousands of dollars through inspection, by the Department of Agriculture, of produce shipped to Army camps during the war. A few contractors had been trying to "put over" short-weight packages and low-grade lots of various kinds, and Army officers sometimes lacked the necessary experience to detect these practices, but competent inspection promptly put a stop to the practice.

In the words of a prominent official of the Interstate Commerce Commission, the inspection certificate presents "a visual picture of the exact condition of the car at the time of inspection. The service is of untold value to the farmers and produce men of the country. I have yet to hear of a single case where any of the inspectors had been accused of partiality or unfairness."

TRADE INSURANCE.

All this is a kind of trade insurance. The buyer knows just what he is buying at the receiving point. The shipper also knows, and each is aware that the other knows, too, for a copy of the inspection certificate is sent to each. The advantage of this definite, up-to-date knowledge of the shipment is so evident that many shippers and dealers ask inspection as a matter of precaution. The small fee charged is inconsiderable if it tends to prevent any misunderstanding or suspicion of unfairness on either side.

LEARNING FROM INSPECTION.

The direct aid in arriving at the value of the produce is by no means the only gain through inspection service. Inspection is like a doctor's verdict. It locates and names the trouble but does not directly remove the cause. Nevertheless it includes hints which to the wise are useful.

A standard is supplied for judging one's own methods, as well as the system used at the other end of the line. Whose



Proper Loading.

Careful packing, loading, bracing, and ventilating show results in safe carriage.

fault is it that the potatoes were frozen, and how can further trouble of that very common kind be prevented? Was there rot in the car, and was it of a species that starts in the field, or did it follow bruising or overheating or low temperature? Did the car of sacked potatoes rightly sell lower than the bulk stock supposed to be of the same grade, and whose fault was that peculiar state of affairs? Did the car of

wilted lettuce spoil because it was too long on the way, or was the receiver slow in getting out the shipment after arrival, or was the trouble partly due to poor packing and insufficient icing, or was the lettuce diseased in the first place and unfit for long shipment? Was the car of cabbage really short weight, and was it so at the start or because of theft en route, or was it merely shrinkage, and if so, by whose fault? How much of the trouble could have been prevented by the shipper if more care in spraying, harvesting, grading, and packing had been exercised; and how much by the railroad through more equipment, better cars, or more care by employees? Finally, did the receiver properly look after the goods and give the shipper a square deal, or might not some other dealer have done better?

Not all these questions may be fully answered from a single inspection. In some cases there must still be uncertainty because of the lack of official examination at the shipping point. So far, neither the authority nor the money has been provided for a service of that kind, although a widespread demand for it prevails. Shipping point and market inspections would check each other, and the former would frequently obviate the need for the latter.

THE LINES OF INSPECTION.

Requests for inspections are in proportion to volume of shipments, being much more numerous during the active harvest season, and being divided among the commodities somewhat according to the proportion of each to the total shipments of produce. Thus potatoes, apples, onions, and cabbage among countrywide staple lines lead in volume of shipments moved, and also in number of inspections made. Potato shipments for the 1918-19 season included 4,500 inspections to 176,479 cars shipped; apple shipments, 25,581 cars with 1,573 inspections; onions, 22,551 cars and 1,040 inspections; cabbage shipments, 29,360 cars with 894 inspections. Similar relative figures are shown for the standard lines moving in smaller volume, but for highly perishable fruits and vegetables that move in heavy volume for a short season only, inspections are not so heavy in proportion to shipments. For a few weeks at the height of the season, watermelons lead the list; the total number of cars for last



Damage in Transit.

Southern eggplant damaged by heavy loading and insufficient refrigeration in transit. The grapes also were damaged in transit.

season was 20,394, but inspections were only 388. Peaches followed with 20,409 cars, while inspections were 449. Strawberries, another heavy. short-season crop, resulted in inspections for only 41 cars.

BY SKILL AND MAIN STRENGTH.

Popular notion might picture the inspector standing by the car door, a well-dressed, dignified official, notebook in



Damaged Potatoes.

These potato barrels should have been piled on ends to prevent crushing. The picture to the left shows bacterial soft rot in southern potatoes.

hand, while a gang of laborers overhauls the carloads and pulls out samples from bags, boxes, or barrels. The camera would show something different. A typical inspector is an active, energetic young man whose hands show marks of hard work. He is a trained judge of quality and condition, but in practice he is a man of labor, for he works long, and very real work it is, to obtain all the facts for the much desired "visual picture of the exact condition."

Said an inspector in one of the great market centers: "At first the produce men were inclined to rate us as just one more set of officials, but when they saw one of us put on overalls and jumper, crawl into a car of potatoes and haul



Results of Improper Loading.

Broken onion crates from Texas and southern potatoes in barrels both damaged because of improper loading.

them over, lifting heavy, dusty bags to get at the bottom layers, and coming out tired as a ditch digger and dirty as a tramp, then they took us seriously. At the height of the season in warm weather, with from 15 to 20 cars of potatoes

to inspect in one day, it is hard, disagreeable work. We had to do the job thoroughly because we felt that one mistake would cause the service more harm than work not done owing to lack of time. Hence, during the season many disputes had to be settled as well as possible without our help."

GETTING AFTER THE CAR LOTS.

The receipt of a request is followed by inspection of the goods as soon as time permits. The inspector, if supplied with a fair description, is usually able to locate the car promptly through inquiry from the railroad officials at the freight yard. Having found the car he breaks the seal on the door, climbs inside, and digs out and inspects packages at top, bottom, center, and ends, if necessary. The amount of sampling varies with the conditions. For instance, the work is severe with a car of potatoes suspected of several defects, such as rot and poor grading, and which is put up by different shippers using the one car. Plainly the inspector must examine many samples to get a complete view of the condition of each lot in the car. Bag, barrel, or box samples are opened, contents taken out and weighed or counted, and the condition noted. The culls, rots, or low-grade specimens are weighed, the per cent of each calculated, and the results transferred to the inspector's notebook. All notes must be set down before leaving the car, as often there are several cars for one receiver but from different shippers, and, without notes completed on the spot, confusion might occur in making out the certificates.

After the inspection the actual filling out of the certificate is still to be done, with a copy for the shipper, no matter who made the application for the inspection. The observations recorded in the book are boiled down to a few statements, which, nevertheless, tell the story so that the main points may be seen at a glance, for the inspector is a practical man and as a rule certifies only to conditions that are of prime importance to those interested in the carload.

Many of the inspections are wanted only to establish certain facts, such as suspected short weight, or under grading, or rot. In that event the certificate brings out chiefly the presence or absence of these defects and the amount and kind of injury or deficiency.

A SAMPLE INSPECTION.

A typical inspection certificate taken at random includes the following main points. It describes a car of potatoes from New Brunswick examined at Cleveland, Ohio, last October, upon request of the firm to which the car had been sent. The contents are described as "Sacked round white potatoes loaded 5 layers high, 5 rows wide, both ends of the car; nothing loaded in doorway; no marks on sacks. Condition of load and container intact. Coarse sacks of good quality noted. Temperature of products not taken. Size mostly medium. Meets size requirements of U. S. Grade No. 1. Stock clean, bright, well matured. Decay very irregular, approximately 5 to 6 per cent of stock by weight; one end of car decayed; other end of car, decay very irregular, ranging from none in many sacks to as high as 25 to 35 per cent in a few. Most sacks in which decay was noted show 12 to 15 per cent of contents decayed (late blight tuber rot). Approximately 3 to 4 per cent of the stock by weight seriously blemished, consisting of sunburn and deep flesh shattered bruises. The allowance for blemishes in U. S. Grade No. 1 is 6 per cent. The load as a whole does not meet requirements of U. S. Grade No. 1 on account of some sacks containing late blight tuber rot as noted. Stock in many sacks not showing decay is clean and presents good general appearance."

INSPECTION AS A PREVENTIVE.

The probability of an inspection reduces the danger of sharp practice at either end of the line. Like the physician, the inspector is constantly striving toward a reduction of the need of his services. With the comparatively few tricky and incompetent people weeded out, or brought to see the folly of their ways, a greater degree of mutual confidence would develop among produce men. Shipments would become more nearly standardized and fewer inspections would be needed. Even the prospect of inspection often has a wholesome effect on business practice. For instance, a car was rejected in a market at which inspection service had not been established. The shippers telephoned to Washington and arranged for an inspection of the produce. Meanwhile the receiver had notified the shippers that the price

must be reduced 50 cents per package, but when he learned that an official inspection was to be made, he telegraphed the shippers to withdraw the request for inspection and he would accept the car at the original price, as he had found it not to be so bad as he had thought.

It must not be supposed that the receiver is always to blame for rejections or that the shipper does not often need the restraining check of a possible inspection which will sustain the receiver in his view that the stock is not up to requirements. Here are two or three samples from inspection certificates which suggest decided room for improvement at the shipping end.

(1) Fifteen barrels Ben Davis and Gano apples: "Three layers of grade 1 apples on top of barrels and two layers of grade 1 apples on bottom of barrels. Balance (90 per cent by weight) made up of cull apples averaging one-half to $1\frac{1}{2}$ inches in diameter. Many culls stunted and misshapen."

(2) Car cabbage: "'A' end of car (opposite brake end) shows 75 per cent overripe and defective cabbage covered over with nice medium-sized green cabbage on surface, and under surface to depth of $1\frac{1}{2}$ feet. 'B' end shows 25 per cent overripe and defective cabbage covered over with nice medium-sized green cabbage to depth $3\frac{1}{2}$ feet."

(3) Car watermelons, loaded four layers deep: "Top layer averaged 21 pounds each. Second layer averaged 17 pounds each. Third layer averaged 15 pounds each. Fourth layer averaged 14 pounds each. Average weight for car, 17 pounds."

Much damage noted at the receiving end is due to unsuitable methods of packing and loading. The illustrations show a number of instances where loads arrived in extremely bad order because proper precaution was not taken at the shipping end. The report of such happenings, as recorded on the inspection certificate, is often of immediate value to the shipper. Said an inspector in one of the prominent markets: "Last summer I had occasion to write to one shipper selling potatoes, calling his attention to the poor condition in which they reached the market and the poor loading. He investigated and found that shipments were going out under much different conditions than he thought prevailed."

The inspection service also brings about more careful trading between shippers and dealers; returns and conditions of sale are stated with greater clearness and precision, and more agreements are being put down in writing. Thus the buyer and the seller are more nearly in agreement on their contracts, and chances of misunderstanding or misinterpretation are reduced.

Naturally, the inspector's work meets occasional criticism, sometimes with a spice of humor, as witness the following from a Texas shipper:

Your inspection certificate received. It sounds like a monumental joke. "Loaded to less than a foot of the roof." How is one to get the minimum unless he loads? "Thirty to forty per cent of stock shows one or more outer leaves in a slimy condition—due chiefly to water soft rot." Tell me, please, how do you distinguish between rot caused from heat and rot caused from water? "Due to decay." Would a car of lettuce decay in five days if it were properly iced during the five days? Would filling the bunkers with ice restore the condition of the lettuce? Could you tell by looking at a car of lettuce if the decay was caused from a failure to ice while in transit? Or from water rot? Or dry rot? Or cold rot? Or tommyrot?

As a counterweight there are scores of highly enthusiastic letters commending the work, some mentioning specific savings of hundreds or thousands of dollars because facts were established regarding the condition and quality of the shipment.

On the whole, the service is welcomed even more gladly by receivers than by shippers. Nearly two-thirds of the inspections were made on behalf of receivers, the others were made at the request of shippers and the railroads or transportation companies.

HOW TO GET THE SERVICE.

Anyone concerned in the shipment may ask for inspection. If there is trouble over the produce, or if there is merely a wish to avoid possible difficulty later on, the applicant writes or telegraphs to the United States Food Products Inspection Service, Bureau of Markets, in the city where the car is to be received. A small fee is charged for each inspection. This fee is \$2.50 for any quantity from half a carload up to a full carload, and \$1.50 for any quantity less than half an ordinary carload. For inspections


made in the smaller markets where no inspector is permanently located the applicant is charged with the actual expenses incurred by the inspector in making the trip in addition to the regular inspection fee. It is by no means a service wholly for large shippers. Small lots by freight or express may be inspected on the same general conditions as full carloads. However, the law provides that inspections may be made only on such shipments as have moved in interstate commerce.

The idea of official inspection is to provide a reliable, disinterested report as a basis for settling disputes regarding quantity, quality, grade, or condition. No matter who asks for it or who pays the bill, whether producer, dealer, or railroad, the other party may have a copy of the report. If the shipper and dealer can not agree, or if there is a damage claim against a transportation company which results in a suit, the certificate is *prima facie* evidence in the Federal Courts on the points which it covers.

The request for inspection should tell where the car may be found and the number, and should give also the main facts about the contents, calling attention to any special point as to grade, quality, or condition. The inspector will do the rest.


STORY OF TWO YEARS' WORK.

Federal inspection began in November, 1917, and has continued to grow in response to increasing demand. Inspection stations have been established in 30 leading cities, each with a considerable neighboring territory in which inspections from the central office are made. Altogether the service is available in 164 cities, as shown on the map herewith. A majority of the inspectors are in the great centers of population east of the Mississippi. Beginning with a few hundred inspections in November and December, 1917, a volume of between 2,000 and 3,000 a month was reached during the height of the shipping seasons of 1918 and 1919. Total inspections during these two years approached 30,000.



DESIGNATED INSPECTION MARKETS.

Inspection service is now available in the markets named on the next page. Inspection offices are established only in cities printed in heavy type; if an inspection is desired in one of the smaller cities in the list, communicate with the inspection office under which that par-



Location of 30 Main Inspection Points and Total of 160 Points where Inspections may be obtained.
(See page 334, for inspection points listed by States.)

ticular market is listed. The small towns immediately adjacent to the larger cities like New York or Boston are considered as included in those markets. Applications for inspections should be addressed by mail, telegraph, or telephone to the Food Products Inspector at the address given.

- BOSTON,**
Appraisers Store Building.
1. Haverhill.
2. Fall River.
3. Lawrence.
4. Lowell.
5. Brockton.
6. New Bedford.
7. Springfield.
8. Worcester.
9. Providence, R. I.
10. Portland, Me.
11. Concord, N. H.
12. Manchester, N. H.
NEW YORK,
204 Franklin Street.
13. Albany.
14. White Plains.
15. Bridgeport, Conn.
16. Hartford, Conn.
17. New Haven, Conn.
18. Norwalk, Conn.
19. Stamford, Conn.
20. Waterbury, Conn.
ATLANTA,
405 Connally Building.
21. Augusta.
22. Macon.
23. Savannah.
24. Chattanooga, Tenn.
25. Birmingham, Ala.
26. Montgomery, Ala.
PHILADELPHIA,
308 Bourse Building.
26. Allentown.
27. Harrisburg.
28. Lancaster.
29. Reading.
30. Scranton.
31. Wilkes-Barre.
32. Trenton, N. J.
33. Wilmington, Del.
BALTIMORE,
411 Customhouse.
34. Hagerstown.
35. York, Pa.
WASHINGTON, D. C.,
United States Bureau of Markets.
36. Alexandria, Va.
37. Richmond, Va.
38. Norfolk, Va.
BUFFALO,
232 Post Office Building.
40. Rochester.
41. Niagara Falls.
42. Erie, Pa.
NEW ORLEANS,
315 Pan American Building.
43. Baton Rouge.
44. Mobile, Ala.
- PITTSBURGH,**
303 Kellerman Building.
45. Altoona.
46. Wheeling, W. Va.
47. Youngstown, Ohio.
CLEVELAND,
503 Erie Building.
48. Akron.
49. Canton.
50. Lorain.
COLUMBUS,
303 Marlin Building.
51. Lima.
52. Newark.
53. Springfield.
54. Zanesville.
55. Huntington, W. Va.
CINCINNATI,
209 Johnston Building.
56. Dayton.
57. Lexington, Ky.
58. Louisville, Ky.
MEMPHIS,
404 Exchange Building.
59. Little Rock, Ark.
HOUSTON,
925 Southern Pacific Building.
60. Galveston.
61. Beaumont.
62. Austin.
63. San Antonio.
INDIANAPOLIS,
1102-1103 City Trust Building.
64. Anderson.
65. Evansville.
66. Fort Wayne.
67. Kokomo.
68. La Fayette.
69. Logansport.
70. Muncie.
71. Richmond.
72. Terre Haute.
DETROIT,
445 Howard Street.
73. Bay City.
74. Flint.
75. Grand Rapids.
76. Jackson.
77. Lansing.
78. Port Huron.
79. Saginaw.
80. Toledo, Ohio.
MINNEAPOLIS,
302-303 Market State Bank Building.
81. Duluth.
82. Superior, Wis.
DES MOINES,
215 United States Court-house.
83. Cedar Rapids.
84. Marshalltown.
- DES MOINES—continued.**
85. Ottumwa.
86. Waterloo.
FORT WORTH,
505 Moore Building.
87. Dallas.
88. Dennison.
89. Sherman.
90. Waco.
91. Wichita Falls.
92. Shreveport, La.
ST. LOUIS,
413 Old Customhouse.
93. Jefferson City.
94. East St. Louis, Ill.
95. Springfield, Ill.
CHICAGO,
139 North Clark Street.
96. Aurora.
97. Danville.
98. Elgin.
99. Joliet.
100. Moline.
101. Peoria.
102. Rockford.
103. Rock Island.
104. Waukegan.
105. Davenport, Iowa.
106. Dubuque, Iowa.
107. South Bend, Ind.
108. Battle Creek, Mich.
109. Kalamazoo, Mich.
DENVER,
308 Customhouse.
110. Colorado Springs.
111. Pueblo.
112. Cheyenne, Wyo.
KANSAS CITY,
212-213 Railway Exchange Building.
113. Joplin.
114. Springfield.
115. St. Joseph.
116. Kansas City, Kans.
117. Atchison, Kans.
118. Leavenworth, Kans.
119. Topeka, Kans.
120. Wichita, Kans.
MILWAUKEE,
314 Federal Building.
121. Green Bay.
122. Kenosha.
123. Madison.
124. Oshkosh.
125. Racine.
126. Sheboygan.
OMAHA,
436 Keeline Building.
127. Lincoln.
128. Council Bluffs, Iowa.
129. Sioux City, Iowa.
PORTLAND, OREG.,
410 Oregon Building.
SAN FRANCISCO,
510 Battery Street.

HOME PRODUCTION · OF LIME · BY THE FARMER

By C. C. FLETCHER,
Bureau of Soils.

THE value of lime in agriculture has long been recognized, but even now only a small proportion of the amount which could profitably be used is used by the American farmer. The building up of soil by proper crop rotations, which include legumes, is almost essential, and is becoming more general. As this practice is extended the use of lime will undoubtedly increase. Limestone soils are universally recognized as rich soils and especially suitable for stock farming, where proper mixed hay and pastures are vital.



Small Crusher Operated
by Farm Tractor.

This outfit actually produced 300
tons in 30 days.

By the use of ground limestone practically any farmer, usually at a moderate expense, can make his soil a limestone soil.

In most instances it is the best business policy to buy lime from large plants where it can be produced cheaply. Where a lime from this source can be readily obtained it is very doubtful whether it would pay the farmer to produce his own lime.

In certain cases, however, unless the farmer can produce it himself, it is either very difficult or expensive to secure



Limestone Pulverizer.

This machine, mounted on a homemade truck, is used for custom work. Two piles of pulverized rock are shown in the foreground. Note wheelbarrow below truck.

materials for liming. In many cases transportation is too costly to justify the use of lime purchased at centers of supply. In other cases the existence of local material and the advisability of using power or labor which would otherwise go to waste make it the best policy to produce lime on the farm.

Over considerable areas are found beds of marl of varying purity which may be used locally at a very low expense. Where this material is in such a condition as to need no grinding it may be applied to the soil and answer every

purpose that more costly artificially prepared forms of lime would serve. Much will depend on the grade of material, the marls varying from deposits little richer than a limy soil to a material practically as pure as high grade limestone. In some rural communities are sources of power, such as sawmills, which are only used for a portion of the year. In cases of this kind it may be possible to utilize this power for lime grinding, and thus lower the price of the product. In other cases, as at prisons, reformatories, institutions for the insane, etc., there is available a large amount of unpaid or cheap labor which may be used to produce lime for the institution farm or even for sale to neighboring farmers.




A Small Stationary Plant.

Shows a convenient method of storing and loading ground limestone.

154887°—YBK 1910—22

Agricultural lime usually is considered to include both the carbonate of lime as found in ground limestone, marl beds, and shells, and the oxide of lime, which is the carbonate after it is burned and the carbon dioxide has been driven off by the action of heat. Dolomitic limestones, which contain both calcium and magnesium carbonate, may be used as a source of material for small plants in about the same manner as the calcium limestones. In most cases it will not pay to produce agricultural lime from a poor grade of limestone.

Given a source of limestone or shells, the farmer has a choice of either grinding the material finely and using it in the form of carbonate or burning it and using it in the form of oxide or



A Portable Machine in Operation with 12-25 Tractor as Power.

quicklime. In the early days of this country the burning process was the only one employed, but at present ground limestone is extremely popular. Good results agriculturally are obtained from lime in either of these forms.

Burning has certain advantages for small operations, chiefly because it takes no expensive equipment or power plant. Where only a small amount is needed all that is necessary is to use the so-called heap method. In this system a layer of two rows of dry cordwood mixed with lighter kindling is first laid down, next a layer of coal, next a layer of limestone, and above this several alternate layers of lime-

stone and coal. One part of coal should burn several parts of limestone. The outside of this heap is covered with soil and the kindling ignited. The burning of the wood and coal turns the whole amount of broken limestone into burned lime, the carbon dioxide escaping as a gas through an opening left in the top of the heap for this purpose. The process is not completely satisfactory unless the gas is allowed to escape.


This method produces a lime which is mixed with ashes, but as the coal ashes are harmless and the wood ashes beneficial to the soil no ill effects result from this mixture. Oyster or clam shells may be burned in a similar manner or may be burned in a special rack made of cordwood. In all cases the heat must be controlled and spaces must be left between the stone or shells for the flames to penetrate.

Where larger quantities of lime are to be made it may be advisable in some cases to construct a small cylindrical kiln, which may be lined with fire brick or sandstone. This is rarely advisable for the farmer at present, however, as under these conditions it would probably pay him better to purchase a grinding outfit.

The use of small crushers and pulverizers to produce ground limestone has proved satisfactory in many localities. They are naturally not as economical as a large plant but may save high freight rates to inaccessible localities. They are often employed also at off seasons of the year where labor would otherwise not be used to the best advantage. The most convenient outfit is a combination of crusher and pulverizer, but good results are secured from small pulverizers, although in this case a good deal more hand sledging has to be done. Portable outfits may be moved from place to place and thus utilize outcrops and save hauling. Where associations of farmers are buying machinery a stationary plant may be installed which should produce limestone at a low cost per ton. As each case is a business proposition which will have to be considered by itself, it is difficult to advise as to which type of outfit is the best purchase. Small grinding plants may be bought at present for about \$500 and larger ones in proportion. They may be run satisfactorily by tractors or other engines of from 10 to 20 horsepower, with an output from 1 ton per hour

up, depending on the type of rock and the horsepower employed. The cost of production will naturally vary, but may run from \$1.50 to \$3.50 per ton. Much depends on the character of the rock, the business ability of the men running the plant, and the cost of the power.

As the advisability of the production by the farmer depends on the saving effected, it is difficult to prophesy whether this practice will increase. The question is largely an economic one, although the possession of an independent supply of a basic material appeals to many men. At pres-



A Type of Commercial Pulverizer Showing Elevator Folded Back Ready to Move.

ent lime is a cheap product compared with its great value, and its cheapness naturally limits the extension of its production in small units. If it becomes high in price farmers over a large area of the country are in a position to prepare their own product.

While opinions differ widely on various points connected with the production of lime, there is a very general agreement as to the wisdom of its wider use. In this connection the reader will find interesting the resolutions adopted at a recent conference of workers in southern experiment stations. Though based on conditions in the Southeastern

States, the conclusions are probably applicable to much of the country.

(1) The agreement is unanimous that the soils of the Southeastern States are seriously deficient in lime, so that liming is essential to their most profitable development and permanent improvement.

(2) Suitable agricultural lime materials are high calcium, magnesian, and dolomitic limestone; also high-grade oyster shells and marl, together with the burnt products (or the chemical equivalents of such) of any of these in the amounts hereafter recommended by this conference.

(3) The finer the limestone is ground, the greater is its immediate availability. Limestone ground to pass through a 10-mesh screen, all finer particles included, is recommended for the common application of 2 tons per acre. Either very finely pulverized limestone or burnt lime is recommended, where an application of only a few hundred pounds per acre is to be made.

(4) For general use we recommend an application of 1 to 2 tons of ground limestone per acre, or one-half that amount of burnt lime, once in a rotation of not more than five years. For alfalfa and permanent pastures, an initial application of double these amounts should be made.

(5) Lime may safely be used at any point in the ordinary farm rotation without serious loss of the material. If applied in connection with tilled crops, its mixture with the soil will be insured. The effects of lime are likely to be in proportion to the thoroughness with which it is mixed with the soil in which the crop roots develop.

(6) Liming is most profitable in those rotations in which legumes are prominent; but over large areas in these States, especially on the heavier types of soil, liming is profitable for corn, small grains, and grasses.

(7) With soils poor in potash and phosphate, liming gives best results only when supplemented by materials carrying these constituents.

WHAT THE FARMER SHOULD EXPECT FROM THE SEEDSMAN



By EDGAR BROWN,
Botanist in Charge, Seed-Testing Laboratories.

THE public is coming to look more and more upon each line of business not alone from the standpoint of business profits, but from its relation to the general welfare. There is no business the conduct of which is of greater importance to productive agriculture than that of the seed trade. Every pound of seed containing dead seeds, weed seeds, trash, and adulterants that is sold to the farmer affects agricultural production in proportion to its quality. The seedsman holds a more directly responsible relation to agriculture than any other merchant, because the farmer is fundamentally dependent on the seed dealer for his crop seed. Any condition existing in the seed trade which allows poor seed to go into the ground is a detriment to productive agriculture and to the individual farmer. The seed business can no longer be looked upon only from the standpoint of its own gains, but must also be considered from the standpoint of its relation to agriculture.

When the farmer buys seed, he is entitled to all the information the seedsman has in regard to it. It is necessary for the farmer to know its origin; how much of it is of the kind it is represented to be; the proportion of it which may be expected to grow under normal conditions; and the proportion of weed seeds present, noxious or otherwise.

At present, nearly all of the larger seedsmen handling grass and field seeds have found it worth their while to have one or more persons connected with their firm who are familiar with seed testing and who can give them accurate information as to the quality of all the lots of seed they are buying

and selling. The enactment of State laws regulating the sale of agricultural seeds has made this necessary, and the seed business can not now be successfully carried on without it. Seed testing has no doubt rendered the business of seedsmen safer and put it on a more stable basis than was the case when seeds were handled simply as a merchantable commodity with too little attention given to their agricultural value. It is not enough, however, that the seedsman alone should be well informed as to the quality of the seeds he is selling. He may know that a lot of redtop seed contains 15 per cent of timothy seed, or that a lot of crimson-clover seed contains 40 per cent of seed that will not grow, or that the red clover he is selling is imported from southern Europe, and is therefore poorly adapted to conditions in the red-clover growing area of the United States, but this information does not help the farmer unless the seedsman passes it on to him. The results of seed testing have been used by the seed merchant far too often for his own advantage, and not often enough to help the farmer. Since seed testing has now become so general that the seed trade as a whole has the information which the farmer needs in his business, it is incumbent on the trade to pass this information along with every lot of seed it sells.

The seed-trade associations, including in their membership nearly all of the seed dealers in this country, were formed to promote the individual and trade interests of their members, and self-protection will doubtless continue to be an important function of them. But the time has come when these associations must be more than self-protective. They must also help the farmer and turn their attention to means of improving agriculture.

At the suggestion of the Secretary of Agriculture, representatives of the seed trade met in Washington, D. C., in May, 1917, and agreed to label all lots of field seeds which they sold with the following information:

- (1) Name of seedsman.
- (2) Kind of seed.
- (3) Proportion of pure live seed present, with month and year of germination test.
- (4) Country or locality of origin in the case of the following imported seeds: Beans, soy beans, Turkestan alfalfa, and red clover from southern Europe and Chile.

In the spring of 1918, seed of red clover, crimson clover, and alfalfa was purchased from the trade and examined to determine the degree to which this labeling agreement was being carried out, with the result that only 10 per cent of the lots purchased were found to be fully labeled in accordance with the agreement. This failure on the part of the seed trade was called to its attention, and the greater number of seedsmen again agreed to label all field seed which they sold. Similar purchases were made in the spring of 1919, and an examination of these indicates that conditions were not far different from those found in the preceding year.

In the seed business both supply and demand are seasonal, with sharp fluctuations in price. There are few, if any, manufactured commodities which vary so much in price during a single year as does clover seed. This trend of the trade has made the seed merchant keen as to probable prices and speculative profits, when his attention should be directed to accumulating stocks of good-quality seed in quantities to meet local demands in time for seasonable use. The present speculative condition tends to keep the local dealer from buying in advance of actual sales, which results in a rush at the end of the season and a delay in getting the seed to the farmer at the proper planting time. While relatively large quantities of seed, especially red, crimson, and alsike clover and alfalfa, are frequently imported, such importations have generally not been effective in stabilizing prices but have served rather to furnish unusual profits to the importers.

It is known that red-clover seed from Italy is generally unsatisfactory for use in the United States as compared with home-grown seed or that from any other foreign country having a surplus for export. However, we do not know the extent to which the unsatisfactory condition of our red-clover crop in recent years is due to the large importations of southern European seed in 1915 and 1916. This seed is again being imported in large quantities. Enough to seed 800,000 acres, brought into the United States in the last six months, has been distributed throughout our clover-growing area, and for the most part this seed reaches the farmer without information as to its country of origin. This results from the possibility of large speculative profits, and clearly is not in the interest of good agriculture.

Before the seed trade can take its proper place in relation to agriculture, it must be governed less by speculative profits and more by an interest in the quality of the seeds that are bought and sold. The merchant must not withhold information of value to the farmer on the plea that the necessity for quick handling does not permit the necessary tests to be made, but he should give to the farmer full information about the seed he is selling, including the variety, the locality where it was grown, its freedom from mixture with other seeds, its weed seed content, and the proportion of it that may be expected to grow under favorable conditions. Until seedsmen do this they are not meeting the responsibility they owe to the fundamental industry of agriculture, on which their business is wholly dependent.

HARNESSING HEREDITY TO IMPROVE THE NATION'S LIVE STOCK

By D. S. BURCH,
Editor, Bureau of Animal Industry.

"DEAR SIRs: I read your piece in regard to better sires," writes a woman living on a farm in New Hampshire. "This is the first I have heard about it. Will you please send me particulars? Can I join? I keep purebred Ancona hens and I have a registered Duroc-Jersey boar. He is a beauty."

"There are at present," the letter continues, "no other purebred sires of any kind in this neighborhood and I shall try to get a purebred bull for service."

The letter quoted indicates a number of current trends in live-stock improvement. It shows a recognition of the fact that the same principles of breeding apply to poultry, swine, and cattle, and of course to other live stock. It shows also that individual effort can make much progress even when community spirit is lacking. But the last portion of the letter, the most commendable part, shows a desire by getting a purebred bull for service to improve the quality of live stock in that locality. The "piece" referred to was a news item referring to the Federal-State "Better Sires—Better Stock" campaign inaugurated October 1, 1919.

HEREDITY A USABLE FORCE.

Facts and figures gathered from numerous sources indicate that the Nation's live-stock industry has reached a stage of development where it will respond quickly to improvement in methods of breeding. Like gravitation and heat, heredity is a definite force that can be utilized to serve those who understand its laws and principles.

Heredity, however, differs somewhat from the force that moves the turbine or the steam engine in the manner in which it does its work, because heredity is a vital force while the others are chiefly of mechanical application. Yet one force can be harnessed quite as well as another if proper methods are used.

THE PRINCIPLE OF GRADING UP.

Of all the principles of breeding now established, probably the most important to live-stock owners having mixed stock is that of grading up. A good purebred sire when used with females even of scrub or mongrel breeding improves the uniformity, quality, and general value of the offspring to a marked extent. In addition, the improvement begun in one generation is carried on progressively to the succeeding progeny when the principle of grading up is skillfully applied. The progeny become more and more like the purebred stock and less and less like the original herd or flock. Grading up is a systematic, interesting, and economical method of live-stock improvement.

The United States contains more than 200,000,000 farm animals and, in addition, probably at least an equal number of poultry. The value and usefulness of this enormous quantity of live stock depends on certain qualities it possesses, and these differ according to species, breed, and type. With rare exceptions the most valuable qualities which live stock possess are found in selected individuals of the various standard breeds. That would be expected, of course, because the breeds were developed and perfected to meet definite, useful purposes. Thus, in horses we have the familiar racing breeds, saddle breeds, draft breeds, and others which fulfill general utility and intermediate purposes. Other kinds of live stock also include many classes and specially developed types.

Those live-stock owners who have given the study of certain kinds of animals special attention are chiefly responsible for keeping domestic stock in well-defined classes. To such breeders credit likewise is due for well-kept records of production and for most of the improvement that has taken place. But notwithstanding the development of a small percentage of well-bred stock, most domestic animals

in the United States are of mixed or indefinite breeding, and a large majority lack records of their breeding.

BETTER BREEDING AND ECONOMIC PRESSURE.

Such stock was useful enough in pioneer days, when competition was less keen, when feed was more plentiful, and market requirements were less exacting. But with present economic pressure for reduced costs of production and a quicker turnover on money and labor invested, better breeding becomes almost essential. To-day mixed stock exists largely perhaps as an agricultural habit. The benefits resulting from improved live stock have not been fully realized, facts about heredity as applied to live stock have not been readily available, and a small percentage of inferior purebred animals may have raised some doubt in the minds of farmers as to whether purebred stock actually was better than the kind they already had.


To give dependable information on the points mentioned, a movement known as the "Better Sires—Better Stock" campaign has been undertaken and is now in effect. Sponsored jointly by a majority of States and by the United States Department of Agriculture, the movement encourages the general use of purebred sires in all the principal classes of live stock. The classes are: Cattle, horses, asses, swine, sheep, goats, and poultry. The campaign also provides official recognition for live-stock owners who use purebred sires of good quality. (See illustration, p. 350.) Whether female breeding animals also should be purebred depends largely on the skill of the breeder, the kind of farming followed, and numerous local factors. Purebred sires, however, are advised under all conditions.

PUREBRED, CROSSBRED, OR GRADE—TAKE YOUR CHOICE.

The use of purebred sires will give purebred, grade, or crossbred offspring, depending on the kind of female stock used. If the female is purebred and of the same breed, the offspring of course will be purebred. If the female is scrub or a grade but the male parent is purebred, the offspring will be a grade. If the female is purebred but of a breed different from the sire (though of the same species), then the offspring will be crossbred. Thus it is clear that the user

of purebred sires may obtain any or all of the three kinds of progeny, depending on the kind of female stock kept and on individual preferences. He need not become a breeder of purebred stock unless he chooses to do so, but by the use of purebred males for breeding he at once ceases to raise scrubs.


The forces of heredity are always at work in live-stock breeding, and when little or slight attention is paid to them the results are uncertain. The various characteristics which



Facsimile of the First "Better Sires—Better Stock" Emblem Awarded in the Federal-State Campaign for Live-Stock Improvement.

This emblem, which is a combination of certificate and poster, is granted to all who use only purebred sires in raising live stock and who enroll.

parent stock of mixed breeding possess serve to blend with or offset one another, thus making evolution slow—so slow in fact that improvement can scarcely be seen within the lifetime of the breeder. On the other hand, careful selection of breeding stock and its systematic use are steps in harnessing the vital forces of heredity to bring about improvement that quickly becomes visible to the eye and is profitable in many ways.



An Unusual Grade Steer and a Purebred Yearling Boar.

A. An interesting result in grading up from native stock. This animal is a first-cross steer resulting from a longhorn cow and a purebred Hereford bull. The steer brought within 50 cents a hundred of the top price on the Chicago market the day he was sold. (By courtesy of the Wisconsin College of Agriculture.)

B. Herd boar, as a yearling, of T. Y. Williford, of Georgia, the first person to enroll in the better-sires movement. The use of purebred sires in all classes of animals kept is the only requirement for enrollment, and every livestock owner is eligible.

EXAMPLES OF HEREDITY AT WORK.

Of definite results collected by experiment stations and the United States Department of Agriculture, the following are typical:

Compared with beef steers sired by scrub bulls, steers sired by purebreds have been found to be worth \$10 more at 6 months old, \$20 more at a year old, and \$30

more at 2 years old than beef steers sired by scrub bulls. The figures are round numbers and represent average conditions. In general the use of purebred bulls with scrub cows may be expected to add one-third to the value of steers because of their better and more economical growth and quality.

Lambs sired by a purebred ram compared with the progeny of a scrub provided the following facts: They made greater gains in less time and at less cost for feed. Because of better finish as compared with thin, rough, scrub lambs they brought nearly 75 per cent more on the market.

Purebred or grade dairy cows have frequently earned for their owners from one-fourth more to over double the returns received from scrubs. In a typical case heifers sired by purebred dairy bulls surpassed their dams, which were ordinary cows, by 52 per cent in butterfat and 64 per cent in milk production. The second generation produced more than twice as much in both butterfat and milk as the original cows.

Average pigs sired by a purebred boar will weigh at maturity fully 25 pounds more than pigs sired by a scrub or grade. Considering size and quality of the carcass in connection with cost of production, pigs sired by a purebred may be expected to be at least 15 per cent more profitable than those having scrubs or grades as male parents.

In poultry, fowls of the meat and general-purpose breeds usually weigh at least 25 per cent more when ready for market than common mongrel stock. In a North Carolina experiment the use of a pedigreed high-production male increased the average egg yield of a flock of pullets 54 per cent, as compared with their dams of inferior parentage.

BETTER BREEDING WILL SAVE A BILLION DOLLARS.

To some live stock owners the better quality of well-bred stock is sufficient reward through the satisfaction of having produced superior living creatures. But to others, probably a majority, the financial benefits are important inducements to live-stock improvement. Cases like those mentioned indicate that fully 25 per cent may be added to the market value of live stock and its products because of greater production, better quality, or added uniformity obtained through the use of purebred sires. To allow for the animals of good breeding

already present in the United States, let us reduce the figure from 25 per cent to 20. Next, to satisfy any persons who may question whether the figures are typical, we may cut the 20 per cent in two, leaving 10 per cent. But even this conservative figure applied to the 10 billion dollar live-stock industry shows that a round billion dollars is lost because heredity has been permitted to work with too little control.

The "Better Sires—Better Stock" movement, in which 43 States are now cooperating, is aimed to reduce this billion-dollar loss, which averages close to \$200 annually for every farm where live stock is kept. With better breeding there arises also, as a logical consequence, interest in feeding and care. More than that, the thought devoted to wise animal-breeding methods encourages similar thought in the raising of farm crops through seed selection and study of improved methods. Thus the benefits extend in many directions and overlap in places. Civil engineers have harnessed rivers and waterfalls to make agriculture possible in regions marked as deserts on old maps. Explorers have traveled thousands of miles to find many kinds of plants and animals that will enrich our agriculture. But opportunities frequently overlooked are also nearest home. Through attention to the forces of heredity, present in every animal kept for breeding, the live stock of the United States may become more profitable to the breeder and useful to the public.

ENROLLMENT OF FIRST THREE MONTHS.


The records of enrollment less than three months after the better-sires movement was inaugurated included 6,200 animals, principally cattle, swine, and sheep in the order stated, besides 8,949 fowls. In supplying the desired information regarding the kind and breeding of their stock, the owners in many cases furnished supplementary information of interesting character.

A point of noteworthy interest is the fact that the use of purebred sires apparently leads to the ownership of at least one and frequently several purebred females.

Flocks and herds of many sizes are represented. The different classes of animals are kept in various combinations, but there is a noticeable tendency for cattle and hogs to form an almost inseparable alliance. That is a matter of

common observation and experience, but as the better-sires movement develops there should be more definite facts on the subject.

The slogan "Better Sires—Better Stock" was suggested by a dairyman in Idaho. Granting a definite form of recognition for the use of purebred males was developed from a Wisconsin plan. Practically every State shares in the inception of the effort to bring about a more general use of the forces of heredity that can so easily be made to work for live-stock owners with benefit to the entire Nation.



By W. D. HUNTER,

*Member of Federal Horticultural Board; in charge of Southern Field
Crop Insect Investigations, Bureau of Entomology.*

THE PINK BOLLWORM A MENACE TO COTTON GROWING.

UNTIL about 50 years ago the devastation caused by the so-called cotton caterpillar was an important factor in limiting the cotton crop of the United States. About 28 years ago a much more destructive pest, the boll weevil, entered the country from Mexico. It has spread year by year until it now occupies the greater part of the cotton belt. Its advance has been marked by incalculable losses which have affected the entire industrial structure of the South. It is with natural concern therefore that the planters of the South face the possibility that still another very destructive cotton pest may become established in this country. This is the pink bollworm, which has already become established in India, Egypt, Brazil, China, Mexico, and other cotton-producing countries.

The establishment of the pink bollworm in the United States would be all the more important because of the presence of the boll weevil here. The boll weevil does not occur outside of the North American continent and the island of Cuba, and it has already placed an important handicap on the producers of this country in their competition with planters in other parts of the world. To suffer the further loss which would be caused by the presence of the pink bollworm would greatly weaken the position of this country as a cotton producer.

The pink bollworm is probably the most serious pest of the cotton plant in the world. It reduces the yield, lowers the quality of what is produced, and affects the seed as well as the lint. Because of its work, the farmer loses a portion of his crop, the spinner is supplied with inferior material, and the miller obtains lower grades of by-products. Although probably of tropical origin, there is no reason to suppose it would not maintain itself in the United States. In fact in one locality in Texas it has withstood temperatures of zero and slightly lower.

One peculiarity in the life history of the pink bollworm greatly favors its spread. This is the fact that the larvæ in the last stages make their way into the interior of the seeds and may live there for as long as two years. In an experiment to determine how long the insect will live in bales of cotton, an investigator of the Department placed numerous larvæ in miniature bales in Honolulu several years ago. At stated intervals individual bales were opened. The last bale was opened 26 months after it had been pressed, and living larvæ were found in this bale as well as in every bale previously opened. This remarkable longevity makes it possible for the pink bollworm to be transported in seed to the remotest parts of the earth.

QUARANTINE MEASURES.

The pink bollworm was one of the first insects considered when the plant quarantine act went into operation in 1912. This act gave the first means at the disposal of the Department of Agriculture for preventing the introduction of serious insect and plant diseases by quarantines and restrictive measures. At that time considerable quantities of cotton seed from foreign countries were entering the United States. The first step taken therefore was to place an embargo on cotton seed from foreign countries, except northern Mexico. Later it was discovered that considerable quantities of seed were being brought in in bales of lint. In fact, on one occasion, a specimen of the pink bollworm was found in picker waste from Egyptian cotton which was being milled in Georgia. This discovery led to very serious consideration of means of disinfecting baled cotton. After protracted

experiments a system of disinfecting cotton by a vacuum process and the use of hydrocyanic-acid gas was evolved and placed in operation at the ports of entry.

The first steps taken by the Department through the Federal Horticultural Board to prevent the entry of the pink bollworm into the United States included the following:

(1) The exclusion of cotton seed from all foreign countries except the Imperial Valley of Lower California, and restricted entry from certain northern States of Mexico.

(2) The exclusion of cotton seed from the Territory of Hawaii.

(3) The regulation and safeguarding of the cottonseed products from all foreign countries and Hawaii.

(4) The regulation of the entry and disinfection of all imported cotton and cotton waste and also materials which have been used as wrappings for foreign cotton.

DISCOVERY IN MEXICO.

The precautions enumerated above were in operation in 1916, at which time it was not known that the pink bollworm had become established on this continent. In November of that year, however, specimens of this pest were received at Washington from a planter in the Laguna of Mexico. Up to that time cotton seed from Mexico had been admitted to the United States from the northern States of Mexico, where the cultures of cotton are frequently more or less continuous with those in the United States. With respect to Lower California, cotton seed was admitted under permit without restrictions as to use. With respect to certain other States of Northern Mexico, cotton seed was admitted under permit for milling only, at mills in Texas. As soon as the infestation in Mexico was discovered an embargo was promulgated stopping further entry of Mexican seed excepting that from Lower California, and steps were taken to regulate all freight and other traffic from that country, to prevent the accidental carriage of seed with such cars and freight.

Through the accident of disturbed conditions in Mexico during the months before the embargo was promulgated on November 3, 1916, large quantities of seed were shipped into the United States. Altogether, 446 carloads had entered the United States during 1916 prior to November 3. This



Injury to Top Crop.

Photograph taken in Mexico showing extent of injury by pink bollworm to top crop. All of the bolls are practically worthless. (Photograph by U. C. Loftin.)

seed went to 11 mills distributed more or less throughout the important cotton districts of Texas.

In cooperation with the State authorities of Texas and other offices of this Department, the Federal Horticultural Board immediately took steps to safeguard this Mexican

seed. These steps consisted of the early crushing of the seed, the cleaning of the mills and premises, and the disposal of the by-products in the ways least likely to cause infestations to become established.

THE PEST FOUND IN TEXAS.

In 1917 intensive examinations were made in the vicinities of all the mills which had received the Mexican seed. No infestation was found until September 10, when specimens were discovered in a field at Hearne. Later infestation was found in the vicinity of Beaumont, and about the same time at Smith Point, Anahuac, and other points around Trinity Bay.

The infestations at Hearne and Beaumont were clearly due to the receipt of Mexican seed. The infestation around Trinity Bay appears to have been due to the washing ashore and breaking of bales of Mexican cotton which were on the docks at Galveston at the time of the hurricane of August 15, 1915.

PROTECTIVE MEASURES AT MEXICAN BORDER PORTS.

As soon as the presence of the pink bollworm in Mexico was known the Federal Horticultural Board inaugurated a system of inspecting and disinfecting all freight and vehicles which might convey the insect in any stage across the Rio Grande. Inspectors were placed at all of the ports of entry. This service was greatly strengthened during 1919 by the erection of fumigating houses to accommodate freight cars and other vehicles. These are located at Brownsville, Laredo, Eagle Pass, Del Rio, and El Paso. Their use will be much more satisfactory than the former system of fumigating the interior of cars with hydrocyanic-acid gas and spraying the exterior with kerosene.


This work was supplemented by stationing special agents at the international bridges to inspect hand baggage. This is an important point of danger, since about 15,000 laborers from the interior of Mexico annually come to the States of Texas and Arizona to pick cotton. In several instances, living specimens of the pink bollworm were intercepted in seed cotton in personal baggage which had been brought to border ports.

THE TEXAS PINK BOLLWORM ACT.

Even before any infestation by the pink bollworm had been discovered in Texas, the legislature considered a law to prevent the invasion of the State. The main idea which was considered was to grant authority for the establishment of a noncotton zone along the Rio Grande wherever that should become necessary. However, the framers of the act wisely included provisions for the handling of any infestation which might at any time be found within the State. It was while this act was being considered, and after its passage was assured, that the infestation at Hearne was found.

The Texas pink bollworm law, which was originally approved on October 3, 1917, and amended and greatly strengthened by reenactment on March 10, 1919, contains a number of features which are unique in American legislation regarding insect pests. The statute is broad and comprehensive, and much credit therefor is due to its author, Leonard Tillotson, of Austin County. The essential features of the law are the designation of a zone including all of the counties along the Rio Grande which may be constituted a noncotton zone upon the certification of the commissioner of agriculture and the proclamation of the governor when near-by infestation is found in Mexico. Looking toward the eradication of the pest in the interior of the State, authority is given to establish noncotton zones or zones in which the planting of cotton is allowed under restrictions. Whether a noncotton zone or a permissive zone is established depends upon the recommendation of a commission of entomologists, consisting of one designated by the commissioner of agriculture, one by the governor of the State, one by the Agricultural and Mechanical College, and one by the United States Department of Agriculture. The report of the commission, under the law, determines the action which the commissioner is to take. The decision of the commission is certified to the governor by the commissioner of agriculture, and it becomes the duty of the governor to issue the necessary proclamation in accordance with the recommendation of the commission. In case it is necessary for the State to destroy any growing crops in a restricted zone or in any portion of the State where there are no restrictions, compensation to the owners is author-

ized. The amount of compensation is fixed by a committee of three disinterested citizens appointed by the county judge in the county involved. The penalties for violating any of the provisions of the law or any orders or regulations which may be promulgated thereunder are specific and heavy, ranging from \$500 to \$5,000, and each act in violation of the law or regulations is constituted a separate offense.



Pink Bollworm Injury.

Bolls showing characteristic injury by pink bollworm in Mexico. (Photograph by U. C. Loftin.)

The constitutionality of this law was tested in 1918 in a case brought by the State against persons who had planted cotton in a proclaimed noncotton zone. The statute was attacked on the score that it was unreasonably drastic and provided measures such as noncotton zones which were more destructive to the community and to the State than the pest it was intended to eradicate. The case of the State was very ably handled by John C. Wall, assistant attorney gen-

eral, in cooperation with J. D. Williamson of the Texas Cotton Association. After the most minute consideration of the extent of the police powers of the State, the court decided that the statute was valid and ordered the destruction of the cotton being grown in violation of law.

METHODS OF DEALING WITH OUTBREAKS IN TEXAS.

Operating under the law which has been discussed, and with the active support of the commissioner of agriculture, Fred W. Davis, for the State of Texas, the State and Federal Departments in the fall of 1917 undertook to stamp out the infestation. The plan followed included the determination of the exact extent of the infestation, the safeguarding of the cotton and seed produced, and the cleaning of the fields. In addition to the inspectors of the Federal Board, a large number of agents were transferred temporarily from the Bureau of Entomology, giving a force of over 50 inspectors. The cooperation of the railroads and handlers of cotton rendered it comparatively easy to have all of the lint in infested areas exported and all the seed shipped to Houston for crushing under supervision. The work of cleaning the fields was done as rapidly as possible. The maximum force employed consisted of about 1,000 laborers. Altogether 8,794 acres of cotton lands were cleaned at a cost of \$87,439.88.

Following the clean-up work, noncotton zones were established at Hearne and in the Trinity Bay section of southeastern Texas. The former included a radius of 3 miles around the mill where the original infestation was found. The latter included the territory between the Brazos and Neches Rivers, comprising all or parts of seven counties. The area was about 125 miles long by 50 miles wide, nearly as large as the State of Connecticut. In this area a safety zone approximately 10 miles wide was provided in the noncotton zone beyond the outermost points found infested.

Acting under another provision of the law, a noncotton zone was also established on the Rio Grande including Kinney, Maverick, and Val Verde Counties, an area of 5,646 square miles. This action was taken on account of the discovery by agents of the Federal Horticultural Board of infestation in Mexico within 25 miles of the Texas boundary.

OBSTACLES ENCOUNTERED.

The enforcement of the noncotton zone in southeastern Texas in 1918 was fraught with many difficulties. There had been two years of dry weather which had given many farmers the impression that cotton was a crop well adapted to the area included in the noncotton zone, whereas, as a matter of fact, extended experience has shown that under normal conditions the region is not well adapted to the planting of cotton. On this account and on account of an early test case which revealed a defect in the law, which has now been corrected, a large number of fields were planted in the noncotton zone. This led to the thorough test of the law to which reference has been made. The legal complications extended throughout the summer of 1918, so that the final determination of the validity of the law was not made until after the outlaw crop had been produced. The matter was adjusted by the turning over of the lint and seed produced in violation of law to the State for marketing under safeguards. This was covered by formal agreements entered into by the farmers. These agreements also surrendered the right of injunction against the State in further proceedings for the enforcement of the law and in other respects placed the farmers in a position where they could not commit further violations.



Injury to Partly Opened Boll.
Cotton boll showing nature of injury by
pink bollworm.

NO INFESTATION FOUND IN 1918. •

Throughout the season very extensive field inspections were made in the three noncotton zones. These inspections included the examination of all volunteer cotton, all cotton being unlawfully grown, and the fields immediately outside of the noncotton zone. In the Trinity Bay

section 3,284,602 volunteer plants with 276,247 bolls were examined during the season. In only one case was any volunteer cotton allowed to grow. This was at Smith Point, where the heaviest infestation ever found in Texas was discovered in the fall of 1917. During the following year no cotton was planted within 50 miles of Smith Point. As a measure to determine whether the insect had been reduced in numbers or stamped out, 51 volunteer plants were allowed to grow in the field which had previously been found to be heavily infested. These plants were examined with the utmost care throughout the season. In the fall all of the seed cotton was picked and the contents of every lock, including every seed, were carefully scrutinized. The outstanding feature of all this work of inspection was that no specimens of the pink bollworm or signs of its work were found in any of the three noncotton zones. This indicated that the pest had been very greatly reduced, if not eradicated. At any rate it was perfectly clear that the infestation was infinitely less than in the fall of 1917. The State and Federal departments, therefore, decided as an experiment to allow the planting of cotton in this area under restrictions during 1919, and this plan was placed in operation. The restrictions included the use of seed from uninfested localities, the marketing of the products under supervision, the cleaning of the fields in any manner prescribed by the commissioner of agriculture, and other supplementary safeguards.

DISCOVERY OF INFESTATION IN WESTERN TEXAS.

Late in 1918 several fields in the so-called Big Bend in the western part of Texas were found to be infested by the pink bollworm. This infestation evidently originated in adjacent portions of Mexico. It was found that in one instance a wagonload of seed cotton which had been smuggled across the river in the Big Bend was carried about 200 miles overland to Barstow in the Pecos Valley. Careful scouting at that place revealed another infestation. Altogether in the Pecos Valley 14 specimens were found in seven fields. Thirteen of these specimens were dead. The cleaning of the fields was immediately undertaken in the Pecos Valley. Four thousand two hundred and forty-

nine acres were cleaned. This included an area from 3 to 4 miles beyond any fields which were found infested. In the Big Bend all of the fields in Brewster and Presidio Counties, aggregating 508 acres, were cleaned.

WORK OF 1919.

The work of the season of 1919 consisted of maintaining three noncotton zones and two restricted zones. The noncotton zones were at Hearne and on the Rio Grande. In the latter locality the zone including Kinney, Val Verde, and Maverick Counties was continued, and another including Brewster and Presidio Counties was organized. The reasons for establishing a restricted zone rather than a noncotton zone in the Trinity Bay section have been given. There were several definite reasons for establishing a restricted rather than a noncotton zone in the Pecos Valley. In the first place, the region is isolated, as no other cultures of cotton are found within 100 miles. The infestation was slight, and the clean-up work was more thorough on account of local conditions than had been possible in any other locality. Another consideration was the fact that on account of peculiar conditions in the Pecos Valley cotton is the only crop which can be planted in the spring. If a noncotton zone had been proclaimed something like 3,000 acres of land would have remained idle, with consequent disaster to the community.

A corps of about 75 inspectors was organized to make examinations throughout the restricted zones and in the cotton immediately adjoining them. These inspections also included the examination of all volunteer cotton found in noncotton zones and of the cotton planted contiguous to them, as well as fields growing in the neighborhood of the 11 mills which received Mexican seed in 1916, in addition to others which for any reason were under the least suspicion. All of these examinations gave negative results until October 17, when a specimen was found in southern Jefferson County. In later examinations 43 fields have been found infested in the Trinity Bay section, as against 157 found infested in the winter of 1917-18. No infestations have been found outside of the restricted zone in this part of the State or elsewhere in Texas.

In the Pecos Valley one specimen was found on November 12.

It is interesting in this connection to note the amount of scouting which resulted in disclosing the infestations of 1919. In the Trinity Bay section over 1,500 man-days have been devoted to the work. In the case in the Pecos Valley



Cleaning Cotton Fields.

Lower: First step in cleaning cotton fields. In this case grubbing hoes are being used, but whenever the soil is not too dry the plants are pulled out by hand.

Upper: Last step in cleaning cotton fields, showing removal of all vestiges of the cotton plant from the ground.

209 man-days were spent in the very field which was finally found infested. After the single specimen had been found over 100 additional man-days were spent in examining the field with negative results.

The very large amount of scouting done indicates clearly that the infestation in 1919 is much less in extent and intensity than it was in 1917. In other words, the attempt

at eradication seems to have been along the right lines, although the results were far short of what was desired.

PROBABLE EXPLANATION OF RECURRENCE.

It is evident that there is no relation between the out-law cotton of 1918 and the infestations which have developed. A number of them are in fields which are distant from 40 to 50 miles from where any cotton was planted in 1918. The reason the insect lived over a one-year non-cotton period is somewhat obscure, but it is probable that larvæ had fallen to the ground in seed cotton dropped from the plants and been more or less covered with earth at the time of the clean-up. Although tests have shown that the process of cleaning fields is more than 99 per cent efficient, yet, with the large area to be covered and the class of labor available, some infested material is undoubtedly left on the ground. The records obtained in Egypt and in Honolulu by August Busck indicate that the pink bollworm larva may live for two years. Its longevity is especially great under dry conditions. The season of 1918 was dry throughout Texas. This seems to have favored the prolonging of the larval stage of those insects which were missed in the clean-up of the winter of 1917-18, and it is conceivable that if 1918 had been a normal season the insects would all have emerged and in the absence of cotton would have perished.

The possibility that the infestation lived over in plants other than cotton has received very special consideration. During the noncotton year many thousands of seed pods of okra and of wild malvaceous plants related to cotton were examined. Altogether over 2,000 man-days were devoted to this work in the immediate vicinity of fields where heavy infestations were located in the fall of 1917. Such inspections were continued during 1919. In fact a number of special investigators were placed in the immediate vicinity of the fields where infestation was found in 1919 for the purpose of examining okra and other malvaceous plants. The work of agents of the board in Mexico and investigators in Egypt has shown that under some conditions the pink bollworm will maintain itself on plants other than cotton. That this is the explanation of the recurrence of the pest in southeastern Texas seems to be abundantly disproven,

however, by the large mass of negative evidence obtained in places where, if there had been any breeding in plants other than cotton, it seems certain that it would have been discovered.


FUTURE PLANS.

Taking all of the work which has been done in Texas into consideration, three facts are of outstanding importance. The first is that the quarantine and restrictive measures appear to prevent the spread of the pest, the second that the clean-up measures adopted greatly reduce the infestation, and the third that the clean-up measures and a noncotton zone of one year combined are not sufficient to stamp out the pest.

It is proposed, therefore, to continue the work along the original lines indicated in this paper and to recommend to the State authorities that in every case a noncotton zone should be maintained for a period of not less than two years.

For several reasons the present work of cleaning the fields will undoubtedly be much more effective than the earlier work of the same kind. For one thing the infestation has been discovered earlier and is lighter than before. Moreover the amount of cotton produced per plant during 1919 has been a great deal less than in 1917. This gives a much smaller volume of possibly infested material to fall to the ground and pass beyond recovery. Another important consideration is that the wet season of 1919 has caused an abundant growth of grass and weeds in fields throughout the infested territory. This will make it possible to burn over the fields much more effectively than was possible in 1917.

The stamping out of the pink bollworm in the United States is an undertaking of great magnitude. The territory in which measures must apply aggregates over 22,000 square miles. The unusual longevity of the larva is an important obstacle, and there are naturally many legal and administrative difficulties. Nevertheless, the general situation is rather encouraging and there still seems to be a possibility that the plan of operation which is being followed may prevent the establishment of an exceedingly destructive pest in this country.



By DAVID HARRELL, *Live-Stock Commissioner*, and H. P. MORGAN, *Assistant in Marketing Live Stock and Meats, Bureau of Markets*.

THE rapid development of the purebred live-stock industry in the United States has produced a surplus of registered animals well adapted to the use of South American breeders. As most of our animals are raised under climatic conditions closely resembling those found in South American countries, and as 60 to 90 per cent of the total industry of the east coast countries of South America is directly connected with live stock and animal products, the position the United States is prepared to assume in the resulting trade in purebred live stock is obviously of great interest to breeders in this country.

The Bureau of Markets has attempted to ascertain to what extent a foreign market is available for purebred live stock originating in the United States, and for this purpose the authors have made a personal investigation during the present fiscal year covering conditions in Brazil, Paraguay, Uruguay, Argentina and Chile.

Certain obstacles are to be overcome before satisfactory relations will be established, but first-hand observations would lead to the conclusion that they are not as difficult as

they seem. Many of them are the drawbacks which must be overcome when undertaking export business for the first time with any country.

It is to be expected that all animals which enter the east coast countries will contract foot-and-mouth disease before the expiration of the 30-day quarantine period. In normal years this is looked upon as a 10-day illness with light mortality. The fact that 1919 has been a year of unusual loss has stimulated study of this disease. Methods of isolation and quarantine as practiced in the United States are of no avail.

The cattle tick is found in all countries of the East Coast, and, with the exception of the lower part of Uruguay and Argentina, all stock imported into these countries will have to combat tick fever. There is a growing interest in eradication and control methods, especially on the ranches where improved stock is raised, but the prevalence of the tick is a serious matter.

The present lack of direct business connections is unfortunate. Permanent trade is best developed by means of connections with firms well known in the country of import or through permanent colonists from the country of export. The fact that so few North Americans as compared with Europeans are now engaged in the live-stock business in these countries is a serious handicap. All of these obstacles, however, can be overcome by good business methods.

The leading South American live-stock shows will be of great assistance as an advertising medium. Live stock bred in the United States may be exhibited there and will be viewed by large numbers of breeders who are prepared to purchase high-class stock either through the auction ring (the favorite method in South America) or through private treaty. The attitude of the breeders is open-minded, and purebred stock exhibited by our exporters will receive the attention it merits.

A desirable method of procedure, especially in Argentina and Uruguay, is through consignments to local auction companies of established reputation. If the early shipments are of a high character, demand can be developed, volume of business secured, and an opening made toward direct shipment later.

Advertising should be very carefully prepared, both as to subject matter and as to translation. A campaign making extravagant claims which can not be fulfilled except under the most favorable circumstances would do more harm to the entire live-stock trade with the United States than could be offset by several successful importations.

Careful study should be made of the conditions in the several countries offering the greatest opportunities. Very general considerations are given here, and further information is available upon request addressed to the Bureau of Markets at Washington. The breeders of the United States are generally adaptable in their business methods, and this fact should be in their favor. Once the conditions are thoroughly understood, effort should be made to meet the requirements, every allowance being made for difference in language and custom and consequent chance for misunderstanding. A shipment of high-class stock selected especially to meet the specific needs of the importer, coupled with unusual care in methods in order to prevent disappointment, should pave the way for a successful future business. Co-operation between cattle, sheep and swine breeders may be made effective in conducting adequate advertising campaigns, in securing satisfactory shipping conditions and in developing volume of trade.

It is essential also that South American buyers be encouraged and assisted by every practicable and consistent means to make their own selections of stock in the United States. A substantial beginning in this direction already has been made through our own shows and record associations, as well as by the Department of Agriculture, and present prospects are highly favorable for the future development of this class of business.

BRAZIL.


Brazil is of about the same area as the United States and in part has a climate well adapted to stock raising. The Government has recently taken steps to lend encouragement and aid to breeders desiring to import purebred live stock, and improvement on a national scale has begun. One decree provides for the reimbursement to shippers of the freight from the port of debarkation to the destination.

Another law provides for advancing one-half of the purchase price to bona fide stock raisers who order through the Government at a stated time each year. Several model stock farms have been established throughout the country where practical suggestions are given, improved practices are demonstrated and purebred live stock is offered to purchasers in limited numbers. These governmental aids have given great stimulus to the industry.

The large packing companies of the United States maintain development departments through which importations are made and advice and information are given to interested breeders. The close of the war caused a decrease in the demand for meat which has made possible a greater discrimination in price between unimproved and well-bred stock and which is expected to provide an additional impetus to the improvement of the live stock of Brazil. The necessity for introducing new blood and employing better methods of handling is already apparent to a relatively large number of the breeders, and those who supply the best information and make the process of importing most attractive to buyers will have the greatest success in supplying Brazil with purebred live stock.

The largest undertaking in the importation of purebred stock has been carried on by one of the domestic land and packing companies. Several hundred cattle and hogs have been imported in an attempt to raise purebred stock on a commercial scale. A large amount of experimental work relating to breeds and methods of handling has been done by this company. The agricultural school in connection with the mission at Lavras, in the State of Minas Geraes, also has been breeding cattle and hogs, as well as studying the best means of improving the general condition of the live-stock industry in Brazil. The results of these activities indicate that purebred live stock from the United States will be effective in the improvement of the live stock of Brazil.

Attempts of breeders of the United States to develop a trade with Brazil will probably be met with an open mind. Generally speaking, Brazil is not in a position to receive our show winners nor the highest-bred animals, but rather, well-bred animals of the best type raised under pasture conditions. Similarly, the highest prices can not be expected immediately. The principal demand is for result-producing



Scenes in Brazil and Argentina.

Above: Parade of prize winners at the formal opening of the Palermo exposition. This exposition is the ranking live-stock show of South America.

Middle: Half-blood Hereford cow with three-fourths blood calf, Brazil. One of the interesting features is the marking of the white face. This cow is a dun color with the exception of the face and underline, while the calf is a typical Hereford red.

Below: Native steers on fattening pastures of catingueira grass in Barretos district, Brazil. Note evidence of zebu blood in the shoulder development and the light loin. These steers were slaughtered in the week following the taking of this picture.

breeding stock at prices ranging from about \$250 to \$1,250 for cattle, and \$150 to \$500 for hogs. At first thought breeders may feel that these prices will not permit a profit; but a demand for more highly bred stock at advanced prices should be a natural result of the success of first importations and the improvement discernible from the use of these animals.

PARAGUAY.

Paraguay is one of the least-developed countries of South America as regards the live-stock industry. Although the climate is only fairly favorable to stock raising, one of the chief reasons why development has been slight is the fact that practically all of the domestic live stock has been assimilated by local consumption so that there has been little outside trade in live stock, meat and animal products. With the establishment of two meat-canning abattoirs at the beginning of the war, however, a new interest appeared in live-stock breeding. The demand, which exceeded the supply, caused a great inflation in prices, and those who had large establishments realized substantial profits.

The native stock of Paraguay is the result of original importations from Spain, Portugal and Peru which have been allowed to breed rather indiscriminately and without much attempt at constructive work. Little incentive to excel in a given industry or enterprise is offered the people, and it is evident that much will be required in the way of development from any country wishing to open a trade in purebred live stock with Paraguay. As Argentina controls most of the shipping on the rivers and furnishes the most feasible entrance into Paraguay, Argentina is in the best position to promote this business; consequently there is little, if any, opportunity for the United States to develop an extensive live-stock trade in Paraguay in the near future.

URUGUAY.

Notwithstanding the fact that Uruguay is one of the smaller Republics, the live-stock business in general has attained a very high degree of development. The improvement of the stock of Argentina and an increasing trade with Brazil furnish a stimulus for the industry in this

country and, as a result, rapid strides are being made. Breeders are attacking the pest and disease problems and there are indications that more concerted action will be taken soon.

Yearly live-stock exhibitions are held in various sections of the country, the shows at Montevideo and Salto being the most important. At these expositions the prestige of the prize winners and the blood lines they represent is among the most important and interesting features. The difference in price received at auction between a prize winner and an animal outside the awards in some cases means a difference of fully 50 per cent, so that competition is decidedly keen. Another interesting feature of the shows, particularly at Salto and the others outside of Montevideo, is the practice of sending large numbers of breeding animals for the purpose of sale. At the Salto show in 1919 there were about 5,000 head of "camp stock"; that is, grades entirely pasture-raised. These were sold at auction in lots of from 5 to 200. The breeders often buy up large numbers of females and perhaps one of the prize-winning bulls with which to restock. The interest in these sales is very marked, and stockmen who have reputations as successful breeders receive large prices for their surplus stock. The average bidding for this camp stock at Salto this year (1919) was from \$140 to \$250 for females and \$150 to \$500 for bulls. The purebreds are also sold at this time, and, as in the United States, there is a very wide variation in prices. Several prize winners sold as high as 15,000 to 20,000 pesos (\$15,400 to \$20,800, United States gold).

The exhibits of pen lots of sheep are of special interest, and often the 10 shown are the choice of 50 sent in for sale at the auction. Throughout the period of the show, the various breeders are attempting to fill their needs for the ensuing year, so that interest is easily maintained until all the stock is sold.

The swine industry is not so well established at the shows, although it is growing rapidly. The increase in general agriculture is coincident with a greater attention given to the breeding of hogs, so that the industry in Uruguay is rapidly growing away from the purely local consumption basis. There is reason to believe that this growing interest can be

centered upon the rapidly maturing hogs from the United States. At present, the most widely known breeds are the Berkshire and Yorkshire, although a few Poland Chinas may be found. The general conditions under which hogs are raised indicate that the corn-belt hog would be a success in Uruguay.

More attention is being given to dairy stock at present than has been the case in past years. The Guernsey, Holstein and Jersey are represented, although the necessity of importing and producing superior individuals has not been apparent to the breeder until recently. The practice of handling the stock entirely in pastures is similar to that in the ranching sections of the United States and is favored by a 10 to 12 months' grazing period. Because of this similarity of certain conditions, breeders should welcome efforts to introduce purebred live stock from the United States. The fact that these breeders are able to use the best of the stock raised in the United States and to pay adequate prices should make the development of this market attractive to American breeders who seek a foreign outlet for their stock.

The best-known breeds of stock, approximately in the order of their popularity as shown by imports, are Hereford, Shorthorn, Devon and Aberdeen Angus cattle; Merino, Lincoln, Romney Marsh and Hampshire sheep; and Berkshire, Yorkshire, Poland China and Duroc Jersey hogs.

There is a growing tendency on the part of breeders to visit the country of export for the purpose of purchasing breeding stock, but the greatest opportunity to develop any volume of business will be through consignments from breeders in the United States and through orders from Uruguayan buyers who have been well satisfied with former shipments. The animals which will receive the most favorable reception will be the best of the purebreds of good blood lines, preferably pasture-raised. The stock at the live-stock shows in 1919 were not highly fitted, but rather in good breeding condition. The primary interest in the minds of the breeders of Uruguay is the usefulness of the animal in question, and stock sent to this country should not be overdone in the matter of condition.

ARGENTINA.

Shorthorns, high prices, and the English trade are, to the well-versed live-stock breeder, terms almost synonymous with the name Argentina. More information is available concerning the live-stock business of this country than of any of the other South American Republics. If the United States wishes to enter into an export business with Argentina, it is obvious that it will involve the exportation of the best class of live stock produced in the United States. For several years England has sold many of the prize winners of the Royal and other live-stock expositions to the Argentine trade, which accounts in many cases for the high price averages obtained.

The agricultural and live-stock interests of Argentina are fostered by the Sociedad Rural de Argentina (Argentine Rural Society), under whose direction the annual live-stock show at Palermo is held. This exposition is rated as one of the greatest live-stock expositions in the world and shows the largest number of well-bred Shorthorns of good type. The exposition in 1919 was considered one of the finest yet held, despite the fact that foot-and-mouth disease caused the highest mortality experienced in several years. The outbreak, which came at calving time, was so destructive that the Government is at this time (fall of 1919) considering legislation to control the slaughter of female stock. It is customary to hold auction sales after the close of the show, when most of the exhibited stock is sold. At the 1919 sales 6,686,970 Argentine pesos were paid for animals, as follows:

Sales of animals at 1919 live-stock show at Palermo, Argentina.

| Class of animals. | Number sold. | Total amount. | | Average prices. | |
|---------------------|--------------|-------------------------------|------------------------|-------------------------------|------------------------|
| | | Argentine pesos. ¹ | U. S. gold equivalent. | Argentine pesos. ¹ | U. S. gold equivalent. |
| Shorthorn..... | 823 | 5,227,150 | \$2,299,946 | 6,351 | \$2,794 |
| Hereford..... | 104 | 452,600 | 199,144 | 4,352 | 1,915 |
| Aberdeen Angus..... | 88 | 256,060 | 112,666 | 2,909 | 1,280 |
| West Highland..... | 2 | 3 800 | 1,672 | 1,100 | 484 |
| Dairy stock..... | 31 | 76,500 | 33,660 | 2,468 | 1,066 |
| Sheep..... | 470 | 398,500 | 168,540 | 848 | 376 |
| Hogs..... | 180 | 91,745 | 40,368 | 509 | 224 |
| Horses..... | 97 | 180,150 | 79,266 | 1,867 | 817 |
| Goats..... | 4 | 475 | 209 | | |

¹Argentine peso figured at \$0.44 United States gold.

The champion Shorthorn was sold at the record price of 100,000 Argentine pesos, or about \$44,000 United States gold. The champion Hereford sold for \$8,800 United States gold, the champion Aberdeen Angus for \$6,820, the champion sheep for \$3,564 United States gold, and the champion



First-Cross Heifer and Group of Purebred Bulls.

Above: Halfbred Shorthorn-native heifer. Compare evident improvement of first cross with other stock in background. Note head of cow at right of picture.

Below: Purebred Shorthorn bulls bred and raised in Brazil. Note solid color, an important requirement for animals for Brazilian trade.

boar for \$2,000. A high degree of interest was evident and the large attendance at the exhibits proved the popularity of the industry.

Entries in the dairy-cattle division were not numerous, although a number of fine individuals were shown and there was a noteworthy interest among the people in the exhibits both of stock and of dairying machinery.

The exhibits of sheep evoked a large amount of interest among the breeders, and the champion animals were applauded with as much enthusiasm as were the prize cattle. The high prices received for the best stock indicate that improvement is steadily progressing in sheep as well as in cattle. Large numbers of improved Lincolns, Romney Marshes, Merinos, and Rambouillets were exhibited.

The exhibit of swine was similar to that of previous years, with Berkshires, Yorkshires, Duroc Jerseys and Poland Chinas among the entries. Special attention is being directed toward the increased production of swine in Argentina, and in 1919 the interest in these animals was said to be more marked than that manifested at any of the recent Palermo expositions. The prices received at the sale were higher than ever before, and considerable attention was aroused by the price of \$2,200 United States gold paid for the champion Berkshire sow.

The horse classes are not large at these expositions, although the specimens exhibited in 1919 were superior in type and quality. The champions of the Percheron, Clydesdale, Shire and Hackney breeds were especially good individuals, and the interest shown in this section indicated that there is an increasing tendency toward improvement in horses.


It is evident that there is in Argentina a demand for certain breeds and classes of stock which the United States is well prepared to meet. Competition for this business, however, will be very keen, and the natural preferences formed by many years of dealing with other sources of supply will have to be overcome by the superior value of the stock offered and by the results produced. Only the finest cattle of our types will sell to advantage in Argentina. The Argentine buyer also is giving more and more attention to the pedigree of the animals he uses in his herd, and a study of these specific requirements will be necessary if success is to be attained in the development of trade relations.

Although the greatest interest thus far has been in Short-horns, there is a growing demand for other breeds. The champion Hereford and Aberdeen Angus at the Palermo exposition were very high-class animals. The superior type of the animals of the breeds most in favor in the United

States should meet with equal favor among breeders of Argentina whose methods of handling cattle closely resemble those of the United States.

It is important that breeders who are considering a trade with Argentina should make an effort to establish direct connections with companies which are prepared to handle our purebred stock. There are several established auction companies at Buenos Aires, where practically all of the sales of imported stock are held. Although many of these companies have direct connections with exporting firms in other countries, several successful organizations engage only in a commission business, whereby they are prepared to sell all kinds and classes of breeding stock, both local and imported. Although direct connections are especially desirable for the permanent trade, it may be desirable in some cases to make first importations through these commission companies.

The success of breeders of the United States in the Argentine market, as in the other countries, will depend to a large degree upon the quality of the first shipments.



By J. M. MEHL,

Investigator in Cooperative Organization, Bureau of Markets.

THE success of certain large chain stores and similar organizations is a result partly of their ability to combine many small purchases into a single body of large volume. They are able to buy in large quantities articles of merchandise which the average dealer or single-store organization must buy in small quantities at higher prices. Concentration of buying power may enable an organization of this kind to take the entire output of a manufacturer, thus eliminating the manufacturer's selling expense and effecting a reduction in cost. With these organizations such purchase power is a thing to be created or developed, usually by competitive struggle.

Every agricultural community has an already existing purchase power which when brought under control may secure to the community the same benefits and savings which the large commercial organizations derive from their concentration of buying power. It only needs to be organized. Instead of being divided into a number of small streams, each running its separate course and contributing to the support of a number of weak and inefficient agencies, it may be organized and directed into a single channel and thereby develop a considerable power for saving. This does not mean necessarily that middlemen will be eliminated, although the effect may and should be to discontinue inefficient agencies. Agencies which facilitate distribution will always

be required, and the concentration of a community's needs will serve to strengthen such agencies as are actually needed.

Much useless argument on the question of eliminating middlemen will be avoided if discussion is limited to a consideration of their proper functions. A reduction in number or a change of character is frequently confused with the elimination of functions. Certain middleman functions are the result of growth and development and may be necessary. Ownership, or control, of middleman facilities, however, is a question of expediency and certainly may not be denied to that industry or class of persons who are to be benefited.

POSSIBILITIES AND LIMITATIONS OF COOPERATIVE PURCHASING.

ELIMINATION OF UNNECESSARY SERVICE.

Various forms of cooperative activity are found in the United States, a considerable number of which are organized for the cooperative purchase of farm supplies. Feeds, fertilizers, spraying material, containers, and certain kinds of farm machinery are among the items most frequently purchased cooperatively. The largest savings are possible on this class of supplies because much of the service ordinarily required of dealers can be dispensed with. It would not always be necessary for large stocks of this class of merchandise to be carried by local dealers in anticipation of farmers' needs, if the farmers would get together and estimate their requirements in advance. The warehousing of merchandise involves expense and also encourages a credit business which entails further cost. Much saving could be effected if farmers would relieve local merchants of burdensome credits and useless warehousing and sales expense. But farmers acting individually usually will not seek to reduce cost in this way. Indeed, the average dealer hesitates to offer any special inducements to individual cash purchasers and persons who are in a position to do their own warehousing and financing, because of the dissatisfaction which it tends to create among his less progressive patrons. It is difficult for a merchant to maintain successfully one scale of prices for one class of customers and another for a different class.

It seems necessary, therefore, for those farmers who are in a position to dispense with certain kinds of service first to form an organization of some kind through which they may voice their common desires. Having organized, it will not be difficult to secure the kind and amount of service required, and if the prices of local dealers then are reasonable with reference to the service which they are called upon to perform, the organization may wisely continue to patronize such dealers. If, on the other hand, local dealers assume an antagonistic attitude and refuse to recognize that the organization is entitled to a price reduction in proportion to its concentrated volume of business and lessened amount of service required, the organization is in a position to deal directly with wholesalers, jobbers, or manufacturers. No comparison of prices on any commodity is fair to the local dealer which does not take into consideration the service which is required in its handling, and the efforts of a cooperative organization first should be directed toward determining just how much service can be dispensed with and how much speculative and merchandising risk can be assumed by the members themselves.

The organization which can do the most effective work is the one which can eliminate all unnecessary service. Persons who prefer to buy goods in small quantities, who require the local merchants to carry large stocks to supply their varying needs, and who demand the extension of long-time credit must expect to pay for such service. Unfortunately, many persons who do not require the extra service and do not benefit by it are compelled also to contribute to its support. The effect is to place a premium upon slovenly and uneconomic practices. A cooperative organization has done much if it has merely furnished the opportunity for thrift to those who would be thrifty.

STANDARDIZING PURCHASES.

The greater the number of kinds and brands of supplies used for the same general purpose in a community, the less will be the volume of sales of any one kind or variety. Conversely, if a large number of persons using many different brands of the same kind of supplies can determine

upon one or two, the volume of business in those brands will thereby be increased and a greater purchase power can be brought to bear in bargaining for them with dealers or manufacturers. In the average community, a wide variety of brands and kinds of supplies are used for the same purpose. Differences of opinion exist as to the merits of some kinds compared with others, but usually one or two kinds may be found which are in general use and will prove quite as satisfactory to the community as the wider variety of supplies. A cooperative organization furnishes a convenient medium through which to determine by systematic study and observation the kind of supplies or machinery which is best suited for the needs of a community. In the case of feeds, fertilizer, and spraying materials, the organization will be able to secure chemical analyses and expert opinions the cost of which would be too great for the members to assume singly. These means assure the receiving of high-grade goods.

SCOPE OF ACTIVITY.

A cooperative purchasing association will function best when its activities are centered in the handling of a limited variety of such supplies as are staple and of general utility in the community. The service which it performs should be of a highly specialized order, and for this reason it should avoid as far as possible handling miscellaneous merchandise or shelf goods. Except in rare instances it will not be advisable to deal in any commodity which is not bought in carload lots and distributed from the car door. Contrary to the fear sometimes expressed by local merchants, it is a far cry from the simple cooperative purchasing association to the cooperative store. It is true that cooperative stores have followed the organization of purchasing associations in some instances, but usually they have followed as a result of antagonism on the part of merchants rather than as a consequence of the purchasing association. Cooperative stores require an entirely different form of organization and method of conduct, and when a cooperative purchasing association takes on the activities of a store many of the wasteful practices which the purchasing association was intended to eliminate frequently result.

A cooperative organization should strive to be different from a privately owned enterprise. Its conduct of business should be of a kind and character which make impossible the comparison of it with any noncooperative business. Every phase of its operation which can be compared with a like phase of the operation of a private business offers an opportunity for unfriendly interests to compete and discredit. Its purpose should be not so much to eliminate the net profits of dealers as to eliminate wasteful practice and unnecessary service. When this is fully understood and made known to the local dealers there will be little ground for objection on their part. In fact, dealers who are progressive and awake to their opportunity frequently will welcome such an arrangement, because it relieves them of much expense and inconvenience which brings them no profit, but on the other hand exposes them to criticism by those not understanding nor appreciating the distinction between gross profit and net profit. An article of merchandise may be handled upon what appears to be a very great profit but which, when the expense connected with its storage and sale has been deducted, is in fact a very nominal profit.

FORM OF ORGANIZATION.

INCORPORATED ASSOCIATIONS.

The form of organization which is adopted by a cooperative association will have much to do with its success or failure. Many persons look upon a cooperative purchasing association as a rather simple undertaking, which requires little or no detailed plan of operation and therefore no permanent form of organization.

Though relatively simple when compared with certain types of marketing associations, a cooperative purchasing association, nevertheless, requires a very firm and specific structure. It is not necessary that the organization plan should be elaborate, but whatever form is decided upon, whether the incorporated capital stock or nonstock form, or the voluntary association form, it must be suitable to local conditions and the particular kind of activity which is to be conducted.

A greater number of unincorporated associations perhaps exist among cooperative purchasing associations than among any other class of cooperative business organizations. This is due in part to the fact that many persons associate an incorporated company with the capital stock form of organization, which usually is not advisable for a simple purchasing organization. Again, in a number of States, it is not possible to incorporate business organizations of the nonstock form. In these States it is necessary either to form a capital stock company with the par value of stock placed at a nominal sum or to operate as a voluntary association. No capital stock is usually required in simple purchasing associations. In fact, it may offer a temptation for improper use.

UNINCORPORATED BUYING CLUBS.

Cooperative associations should be incorporated whenever possible and whenever the organization proposes to engage in any business involving the credit or liability of the members through the actions of an agent or manager. Sometimes the members of a farmers' club or other semi-business and social organization wish to avail themselves of the advantage of collective buying without the formality of incorporating by simply utilizing the existing organization machinery. In every such case there should be established a method of conduct which makes it impossible for any member or officer to constitute himself an agent for the purpose of binding the body of members except in a very special and restricted sense. The necessity for this arises from the fact that generally, subject to some exceptions, an unincorporated association has practically the same status in law as that given to a partnership. In many States the individual members will be held jointly and severally liable for the acts of the managing agent. An unincorporated organization should operate, therefore, along lines which make it unnecessary to clothe the agent or manager with any but the most limited and restricted powers. He must be shorn of every power to bind members except by special appointment for a special purpose. He should have absolutely no power to pledge the personal credit of members. Moreover, the business must be so conducted as to make it plainly evident to the trading public that he has no such power.

PLAN OF OPERATION.

CAPITAL REQUIREMENTS.

A clearly defined plan of operation should be worked out in detail and be embodied in a formally adopted set of by-laws,¹ whether the association intends to operate as an incorporated body or merely as a voluntary association.

If warehouses or permanent buildings are deemed necessary they may be provided for by the sale of capital stock in the case of a capital stock form of organization, or by membership fees in the case of nonstock organizations or voluntary associations. In but few cases is it advisable to provide a cash working fund in this way. Each member should be required to finance himself by advancing to the association an amount in cash or credit which will cover the amount of his purchases. Unless this is done, and money belonging to the association is available for the purpose, it will soon be found that a credit business with the members has been established. The worst feature of using association funds for the purchase of supplies lies in the fact that members will grow careless in estimating their requirements and when a shipment arrives may fail to call for the goods which they have ordered, thereby throwing a loss upon the association.

The amount of capital necessary to finance buying operations should be made available by each individual member in proportion to the use of capital required by his needs. It is not meant that each member should provide a sum in cash which will be always available and which will be placed entirely beyond his control. There must be provided, however, means whereby payment of goods ordered by him can be enforced legally and simply. Before any orders are collected, each member desiring to participate in the buying operations may make arrangements with his local bank to honor any orders signed by him up to an amount previously decided upon by the association's board of directors as being adequate to cover his purchases.

¹ U. S. Department of Agriculture Bulletin 541 contains a suggested form of by-laws for cooperative associations which is capable of being adapted to various forms of organizations.

When it has been determined that a certain member's maximum capital requirement at any one time is, say, \$100, that member will immediately furnish the association's secretary with a statement from the bank certifying that it will honor and pay any orders signed by the member, not exceeding in the aggregate \$100, which may be presented to it during a specified time. Arrangements with the bank may be made either by means of a loan, bearing interest only during the time actually in use, or by having a charge made against the member's checking account, as for a certified check.

METHOD OF CONDUCT.

The required capital having been provided, there must be established a convenient means for applying it to the purchase of supplies. For this purpose an order form may be provided which will authorize the bank to apply the available funds to the payment of goods upon their arrival.

A simple and practical method of applying funds to the payment of goods which are ordered would seem to be an order to purchase and an order to pay combined into one instrument which is signed by each member at the time orders are being collected. When sufficient orders are collected to make up a shipment they are placed with the bank and applied by the bank in payment for the shipment upon its arrival. The responsibility and powers of the business agent or secretary of the association in his relations with third parties are thus narrowed and limited to a point where his duties will consist chiefly in collecting and placing orders, notifying the members of the arrival of shipments, and effecting delivery thereof.

The following combination order and payment form is suggested:

Order No. (Date)
To

Please purchase for me and have delivered to station on the railroad, the following supplies, which I agree to receive upon arrival. Notify me of arrival by at

| Quantity. | Description. | Estimated price. | Amount. |
|-----------|--------------|------------------|---------|
| | | | |
| | | | |
| | | | |
| | | | |

(Signed)
(Purchaser.)

To the Bank, (Date) 19....

Pay to dollars (\$.....),
the amount of my accompanying order No. for supplies on arrival at station but not to exceed dollars.

(Signed)
(Purchaser.)

This order certified and payment guaranteed this day of 19....

..... BANK,
By Cashier.

Perforated.

This order form may be executed in duplicate or triplicate, except that the order upon the bank is signed on the original only.

In practical operation the plan here suggested will work about as follows: Orders will be assembled by the secretary of the association, or by some person appointed as purchasing agent, at prices estimated sufficiently high to cover all charges and handling costs. When a sufficient number of orders are had to make up a quantity shipment, the secretary or agent proceeds to bargain for its purchase. This may be done by advertising for sealed proposals or by a canvass of firms dealing in the supplies desired. When a satisfactory proposal has been received and accepted, all of the individual orders are placed with the bank selected to handle the funds of the association, and the bank certifies to the firm or dealer


whose bid has been accepted that the amount of the whole order is on deposit and will be paid upon arrival of the supplies in good order and up to the standard. After paying for the shipment the balance of the funds is placed by the bank to the credit of the secretary of the association or the person designated as agent, who, when delivery has been effected, computes and deducts all handling charges and his commission or salary apportionment, if upon a salary basis, and then refunds to the members the difference between the estimated cost and the actual cost of the supplies bought.

If desired the order may be executed in blanket form; that is, no estimated prices need be stated. The bank is authorized to pay the association agent the actual computed cost of the supplies specified up to and not exceeding a certain amount. When the goods have been delivered and the actual cost has been ascertained, the agent fills in the correct cost prices and net amount of order in the check form, which is then charged to the member's bank account. Thus adjustment is effected without the passing of any actual money.

POINTS TO REMEMBER.

The essential points in the plan here suggested are:

- (1) Elimination of all unnecessary service and warehouse expense.
- (2) Standardization of purchases.
- (3) Buying in carload lots only.
- (4) Buying only staple supplies.
- (5) Utilizing the machinery of local dealers whenever possible.
- (6) Securing the members' signed orders in advance of purchase.
- (7) Ordering no supplies for any member unless the order is accompanied by cash or its payment is guaranteed by a local bank.



By GEORGE M. ROMMEL,

Chief, Animal Husbandry Division, Bureau of Animal Industry.

DURING the spring, summer, and fall of 1919 the northwestern part of the United States suffered for the third succeeding year from extremely dry weather. The rain and irrigation water was not sufficient for the usual crop growth in that area or to provide adequate supplies of water for live stock. Each year had seen an increasing number of live stock shipped out, and the severity of the drought in 1919 caused stockmen to become alarmed. Through their representatives in Congress they appealed to the Department of Agriculture for assistance. With the benefit of the department's experience, gained through work in Texas in 1917 and 1918, in moving live stock from the drought area to feed and pasture elsewhere, Acting Secretary Clarence Ousley, in July, appointed the committee on live stock drought relief to take charge of the coordination and administration of the work. This committee consisted of L. D. Hall, Chief of the Division of Live Stock and Meats of the Bureau of Markets; C. B. Smith, Chief of the Office of Extension Work, North and West, of the States Relations Service, and the writer as chairman.

Mr. Ousley's instructions to this committee on July 10, 1919, were as follows:

(1) Bureau of Animal Industry to direct movement of cattle, in cooperation with Bureau of Markets, particularly officers of that bureau at central markets.

(2) Bureau of Animal Industry to determine locations into which cattle may be sent where grazing conditions permit.

(3) Bureau of Markets to handle the shipment of feed into Montana, as heretofore.

(4) Organization: Bureau of Animal Industry force (details being given of tentative assignments from this bureau).

In transmitting these instructions to the three bureaus concerned, Mr. Ousley expressed the understanding that some of the details of the last two paragraphs might require amendment. This was done later, and these two paragraphs read as follows:

(3) Bureau of Markets to handle shipment of feed into Montana in cooperation with Bureau of Animal Industry and States Relations Service.

(4) Organization: Administrative and field forces of the Bureaus of Animal Industry and Markets, and the States Relations Service.


THE DEPARTMENT ACTS PROMPTLY.

The three bureaus represented on the committee on live stock drought relief were officially charged with the administration of this work. A fourth bureau, the Forest Service, although not specifically represented on the committee, rendered invaluable assistance, first, by a rapid survey of the stock on the National Forests, and later by giving advance information of the run to be expected out of the forests to market.

This committee had full charge of the work from the beginning and reported directly to the Secretary of Agriculture. No funds were available for the relief work except as regular appropriations could be drawn upon. In view of the urgent character of the emergency, available balances under established projects were drawn upon in the expectation that Congress would later relieve the appropriations to the extent of the amount actually spent over and above normal expenses, not counting the time of regular employees detailed from their usual duties.

The department and others had already conferred with the United States Railroad Administration for the purpose of establishing emergency rates on feed into the drought area and on live stock to be shipped out for feeding and grazing and later returned. The people of Montana had shown commendable energy in attacking the problem and

had sent a representative of the Agricultural Extension Division to Minnesota to determine the availability and extent of feed and grazing lands in that State. This plea for assistance was met with a State-wide campaign in Minne-



A. Shipment of Sheep Going on Range in Lake County, Minn.
B. Trainload of 4,100 Sheep Arriving at Two Harbors, Lake County, Minn., from the Drought Area of the Northwest.

sota to locate pasture land and hay. Within a very short time much accurate information was available, and a considerable number of sheep had already been moved into Minnesota and adjacent States.

PLAN OF ORGANIZATION.

In order to coordinate and systematize plans for the work the department, through the committee on live stock drought relief, called a conference of interested persons to meet at St. Paul on July 15. This conference was attended by 200

persons from all sections of the North and West, representing every agency likely to be in a position to assist in the movement.

At the close of the conference the plans which had been worked out for the organization were announced, and work was immediately begun. An emergency office for the East was established at the Union Stock Yards, South St. Paul, Minn., with headquarters in the local offices of the Bureau of Markets. Prompt measures were taken to locate persons having available grazing land and hay land which could be harvested by crews from the West, as well as supplies of hay for sale. A field force traveled among the feeding sections in the adjacent territory, determined as far as possible the best outlets for live stock from the Northwest, and acted as intermediaries between the extension divisions of the agricultural colleges and the county agents in the different States and the market forces at the stockyards. An emergency office to keep in close touch with the situation in the drought area was established at Billings, Mont. This office devoted especial attention to Montana, North Dakota, South Dakota, and Wyoming. Conditions in Idaho, Utah, and Colorado needing relief were met mainly by the live-stock extension forces of those States.

Special letters were issued by the South St. Paul office at frequent intervals giving information concerning the shipments of cattle and sheep from the Northwest to market, market quotations, lists of available pasture lands, probable demand for stock for feeding purposes, etc. Statements of the location and amount of pasture, hay, and feeding stuffs available were sent to the western office and made public in such manner that no injustice was done to any one and no untoward influence brought to bear on the market.

FIELD FORCE ACTS PROMPTLY.

Approximately 4,000,000 acres of grazing and hay land, with sufficient information to determine its value for cattle and sheep, were listed within a very few days. Requests from farmers in the stock-feeding sections for information pertaining to the purchase of more than 3,000 cars of cattle and sheep were received. Many purchases were made di-

rectly from owners in the West who were anxious to sell, but the bulk of the purchases were made from stock shipped to central markets.

Lists of live stock for sale were assembled by the western office and sent to prospective purchasers in the East. Those who wished to purchase hay or other feed or locate grazing



**Ewes that Were Brought in from the Northwest in July
Being Shipped to Market in October.**

The lambs from this shipment brought a record price on the St. Paul market.

lands were put in touch with those having them, and forces in all other sections kept reliably informed as to conditions in the area affected.

Throughout the entire summer and fall the offices in both the East and West were flooded with inquiries as to conditions and possible relief measures which should be taken. No doubt it was the encouragement, counsel, and advice of the forces engaged in the work that overcame pessimism, encouraged people in the West, and at the same time possibly prevented unscrupulous persons from taking advantage of the drought sufferers.

Later in the summer the drought relief committee established emergency offices at Chicago, Omaha, and Kansas City. The service from these offices was similar to that from the St. Paul office, mainly to keep prospective purchasers of feeder cattle and sheep in adjacent territory informed as to movements of live stock from the drought area, together with prices and demand on the markets, and to keep in touch with supplies of feed available for shipment to the Northwest and of pasture lands available for lease. A mobile field force was available at all the offices and traveled throughout the territory adjacent to them, gathering information.

The Railroad Administration established special emergency rates. These rates provided for one-half the regular rates on feeds shipped into the drought area, with the exception of cottonseed meal and cake, on which a rate of 60 cents per 100 pounds was established to Montana and 50 cents per 100 pounds to Wyoming. Cattle shipped out to be fed en route and marketed later received the same feeding-in-transit privileges which formerly applied to sheep, and on live stock shipped out to be returned rates equivalent to one and one-third for the round-trip rate were allowed, or a reduction of two-thirds on the return shipment. The rates on feed are available until April 1, 1920, and the return rate on live stock until June 1, 1920.

OUTSTANDING FEATURES OF THE DROUGHT.

The writer was thoroughly familiar with the conditions during the three years' drought in Texas and had been through Montana in May, 1919. He left St. Paul immediately after the conference for a more careful study of the situation in the Northwest, while others remained in the East to organize more completely measures of relief in that area.

The most encouraging feature in the West was the contrast between the condition of Montana live stock and that of Texas during the drought. Practically no animals were seen which were not in good condition; even cows suckling calves were strong and in moderate flesh. In fact, it is safe to say that until the approach of winter there was practi-

cally no starvation on the northwestern ranges. The reasons for this are found, first, in the remarkable feeding value of the native grasses in the Northwest, and, secondly, in the fact that the turf had not been destroyed by overgrazing


A. One Type of Range Pasture Used by Cattle and Sheep.
Michigan Upper Peninsula Experiment Station.



B. Same Area after Sheep Had Grazed on it All Summer.
Michigan Upper Peninsula Experiment Station.

or lack of rainfall. In Texas during the height of the drought one could drive over miles of territory on which no more grass was visible than on a ballroom floor. Nothing of this kind was seen in the Northwest, except along a few mountain sides, which probably never had been heavily carpeted with grass.

The area of the drought included approximately the northern half of Colorado and most of Utah and Nevada, from which territory it increased in intensity northward, becoming severe in the northern half of Idaho and of Wyoming, and embracing all the State of Montana, extending into the northwestern part of South Dakota, and the western half of North Dakota, and into Alberta and southwestern Saskatchewan. (See map.) Although the drought had been more prolonged in Montana (practically three years



of crop failure having been experienced by dry farmers), the most intense drought of 1919 was in the northern half or two-thirds of Wyoming, where practically no rain fell from early spring until late fall. As usually happens in such disastrous climatic visitations, what western people call "spotted" rains occurred—local showers which kept grass more or less green and gave certain localities better range than others. The southeastern corner of Wyoming never became so dry as the north-central portion, and the extreme northwestern corner of North Dakota had good grass throughout the season. Even parts of Montana received rainfall enough to give a certain amount of winter feed with careful ranch management. Extremely high temperatures in the summer months and high winds almost every

day accentuated conditions and accelerated evaporation. For example, Havre, Mont., had 1.99 inches of rain in June, but it also had average temperatures far above normal, with constant winds.

The most serious problems confronting ranchmen were not so much an immediate shortage of grass as the danger of springs and streams drying up and the approach of winter, which set in much earlier than usual and in some sections was quite severe. It was therefore necessary to reduce herds to the minimum, to conserve available feed supplies, and to ship in surplus feed from elsewhere. The department advised ranchmen to take account of available feed supplies and if at all possible to hold cows and ewes with young at side, sending steers, wethers, and lambs to market as soon as ready, and young or half-fat stock to pastures elsewhere.

SPIRIT OF THE WEST.

At the time this movement began, in July, decided signs of panic were evident throughout the drought region. In a month's time, however, they had entirely disappeared. No doubt the effort which was being made to avert calamity was having its effect. People in the affected territory had got their second wind, so to speak, and were determined to see the situation through to a successful finish. The spirit of the West was manifesting itself and people were facing the outcome with courage and fortitude. The large prospective crops of corn and hay in the Middle West and the discounting of hay shortage in the Northwest itself had much to do with the revival of confidence. As time went on, attempts at profiteering in hay proved abortive, and many speculators who had bought considerable quantities of hay intending to profit by their neighbors' distress found the shoe on the other foot and were anxious and eager to sell hay contracts by the middle of September.

THE AREAS OF RELIEF.

The first effort of Montana ranchmen was naturally to seek pastures near by. Pastures in South Dakota and Nebraska were therefore filled up early. Two unique features

of the relief work were found in the movement to Minnesota, Wisconsin, and the Upper Peninsula of Michigan, and to Texas and New Mexico. Most of the northwestern ranch-

A. Cattle on Native Pasture in Marquette County, Mich.



B. Watering Place in the Cut-Over Area.



C. Cattle Grazing on the Cut-Over Range in Upper Peninsula of Michigan.


men were inclined to feel that the movement of cattle from what is locally called "hard grass" to the more succulent pastures of the central portion of the country would likely

prove to be unsatisfactory. This opinion prevailed notwithstanding the fact that sheep and cattle had been sent into the Great Lakes regions during the past few years for grazing purposes. Actual developments show, however, that both cattle and sheep were moved into Minnesota, Wisconsin, and the Upper Peninsula of Michigan in large numbers with generally satisfactory results. Some reports of dissatisfaction with conditions in this territory have been received, but these can be attributed in practically every instance to the fact that the animals were thin when moved in and sold later in only feeder condition on a declining market, that they were moved too late (October in some instances) for the available feed to be of fullest benefit to them, or that the ranges were poorly selected and not well suited to the purpose. The drought relief committee has a much larger number of reports and letters from ranchmen expressing satisfaction with the range in that territory than it has reports of criticism. While movement into that area necessitates a long winter feeding season, the abundant forage available during the growing season as well as the excellent water supply has proved attractive to many.

The view was emphasized by every one that western stock should not be moved into the Great Lakes region until the owners had personally inspected the tracts offered and satisfied themselves as to their suitability for grazing purposes. The owners of the land made extremely attractive offers, in some cases offering it without charge for summer and fall pasture. The movement of Texas cattle into the Southeast in 1917 and 1918 gave a decided impetus to the development of the live-stock industry in that area, and it is safe to say that a similar impetus has been given the already growing industry in northern Minnesota, Wisconsin, and Michigan. Many of those who, through necessity, came into this area in 1919 doubtless will return with other shipments of stock as time goes on.

Wyoming and Montana have been accustomed for nearly half a century to receive from the Southwest annual inflows of cattle for grazing, but it was a new suggestion to them to consider a reverse movement. The return of Texas and New Mexico to good grazing conditions has been one of the most phenomenal occurrences in our agricultural his-

tory. From a condition of extreme depletion of pastures, Texas returned in less than a year's time to better pasture conditions than ever had been known before, with cattle in



A. A Ranch Scene in Texas.

Large numbers of cattle and sheep were shipped for pasture. The picture was taken in the fall of 1919 and shows the remarkable transformation which the Southwest has had after a year of ample rainfall.

B. Sheep Herder Who Had Just Arrived from the Northwest.

better summer condition and range more abundant. The liquidation of cattle from Texas and New Mexico pastures in 1917 and 1918 made it impossible to find this year sufficient surplus stock at hand to consume the abundance of

forage available. Eventually this outlet, with its milder winters and the consequent saving of winter feed, proved attractive, and many northwestern ranchmen took advantage of it, entire herds in some instances being moved. The movement was still under way in mid-November.


It should also be mentioned that the demand for feeder sheep by the Central Western farmers, especially in the Missouri Valley, absorbed hundreds of thousands of the thin lambs which reached the Missouri River markets during the height of the run. Some of these sheep were grazed on aftermath, some of them were used to salvage lodged grain, and some of them were used in the usual feeding operations of that section.

ACTUAL RESULTS.

Normally the movement of cattle out of Montana is between 200,000 and 300,000 head each year. In 1919 it is estimated that between 500,000 and 600,000 head were shipped out for all purposes, which represents a supernormal movement of at least 200,000 head. Available figures are not at hand from which to make a similar comparison in the case of sheep. As nearly as it is possible to estimate from reports of representatives in the field, somewhere between 400,000 and 500,000 head of all classes of stock were moved out of the Northwest into sections east and south of the drought area for feed and grazing purposes through the cooperative effort of all forces under the department's leadership. In addition to this, ranchmen and farmers in the drought area have been saved large sums by purchasing feed supplies in quantity, by the material reduction in freight rates on feed shipped in and live stock shipped out, and by the prevention of high prices for feed on account of the careful surveys of local feed supplies which were made by the agricultural extension forces.

LESSONS FROM THE RELIEF WORK.

The writer considers that lessons of great importance were brought out in the drought relief work of 1919. The first is the service which can be performed by public agencies working in cooperation. A striking illustration of the Government's ability to perform a useful service was given to the



Type of Cut-Over Range in Minnesota that Afforded Excellent Pasture for Live Stock.

people of the Middle West and the Northwest, and it was demonstrated to them that the cooperation of distinct and separately administered branches of the Government is by no means an impossibility.

Four separate branches of the United States Department of Agriculture, several regional offices, as well as the headquarters of the United States Railroad Administration, the Federal reserve banks, and the Federal farm loan banks, with their governing boards in Washington, a score of agricultural colleges, as many more State agencies of various kinds, hundreds of county agents, and a host of semipublic and private institutions, business men, bankers, ranchmen, farmers, and representatives of the press worked together during the

summer and fall of 1919 to move cattle and sheep out of the drought area of the Northwest to feed and pasture elsewhere and thus averted the national calamity which would certainly have followed their premature slaughter or their starvation on the ranges during a severe winter.

Men of every Government, State, and other agency, and, particularly, the county agents in the different States took loyal part in this work. Self-seeking was exceptional. It was the rule for every man to regard the work at hand as of more importance than the individual. Inter-bureau lines, inter-departmental lines, and State lines disappeared in the prosecution of this task.

The second great lesson is that, with proper organization and the dissemination of accurate information, a drought, even so severe as that which plagued the Northwest for so long a period, need not have a calamitous outcome. The United States covers such a wide range of latitude and longitude, and has such a diversity of topography, climate, and rainfall, that drought never covers the entire country with equal intensity at one time. It is reasonably safe to assume that a shortage of feed in one section will always be counterbalanced by an abundance in some other section. To point out these possibilities and to direct the machinery whereby they may be utilized are proper functions of the Federal Department of Agriculture, and to take advantage of them is the opportunity of those who may be affected by unfavorable weather conditions.

LIVE STOCK CONDITIONS *in* EUROPE

By TURNER WRIGHT, *Investigator in Marketing Live Stock and Meats, Bureau of Markets*, and GEORGE A. BELL, *Senior Animal Husbandman, Bureau of Animal Industry*.

[Based on observations made during 1919.]

INASMUCH as the European demand for American live stock and live-stock products is a factor which must be considered in all our live-stock operations during the period of readjustment, the condition of the live-stock population of Europe is a subject of vital importance to American stock growers.

The general impression which prevailed in this country during the period of the war was that European flocks and herds would of necessity be depleted by the ravages of the conflict and by the demands for meat to supply the needs of both the fighting forces and the civilian population of the warring countries. This belief, with the prevailing high prices compared with those of other years, tended to stimulate production in this country even before the United States entered the struggle. The campaign for increased production during 1917 and 1918 brought about a still greater increase, with the result that at the time of the signing of the armistice the numbers of cattle, hogs, and sheep in this country were materially greater than in 1914, at the beginning of the war.

It was generally considered that there would be a reasonably good demand among the European countries for whatever surplus might exist in this country at the conclusion of hostilities. Developments since the signing of the armistice, however, have indicated that the live stock of Europe has been preserved to a much greater extent than had been anticipated. There was a decrease in the total number of horses, cattle, sheep, and swine in the 10 countries of western Europe, and prices were considerably higher than in pre-

war times. Farmers generally had taken advantage of the high prices to cull their flocks and herds closely, selling all old and inferior animals and retaining the best young ones.

LIVE-STOCK CONDITIONS IN FRANCE.

Statistics of the ministry of agriculture in France show that the decrease in the number of horses from 1913 to 1917 was nearly one million head, or about 30 per cent, but the shortage was somewhat alleviated by the 2,300,000 cattle



Normandy Cow on Farm Near Caen, France.

April, 1919.

which were classed as work animals in 1918. More than one-half of these work cattle were cows.

The number of Percherons was greatly reduced during the war, but successful efforts were made to retain a good supply of high-class breeding animals with which to rehabilitate the studs. The Percheron breeders are looking forward to a resumption of export trade in breeding animals. The high prices prevailing for both work stock and breed-

ing animals will probably restrict the exportations to small numbers for the present.

There was a decrease of $1\frac{3}{4}$ per cent in the number of cattle from December, 1914, to June, 1917, followed by an increase of 7 per cent from June, 1917, to June, 1918, and the general opinion in France during the early part of the summer of 1919 seemed to be that this rate of increase had continued to June, 1919. If this opinion was correct, the total shortage of cattle in France in June, 1919, as compared with December, 1913, was only approximately 540 thousand.



Normandy Bull on Farm Near Cherbourg, France.

April, 1919.

The number of cattle decreased $14\frac{1}{2}$ per cent from December, 1913, to December, 1914; the number of sheep in France was decreasing even before the war, and during the five years of war the number fell from about 16 million to $9\frac{1}{2}$ million. There was a decline in the slaughter of sheep at the Paris live-stock market, the largest in France, in both 1918 and 1919, which seems to show a tendency on the part of farmers to conserve breeding stock, notwithstanding the high prices for meat which have prevailed. The relatively great reduction in the number of swine from 1913 to

1918 was no doubt due in a large measure to a shortage of concentrated feed. There also is little doubt that with favorable conditions with respect to feed and a continuation of existing high prices the herds of swine could be replenished very rapidly.

The shortage of cattle and concentrated feed brought about a shortage in milk, butter, and cheese. Condensed milk was imported during the war to supplement local production, most of which was used for the Army. The civilian consumption of condensed and evaporated milk seems to have increased.

There is no meat-packing industry in France, such as has been developed in the United States. It was stated that American cured sides and salt pork, as a rule, do not meet the French taste. American hams and best grades of bacon, however, seem to meet with approval, but these products are too expensive for the average French family. The people of France have not been accustomed to eating frozen meat, although the Government in 1919 was trying to encourage the use of frozen meat in order to reduce the price of meats to the consumer and to conserve the French breeding stock. All kinds of live stock were relatively high priced. Good young cows in Normandy were worth from 1,500 to 2,500 francs (\$290 to \$483), which was practically three or four times as much as similar cows brought before the war.

There appeared to be plenty of forage and practically all of the stock seemed to be in very good condition. Grass was abundant, and the general opinion was that there would be plenty of roughage to meet all requirements during the winter of 1919-20. The greatest handicap with respect to feed was the shortage of concentrates suitable for swine feeding, but it was expected that this condition would improve with the harvesting of the growing crops.

The fact that French farmers were culling their herds closely was evidenced by the quality of cattle seen on the market at La Villette in Paris, the leading stock market of France, as compared with the quality of the cattle seen in the breeding herds on farms in various parts of the country. Inferior young animals and older ones were seen on the market, while on the farms there were large numbers of

yearlings and 2-year-old heifers which for the most part were well grown, of good size, and in good condition. It should be noted, however, that the Government regulations with respect to weights at which cattle could be slaughtered, which were in effect until March, 1919, had a tendency to force the marketing of the older cattle, but there is no doubt that the best of the mature animals were retained while the poorer stock was sent to market.

One of the effects of the war seems to be a stimulation of interest in purebred cattle breeding. The breeders of Normandy cattle in northwestern France appeared to be taking advantage of the opportunity to advance their interests, while the societies interested in the breeding of Charolais cattle in central France have amalgamated with a view to pushing the interests of the breed. A letter received from France in November gives the information that cattlemen in Brazil have been interested in the Charolais cattle.

LIVE-STOCK CONDITIONS IN BELGIUM.

The live-stock situation in Belgium, while serious, is not so bad as one might have expected after four years of occupation by a hostile army. There has undoubtedly been a great reduction in all classes of live stock, but both farmers and Government officials seem optimistic as to the future. Statistics of the ministry of agriculture show a decrease of slightly more than 51 per cent in the number of cattle, a decrease of more than 77 per cent in the number of swine, and a decrease of approximately 36½ per cent in the number of horses in the country from 1913 to 1919. The ministry of agriculture estimated that 560,468 cattle, 250,215 swine, and 91,124 horses were taken out of the country by the German Government. It was expected, however, that some of this stock would be returned.

The shortage of horses in Belgium, like the shortage of horses in France, has been somewhat alleviated by the increase in the number of cattle used for work purposes. While large numbers of the high-class Belgian draft-horse stock were captured by the enemy, the breeders were fortunate in retaining many of their best horses, as was evidenced by the excellent exhibit of over 700 animals at the show of the Belgian Draft Horse Society held at Brussels in June, 1919, and by the many high-class animals seen in various

parts of Belgium. The sheep and goat industry of Belgium is of relatively small importance.

The best information available indicated that Belgium would have to depend on outside sources for quantities of frozen and cured meats to the extent of 2,000 tons a month. Cold-storage facilities accommodating about 8,000 tons of meat were being provided at Antwerp in the summer of 1919. It was estimated also that from 1,000 to 2,000 tons of



First Prize Group of Mares, Belgian Horse Show.

Brussels, June, 1919.

condensed milk a month from outside sources would be necessary to meet the needs of the country during the winter of 1919-20.

Good milk cows sold in Belgium during the summer of 1919 for 2,000 to 3,000 francs each, which at that time was equivalent to approximately \$310 to \$460. Cows similar in quality could have been purchased before the war for 600 to 700 francs (\$116 to \$135). The live stock seen in Belgium, as a rule, was in very good condition. A severe drought during the spring and early summer, however, caused a shortage of feeds, which tended to limit the number of animals which could be carried through the winter of 1919-20.

LIVE-STOCK SITUATION IN SWITZERLAND.

There was a general shortage of all kinds of live stock, meats, and dairy products in Switzerland in May, 1919, with the exception of sheep and goats, which had increased in number since the beginning of the war. There are only a few sheep in that country; the figures show an increase of 39.7 per cent for sheep and an increase of 4.3 per cent for goats from 1911 to 1918. The census figures for 1918 give the number of milk goats at approximately 250,000, or more than two-thirds the total number of goats. In general there appeared to be a shortage of good horses in the country, but as the Swiss farmers work a large number of cattle the shortage of horses did not seem to be giving them much concern.

The census figures of the ministry of agriculture show an increase of approximately 12 per cent in the number of cattle from 1911 to 1916 followed by a decrease of about 5½ per cent from 1916 to 1918. It was estimated that there had been a further decrease in the number of grown cattle, but the figures for 1919 were not available. While Switzerland had more cattle in the summer of 1919 than in 1911, this can not necessarily be taken to mean that the country was in a better condition from the standpoint of meat and dairy production, for the increase was in the number of young stock which was not producing milk nor old enough to market for meat to the best advantage. Furthermore the feed situation had been critical because it had been practically impossible to obtain oil cakes and because the Government required that a greater amount of land be plowed and planted to potatoes and other crops than in normal times. The cattle, consequently, were thinner in flesh and the milk production had been greatly reduced.

A member of the department of agriculture of Switzerland stated that the estimated production of milk per cow had decreased almost 30 per cent by the summer of 1919. As the season had been backward, the grass both for feed and for hay did not make the growth usually made in normal years, and the cattle, as a rule, were not in such good condition as those in France. From a cheese-exporting country before the war, Switzerland had become a cheese-importing country.

Switzerland, before the war, imported several thousand cattle from other European countries every year for slaughter. This supply has been cut off through the shortage of cattle in those countries from which she was accustomed to draw supplies. It was stated that Switzerland had to supply France with 25,000 cattle, mostly milk cows, during 1919, in connection with an economic agreement. Good milk cows were worth the equivalent of \$500 to \$800, which was three or four times their value before the war.

While the decrease in swine was not serious, inasmuch as the swine population can be restored in a comparatively short time, it does mean that during the restoration period an increased amount of pork and pork products must be imported while the live hogs are being held back to replenish the herds. Before the war several thousand hogs, largely from Italy, were imported annually for slaughter.

There has been a serious shortage of all kinds of meat in Switzerland. Government officials feared that conditions during the winter of 1919-20 would be even worse unless greater quantities of meat were obtained from outside sources. A comparison of the numbers of stock slaughtered at the 19 largest slaughtering places in March and April, 1918, and March and April, 1919, shows a decrease of 36.1 per cent in the number of cattle, 16.7 per cent in the number of calves, and 25.6 per cent in the number of swine slaughtered. It was estimated that the needs of the current year from outside sources would be about 10,000 tons of frozen meat.

The interest in purebred live stock, as in France, has been stimulated by the abnormal demands brought about by the war. Farmers are taking advantage of the high prices of meat to dispose of their inferior animals and replace them with better bred stock.

LIVE-STOCK SITUATION IN ITALY.

The general condition with respect to live stock is much more serious in Italy than in France. The numbers of live stock were reduced very materially during the war by the needs of the fighting forces and the civilian population and by the ravages of the enemy. The best data available show a decrease of 13 per cent in the number of cattle and buffalo

in the country from 1914 to 1918; this percentage does not represent the total decrease in the production of meat and dairy products, for the decrease in grown cattle was greater than the decrease in young cattle. The numbers were still further reduced during the latter part of 1918 and during 1919, to May, the time these observations were made, by a very serious outbreak of the foot-and-mouth disease. A Government official estimated that at least 40 per cent of the cattle left in the country at the time the 1918 census was taken had died from the disease and that the total damage



Cattle at Work in Southern Italy.

May, 1919.

to production was even greater, because of the reduction in milk yields and in flesh. If this estimate was correct, it will take many years under the most favorable conditions to bring the herds back to prewar strength.

The increase in the number of sheep and goats from 1914 to 1918 was a little more than a million, or about 7 per cent, and is partially accounted for by an increase in grass lands, due to a reduction in the amount of land devoted to the production of cereals, and by the smaller amount of labor required in growing sheep and goats. It was stated that there had been some reduction since the 1918 census was taken, because of the prevalence of the foot-and-mouth disease, but the losses had not been so great as with cattle.

The number of hogs showed a decrease from 1914 to 1918 of approximately 385,000, or about 14 per cent. It was stated that this number had been still further reduced through the ravages of the foot-and-mouth disease, but data as to the approximate loss were not available. It was noted, however, that in spite of the decrease in the hog population, hogs were being sent into Switzerland for slaughter.

Estimates for equine stock show a decrease from 1914 to 1918 of approximately 180,000, or about 8 per cent. As in Switzerland, the shortage of horses and mules did not seem to cause very great inconvenience, as large numbers of cattle are used for work purposes. There did not appear to be many good draft horses in either the cities or the country districts.

The reduction in the herds of cattle had brought about a serious shortage of milk. Condensed milk was being imported to supplement the local production. Butter and cheese were relatively scarce and very little of either was being exported. Meats of all kinds were scarce, the maximum number of cattle, including veal, which the Government allowed to be slaughtered being only 50,000 a month. The number of cattle slaughtered in Italy decreased from 1,800,000 in 1915, to 1,460,000 in 1918. At the same time the importation of frozen meat, coming largely from the United States, increased five times. The problem of obtaining adequate supplies of meat seemed to be causing much concern. The chief difficulties in obtaining meat from outside sources were the rate of exchange prevailing, the difficulty of obtaining shipping space, and the lack of cold-storage facilities in Italy. It was estimated that the needs of the country for meat from outside sources during the remainder of 1919 would approximate 20,000 tons a month.

LIVE-STOCK CONDITIONS IN THE NETHERLANDS.

The live-stock industry in the Netherlands seemed to be in a very prosperous condition at the time these observations were made, in June, 1919. All classes of live stock were in good condition, and there appeared to be sufficient grass to meet all requirements. The large numbers of cattle seen in the pastures and fields were in striking con-

trast to the depleted herds in parts of France, Italy, and in Belgium. Data compiled by the ministry of agriculture for the Netherlands showed a decrease of slightly more than 6 per cent in the number of cattle, a decrease of approximately 48 per cent in the number of sheep, a decrease of 67 per cent in the number of swine, and an increase of 8 per cent in the number of horses from June, 1913, to March, 1919.

The decrease in hogs was said to have been due mainly to the shortage of grain feeds and oil cakes, which formerly had been purchased from America. The production of milk, butter, and cheese likewise had been reduced because of inability to obtain feeds which formerly were imported. In normal times 50 per cent of the dairy products were exported, but the production in June, 1919, was sufficient only to meet normal consumption. It was thought, however, that with the importation of feeds the country would soon be in a position to make exportations of butter and cheese. Inasmuch as the production of swine is closely associated with the dairy industry, it seemed probable that the condition with respect to swine would also improve.


It was stated with reference to meat that local production probably would be sufficient to supply the immediate needs of the country. Considerable quantities of pork products, however, must be imported while the herds of swine are being reestablished. It appeared that small amounts of frozen meats might be imported to prevent prices to consumers from advancing.

Heifers and cows offered for sale on the Rotterdam market June 24, 1919, sold for from 300 gulden (\$121) for the heifers to 1,000 gulden (\$402) for the best cows. Government officials and representatives of the live-stock industry stated there had been a marked increase in the registration of purebred animals, particularly cattle, during the war. This increase in registration was attributed to the belief that there would be a large foreign demand for purebred cattle from the Netherlands after the war. Some breeding cattle had been sold to go to Belgium and to France and inquiries had been received from Brazil. A comparison of the breeding stock seen on farms around Rotterdam, The Hague, and Amsterdam with cattle offered for sale for slaughter on the

Rotterdam market showed that farmers were taking advantage of the high prices for meat to cull their herds closely, retaining only the best for breeding purposes and in many instances replacing grade with purebred animals.

LIVE-STOCK CONDITIONS IN THE UNITED KINGDOM.

The condition of the live-stock industry in general in the United Kingdom seemed to be satisfactory in the summer of 1919 to the Government officials and to others directly interested. The numbers of animals in the herds and flocks



Cattle at the Hull Live Stock Market.

July, 1919.

had been maintained much better than was anticipated, considering conditions prevailing during the war. It was conceded generally, however, that the average weight of animals in the various classes had decreased as compared with the average weight of prewar times. This decrease in weight was due to the shortage of concentrated feeds, to the large percentage of young animals, and to drought conditions which prevailed in England during the early summer of 1919.

Data collected by the British board of agriculture and fisheries, for the years 1914 and 1918, show an increase during the war of approximately $3\frac{1}{2}$ per cent in the number of

horses, an increase of slightly more than 1 per cent in the number of cattle, a decrease of slightly more than 3 per cent in the number of sheep, and a decrease of approximately 29 per cent in the number of swine. It was estimated that the increase in cattle occurred in the number of cows and heifers kept for milk and the number of other cattle under 2 years old. Many cattle seen in both England and Scotland were comparatively thin in flesh, and the cattle shipped from Ireland to the London market could have carried more flesh. The consensus of opinion seemed to be that while the total number of cattle had increased, the average weight had decreased about a hundredweight (112 pounds).

The decrease in sheep was attributed by some to the plowing of pasture lands, and by others to a decrease in the consumption of mutton by the English people. Statistics show that the number of sheep in the United Kingdom had been decreasing for several years before the war. The general opinion seemed to be that there would be no material increase in the number of sheep with the return of normal conditions.

The decrease in the number of swine was caused very largely by the scarcity of grain feeds. The number of swine produced in the United Kingdom, however, has always been comparatively small, consequently the reduction during the war did not seem to be causing great concern. As the breeding stock has been fairly well maintained, the swine population can be increased very rapidly when favorable feed conditions develop.

One of the results of the war was a great shortage of milk in the United Kingdom. The milk situation seemed to be improving by the middle of the summer of 1919, but it was the general opinion that considerable quantities of condensed milk would have to be imported during the winter of 1919-20. Approximately 290,000,000 pounds of condensed and evaporated milk were imported by the United Kingdom in 1918, largely from the United States. The manufacture of butter substitutes in Great Britain increased greatly during the war.

While Great Britain probably consumes a larger amount of frozen meat than any other country in the world, there appeared to be considerable prejudice against the use of

the frozen product. The Government price regulations for the winter of 1919-20 gave a differential of 3 pence per pound in favor of native beef as compared with imported frozen beef.

Complaints were made that British consumers did not like American bacon imported during the war. Fresh-pork products, however, such as loins, met with much favor. It was stated on several occasions that there would be a fairly good demand for fresh-pork carcasses weighing from 125 to 150 pounds if carcasses of such weights could be supplied from the United States. Inasmuch as the people were accustomed to eating less meat during the war, the rate of



Cattle on the London Markets.

July, 1919.

consumption was not expected to go back to a prewar level even when all restrictions and regulations were removed. It appeared, however, that Great Britain would have to import considerable quantities of pork and pork products for several years to meet the needs of the country, and that these importations would have to come largely from the United States, the only available source of supply.

The purebred live-stock business in Great Britain was stimulated greatly by the war. Farmers found that the high prices enabled them, in many instances, to dispose of their grade stock and to replace it with purebred stock of

greater breeding value, with only a small additional outlay of money. The anticipation of trade with foreign countries also served as a stimulus to the purebred industry. It was found that British breeders also were looking to Brazil and other South American countries for foreign trade. Considering that they were held soon after four years of war, the displays of stock made at both the Royal Agricultural Show at Cardiff and the Highland Agricultural Show at Edinburgh were very creditable.

TABULAR SURVEY.

In order to obtain as much information as possible concerning the general conditions of the live-stock industry with reference to total supplies, the best data obtainable for several other countries have been collected and assembled in the accompanying tables, together with the data for those countries in which conditions have been discussed in detail. A comparison of the figures given in these tables shows that the total number of cattle in 15 countries increased approximately 9 millions, while the total number of sheep and swine (these figures are for 14 countries, as recent data on sheep in Belgium and swine in Argentina are not available) decreased approximately 2½ millions and 7¼ millions, respectively. The decrease in the number of horses in the 10 countries of Western Europe was 867,000, while the increase in the other 4 countries was 1,835,000, making a net increase in the 14 countries of 968,000 head, or 2.6 per cent.

This comparison does not take into consideration the former Empires of Austria-Hungary and Russia, nor the Balkan States, other than Greece, for the reason that data regarding the number of animals in those countries are not available. If data were available for those countries a still further decrease, as compared with prewar numbers of live stock in Europe, probably would be shown.

The most important factor to be considered is that the total number of cattle, sheep, and swine in the 10 European countries for which data have been obtained had decreased, while an increase had taken place in other countries, particularly the United States, Canada, and Argentina.

The policy of the European countries probably will be to import meats and meat products to supply their needs while

the herds and flocks are being reestablished. There is no doubt that Europe will need a large amount of meat and meat products from outside sources until the shortage in live stock resulting from the war has been made good. It does not follow, necessarily, however, that importations equivalent to the shortage of meat and meat products resulting from the decrease in live stock will be made while the numbers of live stock are being brought back to a prewar basis. The inability to buy, the difficulty of obtaining credits, and the fluctuating rate of exchange are factors which will tend to limit the amount of food to be purchased from outside sources and will tend to stimulate production at home.

Live stock in 15 countries important to international meat trade.

| Country. | Cattle. | | | Swine. | | | Sheep. | | |
|-------------------------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|------------------|
| | Before war. | After war. | Per cent change. | Before war. | After war. | Per cent change. | Before war. | After war. | Per cent change. |
| United Kingdom..... | 12,185,000 | 12,311,000 | + 1.0 | 3,983,000 | 2,809,000 | -28.9 | 27,964,000 | 27,063,000 | - 3.2 |
| France..... | 14,807,000 | 13,315,000 | -10.0 | 7,048,000 | 4,021,000 | -42.9 | 16,213,000 | 9,496,000 | -41.4 |
| Italy..... | 6,646,000 | 6,186,000 | - 6.9 | 2,722,000 | 2,337,000 | -14.9 | 11,163,000 | 11,752,000 | + 5.3 |
| Switzerland..... | 1,445,000 | 1,580,000 | + 6.0 | 570,000 | 364,000 | -36.1 | 161,000 | 225,000 | +39.7 |
| Belgium..... | 1,949,000 | 899,000 | -51.4 | 1,412,000 | 318,000 | -77.5 | (185,000) | | |
| Netherlands..... | 2,097,000 | 1,968,000 | - 6.1 | 1,350,000 | 450,000 | -66.7 | 842,000 | 437,000 | -48.1 |
| Denmark..... | 2,463,000 | 2,142,000 | -13.0 | 2,497,000 | 583,000 | -76.7 | 515,006 | 247,000 | -50.1 |
| Sweden..... | 2,721,000 | 2,564,000 | - 5.0 | 968,000 | 654,000 | -34.4 | 986,000 | 1,409,000 | +42.6 |
| Germany..... | 20,994,000 | 17,227,000 | -17.9 | 25,659,000 | 10,080,000 | -60.6 | 5,521,000 | 5,299,000 | - 4.0 |
| Norway..... | 1,146,000 | 1,064,000 | - 8.0 | 228,000 | 225,000 | - 1.3 | 1,327,000 | 1,216,000 | - 8.4 |
| 10 countries of Western Europe..... | 66,351,000 | 58,217,000 | -10.8 | 45,407,000 | 21,821,000 | -53.0 | 164,694,000 | 57,144,000 | -11.7 |
| Decrease in numbers..... | 7,134,000 | | | 24,586,000 | | | 7,549,000 | | |
| United States..... | 56,592,000 | 67,866,000 | +19.9 | 58,983,000 | 75,587,000 | +28.3 | 49,719,000 | 49,863,000 | + 0.3 |
| Canada..... | 6,523,000 | 10,051,000 | +53.8 | 3,610,000 | 4,290,000 | +18.8 | 2,175,000 | 3,053,000 | +40.4 |
| Argentina..... | 25,867,000 | 27,060,000 | + 4.6 | (2,801,000) | | | 43,225,000 | 44,850,000 | + 3.8 |
| Australia..... | 11,745,000 | 11,040,000 | - 6.0 | 1,026,000 | 1,169,000 | +13.9 | 92,047,000 | 91,676,000 | - 0.4 |
| New Zealand..... | 2,020,000 | 2,888,000 | +43.0 | 349,000 | 258,000 | -26.1 | 23,968,000 | 26,538,000 | +10.6 |
| 5 surplus countries..... | 102,757,000 | 118,866,000 | +15.7 | 63,918,000 | 81,304,000 | +27.2 | 211,162,000 | 215,960,000 | + 2.3 |
| Increase in numbers..... | 16,138,000 | | | 17,386,000 | | | 4,718,000 | | |
| 15 countries..... | 169,108,000 | 178,112,000 | + 5.3 | 110,325,000 | 108,125,000 | - 6.5 | 275,856,000 | 273,124,000 | - 1.0 |
| Gain or loss..... | +9,004,000 | | | -7,200,000 | | | -2,731,000 | | |

19 countries.

24 countries.

14 countries.

Horses in 14 countries.

| Country. | Before war. | After war. | Percent- age change. |
|-------------------------------------|-------------|------------|----------------------------|
| Belgium..... | 267,000 | 170,000 | -35.3 |
| Denmark..... | 567,000 | 511,000 | - 9.0 |
| France..... | 3,231,000 | 2,283,000 | -29.3 |
| Germany..... | 3,227,000 | 3,378,000 | + 4.7 |
| Italy..... | 956,000 | 803,000 | -16.0 |
| Norway..... | 182,000 | 221,000 | +21.4 |
| Netherlands..... | 334,000 | 362,000 | + 8.4 |
| Sweden..... | 596,000 | 715,000 | +20.0 |
| Switzerland..... | 144,000 | 129,000 | -10.4 |
| United Kingdom..... | 1,851,000 | 1,916,000 | + 3.5 |
| 10 countries of western Europe..... | 11,355,000 | 10,488,000 | - 7.6 |
| Decrease in numbers..... | 867,000 | | |
| Australia..... | 2,166,000 | 2,441,000 | +12.7 |
| Canada..... | 2,596,000 | 3,609,000 | +39.0 |
| New Zealand..... | 404,000 | 379,000 | - 6.2 |
| United States..... | 20,962,000 | 21,534,000 | + 2.7 |
| 4 other countries..... | 26,128,000 | 27,963,000 | + 7.0 |
| Increase in numbers..... | 1,835,000 | | |
| 14 countries..... | 37,483,000 | 38,451,000 | + 2.6 |
| Gain..... | 968,000 | | |

SECURING A DRY CELLAR

By GEORGE M. WARREN,
Hydraulic Engineer, Bureau of Public Roads.

"IS THE CELLAR DRY?" is one of the first questions people ask when considering the purchase of a home. Real estate dealers say that a good cellar adds \$500 to the selling price of an average dwelling. Be that as it may, a good, dry cellar is a valuable asset, nor can its true value be measured in dollars. Rather, its value is determined by the convenience, comfort, and health of those who dwell in the home.

It is well known that dry air is a poor conductor of heat or cold and it promotes evaporation, which is a cooling process. It is well known also that moisture favors decay, corrosion, and the growth of many forms of life which are objectionable or harmful to man. For these reasons a dry cellar is better insulated and is less subject to outside temperature changes than a damp cellar. In brief, a damp cellar is unfavorable for the storage of fruits, vegetables, and foods, is destructive of sills, floors, pipes, tools, and utilities, is productive of unsanitary conditions, and without much doubt aggravates or is a contributory cause of certain well-known ailments of man.

NEW SITES.

As it is better to avoid mistakes than to correct the consequences, it is fitting at the outset to speak briefly regarding selection of new building sites. The most important points to be observed are as follows:

(1) The site should be moderately elevated so that a fall in at least one direction from the building is obtained. Many prefer a "perched" site because of commanding view, better

movement of air, greater depth to ground water (that is, the surface of the water showing in a well or pit and often called the water table), and superior surface and underground drainage. Others prefer to forego some of these advantages and to select a site sheltered from strong winds, especially those likely to bring stormy or cold weather.

(2) The ground should be so open and porous that air and water are admitted readily, as for example sands, gravels, or soils capable of good cultivation. The vegeta-




FIG. 1.—Four Classes of Ground and Ground Water Conditions.

These diagrams comprehend the causes underlying nearly all damp and wet cellars.

tion should not be profuse, and the soil and subsoil should be clean, that is, contain little or no organic wastes of either animal or vegetable origin.

(3) The site should be well and deeply drained. During the wet season of the year the ground water should be at least 10 feet below the surface of the ground, and a depth of 15 feet insures still better aeration and ventilation of the ground. As to the distance between the cellar bottom and the ground water, much depends on the character of the in-

tervening earth and the type of floor used. In precisely the same way that oil rises in a lamp wick or ink spreads over blotting paper, water will pass through the minute spaces or pores existing in all kinds of soil and many varieties of solid rock. This capillary rise in coarse sands and gravels may be no more than 2 or 3 feet, but in very fine sands, silts, and clays it may range from 5 to 8 feet.

(4) No site should be chosen without first determining the source of the domestic water supply, its purity and abundance, and fixing upon the location of a suitable plot of ground in which to waste sewage or other foul drainage.



FIG. 2.—Unsatisfactory Cellar Wall.

Sectional view of an 18-inch rubble masonry cellar wall built in Westchester County, N. Y., November, 1919. Note the joint work, the overhanging face, and the loose character of the backing where the mason stands. The site slopes sharply towards the face against which the mason is standing. In excavating for the cellar, the earth was cut down approximately to the slope A-B. As the masonry progressed, loose earth was thrown in for backing and to serve as a footing or platform for the mason. Obviously, much unused stone and bits of mortar found their way into the backing, the whole forming an excellent medium for the passage of surface water and seepage to and through the cellar wall.

DAMP AND WET CELLARS.

STUDYING THE CAUSES.

The causes of damp and wet cellars group naturally into four classes represented diagrammatically in figure 1.

(a) Where the cellar bottom is above the capillary reach of the ground water, but, because of faulty walls, backing, or grading, eaves water, melting snow, or other surface drainage passes into the cellar. (See figs. 1 (a), and 2 and 3.)

(b) Where the cellar bottom or walls are within reach of capillary water, producing merely a damp cellar.

(c) Where the cellar bottom is below the water table, but the ground slopes so that the water table may be lowered by drainage.

(d) Where the cellar bottom is below the water table and a drainage outlet can not be secured.

APPLYING THE REMEDIES.

(a) Where a cellar, by reason of poor construction and grading, becomes a sump or basin for the periodic collection



FIG. 3.—Inside Face of Wall Shown in Fig. 2.

Walls of this character abound in nearly every stone-producing locality. If the joints on both faces are well pointed and if the pointing is kept in thorough repair, such walls may be fairly secure against rats and mice. Against the searching power of water under pressure, even a small pool of surface water or a little seepage, they are of slight avail.

of water from eaves, down spouts, snow banks, or other surface sources, a number of simple remedies are employed. A surprisingly effective method, and one that improves the appearance of every low-set building, is to place additional filling against the cellar wall and grade down to a smooth sharp slope that shall extend at least 8 or 10 feet

from the wall. After seeding with a good lawn grass and raking, the surface should be rolled or otherwise firmed. Since the object sought is the quick shedding of surface water, steepness of the grading is very important. If necessary to grade as high as the cellar windows, a curved or rectangular well or hatchway of concrete or brick should be built about them. Hinged covers for closing the hatches during heavy rain or snow should be provided. Handled in

the manner described, the beneficial effects of a sharply-sloping, well-sodded zone around a building are surprising.

Another method frequently used is to lay a sloping pavement, walk, or gutter 2 or 3 feet in width and composed of

FIG. 4.—Shedding Water from Cellar Walls.

A sloping pavement of Portland cement concrete is useful for shedding water from foundation walls and forms a convenient walk. *A*, Well-tamped clinders (not ashes), slag, coarse sand, gravel, or stone foundation thoroughly wet just before placing concrete. *B*, Pavement; for two-course work proportion the concrete 1:2½:5 or 1:3:5; use sufficient water so that under moderate tamping it shall just flush to the surface; lay a base course 4 to 4½ inches thick; follow within 15 minutes with a one-half to three-fourths inch coat of 1:2 cement mortar worked to a smooth hard finish with steel trowels.

For one-course work prepare the foundation as above; proportion the concrete as rich as 1:2:4; lay a course 4 to 4½ inches thick; with steel trowels, promptly work the surface to produce a hard nonabsorbent finish. *C*, Wall surface abutting the pavement to be cleaned, brushed, roughened with a stone hammer and, just before placing the concrete, thoroughly wet and well smeared with neat cement paste. *D*, Cove or fillet of cement mortar.





FIG. 5.—Shedding Water from Cellar Walls.

A sloping pavement of bituminous concrete for shedding water from foundation walls. *A*, Twelve-inch foundation of materials similar to those specified in fig. 4. *B*, Four-inch pavement of bituminous (best quality gas-works coal-tar refined of light oils and other matters affected by atmospheric influences is specified frequently) concrete put down in three courses; first, a base course of coarse gravel, broken stone, or slag 1½ to 3 inches in greatest diameter, partially covered with hot bituminous composition, spread evenly, well tamped and rolled until the stone ceases to creep under the roller; second, a binder course of screened gravel or broken stone not exceeding 1 inch in diameter, heated and thoroughly coated and mixed with hot bituminous composition, and the mixture, while still warm and workable with rakes, spread evenly over the base course, and compressed and rolled into the base, filling the voids and producing a smooth surface and a total depth in the two courses of not less than 3 inches; third, a wearing course or surfacing of clean sand or stone dust graded from very fine to about one-fourth inch in diameter, heated no more than necessary to make it work easily when mixed with bituminous composition, and the mixture while still hot spread in a 1-inch layer on the binder course and thoroughly compressed, followed by a sprinkling of fine sand or hydraulic cement well rolled in.



Portland cement, coal-tar, or other bituminous concrete. Such protection is illustrated in figures 4, 5, and 6, the gutter in the latter figure being useful for conducting surface water along a cellar wall.

Where no use is made of the rain water, it is always desirable to connect the down spouts with dry wells located 15 or more feet from the building or to pipe to a suitable surface outlet. Figure 7 shows the use of a dry well. In many cases it is possible to obviate the difficulty even more simply.




FIG. 6.—Conducting Water Along a Cellar Wall.

Where water from the eaves and sides of a building must be conducted along a cellar wall, a concrete gutter of the cross-section shown and laid to a smooth slope or fall of one-eighth inch or more for each foot of length will prove of service.

galvanized-iron pipe, or a few lengths of vitrified channel pipe.

The reader will notice that the purpose of all these measures is to throw surface water away from the cellar wall quickly. Where this can be done the chances are good that the water will sink to the great reservoir of ground water before it can spread laterally to the cellar. As between the vertical movement and the horizontal movement of percolating water, the former, especially in porous soils, is likely to be much the more rapid. For example, water applied at

Figure 8 shows the well-graded grounds at a New York house, but unfortunately after heavy rains water worked into the cellar. The trouble was readily traced to one of the down spouts, which curiously was on the lower side of the house where the slope away was excellent. (Rear right-hand corner.)

The trouble was removed entirely by laying a small half-round concrete gutter about 6 feet long, as shown in figures 9 and 10. The same end often is secured by laying on the surface of the ground a U-shaped trough or gutter of wood, brick, or stone, a piece of

the surface of a very dry undisturbed sandy soil penetrated to a depth of 6 feet in 24 hours, but the lateral movement was only about 2 feet.

DAMP-PROOFING.

(b) Where the bottom or the walls of a cellar are within reach of capillary water only, dampness, not standing water, is the consequent effect. None of the methods heretofore described nor drainage is of use. Capillary water may be intercepted in one of two different ways; namely, by introducing plenty of free air space or by damp-proofing the floors and walls. Figure 11 shows two methods in common use for keeping capillary water away from cellar floors. If it be desired to omit the stone insulation shown in the upper cut of figure 11 and lay the concrete directly on the ground, a richer mixture should be used and the thickness may be increased an inch. A 5-inch floor of concrete mixed 1:2:3, or even a little leaner, and put




FIG. 7.—How to Waste Roof Water.

Showing use of a dry well or an abandoned well in which to waste roof water. *A*, Dry well; locate 15 or more feet from the cellar and on lower ground; carry excavation to a porous stratum, preferably one lower than the cellar bottom; curb excavation with field stone, rubble, or brick laid without mortar; cover the curb with a concrete slab, covering stone, or heavy cross planking 1 foot below the surface of the ground; sometimes an excavation is merely filled with coarse gravel, bowlders, broken stone, brick, slag, or other similar waste materials. *B*, Four-inch drain tile or vitrified sewer pipe, closed joints, laid about 2 feet below the ground surface. *C*, Concrete bedding to hold elbow in place. *D*, Short piece of 4-inch cast-iron pipe. *E*, Rain conductor or down spout.

down in workmanlike manner with the top troweled to a hard glassy surface, is practically impervious to moisture and will even withstand small pressures of water.

Where it is desired to reduce or prevent dampness in existing stone, brick, or concrete walls and floors, or to shed water down the walls, the simplest method is to apply two coats of some specially prepared damp-proofing paint. As



FIG. 8.—Where Roof Water Worked into the Cellar.

Well graded grounds that seemingly would shed water like a policeman's helmet. Nevertheless, rain water worked into the cellar, the cause being a down spout that discharged on the surface at the rear right-hand corner of the house. Curiously, the trouble occurred on the down hill side of the house, where the slope away was excellent. Method of removing the trouble is told in figs. 9 and 10.

in all painting operations, the surface to be treated should be thoroughly clean and dry and the paint be brushed into all pores, hair cracks, and inequalities, leaving a smooth continuous coating throughout. One gallon of concrete paint will double-cover from 50 to 125 square feet of masonry surface, depending on its roughness and porosity. For cellar interior work, white walls and light gray enamel on the floor give a neat, pleasing effect. Under ordinary wear and use a floor so treated does not become gritty; a broom or mop works on it without "drag," and hence the labor of cleaning or washing is much lightened.

Where a painted floor is subject to heavy or continual wear some sort of protective coating is necessary. A thick plastering of richly mixed, smooth-troweled Portland cement mortar frequently is used for this purpose. Similar treatment of the outside of walls, both above and below the ground surface, is a great aid in protecting the damp-proofing coating, and preventing flaking and peeling. Figure



FIG. 9.—How to Lead Roof Water Away from the House.

Homemade, half-round concrete gutter about 8 inches wide and 6 feet long. The edges next the grass are about 2 inches thick and the waterway beneath the down spout is widened to resemble a shallow platter. A kennel is at the right of the down spout and at the left a 2-foot rule leans against the cellar wall.

12 shows the application of a heavy, penetrating bituminous damp-proofing paint to a brick wall and the subsequently applied plaster coat.

Figure 13 shows the use of a large brush in applying heavy-bodied bituminous or asphaltic coatings to the outside of cellar walls. A further development of the process is shown in figure 14. Here a priming and bonding coat of liquid bitumen, mixed with a strong penetrating solvent, is being applied cold with a brush, and after the primer is dry, a heavy tough bitumen compound is swabbed on hot

with a roofing mop. This method is used extensively, not only to prevent the absorption of moisture, but to shed seepage down walls. For use under moderate temperature conditions a primer of creosote oil may be used, followed by a coating of coal-tar pitch applied with a mop.

Where the use of damp-proofing paints and coatings is contemplated, one should get full directions and specifica-



FIG. 10.—Looking Across the Gutter Shown in Fig. 9.

Note that the gutter is almost flush with the ground surface, and hence is slight obstruction to the foot or to a lawn mower. The hat, with a foot rule leaning against it, is about midway of the length of the gutter.

tions from a reliable manufacturer whose materials are to be employed. Other methods of damp-proofing are discussed later under waterproofing.

(c) Where a cellar bottom is below the water table and a drainage outlet can be obtained within reasonable distance, a drain should always be constructed for removal of the ground water at least as low as the bottom of foundation walls and the under side of floors. This is a wise precaution, even where special waterproofing measures are to be employed.

Figure 15 shows a 4-inch tile drain laid 6 inches below and outside of a cellar wall. The pipe should be sound,

hard-burned, or vitrified drain tile or ordinary sewer pipe with socket joints. Nothing smaller than 4-inch should be laid. The grade or fall should be smooth, and to guard against settlement of clay, silt, or mud within the pipe it should be as great as possible. If it is certain that only clear water will enter the pipe the grade may be as flat as 3 inches in 100 feet. Each pipe should be carefully bedded





FIG. 11.—Air-Filled Space under Cellar Floors Reduces Dampness.

Two methods of intercepting capillary water and reducing dampness. In both the essential principle is that of an abundance of air-filled space. The wooden floor is open to the objection that it is not permanent and offers refuge for rats and vermin.

its full length so as to avoid uneven loading and the liability to breakage. The joints should be kept open about the thickness of a knife blade and to prevent entrance of loose earth should be encircled with strips of burlap or other similar material about 6 inches wide and 15 inches long. That the burlap may not be dislodged it should be wired or tied on with two pieces of string, one on each side of the joint. Sometimes strips of tarred paper or specially constructed earthenware gutter and cap pieces are used for

protecting the joints. The pipe should be surrounded and protected with fine clean screened gravel or broken stone, after which similar but coarser material, say, one-half inch to 1-inch size, should be used to cover the top of the pipe to a depth of a foot. Over the top of the broken stone it is well to spread burlap or bagging to prevent fine material falling or washing down into the stone. Sods, grass side down, hay, straw, cornstalks, or brush may be used for this



FIG. 12.—Damp-Proofing Paint and Plaster Coat.

Application of a heavy, penetrating, tacky, bonding and damp-proofing paint to a brick wall. The plaster coat is troweled directly on the painted surface, thus protecting the paint and preventing flaking and peeling.

purpose with fair success. Where a building is located on a hillside and the soil against the cellar wall is likely to be saturated, the coarse stone filling should be brought up to near the surface of the ground and the top soil be placed, graded, and seeded in the usual way. A belt that not only collects ground water but effectually intercepts both seepage and capillary water is thus placed around the cellar or on those sides whence the flow comes. If the site of the cellar is very soft or springy two or three parallel branch drains should be laid beneath the cellar floor.

Figure 16 shows how a man in Maryland made use of the house sewer for lowering the ground water beneath his cellar. Usually it is not permissible to discharge ground water into a sanitary sewer, but circumstances may make it advisable.

Figure 17 shows a type of drain that should not be used. It is located about 6 inches inside the cellar wall and drainage is conducted to a low point in the cellar and thence through the wall to an outlet. Drains of this kind prevent submergence of the cellar floor, but do not prevent excessive dampness. The writer has seen in high mountainous locations and in the dry season of the year cellars having good concrete floors, but drained in the manner just described, so wet that drops of water hung from the floor beams; and hanging shelves, when punctured with a knife, exuded water freely.

WATERPROOFING.

(d) Where a cellar bottom is below the water table and a drainage outlet can not be secured, waterproof construction is required. Successful waterproofing is a man's job, and calls for all the ingenuity the householder can exercise or command. A cellar may be water-



FIG. 13.—Bituminous or Asphaltic Coating.

Use of a large brush in applying heavy-bodied bituminous or asphaltic coatings to the outside of cellar walls. Sometimes the coating fails to take hold and later flakes off or comes off in patches. This is due to chilling and solidifying of the compound when brought in contact with a cold masonry surface. It is very important that the penetration be deep, the adhesion be complete, and a continuous, well-knit coat be spread. Where the conditions are severe, two coats are advisable.

tight to-day and leak badly 1 year or 10 years hence. A volume could be written on the subject, but this paper will merely discuss a few of the most important points.

Two principal methods of waterproofing are in use, namely, the integral and the membrane. In the integral method mixtures or compounds containing some such substance as clay, hydrated lime, sodium silicate, soda, lye, alum, paraffin, wax, soap, or oil are incorporated in the con-



FIG. 14.—Damp-Proofing the Outside of a Cellar Wall.

On the left, application of a penetrating, bituminous, priming and bonding coat cold with a brush. After the primer is set and dry, a bituminous compound is melted in large kettles and is swabbed on hot with a roofing mop as shown on the right. The coating should be thick, tough, and somewhat elastic and yielding.

crete or mortar during the mixing. In the membrane method a specially prepared felt, cotton drilling, or other approved fabric is put down in overlapping layers, coated and cemented together with hot coal-tar pitch or other bituminous compound, the whole forming, or intended to form, virtually a water-tight box in which the masonry is set.

INTEGRAL METHOD.—Some of the preparations used in the integral method of waterproofing depend on the void-filling

action of their finely divided particles, but others naturally repel water in the same manner that neat's-foot oil turns water from a boot. Some of the preparations in the form of




FIG. 15.—How to Drain a Cellar Site.

Four-inch tile drain laid on straight lines and smooth grades about 10 inches outside of the foundation and 6 inches below its bottom. Refilling the trench with coarse material to the loam filling places a belt about the cellar that effectually removes ground water and intercepts both seepage and capillary water.

a whitish powder are mixed dry with the cement, and others in paste or liquid form are added to the water. The investigations of the Bureau of Public Roads have shown that petroleum residuum possessing certain characteristics (the

specifications allow paraffin base and mixed base oils but do not allow highly asphaltic oils) can be used successfully for both damp-proofing and waterproofing under light pressures,




FIG. 16.—Draining through House Sewer—Rarely Advisable.

Making use of an existing house sewer for lowering the ground water beneath a cellar. A hole sufficiently large to take a 1 1/2-inch wrought iron pipe was drilled in the 4-inch cast-iron house sewer and a homemade trap and outlet consisting of a return bend and 2 short pieces of 1 1/2-inch pipe were installed as shown in a sump 18 inches square and 20 inches deep. Ground water enters the sump through two lines of 3-inch drain tile and the open-joint brick work composing all four sides of the upper portion of the sump. Below the brick work the sump is made of concrete and is water-tight thus securing seal against the emission of foul air from the sewer. Use of a sanitary sewer for the removal of ground water is rarely advisable. Such sewers are seldom designed to handle ground water and other objections relate to the liability of sewage backing up into the cellar and leakage or evaporation destroying the water seal in the sump. If employed, the method should be considered for temporary use only, and the certainty of the water seal should be proved by frequent inspection.

and the subject is concisely treated in Department Bulletin 230, "Oil-Mixed Portland Cement Concrete," copies of which may be had upon request.


Probably no one knows which of the many preparations is the best. With the successes are many failures, caused

in part by inherent weakness of the method and in part by faulty workmanship in mixing and placing the concrete. Much of the trouble comes at construction joints and at cracks caused by settlement, shrinkage, temperature changes, and other agencies. At these points integral waterproofing fails. But where, as so frequently happens, a lean, raw concrete is carelessly placed, perhaps in the expectation that water under pressure from beneath or the back can be "smothered," failure is certain, nor can such failures be attributed to the integral method.

The fact needs to be strongly impressed that no waterproofing preparation can make amends for a concrete that is not dense and uniform throughout; that is, honeycombed

FIG. 17.—A Type of Drain that Should not be Used.

These are located just inside the cellar wall and may be half-round tile, a mere groove in the concrete, or a small stone-filled ditch draining to a low point in the cellar, and from thence through the wall to an outlet. Though drains of this kind prevent submergence of the cellar floor, they do not prevent excessive dampness in all parts of the cellar.



or containing pockets of stone, sand, water, or air. Concrete to be dense and impervious requires first-class materials and workmanship, and in so far as these are employed the need of special waterproofing mixtures and compounds is lessened. Indeed, assuming that cement, sand, and stone are so graded and combined with water as to produce a concrete of maximum density, the principal effect of certain substances used for waterproofing may be mere increase of the volume, an effect that would be produced by introducing almost any foreign substance.

Water-tight concrete.—The following directions will be found of great practical value in building water-tight concrete floors and walls.

Start the work in mild weather and during the dryest season of the year, when the ground water is the lowest. If necessary in order to eliminate all hydrostatic pressure

against newly placed concrete, a sump or hole must be sunk at one corner of the cellar excavation and the ground water be lowered by pumping.

Use a recent shipment of Portland cement of established reputation.

Use clean sand—that is, such as contains little or no clay, silt, loam, or vegetable matter. Where bank, pit, beach, or river-bottom sand is not available, a suitable sand is often obtained by use of a gravel screen. The best type of screen has longitudinal wires spaced about $\frac{1}{4}$ inch on centers, with horizontal wires 4 to 6 inches apart to act as stiffeners. If such a screen is not available the ordinary $\frac{1}{4}$ -inch square mesh will answer. The size of the sand grains should grade from coarse (say $\frac{1}{8}$ inch) to very fine, but with a goodly proportion of fine.

Use clean screened gravel or broken stone, the pieces varying from $\frac{1}{4}$ to $1\frac{1}{4}$ inches in diameter. Screened gravel is preferable to broken stone, as from its rounded nature it is more workable and is more easily settled into place in the forms. As to the maximum size of the stone, the practices followed in building concrete standpipes, barges, and ships, all thin-walled structures where water-tightness is vital, are illuminating. In these works the practice has been to use small-size stone and very rich mixtures. For example, the Emergency Fleet Corporation has used, as the stone constituent, $\frac{3}{8}$ -inch washed gravel mixed with 50 per cent coarse washed grit, the concrete being proportioned 1 volume cement, $\frac{3}{4}$ volume sand, and $1\frac{1}{4}$ volumes of the mixed gravel. In other vessels a burnt shale-clay crushed to $\frac{1}{4}$ and $\frac{1}{8}$ inch sizes proved acceptable and, furthermore, when used in proportions to give a 1:2 concrete (1 of cement to 2 of sand and gravel combined) resulted in a product weighing 118 pounds or less per cubic foot instead of the usual weight of about 150 pounds. In barge construction, broken stone sizing up to $\frac{3}{8}$ -inch diameter and mixed in the proportions 1:1:2 has given satisfaction. In standpipe construction use of somewhat larger stone has usually been permitted, but invariably the mix has been rich, say, 1:1:2 or 1:1 $\frac{1}{2}$:3. Never use bank-run gravel, as the proportions of sand and gravel are unknown.

Having at hand good cement, clean water, clean sand that grades from very fine to $\frac{1}{8}$ inch, and clean gravel that grades from $\frac{1}{4}$ to $1\frac{1}{4}$ inches, the work of mixing and placing the concrete may be begun. Hand mixing is customary on small jobs. For this purpose a level, practically water-tight platform or mixing board, and two bottomless boxes or frames for measurement of the sand and gravel are necessary. Concrete, proportioned 1 volume cement, 2 volumes sand, and 3 volumes stone (usually written 1 : 2 : 3) is recommended. Though this is not as rich as is used in the ship work previously mentioned, it provides an abundance of good mortar, something that is vital in the elimination of void spaces and




FIG. 18.—Sand and Stone Measuring Frames or Bottomless Boxes.

The dimensions shown are for half-barrel (2-bag) batches mixed in the proportions 1 : 2 : 3 (1 volume cement, 2 volumes sand, 3 volumes stone).

in securing water-tightness. If the concrete is to be mixed in half-barrel (2 bags) batches, a suitable size of platform is 10 feet square. There should be sufficient supporting pieces or battens to prevent sag of the boards, and a strip may be nailed along the outside edges to prevent loss of liquid cement. A half-barrel, or 2 bags, of cement contains approximately 2 cubic feet. Hence, to obtain the proportions 1 : 2 : 3, the sand and stone measuring frames must contain, respectively, 4 cubic feet and 6 cubic feet. Square-edge boards 1 inch thick and 6 inches wide may be used conveniently for making the frames as dimensioned in figure 18. Never guess at the proper quantities of cement, sand, and stone, and never use the inaccurate method of measuring by shovelfuls or by wheelbarrow loads.

Place the two frames with their long sides parallel and about 2 feet apart on the platform. Fill the smaller frame

with sand and the larger with stone previously drenched, both level full. Lift off both frames. Empty the half barrel or two bags of cement over the sand and spread it evenly with a garden rake or mortar hoe. Thoroughly mix the dry sand and cement. Starting at opposite ends of the pile and working toward each other, two men with square-end shovels should turn the sand and cement from the bottom upward. In turning the shovel the materials should be shaken off the end and sides of the shovel so that they mix in falling. Continue this process till the mixture is of uniform color throughout. Mound the mixture slightly and with a mortar hoe make a craterlike opening in the top. Add water and stir with a mortar hoe until a soft, plastic, uniformly mixed mortar is obtained. Spread the mortar evenly over the wet stone. With square-end shovels turn the stone and mortar in much the same manner as the cement and sand were turned, except that instead of shaking the mixture off the shovel the whole shovel load should be turned over the side with a backward sweeping motion toward the shoveler. The mass should be turned back and be returned, adding small quantities of water as may be needed until every stone appears to be well coated with mortar and the whole mass is uniformly mixed throughout. The mixing can not be slighted.

The water used in mixing gives concrete its consistency and makes it workable. The quantity used has a very important bearing on the water-tightness of the finished work. If the mix is too dry the concrete will be porous and ragged; if too wet the gluelike action of the cement is weakened and the mortar and stones tend to separate, leaving stone pockets through the mass and causing poor distribution of the cementing or bonding constituent. For example, an excess of paste (cement and water) on the top of newly-placed concrete means that some adjacent portion of the mass is just that much poorer in its bonding constituent. What is wanted is a consistency that will permit a sluggish flow to all parts of the form and when the concrete has been settled by a reasonable amount of spading and tamping there should be a small even flush over the entire surface.

If it is desired to mix barrel, or 4-bag, batches make the platform larger and double the capacity of the sand and stone-measuring frames, or use those shown in figure 18

twice. For 1 cubic yard of rammed concrete there will be required about $1\frac{3}{4}$ barrels of cement, $\frac{1}{2}$ cubic yard of sand, and $\frac{3}{4}$ of a cubic yard of stone. The volume of rammed concrete from 1 barrel (4 cubic feet) of cement, 8 cubic feet of sand, and 12 cubic feet of stone (40 per cent voids) will be about 16.2 cubic feet.

As soon as mixed, pour the concrete and continue the operations without stopping till all work below the water line is completed. During the pouring the forms should be tapped constantly with wooden mallets to release air bubbles. At corners and against the faces of forms special care is required. Working a spade or flattened shovel up and down along the forms pushes the stone back slightly and allows the grout (liquid cement) to flow against the face, leaving the surface smooth. In narrow places a piece of 2 by 3 inch scantling, with the upper portion rounded so that it may be grasped readily, makes a cheap and useful tool for puddling, joggling, or tamping. Do not ram or tamp so much that the stones are wedged together at the bottom and much of the finer material is forced to the top. If possible pour at one time all of the concrete necessary to fill the form, so that no portion sets before fresh concrete has been laid on top of it. Where new work joins old work, and in joints between two days' work, the bond requires especial attention. The old surface must be cleaned of all dirt and mortar down to the stone, and the surface soaked with water. Smooth surfaces must be roughened. The joint should then be given a one-eighth-inch coating of neat cement paste and the new concrete be placed immediately.

After concrete has been placed it always should be protected from sunlight, frost, strong winds and excessive heat, any of which would rob it of its moisture. It is equally important that it be not exposed to water in motion or under pressure till it has hardened sufficiently to prevent washing away the mortar. After concrete is sufficiently firm to remove the forms, keep it wet continually for 10 days or more. This means thorough saturation or submergence, not an occasional sprinkling.

The upward water pressure on concrete floors must be considered and a sufficient amount of steel reinforcement in the form of rods, bars, heavy wire netting, or old rails be embedded to resist upheaval.

Plaster coats.—Plaster coats on old work rarely are successful because of poor bonding, scaling off, and formation of contraction cracks. Such work should be done when the concrete is green, and skilled workmen should be employed. Plastering the back of a wall is more effective than plastering the face. In any event before attempting to apply a plaster




FIG. 19.—Faulty Application of the Membrane Method of Waterproofing.

The surface to which the fabric is applied is too rough, the wall waterproofing is unprotected, nor is it carried sufficiently high to exclude surface drainage, the single-bond joints between the wall and floor waterproofing should not be the sole dependence, and more working space should be provided in which to make this vital connection.

The surface then should be brushed with a wire or stiff scrubbing brush to remove any particles of sand that may have become loosened because of the dissolving of the cement.

To strengthen the bond it will be well to apply a wash of grout, made by mixing cement with water to the consistency of cream. All large holes or openings must be filled with cement mortar. A plaster coat composed of 1 part of Portland cement and 1 or 2 parts of sand may then be applied. Oil or other waterproofing compound may be incorporated with the mortar, and if applied in two coats to a total thickness of 1 inch and both coats thoroughly troweled, the results may be fairly satisfactory. The new surface should be kept wet for at least a week. Leaks at pin holes are sometimes stopped by the use of wooden plugs or caulking with lead wool.

coat the old work should be scrubbed clean and should be made thoroughly wet. The bond between the old and new work will be improved if the old surface be roughened with a stone hammer. A wash composed of 1 part of hydrochloric acid and 5 parts of water may be used to clean the surface. This will dissolve some of the cement from the old work, leaving the aggregate exposed. The acid solution should be left on not longer than half an hour, when it should be removed completely with clean water.

MEMBRANE METHOD.—The membrane system of waterproofing—that is, the building of a virtually water-tight box composed of overlapping and coated strips of felt or other fabric, is a reliable method if the work is done by experienced persons. Disadvantages of the method are that it is costly and if leaks do develop they are difficult to locate and costly to repair. Figure 19 shows a faulty application of the membrane method. The surface to which the membrane is applied should be smooth, the membrane should be protected, and dependence should not be placed on the single bonding shown on either side of the base of the cellar wall. Figure 20 shows a correct application of this method. For small heads of water, 2-layer work should prove effective. Figure 21 shows the details of good spacing and overlapping.

The work always should be done in warm or mild weather. Spread over the excavation a thin bed of concrete or an inch or more of cement mortar. Over this bed swab a coating of hot waterproofing compound. Closely following the swab a prepared felt or fabric is rolled into the hot compound. The sheets must lie perfectly smooth. Wrinkles must be pulled out and the sheets be rubbed and pressed to insure elimination of air bubbles and good adhesion with the compound. The membrane must fit all corners snugly. The laps of the several layers must be cemented together firmly with the hot compound and each layer, including the final, be coated completely, to the end that a strong, thoroughly covered, waterproof blanket may be obtained. The compound always should be applied hot, but care must be used not to overheat it. This is especially true of coal-tar pitch, which has a high percentage of volatile constituents and if overheated becomes brittle and worthless when cold. The membrane should be carried up the interior face of a thin protecting wall of brick, concrete, or stone, after which a wall is built against the waterproofing, the whole constituting the foundation wall.

Where it is impossible to secure local labor that is experienced in cutting and applying membrane waterproofing, get sketches, specifications, and explicit directions from a reliable manufacturer whose materials are to be used. It is advisable to try the materials first on a small upright surface before attempting the real waterproofing work. With




FIG. 20.—Correct Application of the Membrane Method of Waterproofing.

On the left: *A*, Footing course with chamfered groove formed in top to insure bonding. *B*, Thin wall of brick or concrete to which the saturated felt, burlap, cotton drilling, or other fabric is cemented with hot coal-tar pitch, asphaltum, or other suitable bituminous compound; brick walls should have struck joints and concrete walls should be smooth, thus providing a solid even backing for the waterproofing. *C*, One-inch bed of cement mortar or a thin bed of concrete, according to the nature of the conditions. *D*, Two or more layers of waterproofing, according to the severity of the conditions; under high heads of water two courses of two layers each breaking joints as shown in fig. 21 are employed frequently. *E*, Key completed with brick or stone thickly bedded in cement mortar. *F*, Brick, concrete, or stone wall built against the waterproofing; all space between the wall and waterproofing to be filled with cement mortar or be flushed with Portland cement grout. *G*, Four-inch concrete floor laid directly on the waterproofed fabric.

On the right: Method of interlapping and interlocking courses where it is not possible to waterproof the floor and wall at the same time. This gives a much more dependable bond than that shown in fig. 19. *H*, Footing waterproofing carried 6 inches up the wall. *K*, Six inches of second course laid dry, thus permitting interlapping and interlocking with the floor waterproofing when latter is laid. *L*, Three-fourths inch protective coat of lean cement mortar on a "waster" sheet, both extending over the dry lap; this coat is temporary and is removed when the floor waterproofing is laid, but it should be placed promptly so as to keep the fabric from being injured by wheelbarrows, tools, or careless workmen.

either the integral or the membrane method of waterproofing all pipes passing through floors and walls should be provided with flanges or have other special treatment.

MISCELLANEOUS.

In particular situations none of the remedies heretofore described may be feasible. Where water must be pumped from a cellar a variety of simple mechanical devices are available. Generally, these are placed in a pit sunk in one corner of the cellar and are operated by steam or water pressure. At best, they are makeshifts. In other instances a cellar drain may be subject to backwater from a creek. This difficulty may be overcome by use of a backwater trap, of which several types are manufactured. The essential principle is that of a swinging gate or flap hung so as to close against external pressure and to open when the height of the water inside exceeds the height of that outside.




FIG. 21.—Membrane Waterproofing.

Details of longitudinal spacing, overlapping, and jointing of waterproofing fabrics. A, One course of two 36-inch sheets spaced 17 inches and overlapped 19 inches. B, If two courses are laid, the sheets of the second should break joints with the first in the manner shown.

Cellars should be provided with ample window space protected by screens or narrowly-spaced bars. Adjust the window opening in much the same manner that you would in a room. When the air outside is cool and dry, open the cellar windows freely. When the air is hot or humid close the windows. Admission of warm, moist air results in mildew and condensation of moisture upon the colder surfaces within the cellar.

In some instances dryness of a cellar is promoted by artificial heat and by use of certain substances that possess a strong affinity for moisture. Of these substances, perhaps calcium chloride is the best, and it is said that 1 or 2 pounds placed in an old can or kettle on the cellar bottom is a great aid in abating the dampness of an ordinary cellar.



By NED DEARBORN,
Assistant Biologist, Bureau of Biological Survey.

TURNING PESTS INTO PROFITS.

EVERY FARMER finds it necessary to kill certain animal pests in order to keep them from injuring his property or crops. This he sometimes does by means of poison, but more often he employs traps. A knowledge of the traits and habits of the animals and of proved methods of capturing them is important if he is to combat them successfully. Besides such out-and-out pests as rats, mice, and pocket gophers, some other animals are occasionally harmful, but having valuable skins and being classed as fur bearers are given special consideration.

The lively demand for all kinds of fur puts into the pockets of American trappers millions of dollars a year, which, until the harvest, has not cost them a single effort. Moreover, several of the furry tenants of the farmer not only are not pests, but are useful while alive. Foxes, for example, destroy many rabbits and mice, both of which when abundant are very destructive to fruit trees and crops. Skunks are exceedingly beneficial, for they feed almost entirely on mice, grasshoppers, crickets, white grubs, and other farm pests. It is only in exceptional cases that either foxes or skunks attack poultry; it is far better to keep poul-

try in suitable inclosures or to kill the individual animal which is doing damage than to adopt a policy of general persecution toward the tribes to which the few offenders belong.

The food habits of other fur bearers are usually of less importance. Weasels are excellent mousers; minks feed on frogs, fish, mice, and other small animals; while raccoons and opossums eat, in addition to a wide variety of neutral or harmful small animals, many kinds of vegetable food of little or no direct value to man. Muskrats and beavers live on wild products of marshes and woodlands, and only in rare instances are their burrows or houses objectionable.

In short, speaking generally, fur animals transform uncultivated and useless materials into valuable peltries, without expense or attention on our part. They are doing this throughout the country. When the corn is in the crib, and the landscape has been browned by frost, farm lads take down their traps with happy expectation and set out to gather unearned increments of fur.

The purpose of this article is to explain methods of trapping the small wild animals of the farm, methods of preparing skins of fur bearers for market, and methods of improving the fur catch from year to year.

HOW TO CATCH PESTS.

The most destructive group of pests on the farm includes the small gnawing animals known as rodents. Among them are house rats and mice which have been brought to this country from the Old World, and several kinds of native rats and mice, as wood rats, rice rats, cotton rats, kangaroo rats, meadow mice, pine mice, white-footed mice, and pocket mice. Ground squirrels of several kinds are found throughout the Western States and in many localities are very destructive to forage and grain. Prairie dogs of the plains region, related to ground squirrels, also destroy a great deal of forage in the vicinity of their "towns." Here and there woodchucks, or groundhogs, also related to ground squirrels, are destructive to field and garden crops. In mountainous and timbered regions porcupines are more or less destructive to orchard and other trees. These animals

are all easy to trap, the main difficulty being that they frequently occur in great numbers.¹

The styles of traps shown in figure 1 (*A* and *B*) are used extensively in catching all kinds of rats and mice. Such traps




FIG. 1.—Types of Traps Used for Catching Small Rodents.

A, Type of trap with wooden base in common use for catching rats and mice; *B*, metal trap for rats, mice, and small squirrels; *C*, wire rat trap. The last operates best when covered with a piece of burlap or with a box having a hole in one end through which rats may pass directly into the trap.

are usually baited with a piece of nut meat, pumpkin seed, or rolled oats, as may be convenient. It is advantageous to use more than one kind of bait at a time, inasmuch as these animals sometimes take one kind of bait in preference to an-

¹ See Farmers' Bulletin 932, "Rodent Pests of the Farm," for further details regarding combating some of these rodents.

other. House mice have a habit of following the walls of a room as they run about, and a trap placed behind a table leg or small object where mice naturally run need not be baited. House rats are sometimes wary and difficult to catch in traps set in the ordinary way. A small steel trap set in a pan of bran or oats and carefully covered will usually catch

the shyest of rats. It is well to scatter small pieces of meat or bread over the bran. The wire trap shown in figure 1C is more effective when covered by a piece of cloth or by a wooden box having a hole in one end through which rats may pass directly into the trap.¹



B1200M

FIG. 2.—Box Trap for Catching Rabbits, Squirrels, and Other Small Animals Uninjured.

It may be baited or set without bait in a runway. Details of construction are shown in figure 3.

Wild rats and mice may be trapped readily at the entrances to their burrows or in their runways, the traps and the manner of setting them being the same as employed in catching house rats and mice. Prairie dogs, ground squirrels, and woodchucks are usually caught in steel traps set at the entrances to their burrows. Sometimes it is not necessary to cover the traps, but as a

rule it is advisable to press them well into the earth and cover them lightly with grass or leaves, or whatever may be at hand. A trap should always be chained to a stake or other firm object so that an animal caught in it can not descend into its burrow or escape with the trap.

Porcupines may be caught by means of an apple, a carrot, or a bit of green corn placed in a crevice behind a No. 2

¹ For full directions for destroying these pests, see *Farmers' Bulletin 896*, "House Rats and Mice."

or No. 3 uncovered steel trap, as these animals are quite unwary. They may also be caught in traps set at the entrances of their dens, which are often located in cliffs.

Cottontail rabbits are frequently destructive to young fruit trees and garden truck. They may be caught in box traps similar to the one shown in figures 2 and 3, baited with sweet apple, carrot, or pumpkin, or they may be taken in shelter traps, such as illustrated in figure 4. Where rabbits are abundant, shelter traps are occupied by them more or less regularly during the day. A dog trained to




FIG. 3.—Details of Construction of Rabbit Trap Shown in Figure 2.

hunt rabbits will give warning when one is inside a trap. To prevent the quarry's escape a stick with a disk at the end of it may be thrust into the entrance, after which the top of the trap may be opened and the animal caught in the hand. The skins and flesh of trapped rabbits are superior to those of rabbits which have been shot.

In many of the Western States the rodent most destructive and most difficult to capture is the pocket gopher, which spends most of its life underground. Owing to its subterranean habits it has been found expedient to devise special kinds of gopher traps (fig. 5). In making its burrows the gopher throws up on the surface of the ground the dirt it excavates. The trapper, opening a fresh mound, sets a gopher trap well within it and covers the opening behind the trap with a piece of sod, or whatever may be at hand.

It is possible to catch gophers in No. 0 steel traps, but the process is more laborious than that of catching them in the traps specially designed. When steel traps are used, a main burrow is located by prodding with an iron rod, then a piece of turf is removed from it and an excavation made deep enough to allow the trap to be set flush with the bottom of the burrow, after which the piece of sod which was removed is returned to its place. Gopher traps do not require bait.

Besides the rodents, which constitute the majority of farm and garden pests, there are certain other creatures which are



FIG. 4.—Shelter Trap for Catching Cottontail Rabbits.

After a stick having a wooden disk at the end is thrust into entrance, the cover is lifted and the rabbit is captured by hand.

sometimes obnoxious; among these are stray cats, which too often destroy useful birds. The removal of such animals may be effected with neatness and dispatch by means of the trap shown in figure 6, and graphically described in figure 7. One can be made by any ingenious boy at very slight expense. Fresh meat or fish should be used in baiting it.

In many localities one of the worst farm pests is the crow, which is often destructive to grain, eggs, and young chickens. Crows may be caught in steel traps, size No. 1

or No. 2, carefully covered with soil and baited with whatever they are destroying—eggshells, for example.¹

Such hawks and owls as are destructive may sometimes be caught in small jump traps placed on top of high posts overlooking poultry yards, the trap being fastened securely to the post (fig. 8). As soon as the need of protecting chickens or other animals has passed, the pole traps should be removed so as to avoid risk of killing other birds.

Another pest is the English sparrow, which destroys no small amount of grain during the ripening period. The



FIG. 5.—Traps Especially Designed for Catching Pocket Gophers.

traps shown in figures 9 and 10 catch these sparrows very satisfactorily. Rolled oats or crumbs of bread should be scattered around and beneath these traps to attract the birds. In catching sparrows one should be very careful to see that no native birds are destroyed.²

HOW TO CATCH FUR ANIMALS.

The devices intended for capturing fur animals are numberless, ranging from simple deadfalls (fig. 11A), constructed on the spot out of such convenient materials as saplings and

¹ See Department Bulletin 621, "The Crow and Its Relation to Man."

² See Farmers' Bulletin 493, "The English Sparrow as a Pest."

slivers, to patented products of factories. Although certain styles of traps may be used for catching many different kinds of animals, others are used exclusively for a single species having peculiar habits which make ordinary traps ineffective. The assortment of traps here illustrated, while by no means complete, is sufficient for capturing all of the animals included within the limits of this article.



FIG. 6.—Cat Trap Designed by the Biological Survey for Catching Vagrant Cats and Disposing of Them Humanely.

Construction and operation are shown in figure 7.

Steel traps (figs. 12 and 13) and other traps likely to be carried away by the animals caught in them are either chained fast to a stake or other immovable object or attached to a grapple or clog which yields when the captured animals make their first frantic efforts to escape, but which can not be dragged far. A sapling makes an excellent drag, the chain being attached 2 or 3 feet from the larger end, which makes it move more or less crosswise and soon become fastened in bushes or weeds. Trap chains should always include a swivel.

In setting a trap a careful trapper always springs it several times to assure himself that it is going to work properly. Before the trapping season opens, steel traps should be cleaned, the joints oiled, and any necessary little repairs made.

STRIPED SKUNKS.

The striped skunks are found in almost every part of the United States. Sleeping by day in burrows or beneath stones, buildings, or trees, they come forth at night to feed




FIG. 7.—Details of Operation of Cat Trap Shown in Figure 6.

In this illustration the near side of the trap is removed, showing the treadle, *T*, pivoted so as to pull the prop, *P*, under the edge of the box when the box is raised. A cat in reaching for the bait, *B*, tips up the treadle and springs the trap. As the box falls, rod *R*, coming in contact with the cat's back, releases an ounce of carbon bisulphid, which quickly and painlessly asphyxiates the animal.

on insects, small animals, and carrion. Sometimes, but not often, they destroy poultry. Among the signs revealing their presence are numerous shallow pits 1 or 2 inches deep, noticeable in fields and pastures where white grubs are unearthed by these keen-scented animals; these pits are conspicuous late in fall, when repeated frosts have laid vegetation low. The holes the animals occupy are clear of spiders' webs, have a slight skunk odor, and frequently have a few

skunk hairs about the entrance. Their droppings, consisting largely of the hard parts of insects, are readily distinguished from those of other animals of their size.

Skunks are generally caught in No. 1 or No. 2 steel traps set unbaited at the entrances to their dens. The stake to which a trap is fastened should be set the full length of the chain from the hole to enable the trapper to dispatch his catch with as little unpleasantness as possible.


When a den is inhabited by more than one animal, time may be saved by setting several baited traps in its vicinity instead of setting one trap at its entrance. Skunks are often caught in baited traps set for foxes, and in places where their odor would be objectionable they may be caught in box traps baited with meat and then drowned without being removed.

A trapped skunk, approached slowly and quietly, so as not to alarm it, may be killed, without its discharging scent, by a sharp blow across the back with a stick.

Skunk skins should always be freed from fat and cased flesh side out.¹

SPOTTED SKUNKS.

FIG. 8.—A Great Horned Owl Captured in a Small Jump Trap Placed on the Top of a Post.



Little spotted skunks, the skins of which in fur shops are called "civet cat," are decidedly smaller and more graceful than striped skunks. They are found in the Southern and Western States. Their habits and signs and the methods of catching them are similar to those relating to the large skunks. The size of steel traps suitable for spotted skunks is No. 1.

¹ See Farmers' Bulletin 587, "The Economic Value of North American Skunks."

MINKS.

Minks are found throughout the greater part of the United States and Alaska. They do not occur in arid regions, as they are dependent on water and are usually found near streams. They feed on fish, frogs, crawfish, and other small animals and birds. Their tracks in snow or sand along streams indicate their presence. They are usually caught in No. 1 steel traps set in holes in the banks of small streams or in driftwood, a chicken or rabbit head, a fish, or some muskrat meat being placed in the hole beyond




FIG. 9.—Sieve Trap for Catching English Sparrows.

A chip is placed between the end of the prop and the edge of the sieve. When a number of sparrows are congregated on the bait a quick jerk on the line entraps them. They may then be driven through a small door near one corner of the trap into a box or wire cage.

the trap. A bait inclosure may be built of sticks or stones where there is no natural cavity. Another plan is to set a trap about an inch under water on the top of a stake or pile of stones between the abutments of a bridge, or between large boulders or ledges, where it is necessary for minks to swim in following a stream; a fish or meat bait is suspended about 10 inches above the trap.

Mink skins should be cased (see fig. 20) on long, narrow stretchers flesh side out.

WEASELS.

The large northern weasels, brown in summer and white in winter, are sold in the white dress as "ermine," a name originally applied to a similar animal of the Old World. Only those living in regions having considerable snow turn white in winter, and only the white skins have much value, although brown skins are usually salable at a small price.

The animals roam widely on dry ground, feeding mainly on mice, ground squirrels, and other small mammals and on birds. Owing to a fierce desire to kill far beyond their needs they are sometimes very destructive to poultry; they leave their victims untouched except for a bite in the neck or beneath the wing, and fowls in this condition furnish a sure evidence of their presence. When running the weasel makes two tracks, one a little in advance of the other, its leaps covering 12 to 16 inches of ground. It may be caught in No. 0 or No. 1 traps set under fences, buildings, or fallen




FIG. 10.—Funnel Sparrow Trap, Designed by the Biological Survey.

This is made of $\frac{1}{2}$ -inch-mesh poultry netting or sand screen, the near side of which, in this illustration, is raised to show the interior.

trees, or wherever it is known to run. A mouse, English sparrow, or chicken head hung 8 or 10 inches above the trap may serve as bait.

Weasel skins should be cased the same as mink skins (see fig. 20).

OTTERS.


Otters are comparatively rare animals, but, being extensive travelers, are likely to appear now and then in any of the larger bodies of water, as fish are their natural food. They move about in the daytime and thus may be seen either fishing or at play. In the wilder regions they resort to steep banks of streams, down which they slide in play, plunging into the water below. For catching otters double-

spring No. 3 steel traps are used, set 2 or 3 inches under water at the foot of a slide or where the animals are likely to pass in their fishing.

Otter skins are cased flesh side out.

WILDCATS.

Wildcats, known also as bobcats, are found in timbered and mountainous regions, especially where there are cliffs



©1922M; ©19727

FIG. 11.—Deadfall and Wolf Set.

A, Deadfall made entirely of wood with an ax only; a bottom log, a fall log, four guide posts, one of which has a horizontal branch, a hook, and a pedal stick are the main parts. It is built in front of a bait inclosure. B, Wolf trap bedded for a blind set between yucca plants; any dirt on the canvas not used in covering the trap will be removed and the stake will be driven out of sight.

and broken rock, in which they like to have their dens. They are active by day as well as by night, much the same as house cats. They feed on birds and small animals, and in some localities are destructive to poultry and lambs. Their tracks resemble those of house cats, except that they are much larger.

Wildcats are caught in No. 2 or No. 3 steel traps covered with grass, leaves, or dirt, according to surroundings, and baited with meat, as rabbit or muskrat, fastened about 2 feet above the trap or placed in a crevice behind it.

Wildcat skins should have the feet left on them. They are usually cased flesh side out, although some trappers open them and dry them flat.

CANADA LYNX.

The lynx is confined mainly to Canada and Alaska, but occurs occasionally in the northern and more mountainous States. It lives almost exclusively in timbered regions and feeds mainly on rabbits, but grouse and other small creatures are frequently among its victims. Adapted for living in snowy regions, it has extraordinarily large feet, the tracks of which are easily distinguishable from those of wildcats.

The size of the steel trap generally used for lynxes is No. 3 or No. 4. It may be set, well covered, before an



©1264M; ©1267M

FIG. 12.—End-spring Steel Traps are Used Almost Exclusively in Catching the Larger Animals.

In some cases the chain is fastened to a stake, in others it has a clog or grapple at the end.

inclosure baited with meat, or beneath a bait fastened to a tree 3 or 4 feet from the ground, the trap being set about 2 feet from the tree and having brush arranged on either side so as to cause a lynx to pass over it in approaching the bait.

Lynx skins are cased fur side out, special care being taken to preserve the feet.

FOXES.

In the United States there are three types of foxes, the red, gray, and kit foxes. Of the three, the red fox, including the color phases known as the cross and silver foxes, is the most difficult to catch and has the most valuable fur. While all these animals subsist mainly on rabbits, ground squirrels, mice, and insects, they are fond also of many kinds of fruit; their droppings usually contain hair and frequently seeds. Their tracks resemble those of a small dog, but are usually slightly narrower, farther apart, and more nearly in a straight line.

Red foxes are keen-scented, suspicious animals and have a wholesome fear of man, so that the trapper must take special care to outwit them. Traps and the ground where they are set must be free from human




FIG. 13.—Single and Double Spring Jump Traps. Largely Used Where End Springs Would be Inconvenient.

odors. Steel traps are cleaned by boiling them with twigs of spruce, fir, hemlock, birch, or sassafras, whichever may be at hand, or by burying them or leaving them in running water for a day or two. After being cleaned they are handled only with leather or waxed cotton gloves and are kept in a clean bag or basket until set.

Preparations for the trapping season go on continuously. The breeding dens, hunting grounds, and peculiar habits of the animals are studied at every opportunity. Tracks in mud, dust, and snow, hair around burrows and on fences, and droppings along unused trails and lumber roads show where they range.

In well-watered regions traps are frequently set in springs which do not freeze over except in very cold weather. For making a water set, a pool not less than 4 feet wide is necessary. Several weeks before the trapping season opens a stone or turf is set in the pool, as a baiting place, about 2 feet from the edge and slightly above the surface of the water. Midway between it and the shore, mud from the bottom of the pool, in which the trap is to be embedded, is piled up nearly to the surface. By the time the trapping season opens everything about the spring has assumed a natural appearance. Then the trapper, walking in the bed of the stream, proceeds to complete his set. He uses as a bait part of a woodchuck, rabbit, muskrat, skunk, cat, or fowl that has been kept out of the way of insects until it is badly tainted. He sets a No. 2 or No. 3 trap in the place prepared for it, and on the pan puts a piece of moss which sets well above the water and covers most of the space within the jaws of the trap. The trap chain is fastened to a stake driven into the bottom of the pool or to a drag, consisting of a stone or pole. The trapper must do all this without leaving any telltale odors on the ground.

In making a land set, the bed for the trap is made by digging a hole in the ground barely large enough to contain the trap, but deep enough for the stake and chain by which it is fastened to be concealed beneath it. The earth removed should be placed on a piece of cloth, and any of it that is not used in covering the trap should be carried away. In placing a trap in its bed care should be taken to have it rest firmly all around so as not to give way under pres-

sure on any part but the pan. To keep dirt from falling beneath the pan and prevent the trap from springing, either a light wad of clean cotton should completely fill the space beneath the pan, or a sheet of thin paper should cover the trap. The trap is covered with dry earth, free from sticks and pebbles, the top layer being like the surrounding surface, making the location of the trap invisible. In winter, to keep them from freezing in, traps are bedded in chaff, dry leaves, or twigs or needles of pine, spruce, or hemlock trees.

Foxes often follow paths or trails, as may be ascertained by observing their tracks, and, taking advantage of this, trappers set traps where a passing fox in stepping over a log or stone will naturally place his foot. The carcass of a horse or other large animal placed near a trail attracts animals that way. They may also be lured by a scent made from trout, eels, or other oily fish left in glass jars a few weeks, or until the flesh has dissolved; the resulting liquid is then covered with a layer of fat which has a strong odor very attractive to carnivorous animals. This scent may be made more effective by the addition of beaver castor or the scent glands from muskrats.

These and similar scents are relied upon to lure foxes to what is known as the blind set (fig. 11*B*); which is made in cleared ground away from trails and water. A field or pasture which foxes are known to traverse is selected and an ordinary land set made there as already described. After a trap has remained bedded for several days and every trace of it has been obliterated, the trapper smears the soles of his shoes with the scent, goes to the trap, and spreads some of the scent on stones, stumps, or grass near it, using a small new paint brush kept in the scent can for the purpose. In looking at traps, and this should be done every morning without fail, they are not to be approached any nearer than is necessary.

Gray and kit foxes are not especially wary. They are readily caught by the methods used in taking red foxes.

Fox skins should always be cased fur side out, the feet and tail being carefully skinned and pinned out to hasten drying.

WOLVES.

Timber wolves and prairie wolves, or coyotes, are restricted to the Western States. They are so often guilty of destroying domestic animals and deer that they are generally killed whenever possible, and bounties are offered for their scalps in several States. Their presence is made known by their tracks, their doleful howls, and their depredations.

The methods already described for trapping foxes are used for catching wolves. The trapper usually goes on horseback with his trapping outfit, as wolves are not suspicious of horse tracks. Arriving at the place selected for a trail or a blind set, he drops a piece of canvas on which to stand while making the set and is very careful not to step off it or leave anything carrying his odor. Blind sets are often made midway between growths of bushes, yucca, or cactus, 8 or 10 feet apart. A few days after the set has been made the trapper returns and without dismounting from his horse drops some scent among the brush on either side of the trap. The scent may be the one described for catching foxes, or one more attractive to the animals may be prepared as follows:

Put into a bottle the urine from a wolf, the gall, and the anal glands, which are situated under the skin on either side of the vent and resemble small pieces of bluish fat; or, if these can not be readily found, the whole anal parts may be used. In preparing 4 ounces of the mixture use one-quarter the amount of glycerin to give it body and prevent too rapid evaporation, and 1 grain of corrosive sublimate to keep it from spoiling. Let the mixture stand several days, then shake well before using.

Government coyote trappers use with great success what may be called the Bakken prairie-dog set (fig. 14). In a prairie-dog "town" the trapper beds two steel traps about 6 inches apart in the edge of one of the hills and chains them to a stake driven at the mouth of the burrow. A dead prairie dog is placed between the traps and the burrow so as to look as if going into the burrow, and is wired by its head to the stake, the stake, head, and wire being covered with dirt. Beginning near the stake, two shallow trenches are dug, inclosing the prairie dog in an angle to direct a coyote approaching the bait over the traps. In making this set the




FIG. 14.—Diagram to Illustrate the Bakken Prairie-Dog Set, Used Originally by Government Predatory Animal Trappers in Montana.

Part of a prairie-dog mound is cut away and a stake driven there with a dead prairie dog in front as a bait. A trench is dug on each side, and two traps, chained to the stake, are concealed in the soil just beyond. A coyote will not step over a trench to pick up a prairie dog, but will approach the bait over the smooth surface concealing the traps.

trapper invariably works from the opposite side of the mound. No. 3 traps are used for coyotes and No. 4 traps for timber wolves.

Wolf skins should be cased hair side out.

RACCOONS.

Raccoons are found throughout the United States, mainly in the vicinity of ponds and streams. They feed on a great variety of things, including fruits, green corn, fish, frogs, birds, small animals, and occasionally poultry. They sleep during the day in holes in trees or cliffs or supported by crotched branches of trees, and seek their food at night. Their tracks, frequently seen on sandy shores, resemble in outline the shape of the human hand.

Raccoons are usually caught with No. 2 or No. 3 steel traps, which may be set at the entrance to holes in banks, logs, or decayed bases of trees, before a meat bait of some kind. They may also be caught in traps set slightly under water, close to the bank of a stream, by merely fastening to the pan a small mirror or a piece of bright tin, which rarely fails to excite their curiosity. In fastening traps it should be remembered that these animals climb and may lift the chain ring from a stake unless there is a nail or hook at the top to prevent it.

Raccoon skins should be open and shaped as nearly square as possible. The fur is rather thin as compared with that of many of the other fur bearers, and care should be taken not to make it thinner by overstretching the skin.

OPOSSUMS.

Opossums are common in the Central, Southern, and Eastern States, as far north as Long Island, N. Y. They travel by night only, and feed on various kinds of fruits, small animals, insects, and carrion. They climb readily and den in hollow trees or logs and in crevices among rocks. Being unsuspicious they are likely to be found anywhere in woodlands, and are easily caught in No. 1 or No. 2 steel traps having meat baits behind or above them.

Pelts of opossums should always be cased flesh side out, the tail and feet being cut off.




FIG. 15.—Mole Traps.

A, Loop trap; B, scissor trap; C, spear trap.

MOLES.

Moles live entirely underground in burrows made by pressing aside with their large and very powerful forefeet the earth through which they pass. They can not force their way through earth that is dry and hard, and for this reason they are found only where there are frequent rains. When the ground is soft with moisture and earthworms are driven




FIG. 16.—Scissor-jaw, or Gripping-jaw, Trap for Moles.

Phantom view, showing position in relation to a deeper runway of the mole. The jaws must straddle the course of the runway and, in order that they may act quickly, the soil must be loosened with a trowel and freed from obstructions, as sticks, stones, or clods.

up among the grass roots, moles, following them to the surface, throw up unsightly ridges and destroy plants by loosening or breaking their roots. The large Townsend mole of the northwest coast region throws up mounds of earth also which are very annoying in hay and grain fields and even in pasture land, where they cover no small amount of grass. Mole hills consist of pellets or balls of earth, and

are readily distinguishable from pocket-gopher hills, which consist of loose earth without compact form. Furthermore, gophers do not make ridges as moles do.

There are a number of kinds of mole traps on the market. Those designed to spear the animals are not recommended when fur is an object, as they damage the pelt. The scissor and loop traps shown in figure 15 kill the animals without injuring their fur.




FIG. 17.—Choker-Loop Trap for Moles.

Phantom view, showing trap placed in position on one of the deeper runways of a mole's system of burrows. The loops should encircle the runway through soil loosened to allow quick action.

Before setting a mole trap it is well to ascertain where the animals are feeding. This may be done by stepping on the ridges here and there, and looking over the ground on the following day to see where they have been thrown up again. Select a straight portion of the runway, open a section of it wide enough to admit the trap, remove stones and other obstacles which might interfere with the operation of the trap, and replace enough of the dirt to cover the burrows. Then set the trap as shown in figures 16 and 17 so the jaws

or loops will be well below the burrow, and make sure that the trap will be sprung when the ridge is thrown up again.

Mole skins should be pinned out on boards and dried flat, flesh side up, as shown in figure 18. After the pins have been driven the skin should be raised from the board to allow the fur to stand erect.¹

MUSKRATS.

Muskrats live in ponds, streams, and marshes. Except in waterless areas, the greater part of California, and the coastal regions of several of the Southern States, these ani-




FIG. 18.—Drying Mole Skins on a Board, Showing the Three Stages of Work on One Skin.

(1) Four pins are first used, one in each corner; (2) 4 intermediate pins are then inserted, the skin being slightly stretched; (3) finally 8 more pins are tacked in, one between each two of those already in place.

mals are found practically throughout North America from the northern limit of trees to Mexico. Although occasionally seen in the daytime, they are mainly nocturnal. They eat vegetable food chiefly, as the fruit, foliage, and roots of lilies and other water plants, but frequently vary this kind of diet with mussels and occasionally with fish.

The presence of muskrats is indicated in several ways. In marshes they build conspicuous houses of mud and weeds for winter occupancy. Those living in streams have holes in banks below the surface of the water. In summer they

¹ See Farmers' Bulletins 583, "The Common Mole of Eastern United States," and 832, "Trapping Moles and Utilizing Their Skins."

make paths of clear water through herbage and mud in shallow places, and leave their characteristic droppings on stones and driftwood. Piles of mussel shells and partly eaten roots are evidence that muskrats are living in the vicinity.

The size of steel trap usually set for muskrats is No. 1. As these animals are quite unsuspicious, traps may be set without bait in their paths or at the entrances to their burrows. Bait, consisting of carrots, parsnips, or sweet apples, may, however, be used to advantage, as muskrats are very fond of these foods. The bait may be placed on a bank, or suspended on a stick above the trap, which is generally a little below the surface of the water. Unless a captured




FIG. 19.—Simple Box Trap for Catching Muskrats in Narrow Streams.

The wire doors being hinged at the top stay closed except when muskrats swim against them from the outside. The wires are long enough to prevent the doors from swinging outward.

muskrat can immediately get into deep water and drown, it is likely to twist its leg off above the trap and escape.

The box trap for catching muskrats in narrow streams, shown in figure 19, may be built of four boards, each 8 inches wide and 42 inches long. The ends of this trap are fitted with wire doors hanging by the upper edge. These doors remain closed by their own weight except when pushed open from the outside. A swimming muskrat can enter it easily but can not escape from it. This trap is held slightly under water by a weight of stones, a funnel of sticks or stones being constructed to guide muskrats into it.

A muskrat skin should have the tail and feet removed and be cased flesh side out.¹

¹ See *Farmers' Bulletin* 869, "The Muskrat as a Fur Bearer, with Notes on Its Use as Food."

BEAVERS.

Beavers have been exterminated over a very large portion of the country. They are now well protected by law in most of the States in which they are still found, and their numbers and distribution are gradually increasing. Being very shy creatures and mainly nocturnal, they are rarely seen, but their dams and tree cuttings are unmistakable signs of their presence.

They feed mainly on herbage of various sorts and on the bark of such trees as cottonwood, poplar, maple, and birch, which for winter use they cut into pieces several feet long and carry to their ponds to be peeled under the ice during the winter. They build dams to control the depth of their ponds, construct houses, and dig burrows having entrances under water. When they cut their winter's supply of food at some distance from their pond, they drag it over well-worn paths to the water. The trapper frequently sets a No. 4 double-spring trap at the end of these paths where the water is 4 or 5 inches deep, or again at the entrance of a burrow. In any case he provides for drowning a captured beaver by slipping a smooth pole through the ring at the end of the trap chain and driving the small end of it firmly into the bottom where the water is deep, fastening the large end on the bank above with stakes or heavy stones. On being caught a beaver immediately dives, the ring of the trap chain slides down the pole, and the animal, held under water, soon drowns.

The tail and feet of the beaver are not left on the skin, which is stretched flat and as nearly round as possible. The common way of doing this is to sew or lace it to a hoop somewhat larger than the skin. The long podlike glands known as beaver castor, found just beneath the skin in front of the genital organs in both sexes, are in demand by trappers and raw-fur buyers. After they are removed from the skinned carcass the outlets are tied up to prevent leakage and they are hung up to dry in a cool place. They are used by manufacturers of perfumes and by trappers in making scent baits.

HOW TO PREPARE SKINS.

The manner of skinning a fur animal depends on whether its pelt is to be dried open or cased. For an open skin the first cut is made from the point of the chin straight to the




FIG. 20.—Cased Mink Skin on Board Stretcher.

This skin, having no dark spots, is entitled to be called "prime," and to command the top price.

is dressed. After the cuts have been made, the hind legs and feet are skinned out to the toes, the toes and the feet being cut on the under side. At this point it is convenient to hang the carcass by the hamstrings on hooks or pegs. After the tail bone has been taken out, the entire skin is turned from the body very much as a glove is turned from the hand. The fore feet

tip of the tail, along the under side of the body. Side cuts are then made to this from the sole of each foot by the shortest routes. The only exceptions to this rule for taking off open or flat skins occur with beaver and mole skins, which do not have the feet and tail left on them and are cut only from chin to base of tail, no leg cuts being made. In peeling the skin from a carcass the knife should be used as little as possible and always with extreme care, as even a small gash in a skin reduces its value.

For a cased skin (fig. 20), a cut is made from the sole of one hind foot to the sole of the other, on a line running along the rear edge of the hind legs and beneath the tail. The tail is cut along the under side its entire length and the bone is removed. If this is not done the hair of the tail is likely to come out when the skin

are opened from the wrist to the toes and skinned out in the same manner as the hind feet. The ears are cut off beneath the skin close to the skull and the thick cartilage in them is removed. In order to avoid cutting the eyelids, the knife should be carefully applied close to the skull when the first trace of eyes appears as the skin is being turned from the head. Any fat or muscle adhering to a skin should be removed immediately, as fat causes skins to become brittle and worthless, while muscle invites decay when conditions are unfavorable for rapid drying. This is usually done by drawing the skin flesh side out over strips of board or scantling, rounded on the upper side (fig. 21), and by scraping



FIG. 21.—Fleshing Beam.

Skins are laid on this to be scraped free of fat and muscle, either when they are fresh or after being soaked in cold water until they are soft enough to be worked readily.

it with the back of a knife, a dull file, or the edge of a square stick of hard wood, the scraping always being done from the head toward the tail.

After being scraped, or "fleshed," skins are stretched as uniformly throughout as possible. Open skins are usually pinned or nailed out on any convenient flat surface, flesh side exposed. If such a surface is not at hand, they are sewed or laced to a wooden hoop or frame of suitable size and shape. Cased skins are dried on stretchers made either

of thin board or metal rods shaped so as to stretch them properly in every part (figs. 20, 22, and 23).

Peltries should always be dried in a shady, well-ventilated place, as an open shed, and not by artificial heat when it can be avoided. In regions where the rainfall is excessive and the air is saturated with moisture, it is sometimes necessary to dry skins near a fire.

In packing furs for shipment care should be taken to arrange them so the fur side of one skin will not be soiled by the flesh side of another.




FIG. 22.—Board and Wire Stretchers Designed for Muskrat Skins.

Skins wanted for home use may be dressed by simple though somewhat tedious methods, one of which is here outlined. A tanning liquor is made by adding to each gallon of water one quart of salt and half an ounce of sulphuric acid. This mixture should not be kept in a metal container. Thin skins are tanned by it in one day, but heavy skins must remain in it longer; they may remain in it indefinitely without harm. When removed from this liquor they are washed several times in soapy water, wrung as dry as possible, and rubbed on the flesh side with a cake of hard soap. Flat

skins are then folded in the middle, lengthwise over a clothes line, hair side out, and left to dry. Cased skins are simply hung up by the nose, hair side out. When the hair is barely dry, and the flesh side is still moist, they are laid over a



FIG. 23.—Rabbit Skin on Wire Stretcher.

The dark spots on the skin, caused by the development of a new growth of hair, make this skin "unprime" and of considerably less value than if it were fully prime.

spare time it is more satisfactory to send skins to a fur dresser than to dress them at home.

A skin on which the fur is soiled should be cleaned before being stretched. Grease may be removed by a gasoline bath or by hot corn meal or hardwood sawdust rubbed in and shaken out repeatedly and finally beaten out with a

smooth, rounded board and scraped on the flesh side with the edge of a worn flat file or a similar blunt-edged tool. In this way an inner layer is removed, and the skins become nearly white in color. They are then stretched, rubbed, and twisted until quite dry. Fresh butter or other animal fat worked into skins while they are warm and then worked out again next day in dry hardwood sawdust or extracted by a hasty bath in gasoline increases their softness.

The main part of dressing skins consists of the labor applied while they are drying, in order to make them soft and pliable. In skin-dressing establishments this operation is done by machinery for a period of eight hours or more, hundreds of skins being treated at the same time. Home-dressed skins are softened by hand, one at a time. Skins of the same kinds of animals do not always work alike. In some cases it is necessary to return one to the tanning solution once or even twice before it will finally become soft. Unless one has considerable

limber switch. Light-colored furs are stained by blood if it is allowed to remain on them for any length of time. By exercising care the trapper can usually prevent fur from becoming bloody, but when this is impossible the blood should be removed immediately by washing with clear water as long as the water shows a tinge of red. Wet fur should always be dried before the skin is stretched, which can be done by shaking and wiping and applying corn meal or sawdust.

Fur that has been made up into wearing apparel may be freshened by laying it flat on a table and rubbing into it, thoroughly, flake naphthalene. The naphthalene has only to be shaken out when the cleaning is done. Garments that are badly soiled should have the lining removed and be separated into their main parts. These may be washed separately in warm water, with any kind of soap that is suitable for washing woolens, rinsed until clean, and then dried in sunshine where there is a breeze to carry away moisture and keep the fur in motion. When almost dry the parts should be worked in the hands and beaten, after which they are ready to be reassembled in the garment.

Furs are frequently injured by certain insects. Raw skins, especially those more or less greasy, are very attractive to larder beetles and some of their relatives, both in the larval or immature form and in the adult stage. Fur, as distinguished from the skin on which it grows, is eaten by larvæ of the clothes moth. Trouble from both of these pests may be avoided by keeping furs during warm weather in tight tin or sheet-iron cases, and placing in an open dish 1 ounce of carbon bisulphide to each 6 cubic feet of space when the case is finally closed. The gas arising from this liquid when mixed with air makes a violent explosive, for which reason it should never be used in the presence of fire. Dressed furs may be protected from moths by brushing and combing them thoroughly out of doors in bright weather and immediately tying them up in a sack of heavy paper or of closely woven cotton cloth. Raw furs should be either dressed or disposed of before the advent of summer, if possible, to prevent them from being injured by insects or the action of fat.

HOW TO HAVE MORE AND BETTER FUR.

Reports recently received by the Biological Survey from a large number of raw-fur buyers generally agree that the supply of wild fur has decreased greatly since 1910. In many of these reports the shrinkage is estimated at from 25 to 50 per cent in 10 years. A review of the great fur sales recently held in this country shows that the stock disposed of was brought from all parts of the world to supply the American trade. Manufactured furs in 1919 cost approximately 200 per cent more than the same grade of furs bought two years before, and skins of animals formerly regarded as having little or no fur value were made up into garments selling at from \$100 to \$150 each. All this goes to show that the demand for fur is far greater than can be met. Evidently the time is at hand when steps should be taken to increase and improve the fur supply. Trappers, dealers, manufacturers, and wearers, possessing in the aggregate a tremendous moral and financial influence, want more and better fur.

Among the bad practices which have reduced the number of fur bearers are: (1) Using poison, which kills many animals that are not found before their skins are spoiled; (2) smoking animals out of their dens, which often suffocates them instead of forcing them out; (3) destroying dens, which either leaves the animals without suitable places in which to rear their young or drives them out of the neighborhood altogether; (4) trapping early in fall, which catches animals having small, unprime pelts before they are old enough to be suspicious of traps; and (5) trapping late in spring, which destroys breeding females with young.

If no early or late trapping were done there would be fewer animals taken, but on the other hand the value of the catch and the number of animals left to breed another season would be far greater. Skins are prime for about two months after the molt is completed, and during this time they have no dark spots on the flesh side. They are worth much more when prime (fig. 20) than when unprime (fig. 23). Muskrat and beaver pelts are best in February and March, while those of other fur bearers are best from late in November till about the end of January.

The wild as well as the domestic animals of a farm require food and shelter, and while the farmer is providing as a matter of course for his domestic stock, he will, if wise, be mindful also of the needs of his wild tenants. If he regards his barns as factories for producing milk, meat, and wool, he may as well consider the fox den in the hill pasture and the big hollow sycamore by the creek as fur factories and preserve them accordingly. If he sells only his excess domestic stock, he also will cease trapping the wild "stock" while there are enough fur bearers left on his land to insure another year's fur harvest.

It is as logical to try to make farms produce more fur as to make them produce more beef. The important point is to have people understand the possibilities of increasing their income in this way. When this point is fully appreciated they will uphold State laws which forbid the use of smoke, poison, or other chemicals in taking fur animals, and forbid the destruction of dens and trapping on land of another without written permission. Such laws are already in force in several States, and will undoubtedly be operative in all the fur-producing States in the near future.

The measures thus far considered for increasing and improving the fur output have all been along the line of conservation. Beyond conservation, and surpassing it, are sound constructive measures by which a great and permanent improvement in wild fur may be accomplished. So thoroughly has the animal life of North America been investigated that we know in what region to find the best foxes, the best skunks, the best raccoons, the best muskrats, and the best of every other kind of fur bearer. Nearly all these animals have been bred in confinement, and although only two or three have actually been farmed, there is no reasonable doubt that under favorable conditions all can be propagated on fur farms for distribution on preserves in State and National forests or other public domain, and on private lands set aside by agreement with the owners, where they will be fully protected and from which they will spread when the natural limit to their abundance has been reached.

Just as State game farms raise and distribute game for sportsmen to shoot and State and Federal hatcheries raise

and distribute fish for anglers to hook, so should there be State and Federal fur farms for raising the largest and best-furred animals to be found on the continent for stocking preserves for the benefit of trappers. Possibly here and there a hunter or a poultryman may be inclined to oppose this suggestion, but the hunter may be reassured by the fact that game and fur animals are naturally coexistent and that until steel traps and firearms appeared there was an abundance of both. As to the poultryman's losses due to fur animals they are, in the main, preventable; the price of one fox pelt is sufficient to pay for a good-sized vermin-proof chicken run.

It should not be forgotten that the natural and ordinary food of fur animals consists mainly of materials for which mankind has little or no use, and that certain of these animals render the farmer a positive service by ridding his orchards, fields, and pastures of some of the worst pests infesting them. Generally speaking, therefore, the project to increase and improve fur animals would result in turning useless or harmful organisms into valuable peltries. It would also enable the farmer, when the regular duties of his farm are at their lowest ebb, to reap a self-raised harvest of fur which has cost him nothing and which probably has been developed in his service.

The HORSE POWER PROBLEM ON THE FARM



By OSCAR A. JUVE,
Scientific Assistant in Farm Economics, Office of Farm Management.

CHOICE OF POWER.

THE CHOICE of sources of farm power depends upon their relative profitableness. To determine which is the more profitable it is necessary to consider many factors, among which are the power requirements of the farm, the size of the power units required, the quality of work accomplished, the displacement of one form of power by the application of another, the total possible utilization of each form of power, the comparative cost of operations with the different forms of power, the relation between the kind of power and the effectiveness of man labor, and the effect upon the profits of the farm as a whole.

The following discussion is based upon the results obtained with horse power on a number of representative farms.

IMPORTANCE OF COST ACCOUNTING.

Figures 1, 2, and 3 show how accounting records will aid the farmer in securing some of the facts necessary for the proper study of the economical utilization of farm power. These charts are based on cost of production records obtained from the three farms in question.

Figure 1 shows how the work horses were used on a Wisconsin dairy farm. Six horses were used on this farm. The crops grown were about 50 acres of corn, 50 acres of small grain, 30 acres of hay, and 10 acres of tobacco. This combination of crops created a rather uniform demand for horse power during the spring and summer months. During

the winter, however, the horses were idle a great deal of the time, because the work at this time of year was mostly live-stock chores which did not require much horse labor.

Attention is especially called to the time of the year when the various operations were performed and to the amount of horse labor each required. Although most of the field work came during the spring, hay, tobacco, and alfalfa demanded considerable power throughout the summer. The percentage of total horse labor required by each operation is shown by figures on the left side of the chart. These figures are especially helpful in analyzing the amount of horse labor that was done with different-sized teams. Although nearly all the various operations were at times done with two horses, hauling, corn and tobacco planting and cultivating, as well as mowing and raking hay, were regular two-horse operations, while plowing, disking, harrowing, etc., were usually performed with the larger power units. Two-horse operations, therefore, made up about 58 per cent of the total power demand during the year.



Figure 2 shows the horse-labor distribution for an Illinois corn and hog farm, on which there were 108 acres of corn, 56 acres of small grain, and 15 acres of hay. Nine horses were kept on the farm throughout the year.

The grain and corn operations created a heavy demand for horse power during April and May, and the upper bar of the chart shows that the amount of power used at this time was much greater than during any other period. With the "peak load" lasting only about one and one-half months, this farm is in decided contrast to the Wisconsin dairy farm.

Wagon hauling, planting and cultivating corn, mowing and raking, were all two-horse operations in this case, and taken together they make a total of 57 per cent. The other 43 per cent of the work was practically all field operations, for which three and four horses were used, with the exception of the sowing of fall grains between the corn rows with a one-horse seeder.

Figure 3 is based on the records obtained from an Iowa farm on which there were 12 horses and a large tractor. The tractor, however, was a part of the thrashing rig and was not considered a part of the regular farm equipment. In this case the peak load came during the latter part of

OPERATIONS



Figs. 1, 2, and 3 (see other side) show the daily used for




FIG. 2.

Labor Is Distributed Through the Year.



An Operation in Which Tractor Power May Be Used on Some Farms to Release the Horses for Smaller Power Units to Haul Corn to the Silo.



Half the Work Done by 2-Horse Teams.

power. Practically two-thirds of the 2-horse work on three mid-West farms was wagon work.

ON nine representative farms 50 per cent of the required power was furnished by 2-horse teams. On an Iowa grain-stock farm 2-horse teams furnished 77 per cent of the power, while on a Washington grain farm 2-horse teams furnished only 5 per cent of the



Power Requirements Vary.

WHERE 10 or 12 horses are required to furnish the maximum power for one operation, they can also be divided into independent units for operations like corn cultivating. The tractor may not be suited for both operations.

April and the first part of May and was made up largely of plowing, disking, and harrowing. Corn being the chief, as well as the most profitable, crop, it is not likely that the operator would consider it advisable either to cut down the corn area or to plow part or all of his corn land in the fall. This being the case, there is evidently no way of directly reducing the peak load, and hence his only alternative would be to devise some way of reducing the cost of power. The reason the tractor owned by the operator in question was not used during this period was that previous experience had indicated that it was not suitable for spring work under the prevailing conditions.

While the tractor was not used for field operations in the spring, the chart shows that it was used for all fall plowing, though this work was done at the time when there was little other work for the horses to do.

Attention is called to the proportion of the total horse time required by the various operations. Road hauling (two-horse) consumed 26 per cent of the total time the horses were used, while farm hauling (two-horse) required 21 per cent, making a total of 47 per cent, or almost one-half of the total time. This is a significant fact in the consideration of the choice of power for this farm. The chart shows that corn cultivation, a two-horse operation in this case, demanded 12 per cent of the total time and other two-horse operations consumed 6 per cent more, making a total of 65 per cent of the horse labor performed with a two-horse team.


The percentage of time used in plowing on this farm is affected by the use of an 8-bottom tractor plow in the fall, and is thus smaller than it would be were plowing to be done entirely by horsepower.

SIZE OF THE POWER UNITS PER MAN.

Not all farm operations require the same amount of power. Some of them, like planting corn, raking hay, and others, are usually considered one-horse or at most two-horse operations in most sections of the country, while plowing, disking, grain cutting, etc., are coming more and more to be performed with larger power units. This fact, together with the necessity at times of carrying on two or more operations

simultaneously on different parts of the farm, is a very important factor from the standpoint of farm organization, for it makes it necessary that the farm power plant be made up of several independent power units.

Figure 4 gives the percentage distribution of the man time that was used with various-sized power units of nine representative farms in several States. There is a striking similarity in the extent to which two-horse teams were used on all these farms except the dairy farm with 40 crop acres and the larger farms representing extensive types of farming of the Western States. The reason why there was so little two-horse team work on the first farm was that much of the hauling was done with three horses, which fact also explains




Size of Team Used and Kind of Farm.

FIG. 4.—Percentage of total working time that different-sized teams were used on nine representative farms.

the large number of hours that three horses were used. On the two largest farms there was very little intertilling of crops; the hay acreage was small and large power units were used almost exclusively for all grain-raising operations. This accounts for the relatively small amount of two-horse-team work.

This sort of information is particularly valuable in studying the farm power problems, since it illustrates the power needs in terms of various-sized units. Doubtless further progress will be made in the hitches of farm implements looking toward the practical use of larger horse units as the means of increasing the efficiency of man labor.

Figure 5 gives, by months, the number of hours that different-sized teams were used on the three farms cited above. As has already been indicated (figs. 1, 2, and 3),



Size of Team Used and Time of Year.

FIG. 5.—Number of hours different-sized teams were used, shown by months, for three representative farms.

most of the farm labor requiring horsepower was done on these farms with two horses, and practically two-thirds of it was wagon work. Figures on this point are important in connection with farm organization studies, for they aid in deciding on the choice between horse and mechanical power. Aside from grain cutting, almost all of the three- and four-horse team work came during the spring months on all of these farms. This is the period when all efficient farm managers usually try to rush the work by making each man handle the largest possible power units. Furthermore, the larger-sized teams usually can be used to better advantage during this time than at any other time of the year.


While these three farms happen to be very similar as to the size of teams used, investigations of this kind indicate that there are large variations in the number of horses used, even for the same operation, in different sections of the country. In some sections farmers very seldom hitch more than two horses to any implement, while in others the reverse is true, namely, that three-, four-, and six-horse teams are used for all operations other than hauling. This may, of course, be due to the difference in farm type, the lay of the land, size of fields, etc., but often it appears to be simply because of the habit of the farmer and customs of the community.

The map shown in figure 6 shows how the size of team used for plowing varies in the different sections of the United States. The power unit for this operation alone ranges from one horse in the southeastern States to five and over in the Dakotas, Montana, Washington, and California, and each unit is used in large and usually contiguous areas.

AVERAGE "HORSE DAY" MISLEADING.

The figures usually quoted from cost of production studies for the average horse workday range from two to four hours per day. Data of this sort have led to much agitation to rid the farm of idle horses, and such agitation has undoubtedly done much good by calling the farmers' attention to the importance of giving this matter serious consideration. Upon closer investigation, however, it has been found that this average is almost meaningless as an index as to whether or not an individual farmer is guilty of keeping more horses

than necessary. One reason why the average is not a fair standard of measurement for comparisons of this kind is that the most profitable combination of enterprises may require a large number of horses for only a short period of the year, under which conditions it is necessary to have enough power to handle the work at this time, even though many of the horses may be idle during the greater part of the year. The average, under these conditions, may, therefore, be exceptionally low and still it may be the best of management to continue this form of organization. Another reason for discrediting the average as a means of measuring




Number of Horses per Power Unit.

FIG. 6.—The United States divided according to sizes of teams ordinarily used for plowing.

the efficiency of power utilization on any given farm is that in power organization it is chiefly a question of combining enterprises that will require all of the available farm power for the largest number of hours.

Figure 7 shows the number of hours the different numbers of horses were used on the same three farms cited in previous charts. From this we can see the number of hours each month that the total available power was required to do the work. Turning to the Wisconsin dairy farms, the demand for a large number of horses is shown to be in April, May, June, and July. During these four months the full number of horses were used 29 days, while they all were used only six and one-half days during the other eight months. The



Working Time and Idle Time of Horses on Three Farms.

FIG. 7.—The number of horses on each farm is indicated by the narrow vertical spaces within the month bars, each of which represents a full month's time (10-hour days). The black portions show actual working time of horses, the blank spaces idle time. For example, on the Wisconsin farm during February four horses would have been found idle at any time, five at any time excepting 22 hours and six at any other time excepting an hour or two.

heavy demand for four horses in November was due to using two wagons for husking standing corn, which was an important part of the 71 per cent of the work performed with two-horse teams. In studying this chart the question at once arises: To what extent would it have been possible to spread the work out during the period of heavy labor demand so that four horses might have done the work? April shows ten days of full use of all horses, May nine days, June seven, and July four days. Were it feasible to use, say, four horses more continuously and get the work done satisfactorily, there would be far fewer horses on the farms. *However, the seasonal and weather conditions that limit the hours within which most operations must be performed make such plans in most instances impracticable.*

On the Illinois farm having a total of nine horses all of them were used at one time only six full days during the entire year. Eight horses were used only 20 days, seven for 80 days, and six for 28 days. It is apparent that a large number of the horses on this farm were idle during the greater part of the year. The three spring months, being the period of heavy demand for horse labor, used 53 per cent of the total horse time.

On the Iowa farm the full number of horses were used but nine days. However, purebred mares were maintained on this farm for the raising of colts. While the peak load of horse labor demand came in April and May, as illustrated by figure 3, the greatest use for all horses was in July and September. There was little demand for the simultaneous use of more than six horses and under, as the number above six were used an equivalent of but 40 ten-hour days.

Table 1 presents these data in the form of the percentage of the total horse power used on the above-cited farms in the various-sized units.

TABLE 1.—Percentage of total horse power used in various-sized teams.

| Size of team. | Number of horses in team. | | | | | | | | | |
|--------------------------------|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | P.ct. | P.ct. | P.ct. | P.ct. | P.ct. | P.ct. | P.ct. | P.ct. | P.ct. | P.ct. |
| Wisconsin (dairy farm)..... | 9 | 41 | 48 | 2 | | | | | | 100 |
| Wisconsin (dairy farm)..... | 2 | 71 | 11 | 16 | | | | | | 100 |
| Wisconsin (dairy, potato)..... | 11 | 74 | 13 | 2 | | | | | | 100 |
| Wisconsin (grain, beef)..... | | 54 | 7 | 34 | | 5 | | | | 100 |
| Illinois (corn, hogs)..... | 2 | 60 | 9 | 29 | | | | | | 100 |
| Illinois (corn, hogs)..... | | 56 | 7 | 37 | | | | | | 100 |
| Iowa (seed grain, stock)..... | | 77 | 1 | 19 | 3 | | | | | 100 |
| North Dakota (grain)..... | | 11 | | 31 | 43 | 15 | | | | 100 |
| Washington (grain)..... | 1 | 5 | 1 | 34 | | 20 | 13 | 17 | 9 | 100 |

The above illustrations have been used to call attention to a few of the many important phases of the farm-power problem. They show how horses are being used on farms to furnish the power required. With the introduction of practical types of mechanical power the farmer must face the question of whether he should substitute the tractor for some of his horses. If he decides to introduce the tractor, he must determine what combination of horse and mechanical power will be the most profitable on his farm. To answer these questions accurately requires comprehensive data as to all the facts involved. It is hoped that the material here presented may throw light on the nature of this problem, and suggest some of the factors to be considered in seeking its solution.

APPENDIX.

AGRICULTURAL COLLEGES IN THE UNITED STATES.¹

College instruction in agriculture is given in the colleges and universities receiving the benefits of the acts of Congress of July 2, 1862, August 30, 1890, and March 4, 1907, which are now in operation in all the States and Territories except Alaska. The total number of these institutions is 69, of which 67 maintain courses of instruction in agriculture. In 23 States and Porto Rico the agricultural colleges are departments of the State universities. In 17 States separate institutions having courses in agriculture are maintained for the colored race. All of the agricultural colleges for white persons and several of those for negroes offer four-year courses in agriculture and its related sciences leading to bachelor's degrees, and many provide for graduate study. About 60 of these institutions also provide special, short, or correspondence courses in the different branches of agriculture, including agronomy, horticulture, animal husbandry, poultry raising, cheese making, dairying, sugar making, rural engineering, farm mechanics, and other technical subjects. The agricultural experiment stations, with very few exceptions, are departments of the agricultural colleges. All of the colleges have extension services for conducting cooperative extension work in agriculture and home economics in accordance with the act of Congress of May 8, 1914. With a few exceptions, each of the land-grant colleges offers free tuition to residents of the State in which it is located. In the excepted cases scholarships are open to promising and energetic students, and in all opportunities are found for some to earn part of their expenses by their own labor. The expenses are from \$125 to \$300 for the school year.

Agricultural colleges in the United States.

| State or Territory. | Name of Institution. | Location. | President. |
|---------------------|--|----------------------|------------------------------|
| Alabama..... | Alabama Polytechnic Institute..... | Auburn..... | C. C. Thach. |
| | Agricultural School of the Tuskegee Normal and Industrial Institute. | Tuskegee Institute.. | R. R. Moton. ² |
| | Agricultural and Mechanical College for Negroes. | Normal..... | W. S. Buchanan. |
| Arizona..... | College of Agriculture of the University of Arizona. | Tucson..... | D. W. Working. ³ |
| Arkansas..... | College of Agriculture of the University of Arkansas. | Fayetteville..... | Bradford Knapp. ³ |
| | Branch Normal College..... | Pine Bluff..... | J. G. Ish, Jr. |
| California..... | College of Agriculture of the University of California. | Berkeley..... | T. F. Hunt. ³ |
| Colorado..... | The State Agricultural College of Colorado. | Fort Collins..... | C. A. Lory. |
| Connecticut..... | Connecticut Agricultural College..... | Storrs..... | C. L. Beach. |
| Delaware..... | Delaware College..... | Newark..... | S. C. Mitchell. |
| | State College for Colored Students..... | Dover..... | W. C. Jason. |
| Florida..... | College of Agriculture of the University of Florida. | Gainesville..... | P. H. Rolfs. ⁴ |
| | Florida Agricultural and Mechanical College for Negroes. | Tallahassee..... | N. B. Young. |
| | Georgia State College of Agriculture..... | Athens..... | A. M. Soule. |
| Georgia..... | Georgia State Industrial College..... | Savannah..... | R. R. Wright. |
| | College of Hawaii..... | Honolulu..... | A. L. Dean. |

¹ Including only institutions established under the land-grant act of July 2, 1862.

² Principal.

³ Dean.

Agricultural colleges in the United States—Continued.

| State or Territory. | Name of institution. | Location. | President. |
|---------------------|---|--------------------------------------|---------------------------------|
| Idaho..... | College of Agriculture of the University of Idaho..... | Moscow..... | E. J. Iddings. ¹ |
| Illinois..... | College of Agriculture of the University of Illinois..... | Urbana..... | E. Davenport. ¹ |
| Indiana..... | School of Agriculture of Purdue University..... | La Fayette..... | J. H. Skinner. ¹ |
| Iowa..... | Iowa State College of Agriculture and Mechanic Arts..... | Ames..... | R. A. Pearson. |
| Kansas..... | Kansas State Agricultural College..... | Manhattan..... | W. M. Jardine. |
| Kentucky..... | The College of Agriculture of the University of Kentucky..... | Lexington..... | T. P. Cooper. ¹ |
| | The Kentucky Normal and Industrial Institute for Colored Persons..... | Frankfort..... | G. P. Russell. |
| Louisiana..... | Louisiana State University and Agricultural and Mechanical College..... | University Station, Baton Rouge..... | T. D. Boyd. |
| | Southern University and Agricultural and Mechanical College of the State of Louisiana..... | Scotland Heights, Baton Rouge..... | J. S. Clark. |
| Maine..... | College of Agriculture of the University of Maine..... | Orono..... | L. S. Merrill. ¹ |
| Maryland..... | Maryland State College of Agriculture..... | College Park..... | A. F. Woods. |
| | Princess Anne Academy, Eastern Branch of the Maryland State College of Agriculture..... | Princess Anne..... | T. H. Kiah. ² |
| Massachusetts..... | Massachusetts Agricultural College..... | Amherst..... | K. L. Butterfield. |
| | Massachusetts Institute of Technology..... | Boston..... | |
| Michigan..... | Michigan Agricultural College..... | East Lansing..... | F. S. Kedzie. |
| Minnesota..... | Department of Agriculture of the University of Minnesota..... | University Farm, St. Paul..... | R. W. Thatcher. ¹ |
| Mississippi..... | Mississippi Agricultural and Mechanical College..... | Agricultural College..... | W. H. Smith. |
| | Alcorn Agricultural and Mechanical College..... | Alcorn..... | L. J. Rowan. |
| Missouri..... | College of Agriculture of the University of Missouri..... | Columbia..... | F. B. Mumford. ¹ |
| | School of Mines and Metallurgy of the University of Missouri. ³ | Rolla..... | A. L. McRae. ⁴ |
| | Lincoln Institute..... | Jefferson City..... | Clement Richardsom ² |
| Montana..... | Montana State College of Agriculture and Mechanic Arts..... | Bozeman..... | Alfred Atkinson. |
| Nebraska..... | College of Agriculture of the University of Nebraska..... | Lincoln..... | E. A. Burnett. ¹ |
| Nevada..... | College of Agriculture of the University of Nevada..... | Reno..... | C. S. Knight. ¹ |
| New Hampshire..... | New Hampshire College of Agriculture and the Mechanic Arts..... | Durham..... | R. D. Hietzel. |
| New Jersey..... | State College of Agriculture and Mechanic Arts of Rutgers College and the State University of New Jersey..... | New Brunswick..... | W. H. S. Demarest. |
| New Mexico..... | New Mexico College of Agriculture and Mechanic Arts..... | State College..... | A. D. Crile. |
| New York..... | New York State College of Agriculture..... | Ithaca..... | A. R. Mann. ¹ |
| North Carolina..... | The North Carolina State College of Agriculture and Engineering..... | West Raleigh..... | W. C. Riddick. |
| | Negro Agricultural and Technical College..... | Greensboro..... | J. B. Dudley. |
| North Dakota..... | North Dakota Agricultural College..... | Agricultural College..... | E. F. Ladd. |
| Ohio..... | College of Agriculture of Ohio State University..... | Columbus..... | Alfred Vivian. ¹ |
| Oklahoma..... | Oklahoma Agricultural and Mechanical College..... | Stillwater..... | J. W. Cantwell. |
| | Agricultural and Normal University..... | Langston..... | J. M. Marquess. |
| Oregon..... | Oregon Agricultural College..... | Corvallis..... | W. J. Kerr. |
| Pennsylvania..... | The School of Agriculture of the Pennsylvania State College..... | State College..... | R. L. Watts. ¹ |
| Porto Rico..... | College of Agriculture and Mechanic Arts of the University of Porto Rico..... | Mayaguez..... | R. S. Garwood. ¹ |
| Rhode Island..... | Rhode Island State College..... | Kingston..... | Howard Edwards. |
| South Carolina..... | The Clemson Agricultural College of South Carolina..... | Clemson College..... | W. M. Riggs. |
| | State Agricultural and Mechanical College of South Carolina..... | Orangeburg..... | R. S. Wilkinson. |
| South Dakota..... | South Dakota State College of Agriculture and Mechanic Arts..... | Brookings..... | W. E. Johnson. |
| Tennessee..... | College of Agriculture, University of Tennessee..... | Knoxville..... | H. A. Morgan. |
| | Tennessee Agricultural and Industrial State Normal School..... | Nashville..... | W. J. Hale. |

¹ Dean.² Principal.³ Does not maintain courses in agriculture.⁴ Director.

Agricultural colleges in the United States—Continued.

| State or Territory. | Name of institution. | Location. | President |
|---------------------|---|----------------------|-----------------------------|
| Texas..... | Agricultural and Mechanical College of Texas. | College Station..... | W. B. Bizzell. |
| | Prairie View State Normal and Industrial College. | Prairie View..... | J. G. Osborne. ¹ |
| Utah..... | The Agricultural College of Utah..... | Logan..... | E. G. Peterson. |
| Vermont..... | College of Agriculture of the University of Vermont. | Burlington..... | J. L. Hills. ² |
| Virginia..... | The Virginia Agricultural and Mechanical College and Polytechnic Institute. | Blacksburg..... | J. A. Burruss. |
| | The Hampton Normal and Agricultural Institute. | Hampton..... | J. E. Gregg. ¹ |
| Washington..... | State College of Washington..... | Pullman..... | E. O. Holland. |
| West Virginia..... | College of Agriculture of West Virginia University. | Morgantown..... | J. L. Coulter. ² |
| | The West Virginia Collegiate Institute. | Institute..... | Byrd Prillerman. |
| Wisconsin..... | College of Agriculture of the University of Wisconsin. | Madison..... | H. L. Russell. ² |
| Wyoming..... | College of Agriculture, University of Wyoming. | Laramie..... | A. D. Faville. ² |

¹ Principal.

² Dean.

AGRICULTURAL EXPERIMENT STATIONS.

| | |
|--|--|
| Alabama (College), Auburn: J. F. Dugger. | Missouri (College), Columbia: F. B. Mumford. |
| Alabama (Canebrake), Uniontown: J. M. Burgess. | Missouri (Fruit), Mountain Grove: F. W. Faurot. |
| Alabama (Tuskegee), Tuskegee Institute: G. W. Carver. | Montana, Bozeman: F. B. Linfield. |
| Alaska, Sitka (Rampart, Kodiak, Fairbanks, and Matanuska): C. C. Georgeson. ¹ | Nebraska, Lincoln: E. A. Burnett. |
| Arizona, Tucson: D. W. Working. | Nevada, Reno: S. B. Doten. |
| Arkansas, Fayetteville: Bradford Knapp. | New Hampshire, Durham: J. C. Kendall. |
| California, Berkeley: H. J. Webber. | New Jersey (College), New Brunswick..... |
| Colorado, Fort Collins: C. P. Gillette. | New Jersey (State), New Brunswick..... |
| Connecticut (State), New Haven..... | New Mexico, State College: Fabian Garcia. |
| Connecticut (Storrs), Storrs..... | New York (State), Geneva: W. H. Jordan. |
| Delaware, Newark: C. A. McCue. | New York (Cornell), Ithaca: A. R. Mann. |
| Florida, Gainesville: P. H. Rolfs. | North Carolina, Raleigh and West Raleigh: B. W. Kilgore. |
| Georgia, Experiment: H. P. Stuckey. | North Dakota, Agricultural College: P. F. Trowbridge. |
| Guam: ² C. W. Edwards. ³ | Ohio, Wooster: C. E. Thorne. |
| Hawaii (Federal), Honolulu: J. M. Westgate. ¹ | Oklahoma, Stillwater: H. G. Knight. |
| Hawaii (Sugar Planters'), Honolulu: H. P. Agee. | Oregon, Corvallis: A. B. Cordley. |
| Idaho, Moscow: E. J. Iddings. | Pennsylvania, State College: R. L. Watts. |
| Illinois, Urbana: E. Davenport. | Pennsylvania (Institute of Animal Nutrition), State College: H. P. Armsby. |
| Indiana, La Fayette: C. G. Woodbury. | Porto Rico (Federal), Mayaguez: D. W. May. ¹ |
| Iowa, Ames: C. F. Curtiss. | Porto Rico (Insular), Rio Piedras: E. D. Colón. |
| Kansas, Manhattan: F. D. Farrell. | Rhode Island, Kingston: B. L. Hartwell. |
| Kentucky, Lexington: T. P. Cooper. | South Carolina, Clemson College: H. W. Barre. |
| Louisiana (State), University Station, Baton Rouge..... | South Dakota, Brookings: J. W. Wilson. |
| Louisiana (Sugar), Audubon Park, New Orleans..... | Tennessee, Knoxville: H. A. Morgan. |
| Louisiana (North), Calhoun..... | Texas, College Station: B. Youngblood. |
| Louisiana (Rice), Crowley..... | Utah, Logan: F. S. Harris. |
| Maine, Orono: C. D. Woods. | Vermont, Burlington: J. L. Hills. |
| Maryland, College Park: H. J. Patterson. | Virginia (College), Blacksburg: A. W. Drinkard, jr. |
| Massachusetts, Amherst: F. W. Morse. ⁴ | Virginia (Truck), Norfolk: T. C. Johnson. |
| Michigan, East Lansing: R. S. Shaw. | Virgin Islands, St. Croix: Longfield Smith. ¹ |
| Minnesota, University Farm, St. Paul: R. W. Thatcher. | Washington, Pullman: E. C. Johnson. |
| Mississippi, Agricultural College: J. R. Ricks. | West Virginia, Morgantown: J. L. Coulter. |
| | Wisconsin, Madison: H. L. Russell. |
| | Wyoming, Laramie: A. D. Faville. |

¹ Agronomist in charge.

² Address: Island of Guam, via San Francisco.

³ Animal husbandman in charge.

⁴ Acting director.

STATE OFFICIALS IN CHARGE OF AGRICULTURE.

- Alabama: Commissioner of Agriculture, Montgomery.
 Arizona: Dean, College of Agriculture, Tucson.
 Arkansas: Commissioner of Bureau of Mines, Manufactures, and Agriculture, Little Rock.
 California: Director of Agriculture, Sacramento.
 Colorado: Commissioner, Colorado State Board of Immigration, Denver.
 Connecticut: Secretary of State Board of Agriculture, Hartford.
 Delaware: Secretary of State Board of Agriculture, Dover.
 Florida: Commissioner of Agriculture, Tallahassee.
 Georgia: Commissioner of Agriculture, Atlanta.
 Idaho: Commissioner of Agriculture, Boise.
 Illinois: Director of Department of Agriculture, Springfield.
 Indiana: Secretary of State Board of Agriculture, Indianapolis.
 Iowa: Secretary of Department of Agriculture, Des Moines.
 Kansas: Secretary of State Board of Agriculture, Topeka.
 Kentucky: Commissioner of Agriculture, Frankfort.
 Louisiana: Commissioner of Agriculture and Immigration, Baton Rouge.
 Maine: Commissioner of Agriculture, Augusta.
 Maryland: Secretary of State Board of Agriculture, Kensington.
 Massachusetts: Commissioner of Agriculture, Boston.
 Michigan: President, Michigan Agricultural College, East Lansing.
 Minnesota: Commissioner of Agriculture, St. Paul.
 Mississippi: Commissioner of Agriculture and Commerce, Jackson.
 Missouri: Secretary of State Board of Agriculture, Jefferson City.
 Montana: Commissioner of Agriculture and Publicity, Helena.
 Nebraska: Secretary of State Board of Agriculture, Lincoln.
 Nevada: Dean, College of Agriculture, Reno.
 New Hampshire: Commissioner of Agriculture, Concord.
 New Jersey: Secretary of Department of Agriculture, Trenton.
 New Mexico: President, New Mexico College of Agriculture and Mechanic Arts, State College.
 New York: Commissioner of Agriculture, Albany.
 North Carolina: Commissioner of Agriculture, Raleigh.
 North Dakota: Commissioner of Agriculture and Labor, Bismarck.
 Ohio: Secretary of Agriculture, Columbus.
 Oklahoma: Secretary State Board of Agriculture, Oklahoma City.
 Oregon: President, Oregon Agricultural College, Corvallis.
 Pennsylvania: Secretary of Agriculture, Harrisburg.
 Rhode Island: Secretary of State Board of Agriculture, Providence.
 South Carolina: Commissioner of Agriculture, Commerce, and Industries, Columbia.
 South Dakota: Commissioner of Immigration, Pierre.
 Tennessee: Commissioner of Agriculture, Nashville.
 Texas: Commissioner of Agriculture, Austin.
 Utah: President, Agricultural College of Utah, Logan.
 Vermont: Commissioner of Agriculture, Montpelier.
 Virginia: Commissioner of Agriculture and Immigration, Richmond.
 Washington: Commissioner of Agriculture, Olympia.
 West Virginia: Commissioner of Agriculture, Charleston.
 Wisconsin: Commissioner of Agriculture, Madison.
 Wyoming: Commissioner of Immigration, Cheyenne.

STATE OFFICERS IN CHARGE OF COOPERATIVE AGRICULTURAL EXTENSION WORK.

- Alabama: J. F. Duggar, Alabama Polytechnic Institute, Auburn.
 Arizona: E. P. Taylor, College of Agriculture, University of Arizona, Tucson.
 Arkansas: W. C. Lassetter, College of Agriculture, University of Arkansas, Fayetteville.
 California: B. H. Crocheron, College of Agriculture, University of California, Berkeley.
 Colorado: H. T. French, State Agricultural College of Colorado, Fort Collins.
 Connecticut: H. J. Baker, Connecticut Agricultural College, Storrs.
 Delaware: C. A. McCue, Delaware College, Newark.
 Florida: P. H. Rolfs, College of Agriculture, University of Florida, Gainesville.
 Georgia: J. Phil Campbell, Georgia State College of Agriculture, Athens.
 Idaho: L. W. Fluaharty, The Statehouse, Boise.
 Illinois: W. F. Handschin, College of Agriculture, University of Illinois, Urbana.
 Indiana: G. I. Christie, Purdue University, La Fayette.
 Iowa: R. K. Bliss, Iowa State College of Agriculture and Mechanic Arts, Ames.
 Kansas: Harry Umberger, Kansas State Agricultural College, Manhattan.
 Kentucky: T. P. Cooper, College of Agriculture, University of Kentucky, Lexington.
 Louisiana: W. R. Perkins, Louisiana State University and Agricultural and Mechanical College, Baton Rouge.
 Maine: L. S. Merrill, College of Agriculture, University of Maine, Orono.
 Maryland: T. B. Symons, Maryland State College of Agriculture, College Park.
 Massachusetts: J. D. Willard, Massachusetts Agricultural College, Amherst.
 Michigan: R. J. Baldwin, Michigan Agricultural College, East Lansing.
 Minnesota: A. D. Wilson, Department of Agriculture, University of Minnesota, University Farm, St. Paul.
 Mississippi: R. S. Wilson, Mississippi Agricultural and Mechanical College, Agricultural College.
 Missouri: A. J. Meyer, College of Agriculture, University of Missouri, Columbia.
 Montana: F. S. Cooley, Montana State College of Agriculture and Mechanic Arts, Bozeman.
 Nebraska: W. H. Brokaw, College of Agriculture, University of Nebraska, Lincoln.
 Nevada: C. A. Norcross, College of Agriculture, University of Nevada, Reno.

New Hampshire: J. C. Kendall, New Hampshire College of Agriculture and the Mechanic Arts, Durham.
 New Jersey: L. A. Clinton, Rutgers College and the State University of New Jersey, New Brunswick.
 New Mexico: C. F. Monroe, New Mexico College of Agriculture and Mechanic Arts, State College.
 New York: A. R. Mann, New York State College of Agriculture, Ithaca.
 North Carolina: B. W. Kilgore, North Carolina State College of Agriculture and Engineering, West Raleigh.
 North Dakota: G. W. Randlett, North Dakota Agricultural College, Agricultural College.
 Ohio: H. C. Ramsower, College of Agriculture, Ohio State University, Columbus.
 Oklahoma: J. A. Wilson, Oklahoma Agricultural and Mechanical College, Stillwater.
 Oregon: — — —, Oregon Agricultural College, Corvallis.
 Pennsylvania: M. S. McDowell, Pennsylvania State College, State College.
 Rhode Island: A. E. Stene, Rhode Island State College, Kingston.

South Carolina: W. W. Long, Clemson Agricultural College of South Carolina, Clemson College.
 South Dakota: C. Larsen, South Dakota State College, Brookings.
 Tennessee: C. A. Keffer, College of Agriculture, University of Tennessee, Knoxville.
 Texas: T. O. Walton, Agricultural and Mechanical College of Texas, College Station.
 Utah: J. T. Caine, 3d, Agricultural College of Utah, Logan.
 Vermont: Thos. Bradlee, University of Vermont and State Agricultural College, Burlington.
 Virginia: J. R. Hutcheson, Virginia Polytechnic Institute, Blacksburg.
 Washington: S. B. Nelson, State College of Washington, Pullman.
 West Virginia: N. T. Frame, College of Agriculture, West Virginia University, Morgantown.
 Wisconsin: K. L. Hatch, College of Agriculture, University of Wisconsin, Madison.
 Wyoming: A. E. Bowman, College of Agriculture, University of Wyoming, Laramie.

LIVE-STOCK ASSOCIATIONS. NATIONAL ASSOCIATIONS.

| Name of association. | President. | Address. | Secretary. | Address. |
|---|-----------------------|---------------------------------|-----------------------|------------------------------------|
| American National Live Stock Association..... | J. B. Kendrick..... | Sheridan, Wyo..... | T. W. Tomlinson..... | 515 Cooper Building, Denver, Colo. |
| National Dairy Union..... | N. P. Hull..... | Lansing, Mich..... | W. T. Creasy..... | Catawissa, Pa. |
| Southern Cattlemen's Association..... | John D. Eldridge..... | Greenvy, Ark..... | R. M. Gow..... | Old State House, Little Rock, Ark. |
| National Swine Growers' Association..... | Robert J. Evans..... | Chicago, Ill, 817 Exchange..... | W. Z. Carmichael..... | 37 Van Buren Street W., Chicago. |
| National Wool Growers' Association..... | F. J. Hagenbarth..... | Spencer, Idaho..... | S. W. McClure..... | Salt Lake City, Utah. |
| National Mohair Growers' Association..... | U. S. Grant..... | Dallas, Oreg..... | F. O. Landrum..... | Laguna, Tex. |

STATE ASSOCIATIONS.

| | | | | |
|--|-------------------------|--|------------------------|--|
| Alabama Horsefod Cattle Breeders' Association..... | J. E. Dunway..... | Orrville, Ala..... | R. J. Goode, Jr..... | Gastonburg, Ala. |
| Southern Alabama Shorthorn Breeders' Association..... | V. D. Smith..... | Etowah, Ala..... | Myron Crabb..... | Gallion, Ala. |
| Alabama Shorthorn Breeders' Association..... | F. I. Derby..... | Ward, Ala..... | L. V. Legg..... | Meadow Brook Farm, Etowah, Ala. |
| Central Alabama Dairy Association..... | Mrs. Francis Hogan..... | Carter Hill Road, Montgomery, Ala..... | R. B. Glass..... | Plank Road, Montgomery, Ala. |
| Arizona Cattle Growers' Association..... | Chas. P. Mullen..... | Skull Valley, Ariz..... | F. E. Schneider..... | Phoenix, Ariz. |
| Arizona Holstein Breeders' Club..... | J. R. Brushaw..... | Phoenix, Ariz..... | Frank R. Sanders..... | Phoenix, Ariz. |
| Northeast Arkansas Shorthorn Breeders' Association..... | C. Culver Crowder..... | Bentonville, Ark..... | Art. T. Lewis..... | Payetteville, Ark. |
| Arkansas Horse Raisers' Association..... | W. L. Banks..... | Smithdale, Ark..... | W. W. Block..... | Payson, Ark. |
| Arizona Wool Growers' Association..... | Hugh E. Campbell..... | Flagstaff, Ariz..... | W. W. Jerkins..... | Flagstaff, Ariz. |
| Arizona Dairymen's Association..... | R. R. Sanders..... | Phoenix, Ariz..... | W. S. Cunningham..... | Tucson, Ariz. |
| California Swine Breeders' Association..... | C. B. Cunningham..... | Millis, Calif..... | J. E. Thompson..... | University Farm, Davis, Calif. |
| Pacific Coast Trotting Horse Breeders' Association..... | Dr. H. W. Hand..... | Orland, Calif..... | J. E. Thorp..... | Lockeford, Calif. |
| California Jersey Breeders' Association..... | I. L. Borden..... | 417, Montgomery St., San Francisco, Calif..... | F. W. Kelley..... | Belvedere, Calif. |
| California Holstein-Friesian Association..... | J. E. Thorp..... | Lockeford, Calif..... | V. C. Bryant..... | Berkeley, Calif. |
| Colorado Swine Breeders' Association..... | H. V. Bridgford..... | Patterson, Calif..... | C. L. Hughes..... | 211 Occisor Building, Sacramento, Calif. |
| Colorado Jersey Breeders' Association..... | Carl W. Henry..... | Greely, Colo..... | Robert B. Broad..... | Fort Collins, Colo. |
| Colorado State Dairymen's Association..... | A. M. McClennahan..... | Greely, Colo..... | G. E. E. McGowan..... | 605 Chamber of Commerce, Denver, Colo. |
| Colorado Creamery Butter Manufacturers' Association..... | C. W. Hall..... | Western Hosiery Farm, Denver, Colo..... | R. McCann..... | 605 Chamber of Commerce, Denver, Colo. |
| Western Hereford Breeders' Association..... | A. T. McClintock..... | Denver, Colo..... | John E. Palmer..... | Regen, Colo. |
| Colorado Durco Breeders' Association..... | Dr. T. F. De Witt..... | Denver, Colo..... | C. F. Burke..... | Fuelbe, Colo (Siloam Star R.). |
| Western Shorthorn Breeders' Association..... | Judson Solomon..... | Osage, Colo..... | P. D. Warnock..... | Loveblad, Colo, R. D. No. 2. |
| Connecticut Sheep Breeders' Association..... | A. G. Cornforth..... | Elbert, Colo..... | H. L. Garrigus..... | Spotts, Conn. |
| Eastern Berkshire Congress..... | Henry Dorrance..... | Plainfield, Conn..... | Richard Laro Faux..... | New London, Conn. |
| Connecticut State Yorkshire Breeders' Club..... | Lester E. Ortiz..... | Barnardville, N. Y..... | Leonard H. Healey..... | North Woodstock, Conn. |
| New England Devon Breeders' Association..... | Wilson H. Lee..... | Orange, Conn..... | Leslie Gear..... | 315 Pearl Street, Hartford, Conn. |
| | John E. Gilford..... | Rockville, Conn..... | | |

LIVE-STOCK ASSOCIATIONS—Continued.

STATE ASSOCIATIONS—Continued.

| Name of association. | President. | Address. | Secretary. | Address. |
|---|-------------------------|--|-------------------------|---|
| Connecticut Guernsey Breeders' Association..... | Rollin S. Woodruff..... | New Haven, Conn. | Walter Cook..... | Litchfield, Conn. |
| Connecticut Dairymen's Association..... | Robert Mitchell..... | Southbury, Conn. | D. J. Minor..... | Bristol, Conn. |
| Florida State Live Stock Association..... | Dr. W. F. Blumhain..... | Lake Mary, Fla. | R. W. Storrs..... | De Funiak Springs, Fla. |
| Stock Growers' Association of Southeast Florida..... | Dr. F. G. DuPuis..... | Lawton, Okla. | M. A. Milan..... | Miami, Fla., Box 346. |
| Georgia Shorthorn Breeders' Association..... | G. T. Stallings..... | Haddock, Ga. | T. G. Chastain..... | Atlanta, Ga. |
| Georgia Swine Growers' Association..... | (C. J. Jackson..... | Savannah, Ga. | Tom P. Wooten..... | Tignall, Ga. |
| Georgia Dairy and Live Stock Association..... | (W. H. Packard..... | Barrow, Ga. | Milton P. Jarnagin..... | Athens, Ga. |
| Georgia Hereford Cattle Breeders' Association..... | A. S. Chamberlain..... | Third National Bank Building, Atlanta, Ga. | H. P. Redwine..... | Fayetteville, Ga. |
| Georgia Berkshire Association..... | C. J. Hardman..... | Commerce, Ga. | Ruebs Pyron..... | Cartersville, Ga. |
| Northwest Livestock Association..... | Thos. F. Wren..... | Enon, Idaho. | O. P. Henderson..... | Lewiston, Idaho. |
| Idaho Livestock Association..... | Gustave Kinnel..... | Booth, Idaho. | F. R. Cunnick..... | Boise, Idaho. |
| Idaho Cattle and Horse Growers' Association..... | Dean E. J. Idings..... | Moscow, Idaho. | J. E. Dillingham..... | Mackay, Idaho. |
| Illinois Horse Breeders' Association..... | J. C. Foyle..... | Minot, Idaho. | J. L. Edmonds..... | University of Illinois, Urbana, Ill. |
| Illinois Swine Breeders' Association..... | R. C. Rabain..... | Clifton, Ill. | Prof. J. B. Rice..... | University of Illinois, Urbana, Ill. |
| Illinois Sheep Breeders' Association..... | F. E. Drury..... | University of Illinois, Urbana, Ill. | W. C. Coffey..... | Urbana, Ill. |
| Illinois Cattle Breeders' and Feeders' Association..... | R. J. Stone..... | Stoughton, Ill. | J. R. Jones..... | Williamsville, Ill. |
| Illinois State Dairyman's Association..... | E. P. Hall..... | Macomb, Ill. | George Cayen..... | 136 Lake Street, Chicago, Ill. |
| Illinois Live Stock Association of Illinois..... | J. P. Mason..... | Eglin, Ill. | Edw. A. Keeler..... | Union Stock Yards, Chicago, Ill. |
| Illinois Shorthorn Breeders' Association..... | John Imboden..... | Deatur, Ill. | C. J. McAnister..... | Galesburg, Ill. |
| Illinois Jersey Cattle Club..... | R. C. Forbes..... | Trimbly, Ill. | Stammy B. Smith..... | Decatur, Ill. |
| Illinois Chester White Swine Breeders' Association..... | Carlecn Trimble..... | Little York, Ill. | H. G. Andrews..... | Shelfield, Ill. |
| Illinois Percheron Breeders' Association..... | Frank E. Shaver..... | Clifton, Ill. | M. L. Edmonds..... | Urbana, Ill. |
| Indiana Shorthorn Breeders' Association..... | Guy Smith..... | Clinton, Ill. | W. B. Krueck..... | Purdue University, La Fayette, Ind. |
| Indiana Cattle Feeders' Association..... | (C. E. Raboin..... | Alexandria, Ind. | F. I. King..... | La Fayette, Ind. |
| Indiana Guernsey Breeders' Association..... | A. E. Harian..... | Union City, Ind. | R. McNaghy..... | Columbia City, Ind. |
| Indiana Swine Breeders' Association..... | C. C. Fisher..... | Warren, Ind. | Jas. R. Moore..... | Rochester, Ind. |
| Indiana Livestock Breeders' Association..... | E. L. Jones..... | Orleans, Ind. | F. G. King..... | La Fayette, Ind. |
| Indiana Hampshire Swine Breeders' Association..... | (Ralph Jan. Ins..... | Bainbridge, Ind. | S. F. Hadley..... | Hadley, Ind. |
| Indiana Aberdeen-Angus Breeders' Association..... | (F. L. Oberhain..... | Thornstown, Ind. | Prof. C. F. Gobbie..... | La Fayette, Ind. |
| Indiana State Dairy Association..... | E. J. Barker..... | Marion, Ind. | C. R. George..... | La Fayette, Ind. |
| Indiana Hereford Breeders' Association..... | G. M. Wharton..... | Anderson, Ind. | H. E. Allen..... | La Fayette, Ind. |
| Indiana Durco Swine Breeders' Association..... | B. H. Scranton..... | Rising Sun, Ind. | E. K. Morris..... | Indianapolis, Ind. |
| Indiana State Poland-China Breeders' Association..... | Frank Fox..... | Indianapolis, Ind. | T. D. Kelsey..... | Connersville, Ind. |
| Illinois State Hereford Breeders' Association..... | Geo. O. Bartley..... | Switz City, Ind. | H. P. Rusk..... | Agricultural Experiment Station, Urbana, Ill. |
| Iowa Shorthorn Breeders' Association..... | R. G. East..... | Shelbyville, Ind. | E. R. Sullivan..... | Colo, Iowa. |
| | A. N. Abbott..... | Merrison, Ill. | | |
| | Harry Hopley..... | Atlantic, Iowa..... | | |

| | | | | |
|--|--------------------------|--|--------------------------|--|
| Interstate Shorthorn Breeders' Association..... | H. E. DeVries..... | Hall, Iowa..... | J. E. Halsay..... | 505 Florentine Street, Sioux City, Iowa. |
| Iowa Holstein-Friesian Breeders' Association..... | J. F. Cass..... | Waterloo, Iowa..... | C. F. Janness..... | Waterloo, Iowa. |
| Iowa 3 Swine Producers' Association..... | F. H. Sixsmith..... | Orient, Iowa..... | M. P. Hancher..... | Ruffs, Iowa. |
| Iowa Beef Producers' Association..... | W. B. Seelye..... | Mount Pleasant, Iowa..... | E. B. Thomas..... | Auruburn, Iowa. |
| Iowa Polled Hereford Breeders' Association..... | N. W. Leonard..... | Waukegan, Iowa..... | J. E. Kirstein..... | Carlton, Iowa. |
| Iowa Fleeced Wool Growers' Association..... | W. W. Lafta..... | Legan, Iowa..... | F. C. Stone..... | Ames, Iowa. |
| Iowa State Dairy Association..... | Mr. Murphy..... | Waukon, Iowa..... | R. E. Clemmons..... | Waterloo, Iowa. |
| Iowa Sheep Breeders' and Wool Growers' Association..... | V. N. Cassidy..... | Troy, Iowa..... | V. G. Warner..... | Bloomfield, Iowa. |
| Kansas Hereford Breeders' Association..... | H. H. Hoffman..... | Ablene, Kansas..... | Jas. W. Lim..... | Manhattan, Kans. |
| Kansas Live Stock Association..... | J. O. Southard..... | Comiskey, Kans..... | E. D. George..... | Cornell Grove, Kans. |
| Kansas Swine Breeders' Association..... | Gao, Donaldson..... | Greensburg, Kans..... | J. H. Mercer..... | Topeka, Kans. |
| Kansas Sheep and Wool Growers' Association..... | Fred B. Caldwell..... | Topeka, Kans..... | E. F. Ferrin..... | Manhattan, Kans. |
| Kansas Horse Breeders' Association..... | A. L. Stockwell..... | Larned, Kans..... | A. M. Petersen..... | Manhattan, Kans. |
| Kansas State Dairy Association..... | D. P. McAlister..... | Tapelco, Kans..... | F. W. Ball..... | Manhattan, Kans. |
| Kansas Hampshire Swine Breeders' Association..... | George Lenhart..... | Ablene, Kans..... | W. E. Petersen..... | Manhattan, Kans. |
| Holstein-Friesian Association of Kansas..... | Col. F. B. Wompe..... | Frankfort, Kans..... | George W. Eila..... | Valley Falls, Kans. |
| Kentucky Beef Cattle Association..... | George B. Appleman..... | Milwau, Kans..... | A. S. Neek..... | Manhattan, Kans. |
| Kentucky Trotting Horse Breeders' Association of Lexington, Ky..... | C. H. Boyer..... | Lexington, Ky..... | E. S. Good..... | Lexington, Ky. |
| Kentucky Sheep Breeders' Association..... | Ed. A. Rippon..... | Lexington, Ky..... | J. W. Williams..... | Lexington, Ky. |
| Kentucky Holstein-Friesian Association..... | Dr. R. H. Stevenson..... | Lexington, Ky..... | E. S. Good..... | Lexington, Ky. |
| Kentucky Dairy Cattle Club..... | Jas. Reed..... | Lexington, Ky..... | Jos. S. Lindsay..... | Lexington, Ky. |
| Kentucky Horse, Mule and Jack Stock Breeders' Association..... | Harry Harke..... | Frankfort, Ky..... | J. Hooper..... | Lexington, Ky. |
| Kentucky Purebred Live Stock Association..... | M. S. Cohen..... | Paynes Depot, Ky..... | W. S. Anderson..... | Lexington, Ky. |
| Louisiana Swine Breeders' Association..... | C. E. Marvin..... | 80 Common Street, New Orleans, La..... | L. B. Shropshire..... | 604 Republic Building, Louisville, Ky. |
| Maine Archbro Breeders' Association..... | O. P. Gerau..... | Loch, La..... | J. B. Francini, jr..... | Baton Rouge, La. |
| Maine Archbro Breeders' Association..... | John Cochran..... | Loch, La..... | C. C. Chapman..... | De Ridder, La. |
| Maine Archbro Breeders' Association..... | A. F. Dean..... | Porter, Me..... | I. Auburn..... | Auburn, Me. |
| Maine Archbro Breeders' Association..... | Harvey Dalton..... | Waterville, Me..... | Stanton Adams..... | Cornish, Me. |
| Maine Archbro Breeders' Association..... | A. E. Hodges..... | Fairfield Center, Me..... | Edward W. Marton..... | Orono, Me. |
| Maine Archbro Breeders' Association..... | H. H. Nesbit..... | Canaan, Me..... | Harold J. Shaw..... | Sanford, Me. |
| Maine Archbro Breeders' Association..... | C. I. Gilbert..... | Greene, Me..... | H. M. Tucker..... | Department of Agriculture, Augusta, Me. |
| Maine Dairyman's Association..... | Dr. J. A. Ness..... | Auburn, Me..... | I. W. Hays..... | Pysville, Md. |
| Maryland State Dairyman's Association..... | D. G. Harry..... | Pysville, Md..... | C. H. Hubbard..... | Lutherville, Md. |
| Holstein-Friesian Breeders' Club of Maryland..... | John M. Dennis..... | Lutherville, Md..... | R. M. Hardy..... | Burro, Mass. |
| New England Ayrshire Club..... | B. W. Kimball..... | Concord, N. H..... | W. P. B. Lockwood..... | Amherst, Mass. |
| Massachusetts Dairyman's Association..... | Herbert Powell..... | Worcester, Mass..... | George A. Brown..... | East Lansing, Mich. |
| Michigan Improved Live Stock Breeders' and Feeders' Association..... | H. L. Mayo..... | Nashville, Mich..... | E. N. Ball..... | Hambur, Mich. |
| Michigan Merino Sheep Breeders' Association..... | H. D. Box..... | Lansing, Mich..... | J. F. Deane..... | Lansing, Mich. |
| Central Michigan Holstein Breeders' Association..... | R. F. Fry..... | Lansing, Mich..... | Martin Seidel..... | Bay City, Mich. |
| Michigan Dairyman's Association..... | A. P. Butten..... | Orwell, Mich..... | Russell H. Kelly..... | East Lansing, Mich. |
| Michigan Pure-Bred Swine Breeders' Association..... | Alex. Minty..... | Orwell, Mich..... | George Prescott, Jr..... | Tawas City, Mich. |
| Michigan Live Stock Exhibitors' Association..... | O. F. Foster..... | Pavilion, Mich..... | J. B. Miller..... | Ithaca, Mich. |

| Missouri Saddle Horse Breeders' Association. (Practically defunct.) | | Columbia, Mo. | |
|---|--------------------------|--|------------|
| Chester Breeders' Association of Missouri | J. H. McAnaw | Kington, Mo. | |
| Southwest Jersey Cattle Breeders' Association | M. L. Galladay | Independence, Mo. | |
| Missouri Holstein Breeders' Association | C. M. Long | Crescent, Mo. | |
| Missouri Hampshire Swine Association | Isom J. Martin | Cameron, Mo. | |
| Montana Horse Breeders' Association | Harry L. Smith | Bozeman, Mont. | |
| Montana Live Stock Commission | J. H. Burke | Helena, Mont. | |
| Montana Purebred Hog Breeders' Association | P. J. Maloy | Belgrade, Mont. | R. F. D. 1 |
| Montana State Dairyman's Association | F. M. Eccles | Bozeman, Mont. | |
| Montana Stock Growers' Association | R. F. Heron | Helena, Mont. | |
| Mississippi Shorthorn Breeders' Association | C. F. Axtell | Great Falls, Mont. | |
| Mississippi Aberdeen-Angus Breeders' Association | Roland W. Jones | Carrollton, Miss. | |
| Mississippi Hereford Cattle Breeders' Association | A. Olson | Michigan City, Miss. | |
| Mississippi Live Stock and Dairy Association | Percy H. Anderson | Peechoutas, Miss. | |
| Nebraska Red Polled Cattle Association | C. H. Cooke | Natchez, Miss. | |
| Nebraska State Swine Breeders' Association | Luke Wiles | Lincoln, Nebr. | |
| Nebraska Improved Live Stock Breeders' Association | Sam McKelvie | Lincoln, Nebr. | |
| Nebraska Dairyman's Association | Charles Graff | University Farm, Lincoln, Nebr. | |
| Nebraska Shorthorn Breeders' Association | H. A. Morrison | Lindell Hotel, Lincoln, Nebr. | |
| | Hon. A. C. Shallenberger | R. F. D. 6, York, Nebr. | |
| Nebraska Horse Breeders' Association | H. J. McLaughlin | Lincoln, Nebr. | |
| Nebraska Hereford Breeders' Association | Glenn E. Stryker | Callaway, Nebr. | |
| Nebraska Aberdeen-Angus Breeders' Association | F. Hoffmeister | Madison, Nebr. | |
| Nebraska Live Stock Feeders' Association | Z. F. Leftwich | University Farm, Lincoln, Nebr. | |
| Chester Breeders' Association of Nebraska | H. L. Bode | Friend, Nebr. | |
| Granite State Dairyman's Association | Roy D. Hunter | Durham, N. H. | |
| Nevada Livestock Association | J. Sheehan | 307 Nixon Building, Reno, Nev. | |
| New Hampshire Sheep Breeders' Association | W. H. Neal | Meredith, N. H. | |
| New Hampshire Holstein-Friesian Club | J. W. Prentiss | Contoocook, N. H. | |
| New Hampshire Ayrshire Cattle Breeders' Club | H. F. Towne | Dover, N. H. | |
| Jersey Cattle Association of New Jersey | C. R. Hires | Gladstone, N. J. | |
| New Jersey Holstein-Friesian Breeders' Association | Leotis H. Schenck | Somerville, N. J. | |
| New Jersey Guernsey Breeders' Association | E. T. Gill | Eatonville, N. J. | |
| New Mexico Cattle and Horse Growers' Association | Victor Culberson | Box 617, Albuquerque, N. Mex. | |
| New Mexico Wool Growers' Association | E. M. Otero | Albuquerque, N. Mex. | |
| New York State Berkshire Association | W. S. Hinchey | Linwood, N. Y. | |
| New York State Jersey Cattle Club | Harry S. Gail | East Hampton, N. Y. | |
| New York State Sheep Breeders' Association | J. C. Duncan | Knowlesville, N. Y. | |
| New York State Dairyman's Association | Prof. H. C. Troy | Agricultural Hall, Albany, N. Y. | |
| New York State Breeders' Association | Calvin J. Huson | 18 South Lake Avenue, Albany, N. Y. | |
| Holstein-Friesian Breeders' Club of New York State | H. V. Noyes | Syracuse, N. Y. | |
| New York State Draft Horse Breeders' Club | E. S. Akin | Johnson City, N. Y. | |
| New York State Guernsey Association | J. R. Clancy | Roslyn, N. Y. | |
| American Camphine Club | Arthur I. Hise | Dumont, N. Y. | |
| North Carolina Bee Breeders' and Feeders' Association | J. E. Latham | West Raleigh, N. C. | |
| North Carolina Poultry Association | J. P. Kerr | West Raleigh, N. C. | |
| North Carolina Dairyman's Association | D. J. Lybrook | West Raleigh, N. C. | |
| E. A. Trowbridge | | Sidney D. Frost | |
| | | Robt. W. Barr | |
| | | C. E. Driver | |
| | | Mrs. C. I. Ward | |
| | | F. H. Riley | |
| | | E. A. Phillips | |
| | | Albert R. Whitney | |
| | | W. E. Tomson | |
| | | D. W. Raymond | |
| | | C. G. Bingham | |
| | | M. T. Adrich | |
| | | E. K. Middleton | |
| | | Archibald Smith | |
| | | Elliot R. Davis | |
| | | Elmer J. Lamb | |
| | | H. J. Gramlich | |
| | | J. E. Palm | |
| | | C. McCarthy | |
| | | H. J. Gramlich | |
| | | C. B. Berger | |
| | | D. K. Robertson | |
| | | K. F. Waner | |
| | | C. H. Murray | |
| | | J. M. Fuller | |
| | | Vernon Metcalf | |
| | | A. G. Perry | |
| | | C. A. Preston | |
| | | Geo. H. Yeaton | |
| | | Fred Hryler | |
| | | Jacob Todd, Jr. | |
| | | Chas. D. Cleveland | |
| | | Bertha Benson | |
| | | Walter M. Connell | |
| | | C. O. Gould | |
| | | W. W. Stewart | |
| | | J. Stanley Pratt | |
| | | T. E. Tiquin | |
| | | Albert E. Brown | |
| | | F. T. Price | |
| | | E. E. Horton | |
| | | C. H. Hechler | |
| | | Mrs. Chas. H. Owings | |
| | | R. S. Curtis | |
| | | D. F. Kaupp | |
| | | Alvin J. Reed | |
| | | 1000 W. Belden Avenue, Syracuse, N. Y. | |
| | | 1000 W. Belden Avenue, Syracuse, N. Y. | |
| | | Bedford Hills, N. Y. | |
| | | Greensboro, N. C. | |
| | | Haw River, N. C. | |
| | | Winston-Salem, N. C. | |

LIVE-STOCK ASSOCIATIONS—Continued.

STATE ASSOCIATIONS—Continued.

| Name of association. | President. | Address. | Secretary. | Address. |
|---|------------------------|------------------------------------|-----------------------------|---|
| North Carolina Swine Breeders' Association..... | W. W. Shay..... | West Raleigh, N. C..... | Dean T. Gray..... | West Raleigh, N. C..... |
| North Dakota Livestock Association..... | A. H. White..... | Kramer, N. Dak..... | Burke H. Critchfield..... | Box 213, Fargo, N. Dak..... |
| United Stock Breeders' Association..... | W. P. Hether..... | Emmond, N. Dak..... | J. C. McMillen..... | Emmond, N. Dak..... |
| Golden W. Yandotte Club..... | I. C. Keller..... | Prospect, Ohio..... | J. S. Pennington..... | Plainfield, Ill..... |
| Ohio Belgian Breeders' Association..... | M. M. Chaffin..... | Galen, Ohio..... | D. J. Kays..... | Ohio State University, Columbus, Ohio..... |
| Ohio Percheron Breeders' Association..... | W. H. Butler..... | Sandusky, Ohio..... | D. J. Kays..... | Ohio State University, Columbus, Ohio..... |
| Ohio Jersey Cattle Club..... | Walter E. Brown..... | Youngstown, Ohio..... | P. J. Cummings..... | Friedricktown, Ohio..... |
| Ohio Holstein-Friesian Association..... | L. B. Green..... | Middlefield, Ohio..... | Ralph A. Postle..... | Barton, Ohio..... |
| Ohio Shorthorn Breeders' Association..... | L. B. Huston..... | Pataleska, Ohio..... | Frank Nelson..... | Camp Chase, Ohio..... |
| Ohio Red Poll Breeders' Association..... | Harner C. Price..... | Granville, Ohio..... | P. G. Ross..... | Mansfield, Ohio..... |
| Ohio Gallopway Cattle Breeders' Association..... | James Frantz..... | Newark, Ohio..... | Frank Nelson..... | London, Ohio..... |
| Ohio State Dairyman's Association..... | H. W. Ingersoll..... | R. P. D. 4, Bluffton, Ohio..... | G. D. Simmons..... | Hicksville, Ohio..... |
| Ohio Guernsey Breeders' Association..... | A. C. Ranssayer..... | Elvira, Ohio..... | O. Erf..... | Ohio State University, Columbus, Ohio..... |
| Ohio Herford Breeders' Association..... | Jas. V. Hill..... | Southville, Ohio..... | H. C. McCammon..... | Lisbon, Ohio..... |
| Ohio Runa Chester White Breeders' Association..... | C. F. Raup..... | Roundhead, Ohio..... | J. B. Fenow..... | Leschig, Ohio..... |
| Ohio State Chester White Breeders' Association..... | I. T. Cunningham..... | Springfield, Ohio..... | F. A. C. Schrievermann..... | McGuire, Ohio..... |
| Ohio Ayrshire Breeders' Association..... | S. H. McConnell..... | Xenia, Ohio..... | Lawrence Belts..... | Mediana, Ohio..... |
| Ohio Ayrshire Breeders' Association..... | S. H. McConnel..... | Washington, Ohio..... | Lawrence Belts..... | Wellington, Ohio..... |
| Oklahoma Hereford Breeders' Association..... | F. H. Reiley..... | Shawnee, Okla..... | Keneth Sellers..... | Keokuch, Okla..... |
| Oklahoma Aberdeen-Angus Breeders' Association..... | John Simpson..... | Eufaula, Okla..... | E. E. Blainford..... | Hayward, Okla..... |
| Oklahoma Shorthorn Breeders' Association..... | H. T. Blake..... | Duncan, Okla..... | R. N. Brittan..... | Wankomls, Okla..... |
| Oklahoma Guernsey Club..... | I. V. Bailey..... | Portland, Oreg..... | R. G. Fowler..... | Carlton, Oreg..... |
| Oregon-Jersey Cattle Club..... | W. K. Taylor..... | Corvallis, Oreg..... | S. Fine..... | Corvallis, Oreg..... |
| Farmer's Dairy Association..... | C. A. Bear..... | McCo, Oreg..... | A. Riches..... | Turner, Oreg..... |
| Oregon Dairyman's Association..... | C. L. Hainley..... | McCo, Oreg..... | P. M. Brandt..... | Corvallis, Oreg..... |
| Northwest Sporthorn Association..... | A. D. Dunn..... | Wapato, Wash..... | E. L. Potter..... | Corvallis, Oreg..... |
| Oregon Horse Breeders' Association..... | W. B. Wattier..... | La Grande, Oreg..... | D. E. Richards..... | Corvallis, Oreg..... |
| Oregon Purebred Live Stock Association..... | Hon. C. L. Hawley..... | McCo, Oreg..... | N. C. Maris..... | 36 East Ninth Street, North Portland, Oreg..... |
| American Dragon Club..... | A. Bateman..... | 393 Vine Street, Camden, N. J..... | H. B. Behrens..... | 5536 North Lawrence Street, Philadelphia, Pa..... |
| State Holstein-Friesian Association of Pennsylvania..... | Eugene E. Bennett..... | Box 193, Easton, Pa..... | H. C. Reynolds..... | Dutton, Pa..... |
| Pennsylvania Berkshire Breeders' Association..... | E. S. Denbler..... | Narberth, Pa..... | W. W. Blake Arkool..... | New Hope, Pa..... |
| Pennsylvania Sheep Breeders' Association..... | R. L. Munro..... | Washington, Pa..... | J. B. Henderson..... | Hickory, Pa..... |
| South Carolina Live Stock Association..... | R. M. Cooper, Jr..... | Wisconsin, S. C..... | T. O. Lawton..... | Garnett, S. C..... |
| South Dakota Dairyman's and Buttermakers' Association..... | Chas. Anderson..... | Howard, S. Dak..... | A. P. Ryger..... | Brookings, S. Dak..... |
| South Dakota Holstein-Friesian Association..... | Prof. C. Larsen..... | Brookings, S. Dak..... | T. E. Gage..... | Groton, S. Dak..... |
| South Dakota Improved Live Stock and Poultry Breeders' Association..... | John M. Erlon..... | Mitchell, S. Dak..... | James W. Wilson..... | Brookings, S. Dak..... |
| South Dakota Swine Breeders' Association..... | George E. Barkley..... | Sioux Falls, S. Dak..... | R. N. Cuykendall..... | Aberdeen, S. Dak..... |

| | | | | |
|--|--------------------------|--|--------------------------|-------------------------------------|
| Southern Cattlemen's Association..... | J. H. Cockerham..... | Lucella, La..... | E. R. Lloyd..... | Memphis, Tenn..... |
| Texas Jack and Mule Breeders' Association..... | J. W. Shephard..... | Plano, Tex..... | S. L. Green..... | Celeste, Tex..... |
| Southwestern Cattlemen's Association..... | L. C. Britte..... | Morris, Tex..... | W. L. Anonett..... | Box 806, El Paso, Tex..... |
| Panhandle & Southwestern Stockmen's Association..... | W. W. Turney..... | Box 81, Route 3, El Paso, Tex..... | J. N. Sanburn..... | El Paso, Tex..... |
| Cattle Raisers' Association of Texas..... | D. T. Simonds..... | Fort Worth, Tex..... | E. B. Spilger..... | Fort Worth, Tex..... |
| Texas Jersey Cattle Club..... | G. E. King..... | Taylor, Tex..... | Mrs. J. Riley Green..... | Wolfe City, Tex..... |
| Texas Shorthorn Breeders' Association..... | B. C. Rhone, Jr..... | Fort Worth, Tex..... | L. B. Brown..... | Smithfield, Tex..... |
| Texas Hereford Breeders' Association..... | Lon Alexander..... | Childress, Tex..... | John P. Lee..... | San Angelo, Tex..... |
| Texas Aberdeen-Angus Breeders' Association..... | Prof. John C. Burns..... | College Station, A. and M. of Tex..... | W. M. Hill..... | Christoval, Tex..... |
| Utah State Dairymen's Association..... | W. C. Winder..... | Salt Lake City, Utah..... | G. B. Calne..... | Logan, Utah..... |
| Vermont Guernsey Breeders' Association..... | H. M. Moody..... | Waterbury, Vt..... | J. P. Ramsey..... | Charlotte, Vt..... |
| Vermont Jersey Cattle Club..... | M. M. Lee..... | Windsor, Vt..... | Guy Tiffany..... | East Berkshire, Vt..... |
| Vermont Ayrshire Club..... | G. H. Dunsmore..... | R. F. D., Swanton, Vt..... | C. N. Smith..... | Brandon, Vt..... |
| Vermont Holstein Club..... | G. F. Gregory..... | Brattleboro, Vt..... | F. L. Parmelee..... | Putney, Vt..... |
| New England Shorthorn Breeders' Association..... | David Barnard..... | Shelburne, Mass..... | W. A. Simpson..... | Lyndonville, Vt..... |
| Holstein-Friesian Club of Virginia..... | J. A. Turner..... | Hollins, Va..... | R. V. Marindale..... | Sweet Briar, Va..... |
| Virginia State Dairymen's Association..... | F. S. Walker..... | Woodberry Forest, Va..... | A. F. Howard..... | Farmville, Va..... |
| Washington Pure Bred Live Stock Association..... | G. M. Wilson..... | Rocklyn, Wash..... | A. H. Paston..... | R. F. D., Spokane, Wash..... |
| Washington Holstein Breeders' Association..... | Wm. Bishop..... | Chinacum, Wash..... | A. B. Winter..... | Everett, Wash..... |
| West Virginia Livestock Association..... | Howard M. Gare..... | Clarksburg, W. Va..... | W. F. Rink..... | Sum Prairie, Wis..... |
| West Virginia Shorthorn Breeders' Association..... | A. DeWitt Pierce..... | Moundsville, W. Va..... | A. J. McInab..... | Black River Falls, Wis..... |
| Wisconsin Sheep Breeders' Association..... | W. Woodard..... | Bloomer, Wis..... | Paul C. Buchanan..... | Fort Atkinson, Wis..... |
| Wisconsin Archbre Breeders' Association..... | Stephen Bull..... | Racine, Wis..... | Burle Dolison..... | Concaston, Wis..... |
| Wisconsin Dairymen's Association..... | Chas. A. Peterson..... | Rosendale, Wis..... | B. H. Babcock..... | Fausville, Wis..... |
| Wisconsin Chester White Breeders' Association..... | F. A. Monahan..... | Lacon, Wis..... | Andrew W. Hopkins..... | Madison, Wis..... |
| Wisconsin Live Stock Breeders' Association..... | James Fisher..... | Mondovi, Wis..... | J. L. Toney..... | 17 Butler St., Madison, Wis..... |
| Wisconsin Shorthorn Breeders' Association..... | W. L. Houser..... | Ranger, Wis..... | B. H. Hibbard..... | Madison, Wis..... |
| Wisconsin Brown Swiss Breeders' Association..... | M. L. Ayers..... | Burlington, Wis..... | C. W. Trebach..... | Dowling, Wis..... |
| Wisconsin Hampshire-Spinners' Association..... | M. L. Ayers..... | Richland Center, Wis..... | Prof. J. G. Fuller..... | Walworth, Wis..... |
| Wisconsin Hereford Cattle Breeders' Association..... | A. L. Damon..... | Mineral Point, Wis..... | Prof. J. G. Fuller..... | Madison, Wis..... |
| Wisconsin Jersey Breeders' Association..... | J. A. Wood..... | Marshall, Wis..... | C. J. Schneider..... | Mayville, Wis..... |
| Wisconsin Ayrshire Breeders' Association..... | Park Gelbach..... | South Byron, Wis..... | Charles Peterson..... | Reedsville, Wis..... |
| Wisconsin Friesian Breeders' Association..... | S. H. Bird..... | Rice Lake, Wis..... | D. B. Wood..... | Manitowish, Minn..... |
| Wisconsin Jersey Breeders' Association..... | W. H. Clark..... | Rosendale, Wis..... | J. R. Garver..... | Pioneer Building, Madison, Wis..... |
| Wisconsin Guernsey Breeders' Association..... | Charles L. Hill..... | South Byron, Wis..... | | |
| Holstein-Friesian Breeders' Association..... | S. H. Bird..... | | | |

STATISTICS OF GRAIN CROPS, 1919.

CORN.

TABLE 1.—*Corn: Area and production in undermentioned countries, 1909–1919.*

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|----------------------------|--|---------------|---------------|---------------|--|-----------------|-----------------|-----------------|
| | Average 1909– 1913. ¹ | 1917 | 1918 | 1919 | Average 1909– 1913. ¹ | 1917 | 1918 | 1919 |
| NORTH AMERICA. | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| United States..... | 104, 229 | 116, 730 | 194, 467 | 102, 075 | 2, 738, 334 | 3, 065, 233 | 2, 502, 665 | 2, 917, 450 |
| Canada: | | | | | | | | |
| Ontario..... | 291 | 160 | 195 | 221 | 17, 436 | 5, 961 | 13, 015 | 11, 492 |
| Quebec..... | 24 | 74 | 55 | 44 | 736 | 1, 833 | 1, 190 | 1, 199 |
| Other..... | | | | | 6 | | | |
| Total..... | 315 | 234 | 250 | 265 | 18, 178 | 7, 763 | 14, 205 | 12, 691 |
| Mexico..... | 11, 554 | (*) | (*) | (*) | 164, 657 | (*) | 75, 985 | (*) |
| Total..... | 116, 098 | | | | 2, 891, 109 | | 2, 592, 855 | |
| SOUTH AMERICA. | | | | | | | | |
| Argentina..... | 8, 128 | 8, 960 | 8, 715 | (*) | 174, 592 | 58, 839 | 170, 660 | (*) |
| Chile..... | 56 | 49 | 65 | 65 | 1, 390 | 1, 338 | 1, 446 | 1, 702 |
| Uruguay..... | 551 | 627 | (*) | (*) | 6, 027 | 6, 815 | 7, 086 | (*) |
| Total..... | 8, 735 | 9, 645 | | | 181, 919 | 66, 992 | 179, 192 | |
| EUROPE. | | | | | | | | |
| Austria..... | 761 | (*) | (*) | (*) | 14, 536 | (*) | (*) | (*) |
| Hungary proper..... | 6, 038 | (*) | (*) | (*) | 168, 081 | (*) | (*) | (*) |
| Croatia-Slavonia..... | 1, 036 | (*) | (*) | (*) | 24, 873 | (*) | (*) | (*) |
| Bosnia-Herzegovina..... | 578 | (*) | (*) | (*) | 9, 111 | (*) | (*) | (*) |
| Bulgaria..... | 1, 544 | (*) | (*) | (*) | 28, 219 | (*) | (*) | (*) |
| France..... | 1, 155 | 847 | 734 | 756 | 22, 229 | 14, 904 | 8, 743 | (*) |
| Italy..... | 3, 931 | 3, 572 | 3, 459 | 3, 583 | 100, 349 | 75, 452 | 66, 925 | 79, 000 |
| Portugal..... | (*) | (*) | (*) | (*) | 15, 000 | (*) | (*) | (*) |
| Roumania..... | 5, 143 | (*) | 5, 728 | 6, 180 | 100, 620 | (*) | (*) | (*) |
| Russia proper..... | 3, 173 | (*) | (*) | (*) | 56, 571 | (*) | (*) | (*) |
| Northern Caucasia..... | 750 | (*) | (*) | (*) | 13, 651 | (*) | (*) | (*) |
| Serbia..... | 1, 445 | (*) | (*) | (*) | 28, 128 | (*) | (*) | (*) |
| Spain..... | 1, 134 | 1, 175 | 1, 169 | 1, 195 | 26, 548 | 29, 369 | 24, 141 | 24, 533 |
| Switzerland..... | (*) | 5 | 7 | 6 | (*) | 252 | 358 | 287 |
| Total..... | 26, 688 | | | | 607, 916 | | | |
| ASIA. | | | | | | | | |
| British India..... | 6, 340 | 6, 544 | 6, 274 | (*) | 87, 240 | 93, 760 | 92, 680 | (*) |
| Japan..... | 130 | 138 | 144 | 136 | 3, 637 | 3, 791 | 3, 757 | (*) |
| Philippine Islands..... | 992 | 1, 058 | 1, 034 | (*) | 7, 446 | 13, 441 | 11, 271 | (*) |
| Total..... | 7, 462 | 7, 740 | 7, 452 | | 98, 323 | 110, 992 | 107, 708 | |
| AFRICA. | | | | | | | | |
| Algeria..... | 34 | 21 | (*) | 17 | 461 | 302 | (*) | 236 |
| Egypt..... | 1, 857 | 1, 685 | 1, 830 | (*) | 64, 221 | 63, 757 | (*) | (*) |
| Union of South Africa..... | (*) | 3, 150 | 3, 300 | 2, 950 | 26, 498 | 36, 516 | 45, 143 | 41, 289 |
| Total..... | 1, 891 | 4, 855 | | | 91, 179 | 100, 575 | | |
| AUSTRALASIA. | | | | | | | | |
| Australia: | | | | | | | | |
| Queensland..... | 143 | 181 | (*) | (*) | 3, 280 | 3, 019 | (*) | (*) |
| New South Wales..... | 190 | 155 | (*) | (*) | 6, 091 | 4, 333 | (*) | (*) |
| Victoria..... | 18 | 23 | (*) | (*) | 887 | 1, 172 | (*) | (*) |
| Western Australia..... | (*) | (*) | (*) | (*) | 1 | 1 | (*) | (*) |
| South Australia..... | 1 | (*) | (*) | (*) | 5 | 1 | (*) | (*) |
| Total Australia..... | 352 | 359 | 332 | | 10, 264 | 8, 526 | 8, 843 | |
| New Zealand..... | 10 | 6 | 8 | 10 | 493 | 274 | 368 | 415 |
| Total Australasia..... | 362 | 365 | 340 | | 10, 757 | 8, 800 | 9, 211 | |
| Grand total..... | 161, 236 | | | | 3, 881, 263 | | | |

¹ Five-year average except in a few cases where statistics for 5 years were not available.

(*) No official statistics.

(*) Old boundaries.

(*) Including Bessarabia but excluding Dobrudja.

CORN—Continued.

TABLE 2.—Corn: Total production of countries named in Table 1, 1895–1916.

| Year. | Production. | Year. | Production. | Year. | Production. | Year. | Production. |
|----------|-----------------|-----------|-----------------|-----------|-----------------|-----------|-----------------|
| | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> |
| 1895.... | 2,834,750,000 | 1901..... | 2,366,883,000 | 1907..... | 3,420,321,000 | 1913..... | 3,587,429,000 |
| 1896.... | 2,964,435,000 | 1902..... | 3,187,311,000 | 1908..... | 3,606,931,000 | 1914..... | 3,777,913,000 |
| 1897.... | 2,587,206,000 | 1903..... | 3,066,596,000 | 1909..... | 3,563,226,000 | 1915..... | 4,201,589,000 |
| 1898.... | 2,682,619,000 | 1904..... | 3,109,252,000 | 1910..... | 4,031,630,000 | 1916..... | 3,642,103,000 |
| 1899.... | 2,724,100,000 | 1905..... | 3,461,181,000 | 1911..... | 3,481,007,000 | | |
| 1900.... | 2,792,561,000 | 1906..... | 3,963,645,000 | 1912..... | 4,371,888,000 | | |

TABLE 3.—Corn: Acreage, production, value, exports, etc., in the United States, 1849–1919.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. | Chicago cash price per bushel, contract. ¹ | | | | Domestic exports, including corn meal, fiscal year begin- ning July 1. | Per cent of crop ex- ported. |
|-------|------------|----------------------------------|---------------|--|-----------------------|--|------|-------------------|------|--|--|
| | | | | | | December. | | Following May. | | | |
| | | | | | | Low | High | Low | High | | |
| | Acres. | Bush. | Bushels. | Cents. | Dollars. | Cts. | Cts. | Cts. | Cts. | Bushels. | P. ct. |
| 1849. | | | 592,071,000 | | | | | | | 7,632,860 | 1.3 |
| 1859. | | | 838,793,000 | | | | | | | 4,248,991 | .5 |
| 1866. | 34,307,000 | 25.3 | 867,946,000 | 47.4 | 411,451,000 | 53 | 62 | 64 | 79 | 16,026,947 | 1.8 |
| 1867. | 32,520,000 | 23.6 | 768,320,000 | 57.0 | 437,770,000 | 61 | 65 | 61 | 71 | 12,493,522 | 1.6 |
| 1868. | 34,887,000 | 26.0 | 906,527,000 | 46.8 | 424,057,000 | 38 | 58 | 44 | 51 | 8,286,665 | .9 |
| 1869. | 37,103,000 | 23.6 | 874,320,000 | 59.8 | 522,551,000 | 56 | 67 | 73 | 85 | 2,140,487 | .2 |
| 1869. | | | 760,945,000 | | | | | | | | |
| 1870. | 38,647,000 | 28.3 | 1,094,255,000 | 49.4 | 540,520,000 | 41 | 59 | 46 | 52 | 10,673,553 | 1.0 |
| 1871. | 34,091,000 | 29.1 | 991,898,000 | 43.4 | 430,356,000 | 36 | 39 | 38 | 43 | 35,727,010 | 3.6 |
| 1872. | 35,527,000 | 30.8 | 1,092,719,000 | 35.3 | 385,736,000 | 27 | 28 | 34 | 39 | 40,154,374 | 3.7 |
| 1873. | 39,197,000 | 23.8 | 932,274,000 | 44.2 | 411,961,000 | 40 | 49 | 49 | 59 | 35,985,834 | 3.9 |
| 1874. | 41,037,000 | 20.7 | 850,148,000 | 58.4 | 496,271,000 | 64 | 76 | 53 | 67 | 30,025,036 | 3.5 |
| 1875. | 44,841,000 | 29.5 | 1,321,069,000 | 36.7 | 484,675,000 | 40 | 47 | 41 | 45 | 50,910,532 | 3.9 |
| 1876. | 49,033,000 | 26.2 | 1,283,828,000 | 34.0 | 436,109,000 | 40 | 43 | 43 | 56 | 72,652,611 | 5.7 |
| 1877. | 50,369,000 | 26.7 | 1,342,558,000 | 34.8 | 467,635,000 | 41 | 49 | 35 | 41 | 87,192,110 | 6.5 |
| 1878. | 51,585,000 | 26.9 | 1,388,219,000 | 31.7 | 440,281,000 | 30 | 32 | 33 | 36 | 87,884,892 | 6.3 |
| 1879. | 53,085,000 | 29.2 | 1,547,912,000 | 37.5 | 580,486,000 | 39 | 42½ | 32½ | 36½ | 99,572,329 | 6.4 |
| 1879. | 62,369,000 | 28.1 | 1,764,592,000 | | | | | | | | |
| 1880. | 62,318,000 | 27.6 | 1,717,435,000 | 39.6 | 679,714,000 | 35½ | 42 | 41½ | 45 | 93,648,147 | 5.5 |
| 1881. | 64,262,000 | 18.6 | 1,194,916,000 | 63.6 | 759,482,000 | 58½ | 63½ | 69 | 76½ | 44,340,683 | 3.7 |
| 1882. | 65,660,000 | 24.6 | 1,617,025,000 | 48.5 | 783,867,000 | 49½ | 61 | 53½ | 56½ | 41,655,653 | 2.6 |
| 1883. | 68,302,000 | 22.7 | 1,551,067,000 | 42.4 | 658,051,000 | 54½ | 63½ | 52½ | 57 | 46,258,606 | 3.0 |
| 1884. | 69,684,000 | 25.8 | 1,795,528,000 | 35.7 | 640,736,000 | 34½ | 40½ | 44½ | 49 | 52,876,456 | 2.9 |
| 1885. | 73,130,000 | 26.5 | 1,936,176,000 | 32.8 | 635,675,000 | 36 | 42½ | 34½ | 36½ | 64,829,617 | 3.3 |
| 1886. | 75,694,000 | 22.0 | 1,665,441,000 | 36.6 | 610,311,000 | 35½ | 38 | 36½ | 39½ | 41,368,584 | 2.5 |
| 1887. | 72,393,000 | 20.1 | 1,456,161,000 | 44.4 | 646,107,000 | 47 | 51½ | 54 | 60 | 25,367,889 | 1.7 |
| 1888. | 75,673,000 | 26.3 | 1,987,790,000 | 34.1 | 677,562,000 | 33½ | 35½ | 33½ | 35½ | 70,841,673 | 3.6 |
| 1889. | 78,320,000 | 27.0 | 2,112,892,000 | 28.3 | 597,919,000 | 29½ | 35 | 32½ | 35 | 103,418,709 | 4.9 |
| 1889. | 72,088,000 | 29.4 | 2,122,328,000 | | | | | | | | |
| 1890. | 71,971,000 | 20.7 | 1,489,970,000 | 50.6 | 754,433,000 | 47½ | 53 | 55 | 69½ | 32,041,529 | 2.2 |
| 1891. | 76,205,000 | 27.0 | 2,060,154,000 | 40.6 | 836,439,000 | 39½ | 59 | 49½ | 100 | 76,062,285 | 3.7 |
| 1892. | 70,627,000 | 23.1 | 1,628,464,000 | 39.4 | 642,147,000 | 40 | 42½ | 39½ | 44½ | 47,121,894 | 2.9 |
| 1893. | 72,036,000 | 22.5 | 1,619,496,000 | 36.5 | 591,626,000 | 34½ | 36½ | 36½ | 38½ | 66,489,529 | 4.1 |
| 1894. | 62,582,000 | 19.4 | 1,212,770,000 | 45.7 | 554,719,000 | 44½ | 47½ | 47½ | 55½ | 28,585,405 | 2.4 |
| 1895. | 82,076,000 | 26.2 | 2,151,139,000 | 25.3 | 544,986,000 | 25 | 26½ | 27½ | 29½ | 101,100,375 | 4.7 |
| 1896. | 81,027,000 | 28.2 | 2,283,875,000 | 21.5 | 491,007,000 | 22½ | 23½ | 23 | 25½ | 178,817,417 | 7.8 |
| 1897. | 80,095,000 | 23.8 | 1,902,968,000 | 26.3 | 501,073,000 | 25 | 27½ | 32½ | 37 | 212,055,543 | 11.1 |
| 1898. | 77,722,000 | 24.8 | 1,924,185,000 | 28.7 | 552,023,000 | 33½ | 38 | 32½ | 34½ | 177,255,046 | 9.2 |
| 1899. | 82,109,000 | 25.3 | 2,078,144,000 | 30.3 | 629,210,000 | 30 | 31½ | 36 | 40½ | 213,123,412 | 10.3 |
| 1899. | 84,914,000 | 28.1 | 2,666,324,000 | | | | | | | | |

¹ No. 2 to 1908.² Coincident with "corner."

CORN—Continued.

TABLE 3.—Corn: Acreage, production, value, exports, etc., in the United States, 1849-1919—Continued.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. | Chicago cash price per bushel, contract. | | | | Domestic exports, including corn meal, fiscal year begin- ning July 1. | Per cent of crop ex- ported. |
|---------|---------------|----------------------------------|-----------------|--|-----------------------|---|-------------|-------------------|-------------|--|--|
| | | | | | | December. | | Following May. | | | |
| | | | | | | Low | High | Low | High | | |
| | <i>Acres.</i> | <i>Bush.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Bushels.</i> | <i>P. ct.</i> |
| 1900... | 83,321,000 | 25.3 | 2,105,103,000 | 35.7 | 751,220,000 | 35½ | 40½ | 42½ | 58½ | 181,405,473 | 8.4 |
| 1911... | 91,350,000 | 16.7 | 1,522,520,000 | 60.5 | 921,556,000 | 62½ | 67½ | 59½ | 64½ | 28,028,688 | 1.8 |
| 1912... | 94,044,000 | 26.8 | 2,523,648,000 | 40.3 | 1,017,017,000 | 43½ | 57½ | 44 | 46 | 76,639,261 | 3.0 |
| 1913... | 88,092,000 | 25.5 | 2,244,177,000 | 42.5 | 952,869,000 | 41 | 43½ | 47½ | 50 | 58,222,061 | 2.6 |
| 1904... | 92,232,000 | 26.8 | 2,467,481,000 | 44.1 | 1,067,461,000 | 43½ | 49 | 48 | 64½ | 93,293,483 | 3.7 |
| 1905... | 94,011,000 | 28.8 | 2,707,994,000 | 41.2 | 1,116,697,000 | 42 | 59½ | 47½ | 50 | 119,893,833 | 4.4 |
| 1906... | 96,738,000 | 30.3 | 2,927,416,000 | 39.9 | 1,166,626,000 | 40 | 46 | 49½ | 56 | 38,368,228 | 3.0 |
| 1907... | 99,831,000 | 25.9 | 2,592,320,000 | 51.6 | 1,336,901,000 | 57½ | 61½ | 67½ | 82 | 55,063,863 | 2.1 |
| 1908... | 101,788,000 | 26.2 | 2,668,651,000 | 60.6 | 1,616,145,000 | 56½ | 62½ | 72½ | 76 | 37,665,040 | 1.4 |
| 1909... | 108,771,000 | 25.5 | 2,772,376,000 | 57.9 | 1,477,222,000 | 62½ | 66 | 56 | 63 | 38,128,498 | 1.5 |
| 1900... | 98,383,000 | 25.9 | 2,558,190,000 | 57.9 | 1,477,222,000 | 62½ | 66 | 56 | 63 | 38,128,498 | 1.5 |
| 1910... | 104,035,000 | 27.7 | 2,886,260,000 | 48.0 | 1,384,817,000 | 45½ | 50 | 52½ | 55½ | 65,614,522 | 2.3 |
| 1911... | 105,825,000 | 23.9 | 2,531,488,000 | 61.8 | 1,565,258,000 | 68 | 70 | 76½ | 82½ | 41,797,291 | 1.7 |
| 1912... | 107,083,000 | 29.2 | 3,124,746,000 | 48.7 | 1,520,454,000 | 47½ | 54 | 55½ | 60 | 50,780,143 | 1.6 |
| 1913... | 106,820,000 | 23.1 | 2,446,988,000 | 69.1 | 1,602,092,000 | 64 | 73½ | 67 | 72½ | 10,725,819 | 1.4 |
| 1914... | 102,435,000 | 25.8 | 2,672,804,000 | 64.4 | 1,722,070,000 | 62½ | 68½ | 50½ | 56 | 50,668,308 | 1.9 |
| 1915... | 106,197,000 | 28.2 | 2,994,793,000 | 57.5 | 1,722,680,000 | 69½ | 75 | 69 | 78½ | 39,896,928 | 1.3 |
| 1916... | 105,296,000 | 24.4 | 2,566,927,000 | 88.9 | 2,280,729,000 | 88 | 96 | 152 | 174 | 66,753,294 | 2.6 |
| 1917... | 116,730,000 | 26.3 | 3,065,233,000 | 127.9 | 3,920,228,000 | 160 | 190 | 150 | 170 | 49,073,263 | 1.6 |
| 1918... | 104,467,000 | 24.0 | 2,502,665,000 | 136.5 | 3,416,240,000 | 135 | 155 | 160½ | 185 | 23,020,846 | .9 |
| 1919... | 102,075,000 | 28.6 | 2,917,450,000 | 134.9 | 3,334,234,000 | 142 | 160 | | | | |

1 Figures adjusted to census basis.

TABLE 4.—Corn: Revised acreage, production, and farm value, 1879, and 1889-1908.

NOTE.—This revision for 1879 and 1889-1909 consists (1) in using the Department of Agriculture's estimates of average yield per acre to compute, from census acreage, the total production, (2) in adjusting the department's estimates of acreage for each year so as to be consistent with the following as well as the preceding census acreage, and (3) in recomputing total farm value from these revised production figures.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|-----------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| 1879..... | 62,369,000 | 29.2 | 1,823,163,000 | 37.1 | 676,251,000 |
| 1889..... | 72,083,000 | 27.7 | 1,998,618,000 | 27.4 | 546,984,000 |
| 1890..... | 70,390,000 | 20.7 | 1,460,406,000 | 50.0 | 729,647,000 |
| 1891..... | 74,496,000 | 27.6 | 2,055,823,000 | 39.7 | 816,917,000 |
| 1892..... | 72,610,000 | 23.6 | 1,713,688,000 | 38.8 | 664,390,000 |
| 1893..... | 74,434,000 | 22.9 | 1,707,572,000 | 35.9 | 612,998,000 |
| 1894..... | 69,396,000 | 19.3 | 1,339,680,000 | 45.1 | 604,523,000 |
| 1895..... | 85,567,000 | 27.0 | 2,310,952,000 | 25.0 | 578,408,000 |
| 1896..... | 86,560,000 | 28.9 | 2,503,484,000 | 21.3 | 532,884,000 |
| 1897..... | 88,127,000 | 24.3 | 2,144,553,000 | 26.0 | 558,309,000 |
| 1898..... | 88,304,000 | 25.6 | 2,261,119,000 | 28.4 | 642,747,000 |
| 1899..... | 84,914,000 | 25.9 | 2,454,626,000 | 29.9 | 734,917,000 |
| 1900..... | 95,042,000 | 26.4 | 2,505,148,000 | 35.1 | 878,243,000 |
| 1901..... | 94,636,000 | 17.0 | 1,607,288,000 | 60.0 | 964,543,000 |
| 1902..... | 95,517,000 | 27.4 | 2,620,699,000 | 40.0 | 1,048,735,000 |
| 1903..... | 90,661,000 | 25.8 | 2,339,417,000 | 42.1 | 984,173,000 |
| 1904..... | 93,340,000 | 27.0 | 2,520,682,000 | 43.7 | 1,101,430,000 |
| 1905..... | 93,573,000 | 28.3 | 2,744,329,000 | 40.7 | 1,116,817,000 |
| 1906..... | 93,643,000 | 30.9 | 2,895,822,000 | 39.2 | 1,135,969,000 |
| 1907..... | 94,971,000 | 26.5 | 2,512,065,000 | 50.9 | 1,277,607,000 |
| 1908..... | 95,603,000 | 26.6 | 2,544,957,000 | 60.0 | 1,527,679,000 |
| 1909..... | 98,383,000 | 26.1 | 2,572,336,000 | 58.6 | 1,507,185,000 |

CORN—Continued.

TABLE 5.—Corn: Acreage, production, and total farm value, by States, 1918 and 1919.

| State. | Thousands of acres. | | Production (thousands of bushels). | | Total value, basis Dec. 1 price (thousands of dollars). | |
|---------------------|---------------------|---------|------------------------------------|-----------|---|-----------|
| | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 |
| Maine..... | 20 | 23 | 1,100 | 1,035 | 2,145 | 1,728 |
| New Hampshire..... | 21 | 24 | 1,050 | 1,080 | 1,785 | 1,620 |
| Vermont..... | 40 | 40 | 2,120 | 1,520 | 3,710 | 2,584 |
| Massachusetts..... | 44 | 45 | 2,640 | 2,340 | 4,541 | 3,978 |
| Rhode Island..... | 11 | 13 | 465 | 572 | 921 | 1,030 |
| Connecticut..... | 55 | 56 | 3,300 | 2,900 | 5,940 | 4,788 |
| New York..... | 820 | 800 | 35,260 | 28,800 | 58,532 | 50,400 |
| New Jersey..... | 270 | 285 | 10,800 | 10,865 | 19,524 | 16,298 |
| Pennsylvania..... | 1,536 | 1,479 | 72,192 | 59,160 | 106,122 | 91,699 |
| Delaware..... | 230 | 230 | 6,900 | 7,130 | 10,005 | 9,697 |
| Maryland..... | 663 | 686 | 28,413 | 24,010 | 39,778 | 32,414 |
| Virginia..... | 1,600 | 1,900 | 44,800 | 44,800 | 75,712 | 71,680 |
| West Virginia..... | 735 | 750 | 24,990 | 23,250 | 40,984 | 41,350 |
| North Carolina..... | 2,900 | 3,030 | 55,100 | 63,630 | 101,935 | 112,625 |
| South Carolina..... | 2,340 | 2,175 | 37,440 | 36,975 | 73,757 | 72,101 |
| Georgia..... | 4,820 | 4,590 | 69,890 | 68,850 | 111,824 | 113,602 |
| Florida..... | 840 | 800 | 12,600 | 12,800 | 17,640 | 17,664 |
| Ohio..... | 3,700 | 3,600 | 162,800 | 129,600 | 196,988 | 168,480 |
| Indiana..... | 4,750 | 5,000 | 175,750 | 165,000 | 219,688 | 196,350 |
| Illinois..... | 8,600 | 9,700 | 301,000 | 344,350 | 391,300 | 413,220 |
| Michigan..... | 1,650 | 1,610 | 64,350 | 48,300 | 88,803 | 62,790 |
| Wisconsin..... | 1,820 | 1,710 | 85,540 | 68,742 | 106,925 | 89,365 |
| Minnesota..... | 2,953 | 2,780 | 118,000 | 111,200 | 141,690 | 123,432 |
| Iowa..... | 10,000 | 9,800 | 416,000 | 352,800 | 499,200 | 430,416 |
| Missouri..... | 5,756 | 6,693 | 155,412 | 133,860 | 214,469 | 191,420 |
| North Dakota..... | 508 | 484 | 16,764 | 9,196 | 23,470 | 11,955 |
| South Dakota..... | 3,200 | 3,100 | 91,200 | 105,406 | 108,528 | 115,940 |
| Nebraska..... | 7,030 | 6,954 | 184,186 | 123,086 | 224,707 | 157,550 |
| Kansas..... | 4,475 | 6,130 | 69,362 | 43,523 | 97,107 | 64,849 |
| Kentucky..... | 3,300 | 3,500 | 82,500 | 91,000 | 127,475 | 132,860 |
| Tennessee..... | 3,250 | 3,250 | 74,750 | 78,000 | 117,358 | 113,100 |
| Alabama..... | 4,334 | 4,378 | 62,843 | 63,919 | 99,920 | 94,600 |
| Mississippi..... | 3,980 | 3,990 | 59,700 | 66,300 | 95,520 | 100,113 |
| Louisiana..... | 1,850 | 1,990 | 32,375 | 28,800 | 48,562 | 46,368 |
| Texas..... | 6,760 | 6,500 | 202,800 | 65,000 | 239,304 | 114,400 |
| Oklahoma..... | 3,100 | 3,100 | 74,400 | 23,250 | 94,488 | 38,130 |
| Arkansas..... | 2,707 | 2,700 | 48,726 | 35,100 | 79,011 | 63,190 |
| Montana..... | 128 | 100 | 1,728 | 2,100 | 2,851 | 2,835 |
| Wyoming..... | 45 | 40 | 768 | 1,000 | 1,267 | 1,400 |
| Colorado..... | 671 | 610 | 11,206 | 10,675 | 15,913 | 14,411 |
| New Mexico..... | 240 | 160 | 7,200 | 4,000 | 10,872 | 7,200 |
| Arizona..... | 39 | 34 | 1,257 | 952 | 2,574 | 1,999 |
| Utah..... | 24 | 24 | 432 | 672 | 648 | 1,216 |
| Nevada..... | 3 | 2 | 90 | 64 | 126 | 134 |
| Idaho..... | 24 | 23 | 840 | 920 | 1,386 | 1,684 |
| Washington..... | 45 | 50 | 1,620 | 1,900 | 2,967 | 3,730 |
| Oregon..... | 71 | 44 | 1,860 | 1,364 | 2,853 | 2,114 |
| California..... | 87 | 85 | 2,871 | 2,975 | 5,139 | 5,742 |
| United States..... | 102,175 | 104,467 | 2,917,450 | 2,502,665 | 3,934,234 | 3,416,240 |

CORN—Continued.

TABLE 6.—Corn: Production and distribution in the United States, 1897–1919.

[000 omitted, except in percentage columns.]

| Year. | Old stock on farms Nov. 1. | Crop. | | | Total supplies. | Stock on farms Mar. 1 following. | Shipped out of country where grown. |
|-----------|----------------------------|-----------------|------------------|--------------------------|-----------------|----------------------------------|-------------------------------------|
| | | Quantity. | Quality. | Proportion merchantable. | | | |
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Per cent.</i> | <i>Per cent.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| 1897..... | 290,934 | 1,902,968 | 86.3 | 86.8 | 2,193,902 | 782,871 | 411,617 |
| 1898..... | 137,894 | 1,924,185 | 83.8 | 82.2 | 2,062,079 | 800,533 | 396,005 |
| 1899..... | 113,614 | 2,078,144 | 87.2 | 86.9 | 2,191,788 | 773,730 | 348,098 |
| 1900..... | 92,323 | 2,105,103 | 85.5 | 86.3 | 2,197,421 | 776,166 | 478,417 |
| 1901..... | 95,825 | 1,522,520 | 73.7 | | 1,618,345 | 441,132 | 168,213 |
| 1902..... | 29,267 | 2,523,648 | 83.1 | 76.2 | 2,552,915 | 1,060,653 | 557,296 |
| 1903..... | 131,210 | 2,244,177 | 86.2 | 76.0 | 2,375,387 | 839,063 | 419,877 |
| 1904..... | 80,246 | 2,467,481 | 90.6 | 81.8 | 2,547,727 | 964,268 | 551,635 |
| 1905..... | 82,285 | 2,707,994 | 90.6 | 88.4 | 2,790,279 | 1,108,364 | 681,589 |
| 1906..... | 119,633 | 2,927,416 | 89.9 | 89.1 | 3,047,049 | 1,297,979 | 679,544 |
| 1907..... | 130,995 | 2,592,320 | 82.8 | 77.7 | 2,723,315 | 992,429 | 467,675 |
| 1908..... | 71,124 | 2,668,651 | 86.9 | 88.2 | 2,739,775 | 1,047,768 | 568,129 |
| 1909..... | 79,779 | 2,582,190 | 84.2 | 82.5 | 2,631,969 | 977,561 | 635,248 |
| 1910..... | 115,696 | 2,886,260 | 87.2 | 86.4 | 3,001,956 | 1,166,378 | 661,777 |
| 1911..... | 123,824 | 2,531,488 | 80.6 | 80.1 | 2,655,312 | 884,059 | 517,766 |
| 1912..... | 64,764 | 3,124,746 | 85.5 | 85.0 | 3,199,510 | 1,290,642 | 690,831 |
| 1913..... | 137,972 | 2,446,988 | 82.2 | 80.1 | 2,584,960 | 866,332 | 422,059 |
| 1914..... | 80,046 | 2,672,804 | 85.1 | 84.5 | 2,752,850 | 910,904 | 498,285 |
| 1915..... | 96,009 | 2,994,793 | 77.2 | 71.1 | 3,090,802 | 1,116,559 | 560,824 |
| 1916..... | 87,906 | 2,566,927 | 83.8 | 83.9 | 2,654,835 | 782,303 | 450,589 |
| 1917..... | 34,448 | 3,065,233 | 75.2 | 60.0 | 3,099,681 | 1,253,290 | 678,027 |
| 1918..... | 114,678 | 2,502,665 | 85.6 | 82.4 | 2,617,343 | 855,299 | 362,589 |
| 1919..... | 69,835 | 2,917,450 | 89.1 | 86.9 | 2,987,285 | 1,092,069 | 474,139 |

CORN—Continued.

TABLE 7.—Corn: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars). ¹ | | | |
|---------|-----------------------------|------|------|------|------|------|------|------|------|------|--------------------------------|-----------------------------|------|------|-------|--|-------|----------------------------|--------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average, 1914-1918. | 1919 |
| Mo. | 43.5 | 46.0 | 44.0 | 40.0 | 38.0 | 46.0 | 41.0 | 43.0 | 37.0 | 45.0 | 55.0 | 120 | 85 | 119 | 228 | 167 | 195 | 57.20 | 107.25 |
| N. H. | 44.0 | 46.0 | 45.0 | 46.0 | 37.0 | 44.0 | 45.0 | 46.0 | 40.0 | 45.0 | 55.0 | 112 | 76 | 115 | 217 | 150 | 170 | 55.82 | 85.00 |
| Vt. | 43.3 | 43.0 | 41.0 | 40.0 | 37.0 | 47.0 | 40.0 | 43.0 | 45.0 | 38.0 | 53.0 | 113 | 84 | 110 | 213 | 170 | 175 | 56.89 | 92.75 |
| Mass. | 46.8 | 45.5 | 44.0 | 45.0 | 40.0 | 54.7 | 47.0 | 42.0 | 45.0 | 52.0 | 60.0 | 116 | 80 | 120 | 215 | 170 | 172 | 62.62 | 103.20 |
| R. I. | 41.0 | 40.0 | 45.0 | 41.5 | 39.5 | 42.0 | 43.0 | 31.0 | 42.0 | 44.0 | 45.0 | 130 | 100 | 138 | 230 | 180 | 186 | 61.05 | 83.70 |
| Conn. | 48.9 | 53.2 | 48.5 | 50.0 | 38.5 | 46.0 | 50.0 | 43.0 | 50.0 | 50.0 | 60.0 | 117 | 85 | 120 | 215 | 171 | 180 | 65.61 | 108.00 |
| N. Y. | 36.5 | 38.3 | 38.5 | 38.0 | 28.5 | 41.0 | 40.0 | 30.0 | 31.0 | 36.0 | 43.0 | 110 | 78 | 110 | 198 | 175 | 166 | 44.52 | 71.38 |
| N. J. | 39.0 | 36.0 | 36.8 | 38.0 | 39.5 | 38.5 | 38.0 | 40.0 | 42.0 | 41.0 | 40.0 | 100 | 75 | 100 | 170 | 150 | 153 | 46.13 | 61.20 |
| Pa. | 41.3 | 41.0 | 44.5 | 42.5 | 39.0 | 42.5 | 38.5 | 39.0 | 39.0 | 40.0 | 47.0 | 96 | 70 | 97 | 153 | 155 | 147 | 43.49 | 69.09 |
| Del. | 32.8 | 31.8 | 34.0 | 34.0 | 31.5 | 36.0 | 31.5 | 34.0 | 34.0 | 31.0 | 30.0 | 80 | 62 | 89 | 140 | 136 | 145 | 32.37 | 43.50 |
| Md. | 36.0 | 33.5 | 36.5 | 36.5 | 33.0 | 37.0 | 35.0 | 39.0 | 39.0 | 35.0 | 41.0 | 87 | 61 | 89 | 140 | 135 | 140 | 36.61 | 57.40 |
| Va. | 26.0 | 25.5 | 24.0 | 24.0 | 26.0 | 20.5 | 28.5 | 28.0 | 27.0 | 28.0 | 28.0 | 101 | 71 | 93 | 153 | 160 | 169 | 29.80 | 47.32 |
| W. Va. | 30.4 | 26.0 | 25.7 | 33.8 | 31.0 | 31.0 | 31.5 | 30.5 | 30.0 | 31.0 | 34.0 | 106 | 74 | 101 | 170 | 180 | 164 | 37.33 | 55.76 |
| N. C. | 19.4 | 18.0 | 18.4 | 18.2 | 19.5 | 20.0 | 21.0 | 18.5 | 20.0 | 21.0 | 19.0 | 113 | 77 | 110 | 170 | 177 | 185 | 25.07 | 35.15 |
| S. C. | 17.7 | 18.5 | 18.2 | 17.9 | 19.5 | 18.5 | 16.5 | 15.5 | 19.0 | 17.0 | 16.0 | 123 | 87 | 113 | 192 | 195 | 197 | 23.71 | 31.52 |
| Ga. | 15.0 | 14.5 | 16.0 | 13.8 | 15.5 | 14.0 | 15.0 | 15.5 | 16.0 | 15.0 | 14.5 | 108 | 78 | 100 | 160 | 165 | 160 | 17.89 | 23.20 |
| Fla. | 14.8 | 13.0 | 14.6 | 13.0 | 15.0 | 16.0 | 15.0 | 15.0 | 15.0 | 16.0 | 15.0 | 99 | 73 | 90 | 140 | 138 | 140 | 16.07 | 21.00 |
| Ohio. | 38.0 | 36.5 | 36.8 | 42.2 | 37.5 | 39.1 | 41.5 | 31.5 | 38.0 | 36.0 | 44.0 | 81 | 56 | 90 | 136 | 130 | 121 | 34.78 | 53.24 |
| Ind. | 36.3 | 39.3 | 36.0 | 40.3 | 36.0 | 33.0 | 38.0 | 34.0 | 36.0 | 33.0 | 37.0 | 76 | 51 | 84 | 125 | 119 | 125 | 30.27 | 46.25 |
| Ill. | 34.2 | 39.1 | 33.0 | 40.0 | 27.0 | 29.0 | 36.0 | 29.5 | 38.0 | 35.5 | 35.0 | 76 | 54 | 81 | 110 | 120 | 130 | 29.20 | 45.50 |
| Mich. | 31.0 | 32.4 | 33.0 | 34.0 | 33.5 | 36.0 | 32.0 | 27.5 | 21.5 | 30.0 | 39.0 | 92 | 68 | 95 | 182 | 130 | 138 | 30.03 | 53.82 |
| Wis. | 35.4 | 32.5 | 36.3 | 35.7 | 40.5 | 40.5 | 28.0 | 36.0 | 22.0 | 40.0 | 24.7 | 87 | 68 | 92 | 163 | 130 | 125 | 32.64 | 58.75 |
| Minn. | 34.2 | 32.7 | 33.7 | 34.5 | 40.0 | 33.0 | 23.0 | 33.5 | 30.0 | 40.0 | 41.0 | 72 | 62 | 80 | 110 | 111 | 120 | 27.33 | 48.00 |
| Iowa. | 36.3 | 36.3 | 31.0 | 43.0 | 34.0 | 38.0 | 30.0 | 36.5 | 37.0 | 36.0 | 41.0 | 72 | 51 | 80 | 108 | 122 | 120 | 29.86 | 49.92 |
| Mo. | 26.2 | 33.0 | 26.0 | 32.0 | 17.5 | 22.0 | 29.5 | 19.5 | 35.0 | 20.0 | 27.0 | 83 | 57 | 90 | 114 | 143 | 138 | 23.57 | 37.26 |
| N. Dak. | 22.4 | 14.0 | 25.0 | 26.7 | 28.8 | 28.0 | 14.0 | 26.5 | 9.0 | 19.0 | 33.0 | 84 | 67 | 84 | 151 | 130 | 140 | 17.23 | 46.20 |
| S. Dak. | 27.7 | 25.0 | 22.0 | 30.0 | 25.5 | 26.0 | 29.0 | 28.5 | 28.0 | 34.0 | 28.5 | 71 | 49 | 77 | 120 | 110 | 119 | 24.03 | 33.92 |
| Nebr. | 24.7 | 25.8 | 21.0 | 24.0 | 15.0 | 24.5 | 30.0 | 26.0 | 27.0 | 17.7 | 26.2 | 74 | 47 | 78 | 120 | 128 | 122 | 20.48 | 31.96 |
| Kans. | 15.5 | 19.0 | 14.5 | 23.0 | 3.2 | 18.5 | 31.0 | 10.0 | 13.0 | 7.1 | 15.5 | 84 | 51 | 90 | 125 | 149 | 140 | 12.66 | 21.70 |
| Ky. | 27.1 | 29.0 | 26.0 | 30.4 | 20.5 | 25.0 | 30.0 | 28.0 | 31.5 | 26.0 | 25.0 | 88 | 56 | 87 | 121 | 146 | 155 | 26.05 | 38.75 |
| Tenn. | 25.3 | 25.9 | 26.8 | 26.5 | 20.5 | 24.0 | 27.0 | 26.0 | 29.0 | 24.0 | 23.0 | 90 | 58 | 94 | 120 | 145 | 157 | 25.20 | 36.11 |
| Ala. | 16.2 | 18.0 | 18.0 | 17.2 | 17.3 | 17.0 | 17.0 | 12.5 | 16.0 | 14.0 | 14.5 | 100 | 69 | 102 | 125 | 148 | 159 | 15.94 | 23.06 |
| Miss. | 18.2 | 20.5 | 19.0 | 18.3 | 20.0 | 18.5 | 19.0 | 14.0 | 20.5 | 17.0 | 15.0 | 97 | 65 | 98 | 138 | 151 | 160 | 18.71 | 24.00 |
| La. | 19.4 | 23.0 | 18.5 | 18.0 | 22.0 | 19.3 | 20.5 | 21.0 | 18.0 | 16.0 | 17.5 | 96 | 64 | 94 | 146 | 161 | 150 | 19.88 | 26.25 |
| Tex. | 18.8 | 20.0 | 9.5 | 21.0 | 24.0 | 19.5 | 23.5 | 19.0 | 11.0 | 10.0 | 30.0 | 99 | 58 | 104 | 167 | 176 | 118 | 16.76 | 35.40 |
| Okla. | 14.8 | 16.0 | 6.5 | 18.7 | 11.0 | 12.5 | 29.5 | 13.5 | 8.5 | 7.5 | 24.0 | 88 | 46 | 93 | 147 | 164 | 127 | 11.70 | 30.48 |
| Ark. | 19.7 | 24.0 | 20.8 | 20.4 | 19.0 | 17.5 | 23.0 | 17.7 | 24.0 | 13.0 | 18.0 | 100 | 64 | 98 | 140 | 180 | 164 | 20.61 | 29.52 |
| Mont. | 23.4 | 23.0 | 26.5 | 25.5 | 31.5 | 28.0 | 28.0 | 25.0 | 12.5 | 21.0 | 13.5 | 104 | 69 | 93 | 175 | 135 | 165 | 22.82 | 22.28 |
| Wyo. | 21.0 | 10.0 | 15.0 | 23.0 | 29.0 | 25.0 | 25.0 | 22.0 | 20.0 | 25.0 | 16.0 | 99 | 67 | 90 | 175 | 140 | 105 | 24.81 | 26.40 |
| Colo. | 18.6 | 19.9 | 14.0 | 20.8 | 15.0 | 23.0 | 24.0 | 15.5 | 20.0 | 17.5 | 16.7 | 87 | 55 | 90 | 125 | 135 | 142 | 17.91 | 23.71 |
| N. Mex. | 23.9 | 23.0 | 24.7 | 22.4 | 18.5 | 28.0 | 26.0 | 21.0 | 20.0 | 25.0 | 30.0 | 111 | 73 | 113 | 188 | 180 | 151 | 29.54 | 45.30 |
| Ariz. | 31.2 | 32.5 | 33.0 | 33.0 | 28.0 | 32.0 | 30.0 | 35.0 | 27.0 | 28.0 | 33.0 | 139 | 115 | 140 | 190 | 210 | 200 | 46.40 | 66.00 |
| Utah. | 30.2 | 30.8 | 33.5 | 30.0 | 34.0 | 33.5 | 34.0 | 33.0 | 25.0 | 28.0 | 18.0 | 108 | 80 | 115 | 170 | 181 | 150 | 36.92 | 27.00 |
| Nev. | 32.2 | 30.0 | 30.5 | 30.0 | 34.0 | 36.0 | 35.0 | 34.0 | 30.0 | 32.0 | 30.0 | 123 | 93 | 125 | 150 | 210 | 140 | 45.37 | 42.00 |
| Idaho. | 33.4 | 32.0 | 30.0 | 32.8 | 32.0 | 31.0 | 35.0 | 35.0 | 31.0 | 40.0 | 35.0 | 103 | 65 | 100 | 155 | 183 | 165 | 40.26 | 57.75 |
| Wash. | 31.4 | 28.0 | 28.5 | 27.3 | 28.0 | 27.0 | 27.0 | 37.0 | 37.0 | 38.0 | 36.0 | 108 | 77 | 100 | 162 | 176 | 185 | 40.41 | 66.60 |
| Ore. | 30.0 | 25.5 | 28.5 | 31.5 | 28.5 | 30.0 | 35.0 | 33.5 | 30.0 | 31.0 | 26.2 | 102 | 82 | 95 | 150 | 155 | 155 | 35.63 | 40.61 |
| Calif. | 35.2 | 37.5 | 36.0 | 37.0 | 33.0 | 36.0 | 41.0 | 32.0 | 32.0 | 35.0 | 33.0 | 120 | 88 | 121 | 185 | 193 | 179 | 46.77 | 59.07 |
| U. S. | 26.1 | 27.7 | 23.9 | 29.2 | 23.5 | 25.8 | 28.2 | 24.4 | 26.3 | 24.0 | 28.6 | 83.8 | 57.5 | 88.9 | 127.9 | 136.5 | 134.9 | 24.16 | 38.54 |

¹ Based upon farm price Dec. 1.

TABLE 8.—Corn: Wholesale price per bushel, 1913-1919.

| Data. | New York. | | | Baltimore. | | | Cincinnati. | | | Chicago. | | | Detroit. | | | St. Louis. | | | San Francisco. | | |
|--------------------|---------------|-------|---------------|---------------------|-------|---------------|--------------|-------|---------------|------------------------|-------|---------------|---------------------|-------|---------------|---------------------|-------|---------------|----------------------------------|-------|---------------|
| | No. 2 yellow. | | | Mixed. ¹ | | | No. 2 mixed. | | | Contract. ² | | | No. 3. ³ | | | No. 2. ³ | | | White (100 pounds). ⁴ | | |
| | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. |
| 1913. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 55½ | 66 | 58.8 | 52½ | 65½ | 57.3 | 48 | 65 | 56.5 | 63 | 73½ | 68.4 | 62 | 74 | 67.1 | 63 | 73½ | 68.6 | 61 | 73 | 67.1 |
| July-December..... | 79 | 86 | 82.9 | 64½ | 68 | 66.0 | 63½ | 81 | 73.2 | 78½ | 71.0 | 70½ | 78½ | 75.0 | 73½ | 87 | 73.6 | 72.6 | 1.59 | 1.51½ | 1.53 |
| 1914. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 60 | 82½ | 75.4 | 66½ | 77 | 70.6 | 64 | 75 | 72.9 | 73½ | 66.4 | 60 | 73½ | 67.1 | 63 | 73½ | 68.6 | 61 | 73 | 67.1 | |
| July-December..... | 71½ | 93½ | 82.1 | 67½ | 89 | 76.4 | 63½ | 83½ | 78.3 | 86 | 73.4 | 63½ | 88 | 75.0 | 82½ | 87 | 73.6 | 72.6 | 1.68 | 1.61 | 1.71 |
| 1915. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 77½ | 90½ | 84.6 | 72 | 84½ | 78.7 | 70 | 81 | 76.5 | 79 | 74.3 | 70 | 80 | 75.6 | 68½ | 78½ | 74.3 | 70.4 | 1.72 | 1.68 | 1.82 |
| July-December..... | 79½ | 92½ | 82.8 | 67½ | 87 | 77.2 | 62 | 84 | 72.8 | 82½ | 72.0 | 64 | 84 | 74.9 | 68½ | 81 | 70.4 | 70.4 | 1.46 | 1.46 | 1.68 |
| 1916. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 79½ | 92½ | 86.2 | 70 | 84½ | 79.6 | 70½ | 79 | 75.7 | 79½ | 75.2 | 69 | 79½ | 75.8 | 69½ | 77 | 73.9 | 73.9 | 1.70 | 1.70 | 1.73 |
| July-December..... | 88½ | 120 | 101.6 | 85½ | 107 | 96.1 | 79 | 107 | 90.0 | 111 | 90.4 | 79½ | 117 | 94.0 | 79½ | 111 | 89.4 | 89.4 | 2.45 | 2.45 | 1.88 |
| 1917. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 93½ | 136 | 144.2 | 105 | 182 | 140.3 | 95 | 176 | 133.5 | 176 | 131.9 | 93½ | 176 | 131.9 | 102 | 176½ | 136.0 | 136.0 | 2.05 | 2.05 | 2.78 |
| July-December..... | 154 | 245 | 211.1 | 140 | 230 | 189.8 | 160 | 235 | 198.0 | 236 | 196.2 | 160 | 236 | 196.2 | 181 | 240 | 211.3 | 211.3 | 3.35 | 3.35 | 3.76 |
| 1918. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 150 | 221½ | 181.3 | 141 | 195 | 178.9 | 140 | 176 | 162.2 | 185 | 168.7 | 150 | 185 | 168.7 | 150 | 215 | 173.9 | 173.9 | 3.20 | 3.20 | 3.40 |
| July-December..... | 140 | 209½ | 176.4 | 150 | 195 | 170.1 | 130 | 185 | 155.7 | 180 | 152.8 | 130 | 180 | 152.8 | 135 | 187 | 159.5 | 159.5 | 2.75 | 2.75 | 2.88 |
| 1919. | | | | | | | | | | | | | | | | | | | | | |
| January..... | 100 | 172 | 156.6 | 132 | 165 | 155.9 | 126 | 161 | 147.0 | 122 | 142.3 | 125 | 158 | 144.0 | 127 | 160 | 145.0 | 145.0 | 2.75 | 2.75 | 2.93 |
| February..... | 142 | 153 | 149.5 | 130 | 142 | 138.9 | 126 | 141 | 135.6 | 132 | 131.7 | 125 | 158 | 147.0 | 127 | 160 | 145.0 | 145.0 | 2.90 | 2.90 | 3.02 |
| March..... | 153½ | 178½ | 167.9 | 140 | 167 | 152.1 | 141 | 163 | 151.2 | 164 | 149.7 | 138 | 173 | 154.0 | 135 | 167 | 149.9 | 149.9 | 2.10 | 2.10 | 2.24 |
| April..... | 173½ | 189½ | 181.4 | 167 | 173 | 169.9 | 161 | 169 | 165.3 | 172 | 163.8 | 163 | 172 | 167.5 | 159 | 170 | 162.1 | 162.1 | 2.15 | 2.15 | 2.28 |
| May..... | 172½ | 190½ | 189.8 | 171 | 182 | 179.2 | 164 | 182 | 173.8 | 185 | 178.6 | 168 | 186 | 177.8 | 166 | 180 | 174.4 | 174.4 | 2.15 | 2.15 | 2.28 |
| June..... | 187½ | 200 | 194.3 | 180 | 192 | 186.8 | 176 | 185 | 181.0 | 171 | 185½ | 178.8 | 183 | 188 | 183.8 | 174 | 185 | 179.2 | 2.15 | 3.30 | 2.44 |
| January-June..... | 100 | 200 | 173.2 | 130 | 192 | 163.8 | 126 | 185 | 158.9 | 122 | 185½ | 157.2 | 125 | 188 | 160.7 | 123 | 185 | 157.4 | 2.10 | 3.35 | 2.51 |
| July..... | 106½ | 211½ | 191.0 | 183 | 215 | 209.1 | 183 | 210 | 196.7 | 179½ | 197.6 | 183 | 210 | 198.9 | 181½ | 203 | 195.2 | 195.2 | 3.20 | 3.40 | 3.30 |
| August..... | 202½ | 220½ | 214.0 | 200 | 213 | 210.3 | 200 | 207 | 203.5 | 210 | 197.0 | 193 | 210 | 204.4 | 198 | 200 | 193.5 | 193.5 | (*) | (*) | (*) |
| September..... | 194 | 194½ | 194.6 | (*) | (*) | (*) | 193½ | 193 | 191.1 | 193 | 183 | 154.4 | 198 | 182.6 | 199 | 170 | 157.1 | 157.1 | (*) | (*) | (*) |
| October..... | 192½ | 192½ | 192.5 | (*) | (*) | (*) | 192½ | 192 | 191.2 | 192 | 183 | 144.9 | 192 | 182.6 | 199 | 149 | 142.5 | 142.5 | 73.05 | 73.05 | 73.15 |
| November..... | 190½ | 190½ | 190.5 | 160 | 168 | 164.7 | 143 | 153 | 146.2 | 137 | 136 | 152.8 | 155 | 157.7 | 144 | 159 | 154.4 | 154.4 | 73.25 | 73.25 | 73.30 |
| December..... | 183½ | 173 | 181.5 | 160 | 172 | 167.8 | 148 | 154 | 150.8 | 138 | 158 | 147.0 | 148 | 155 | 150 | 155 | 152.6 | 152.6 | 3.45 | 3.50 | 3.48 |
| July-December..... | 152½ | 226½ | 193.8 | 160 | 215 | 188.0 | 136½ | 210 | 167.9 | 133 | 210 | 165.6 | 146 | 210 | 170.8 | 139 | 203 | 165.9 | 3.05 | 3.50 | 3.33 |

¹ No. 3 yellow, beginning March, 1919.

² No. 2 mixed, 1919.

³ No. 3 yellow, 1919.

⁴ California yellow, beginning March, 1919.

* No quotations.

• Normal.

⁵ Egyptian white.

CORN—Continued.

TABLE 9.—*Corn: Condition of crop, United States, on first of months named, 1899–1919.*

| Year. | July. | Aug. | Sept. | Oct. | Year. | July. | Aug. | Sept. | Oct. | Year. | July. | Aug. | Sept. | Oct. |
|----------|---------------|---------------|---------------|---------------|----------|---------------|---------------|---------------|---------------|----------|---------------|---------------|---------------|---------------|
| | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> |
| 1899.... | 86.5 | 89.9 | 85.2 | 82.7 | 1906.... | 87.5 | 88.0 | 90.2 | 90.1 | 1913.... | 86.9 | 75.8 | 65.1 | 65.3 |
| 1900.... | 89.5 | 87.5 | 80.6 | 78.2 | 1907.... | 80.2 | 82.8 | 80.2 | 78.0 | 1914.... | 85.8 | 74.8 | 71.7 | 72.9 |
| 1901.... | 81.3 | 54.0 | 51.7 | 52.1 | 1908.... | 82.8 | 82.5 | 79.4 | 77.8 | 1915.... | 81.2 | 79.5 | 78.8 | 79.7 |
| 1902.... | 87.5 | 86.5 | 84.3 | 79.6 | 1909.... | 89.3 | 84.4 | 74.6 | 73.8 | 1916.... | 82.0 | 75.3 | 71.3 | 71.5 |
| 1903.... | 79.4 | 78.7 | 80.1 | 80.8 | 1910.... | 85.4 | 79.3 | 78.2 | 80.3 | 1917.... | 81.1 | 78.8 | 76.7 | 75.9 |
| 1904.... | 86.4 | 87.3 | 84.6 | 83.9 | 1911.... | 80.1 | 69.6 | 70.3 | 70.4 | 1918.... | 87.1 | 78.5 | 67.4 | 68.6 |
| 1905.... | 87.3 | 89.0 | 89.5 | 89.2 | 1912.... | 81.5 | 80.0 | 82.1 | 82.2 | 1919.... | 86.7 | 81.7 | 80.0 | 81.3 |

TABLE 10.—*Corn: Farm price, cents per bushel, on first of each month, 1910–1919.*

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|-------|-------|-------|------|------|------|------|------|------|------|----------|
| Jan. 1..... | 144.7 | 134.8 | 90.0 | 62.1 | 66.2 | 69.6 | 48.9 | 62.2 | 48.2 | 62.3 | 78.9 |
| Feb. 1..... | 138.1 | 138.8 | 95.8 | 66.7 | 72.8 | 68.3 | 50.6 | 64.6 | 49.0 | 65.2 | 81.0 |
| Mar. 1..... | 137.2 | 154.3 | 100.9 | 68.2 | 75.1 | 69.1 | 52.2 | 66.6 | 48.9 | 65.9 | 83.8 |
| Apr. 1..... | 149.6 | 153.6 | 113.4 | 70.3 | 75.1 | 70.7 | 53.7 | 71.1 | 49.7 | 65.5 | 87.3 |
| May 1..... | 162.6 | 155.7 | 150.6 | 72.3 | 77.7 | 72.1 | 56.8 | 79.4 | 51.8 | 63.5 | 94.2 |
| June 1..... | 171.2 | 152.5 | 160.1 | 74.1 | 77.9 | 75.0 | 60.6 | 82.5 | 55.1 | 65.2 | 97.4 |
| July 1..... | 176.5 | 153.7 | 164.6 | 75.4 | 77.7 | 75.5 | 63.2 | 81.1 | 60.0 | 66.2 | 99.4 |
| Aug. 1..... | 191.2 | 159.7 | 196.6 | 79.4 | 78.9 | 76.8 | 65.4 | 79.3 | 65.8 | 67.2 | 106.0 |
| Sept. 1..... | 185.4 | 165.7 | 175.5 | 83.6 | 77.3 | 81.5 | 75.4 | 77.6 | 65.9 | 66.3 | 105.4 |
| Oct. 1..... | 153.9 | 159.5 | 175.1 | 82.3 | 70.5 | 78.2 | 75.3 | 70.2 | 65.7 | 61.1 | 99.2 |
| Nov. 1..... | 133.4 | 140.3 | 146.0 | 85.0 | 61.9 | 70.6 | 70.7 | 58.4 | 64.7 | 52.6 | 88.4 |
| Dec. 1..... | 134.9 | 136.5 | 127.9 | 88.9 | 57.5 | 64.4 | 69.1 | 48.7 | 61.8 | 48.0 | 83.8 |
| Average..... | 151.5 | 147.3 | 129.2 | 73.8 | 71.2 | 71.4 | 59.4 | 67.6 | 55.3 | 62.1 | 88.9 |

TABLE 11.—*Corn: Monthly marketings by farmers, 1914–1919.*

| Month. | Estimated amount sold monthly by farmers of United States (millions of bushels). | | | | | Per cent of year's sales. | | | | |
|----------------|--|---------|---------|---------|---------|---------------------------|---------|---------|---------|---------|
| | 1918-19 | 1917-18 | 1916-17 | 1915-16 | 1914-15 | 1918-19 | 1917-18 | 1916-17 | 1915-16 | 1914-15 |
| July..... | 27 | 34 | 30 | 31 | 19 | 6.7 | 5.3 | 6.2 | 5.6 | 3.9 |
| August..... | 28 | 26 | 34 | 33 | 34 | 6.8 | 4.0 | 7.1 | 5.9 | 7.1 |
| September..... | 35 | 22 | 28 | 35 | 23 | 8.4 | 3.4 | 5.9 | 6.4 | 4.7 |
| October..... | 27 | 24 | 25 | 33 | 23 | 6.7 | 3.8 | 5.3 | 6.0 | 4.7 |
| November..... | 30 | 56 | 67 | 57 | 71 | 7.3 | 8.8 | 14.0 | 10.4 | 14.7 |
| December..... | 49 | 78 | 60 | 88 | 82 | 12.1 | 12.2 | 12.5 | 15.9 | 16.8 |
| January..... | 61 | 91 | 73 | 64 | 96 | 15.0 | 14.2 | 15.1 | 11.7 | 19.8 |
| February..... | 30 | 103 | 43 | 68 | 38 | 7.2 | 16.1 | 9.0 | 12.4 | 7.8 |
| March..... | 31 | 88 | 34 | 39 | 22 | 7.5 | 13.7 | 7.0 | 7.1 | 4.6 |
| April..... | 34 | 45 | 26 | 35 | 27 | 8.2 | 7.1 | 5.4 | 6.4 | 5.6 |
| May..... | 33 | 36 | 31 | 35 | 21 | 8.0 | 5.6 | 6.5 | 6.3 | 4.4 |
| June..... | 25 | 37 | 29 | 32 | 29 | 6.1 | 5.8 | 6.0 | 5.9 | 5.9 |
| Season..... | 410 | 640 | 480 | 550 | 485 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

CORN—Continued.

TABLE 12.—Corn (including meal): International trade, calendar years 1909–1913, 1917, and 1918.

[The item *maicens* or *maizena* is included as "Corn and corn meal."]

GENERAL NOTE.—Substantially the international trade of the world. It should not be expected that the world export and import totals for any year will agree. Among sources of disagreement are these: (1) Different periods of time covered in the "year" of the various countries; (2) imports received in year subsequent to year of export; (3) want of uniformity in classification of goods among countries; (4) different practices and varying degrees of failure in recording countries of origin and ultimate destination; (5) different practices of recording reexported goods; (6) opposite methods of treating free ports; (7) clerical errors, which, it may be assumed, are not infrequent.

The exports given are domestic exports, and the imports given are imports for consumption as far as it is feasible and consistent so to express the facts. While there are some inevitable omissions, on the other hand, there are some duplications because of reshipments that do not appear as such in official reports. For the United Kingdom, import figures refer to imports for consumption, when available, otherwise total imports, less exports, of "foreign and colonial merchandise." Figures for the United States include Alaska, Porto Rico, and Hawaii.

EXPORTS.

[000 omitted.]

| Country. | Average 1909-1913 | 1917 (prelim.) | 1918 (prelim.) | Country. | Average 1909-1913 | 1917 (prelim.) | 1918 (prelim.) |
|---------------------------|----------------------|-------------------|-------------------|----------------------|----------------------|-------------------|-------------------|
| <i>From—</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>From—</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Argentina..... | 115,749 | 35,194 | 26,171 | Russia..... | 30,034 | | |
| Austria-Hungary..... | 268 | | | United States..... | 45,054 | 57,011 | 47,069 |
| Belgium..... | 8,130 | | | Uruguay..... | 201 | | |
| British South Africa..... | 4,075 | 11,284 | 13,508 | Other countries..... | 10,452 | | |
| Bulgaria..... | 9,307 | | | Total..... | 270,986 | | |
| Netherlands..... | 8,750 | | | | | | |
| Roumania..... | 38,966 | | | | | | |

IMPORTS.

| <i>Into—</i> | | | | <i>Into—</i> | | | |
|---------------------------|--------|-------|--------|----------------------|---------|--------|--------|
| Austria-Hungary..... | 13,877 | | | Netherlands..... | 29,580 | | |
| Belgium..... | 25,801 | | | Norway..... | 1,079 | 1,305 | |
| British South Africa..... | 237 | 196 | 56 | Portugal..... | 1,674 | | |
| Canada..... | 10,629 | 8,061 | 11,757 | Russia..... | 335 | | |
| Cuba..... | 2,746 | 2,634 | 1,672 | Spain..... | 9,775 | 2,179 | 383 |
| Denmark..... | 11,440 | 9,508 | 105 | Sweden..... | 1,476 | 1,212 | |
| Egypt..... | 471 | 44 | 5 | Switzerland..... | 3,987 | 3,241 | 652 |
| France..... | 18,708 | 6,349 | 6,748 | United Kingdom..... | 82,976 | 53,802 | 32,275 |
| Germany..... | 32,160 | | | Other countries..... | 4,721 | | |
| Italy..... | 14,995 | 7,935 | 10,856 | Total..... | 270,971 | | |
| Mexico..... | 4,404 | | | | | | |

WHEAT.

TABLE 13.—Wheat: Area and production of undermentioned countries, 1909–1919.

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|-----------------------|-------------------------|-------------------------|-------------------------|-------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | Average 1909-1913. | 1917 | 1918 | 1919 | Average 1909-1913. | 1917 | 1918 | 1919 |
| NORTH AMERICA. | | | | | | | | |
| United States..... | <i>Acres.</i> 47,097 | <i>Acres.</i> 45,089 | <i>Acres.</i> 59,181 | <i>Acres.</i> 73,243 | <i>Bushels.</i> 680,691 | <i>Bushels.</i> 636,655 | <i>Bushels.</i> 921,438 | <i>Bushels.</i> 940,987 |
| Canada: | | | | | | | | |
| Quebec..... | 70 | 277 | 366 | 251 | 1,168 | 3,884 | 6,308 | 4,394 |
| Ontario..... | 850 | 770 | 714 | 981 | 18,633 | 16,318 | 15,241 | 20,982 |
| Manitoba..... | 2,861 | 2,449 | 2,984 | 2,680 | 53,174 | 41,040 | 48,191 | 43,206 |
| Saskatchewan..... | 4,891 | 8,273 | 9,249 | 10,587 | 97,954 | 117,921 | 92,493 | 97,933 |
| Alberta..... | 1,201 | 2,897 | 3,892 | 4,283 | 24,783 | 52,992 | 23,752 | 26,131 |
| Other..... | 69 | 90 | 159 | 149 | 1,407 | 1,588 | 3,090 | 3,715 |
| Total Canada..... | 9,945 | 14,756 | 17,364 | 19,131 | 197,119 | 233,743 | 189,075 | 196,361 |
| Mexico..... | 2,628 | (²) | (²) | (²) | 9,995 | (²) | * 10,470 | (²) |
| Total..... | 59,670 | | | | 893,805 | | 1,120,983 | |

¹ Five-year average, except in a few cases where statistics for 5 years were not available.² No official statistics.³ Unofficial estimate.

WHEAT—Continued.

TABLE 13.—Wheat: Area and production of undermentioned countries, 1909-1919—Con.

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|--|-----------------------|----------|----------|---------|-----------------------|-----------|-----------|----------|
| | Average 1909-1913. | 1917 | 1918 | 1919 | Average 1909-1913. | 1917 | 1918 | 1919 |
| SOUTH AMERICA. | | | | | | | | |
| Argentina..... | 15,799 | 16,089 | 17,875 | 16,976 | 157,347 | 80,115 | 223,636 | 184,208 |
| Chile..... | 1,021 | 1,272 | 1,302 | 1,313 | 20,316 | 22,498 | 23,120 | 21,531 |
| Uruguay..... | 734 | 780 | 976 | (1) | 7,314 | 5,390 | 13,000 | 13,044 |
| Total..... | 17,554 | 18,141 | 20,153 | | 184,977 | 108,008 | 259,816 | 218,903 |
| EUROPE. | | | | | | | | |
| Austria..... | 3,011 | (1) | (1) | (1) | 61,075 | (1) | (1) | (1) |
| Hungary proper..... | 8,284 | (1) | (1) | (1) | 156,523 | * 115,530 | (1) | (1) |
| Belgium..... | 395 | (1) | (1) | 329 | 14,583 | * 8,252 | * 6,189 | 9,895 |
| Bulgaria..... | 2,764 | (1) | (1) | (1) | 43,725 | * 38,239 | (1) | (1) |
| Denmark..... | 123 | 131 | 140 | 124 | 4,916 | 4,296 | 6,330 | (1) |
| Finland..... | (1) | (1) | (1) | (1) | 129 | (1) | (1) | (1) |
| France..... | 16,308 | * 10,357 | * 10,993 | 11,316 | 317,254 | * 134,575 | * 225,736 | 177,978 |
| Germany..... | 4,768 | * 3,573 | * 3,547 | (1) | 152,119 | * 81,791 | * 90,330 | (1) |
| Greece..... | (1) | (1) | (1) | (1) | 7,200 | (1) | (1) | (1) |
| Italy..... | 11,746 | 10,437 | 10,798 | 10,571 | 183,260 | 139,999 | 176,368 | 169,563 |
| Luxemburg..... | (1) | 22 | 24 | (1) | (1) | 388 | 512 | (1) |
| Netherlands..... | 138 | 122 | 148 | 162 | 4,976 | 3,452 | 5,431 | 6,015 |
| Norway..... | 12 | 20 | 41 | (1) | 307 | 430 | 1,087 | * 1,139 |
| Portugal..... | 1,180 | 685 | (1) | (1) | 8,683 | 5,560 | * 8,252 | (1) |
| Roumania..... | * 4,576 | (1) | * 6,684 | * 4,144 | * 80,679 | (1) | * 18,447 | * 50,754 |
| Russia proper..... | 50,388 | (1) | (1) | (1) | 522,794 | (1) | (1) | (1) |
| Poland..... | 1,260 | (1) | (1) | (1) | 23,343 | (1) | (1) | (1) |
| Serbia..... | 874 | (1) | (1) | (1) | 14,775 | * 6,189 | * 4,126 | (1) |
| Spain..... | 9,547 | 10,340 | 10,228 | 10,388 | 130,446 | 142,674 | 135,709 | 133,939 |
| Sweden..... | 255 | 329 | 381 | (1) | 7,907 | 6,864 | 9,003 | (1) |
| Switzerland..... | 156 | 139 | 203 | 130 | 3,314 | 4,556 | 7,095 | 3,524 |
| United Kingdom: | | | | | | | | |
| England..... | 1,748 | 1,855 | 2,461 | (1) | 56,411 | 57,397 | 83,957 | (1) |
| Wales..... | 44 | 64 | 96 | (1) | 1,117 | 1,726 | 2,938 | (1) |
| Scotland..... | 52 | 61 | 79 | 80 | 2,345 | 2,510 | 3,317 | 2,960 |
| Ireland..... | 43 | 124 | 157 | (1) | 1,608 | 4,717 | 5,867 | (1) |
| Total, United Kingdom..... | 1,887 | 2,104 | 2,793 | | 61,481 | 66,350 | 90,079 | |
| Total..... | 117,672 | | | | 1,805,489 | | | |
| ASIA. | | | | | | | | |
| British India..... | 29,114 | 32,940 | 35,487 | 23,764 | 350,736 | 382,069 | 370,421 | 280,075 |
| Cyprus..... | (1) | (1) | (1) | (1) | 2,296 | * 1,524 | (1) | (1) |
| Japanese Empire: | | | | | | | | |
| Japan..... | 1,179 | 1,393 | 1,390 | 1,376 | 25,274 | 34,745 | 32,923 | 29,800 |
| Formosa..... | 14 | (1) | (1) | (1) | 173 | (1) | (1) | (1) |
| Chosen (Korea)..... | (1) | (1) | (1) | (1) | (1) | (1) | 6,655 | 7,144 |
| Persia..... | (1) | (1) | (1) | (1) | 10,000 | (1) | (1) | (1) |
| Russia: | | | | | | | | |
| Central Asia (4 govern- ments)..... | 3,767 | (1) | (1) | (1) | 29,292 | (1) | (1) | (1) |
| Siberia (4 govern- ments)..... | 5,987 | (1) | (1) | (1) | 54,737 | (1) | (1) | (1) |
| Transcaucasia (1 gov- ernment)..... | 10 | (1) | (1) | (1) | 110 | (1) | (1) | (1) |
| Total, Russia, Asiatic..... | 9,764 | | | | 84,139 | | | |
| Turkey (Asiatic)..... | (1) | (1) | (1) | (1) | 35,000 | (1) | (1) | (1) |
| Total..... | 40,071 | | | | 513,608 | | | |
| AFRICA. | | | | | | | | |
| Algeria..... | 3,371 | 3,222 | 3,186 | 2,828 | 33,071 | 23,151 | 49,774 | 25,559 |
| Egypt..... | 1,311 | 1,116 | 1,286 | 1,323 | 34,000 | 29,834 | 32,555 | (1) |
| Tunis..... | 1,193 | 1,310 | 1,413 | 1,190 | 6,063 | 6,973 | 8,451 | 7,349 |
| Union of South Africa..... | (1) | 755 | 925 | 953 | 4,620 | 4,790 | 8,833 | 8,600 |
| Total..... | 5,875 | 6,403 | 6,810 | 6,294 | 77,754 | 64,738 | 99,613 | |

1 No official statistics.

2 Old boundaries.

3 Unofficial estimate.

4 Excludes territory occupied by the enemy.

5 Excludes Alsace-Lorraine.

6 Excluding Dobruja.

7 Including some native States.

WHEAT—Continued.

TABLE 13.—Wheat: Area and production of undermentioned countries, 1909–1919—Con.
[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|-----------------------------|-----------------------|---------------|------------------|---------------|-----------------------|-----------------|------------------|------------------|
| | Average 1909–1913. | 1917 | 1918 | 1919 | Average 1909–1913. | 1917 | 1918 | 1919 |
| AUSTRALASIA. | | | | | | | | |
| Australia: | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Queensland..... | 95 | 228 | 128 | 22 | 1,250 | 2,463 | 1,035 | 105 |
| New South Wales..... | 2,025 | 3,807 | 3,329 | 2,411 | 26,717 | 36,598 | 37,712 | 17,833 |
| Victoria..... | 2,105 | 3,126 | 2,690 | 2,214 | 27,656 | 51,162 | 37,738 | 25,240 |
| South Australia..... | 1,963 | 2,778 | 2,358 | 2,134 | 22,843 | 45,745 | 28,693 | 22,937 |
| Western Australia..... | 544 | 1,567 | 1,250 | 1,145 | 5,671 | 16,103 | 9,304 | 8,837 |
| Tasmania..... | 36 | 28 | 22 | 12 | 806 | 348 | 252 | 187 |
| Other..... | (¹) | 1 | (¹) | 52 | (¹) | 14 | (¹) | (¹) |
| Total, Australia.... | 6,798 | 11,535 | 9,775 | 7,990 | 84,943 | 152,433 | 114,734 | 75,139 |
| New Zealand..... | 258 | 218 | 281 | 209 | 7,885 | 5,051 | 6,808 | 6,659 |
| Total, Australasia.. | 7,056 | 11,753 | 10,056 | 8,199 | 92,828 | 157,484 | 121,542 | 81,798 |
| Grand total..... | 247,898 | | | | 3,568,461 | | | |

¹ No official statistics.

TABLE 14.—Wheat: Total production of countries named in Table 13, 1891–1916.

| Year. | Production. | Year. | Production. | Year. | Production. | Year. | Production. |
|----------|-----------------|-----------|-----------------|-----------|-----------------|-----------|-----------------|
| | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> |
| 1891.... | 2,432,322,000 | 1898..... | 2,948,305,000 | 1905..... | 3,327,084,000 | 1912..... | 3,791,951,000 |
| 1892.... | 2,481,805,000 | 1899..... | 2,783,885,000 | 1906..... | 3,434,354,000 | 1913..... | 4,127,437,000 |
| 1893.... | 2,559,174,000 | 1900..... | 2,610,751,000 | 1907..... | 3,133,965,000 | 1914..... | 3,585,916,000 |
| 1894.... | 2,660,557,000 | 1901..... | 2,955,975,000 | 1908..... | 3,182,105,000 | 1915..... | 4,127,685,000 |
| 1895.... | 2,593,312,000 | 1902..... | 3,090,116,000 | 1909..... | 3,581,519,000 | 1916..... | 3,701,333,000 |
| 1896.... | 2,506,320,000 | 1903..... | 3,189,813,000 | 1910..... | 3,575,055,000 | | |
| 1897.... | 2,236,268,000 | 1904..... | 3,163,542,000 | 1911..... | 3,551,795,000 | | |

TABLE 15.—Wheat: Average yield per acre in undermentioned countries, 1890–1919.

| Year. | United States. | Russia (European). ¹ | Germany. ¹ | Austria. ¹ | Hungary proper. ¹ | France. ² | United Kingdom. ² |
|-----------------|-----------------|---------------------------------|-----------------------|-----------------------|------------------------------|----------------------|------------------------------|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Average: | | | | | | | |
| 1890–1899..... | 13.2 | 8.9 | 24.5 | 16.2 | | 18.6 | 31.2 |
| 1900–1909..... | 14.1 | 9.7 | 28.9 | 18.0 | 17.5 | 20.5 | 33.1 |
| 1910–1914..... | 14.8 | 10.3 | 31.7 | 20.8 | 18.6 | 19.1 | 32.4 |
| 1906..... | 15.5 | 7.7 | 30.3 | 20.3 | 22.5 | 20.2 | 34.8 |
| 1907..... | 14.0 | 8.0 | 29.6 | 18.0 | 14.9 | 23.2 | 35.1 |
| 1908..... | 14.0 | 8.8 | 29.7 | 21.0 | 17.5 | 19.6 | 33.4 |
| 1909..... | 15.4 | 12.5 | 30.5 | 19.9 | 14.1 | 22.0 | 35.0 |
| 1910..... | 13.9 | 11.2 | 29.6 | 19.2 | 19.8 | 15.9 | 31.4 |
| 1911..... | 12.5 | 7.0 | 30.6 | 19.6 | 20.9 | 19.8 | 34.0 |
| 1912..... | 15.9 | 10.3 | 33.6 | 22.3 | 19.8 | 21.0 | 30.0 |
| 1913..... | 15.2 | 13.5 | 35.1 | 19.9 | 19.6 | 19.9 | 32.7 |
| 1914..... | 16.6 | 9.4 | 29.6 | 22.9 | 13.1 | 18.9 | 33.8 |
| 1915..... | 17.0 | 11.6 | 28.6 | 17.8 | 18.4 | 16.6 | 32.7 |
| 1916..... | 12.2 | | | | | 16.5 | 30.0 |
| 1917..... | 14.1 | | | | | ¹ 13.8 | 31.5 |
| 1918..... | 15.5 | | | | | 21.6 | 34.3 |
| 1919..... | 12.8 | | | | | | |

¹ Bushels of 60 pounds.

² Winchester bushels.

WHEAT—Continued.

TABLE 16.—Wheat: Acreage, production, value, exports, etc., in the United States, 1849-1919.

NOTE.—Figure in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage harvested. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. | Chicago cash price per bushel, No. 1 northern spring. | | | | Domestic exports including flour, fiscal year beginning July 1. | Per cent of crop exported. |
|-------|--------------------|-------------------------|---------------|---------------------------------------|--------------------|---|-------|----------------|-------|---|----------------------------|
| | | | | | | December. | | Following May. | | | |
| | | | | | | Low. | High. | Low. | High. | | |
| | Acres. | Bush. | Bushels. | Cents. | Dollars. | Cts. | Cts. | Cts. | Cts. | Bushels. | P.ct. |
| 1849 | | | 100,488,000 | | | | | | | 7,585,901 | 7.5 |
| 1859 | | | 175,106,000 | | | | | | | 17,213,133 | 9.9 |
| 1866 | 16,424,000 | 9.9 | 152,000,000 | 152.7 | 232,110,000 | 129 | 145 | 185 | 211 | 12,646,941 | 8.3 |
| 1867 | 18,322,000 | 11.6 | 212,441,000 | 145.2 | 306,387,000 | 126 | 140 | 134 | 161 | 26,323,014 | 12.4 |
| 1868 | 18,460,000 | 12.1 | 224,037,000 | 108.5 | 243,033,000 | 80 | 88 | 87 | 96 | 29,717,201 | 13.3 |
| 1869 | 19,181,000 | 13.6 | 260,147,000 | 76.5 | 199,025,000 | 63 | 76 | 79 | 92 | 53,900,780 | 20.7 |
| 1869 | | | 287,746,000 | | | | | | | | |
| 1870 | 18,993,000 | 12.4 | 235,885,000 | 94.4 | 222,767,000 | 91 | 98 | 113 | 120 | 52,574,111 | 22.3 |
| 1871 | 19,944,000 | 11.6 | 230,722,000 | 114.5 | 264,076,000 | 107 | 111 | 120 | 143 | 38,995,755 | 16.9 |
| 1872 | 20,858,000 | 12.0 | 249,997,000 | 111.4 | 278,522,000 | 97 | 108 | 112 | 122 | 62,014,715 | 20.8 |
| 1873 | 22,172,000 | 12.7 | 281,255,000 | 106.9 | 300,670,000 | 96 | 106 | 105 | 114 | 91,510,398 | 32.5 |
| 1874 | 24,967,000 | 12.3 | 308,103,000 | 86.3 | 265,881,000 | 78 | 83 | 78 | 94 | 72,912,817 | 23.7 |
| 1875 | 26,382,000 | 11.1 | 292,136,000 | 89.5 | 261,397,000 | 82 | 91 | 89 | 100 | 74,750,682 | 25.6 |
| 1876 | 27,627,000 | 10.5 | 289,366,000 | 97.0 | 280,743,000 | 104 | 117 | 130 | 172 | 57,043,936 | 19.7 |
| 1877 | 26,278,000 | 13.9 | 364,194,000 | 105.7 | 385,089,000 | 103 | 108 | 98 | 113 | 92,141,626 | 25.3 |
| 1878 | 32,109,000 | 13.1 | 420,122,000 | 77.6 | 325,814,000 | 81 | 84 | 91 | 102 | 150,502,506 | 35.8 |
| 1879 | 32,546,000 | 13.8 | 448,757,000 | 110.8 | 497,030,000 | 122 | 133 | 112 | 119 | 180,304,181 | 40.2 |
| 1879 | 35,430,000 | 13.0 | 469,488,000 | | | | | | | | |
| 1880 | 37,987,000 | 13.1 | 498,550,000 | 95.1 | 474,202,000 | 93 | 109 | 101 | 112 | 186,321,514 | 37.4 |
| 1881 | 37,709,000 | 10.2 | 383,280,000 | 119.2 | 456,880,000 | 124 | 129 | 123 | 140 | 121,832,389 | 31.8 |
| 1882 | 37,067,000 | 13.6 | 504,185,000 | 88.4 | 445,602,000 | 91 | 94 | 108 | 113 | 147,811,316 | 29.3 |
| 1883 | 36,456,000 | 11.6 | 421,086,000 | 91.1 | 383,649,000 | 94 | 99 | 85 | 94 | 111,534,182 | 26.5 |
| 1884 | 39,476,000 | 13.0 | 512,765,000 | 64.5 | 330,862,000 | 69 | 76 | 85 | 90 | 132,570,366 | 25.9 |
| 1885 | 34,189,000 | 10.4 | 357,112,000 | 77.1 | 275,320,000 | 82 | 89 | 72 | 79 | 94,565,793 | 26.5 |
| 1886 | 36,806,000 | 12.4 | 457,218,000 | 68.7 | 314,228,000 | 75 | 79 | 80 | 88 | 153,804,969 | 33.6 |
| 1887 | 37,642,000 | 12.1 | 456,329,000 | 68.1 | 310,613,000 | 75 | 79 | 81 | 89 | 119,625,344 | 26.2 |
| 1888 | 37,336,000 | 11.1 | 415,868,000 | 92.6 | 385,248,000 | 96 | 105 | 77 | 95 | 88,600,743 | 21.3 |
| 1889 | 38,124,000 | 12.9 | 490,560,000 | 69.8 | 342,492,000 | 76 | 80 | 80 | 100 | 109,490,467 | 22.8 |
| 1889 | 35,680,000 | 13.9 | 468,374,000 | | | | | | | | |
| 1890 | 36,087,000 | 11.1 | 399,262,000 | 83.8 | 334,774,000 | 87 | 92 | 98 | 108 | 106,181,316 | 26.6 |
| 1891 | 39,917,000 | 15.3 | 611,781,000 | 83.9 | 513,473,000 | 89 | 93 | 80 | 85 | 225,665,811 | 36.9 |
| 1892 | 38,554,000 | 13.4 | 515,947,000 | 62.4 | 322,112,000 | 69 | 73 | 68 | 76 | 191,912,635 | 37.2 |
| 1893 | 34,629,000 | 11.4 | 396,132,000 | 53.8 | 213,171,000 | 59 | 64 | 52 | 60 | 164,283,129 | 41.5 |
| 1894 | 34,882,000 | 13.2 | 460,267,000 | 49.1 | 225,902,000 | 52 | 63 | 60 | 85 | 144,812,718 | 31.5 |
| 1895 | 34,047,000 | 13.7 | 467,103,000 | 50.9 | 237,939,000 | 63 | 64 | 57 | 67 | 126,443,968 | 27.1 |
| 1896 | 34,619,000 | 12.4 | 427,694,000 | 72.6 | 310,598,000 | 74 | 93 | 68 | 97 | 145,124,972 | 33.9 |
| 1897 | 39,465,000 | 13.4 | 530,149,000 | 80.8 | 428,547,000 | 92 | 109 | 117 | 185 | 217,306,005 | 41.0 |
| 1898 | 44,055,000 | 15.3 | 675,149,000 | 58.2 | 392,770,000 | 62 | 70 | 68 | 79 | 222,618,420 | 33.0 |
| 1899 | 44,593,000 | 12.3 | 547,304,000 | 58.4 | 319,545,000 | 64 | 69 | 63 | 67 | 186,096,762 | 34.0 |
| 1899 | 52,689,000 | 12.5 | 658,534,000 | | | | | | | | |
| 1900 | 42,495,000 | 12.3 | 522,230,000 | 61.9 | 323,515,000 | 69 | 74 | 70 | 75 | 215,990,073 | 41.4 |
| 1901 | 49,896,000 | 15.0 | 748,460,000 | 62.4 | 467,360,000 | 73 | 79 | 72 | 76 | 234,772,516 | 31.4 |
| 1902 | 46,202,000 | 14.5 | 670,063,000 | 63.0 | 422,224,000 | 71 | 77 | 74 | 80 | 202,905,593 | 30.3 |
| 1903 | 49,465,000 | 12.9 | 637,822,000 | 69.5 | 443,025,000 | 77 | 87 | 87 | 101 | 120,727,613 | 18.9 |
| 1904 | 44,075,000 | 12.5 | 552,400,000 | 92.4 | 510,490,000 | 115 | 122 | 89 | 113 | 44,112,910 | 8.0 |
| 1905 | 47,854,000 | 14.5 | 692,979,000 | 74.8 | 518,373,000 | 82 | 90 | 80 | 87 | 97,609,007 | 14.1 |
| 1906 | 47,306,000 | 15.5 | 735,261,000 | 66.7 | 490,333,000 | | | 84 | 106 | 146,700,425 | 20.0 |
| 1907 | 45,211,000 | 14.0 | 634,087,000 | 87.4 | 554,437,000 | | | | | 163,043,669 | 25.7 |
| 1908 | 47,557,000 | 14.0 | 664,602,000 | 92.8 | 616,826,000 | 106 | 112 | 126 | 137 | 114,268,468 | 17.2 |
| 1909 | 46,728,000 | 15.8 | 737,189,000 | | | | | | | | |
| 1909 | 44,262,000 | 15.4 | 681,379,000 | 98.6 | 668,680,000 | 106 | 119 | 100 | 119 | 87,364,318 | 12.8 |
| 1910 | 45,681,000 | 13.9 | 635,121,000 | 88.3 | 561,051,000 | 104 | 110 | 98 | 106 | 69,311,760 | 10.9 |
| 1911 | 49,543,000 | 12.5 | 612,338,000 | 87.4 | 543,063,000 | 105 | 110 | 115 | 122 | 79,689,404 | 12.8 |
| 1912 | 45,814,000 | 15.9 | 730,267,000 | 76.0 | 555,280,000 | 85 | 90 | 90 | 96 | 142,879,596 | 19.6 |
| 1913 | 50,184,000 | 15.2 | 763,380,000 | 79.9 | 610,122,000 | 89 | 93 | 96 | 100 | 145,590,349 | 19.1 |
| 1914 | 53,541,000 | 16.6 | 891,017,000 | 98.6 | 878,680,000 | 115 | 131 | 141 | 164 | 332,464,975 | 37.3 |
| 1915 | 60,469,000 | 17.0 | 1,025,801,000 | 91.9 | 942,303,000 | 106 | 128 | 116 | 126 | 243,117,026 | 23.7 |
| 1916 | 52,316,000 | 12.2 | 636,318,000 | 160.3 | 1,019,968,000 | 155 | 190 | 258 | 340 | 203,573,928 | 32.0 |
| 1917 | 45,089,000 | 14.1 | 636,635,000 | 200.8 | 1,278,112,000 | 220 | 220 | 220 | 220 | 132,578,633 | 20.8 |
| 1918 | 59,181,000 | 15.6 | 921,438,000 | 204.2 | 1,881,826,000 | 220 | 220 | 245 | 280 | 287,438,067 | 31.2 |
| 1919 | 73,243,000 | 12.8 | 940,987,000 | 215.1 | 2,024,008,000 | 230 | 325 | | | | |

^a Figures adjusted to census basis.

WHEAT—Continued.

TABLE 17.—Wheat: Revised acreage, production, and farm value, 1879, and 1889–1909.

[See head note of Table 4.]

| Year. | Acreage har- vested. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|-----------|-------------------------|-------------------------------|-----------------|---|-----------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| 1879..... | 55,450,000 | 14.1 | 496,435,000 | 110.6 | 549,219,000 |
| 1889..... | 53,580,000 | 12.9 | 434,383,000 | 69.5 | 301,869,000 |
| 1890..... | 34,048,000 | 11.1 | 378,097,000 | 83.3 | 315,112,000 |
| 1891..... | 37,826,000 | 15.5 | 584,504,000 | 83.4 | 487,463,000 |
| 1892..... | 39,552,000 | 13.3 | 527,986,000 | 62.2 | 328,329,000 |
| 1893..... | 37,934,000 | 11.3 | 427,553,000 | 53.5 | 228,599,000 |
| 1894..... | 39,425,000 | 13.1 | 516,485,000 | 48.9 | 252,709,000 |
| 1895..... | 40,848,000 | 13.9 | 569,456,000 | 50.3 | 286,539,000 |
| 1896..... | 43,916,000 | 12.4 | 544,193,000 | 71.7 | 390,346,000 |
| 1897..... | 46,046,000 | 13.3 | 610,254,000 | 80.9 | 493,683,000 |
| 1898..... | 51,007,000 | 15.1 | 772,163,000 | 58.2 | 449,022,000 |
| 1899..... | 62,589,000 | 12.1 | 636,051,000 | 58.6 | 372,982,000 |
| 1900..... | 51,387,000 | 11.7 | 602,708,000 | 62.0 | 373,578,000 |
| 1901..... | 52,473,000 | 15.0 | 789,538,000 | 62.6 | 494,096,000 |
| 1902..... | 49,649,000 | 14.6 | 724,528,000 | 63.0 | 456,530,000 |
| 1903..... | 51,632,000 | 12.9 | 664,543,000 | 69.5 | 461,605,000 |
| 1904..... | 47,825,000 | 12.5 | 596,375,000 | 92.4 | 551,128,000 |
| 1905..... | 49,389,000 | 14.7 | 726,384,000 | 74.6 | 542,119,000 |
| 1906..... | 47,800,000 | 15.8 | 757,196,000 | 66.2 | 501,355,000 |
| 1907..... | 45,116,000 | 14.1 | 637,981,000 | 86.5 | 552,074,000 |
| 1908..... | 45,970,000 | 14.0 | 644,656,000 | 92.2 | 594,092,000 |
| 1909..... | 44,262,000 | 15.8 | 700,434,000 | 98.4 | 689,108,000 |

TABLE 18.—Winter and spring wheat: Acreage (sown and harvested), production, and farm value Dec. 1, by States in 1919, and United States totals, 1890–1918.

[000 omitted, except in yield and price columns.]

| State. | Winter wheat. | | | | | | Spring wheat. | | | | |
|--------|--|---------------------------------|----------------------------------|------------------|-------------------------------------|-----------------------------------|---------------|----------------------------------|------------------|-------------------------------------|-----------------------------------|
| | Acre- age sown in pre- ceding fall. | Acre- age har- vested. | Average yield per acre. | Produc- tion. | Average farm price Dec. 1. | Total farm value Dec. 1. | Acre- age. | Average yield per acre. | Produc- tion. | Average farm price Dec. 1. | Total farm value Dec. 1. |
| | <i>Acres.</i> | <i>Acres.</i> | <i>Bush.</i> | <i>Bush.</i> | <i>Cts.</i> | <i>Dollars.</i> | <i>Acres.</i> | <i>Bush.</i> | <i>Bush.</i> | <i>Cts.</i> | <i>Dollars.</i> |
| Me. | | | | | | | 12 | 19.0 | 228 | 220 | 502 |
| Vt. | | | | | | | 12 | 21.0 | 252 | 227 | 572 |
| N. Y. | 477 | 474 | 22.0 | 10,428 | 215 | 22,420 | 50 | 15.0 | 750 | 215 | 1,612 |
| N. J. | 111 | 109 | 18.0 | 1,962 | 220 | 4,316 | | | | | |
| Pa. | 1,646 | 1,638 | 17.5 | 28,665 | 216 | 61,916 | 26 | | 390 | 216 | 842 |
| Del. | 145 | 145 | 12.0 | 1,740 | 213 | 3,706 | | | | | |
| Md. | 794 | 790 | 13.5 | 10,665 | 215 | 22,930 | | | | | |
| Va. | 1,071 | 1,060 | 11.8 | 12,508 | 224 | 28,018 | | | | | |
| W. Va. | 402 | 400 | 13.5 | 5,400 | 220 | 11,880 | | | | | |
| N. C. | 859 | 850 | 8.5 | 7,225 | 233 | 16,834 | | | | | |
| S. C. | 208 | 204 | 9.0 | 1,836 | 258 | 4,737 | | | | | |
| Ga. | 255 | 240 | 10.5 | 2,520 | 263 | 6,628 | | | | | |
| Ohio. | 2,814 | 2,800 | 19.1 | 53,480 | 212 | 113,378 | 60 | 16.0 | 960 | 212 | 2,035 |
| Ind. | 2,882 | 2,862 | 16.0 | 45,792 | 210 | 96,163 | 24 | 9.5 | 228 | 210 | 479 |
| Ill. | 3,434 | 3,400 | 17.0 | 57,800 | 210 | 121,380 | 750 | 10.5 | 7,875 | 210 | 16,538 |
| Mich. | 960 | 950 | 20.3 | 19,285 | 210 | 40,498 | 85 | 11.2 | 952 | 210 | 1,999 |
| Wis. | 78 | 76 | 19.6 | 1,490 | 215 | 3,204 | 473 | 12.4 | 5,865 | 215 | 12,610 |
| Minn. | 67 | 65 | 15.0 | 975 | 250 | 2,438 | 3,950 | 9.3 | 36,735 | 250 | 91,838 |
| Iowa. | 954 | 950 | 17.4 | 16,530 | 200 | 33,060 | 750 | 9.5 | 7,145 | 200 | 14,290 |
| Mo. | 4,300 | 4,274 | 13.5 | 57,699 | 209 | 120,591 | 22 | 8.5 | 187 | 209 | 391 |

WHEAT—Continued.

TABLE 18.—Winter and spring wheat: Average (sown and harvested), production, and farm value Dec. 1, by States in 1919, and United States totals, 1890-1918.

| State and year. | Winter wheat. | | | | | | Spring wheat. | | | | | |
|-----------------|---------------------------------|--------------------|-------------------------|-------------|----------------------------|--------------------------|---------------|-------------------------|-------------|----------------------------|--------------------------|--|
| | Acreage sown in preceding fall. | Acreage harvested. | Average yield per acre. | Production. | Average farm price Dec. 1. | Total farm value Dec. 1. | Acreage. | Average yield per acre. | Production. | Average farm price Dec. 1. | Total farm value Dec. 1. | |
| | Acres. | Acres. | Bush. | Bush. | Cts. | Dollars. | Acres. | Bush. | Bush. | Cts. | Dollars. | |
| N. Dak. | 79 | 75 | 13.0 | 975 | 240 | 2,340 | 7,770 | 6.9 | 53,613 | 241 | 129,207 | |
| S. Dak. | 3,727 | 3,716 | 14.8 | 54,997 | 202 | 111,094 | 3,650 | 8.0 | 29,200 | 240 | 70,080 | |
| Neb. | 11,641 | 11,594 | 13.0 | 150,722 | 215 | 324,052 | 668 | 8.5 | 5,678 | 202 | 11,470 | |
| Kans. | 1,057 | 1,046 | 11.5 | 12,029 | 211 | 25,381 | 30 | 9.3 | 279 | 215 | 600 | |
| Ky. | 822 | 810 | 9.0 | 7,290 | 222 | 16,184 | | | | | | |
| Tenn. | 141 | 138 | 9.0 | 1,242 | 245 | 3,043 | | | | | | |
| Ala. | 38 | 36 | 14.0 | 504 | 250 | 1,260 | | | | | | |
| Miss. | 1,959 | 1,900 | 16.5 | 31,350 | 200 | 62,700 | | | | | | |
| Tex. | 3,798 | 3,760 | 14.0 | 52,640 | 205 | 107,912 | | | | | | |
| Okla. | 346 | 340 | 9.5 | 3,230 | 202 | 6,525 | | | | | | |
| Ark. | 607 | 580 | 5.2 | 3,016 | 235 | 7,088 | 1,641 | 4.7 | 7,713 | 235 | 18,126 | |
| Mont. | 88 | 84 | 12.0 | 1,008 | 212 | 2,137 | 200 | 15.0 | 3,000 | 212 | 6,360 | |
| Wyo. | 1,075 | 1,064 | 11.2 | 11,917 | 202 | 24,072 | 395 | 14.5 | 5,728 | 202 | 11,571 | |
| Colo. | 182 | 173 | 20.0 | 3,460 | 200 | 6,920 | 110 | 24.0 | 2,640 | 200 | 5,280 | |
| N. Mex. | 45 | 43 | 28.0 | 1,204 | 225 | 2,709 | | | | | | |
| Ariz. | 172 | 164 | 10.5 | 1,722 | 210 | 3,616 | 140 | 14.0 | 1,960 | 210 | 4,116 | |
| Utah. | 4 | 4 | 20.0 | 80 | 214 | 171 | 25 | 23.5 | 588 | 214 | 1,258 | |
| Nev. | 37 | 330 | 18.5 | 6,105 | 205 | 12,515 | 700 | 18.0 | 12,600 | 205 | 25,830 | |
| Idaho. | 1,021 | 990 | 20.0 | 19,800 | 214 | 42,372 | 1,450 | 14.0 | 20,300 | 214 | 43,442 | |
| Wash. | 793 | 781 | 20.5 | 16,010 | 212 | 33,941 | 345 | 13.0 | 4,485 | 212 | 9,508 | |
| Oreg. | 1,100 | 990 | 16.5 | 16,335 | 204 | 33,323 | | | | | | |
| Calif. | 50,489 | 49,905 | 14.7 | 731,636 | 211.0 | 1,543,452 | 23,338 | 9.0 | 209,351 | 229.5 | 480,556 | |
| U. S. | 42,301 | 37,130 | 15.2 | 565,099 | 206.3 | 1,165,995 | 22,051 | 16.2 | 356,339 | 200.9 | 715,831 | |
| 1918. | 40,534 | 27,257 | 15.1 | 412,901 | 202.8 | 837,237 | 17,832 | 12.5 | 223,754 | 197.0 | 440,875 | |
| 1917. | 39,203 | 34,709 | 13.8 | 480,553 | 162.7 | 781,906 | 17,607 | 8.8 | 155,765 | 152.8 | 238,062 | |
| 1916. | 42,881 | 41,308 | 16.3 | 673,947 | 94.7 | 638,149 | 19,161 | 18.4 | 351,854 | 86.4 | 304,154 | |
| 1915. | 37,128 | 36,008 | 19.0 | 684,990 | 98.6 | 675,623 | 17,533 | 11.8 | 206,627 | 98.6 | 203,057 | |
| 1914. | 33,618 | 31,699 | 16.5 | 523,561 | 82.9 | 433,995 | 18,485 | 13.0 | 239,819 | 73.4 | 176,127 | |
| 1913. | 33,215 | 26,571 | 15.1 | 399,919 | 80.9 | 323,572 | 19,243 | 17.2 | 330,348 | 70.1 | 231,708 | |
| 1912. | 32,648 | 29,162 | 14.8 | 430,656 | 88.0 | 379,151 | 20,381 | 9.4 | 190,682 | 86.0 | 163,912 | |
| 1911. | 31,656 | 27,329 | 15.9 | 434,142 | 88.1 | 382,318 | 18,352 | 11.0 | 200,979 | 88.9 | 178,783 | |
| 1910. | 29,301 | 27,151 | 15.5 | 419,733 | 102.4 | 426,184 | 17,111 | 15.4 | 263,646 | 92.5 | 242,496 | |
| 1909. | 31,646 | 30,349 | 14.4 | 437,908 | 93.7 | 410,330 | 17,208 | 13.2 | 226,694 | 91.1 | 206,496 | |
| 1908. | 31,665 | 28,132 | 14.6 | 409,442 | 88.2 | 361,217 | 17,079 | 13.2 | 224,645 | 86.0 | 193,220 | |
| 1907. | 31,312 | 29,600 | 16.7 | 492,888 | 68.3 | 336,435 | 17,706 | 13.7 | 242,373 | 63.5 | 153,898 | |
| 1906. | 31,155 | 29,864 | 14.3 | 428,463 | 78.2 | 334,987 | 17,990 | 14.7 | 264,517 | 69.3 | 183,386 | |
| 1905. | 31,654 | 26,866 | 12.4 | 332,935 | 97.8 | 325,611 | 17,209 | 12.8 | 219,464 | 84.2 | 184,879 | |
| 1904. | 34,071 | 32,511 | 12.3 | 399,867 | 71.6 | 286,243 | 16,954 | 14.0 | 237,955 | 65.9 | 156,782 | |
| 1903. | 32,432 | 30,581 | 14.4 | 411,789 | 64.8 | 266,727 | 17,621 | 14.7 | 258,274 | 60.2 | 155,497 | |
| 1902. | 30,283 | 30,240 | 15.2 | 458,835 | 66.1 | 303,227 | 19,656 | 14.7 | 289,626 | 56.7 | 164,133 | |
| 1901. | 30,883 | 26,236 | 13.3 | 350,025 | 63.3 | 221,668 | 16,259 | 10.6 | 172,204 | 59.1 | 101,847 | |
| 1900. | 29,954 | 25,358 | 11.5 | 291,706 | 63.0 | 183,767 | 19,235 | 13.3 | 255,598 | 53.1 | 135,778 | |
| 1899. | 27,642 | 25,745 | 14.9 | 382,492 | 62.2 | 237,736 | 18,310 | 16.0 | 292,657 | 53.0 | 155,034 | |
| 1898. | 24,765 | 22,926 | 14.1 | 323,616 | 85.1 | 275,323 | 16,539 | 12.5 | 206,533 | 74.2 | 153,224 | |
| 1897. | 23,383 | 22,794 | 11.8 | 267,934 | 77.0 | 206,270 | 11,825 | 13.5 | 151,750 | 63.3 | 104,328 | |
| 1896. | 24,224 | 22,609 | 11.6 | 261,212 | 57.8 | 150,944 | 11,438 | 18.0 | 205,861 | 42.3 | 86,995 | |
| 1895. | 21,533 | 23,519 | 14.0 | 329,290 | 49.8 | 164,022 | 11,364 | 11.5 | 130,977 | 47.2 | 61,890 | |
| 1894. | 23,118 | 23,118 | 12.0 | 278,469 | 56.3 | 156,720 | 11,511 | 10.2 | 117,662 | 48.0 | 56,451 | |
| 1893. | 26,209 | 26,209 | 13.7 | 359,416 | 65.1 | 234,037 | 12,345 | 12.7 | 156,531 | 56.3 | 88,075 | |
| 1892. | 27,524 | 27,524 | 14.7 | 405,116 | 88.0 | 356,415 | 12,393 | 16.7 | 206,665 | 76.0 | 157,058 | |
| 1891. | 24,359 | 23,520 | 10.9 | 255,374 | 87.5 | 223,362 | 12,567 | 11.4 | 143,890 | 77.4 | 111,411 | |

¹ Census acreage and production.

WHEAT—Continued.

TABLE 19.—Winter and spring wheat: Yield per acre, in States producing both, for 10 years.

WINTER WHEAT.

| State. | Yield per acre (bushels). | | | | | | | | | | |
|--------------------|-------------------------------------|------|------|------|------|------|------|------|------|------|------|
| | 10-year aver., 1910- 1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 |
| New York..... | | | | | | | | | 21.0 | 18.0 | 22.0 |
| Ohio..... | | | | | | | | | 22.0 | 19.0 | 19.1 |
| Indiana..... | | | | | | | | | 18.5 | 21.0 | 16.0 |
| Illinois..... | | | | | | | | | 18.5 | 21.5 | 17.0 |
| Michigan..... | | | | | | | | | 18.0 | 14.0 | 20.3 |
| Wisconsin..... | 20.5 | 20.0 | 17.5 | 19.5 | 20.1 | 21.5 | 23.0 | 19.0 | 24.0 | 21.2 | 19.6 |
| Minnesota..... | 17.2 | | | | 16.2 | 19.5 | 19.5 | 14.0 | 18.0 | 18.0 | 15.0 |
| Iowa..... | 20.4 | 21.2 | 19.7 | 23.0 | 23.4 | 21.6 | 21.5 | 18.5 | 17.5 | 20.5 | 17.4 |
| Missouri..... | | | | | | | | | 15.3 | 17.2 | 13.5 |
| South Dakota..... | 15.1 | | | | 9.0 | 14.0 | 20.5 | 18.5 | 14.0 | 17.0 | 13.0 |
| Nebraska..... | 16.3 | 16.5 | 13.8 | 18.0 | 18.6 | 19.3 | 18.5 | 20.0 | 12.0 | 11.1 | 14.8 |
| Kansas..... | 13.8 | 14.2 | 10.8 | 15.5 | 13.0 | 20.5 | 12.5 | 12.0 | 12.2 | 14.1 | 13.0 |
| Montana..... | 20.6 | 22.0 | 31.7 | 24.5 | 25.6 | 23.0 | 27.0 | 21.5 | 13.0 | 12.7 | 5.2 |
| Wyoming..... | 23.1 | 25.0 | 26.0 | 28.0 | 25.0 | 24.0 | 26.0 | 21.0 | 20.0 | 24.0 | 12.0 |
| Colorado..... | 20.2 | 23.0 | 18.0 | 24.5 | 21.1 | 25.0 | 26.0 | 20.0 | 23.0 | 10.5 | 11.2 |
| New Mexico..... | 18.7 | 20.0 | 25.0 | 20.0 | 18.6 | 26.0 | 22.0 | 16.5 | 10.0 | 10.0 | 20.0 |
| Utah..... | 19.9 | 20.5 | 20.0 | 24.0 | 23.0 | 25.0 | 25.0 | 20.0 | 14.0 | 16.6 | 10.5 |
| Nevada..... | 25.2 | 24.0 | 23.0 | 27.5 | 23.0 | 29.0 | 26.0 | 24.5 | 26.0 | 29.0 | 20.0 |
| Idaho..... | 25.0 | 23.7 | 31.5 | 28.7 | 27.4 | 27.5 | 29.0 | 24.0 | 18.0 | 22.0 | 18.5 |
| Washington..... | 24.8 | 20.5 | 27.3 | 27.6 | 27.0 | 26.5 | 27.6 | 26.5 | 21.5 | 23.5 | 20.0 |
| Oregon..... | 21.8 | 23.7 | 22.2 | 26.8 | 21.4 | 22.0 | 24.0 | 23.0 | 17.5 | 17.0 | 20.5 |
| United States..... | 15.6 | 15.9 | 14.8 | 15.1 | 16.5 | 19.0 | 16.3 | 13.8 | 15.1 | 15.2 | 14.7 |

SPRING WHEAT.

| State. | Yield per acre (bushels). | | | | | | | | | | |
|--------------------|-------------------------------------|------|------|------|------|------|------|------|------|------|------|
| | 10-year aver., 1910- 1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 |
| New York..... | | | | | | | | | 21.0 | 20.0 | 15.0 |
| Pennsylvania..... | | | | | | | | | | 17.0 | 15.0 |
| Ohio..... | | | | | | | | | | 21.5 | 16.0 |
| Indiana..... | | | | | | | | | 20.0 | 23.0 | 9.5 |
| Illinois..... | | | | | | | | | 25.0 | 26.9 | 10.5 |
| Michigan..... | | | | | | | | | 17.7 | 18.0 | 11.2 |
| Wisconsin..... | 18.5 | 18.7 | 14.5 | 18.5 | 18.6 | 17.0 | 22.5 | 16.6 | 21.2 | 24.7 | 12.4 |
| Minnesota..... | 14.1 | 16.0 | 10.1 | 15.5 | 16.2 | 10.5 | 17.0 | 7.5 | 17.5 | 21.0 | 9.3 |
| Iowa..... | 16.1 | 20.9 | 13.8 | 17.0 | 17.0 | 13.5 | 16.7 | 13.0 | 21.5 | 18.0 | 9.5 |
| Missouri..... | | | | | | | | | 9.0 | 15.6 | 8.5 |
| South Dakota..... | 11.3 | 12.8 | 4.0 | 14.2 | 9.0 | 9.0 | 17.0 | 6.3 | 14.0 | 19.0 | 8.0 |
| Nebraska..... | 12.7 | 13.9 | 10.0 | 14.1 | 12.0 | 11.5 | 16.0 | 12.5 | 16.5 | 11.9 | 8.5 |
| Kansas..... | 9.7 | 8.4 | 4.2 | 15.0 | 8.5 | 15.0 | 12.0 | 10.5 | 6.0 | 8.0 | 9.3 |
| Montana..... | 17.9 | 22.0 | 25.2 | 23.5 | 21.5 | 17.0 | 26.0 | 18.0 | 9.0 | 12.5 | 4.7 |
| Wyoming..... | 23.9 | 25.0 | 26.0 | 29.2 | 25.0 | 22.0 | 27.0 | 22.0 | 23.0 | 26.0 | 15.0 |
| Colorado..... | 20.3 | 21.9 | 19.5 | 24.0 | 21.0 | 22.5 | 21.0 | 19.5 | 22.0 | 17.5 | 14.5 |
| New Mexico..... | 21.4 | 20.0 | 20.5 | 22.0 | 19.0 | 23.0 | 22.5 | 21.5 | 18.0 | 24.0 | 24.0 |
| Utah..... | 25.0 | 25.3 | 27.0 | 29.2 | 28.0 | 25.0 | 28.0 | 25.0 | 25.0 | 23.8 | 14.0 |
| Nevada..... | 29.3 | 29.0 | 32.5 | 30.2 | 31.0 | 30.0 | 32.0 | 31.5 | 28.0 | 25.0 | 23.5 |
| Idaho..... | 24.1 | 20.4 | 29.0 | 28.3 | 28.0 | 24.0 | 26.5 | 23.5 | 22.0 | 21.0 | 18.0 |
| Washington..... | 17.4 | 14.5 | 19.5 | 20.4 | 19.0 | 20.0 | 22.2 | 21.5 | 13.6 | 9.5 | 14.0 |
| Oregon..... | 16.6 | 18.0 | 17.7 | 19.5 | 19.5 | 16.5 | 17.0 | 23.0 | 11.0 | 11.0 | 13.0 |
| United States..... | 12.7 | 11.0 | 9.4 | 17.2 | 13.0 | 11.8 | 18.4 | 8.8 | 12.5 | 16.2 | 9.0 |

WHEAT—Continued.

TABLE 20.—*Wheat: Acreage, production, and total farm value, by States, 1918 and 1919.*

| State. | Thousands of acres. | | Production (thousands of bushels). | | Total value, basis Dec. 1 price (thousands of dollars). | |
|---------------------|---------------------|--------|------------------------------------|---------|---|-----------|
| | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 |
| Maine..... | 12 | 22 | 228 | 484 | 502 | 1,147 |
| Vermont..... | 12 | 19 | 252 | 418 | 672 | 906 |
| New York..... | 524 | 430 | 11,178 | 7,840 | 24,032 | 16,856 |
| New Jersey..... | 109 | 87 | 1,962 | 1,479 | 4,316 | 3,180 |
| Pennsylvania..... | 1,664 | 1,503 | 29,055 | 25,551 | 62,758 | 54,679 |
| Delaware..... | 145 | 133 | 1,740 | 1,729 | 3,706 | 3,838 |
| Maryland..... | 90 | 732 | 10,665 | 11,346 | 22,930 | 24,848 |
| Virginia..... | 1,060 | 1,050 | 12,508 | 12,000 | 28,018 | 27,604 |
| West Virginia..... | 400 | 348 | 5,400 | 4,942 | 11,880 | 10,922 |
| North Carolina..... | 850 | 900 | 7,225 | 6,300 | 16,834 | 14,490 |
| South Carolina..... | 204 | 205 | 1,836 | 2,255 | 4,737 | 5,863 |
| Georgia..... | 240 | 280 | 2,520 | 2,856 | 6,628 | 7,597 |
| Ohio..... | 2,860 | 2,290 | 54,440 | 43,547 | 115,413 | 92,320 |
| Indiana..... | 2,886 | 2,353 | 46,020 | 49,427 | 95,642 | 102,808 |
| Illinois..... | 4,150 | 2,900 | 65,675 | 63,970 | 137,918 | 133,058 |
| Michigan..... | 1,035 | 762 | 20,237 | 10,856 | 42,497 | 22,699 |
| Wisconsin..... | 549 | 424 | 7,355 | 10,273 | 15,814 | 21,059 |
| Minnesota..... | 4,015 | 3,619 | 37,710 | 75,792 | 94,276 | 154,616 |
| Iowa..... | 1,700 | 1,240 | 23,675 | 23,382 | 47,350 | 46,764 |
| Missouri..... | 4,296 | 3,092 | 57,886 | 53,154 | 120,982 | 108,966 |
| North Dakota..... | 7,770 | 7,770 | 53,613 | 105,672 | 129,207 | 214,514 |
| South Dakota..... | 3,725 | 3,280 | 30,175 | 62,160 | 72,420 | 123,698 |
| Nebraska..... | 4,384 | 3,666 | 60,675 | 41,213 | 122,564 | 81,190 |
| Kansas..... | 11,624 | 7,248 | 151,001 | 102,008 | 324,652 | 202,996 |
| Kentucky..... | 1,046 | 933 | 12,029 | 12,129 | 25,381 | 25,956 |
| Tennessee..... | 810 | 750 | 7,290 | 7,500 | 16,184 | 16,060 |
| Alabama..... | 138 | 162 | 1,242 | 1,458 | 3,043 | 3,572 |
| Mississippi..... | 86 | 30 | 504 | 495 | 1,260 | 1,238 |
| Texas..... | 1,900 | 900 | 31,350 | 9,000 | 62,700 | 19,350 |
| Oklahoma..... | 3,760 | 2,611 | 52,640 | 32,899 | 107,912 | 66,127 |
| Arkansas..... | 340 | 254 | 3,230 | 3,048 | 6,525 | 6,309 |
| Montana..... | 2,221 | 2,386 | 10,729 | 29,961 | 25,214 | 58,124 |
| Wyoming..... | 284 | 260 | 4,008 | 6,600 | 8,497 | 12,474 |
| Colorado..... | 1,459 | 1,250 | 17,645 | 15,400 | 35,643 | 30,030 |
| New Mexico..... | 283 | 173 | 6,100 | 2,892 | 12,200 | 6,073 |
| Arizona..... | 43 | 38 | 1,204 | 988 | 2,709 | 2,371 |
| Utah..... | 304 | 320 | 3,682 | 6,464 | 7,732 | 12,152 |
| Nevada..... | 29 | 42 | 668 | 1,070 | 1,429 | 2,205 |
| Idaho..... | 1,030 | 950 | 18,705 | 20,275 | 38,345 | 38,928 |
| Washington..... | 2,440 | 2,225 | 40,100 | 29,187 | 85,814 | 57,207 |
| Oregon..... | 1,126 | 1,038 | 20,495 | 15,228 | 43,449 | 30,608 |
| California..... | 990 | 506 | 16,335 | 7,590 | 33,323 | 16,394 |
| United States..... | 73,243 | 59,181 | 940,987 | 921,438 | 2,024,008 | 1,881,826 |

WHEAT—Continued.

TABLE 21.—Wheat: Production and distribution in the United States, 1897-1919.

[000 omitted, except in weight and quality columns.]

| Year. | Old stock on farms July 1. | Crop. | | | | Total supplies. | Stock on farms Mar. 1 following. | Shipped out of country where grown. |
|-----------|----------------------------|-----------|--------------------|-----------|-----------|-----------------|----------------------------------|-------------------------------------|
| | | Quantity. | Weight per bushel. | Quality. | | | | |
| | Bushels. | Bushels. | Pounds. | Per cent. | Bushels. | Bushels. | Bushels. | |
| 1897..... | 23,347 | 530,149 | 57.1 | | 553,496 | 121,320 | 269,126 | |
| 1898..... | 17,839 | 675,149 | 57.7 | 87.9 | 692,988 | 198,056 | 398,882 | |
| 1899..... | 64,061 | 547,304 | 56.9 | 83.7 | 611,365 | 158,746 | 305,020 | |
| 1900..... | 50,900 | 522,230 | 56.3 | 87.8 | 573,130 | 128,098 | 281,372 | |
| 1901..... | 30,552 | 748,460 | 57.5 | 88.8 | 779,012 | 173,353 | 372,717 | |
| 1902..... | 52,437 | 670,063 | 57.6 | | 722,500 | 164,047 | 388,554 | |
| 1903..... | 42,540 | 637,822 | 57.3 | | 680,302 | 132,608 | 369,582 | |
| 1904..... | 36,634 | 552,400 | 57.4 | | 589,034 | 111,055 | 302,771 | |
| 1905..... | 24,257 | 692,979 | 55.5 | | 717,236 | 158,403 | 404,092 | |
| 1906..... | 46,053 | 735,261 | 58.3 | | 781,314 | 206,642 | 427,253 | |
| 1907..... | 54,853 | 634,087 | 58.2 | 89.9 | 688,940 | 148,721 | 367,607 | |
| 1908..... | 33,797 | 664,602 | 58.3 | 89.4 | 698,399 | 143,692 | 393,435 | |
| 1909..... | 15,062 | 683,379 | 57.9 | 90.4 | 698,441 | 159,100 | 414,166 | |
| 1910..... | 35,680 | 635,121 | 58.5 | 93.1 | 670,801 | 162,705 | 352,906 | |
| 1911..... | 34,071 | 621,338 | 57.8 | 88.3 | 655,409 | 122,041 | 348,739 | |
| 1912..... | 23,876 | 730,267 | 58.3 | 90.0 | 754,143 | 156,471 | 449,881 | |
| 1913..... | 35,515 | 763,380 | 58.7 | 93.2 | 798,895 | 151,795 | 411,733 | |
| 1914..... | 32,236 | 891,017 | 58.0 | 89.7 | 923,253 | 152,903 | 541,193 | |
| 1915..... | 28,972 | 1,025,801 | 57.9 | 88.4 | 1,054,773 | 244,448 | 633,380 | |
| 1916..... | 74,731 | 636,318 | 57.1 | 87.0 | 711,049 | 100,650 | 361,088 | |
| 1917..... | 15,611 | 636,655 | 58.5 | 92.4 | 652,266 | 107,745 | 325,500 | |
| 1918..... | 8,063 | 921,438 | 58.8 | 93.1 | 929,501 | 128,703 | 541,666 | |
| 1919..... | 19,261 | 940,987 | 56.3 | 82.1 | 960,248 | 166,539 | 565,453 | |

TABLE 22.—Wheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars). ¹ | |
|------------|-----------------------------|------|------|------|------|------|------|------|------|------|--------------------------------|-----------------------------|------|------|------|--|------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 |
| Me..... | 23.7 | 29.7 | 21.0 | 22.5 | 25.5 | 27.0 | 28.0 | 27.0 | 14.0 | 22.0 | 19.0 | 152 | 112 | 187 | 235 | 237 | 229 |
| Vt..... | 23.4 | 29.3 | 27.8 | 25.0 | 24.3 | 29.0 | 30.0 | 25.0 | 20.0 | 22.0 | 21.0 | 147 | 107 | 165 | 236 | 231 | 227 |
| N. Y..... | 20.8 | 23.7 | 19.5 | 16.0 | 20.0 | 22.5 | 25.0 | 21.0 | 21.0 | 18.2 | 21.3 | 140 | 101 | 168 | 210 | 215 | 215 |
| N. J..... | 18.4 | 18.5 | 17.4 | 18.5 | 17.0 | 18.0 | 20.0 | 20.0 | 19.0 | 17.0 | 28.0 | 142 | 106 | 164 | 213 | 215 | 220 |
| Pa..... | 17.4 | 17.8 | 13.5 | 18.0 | 17.0 | 18.0 | 18.5 | 19.0 | 17.5 | 17.0 | 27.5 | 138 | 104 | 162 | 205 | 214 | 216 |
| Del..... | 15.8 | 17.0 | 16.7 | 17.5 | 14.5 | 20.5 | 15.0 | 15.0 | 16.5 | 13.0 | 12.0 | 139 | 109 | 162 | 208 | 222 | 213 |
| Md..... | 16.1 | 17.4 | 15.5 | 15.0 | 13.3 | 21.5 | 16.1 | 16.0 | 17.0 | 15.5 | 13.5 | 139 | 105 | 171 | 207 | 219 | 215 |
| Va..... | 12.8 | 12.8 | 12.0 | 11.6 | 13.6 | 14.6 | 13.8 | 12.7 | 13.0 | 12.0 | 11.8 | 143 | 108 | 165 | 216 | 219 | 224 |
| W. Va..... | 13.8 | 12.5 | 11.5 | 14.5 | 13.0 | 15.0 | 15.0 | 14.5 | 14.0 | 14.2 | 21.5 | 144 | 108 | 169 | 217 | 221 | 220 |
| N. C..... | 10.2 | 11.4 | 10.6 | 8.9 | 11.7 | 11.2 | 10.9 | 10.5 | 10.0 | 7.0 | 8.5 | 154 | 120 | 176 | 234 | 230 | 233 |
| S. C..... | 17.1 | 11.0 | 11.4 | 9.2 | 12.3 | 11.5 | 10.8 | 10.6 | 10.5 | 11.0 | 9.0 | 178 | 138 | 189 | 290 | 269 | 258 |
| Ga..... | 10.8 | 10.5 | 12.0 | 9.3 | 12.2 | 21.2 | 11.0 | 11.4 | 8.5 | 10.2 | 10.5 | 175 | 129 | 186 | 299 | 266 | 263 |
| Ohio..... | 17.0 | 16.2 | 16.0 | 8.0 | 18.0 | 16.6 | 13.0 | 13.5 | 22.0 | 19.0 | 19.0 | 138 | 104 | 169 | 204 | 212 | 219 |
| Ind..... | 15.9 | 15.6 | 14.7 | 8.0 | 18.5 | 17.4 | 17.2 | 12.0 | 18.5 | 21.0 | 15.9 | 135 | 102 | 169 | 203 | 208 | 210 |
| Ill..... | 16.3 | 15.0 | 16.0 | 8.3 | 18.7 | 18.5 | 19.0 | 11.0 | 18.7 | 22.1 | 15.8 | 134 | 100 | 165 | 201 | 208 | 210 |
| Mich..... | 17.1 | 18.0 | 18.0 | 10.0 | 15.3 | 19.7 | 21.3 | 16.6 | 18.0 | 14.2 | 19.6 | 136 | 101 | 167 | 204 | 209 | 210 |
| Wis..... | 19.3 | 19.3 | 15.9 | 19.0 | 19.3 | 19.9 | 12.7 | 17.6 | 22.3 | 24.2 | 13.4 | 132 | 95 | 160 | 202 | 205 | 215 |
| Minn..... | 14.1 | 16.0 | 10.1 | 11.5 | 16.2 | 20.6 | 17.0 | 7.6 | 17.5 | 20.9 | 9.4 | 130 | 90 | 162 | 202 | 204 | 250 |
| Iowa..... | 18.5 | 21.0 | 16.4 | 19.8 | 20.6 | 18.6 | 20.0 | 16.3 | 19.9 | 18.9 | 13.9 | 126 | 87 | 156 | 199 | 200 | 200 |
| Mo..... | 14.3 | 13.8 | 15.7 | 12.5 | 17.1 | 12.0 | 12.3 | 8.5 | 15.3 | 17.2 | 13.5 | 132 | 98 | 165 | 196 | 205 | 209 |

¹ Based upon farm price Dec. 1.

WHEAT—Continued.

TABLE 22.—Wheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States—Continued.

| State | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars). | | | |
|---------|-----------------------------|------|------|------|------|------|------|------|------|------|--------------------------------|-----------------------------|------|-------|-------|---------------------------|-------|----------------------------|-------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average, 1914-1918. | 1919 |
| N. Dak. | 10.5 | 5.0 | 8.0 | 18.0 | 10.5 | 11.2 | 18.2 | 5.5 | 8.0 | 13.6 | 6.9 | 137 | 87 | 152 | 200 | 203 | 241 | 15.82 | 16.63 |
| S. Dak. | 11.4 | 12.8 | 4.0 | 14.2 | 9.0 | 9.1 | 17.1 | 6.8 | 14.0 | 19.0 | 8.1 | 128 | 86 | 150 | 196 | 199 | 240 | 19.74 | 19.44 |
| Nebr. | 16.0 | 16.2 | 13.4 | 17.6 | 17.9 | 18.6 | 18.3 | 19.4 | 13.8 | 11.2 | 13.8 | 124 | 84 | 160 | 195 | 197 | 272 | 22.61 | 27.88 |
| Kans. | 13.8 | 14.1 | 10.7 | 15.5 | 13.0 | 20.5 | 12.5 | 12.0 | 12.2 | 14.1 | 13.0 | 129 | 89 | 164 | 198 | 199 | 215 | 20.50 | 27.95 |
| Ky. | 12.2 | 12.8 | 12.7 | 10.0 | 13.6 | 16.5 | 11.0 | 9.0 | 12.0 | 13.0 | 11.5 | 139 | 105 | 166 | 212 | 214 | 211 | 19.35 | 24.26 |
| Tenn. | 10.9 | 11.7 | 11.5 | 10.5 | 12.0 | 15.5 | 10.5 | 9.5 | 9.2 | 10.0 | 9.0 | 143 | 108 | 169 | 222 | 214 | 222 | 17.10 | 19.98 |
| Ala. | 10.8 | 12.0 | 11.5 | 10.6 | 11.7 | 13.0 | 12.0 | 9.5 | 10.0 | 9.0 | 9.0 | 166 | 125 | 185 | 270 | 245 | 245 | 19.60 | 22.05 |
| Miss. | 14.6 | 14.0 | 12.0 | 12.0 | 14.0 | 13.0 | 20.0 | 15.0 | 15.0 | 16.5 | 14.0 | 161 | 105 | 175 | 300 | 250 | 250 | 29.95 | 35.00 |
| Tex. | 13.5 | 15.0 | 9.4 | 15.0 | 17.5 | 13.0 | 15.5 | 11.0 | 12.0 | 10.0 | 16.5 | 139 | 107 | 173 | 210 | 215 | 200 | 19.04 | 30.00 |
| Okla. | 12.6 | 16.3 | 8.0 | 12.8 | 10.0 | 19.0 | 11.6 | 9.7 | 11.5 | 12.6 | 14.0 | 128 | 89 | 167 | 194 | 201 | 205 | 18.33 | 28.70 |
| Ark. | 11.8 | 13.9 | 10.5 | 10.0 | 13.0 | 13.0 | 12.5 | 8.0 | 16.0 | 12.0 | 9.5 | 134 | 101 | 163 | 201 | 207 | 202 | 19.11 | 19.19 |
| Mont. | 19.2 | 22.0 | 28.7 | 24.1 | 23.8 | 20.2 | 26.5 | 19.3 | 10.4 | 12.6 | 4.8 | 124 | 78 | 161 | 192 | 194 | 235 | 22.91 | 11.28 |
| Wyo. | 23.6 | 25.0 | 26.0 | 28.7 | 25.0 | 22.9 | 26.5 | 21.6 | 21.2 | 25.4 | 14.1 | 125 | 75 | 145 | 200 | 189 | 212 | 32.56 | 29.89 |
| Colo. | 20.1 | 22.3 | 18.9 | 24.2 | 21.0 | 23.8 | 24.2 | 19.8 | 22.6 | 12.3 | 12.1 | 122 | 80 | 150 | 193 | 195 | 202 | 27.47 | 24.44 |
| N. Mex. | 19.9 | 20.0 | 22.9 | 20.9 | 18.5 | 24.2 | 22.2 | 18.6 | 12.7 | 16.7 | 21.6 | 134 | 90 | 150 | 215 | 210 | 200 | 26.41 | 43.20 |
| Ariz. | 27.9 | 22.3 | 29.6 | 30.7 | 73.2 | 0.28 | 0.28 | 0.29 | 0.25 | 0.26 | 0.28 | 150 | 115 | 150 | 210 | 240 | 225 | 45.12 | 63.00 |
| Utah. | 21.8 | 22.1 | 22.3 | 25.7 | 24.2 | 25.0 | 25.7 | 21.2 | 19.1 | 20.2 | 12.1 | 120 | 86 | 152 | 178 | 188 | 210 | 29.56 | 25.41 |
| Nev. | 27.6 | 26.5 | 28.3 | 29.2 | 27.7 | 29.6 | 29.6 | 28.9 | 27.8 | 25.5 | 23.0 | 132 | 95 | 140 | 180 | 206 | 214 | 39.85 | 40.22 |
| Idaho. | 24.7 | 22.6 | 30.7 | 28.6 | 27.6 | 26.2 | 28.0 | 23.8 | 20.3 | 21.3 | 18.2 | 110 | 80 | 146 | 182 | 192 | 205 | 31.56 | 37.31 |
| Wash. | 20.4 | 16.9 | 22.7 | 23.5 | 23.2 | 23.5 | 25.7 | 23.7 | 15.8 | 13.1 | 16.4 | 122 | 82 | 143 | 193 | 196 | 214 | 26.93 | 35.10 |
| Oreg. | 20.2 | 22.1 | 21.0 | 25.0 | 21.0 | 20.8 | 22.2 | 23.0 | 14.5 | 14.7 | 18.2 | 123 | 84 | 145 | 182 | 201 | 212 | 25.83 | 35.58 |
| Calif. | 16.7 | 18.0 | 18.0 | 17.0 | 14.0 | 17.0 | 16.0 | 16.0 | 19.8 | 15.0 | 16.5 | 134 | 95 | 152 | 200 | 216 | 204 | 25.84 | 33.66 |
| U. S. | 14.6 | 13.9 | 12.5 | 15.9 | 15.2 | 16.6 | 17.0 | 12.2 | 14.1 | 15.6 | 12.8 | 130.2 | 91.9 | 160.3 | 200.8 | 204.2 | 215.1 | 22.33 | 27.63 |

TABLE 23.—Winter and spring wheat: Condition of crop, United States, on first of months named, 1899-1920.

| Year. | Winter wheat. | | | | | Spring wheat. | | | | |
|-------|----------------------------|-------------|-------------|-------------|-----------------|---------------|-------------|-------------|-----------------|--|
| | December of previous year. | April. | May. | June. | When harvested. | June. | July. | August. | When harvested. | |
| 1899. | P. ct. 92.6 | P. ct. 77.9 | P. ct. 76.2 | P. ct. 67.3 | P. ct. 65.6 | P. ct. 91.4 | P. ct. 91.7 | P. ct. 83.6 | P. ct. 77.2 | |
| 1900. | 97.1 | 82.1 | 88.9 | 82.7 | 80.8 | 87.3 | 55.2 | 56.4 | 56.1 | |
| 1901. | 97.1 | 91.7 | 94.1 | 87.8 | 87.3 | 92.0 | 95.6 | 80.3 | 78.4 | |
| 1902. | 86.7 | 78.7 | 76.4 | 76.1 | 74.0 | 95.4 | 92.4 | 89.7 | 87.2 | |
| 1903. | 99.7 | 97.3 | 92.6 | 82.2 | 78.8 | 95.9 | 82.5 | 77.1 | 78.1 | |
| 1904. | 86.6 | 76.5 | 76.5 | 77.7 | 78.7 | 93.4 | 93.7 | 87.5 | 66.2 | |
| 1905. | 82.9 | 91.6 | 92.5 | 85.5 | 82.7 | 93.7 | 91.0 | 89.2 | 87.3 | |
| 1906. | 94.1 | 89.1 | 90.9 | 82.7 | 85.6 | 93.4 | 91.4 | 86.9 | 83.4 | |
| 1907. | 94.1 | 89.9 | 82.9 | 77.4 | 78.3 | 88.7 | 87.2 | 79.4 | 77.1 | |
| 1908. | 91.1 | 91.3 | 89.0 | 86.0 | 80.6 | 95.0 | 89.4 | 80.7 | 77.6 | |
| 1909. | 85.3 | 82.2 | 83.5 | 80.7 | 82.4 | 95.2 | 92.7 | 91.6 | 88.6 | |
| 1910. | 95.8 | 80.8 | 82.1 | 80.0 | 81.5 | 92.8 | 61.6 | 61.0 | 63.1 | |
| 1911. | 82.5 | 83.3 | 86.1 | 80.4 | 76.8 | 94.6 | 73.8 | 59.8 | 56.7 | |
| 1912. | 86.6 | 80.6 | 79.7 | 74.3 | 73.3 | 95.8 | 89.3 | 90.4 | 90.8 | |
| 1913. | 93.2 | 91.6 | 91.9 | 83.5 | 81.6 | 93.5 | 73.8 | 74.1 | 75.3 | |
| 1914. | 97.2 | 95.6 | 95.9 | 92.7 | 94.1 | 95.5 | 92.1 | 75.5 | 68.0 | |
| 1915. | 88.3 | 88.8 | 92.9 | 85.8 | 84.4 | 94.9 | 93.3 | 93.4 | 94.6 | |
| 1916. | 87.7 | 78.3 | 82.4 | 73.2 | 75.7 | 88.2 | 89.0 | 63.4 | 48.6 | |
| 1917. | 85.7 | 63.4 | 73.2 | 70.9 | 75.9 | 91.6 | 83.6 | 68.7 | 71.2 | |
| 1918. | 79.3 | 78.6 | 86.4 | 83.8 | 79.5 | 95.2 | 86.1 | 79.6 | 82.1 | |
| 1919. | 98.6 | 99.8 | 100.5 | 94.9 | 89.0 | 91.2 | 80.9 | 53.9 | 48.5 | |
| 1920. | 85.2 | | | | | | | | | |

WHEAT—Continued.

TABLE 24.—*Winter wheat: Per cent of area sown which was abandoned (not harvested).*

| Year. | Per cent. | Year. | Per cent. | Year. | Per cent. |
|-----------|-----------|-----------|-----------|-----------|-----------|
| 1902..... | 15.2 | 1908..... | 4.2 | 1914..... | 8.1 |
| 1903..... | 2.8 | 1909..... | 7.5 | 1915..... | 2.7 |
| 1904..... | 15.4 | 1910..... | 13.7 | 1916..... | 11.4 |
| 1905..... | 4.6 | 1911..... | 10.7 | 1917..... | 31.0 |
| 1906..... | 5.5 | 1912..... | 20.1 | 1918..... | 13.7 |
| 1907..... | 11.2 | 1913..... | 4.7 | 1919..... | 1.1 |

TABLE 25.—*Wheat: Farm price, cents per bushel on first of each month, 1910–1919.*

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|-------|-------|-------|-------|-------|------|------|-------|------|-------|----------|
| Jan. 1..... | 204.8 | 201.9 | 150.3 | 102.8 | 107.8 | 81.0 | 76.2 | 88.0 | 88.6 | 103.4 | 120.5 |
| Feb. 1..... | 207.5 | 201.2 | 164.8 | 113.9 | 129.9 | 81.6 | 79.9 | 90.4 | 89.8 | 105.0 | 126.4 |
| Mar. 1..... | 208.0 | 202.7 | 164.4 | 102.9 | 133.6 | 83.1 | 80.6 | 90.7 | 85.4 | 105.1 | 125.6 |
| Apr. 1..... | 214.2 | 202.6 | 180.0 | 98.6 | 131.7 | 84.2 | 79.1 | 92.5 | 83.8 | 104.5 | 127.1 |
| May 1..... | 231.1 | 203.6 | 245.9 | 102.5 | 139.6 | 83.9 | 80.9 | 99.7 | 84.6 | 99.9 | 137.2 |
| June 1..... | 228.4 | 202.5 | 248.5 | 100.0 | 131.5 | 84.4 | 82.7 | 102.8 | 86.3 | 97.6 | 136.5 |
| July 1..... | 222.0 | 203.2 | 220.1 | 93.0 | 102.8 | 76.9 | 81.4 | 99.0 | 84.3 | 95.3 | 127.8 |
| Aug. 1..... | 217.2 | 204.5 | 228.9 | 107.1 | 106.5 | 76.5 | 77.1 | 89.7 | 82.7 | 98.9 | 128.9 |
| Sept. 1..... | 205.7 | 205.6 | 209.7 | 131.2 | 95.0 | 93.3 | 77.1 | 85.8 | 84.8 | 95.8 | 128.4 |
| Oct. 1..... | 209.6 | 205.8 | 200.6 | 136.3 | 90.9 | 93.5 | 77.9 | 83.4 | 88.4 | 93.7 | 128.0 |
| Nov. 1..... | 213.2 | 206.0 | 200.0 | 158.4 | 93.1 | 97.2 | 77.0 | 83.8 | 91.5 | 90.5 | 131.1 |
| Dec. 1..... | 215.1 | 204.2 | 200.8 | 160.3 | 91.9 | 98.6 | 79.9 | 78.0 | 87.4 | 88.3 | 130.2 |
| Average..... | 212.8 | 204.3 | 200.8 | 125.9 | 105.2 | 88.4 | 78.4 | 87.4 | 86.9 | 96.5 | 128.7 |

TABLE 26.—*Wheat: Monthly marketings by farmers, 1914–1919.*

| Month. | Estimated amount sold monthly by farmers of United States (millions of bushels). | | | | | Per cent of year's sales. | | | | |
|----------------|--|---------|---------|---------|---------|---------------------------|---------|---------|---------|---------|
| | 1918-19 | 1917-18 | 1916-17 | 1915-16 | 1914-15 | 1918-19 | 1917-18 | 1916-17 | 1915-16 | 1914-15 |
| July..... | 136 | 41 | 83 | 60 | 141 | 17.6 | 7.4 | 13.3 | 7.1 | 17.5 |
| August..... | 154 | 69 | 111 | 94 | 106 | 19.9 | 12.4 | 17.9 | 11.0 | 13.2 |
| September..... | 139 | 108 | 104 | 122 | 125 | 18.0 | 19.3 | 16.8 | 14.4 | 15.5 |
| October..... | 107 | 101 | 87 | 123 | 100 | 13.8 | 18.0 | 14.1 | 14.5 | 12.5 |
| November..... | 67 | 77 | 60 | 106 | 83 | 8.7 | 13.7 | 9.7 | 12.4 | 10.3 |
| December..... | 56 | 43 | 35 | 94 | 60 | 7.3 | 7.6 | 5.6 | 11.0 | 7.5 |
| January..... | 36 | 26 | 45 | 58 | 41 | 4.6 | 4.7 | 7.2 | 6.8 | 5.1 |
| February..... | 24 | 22 | 20 | 58 | 46 | 3.1 | 3.9 | 3.3 | 6.8 | 5.7 |
| March..... | 16 | 21 | 24 | 32 | 26 | 2.0 | 3.7 | 3.9 | 3.8 | 3.3 |
| April..... | 13 | 23 | 19 | 33 | 37 | 1.6 | 4.1 | 3.1 | 3.9 | 4.6 |
| May..... | 15 | 17 | 19 | 40 | 22 | 1.9 | 3.1 | 3.0 | 4.7 | 2.7 |
| June..... | 12 | 12 | 13 | 31 | 17 | 1.5 | 2.1 | 2.1 | 3.6 | 2.1 |
| Season..... | 775 | 560 | 620 | 851 | 804 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TABLE 27.—*Durum wheat production: Receipts at primary markets, and exports, 1905–1918.*

| Year. | Production in 4 States. ¹ | Receipts at 7 primary markets. ² | Exports, year beginning July 1. | Year. | Production in 4 States. ¹ | Receipts at 7 primary markets. ² | Exports, year beginning July 1. |
|-----------|--------------------------------------|---|---------------------------------|-----------|--------------------------------------|---|---------------------------------|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| 1905..... | | | 7,015,225 | 1912..... | * 34,561,000 | 22,539,000 | 15,461,129 |
| 1906..... | | | 22,638,565 | 1913..... | * 21,529,000 | 20,625,000 | 11,785,000 |
| 1907..... | 31,600,604 | 27,063,478 | 27,063,478 | 1914..... | * 18,103,000 | 21,356,600 | 15,229,401 |
| 1908..... | 32,600,589 | 20,777,435 | 20,777,435 | 1915..... | * 40,365,000 | 43,867,120 | 24,780,169 |
| 1909..... | 33,115,000 | 34,762,000 | 18,344,972 | 1916..... | * 10,887,000 | 22,503,511 | 17,385,073 |
| 1910..... | * 24,131,000 | 19,764,000 | 3,273,703 | 1917..... | 25,945,000 | 16,087,974 | 6,587,795 |
| 1911..... | * 10,024,000 | 5,830,000 | 1,851,988 | 1918..... | 49,414,000 | 33,311,793 | 18,329,257 |

¹ These 4 States are: Minnesota, North Dakota, South Dakota, Montana.

² These 7 markets are: Chicago, Duluth, Kansas City, Milwaukee, Minneapolis, Omaha, St. Louis.

* Does not include Montana.

TABLE 28.—Wheat: Wholesale price per bushel, 1913-1919.

| Date. | New York. | | | Baltimore. | | | Chicago. | | | Detroit. | | | St. Louis. | | | Minneapolis. | | | San Francisco. | | |
|--------------------|--------------------------------|-------|------------|------------|-------|------------|-------------------------------------|-------|------------|------------|-------|------------|-------------------|-------|------------|-----------------|-------|------------|--------------------------------|-------|------------|
| | No. 2 red winter. ¹ | | | No. 2 red. | | | No. 1 northern spring. ² | | | No. 2 red. | | | No. 2 red winter. | | | No. 1 northern. | | | White (100 lbs.). ³ | | |
| | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. |
| 1913. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 107 | 114 | 111.2 | 105 | 109 | 107.0 | 87 | 91.9 | 89.8 | 116 | 124 | 118.4 | 93 | 115 | 106.3 | 82 | 95 | 88.3 | 147 | 157.7 | 152.7 |
| July-December..... | 94 | 107 | 98.0 | 89 | 96 | 92.4 | 85 | 96 | 90.8 | 102 | 108 | 105.0 | 83 | 97 | 91.6 | 80 | 93 | 86.7 | 145 | 172 | 150.0 |
| 1914. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 87 | 111 | 101.4 | 83 | 103 | 98.1 | 89 | 100 | 94.2 | 99 | 108 | 103.6 | 73 | 99 | 84.0 | 84 | 98 | 91.5 | 151 | 158.1 | 153.1 |
| July-December..... | 86 | 136 | 114.0 | 82 | 127 | 106.6 | 83 | 133 | 112.9 | 127 | 137 | 132.4 | 76 | 127 | 105.2 | 85 | 129 | 110.0 | 132 | 200 | 173.1 |
| 1915. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 126 | 178 | 157.1 | 111 | 163 | 148.0 | 123 | 167 | 150.7 | 114 | 165 | 147.3 | 110 | 164 | 145.2 | 114 | 165 | 146.5 | 165 | 240 | 213.1 |
| July-December..... | 108 | 144 | 123.6 | 100 | 127 | 112.5 | 99 | 133 | 117.6 | 106 | 132 | 114.5 | 106 | 129 | 118.0 | 89 | 155 | 115.1 | 140 | 185 | 162.1 |
| 1916. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 113 | 158 | 136.6 | 100 | 141 | 118.8 | 108 | 139 | 122.1 | 103 | 137 | 119.8 | 106 | 143 | 123.6 | 104 | 138 | 120.6 | 150 | 190 | 166.2 |
| July-December..... | 123 | 215 | 179.5 | 102 | 163 | 156.6 | 110 | 202 | 162.0 | 104 | 189 | 158.3 | 109 | 196 | 162.2 | 107 | 200 | 164.0 | 160 | 290 | 219.5 |
| 1917. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 197 | 320 | 241.1 | 168 | 342 | 234.2 | 162 | 340 | 230.3 | 171 | 340 | 223.7 | 171 | 342 | 238.1 | 164 | 339 | 229.0 | 250 | 500 | 329.5 |
| July-December..... | 229 | 231 | 229.4 | 209 | 240 | 223.7 | 217 | 300 | 234.3 | 215 | 255 | 223.0 | 210 | 273 | 231.2 | 215 | 305 | 231.8 | 230 | 390 | 351.8 |
| 1918. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 228 | 229 | 228.2 | 222 | 227 | 224.0 | 220 | 220 | 220.0 | 217 | 219 | 217.5 | 215 | 215 | 215.0 | 215 | 217 | 216.5 | 350 | 350 | 350.0 |
| July-December..... | 229 | 240 | 239.5 | 230 | 235 | 235.7 | 226 | 234 | 227.6 | 217 | 230 | 223.5 | 221 | 248 | 234.2 | 221 | 238 | 225.1 | 350 | 350 | 350.0 |
| 1919. | | | | | | | | | | | | | | | | | | | | | |
| January..... | 240 | 240 | 240.5 | 235 | 235 | 235.8 | 223 | 232 | 226.6 | 230 | 230 | 230.0 | 236 | 254 | 244.5 | 221 | 225 | 222.0 | 350 | 350 | 350.0 |
| February..... | 237 | 240 | 240.5 | 235 | 235 | 235.8 | 223 | 232 | 225.6 | 230 | 230 | 230.0 | 235 | 243 | 239.3 | 221 | 231 | 223.0 | 350 | 350 | 350.0 |
| March..... | 240 | 240 | 240.5 | 233 | 235 | 235.8 | 224 | 237 | 238.8 | 230 | 245 | 235.3 | 238 | 265 | 253.2 | 221 | 230 | 223.0 | 350 | 350 | 350.0 |
| April..... | 240 | 240 | 240.5 | 244 | 248 | 245.8 | 239 | 292 | 255.0 | 245 | 270 | 254.3 | 265 | 278 | 270.5 | 242 | 259 | 235.2 | 350 | 350 | 350.0 |
| May..... | 240 | 240 | 240.5 | () | () | () | 245 | 280 | 258.4 | 245 | 270 | 266.3 | 245 | 278 | 262.8 | 247 | 273 | 259.5 | 350 | 350 | 350.0 |
| June..... | 240 | 240 | 240.5 | () | () | () | 228 | 251 | 240.5 | 240 | 255 | 246.5 | 235 | 247 | 242.6 | 237 | 258 | 248.6 | 350 | 350 | 350.0 |
| January-June..... | 237 | 240 | 240 | 233 | 248 | 238.1 | 223 | 292 | 240.8 | 230 | 270 | 243.7 | 235 | 278 | 252.2 | 221 | 259 | 240.9 | 350 | 350 | 350.0 |
| July..... | 240 | 240 | 240.5 | 235 | 235 | 235.8 | 229 | 270 | 249.6 | 223 | 228 | 228.0 | 221 | 242 | 224.2 | 210 | 230 | 209.9 | () | () | () |
| August..... | 240 | 240 | 240.5 | 235 | 235 | 235.8 | 220 | 258 | 238.9 | 221 | 227 | 228.6 | 221 | 223 | 221.5 | 210 | 230 | 207.3 | () | () | () |
| September..... | 237 | 240 | 239.7 | 235 | 235 | 235.8 | 225 | 251 | 238.6 | 221 | 227 | 225.6 | 221 | 223 | 221.3 | 210 | 230 | 207.3 | () | () | () |
| October..... | 237 | 237 | 237.5 | 235 | 235 | 235.8 | 242 | 288 | 268.4 | 225 | 227 | 228.7 | 221 | 229 | 224.6 | 210 | 230 | 207.3 | () | () | () |
| November..... | 237 | 237 | 237.5 | 235 | 235 | 235.8 | 230 | 327 | 297.5 | 227 | 235 | 227.4 | 224 | 241 | 230.3 | 205 | 235 | 204.2 | () | () | () |
| December..... | 236 | 237 | 236.7 | 235 | 235 | 235.8 | 280 | 325 | 307.5 | 234 | 255 | 244.6 | 240 | 257 | 230.0 | 205 | 235 | 202.4 | () | () | () |
| July-December..... | 236 | 240 | 238.7 | 235 | 235 | 235.8 | 220 | 325 | 268.9 | 223 | 255 | 229.8 | 221 | 257 | 228.7 | 230 | 320 | 271.0 | () | () | () |

Basic.

No quotations.

Northern club in 1913.

No. 2 northern, 1919.

No. 1 northern spring, 1916-1918.

WHEAT—Continued.

TABLE 29.—Wheat flour: Wholesale price per barrel, 1913–1919.

| Date. | Chicago. | | | | | | Cincinnati. | | | New York. | | | St. Louis. | | |
|---------------------|-----------------|-------|----------|-----------------|-------|----------|-----------------|-------|----------|-----------------|-------|----------|-----------------|-------|----------|
| | Winter patents. | | | Spring patents. | | | Winter patents. | | | Spring patents. | | | Winter patents. | | |
| | Low | High | Average. | Low | High | Average. | Low | High | Average. | Low | High | Average. | Low | High | Average. |
| 1913. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. |
| January–June | 4.30 | 5.10 | | 4.10 | 5.60 | | 3.25 | 4.15 | | 4.40 | 5.00 | | 4.30 | 5.15 | |
| July–December | 3.90 | 4.35 | | 4.00 | 5.50 | | 2.90 | 3.50 | | 4.40 | 5.00 | | 3.70 | 4.55 | |
| 1914. | | | | | | | | | | | | | | | |
| January–June | 3.50 | 4.40 | | 4.00 | 5.50 | | 3.20 | 3.50 | | 4.50 | 5.10 | | 3.35 | 4.35 | |
| July–December | 3.45 | 5.50 | | 4.00 | 6.90 | | 3.05 | 4.90 | | 4.35 | 7.00 | | 3.35 | 5.70 | |
| 1915. | | | | | | | | | | | | | | | |
| January–June | 5.10 | 7.80 | | 5.50 | 6.75 | | 4.75 | 6.65 | | 5.50 | 8.25 | | 5.10 | 7.50 | |
| July–December | 4.50 | 5.75 | | 4.50 | 6.90 | | 4.65 | 5.65 | | 4.90 | 7.25 | | 4.60 | 5.90 | |
| 1916. | | | | | | | | | | | | | | | |
| January–June | 5.00 | 6.80 | | 5.00 | 6.85 | | 4.50 | 5.50 | | 5.45 | 7.25 | | 4.75 | 6.10 | |
| July–December | 5.10 | 8.65 | | 5.20 | 9.75 | | 4.50 | 8.75 | | 5.50 | 10.00 | | 4.75 | 9.00 | |
| 1917. | | | | | | | | | | | | | | | |
| January–June | 8.10 | 17.00 | | 8.20 | 17.80 | | 7.25 | 15.25 | | 8.65 | 16.75 | | 7.90 | 15.25 | |
| July–December | 9.85 | 12.50 | | 10.20 | 14.00 | | 9.50 | 11.50 | | 10.45 | 13.75 | | 9.80 | 11.75 | |
| 1918. | | | | | | | | | | | | | | | |
| January–June | 10.10 | 11.25 | 10.65 | 10.10 | 11.75 | 10.96 | 10.70 | 11.35 | 10.98 | 10.55 | 11.25 | 10.87 | 10.00 | 12.50 | 10.74 |
| July–December | 9.80 | 10.90 | 10.60 | 9.80 | 11.72 | 11.10 | 10.35 | 11.25 | 10.89 | 10.50 | 11.95 | 11.06 | 8.89 | 11.65 | 9.70 |
| 1919. | | | | | | | | | | | | | | | |
| January | 10.00 | 10.80 | 10.53 | 10.40 | 11.00 | 10.70 | 10.85 | 11.25 | 10.99 | 10.35 | 10.90 | 10.76 | 10.60 | 12.00 | 11.33 |
| February | 10.50 | 10.80 | 10.70 | 10.40 | 11.00 | 10.66 | 10.70 | 10.85 | 10.83 | 10.50 | 11.00 | 10.85 | 10.50 | 11.85 | 11.29 |
| March | 10.50 | 10.80 | 10.67 | 10.40 | 12.00 | 11.28 | 10.50 | 11.60 | 11.02 | 10.60 | 12.00 | 11.37 | 9.80 | 11.75 | 10.39 |
| April | 10.50 | 12.90 | 11.54 | 11.00 | 15.00 | 12.54 | 11.75 | 12.00 | 11.88 | 11.45 | 13.25 | 12.15 | 11.00 | 12.65 | 11.52 |
| May | 12.25 | 12.70 | 12.41 | 12.00 | 15.00 | 13.06 | 11.75 | 12.50 | 12.18 | 11.75 | 13.00 | 12.51 | 10.70 | 12.00 | 11.38 |
| June | 11.40 | 12.25 | 11.85 | 11.50 | 13.50 | 12.25 | 11.85 | 13.25 | 12.25 | 11.50 | 12.50 | 11.93 | 9.50 | 11.75 | 10.23 |
| January–June | 10.00 | 12.90 | 11.28 | 10.40 | 15.00 | 11.75 | 10.50 | 13.25 | 11.52 | 10.35 | 13.25 | 11.60 | 9.50 | 12.65 | 11.02 |
| July | 9.80 | 11.75 | 10.86 | 11.65 | 13.50 | 12.43 | 11.00 | 12.50 | 11.85 | 11.50 | 12.75 | 13.46 | 9.70 | 10.55 | 9.92 |
| August | 9.30 | 13.00 | 10.41 | 11.25 | 13.50 | 12.76 | 10.75 | 12.50 | 11.38 | 11.35 | 12.75 | 12.35 | 9.80 | 10.50 | 10.12 |
| September | 10.00 | 11.00 | 10.48 | 10.75 | 13.20 | 11.67 | 10.75 | 11.25 | 11.00 | 11.25 | 12.25 | 11.72 | 9.40 | 10.25 | 9.93 |
| October | 10.00 | 12.75 | 11.51 | 10.00 | 13.60 | 11.53 | 10.75 | 11.25 | 11.10 | 11.85 | 12.75 | 12.20 | 9.60 | 10.25 | 9.56 |
| November | 10.25 | 11.25 | 10.81 | 11.50 | 13.80 | 12.71 | 11.00 | 11.25 | 11.12 | 12.00 | 14.25 | 13.08 | 9.65 | 10.80 | 10.19 |
| December | 10.40 | 12.75 | 11.71 | 11.75 | 14.00 | 12.50 | 11.00 | 12.00 | 11.50 | 13.75 | 15.00 | 14.35 | 10.20 | 12.00 | 11.31 |
| July–December | 9.30 | 13.00 | 10.96 | 10.00 | 14.00 | 12.27 | 10.75 | 12.50 | 11.32 | 11.25 | 15.00 | 12.86 | 9.40 | 12.00 | 10.17 |

WHEAT—Continued.

TABLE 30.—*Wheat and flour: International trade, calendar years 1909-1913, 1917, and 1918.*

["Temporary" imports into Italy of wheat to be used for manufacturing products for export are included in the total imports as given in the official Italian returns. In the trade returns of Chile the item trigo mote (prepared corn), which might easily be confused with trigo (wheat), is omitted. See "General note," Table 12.]

EXPORTS.

[000 omitted.]

| Country. | Wheat. | | | Wheat flour. | | | Wheat and flour. | | |
|----------------------|-----------------------|-------------------|-------------------|-----------------------|-------------------|-------------------|-----------------------|-------------------|-------------------|
| | Average 1909-1913. | 1917 (prelim.) | 1918 (prelim.) | Average 1909-1913. | 1917 (prelim.) | 1918 (prelim.) | Average 1909-1913. | 1917 (prelim.) | 1918 (prelim.) |
| <i>From—</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Barrels.</i> | <i>Barrels.</i> | <i>Barrels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Argentina..... | 89,102 | 34,385 | 110,098 | 1,365 | 1,265 | 1,985 | 95,243 | 40,078 | 119,020 |
| Australia..... | 41,997 | 22,982 | | 1,719 | 3,817 | | 49,732 | 40,159 | |
| Austria-Hungary..... | 36 | | | 193 | | | 908 | | |
| Belgium..... | 19,607 | | | 686 | | | 22,694 | | |
| British India..... | 48,781 | 53,872 | 22,332 | 607 | 878 | 403 | 51,510 | 57,822 | 24,144 |
| Bulgaria..... | 8,840 | | | 534 | | | 11,244 | | |
| Canada..... | 74,247 | 146,874 | 55,054 | 3,694 | 8,771 | 10,071 | 90,871 | 188,342 | 100,372 |
| Chile..... | 2,221 | 629 | | 83 | 131 | | 2,503 | 1,118 | |
| Germany..... | 12,214 | | | 1,986 | | | 21,149 | | |
| Netherlands..... | 53,397 | | | 222 | | | 54,394 | | |
| Roumania..... | 49,106 | | | 725 | | | 52,370 | | |
| Russia..... | 155,752 | | | 1,337 | | | 161,760 | | |
| United States..... | 53,316 | 106,196 | 111,177 | 10,443 | 13,926 | 21,707 | 100,310 | 168,864 | 208,357 |
| Other countries..... | 16,210 | | | 3,154 | | | 30,412 | | |
| Total..... | 624,827 | | | 26,748 | | | 745,194 | | |

IMPORTS.

| | | | | | | | | | |
|---------------------------|---------|---------|---------|--------|-------|--------|---------|---------|---------|
| <i>Into—</i> | | | | | | | | | |
| Belgium..... | 73,826 | | | 31 | | | 73,867 | | |
| Brazil..... | 12,883 | 6,685 | 10,935 | 1,825 | 1,237 | 1,681 | 20,495 | 12,251 | 18,490 |
| British South Africa..... | 3,425 | 2,586 | 1,257 | 729 | 291 | 126 | 6,708 | 3,898 | 1,824 |
| Denmark..... | 4,688 | 1,272 | 20 | 583 | 84 | 63 | 6,711 | 1,649 | 302 |
| France..... | 38,172 | 63,458 | 43,154 | 117 | 5,339 | 6,549 | 38,698 | 87,484 | 72,627 |
| Germany..... | 88,982 | | | 172 | | | 89,755 | | |
| Greece..... | 6,973 | 2,893 | | 13 | 60 | | 7,034 | 3,165 | |
| Italy..... | 52,775 | 70,400 | 56,655 | 15 | 1,522 | 4,892 | 52,866 | 77,249 | 78,671 |
| Japan..... | 2,829 | 283 | 2,563 | 192 | 4 | 69 | 3,495 | 301 | 2,874 |
| Netherlands..... | 66,896 | | | 2,168 | | | 76,653 | | |
| Portugal..... | 3,228 | | | | | | 3,228 | | |
| Spain..... | 4,668 | 1,858 | 4,619 | 1 | 1 | 10 | 4,471 | 1,861 | 4,664 |
| Sweden..... | 6,771 | 3,588 | | 82 | 19 | | 7,140 | 3,694 | |
| Switzerland..... | 16,58 | 9,617 | 2,119 | 517 | | | 18,885 | 9,617 | 2,119 |
| United Kingdom..... | 192,134 | 170,524 | 108,059 | 6,005 | 7,940 | 14,978 | 219,156 | 206,255 | 175,460 |
| Other countries..... | 21,790 | | | 11,070 | | | 71,574 | | |
| Total..... | 594,998 | | | 23,520 | | | 700,836 | | |

OATS.

TABLE 31.—Oats: Area and production in undermentioned countries, 1909–1919.

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|--|--|------------------|------------------|------------------|--|------------------|------------------|------------------|
| | Average 1909– 1913. ¹ | 1917 | 1918 | 1919 | Average 1909– 1913. ¹ | 1917 | 1918 | 1919 |
| NORTH AMERICA. | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| United States..... | 37,357 | 43,553 | 44,349 | 42,400 | 1,131,175 | 1,592,740 | 1,538,124 | 1,248,310 |
| Canada: | | | | | | | | |
| New Brunswick..... | 204 | 190 | 224 | 305 | 5,933 | 4,275 | 7,051 | 9,852 |
| Quebec..... | 1,451 | 1,493 | 1,933 | 2,141 | 40,294 | 32,466 | 52,667 | 61,022 |
| Ontario..... | 2,964 | 2,687 | 2,924 | 2,674 | 105,036 | 98,075 | 131,752 | 76,219 |
| Manitoba..... | 1,379 | 1,500 | 1,715 | 1,847 | 54,192 | 45,375 | 54,474 | 64,193 |
| Saskatchewan..... | 2,293 | 4,522 | 4,988 | 4,838 | 98,481 | 123,214 | 107,253 | 117,316 |
| Alberta..... | 1,223 | 2,538 | 2,652 | 2,767 | 52,045 | 86,289 | 60,323 | 65,725 |
| Other..... | 326 | 383 | 354 | 425 | 11,607 | 13,316 | 12,792 | 16,809 |
| Total Canada..... | 9,840 | 13,313 | 14,790 | 14,997 | 367,678 | 403,010 | 426,312 | 411,136 |
| Mexico..... | (²) | (²) | (²) | (²) | 17 | (²) | (²) | (²) |
| Total..... | 47,197 | 56,866 | 59,139 | 57,397 | 1,498,870 | 1,995,750 | 1,964,436 | 1,659,446 |
| SOUTH AMERICA. | | | | | | | | |
| Argentina..... | 1,999 | 2,525 | 3,200 | 2,980 | 52,122 | 32,009 | 68,635 | 44,120 |
| Chile..... | 68 | 126 | 79 | 79 | 2,934 | 5,564 | 3,177 | 3,250 |
| Uruguay..... | 46 | 142 | 165 | (²) | 830 | 1,926 | 3,697 | (²) |
| Total..... | 2,113 | 2,793 | 3,444 | | 55,886 | 39,499 | 75,509 | |
| EUROPE. | | | | | | | | |
| Austria ³ | 4,613 | (²) | (²) | (²) | 143,392 | (²) | (²) | (²) |
| Hungary proper ³ | 2,669 | (²) | (²) | (²) | 85,840 | (²) | (²) | (²) |
| Croatia-Slavonia ³ | 246 | (²) | (²) | (²) | 5,216 | (²) | (²) | (²) |
| Bosnia-Herzegovina ³ | 225 | (²) | (²) | (²) | 4,973 | (²) | (²) | (²) |
| Belgium..... | 644 | (²) | (²) | 550 | 40,905 | (²) | (²) | 26,920 |
| Bulgaria ³ | 455 | (²) | (²) | (²) | 9,890 | 110,012 | (²) | (²) |
| Denmark..... | 1,128 | 981 | 937 | 961 | 43,115 | 37,653 | 41,571 | (²) |
| Finland..... | (²) | (²) | (²) | (²) | 21,989 | (²) | (²) | (²) |
| France ³ | 9,001 | 7,368 | 6,721 | 6,815 | 310,020 | 214,259 | 176,504 | 168,303 |
| Germany ³ | 10,750 | 8,625 | 8,071 | 8,091 | 591,996 | 249,964 | 322,475 | (²) |
| Greece..... | (²) | (²) | (²) | 156 | (²) | (²) | (²) | (²) |
| Italy..... | 1,553 | 1,107 | 1,211 | 1,129 | 36,945 | 31,880 | 41,336 | 34,722 |
| Luxemburg..... | (²) | 56 | 48 | (²) | 2,015 | 1,459 | (²) | (²) |
| Netherlands..... | 46 | 371 | 392 | 368 | 18,512 | 18,094 | 18,017 | 20,512 |
| Norway..... | 266 | 356 | 343 | 343 | 10,245 | 17,094 | 16,582 | 16,810 |
| Roumania..... | 1,105 | (²) | 1,064 | 866 | 27,545 | (²) | 5,890 | (²) |
| Russia proper ³ | 38,013 | (²) | (²) | (²) | 874,945 | (²) | (²) | (²) |
| Poland ³ | 2,558 | (²) | (²) | (²) | 76,590 | (²) | (²) | (²) |
| Northern Caucasias ³ | 1,190 | (²) | (²) | (²) | 29,602 | (²) | (²) | (²) |
| Serbia ³ | 266 | (²) | (²) | (²) | 5,443 | (²) | (²) | (²) |
| Spain..... | 1,276 | 1,425 | 1,507 | 1,538 | 29,110 | 33,048 | 30,474 | 28,814 |
| Sweden..... | 1,969 | 1,933 | 1,811 | (²) | 79,115 | 67,112 | 57,880 | (²) |
| United Kingdom: | | | | | | | | |
| England..... | 1,835 | 2,013 | 2,415 | (²) | 74,750 | 80,981 | 104,480 | (²) |
| Wales..... | 204 | 246 | 365 | (²) | 7,274 | 8,678 | 13,847 | (²) |
| Scotland..... | 952 | 1,041 | 1,244 | 1,110 | 37,670 | 44,949 | 53,284 | 40,340 |
| Ireland..... | 1,049 | 1,464 | 1,579 | (²) | 63,083 | 80,119 | 85,822 | (²) |
| Total United Kingdom..... | 4,040 | 4,764 | 5,603 | | 182,777 | 214,727 | 257,433 | |
| Total..... | 83,013 | | | | 2,628,155 | | | |
| ASIA. | | | | | | | | |
| Cyprus..... | (²) | (²) | (²) | (²) | 429 | 447 | (²) | (²) |
| Russia: | | | | | | | | |
| Central Asia (4 govern- ments) ³ | 938 | (²) | (²) | (²) | 15,044 | (²) | (²) | (²) |
| Siberia (4 govern- ments) ³ | 3,972 | (²) | (²) | (²) | 72,305 | (²) | (²) | (²) |
| Transcaucasia (1 govern- ment) ³ | 2 | (²) | (²) | (²) | 54 | (²) | (²) | (²) |
| Total..... | 4,912 | | | | 87,832 | | | |

¹ Five-year average except in a few cases where statistics for 5 years were not available.² No official statistics.³ Old boundaries.⁴ Unofficial estimate.⁵ Excluding Alsace-Lorraine.⁶ Including Bessarabia but excluding Dobruja.

OATS—Continued.

TABLE 31.—Oats: Area and production in undermentioned countries, 1909-1919—Con.
[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|-------------------------------|---------------------------|----------------------|----------------------|----------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| | Average 1909- 1913. | 1917 | 1918 | 1919 | Average 1909- 1913. | 1917 | 1918 | 1919 |
| AFRICA. | | | | | | | | |
| Algeria..... | <i>Acres.</i> 456 | <i>Acres.</i> 682 | <i>Acres.</i> 588 | <i>Acres.</i> 533 | <i>Bushels.</i> 12,950 | <i>Bushels.</i> 16,125 | <i>Bushels.</i> 22,914 | <i>Bushels.</i> 11,219 |
| Tunis..... | 141 | 124 | 151 | 127 | 4,333 | 3,996 | 4,271 | 3,445 |
| Union of South Africa..... | (1) | 250 | 257 | (1) | 7,197 | 6,927 | (1) | (1) |
| Total..... | 597 | 1,056 | 996 | | 24,480 | 27,048 | | |
| AUSTRALASIA. | | | | | | | | |
| Australia: | | | | | | | | |
| Queensland..... | 2 | 7 | (1) | (1) | 47 | 109 | (1) | (1) |
| New South Wales..... | 75 | 67 | (1) | (1) | 1,571 | 1,083 | (1) | (1) |
| Victoria..... | 388 | 442 | (1) | (1) | 8,592 | 8,289 | (1) | (1) |
| South Australia..... | 101 | 152 | 107 | 174 | 1,371 | 1,840 | 1,249 | 1,609 |
| Western Australia..... | 81 | 122 | 96 | (1) | 1,204 | 1,689 | 909 | (1) |
| Tasmania..... | 61 | 55 | (1) | (1) | 2,066 | 1,006 | (1) | (1) |
| Total Australia..... | 708 | 845 | 616 | | 14,851 | 14,016 | 10,387 | |
| New Zealand..... | 376 | 177 | 156 | 173 | 13,664 | 5,371 | 4,943 | 6,926 |
| Total Australasia..... | 1,084 | 1,022 | 772 | | 28,515 | 19,387 | 15,330 | |
| Grand total..... | 138,916 | | | | 4,323,738 | | | |

¹ No official statistics.

TABLE 32.—Oats: Total production in countries named in Table 31. 1895-1916.

| Year. | Production. | Year. | Production. | Year. | Production. | Year. | Production. |
|-----------|-----------------|-----------|-----------------|-----------|-----------------|-----------|-----------------|
| | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> |
| 1895..... | 3,008,154,000 | 1901..... | 2,862,615,000 | 1907..... | 3,603,896,000 | 1913..... | 4,697,437,000 |
| 1896..... | 2,847,115,000 | 1902..... | 3,626,303,000 | 1908..... | 3,591,012,000 | 1914..... | 4,034,857,000 |
| 1897..... | 2,633,971,000 | 1903..... | 3,378,034,000 | 1909..... | 4,312,882,000 | 1915..... | 4,362,713,000 |
| 1898..... | 2,903,974,000 | 1904..... | 3,611,302,000 | 1910..... | 4,182,410,000 | 1916..... | 4,138,050,000 |
| 1899..... | 3,256,256,000 | 1905..... | 3,510,167,000 | 1911..... | 3,808,561,000 | | |
| 1900..... | 3,166,002,000 | 1906..... | 3,544,961,000 | 1912..... | 4,617,394,000 | | |

TABLE 33.—Oats: Average yield per acre in undermentioned countries, 1890-1919.

| Year. | United States. | Russia (European). ¹ | Germany. ¹ | Austria. ¹ | Hungary proper. ¹ | France. ¹ | United Kingdom. ¹ |
|----------------|-----------------|---------------------------------|-----------------------|-----------------------|------------------------------|----------------------|------------------------------|
| Average: | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| 1890-1899..... | 26.1 | 17.8 | 40.0 | 25.3 | | 29.8 | 43.6 |
| 1900-1909..... | 29.3 | 20.0 | 50.7 | 29.8 | 30.7 | 31.6 | 44.3 |
| 1910-1914..... | 30.5 | 21.8 | 54.7 | 37.5 | 31.9 | 31.0 | 42.9 |
| 1906..... | 31.2 | 15.1 | 55.7 | 34.1 | 34.2 | 27.0 | 43.8 |
| 1907..... | 23.7 | 19.7 | 58.3 | 35.7 | 30.0 | 31.8 | 45.1 |
| 1908..... | 25.0 | 20.1 | 50.2 | 32.0 | 26.8 | 29.6 | 43.5 |
| 1909..... | 28.6 | 25.7 | 59.0 | 37.4 | 33.8 | 34.1 | 46.9 |
| 1910..... | 31.6 | 22.5 | 51.3 | 31.5 | 26.8 | 29.8 | 44.3 |
| 1911..... | 24.4 | 18.6 | 49.6 | 33.7 | 33.8 | 30.8 | 41.5 |
| 1912..... | 37.4 | 23.6 | 54.1 | 36.2 | 31.1 | 31.9 | 41.7 |
| 1913..... | 29.2 | 26.3 | 61.1 | 39.3 | 34.6 | 31.6 | 43.0 |
| 1914..... | 29.7 | 17.9 | 57.4 | 46.6 | 33.2 | 31.0 | 44.0 |
| 1915..... | 37.8 | 22.4 | 36.2 | 21.6 | 30.4 | 25.6 | 44.3 |
| 1916..... | 30.1 | | * 54.4 | | | 30.2 | 42.5 |
| 1917..... | 36.6 | | * 29.0 | | | * 36.8 | 45.1 |
| 1918..... | 34.6 | | * 39.9 | | | 28.4 | 46.0 |
| 1919..... | 28.9 | | | | | | |

¹ Bushels of 32 pounds.¹ Winchester bushels.¹ Excluding Alsace-Lorraine.

OATS—Continued.

TABLE 34.—Oats: Acreage, production, value, exports, etc., in the United States, 1849–1919.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value, Dec. 1. | Chicago cash price per bushel, contract. ¹ | | | | Domestic exports, including oatmeal, fiscal year be- ginning July 1. ² | Imports, during fiscal year be- ginning July 1. ³ |
|-------|------------|----------------------------------|---------------|--|---------------------------|--|-------|-------------------|-------|--|---|
| | | | | | | December. | | Following May. | | | |
| | | | | | | Low. | High. | Low. | High. | | |
| | Acres. | Bush. | Bushels. | Cts. | Dollars. | Cts. | Cts. | Cts. | Cts. | Bushels. | Bushels. |
| 1849 | | | 148,584,000 | | | | | | | | |
| 1859 | | | 178,645,000 | | | | | | | | |
| 1866 | 8,864,000 | 30.2 | 268,141,000 | 35.1 | 94,058,000 | 36 | 43 | 59 | 78 | 825,895 | 778,198 |
| 1867 | 10,082,000 | 27.6 | 278,698,000 | 44.5 | 123,903,000 | 52 | 57 | | | 122,554 | 780,798 |
| 1868 | 9,686,000 | 26.4 | 254,961,000 | 41.7 | 106,356,000 | 43 | 49 | 56 | 62 | 481,871 | 326,659 |
| 1869 | 9,461,000 | 30.5 | 288,334,000 | 38.0 | 109,522,000 | 40 | 44 | 46 | 53 | 121,517 | 2,266,785 |
| 1869 | | | 282,107,000 | | | | | | | | |
| 1870 | 8,792,000 | 28.1 | 247,277,000 | 39.0 | 96,444,000 | 37 | 41 | 47 | 51 | 147,572 | 599,514 |
| 1871 | 8,366,000 | 30.6 | 255,743,000 | 36.2 | 92,591,000 | 30 | 33 | 34 | 42 | 262,976 | 535,250 |
| 1872 | 9,001,000 | 30.2 | 271,747,000 | 29.9 | 81,304,000 | 23 | 25 | 30 | 34 | 714,072 | 225,555 |
| 1873 | 9,752,000 | 27.7 | 270,340,000 | 34.6 | 93,474,000 | 34 | 40 | 44 | 48 | 812,873 | 191,802 |
| 1874 | 10,897,000 | 22.1 | 240,369,000 | 47.1 | 113,134,000 | 51 | 54 | 57 | 64 | 504,770 | 1,500,040 |
| 1875 | 11,915,000 | 29.7 | 354,318,000 | 32.0 | 113,441,000 | 29 | 30 | 29 | 31 | 1,466,228 | 121,547 |
| 1876 | 13,359,000 | 24.0 | 320,884,000 | 32.4 | 103,845,000 | 31 | 34 | 37 | 45 | 2,854,128 | 41,597 |
| 1877 | 12,826,000 | 31.7 | 406,394,000 | 28.4 | 115,546,000 | 24 | 27 | 23 | 27 | 3,715,479 | 21,391 |
| 1878 | 13,176,000 | 31.4 | 413,579,000 | 24.6 | 101,752,000 | 19 | 20 | 24 | 30 | 5,452,136 | 13,395 |
| 1879 | 12,684,000 | 28.7 | 363,761,000 | 33.1 | 120,533,000 | 32 | 36 | 29 | 34 | 766,366 | 489,576 |
| 1879 | 16,145,000 | 25.5 | 407,859,000 | | | | | | | | |
| 1880 | 16,188,000 | 25.8 | 417,885,000 | 36.0 | 150,244,000 | 29 | 33 | 36 | 39 | 402,904 | 64,412 |
| 1881 | 16,832,000 | 24.7 | 416,481,000 | 46.4 | 193,199,000 | 43 | 46 | 48 | 56 | 626,690 | 1,850,983 |
| 1882 | 18,495,000 | 26.4 | 488,251,000 | 35.5 | 182,978,000 | 34 | 41 | 38 | 42 | 461,496 | 815,017 |
| 1883 | 20,325,000 | 28.1 | 571,302,000 | 32.7 | 187,040,000 | 29 | 36 | 30 | 34 | 3,274,622 | 121,009 |
| 1884 | 21,301,000 | 27.4 | 583,628,000 | 27.7 | 161,528,000 | 22 | 25 | 24 | 37 | 6,203,104 | 94,310 |
| 1885 | 22,784,000 | 27.6 | 629,409,000 | 28.5 | 179,632,000 | 27 | 29 | 26 | 29 | 7,311,306 | 149,480 |
| 1886 | 23,658,000 | 26.4 | 624,134,000 | 29.8 | 186,138,000 | 25 | 27 | 25 | 27 | 1,374,635 | 139,575 |
| 1887 | 25,921,000 | 25.4 | 659,618,000 | 30.4 | 200,700,000 | 28 | 30 | 32 | 38 | 573,080 | 128,817 |
| 1888 | 26,998,000 | 26.0 | 701,735,000 | 27.8 | 195,424,000 | 25 | 26 | 21 | 23 | 1,191,471 | 131,501 |
| 1889 | 27,462,000 | 27.4 | 751,515,000 | 22.9 | 171,781,000 | 20 | 21 | 24 | 30 | 15,107,238 | 153,232 |
| 1889 | 28,321,000 | 26.6 | 806,251,000 | | | | | | | | |
| 1890 | 26,431,000 | 19.8 | 523,621,000 | 42.4 | 222,048,000 | 39 | 43 | 45 | 54 | 1,382,836 | 41,548 |
| 1891 | 25,582,000 | 28.9 | 738,394,000 | 31.5 | 232,312,000 | 31 | 33 | 29 | 33 | 10,586,644 | 47,782 |
| 1892 | 27,064,000 | 24.4 | 661,035,000 | 31.7 | 209,254,000 | 25 | 31 | 29 | 32 | 2,700,793 | 49,433 |
| 1893 | 27,273,000 | 23.4 | 638,855,000 | 29.4 | 187,576,000 | 27 | 29 | 32 | 36 | 6,290,229 | 31,759 |
| 1894 | 27,024,000 | 24.5 | 662,037,000 | 32.4 | 214,817,000 | 28 | 29 | 27 | 30 | 1,708,824 | 330,318 |
| 1895 | 27,878,000 | 29.6 | 824,444,000 | 19.9 | 163,655,000 | 16 | 17 | 18 | 19 | 15,156,618 | 66,602 |
| 1896 | 27,666,000 | 25.7 | 707,346,000 | 18.7 | 132,485,000 | 16 | 18 | 16 | 18 | 37,725,083 | 131,204 |
| 1897 | 25,730,000 | 27.2 | 698,768,000 | 21.2 | 147,975,000 | 21 | 23 | 26 | 32 | 73,980,307 | 25,983 |
| 1898 | 25,777,000 | 28.4 | 730,907,000 | 25.5 | 186,405,000 | 26 | 27 | 24 | 27 | 32,534,362 | 28,098 |
| 1899 | 26,341,000 | 30.2 | 796,178,000 | 24.9 | 198,168,000 | 24 | 23 | 21 | 23 | 45,048,857 | 54,576 |
| 1899 | 29,540,000 | 31.9 | 943,389,000 | | | | | | | | |
| 1900 | 27,365,000 | 29.6 | 809,126,000 | 25.8 | 208,669,000 | 21 | 22 | 27 | 31 | 42,268,931 | 32,107 |
| 1901 | 28,541,000 | 25.8 | 736,809,000 | 39.9 | 293,659,000 | 42 | 48 | 41 | 49 | 13,277,612 | 38,978 |
| 1902 | 28,653,000 | 34.5 | 987,843,000 | 30.7 | 303,585,000 | 29 | 32 | 33 | 38 | 8,381,805 | 150,065 |
| 1903 | 27,638,000 | 24.4 | 784,094,000 | 34.1 | 267,662,000 | 34 | 38 | 39 | 44 | 1,980,740 | 183,983 |
| 1904 | 27,843,000 | 32.1 | 894,596,000 | 31.3 | 279,900,000 | 28 | 32 | 28 | 32 | 8,394,692 | 55,699 |
| 1905 | 28,047,000 | 34.0 | 953,216,000 | 29.1 | 277,048,000 | 29 | 32 | 32 | 34 | 48,434,541 | 40,025 |
| 1906 | 30,959,000 | 31.2 | 964,905,000 | 31.7 | 306,283,000 | 33 | 35 | 44 | 48 | 6,396,334 | 91,289 |
| 1907 | 31,837,000 | 23.7 | 754,443,000 | 44.3 | 334,568,000 | 46 | 50 | 52 | 56 | 2,518,855 | 383,418 |
| 1908 | 32,344,000 | 25.0 | 807,156,000 | 47.2 | 381,171,000 | 48 | 50 | 56 | 62 | 2,333,817 | 6,091,700 |
| 1909 | 33,204,000 | 30.3 | 1,007,333,000 | | | | | | | | |
| 1909 | 35,159,000 | 28.6 | 1,007,143,000 | 43.2 | 405,121,000 | 40 | 45 | 36 | 43 | 2,548,726 | 1,034,511 |
| 1910 | 37,548,000 | 31.6 | 1,186,341,000 | 34.4 | 408,388,000 | 31 | 32 | 31 | 36 | 3,845,850 | 107,318 |
| 1911 | 37,763,000 | 24.4 | 922,298,000 | 45.0 | 414,663,000 | 46 | 47 | 50 | 58 | 2,677,749 | 2,622,357 |
| 1912 | 37,917,000 | 37.1 | 1,418,337,000 | 31.9 | 452,469,000 | 31 | 31 | 35 | 43 | 36,455,474 | 723,899 |
| 1913 | 38,399,000 | 29.2 | 1,121,768,000 | 39.2 | 439,596,000 | 37 | 40 | 37 | 42 | 2,748,743 | 22,273,624 |
| 1914 | 38,442,000 | 29.7 | 1,141,080,000 | 43.8 | 499,431,000 | 46 | 49 | 50 | 56 | 100,609,272 | 630,722 |
| 1915 | 40,996,000 | 37.8 | 1,549,030,000 | 36.1 | 559,506,000 | 40 | 44 | 39 | 49 | 98,990,481 | 665,314 |
| 1916 | 41,527,000 | 30.1 | 1,251,837,000 | 52.4 | 655,928,000 | 46 | 54 | 59 | 74 | 95,105,098 | 701,644 |
| 1917 | 43,553,000 | 36.6 | 1,592,740,000 | 66.6 | 1,061,474,000 | 70 | 80 | 72 | 79 | 125,080,611 | 2,591,077 |
| 1918 | 44,349,000 | 34.7 | 1,538,124,000 | 70.9 | 1,080,322,000 | 68 | 74 | 67 | 74 | 109,004,734 | 551,355 |
| 1919 | 42,400,000 | 29.4 | 1,248,310,000 | 71.7 | 895,603,000 | 77 | 89 | | | | |

¹ Quotations are for No. 2 to 1906.² Oatmeal not included 1866 to 1882 inclusive.³ Oatmeal not included 1867 to 1882, inclusive, and 1907.⁴ Figures adjusted to census basis.

OATS—Continued.

TABLE 35.—Oats: Revised acreage, production, and farm value, 1879 and 1889–1909.

[See head note of Table 4.]

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|-----------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Aeres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| 1879..... | 16,145,000 | 27.9 | 450,745,000 | 33.3 | 150,178,000 |
| 1889..... | 28,521,000 | 28.3 | 801,586,000 | 21.9 | 175,801,000 |
| 1890..... | 28,102,000 | 20.4 | 572,665,000 | 41.6 | 238,345,000 |
| 1891..... | 27,604,000 | 30.4 | 838,876,000 | 30.6 | 256,814,000 |
| 1892..... | 28,023,000 | 24.8 | 695,267,000 | 31.5 | 218,954,000 |
| 1893..... | 28,452,000 | 23.8 | 676,154,000 | 29.1 | 196,505,000 |
| 1894..... | 28,302,000 | 25.2 | 715,559,000 | 32.1 | 229,538,000 |
| 1895..... | 29,379,000 | 30.2 | 885,900,000 | 19.4 | 172,186,000 |
| 1896..... | 29,645,000 | 26.3 | 780,563,000 | 18.3 | 143,192,000 |
| 1897..... | 28,353,000 | 27.9 | 791,591,000 | 20.8 | 164,886,000 |
| 1898..... | 28,769,000 | 29.3 | 842,747,000 | 25.2 | 212,482,000 |
| 1899..... | 29,540,000 | 31.3 | 925,555,000 | 24.5 | 228,588,000 |
| 1900..... | 30,280,000 | 29.9 | 904,566,000 | 25.4 | 230,160,000 |
| 1901..... | 29,894,000 | 26.0 | 778,531,000 | 40.0 | 311,374,000 |
| 1902..... | 30,578,000 | 34.5 | 1,055,441,000 | 30.6 | 322,944,000 |
| 1903..... | 30,866,000 | 27.5 | 848,824,000 | 33.8 | 286,879,000 |
| 1904..... | 31,353,000 | 32.1 | 1,007,183,000 | 31.0 | 312,467,000 |
| 1905..... | 32,072,000 | 33.3 | 1,068,780,000 | 28.8 | 308,089,000 |
| 1906..... | 33,353,000 | 31.0 | 1,034,623,000 | 31.8 | 329,142,000 |
| 1907..... | 33,641,000 | 24.0 | 807,308,000 | 44.3 | 357,340,000 |
| 1908..... | 34,003,000 | 24.9 | 847,109,000 | 47.3 | 400,363,000 |
| 1909..... | 35,159,000 | 30.4 | 1,068,289,000 | 40.6 | 433,869,000 |

TABLE 36.—Oats: Acreage, production, and total farm value, by States, 1918 and 1919.

| State. | Thousands of acres. | | Production (thousands of bushels). | | Total value, basis Dec. 1 price (thousands of dollars). | |
|---------------------|---------------------|-------|------------------------------------|---------|---|---------|
| | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 |
| Maine..... | 169 | 169 | 5,746 | 6,760 | \$5,286 | \$6,084 |
| New Hampshire..... | 33 | 30 | 1,221 | 1,140 | 1,038 | 992 |
| Vermont..... | 110 | 110 | 3,960 | 4,510 | 3,564 | 4,069 |
| Massachusetts..... | 15 | 12 | 570 | 480 | 513 | 437 |
| Rhode Island..... | 2 | 2 | 68 | 84 | 65 | 76 |
| Connecticut..... | 20 | 19 | 620 | 722 | 546 | 650 |
| New York..... | 1,100 | 1,260 | 29,580 | 51,660 | 24,551 | 43,394 |
| New Jersey..... | 82 | 79 | 2,400 | 3,100 | 1,968 | 2,496 |
| Pennsylvania..... | 1,189 | 1,210 | 36,859 | 47,190 | 29,487 | 37,752 |
| Delaware..... | 5 | 5 | 115 | 175 | 104 | 152 |
| Maryland..... | 65 | 60 | 1,820 | 1,980 | 1,492 | 1,703 |
| Virginia..... | 240 | 225 | 5,280 | 5,175 | 5,280 | 5,175 |
| West Virginia..... | 190 | 160 | 4,750 | 4,320 | 4,322 | 3,981 |
| North Carolina..... | 322 | 300 | 3,767 | 5,100 | 3,993 | 5,508 |
| South Carolina..... | 510 | 500 | 11,730 | 11,000 | 12,903 | 12,980 |
| Georgia..... | 540 | 550 | 10,800 | 11,000 | 12,420 | 13,090 |
| Florida..... | 60 | 60 | 1,140 | 1,080 | 1,368 | 1,242 |
| Ohio..... | 1,548 | 1,700 | 51,858 | 74,800 | 37,338 | 52,360 |
| Indiana..... | 1,825 | 2,025 | 60,225 | 85,050 | 41,555 | 56,984 |
| Illinois..... | 4,102 | 4,508 | 123,060 | 198,352 | 86,142 | 132,896 |
| Michigan..... | 1,475 | 1,658 | 36,875 | 66,320 | 26,181 | 45,761 |
| Wisconsin..... | 2,339 | 2,378 | 78,123 | 110,815 | 54,686 | 74,246 |
| Minnesota..... | 3,220 | 3,282 | 90,100 | 134,562 | 57,702 | 84,774 |
| Iowa..... | 5,670 | 5,823 | 196,182 | 244,566 | 125,556 | 156,522 |
| Missouri..... | 1,417 | 1,524 | 38,259 | 44,196 | 27,164 | 30,937 |
| North Dakota..... | 2,400 | 2,575 | 38,400 | 60,512 | 25,728 | 36,912 |
| South Dakota..... | 1,850 | 2,050 | 53,650 | 79,950 | 33,800 | 47,170 |
| Nebraska..... | 2,133 | 2,531 | 69,962 | 56,188 | 45,475 | 36,522 |
| Kansas..... | 1,574 | 2,329 | 44,229 | 51,238 | 32,287 | 37,404 |
| Kentucky..... | 440 | 400 | 9,900 | 9,600 | 9,009 | 8,640 |

OATS—Continued.

TABLE 36.—Oats: Acreage, production, and total farm value, by States, 1918 and 1919—Continued.

| States. | Thousands of acres. | | Production (thousands of bushels). | | Total value, basis Dec 1 price (thousands of dollars). | |
|--------------------|---------------------|--------|---------------------------------------|-----------|--|-----------|
| | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 |
| Tennessee..... | 400 | 325 | 9,200 | 8,125 | 8,556 | 7,556 |
| Alabama..... | 372 | 428 | 6,696 | 8,132 | 7,031 | 8,701 |
| Mississippi..... | 278 | 322 | 5,282 | 6,440 | 5,546 | 6,891 |
| Louisiana..... | 75 | 80 | 1,650 | 2,000 | 1,650 | 1,980 |
| Texas..... | 2,250 | 1,510 | 94,500 | 22,197 | 60,480 | 20,421 |
| Oklahoma..... | 1,500 | 1,300 | 49,500 | 31,200 | 34,650 | 26,208 |
| Arkansas..... | 420 | 390 | 9,240 | 9,945 | 8,131 | 8,752 |
| Montana..... | 612 | 680 | 6,120 | 20,400 | 5,569 | 16,320 |
| Wyoming..... | 315 | 285 | 5,670 | 11,685 | 6,350 | 9,348 |
| Colorado..... | 249 | 251 | 6,524 | 7,539 | 5,872 | 6,024 |
| New Mexico..... | 65 | 46 | 2,340 | 1,288 | 2,223 | 1,146 |
| Arizona..... | 13 | 11 | 653 | 440 | 533 | 526 |
| Utah..... | 72 | 90 | 2,448 | 4,050 | 2,399 | 3,923 |
| Nevada..... | 12 | 14 | 384 | 532 | 344 | 626 |
| Idaho..... | 220 | 237 | 7,700 | 9,480 | 7,546 | 8,911 |
| Washington..... | 320 | 310 | 12,800 | 8,370 | 11,904 | 8,208 |
| Oregon..... | 347 | 361 | 11,104 | 9,025 | 10,218 | 8,664 |
| California..... | 175 | 175 | 5,250 | 5,600 | 5,040 | 5,264 |
| United States..... | 42,400 | 44,349 | 1,248,310 | 1,538,124 | 895,603 | 1,090,322 |

TABLE 37.—Oats: Production and distribution in the United States, 1897-1919.

[000 omitted, except in weight and quality columns.]

| Year. | Old stock on farms Aug. 1. | Crop. | | | Total supplies. | Stock on farms Mar. 1 following. | Shipped out of county where grown. |
|-----------|----------------------------------|-----------------|--------------------------|---------------|--------------------|---|--|
| | | Quantity. | Weight per bushel. | Quality. | | | |
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Pounds.</i> | <i>P. ct.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| 1897..... | 71,139 | 698,768 | 28.6 | 87.6 | 769,907 | 271,729 | 204,147 |
| 1898..... | 44,554 | 730,907 | 30.5 | 84.5 | 775,461 | 283,209 | 193,527 |
| 1899..... | 50,537 | 796,178 | 29.7 | 89.5 | 846,715 | 290,937 | 223,014 |
| 1900..... | 54,214 | 809,126 | 31.3 | 89.2 | 863,340 | 292,803 | 242,850 |
| 1901..... | 47,713 | 736,409 | 31.1 | 83.7 | 784,522 | 226,393 | 143,398 |
| 1902..... | 30,570 | 987,843 | 30.7 | 86.7 | 1,018,413 | 364,926 | 258,438 |
| 1903..... | 73,352 | 784,094 | 31.0 | 79.9 | 857,446 | 273,708 | 223,959 |
| 1904..... | 42,194 | 894,596 | 29.7 | 91.4 | 936,790 | 347,166 | 261,989 |
| 1905..... | 55,836 | 953,216 | 31.5 | 92.4 | 1,009,052 | 379,805 | 277,133 |
| 1906..... | 67,688 | 964,905 | 32.0 | 88.2 | 1,032,593 | 384,461 | 266,182 |
| 1907..... | 68,258 | 754,443 | 29.4 | 77.0 | 822,701 | 267,476 | 210,923 |
| 1908..... | 37,797 | 807,156 | 29.8 | 81.3 | 844,953 | 278,847 | 244,444 |
| 1909..... | 26,323 | 1,007,143 | 32.7 | 91.4 | 1,033,466 | 365,438 | 329,255 |
| 1910..... | 64,200 | 1,186,341 | 32.7 | 93.8 | 1,250,541 | 442,665 | 365,103 |
| 1911..... | 67,801 | 922,298 | 31.1 | 84.6 | 990,099 | 289,989 | 263,944 |
| 1912..... | 34,875 | 1,418,337 | 33.0 | 91.0 | 1,453,212 | 604,249 | 438,130 |
| 1913..... | 103,916 | 1,121,768 | 32.1 | 89.1 | 1,225,684 | 419,481 | 297,365 |
| 1914..... | 62,467 | 1,141,060 | 31.5 | 86.5 | 1,203,527 | 379,369 | 335,539 |
| 1915..... | 55,607 | 1,549,030 | 33.0 | 87.5 | 1,604,637 | 598,148 | 465,823 |
| 1916..... | 113,728 | 1,251,837 | 31.2 | 88.2 | 1,365,565 | 394,211 | 355,092 |
| 1917..... | 47,834 | 1,592,740 | 33.4 | 95.1 | 1,640,574 | 599,208 | 514,117 |
| 1918..... | 81,424 | 1,538,124 | 33.2 | 93.6 | 1,619,548 | 590,251 | 421,568 |
| 1919..... | 93,045 | 1,248,310 | 31.1 | 84.7 | 1,341,355 | 422,814 | 321,223 |

OATS—Continued.

TABLE 38.—Oats: Yield per acre, price per bushel Dec. 1, and value per acre. by States.

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars). | | | |
|---------|-----------------------------|------|------|------|------|------|------|------|------|------|--------------------------------|-----------------------------|------|------|------|---------------------------|------|----------------------------|-------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average, 1914-1918. | 1919 |
| Me. | 37.6 | 42.4 | 38.5 | 34.6 | 40.0 | 41.0 | 40.0 | 36.0 | 29.0 | 40.0 | 34.0 | 64 | 45 | 67 | 85 | 90 | 92 | 25.23 | 31.28 |
| N. H. | 37.7 | 42.8 | 33.8 | 39.0 | 35.0 | 38.0 | 38.0 | 37.0 | 38.0 | 38.0 | 37.0 | 65 | 54 | 69 | 84 | 87 | 85 | 26.61 | 31.45 |
| Vt. | 38.9 | 41.5 | 35.0 | 43.0 | 39.0 | 42.5 | 43.0 | 32.0 | 36.0 | 41.0 | 36.0 | 65 | 53 | 65 | 85 | 90 | 90 | 26.89 | 32.40 |
| Mass. | 36.0 | 35.5 | 35.0 | 34.0 | 35.0 | 37.0 | 36.0 | 32.0 | 37.0 | 40.0 | 38.0 | 64 | 51 | 66 | 81 | 91 | 90 | 25.31 | 34.20 |
| R. I. | 31.4 | 33.5 | 29.0 | 28.6 | 26.0 | 27.5 | 33.0 | 27.0 | 31.0 | 42.0 | 34.0 | 64 | 50 | 68 | 75 | 90 | 95 | 22.37 | 32.30 |
| Conn. | 32.4 | 36.8 | 35.1 | 30.7 | 28.0 | 29.0 | 32.5 | 30.0 | 33.0 | 38.0 | 31.0 | 64 | 55 | 69 | 79 | 90 | 88 | 22.96 | 27.28 |
| N. Y. | 32.8 | 34.5 | 29.5 | 30.8 | 33.5 | 53.1 | 54.0 | 26.0 | 35.0 | 41.0 | 25.5 | 58 | 45 | 62 | 75 | 84 | 83 | 22.22 | 21.16 |
| N. J. | 31.8 | 37.1 | 28.5 | 27.6 | 29.0 | 29.0 | 32.5 | 30.0 | 34.0 | 40.0 | 30.0 | 58 | 48 | 61 | 70 | 79 | 80 | 20.99 | 24.00 |
| Pa. | 33.2 | 35.5 | 28.3 | 33.1 | 31.0 | 30.0 | 38.0 | 31.0 | 35.0 | 39.0 | 31.0 | 56 | 44 | 57 | 73 | 80 | 80 | 21.29 | 24.80 |
| Del. | 30.5 | 33.8 | 30.0 | 30.5 | 30.5 | 27.0 | 33.5 | 30.0 | 32.0 | 35.0 | 23.0 | 60 | 51 | 62 | 78 | 87 | 90 | 20.02 | 20.70 |
| Md. | 29.8 | 30.0 | 27.0 | 30.0 | 28.0 | 27.0 | 34.0 | 29.5 | 31.0 | 33.0 | 28.0 | 59 | 49 | 61 | 75 | 86 | 82 | 20.07 | 22.06 |
| Va. | 21.9 | 22.0 | 20.0 | 22.2 | 21.5 | 15.5 | 25.0 | 23.5 | 24.5 | 23.0 | 22.0 | 67 | 55 | 63 | 84 | 100 | 100 | 16.22 | 22.00 |
| W. Va. | 25.0 | 25.2 | 22.0 | 28.0 | 24.0 | 20.0 | 29.0 | 23.0 | 27.0 | 27.0 | 25.0 | 64 | 51 | 64 | 79 | 91 | 91 | 17.28 | 22.75 |
| N. C. | 17.6 | 18.2 | 16.5 | 18.6 | 19.5 | 17.5 | 23.0 | 17.5 | 16.0 | 17.0 | 11.7 | 75 | 62 | 74 | 93 | 108 | 106 | 14.37 | 12.40 |
| S. C. | 20.3 | 21.0 | 20.4 | 21.5 | 23.5 | 20.0 | 19.0 | 18.0 | 15.0 | 22.0 | 23.0 | 82 | 67 | 80 | 100 | 118 | 110 | 16.46 | 25.30 |
| Ga. | 19.8 | 18.2 | 21.5 | 20.8 | 22.0 | 20.0 | 19.5 | 19.5 | 16.0 | 20.0 | 20.0 | 83 | 66 | 79 | 117 | 119 | 115 | 16.96 | 23.00 |
| Fla. | 16.9 | 16.2 | 13.5 | 17.2 | 18.0 | 18.0 | 20.0 | 15.0 | 14.0 | 18.0 | 19.0 | 82 | 70 | 71 | 98 | 115 | 120 | 14.33 | 22.80 |
| Ohio | 36.4 | 37.2 | 33.2 | 14.4 | 0.30 | 2.30 | 5.41 | 0.28 | 0.44 | 0.44 | 0.33.5 | 49 | 36 | 53 | 64 | 70 | 72 | 20.46 | 24.12 |
| Ind. | 34.1 | 35.4 | 28.7 | 40.1 | 21.4 | 28.5 | 40.0 | 30.0 | 42.0 | 42.0 | 33.0 | 47 | 34 | 51 | 63 | 67 | 69 | 19.15 | 22.77 |
| Ill. | 37.3 | 38.0 | 28.8 | 43.3 | 23.8 | 29.3 | 45.0 | 38.5 | 52.0 | 44.0 | 30.0 | 47 | 35 | 51 | 65 | 67 | 70 | 22.31 | 21.00 |
| Mich. | 33.4 | 34.0 | 28.6 | 34.9 | 30.0 | 33.5 | 42.0 | 30.0 | 36.0 | 40.0 | 25.0 | 49 | 35 | 53 | 64 | 69 | 71 | 19.26 | 17.75 |
| Wis. | 36.8 | 29.8 | 29.8 | 37.3 | 33.6 | 5.27 | 0.46 | 5.37 | 0.44 | 0.46 | 0.33.4 | 48 | 36 | 51 | 66 | 67 | 70 | 21.50 | 23.38 |
| Minn. | 33.4 | 28.7 | 22.8 | 41.7 | 37.8 | 28.0 | 43.0 | 26.5 | 37.0 | 41.0 | 28.0 | 44 | 32 | 47 | 63 | 63 | 64 | 17.31 | 17.92 |
| Iowa | 37.6 | 37.8 | 25.5 | 44.2 | 34.5 | 33.0 | 40.0 | 37.0 | 47.0 | 42.0 | 34.0 | 44 | 32 | 48 | 63 | 64 | 73 | 14.22 | 12.14 |
| Mo. | 27.1 | 33.6 | 14.8 | 33.0 | 21.2 | 21.5 | 26.0 | 25.0 | 40.0 | 29.0 | 27.0 | 49 | 38 | 53 | 61 | 70 | 71 | 15.46 | 19.17 |
| N. Dak. | 24.2 | 7.0 | 23.5 | 41.4 | 25.7 | 28.0 | 40.0 | 21.5 | 15.0 | 23.5 | 16.0 | 43 | 27 | 44 | 62 | 61 | 67 | 10.85 | 10.72 |
| S. Dak. | 29.3 | 23.0 | 7.4 | 33.8 | 26.5 | 27.5 | 42.0 | 30.5 | 34.0 | 39.0 | 29.0 | 43 | 28 | 46 | 61 | 59 | 63 | 16.00 | 18.27 |
| Nebr. | 25.8 | 28.0 | 13.9 | 24.4 | 26.5 | 32.0 | 32.0 | 35.5 | 38.0 | 22.2 | 23.2 | 45 | 31 | 47 | 61 | 65 | 65 | 15.40 | 21.32 |
| Kans. | 26.4 | 33.3 | 15.0 | 32.0 | 19.5 | 33.5 | 26.5 | 23.5 | 31.0 | 22.2 | 28.1 | 50 | 37 | 55 | 64 | 73 | 73 | 14.54 | 20.51 |
| Ky. | 23.1 | 25.0 | 18.4 | 26.9 | 19.8 | 21.0 | 26.0 | 21.0 | 26.0 | 24.0 | 22.5 | 61 | 48 | 60 | 76 | 90 | 91 | 15.51 | 20.48 |
| Tenn. | 22.7 | 23.0 | 19.5 | 21.7 | 21.0 | 23.0 | 24.5 | 21.0 | 25.0 | 25.0 | 23.0 | 63 | 50 | 62 | 83 | 93 | 93 | 16.29 | 21.39 |
| Ala. | 19.2 | 18.5 | 19.2 | 20.0 | 20.0 | 20.0 | 19.0 | 17.5 | 18.0 | 19.0 | 18.0 | 78 | 63 | 75 | 102 | 107 | 105 | 15.79 | 18.90 |
| Miss. | 19.6 | 19.2 | 18.4 | 17.4 | 20.0 | 23.0 | 21.5 | 18.0 | 19.0 | 20.0 | 19.0 | 75 | 60 | 74 | 94 | 107 | 105 | 16.09 | 19.95 |
| La. | 22.2 | 21.5 | 21.0 | 20.8 | 22.0 | 23.0 | 25.0 | 19.0 | 22.3 | 25.0 | 22.0 | 70 | 55 | 68 | 94 | 99 | 100 | 17.37 | 22.00 |
| Tex. | 30.0 | 35.0 | 25.1 | 36.0 | 32.5 | 25.0 | 35.5 | 28.5 | 26.0 | 14.7 | 42.0 | 58 | 42 | 61 | 82 | 92 | 64 | 15.83 | 26.88 |
| Okla. | 23.6 | 36.5 | 9.0 | 25.1 | 18.0 | 27.5 | 27.0 | 12.5 | 23.0 | 24.0 | 33.0 | 53 | 35 | 57 | 75 | 84 | 70 | 13.05 | 23.10 |
| Ark. | 24.1 | 27.5 | 20.0 | 19.9 | 26.5 | 24.0 | 27.0 | 21.0 | 28.0 | 25.5 | 22.0 | 63 | 52 | 68 | 75 | 88 | 88 | 16.90 | 19.36 |
| Mont. | 26.4 | 38.0 | 49.8 | 48.0 | 43.5 | 35.0 | 52.0 | 38.0 | 20.0 | 30.0 | 10.0 | 52 | 32 | 47 | 81 | 80 | 91 | 17.67 | 9.10 |
| Wyo. | 35.3 | 32.0 | 34.5 | 41.8 | 38.0 | 35.0 | 42.0 | 35.0 | 36.0 | 41.0 | 18.0 | 60 | 43 | 60 | 80 | 80 | 112 | 23.49 | 20.16 |
| Colo. | 35.8 | 39.1 | 35.0 | 42.8 | 35.0 | 40.0 | 39.0 | 33.0 | 38.0 | 30.0 | 26.2 | 57 | 41 | 60 | 76 | 80 | 90 | 21.33 | 23.58 |
| N. Mex. | 32.8 | 27.4 | 38.8 | 34.7 | 30.0 | 38.0 | 36.0 | 29.0 | 30.0 | 28.0 | 36.0 | 65 | 50 | 67 | 84 | 89 | 95 | 20.93 | 34.20 |
| Ariz. | 40.7 | 40.1 | 42.0 | 44.7 | 43.0 | 42.0 | 37.0 | 37.5 | 40.0 | 40.0 | 44.0 | 80 | 64 | 80 | 96 | 120 | 100 | 33.90 | 41.00 |
| Utah. | 44.4 | 43.0 | 44.7 | 40.4 | 46.0 | 50.0 | 47.0 | 43.5 | 44.0 | 45.0 | 34.0 | 61 | 45 | 61 | 85 | 97 | 98 | 30.05 | 33.32 |
| Nev. | 42.3 | 44.7 | 45.0 | 40.0 | 43.0 | 52.0 | 45.0 | 43.0 | 40.0 | 38.0 | 32.0 | 74 | 55 | 75 | 96 | 118 | 100 | 33.77 | 32.00 |
| Idaho. | 42.5 | 38.5 | 44.0 | 48.9 | 46.5 | 44.0 | 47.0 | 43.0 | 38.0 | 40.0 | 35.0 | 54 | 34 | 54 | 77 | 94 | 98 | 24.56 | 34.30 |
| Wash. | 44.5 | 42.8 | 51.7 | 48.2 | 47.5 | 47.0 | 50.0 | 52.0 | 38.5 | 27.0 | 40.0 | 58 | 37 | 51 | 81 | 98 | 93 | 24.48 | 37.20 |
| Oreg. | 35.9 | 34.5 | 34.7 | 38.2 | 42.3 | 35.0 | 44.0 | 48.0 | 25.0 | 25.0 | 32.0 | 56 | 37 | 49 | 75 | 96 | 92 | 19.66 | 29.44 |
| Calif. | 33.9 | 37.0 | 34.0 | 39.0 | 31.6 | 35.0 | 33.0 | 32.5 | 35.0 | 32.0 | 30.0 | 67 | 50 | 72 | 85 | 94 | 96 | 23.66 | 28.80 |
| U. S. | 32.1 | 31.6 | 24.4 | 37.4 | 29.2 | 29.7 | 37.8 | 30.1 | 36.6 | 34.7 | 29.4 | 60.2 | 36.1 | 52.4 | 66.6 | 70.9 | 71.7 | 18.28 | 21.12 |

! Based upon farm price Dec. 1.

OATS—Continued.

TABLE 39.—Oats: Farm price, cents per bushel on first of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|------|------|------|------|------|------|------|------|------|------|----------|
| Jan. 1..... | 70.8 | 73.9 | 51.4 | 39.1 | 45.0 | 39.1 | 32.2 | 45.1 | 33.2 | 42.8 | 47.8 |
| Feb. 1..... | 64.3 | 78.7 | 55.2 | 44.6 | 50.1 | 39.3 | 32.4 | 47.5 | 33.1 | 45.0 | 49.0 |
| Mar. 1..... | 62.6 | 86.2 | 56.9 | 42.7 | 52.1 | 38.9 | 33.1 | 49.8 | 32.8 | 46.0 | 50.1 |
| Apr. 1..... | 65.8 | 88.9 | 61.5 | 42.0 | 53.4 | 39.5 | 33.1 | 52.0 | 32.3 | 45.6 | 51.4 |
| May 1..... | 70.9 | 86.0 | 71.0 | 42.6 | 53.4 | 39.5 | 34.2 | 56.0 | 33.2 | 43.3 | 53.0 |
| June 1..... | 71.2 | 78.1 | 69.9 | 42.1 | 51.3 | 40.0 | 36.0 | 55.3 | 34.7 | 43.0 | 52.3 |
| July 1..... | 70.9 | 76.3 | 68.9 | 40.4 | 46.7 | 38.8 | 37.7 | 52.5 | 37.5 | 42.1 | 51.2 |
| Aug. 1..... | 75.3 | 73.0 | 73.7 | 40.1 | 45.4 | 36.7 | 37.6 | 44.3 | 40.2 | 41.7 | 50.8 |
| Sept. 1..... | 71.7 | 70.3 | 61.7 | 43.1 | 38.5 | 42.3 | 39.3 | 35.0 | 40.4 | 38.4 | 48.1 |
| Oct. 1..... | 68.4 | 71.0 | 62.3 | 44.5 | 34.5 | 43.3 | 39.6 | 33.6 | 42.5 | 36.2 | 47.6 |
| Nov. 1..... | 68.7 | 68.2 | 61.7 | 49.0 | 34.9 | 42.9 | 37.9 | 33.6 | 43.8 | 34.9 | 47.6 |
| Dec. 1..... | 71.7 | 70.9 | 66.6 | 52.4 | 36.1 | 43.8 | 39.2 | 31.9 | 45.0 | 34.4 | 49.2 |
| Average..... | 69.5 | 74.6 | 62.7 | 44.0 | 42.5 | 40.9 | 36.8 | 41.4 | 38.7 | 39.9 | 49.1 |

TABLE 40.—Oats: Condition of crop, United States, on first of months named, 1899-1919.

| Year. | June. | July. | August. | When harvested. | Year. | June. | July. | August. | When harvested. | Year. | June. | July. | August. | When harvested. |
|-----------|-------|-------|---------|-----------------|-----------|-------|-------|---------|-----------------|-----------|-------|-------|---------|-----------------|
| 1899..... | 88.7 | 90.0 | 90.8 | 87.2 | 1906..... | 85.9 | 84.0 | 82.8 | 81.9 | 1913..... | 87.0 | 76.3 | 73.8 | 74.0 |
| 1900..... | 91.7 | 85.5 | 85.0 | 82.9 | 1907..... | 81.6 | 81.0 | 75.6 | 65.5 | 1914..... | 89.5 | 84.7 | 79.4 | 75.8 |
| 1901..... | 85.3 | 83.7 | 73.5 | 72.1 | 1908..... | 92.9 | 85.7 | 76.8 | 69.7 | 1915..... | 92.2 | 93.9 | 91.6 | 91.1 |
| 1902..... | 90.6 | 82.1 | 89.4 | 87.2 | 1909..... | 88.7 | 85.3 | 85.5 | 83.8 | 1916..... | 86.9 | 86.3 | 81.5 | 78.0 |
| 1903..... | 85.5 | 84.8 | 79.5 | 75.7 | 1910..... | 91.0 | 82.3 | 81.5 | 82.3 | 1917..... | 88.8 | 89.4 | 87.2 | 90.4 |
| 1904..... | 86.2 | 89.8 | 86.6 | 85.6 | 1911..... | 85.7 | 68.3 | 65.7 | 64.5 | 1918..... | 93.2 | 85.5 | 82.8 | 84.4 |
| 1905..... | 92.9 | 92.1 | 90.8 | 90.3 | 1912..... | 91.1 | 89.2 | 90.3 | 92.3 | 1919..... | 93.2 | 87.0 | 76.5 | 73.1 |

TABLE 41.—Oats: Monthly marketings by farmers, 1914-1919.

| Month. | Estimated amount sold monthly by farmers of United States (millions of bushels). | | | | | Per cent of year's sales. | | | | |
|----------------|--|---------|---------|---------|---------|---------------------------|---------|---------|---------|---------|
| | 1918-19 | 1917-18 | 1916-17 | 1915-16 | 1914-15 | 1918-19 | 1917-18 | 1916-17 | 1915-16 | 1914-15 |
| July..... | 34 | 24 | 31 | 23 | 35 | 8.0 | 4.7 | 8.3 | 5.1 | 10.4 |
| August..... | 82 | 82 | 87 | 53 | 64 | 19.6 | 16.4 | 23.3 | 11.8 | 18.7 |
| September..... | 50 | 67 | 51 | 59 | 55 | 11.9 | 13.5 | 13.5 | 13.0 | 16.3 |
| October..... | 42 | 56 | 40 | 57 | 40 | 9.9 | 11.1 | 10.7 | 12.7 | 11.7 |
| November..... | 30 | 38 | 30 | 48 | 27 | 7.2 | 7.7 | 8.0 | 10.6 | 7.9 |
| December..... | 28 | 39 | 21 | 47 | 23 | 6.7 | 7.8 | 5.7 | 10.5 | 6.9 |
| January..... | 28 | 42 | 28 | 33 | 26 | 6.7 | 8.3 | 7.5 | 7.4 | 7.6 |
| February..... | 19 | 40 | 20 | 36 | 19 | 4.5 | 8.0 | 5.3 | 8.0 | 5.6 |
| March..... | 23 | 35 | 20 | 23 | 15 | 5.5 | 7.1 | 5.2 | 5.0 | 4.4 |
| April..... | 27 | 33 | 14 | 21 | 13 | 6.3 | 6.5 | 3.8 | 4.6 | 3.7 |
| May..... | 29 | 20 | 17 | 28 | 10 | 7.0 | 4.0 | 4.4 | 6.3 | 3.1 |
| June..... | 28 | 24 | 16 | 22 | 13 | 6.7 | 4.9 | 4.3 | 5.0 | 3.7 |
| Season..... | 420 | 500 | 375 | 450 | 340 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TABLE 42.—Oats: Wholesale price per bushel, 1913-1919.

| Date. | New York. | | | Baltimore. | | | Cincinnati. | | | Chicago. | | | Milwaukee. | | | Duluth. | | | Detroit. | | | San Francisco | | |
|--------------------|---------------------------|-------|------------|--------------|-------|------------|--------------|-------|------------|------------------------|-------|------------|--------------|-------|------------|--------------|-------|------------|------------------------|-------|------------|------------------------------------|-------|------------|
| | No. 2 white. ¹ | | | No. 3 white. | | | No. 2 mixed. | | | Contract. ² | | | No. 3 white. | | | No. 3 white. | | | Standard. ³ | | | White (per 100 lbs.). ⁴ | | |
| | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. |
| 1913. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | Cts. 36½ | 47 | 40.4 | Cts. 3½ | 47 | 41.6 | Cts. 3½ | 43½ | 38.4 | Cts. 31½ | 43½ | 35.4 | Cts. 41½ | 42½ | 33.4 | Cts. 41½ | 41½ | 33.0 | Cts. 34½ | 44½ | Cts. 44½ | Dolla. 1.44 | 1.68 | 1.55 |
| July-December..... | 42½ | 45½ | 45.4 | 45 | 47½ | 46.2 | 39 | 42½ | 42.3 | 38½ | 43 | 39.7 | 33½ | 44 | 40.6 | 33½ | 42½ | 37.8 | 41 | 45½ | 1.38 | 1.58 | 1.48 | |
| 1914. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 43½ | 48½ | 45.9 | 42½ | 46½ | 45.6 | 39½ | 44 | 41.6 | 39½ | 42½ | 38.9 | 33½ | 43 | 39.4 | 33½ | 40 | 37.0 | 39½ | 45 | 41.6 | 1.22 | 1.46 | 1.31 |
| July-December..... | 43½ | 58½ | 51.3 | 41½ | 55 | 49.7 | 35 | 51 | 45.7 | 33½ | 51½ | 45.0 | 34½ | 52 | 45.2 | 50½ | 50½ | 43.7 | 37½ | 53 | 47.4 | 1.20 | 1.60 | 1.43 |
| 1915. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 53½ | 66½ | 61.2 | 50 | 64 | 59.0 | 46 | 61½ | 55.8 | 49½ | 60½ | 54.2 | 47½ | 63 | 54.8 | 58½ | 52.9 | 50 | 62 | 65 | 57.0 | 1.40 | 1.85 | 1.72 |
| July-December..... | 55 | 70½ | 64.2 | 58 | 66 | 47.1 | 33 | 60 | 42.0 | 35½ | 60 | 43.9 | 33½ | 63 | 42.4 | 58 | 39.2 | 36½ | 65 | 65 | 46.8 | 1.30 | 1.50 | 1.39 |
| 1916. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 44½ | 57½ | 54.1 | 43 | 55½ | 48.4 | 38 | 55½ | 45.0 | 37½ | 51 | 45.0 | 38½ | 55 | 44.7 | 49½ | 42.1 | 41 | 55½ | 60½ | 47.4 | 1.32 | 1.58 | 1.46 |
| July-December..... | 44½ | 64 | 60.3 | 43½ | 61½ | 53.0 | 39 | 61 | 54.4 | 38½ | 57 | 47.3 | 38½ | 58½ | 48.1 | 56½ | 45.9 | 42½ | 60½ | 60½ | 51.3 | 1.50 | 2.08 | 1.77 |
| 1917. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 61 | 79½ | 73.3 | 61 | 80 | 71.4 | 53½ | 74½ | 65.1 | 51½ | 74 | 61.7 | 51½ | 77 | 64.0 | 76½ | 60.6 | 57 | 79 | 79 | 67.8 | 1.95 | 2.95 | 2.33 |
| July-December..... | 64½ | 93½ | 76.6 | 62 | 100 | 75.9 | 56 | 86½ | 68.2 | 51 | 85 | 66.2 | 52 | 89½ | 67.9 | 81½ | 65.1 | 55½ | 89½ | 89½ | 71.1 | 2.25 | 3.00 | 2.72 |
| 1918. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 79 | 109 | 96.3 | 76½ | 107½ | 94.0 | 68 | 99 | 84.3 | 71 | 93 | 82.5 | 71½ | 96 | 85.0 | 96½ | 83.2 | 75 | 101 | 101 | 87.7 | | | |
| July-December..... | 78½ | 90½ | 83.0 | 70 | 88 | 80.3 | 64 | 77 | 72.1 | 66½ | 78½ | 71.9 | 65½ | 80 | 72.3 | 81½ | 68.2 | 68 | 83½ | 83½ | 74.4 | | | |
| 1919. | | | | | | | | | | | | | | | | | | | | | | | | |
| January..... | 67 | 81½ | 76.6 | 65 | 80½ | 75.8 | 56 | 74 | 68.9 | 54 | 76½ | 67.1 | 51 | 73 | 65.2 | 49 | 69 | 61.6 | 58 | 74½ | 68.8 | 2.30 | 2.55 | 2.45 |
| February..... | 66 | 70 | 68.2 | 63 | 66 | 64.9 | 58 | 71 | 65.6 | 54½ | 64 | 59.5 | 56 | 69 | 63.3 | 56½ | 65 | 57.3 | 59 | 62½ | 60.5 | 2.05 | 2.35 | 2.28 |
| March..... | 62 | 79 | 73.2 | 60½ | 75 | 71.4 | 60½ | 71½ | 65.6 | 58½ | 70 | 64.1 | 57 | 69 | 63.3 | 56½ | 65 | 60.8 | 61½ | 70 | 66.1 | 1.95 | 2.12½ | 2.02 |
| April..... | 76 | 81½ | 79.0 | 73 | 80 | 74.3 | 67 | 73 | 69.8 | 66½ | 75½ | 70.6 | 63½ | 74½ | 69.9 | 61½ | 70½ | 66.4 | 69½ | 73½ | 71.8 | 2.00 | 2.05 | 2.02 |
| May..... | 78 | 82 | 80.1 | 77½ | 79½ | 78.2 | 69 | 73 | 71.2 | 67½ | 74½ | 70.4 | 68 | 74 | 70.4 | 67½ | 68.5 | 73 | 74½ | 73 | 73.7 | 2.00 | 2.06 | 2.02 |
| June..... | 79 | 83½ | 80.8 | 76½ | 80 | 78.3 | 70 | 73 | 71.8 | 67½ | 74 | 70.5 | 67½ | 72½ | 69.5 | 67½ | 68½ | 65.9 | 70 | 75 | 73.0 | 2.00 | 2.60 | 2.11 |
| January-June..... | 62 | 83½ | 76.3 | 63 | 80½ | 73.8 | 56 | 74 | 68.1 | 54 | 76½ | 67.0 | 51 | 74½ | 66.3 | 49 | 70½ | 62.9 | 58 | 75½ | 69.0 | 1.95 | 2.60 | 2.15 |
| July..... | 78 | 91 | 86.5 | 70½ | 92½ | 85.2 | 70½ | 83 | 77.0 | 69½ | 83 | 78.5 | 68 | 83 | 77.7 | 65 | 79½ | 74.4 | 71½ | 85 | 80.3 | 2.50 | 2.95 | 2.62 |
| August..... | 81 | 80½ | 82.8 | 73½ | 88.8 | 71 | 79½ | 79 | 74.2 | 65½ | 80½ | 75.1 | 68½ | 79½ | 74.2 | 65 | 79½ | 73.4 | 76 | 83½ | 80.0 | 2.80 | 2.85 | 2.88 |
| September..... | 77 | 83 | 80.6 | 73½ | 79 | 75.8 | 70½ | 73½ | 72.2 | 65½ | 74½ | 70.4 | 63½ | 73½ | 68.4 | 61½ | 69½ | 65.4 | 71 | 80 | 73.9 | 2.80 | 2.90 | 2.83 |
| October..... | 80 | 83 | 81.4 | 70½ | 78 | 77.2 | 70½ | 74 | 72.2 | 68½ | 73½ | 71.0 | 64½ | 70½ | 73.0 | 67½ | 70½ | 68.0 | 73 | 75 | 74.1 | 3.00 | 3.10 | 2.87 |
| November..... | 81 | 84 | 82.5 | 79½ | 82½ | 80.2 | 74 | 76 | 75.0 | 71½ | 80 | 75.3 | 68½ | 73½ | 71.4 | 67½ | 70½ | 70.0 | 76½ | 78 | 77.0 | 3.00 | 3.10 | 3.06 |
| December..... | 78½ | 96½ | 94.3 | 85 | 90 | 87.8 | 80 | 86½ | 83.6 | 77 | 89 | 84.0 | 77½ | 88½ | 83.0 | 71½ | 86½ | 80.3 | 79 | 89½ | 86.8 | 3.00 | 3.10 | 3.06 |
| July-December..... | 77 | 96½ | 85.3 | 73½ | 92½ | 82.5 | 70½ | 86½ | 75.7 | 65½ | 89 | 76.0 | 68 | 89½ | 74.6 | 61½ | 86½ | 71.4 | 71 | 89½ | 78.7 | 2.50 | 3.10 | 2.83 |

1 No. 3 white 1910-1913.
2 Standard January-June 1919 and No. 2 white July
3 Nos. 1 and 2 white June, 1919.
4 Red feed 1919.

¹ No. 3 white 1916-1918.² Standard January-June 1919 and No. 2 white July.³ Nos. 1 and 2 white June, 1919.⁴ Red feed 1919.

OATS—Continued.

TABLE 43.—Oats (including oatmeal): International trade, calendar years 1911–1913, 1917, and 1918.

[See "General note," Table 12.]

EXPORTS.

[000 omitted.]

| Country. | Average 1911–1913. | 1917 (prelim.). | 1918 (prelim.). | Country. | Average 1911–1913. | 1917 (prelim.). | 1918 (prelim.). |
|----------------|-----------------------|--------------------|--------------------|---------------------|-----------------------|--------------------|--------------------|
| <i>From—</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>From—</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Algeria..... | 1,206 | 4,525 | 6,900 | Netherlands..... | 33,814 | | |
| Argentina..... | 52,754 | 18,719 | 37,347 | Roumania..... | 10,012 | | |
| Bulgaria..... | 273 | | | Russia..... | 65,279 | | |
| Canada..... | 16,533 | 59,791 | 37,814 | Sweden..... | 2,342 | 16 | |
| China..... | 412 | | 70 | United Kingdom... | 1,411 | 147 | 107 |
| Chile..... | 2,499 | 3,460 | | United States..... | 12,592 | 113,614 | 131,985 |
| Denmark..... | 151 | 2 | 1 | Other countries.... | 3,727 | | |
| Finland..... | 433 | | | | | | |
| Germany..... | 30,844 | | | Total..... | 234,427 | | |

IMPORTS.

| | | | | | | | |
|--------------------|--------|--------|--------|----------------------|---------|--------|--------|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Austria-Hungary... | 3,426 | | | Philippine Islands.. | 486 | 200 | 53 |
| Belgium..... | 8,845 | | | Russia..... | 1,643 | | |
| Denmark..... | 4,126 | 67 | (1) | Sweden..... | 6,055 | 137 | |
| Cuba..... | 1,361 | 1,491 | 1,649 | Switzerland..... | 12,484 | 3,372 | 2,142 |
| Finland..... | 1,187 | | | United Kingdom... | 64,755 | 58,014 | 55,595 |
| France..... | 30,748 | 42,819 | 33,353 | United States..... | 5,557 | 1,983 | 1,444 |
| Germany..... | 41,320 | 19,802 | 19,258 | Other countries.... | 2,417 | | |
| Italy..... | 9,040 | | | Total..... | 236,047 | | |
| Netherlands..... | 41,901 | | | | | | |
| Norway..... | 698 | 713 | | | | | |

¹ Less than 500 bushels.

BARLEY.

TABLE 44.—Barley: Area and production in undermentioned countries, 1909–1919.

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|---------------------------|--|------------------------|------------------------|------------------------|--|----------------------------|----------------------------|----------------------------|
| | Average 1909– 1913. ¹ | 1917 | 1918 | 1919 | Average 1909– 1913. ¹ | 1917 | 1918 | 1919 |
| NORTH AMERICA. | | | | | | | | |
| United States..... | <i>Acres.</i> 7,619 | <i>Acres.</i> 8,933 | <i>Acres.</i> 9,740 | <i>Acres.</i> 7,420 | <i>Bushels.</i> 181,881 | <i>Bushels.</i> 211,759 | <i>Bushels.</i> 256,225 | <i>Bushels.</i> 165,719 |
| Canada: | | | | | | | | |
| New Brunswick..... | 3 | 2 | 7 | 11 | 79 | 40 | 163 | 269 |
| Quebec..... | 99 | 166 | 189 | 235 | 2,382 | 3,064 | 4,551 | 5,237 |
| Ontario..... | 587 | 361 | 660 | 569 | 17,017 | 11,191 | 24,248 | 13,803 |
| Manitoba..... | 661 | 708 | 1,103 | 849 | 15,954 | 15,930 | 27,963 | 18,326 |
| Saskatchewan..... | 234 | 670 | 699 | 493 | 7,350 | 14,068 | 11,888 | 9,236 |
| Alberta..... | 185 | 472 | 470 | 414 | 5,364 | 10,386 | 7,756 | 10,562 |
| Other..... | 14 | 13 | 25 | 30 | 386 | 379 | 718 | 903 |
| Total Canada..... | 1,683 | 2,392 | 3,153 | 2,601 | 48,532 | 55,058 | 77,287 | 58,336 |
| Mexico..... | (2) | (2) | (2) | (2) | 6,666 | (2) | 17,711 | (2) |
| Total..... | 9,302 | | | | 237,079 | | 351,223 | |

¹ Five-year average except in a few cases where statistics for 5 years were not available.

² No official statistics.

BARLEY—Continued.

TABLE 44.—Barley: Area and production in undermentioned countries, 1909–1919—Con.

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|--|---------------------------|---------------|---------------|---------------|---------------------------|-----------------|-----------------|-----------------|
| | Average 1909– 1913. | 1917 | 1918 | 1919 | Average 1909– 1913. | 1917 | 1918 | 1919 |
| SOUTH AMERICA. | | | | | | | | |
| | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Argentina..... | 268 | 388 | (1) | (1) | 3,626 | 2,165 | (1) | (1) |
| Chile..... | 117 | 125 | 98 | 98 | 3,924 | 4,840 | 3,304 | 3,977 |
| Uruguay..... | 4 | 13 | 6 | (1) | 61 | 110 | 108 | (1) |
| Total..... | 389 | 526 | | | 7,611 | 7,115 | | |
| EUROPE. | | | | | | | | |
| Austria..... | 2,712 | (1) | (1) | (1) | 71,988 | (1) | (1) | (1) |
| Hungary proper..... | 2,760 | (1) | (1) | (1) | 69,812 | (1) | (1) | (1) |
| Croatia-Lavonia..... | 158 | (1) | (1) | (1) | 2,640 | (1) | (1) | (1) |
| Bosnia-Herzegovina..... | 214 | (1) | (1) | (1) | 3,455 | (1) | (1) | (1) |
| Belgium..... | 85 | (1) | (1) | 75 | 4,247 | (1) | (1) | 3,617 |
| Bulgaria..... | 616 | (1) | (1) | (1) | 12,425 | * 14,739 | (1) | (1) |
| Denmark..... | 591 | 592 | 548 | 569 | 22,589 | 17,881 | 21,465 | (1) |
| Finland..... | (1) | (1) | (1) | (1) | 5,737 | (1) | (1) | (1) |
| France..... | 1,866 | * 1,699 | * 1,371 | 1,340 | 46,489 | * 37,265 | * 27,475 | 23,626 |
| Germany..... | 3,976 | * 3,738 | * 3,640 | (1) | 153,529 | * 89,886 | * 103,720 | (1) |
| Italy..... | 613 | 469 | 494 | 479 | 10,104 | 7,422 | 9,186 | 8,327 |
| Luxembourg..... | (1) | 7 | 7 | (1) | (1) | 154 | 136 | (1) |
| Netherlands..... | 68 | 52 | 60 | 59 | 3,270 | 2,573 | 2,615 | 2,688 |
| Norway..... | 89 | 116 | 156 | 156 | 2,867 | 4,021 | 5,622 | * 5,787 |
| Roumania..... | * 1,319 | (1) | * 2,120 | * 1,827 | * 24,821 | (1) | * 4,993 | (1) |
| Russia proper..... | 23,075 | (1) | (1) | (1) | 372,856 | (1) | (1) | (1) |
| Poland..... | 1,249 | (1) | (1) | (1) | 27,150 | (1) | (1) | (1) |
| Northern Caucasia..... | 3,735 | (1) | (1) | (1) | 67,191 | (1) | (1) | (1) |
| Serbia..... | 242 | (1) | (1) | (1) | 5,072 | (1) | (1) | (1) |
| Spain..... | 3,509 | 4,086 | 4,208 | 4,100 | 74,689 | 76,747 | 90,496 | 74,432 |
| Sweden..... | 451 | 438 | 452 | (1) | 14,592 | 12,263 | 12,947 | (1) |
| United Kingdom: | | | | | | | | |
| England..... | 1,400 | 1,365 | 1,395 | (1) | 47,352 | 42,897 | 45,328 | (1) |
| Wales..... | 88 | 95 | 106 | (1) | 2,812 | 2,781 | 3,312 | (1) |
| Scotland..... | 191 | 159 | 153 | 174 | 7,103 | 5,816 | 5,416 | 6,083 |
| Ireland..... | 165 | 177 | 185 | (1) | 7,493 | 7,796 | 8,024 | (1) |
| Total United Kingdom..... | 1,844 | 1,796 | 1,839 | | 64,760 | 59,290 | 62,080 | |
| Total..... | 49,172 | | | | 1,060,183 | | | |
| ASIA. | | | | | | | | |
| British India..... | 7,836 | 7,883 | * 8,323 | (1) | 40,973 | 155,147 | * 155,307 | (1) |
| Cyprus..... | (1) | (1) | (1) | (1) | 2,151 | * 1,954 | (1) | (1) |
| Japanese Empire: | | | | | | | | |
| Japan..... | 3,183 | 2,885 | 2,862 | 2,931 | 89,528 | 88,896 | 82,650 | 91,500 |
| Formosa..... | 5 | (1) | (1) | (1) | 53 | (1) | (1) | (1) |
| Korea..... | (1) | (1) | (1) | (1) | (1) | (1) | 27,751 | 26,480 |
| Total Japanese Empire..... | 3,188 | | | | 89,581 | | | |
| Russia: | | | | | | | | |
| Centr. Asia (4 govern- ments)..... | 308 | (1) | (1) | (1) | 5,119 | (1) | (1) | (1) |
| Siberia (4 govern- ments)..... | 459 | (1) | (1) | (1) | 6,027 | (1) | (1) | (1) |
| Transcaucasia (1 gov- ernment)..... | 2 | (1) | (1) | (1) | 25 | (1) | (1) | (1) |
| Total..... | 11,853 | | | | 143,876 | | | |

* No official statistics.

* Old boundaries.

* Unofficial estimate.

* Excludes territory that was occupied by the enemy.

* Excluding Alsace-Lorraine.

* Including Bessarabia but excluding Dobruja.

* Incomplete.

BARLEY—Continued.

TABLE 44.—*Barley: Area and production in undermentioned countries, 1909–1919—Con.*

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|----------------------------|---------------------------|---------------|------------------|------------------|---------------------------|-----------------|------------------|------------------|
| | Average 1909– 1913. | 1917 | 1918 | 1919 | Average 1909– 1913. | 1917 | 1918 | 1919 |
| AFRICA. | | | | | | | | |
| | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Algeria..... | 3,353 | 2,839 | 2,794 | 2,639 | 41,961 | 23,529 | 60,742 | 83,667 |
| Egypt..... | 394 | 445 | 336 | 357 | (¹) | 13,598 | 9,871 | (¹) |
| Tunis..... | 1,145 | 1,038 | 1,197 | 977 | 7,900 | 8,267 | 13,090 | 6,110 |
| Union of South Africa..... | (¹) | 57 | 58 | 55 | 2,015 | 1,000 | (¹) | (¹) |
| Total..... | 4,892 | 4,379 | 4,385 | 4,028 | 51,876 | 51,394 | | |
| AUSTRALASIA. | | | | | | | | |
| Australia: | | | | | | | | |
| Queensland..... | 7 | 13 | (¹) | (¹) | 119 | 250 | (¹) | (¹) |
| New South Wales..... | 12 | 5 | (¹) | (¹) | 204 | 73 | (¹) | (¹) |
| Victoria..... | 60 | 93 | (¹) | (¹) | 1,400 | 1,800 | (¹) | (¹) |
| South Australia..... | 46 | 104 | (¹) | (¹) | 842 | 1,734 | (¹) | (¹) |
| Western Australia..... | 6 | 11 | (¹) | (¹) | 70 | 134 | (¹) | (¹) |
| Tasmania..... | 6 | 5 | (¹) | (¹) | 184 | 89 | (¹) | (¹) |
| Total Australia..... | 137 | 231 | | | 2,819 | 4,080 | | |
| New Zealand..... | 39 | 30 | 19 | 19 | 1,402 | 738 | 569 | 709 |
| Total Australasia..... | 176 | 261 | | | 4,221 | 4,818 | | |
| Grand total..... | 75,784 | | | | 1,504,846 | | | |

¹ No official statistics.TABLE 45.—*Barley: Total production of countries named in Table 44, 1895–1916.*

| Year. | Production. | Year. | Production. | Year. | Production. | Year. | Production. |
|----------|-----------------|-----------|-----------------|-----------|-----------------|-----------|-----------------|
| | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> |
| 1895.... | 915,504,000 | 1901..... | 1,072,195,000 | 1907..... | 1,271,237,000 | 1913..... | 1,650,265,000 |
| 1896.... | 932,100,000 | 1902..... | 1,229,132,000 | 1908..... | 1,274,897,000 | 1914..... | 1,463,289,000 |
| 1897.... | 864,605,000 | 1903..... | 1,235,786,000 | 1909..... | 1,458,263,000 | 1915..... | 1,522,732,000 |
| 1898.... | 1,030,581,000 | 1904..... | 1,175,784,000 | 1910..... | 1,388,734,000 | 1916..... | 1,529,031,000 |
| 1899.... | 965,720,000 | 1905..... | 1,180,053,000 | 1911..... | 1,373,286,000 | | |
| 1900.... | 959,622,000 | 1906..... | 1,296,579,000 | 1912..... | 1,466,977,000 | | |

TABLE 46.—*Barley: Average yield per acre in undermentioned countries, 1890–1919.*

| Year. | United States. | Russia (Euro- pean). ¹ | Ger- many. ¹ | Austria. ¹ | Hungary proper. ¹ | France. ¹ | United King- dom. ² |
|----------------|-------------------|---|----------------------------|-----------------------|---------------------------------|----------------------|--------------------------------------|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Average: | | | | | | | |
| 1890–1899..... | 23.4 | 13.3 | 29.4 | 21.1 | | 22.6 | 39.8 |
| 1900–1909..... | 25.5 | 14.3 | 35.3 | 26.3 | 23.4 | 23.6 | 35.0 |
| 1910–1914..... | 24.6 | 15.7 | 38.0 | 29.1 | 25.0 | 24.6 | 34.4 |
| 1906..... | 28.3 | 13.0 | 35.2 | 26.1 | 26.8 | 20.8 | 36.1 |
| 1907..... | 23.8 | 14.2 | 38.2 | 27.3 | 23.1 | 24.4 | 36.8 |
| 1908..... | 35.1 | 14.2 | 34.9 | 25.2 | 21.3 | 22.6 | 34.9 |
| 1909..... | 22.5 | 17.9 | 39.5 | 28.4 | 25.1 | 25.4 | 38.9 |
| 1910..... | 22.5 | 16.3 | 34.4 | 24.9 | 19.7 | 23.5 | 34.3 |
| 1911..... | 21.0 | 14.4 | 37.0 | 27.5 | 26.9 | 25.0 | 34.0 |
| 1912..... | 29.7 | 16.2 | 40.7 | 23.7 | 26.9 | 26.1 | 33.1 |
| 1913..... | 23.8 | 18.5 | 41.3 | 29.7 | 27.6 | 24.5 | 35.1 |
| 1914..... | 25.8 | 12.9 | 36.8 | 33.8 | 24.1 | 24.0 | 35.6 |
| 1915..... | 32.0 | 14.7 | 28.4 | 18.8 | 19.7 | 19.7 | 31.8 |
| 1916..... | 23.6 | | 34.2 | | | 23.8 | 33.0 |
| 1917..... | 23.7 | | | | | 26.8 | 33.9 |
| 1918..... | 26.5 | | | | | 20.8 | 34.0 |
| 1919..... | 22.3 | | | | | | |

¹ Bushels of 48 pounds.² Winchester bushels.³ Excluding Alsace-Lorraine.

BARLEY—Continued.

TABLE 47.—Barley: Acreage, production, value, exports, etc., in the United States, 1849-1919.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. | Chicago cash price per bushel, low malting to fancy. ¹ | | | | Domestic exports, fiscal year beginning July 1. | Imports, fiscal year begin- ning July 1. |
|-------|-----------|----------------------------------|-------------------------------------|--|--------------------------|---|--------|-------------------|--------|---|---|
| | | | | | | December. | | Following May. | | | |
| | | | | | | Low. | High. | Low. | High. | | |
| | Acres. | Bush. | Bushels. 5,167,000 16,866,000 | Cents. | Dollars. | Cents. | Cents. | Cents. | Cents. | Bushels. | Bushels. |
| 1849 | | | | | | | | | | | |
| 1850 | | | | | | | | | | | |
| 1866 | 493,000 | 22.9 | 11,284,000 | 70.2 | 7,916,000 | 59 | 70 | 85 | 100 | | 3,247,250 |
| 1867 | 1,131,000 | 22.7 | 25,727,000 | 70.1 | 18,028,000 | 150 | 180 | 227 | 250 | 9,810 | 3,781,966 |
| 1868 | 937,000 | 24.4 | 22,896,000 | 109.0 | 21,948,000 | 140 | 170 | 149 | 175 | 9,077 | 5,009,880 |
| 1869 | 1,026,000 | 27.9 | 28,652,000 | 70.8 | 20,298,000 | 74 | 85 | 50 | 62 | 255,490 | 6,727,597 |
| 1869 | | | 29,761,000 | | | | | | | | |
| 1870 | 1,109,000 | 23.7 | 26,295,000 | 79.1 | 20,792,000 | 68 | 80 | 72 | 95 | 340,063 | 4,866,700 |
| 1871 | 1,114,000 | 24.0 | 26,718,000 | 75.8 | 20,264,000 | 55½ | 64 | 55 | 71 | 86,891 | 5,565,591 |
| 1872 | 1,397,000 | 19.2 | 26,846,000 | 68.6 | 18,416,000 | 60 | 70 | 71 | 85 | 482,410 | 4,244,751 |
| 1873 | 1,387,000 | 23.1 | 32,044,000 | 86.7 | 27,794,000 | 132 | 158 | 130 | 155 | 320,399 | 4,891,189 |
| 1874 | 1,581,000 | 20.6 | 32,552,000 | 86.0 | 27,998,000 | 120 | 129½ | 115 | 137 | 91,118 | 6,255,063 |
| 1875 | 1,790,000 | 20.6 | 36,909,000 | 74.1 | 27,368,000 | 81 | 88 | 62½ | 72½ | 317,781 | 10,285,957 |
| 1876 | 1,767,000 | 21.9 | 38,710,000 | 63.0 | 24,403,000 | 63½ | 68½ | 80 | 85 | 1,186,129 | 6,702,965 |
| 1877 | 1,669,000 | 21.4 | 35,638,000 | 62.5 | 22,287,000 | 56½ | 64 | 46½ | 52½ | 3,921,501 | 6,764,228 |
| 1878 | 1,790,000 | 23.6 | 42,246,000 | 57.9 | 24,454,000 | 91 | 100 | 64 | 73 | 715,536 | 5,720,979 |
| 1879 | 1,681,000 | 24.0 | 40,283,000 | 58.9 | 23,714,000 | 86 | 92 | 75 | 80 | 1,128,923 | 7,325,258 |
| 1879 | 1,998,000 | 22.0 | 43,997,000 | | | | | | | | |
| 1880 | 1,843,000 | 24.5 | 45,165,000 | 66.6 | 30,091,000 | 100 | 120 | 95 | 105 | 885,246 | 9,528,616 |
| 1881 | 1,968,000 | 20.9 | 41,161,000 | 82.3 | 33,863,000 | 101 | 107 | 100 | 100 | 205,930 | 2,182,722 |
| 1882 | 2,272,000 | 21.5 | 48,954,000 | 62.9 | 30,768,000 | 79 | 82 | 80 | 80 | 433,005 | 10,050,687 |
| 1883 | 2,379,000 | 21.1 | 50,136,000 | 58.7 | 29,420,000 | 62 | 67 | 65 | 74 | 724,955 | 8,596,122 |
| 1884 | 2,609,000 | 23.5 | 61,203,000 | 48.7 | 29,779,000 | 53 | 58 | 65 | 65 | 629,130 | 9,966,507 |
| 1885 | 2,729,000 | 21.4 | 58,360,000 | 56.3 | 32,868,000 | 62 | 65 | 58 | 60 | 252,183 | 10,197,115 |
| 1886 | 2,653,000 | 22.4 | 59,428,000 | 53.6 | 31,841,000 | 51 | 54 | 57 | 57 | 1,305,300 | 10,355,594 |
| 1887 | 2,902,000 | 19.6 | 56,812,000 | 51.9 | 29,464,000 | 80 | 80 | 69 | 77 | 550,884 | 10,831,461 |
| 1888 | 2,996,000 | 21.3 | 63,884,000 | 59.0 | 37,672,000 | | | | | 1,440,321 | 11,368,414 |
| 1889 | 3,221,000 | 24.3 | 78,333,000 | 41.6 | 32,614,000 | 58 | 58 | | | 1,408,311 | 11,332,545 |
| 1889 | 3,231,000 | 24.3 | 78,333,000 | | | | | | | | |
| 1890 | 3,135,000 | 21.4 | 67,168,000 | 62.7 | 42,141,000 | | | | | 973,062 | 5,078,733 |
| 1891 | 3,353,000 | 25.9 | 86,839,000 | 52.4 | 45,470,000 | | | | | 2,800,076 | 3,146,328 |
| 1892 | 3,400,000 | 23.6 | 80,097,000 | 47.5 | 38,026,000 | 65 | 67 | 65 | 65 | 3,035,267 | 1,970,129 |
| 1893 | 3,220,000 | 21.7 | 69,869,000 | 41.1 | 28,729,000 | 52 | 54 | 55 | 60 | 5,219,405 | 791,061 |
| 1894 | 3,171,000 | 19.4 | 61,400,000 | 44.2 | 27,134,000 | 53½ | 55½ | 51 | 52 | 1,563,754 | 2,116,816 |
| 1895 | 3,300,000 | 26.4 | 87,073,000 | 33.7 | 29,312,000 | 33 | 40 | 25 | 36 | 7,680,331 | 837,384 |
| 1896 | 2,951,000 | 23.6 | 69,695,000 | 32.3 | 22,491,000 | 22 | 37 | 24½ | 35 | 20,030,301 | 1,271,787 |
| 1897 | 2,719,000 | 24.5 | 66,685,000 | 37.7 | 25,142,000 | 25½ | 42 | 36 | 53 | 11,237,077 | 124,804 |
| 1898 | 2,583,000 | 21.6 | 55,792,000 | 41.3 | 23,064,000 | 40 | 50½ | 36 | 42 | 2,267,403 | 110,475 |
| 1899 | 2,878,000 | 25.5 | 73,382,000 | 40.3 | 29,594,000 | 35 | 45 | 36 | 44 | 23,661,662 | 189,757 |
| 1899 | 4,470,000 | 26.8 | 119,635,000 | | | | | | | | |
| 1900 | 2,894,000 | 20.4 | 58,926,000 | 40.9 | 24,075,000 | 37 | 61 | 37 | 57 | 6,293,207 | 171,004 |
| 1901 | 4,296,000 | 25.6 | 109,953,000 | 45.2 | 49,705,000 | 56 | 63 | 64 | 72 | 8,714,268 | 57,406 |
| 1902 | 4,661,000 | 29.0 | 134,954,000 | 45.9 | 61,899,000 | 36 | 70 | 48 | 56 | 8,429,141 | 56,462 |
| 1903 | 4,993,000 | 26.4 | 131,861,000 | 45.6 | 60,166,000 | 42 | 61½ | 38 | 59 | 10,881,627 | 90,706 |
| 1904 | 5,146,000 | 27.2 | 139,749,000 | 42.0 | 58,652,000 | 38 | 52 | 40 | 50 | 10,661,655 | 81,020 |
| 1905 | 5,096,000 | 26.8 | 136,551,000 | 40.5 | 54,993,000 | 37 | 53 | 42 | 55½ | 17,729,360 | 18,049 |
| 1906 | 6,324,000 | 28.3 | 178,916,000 | 41.5 | 74,236,000 | 44 | 56 | 66 | 85 | 8,238,842 | 38,319 |
| 1907 | 6,448,000 | 23.8 | 153,597,000 | 66.6 | 102,290,000 | 78 | 102 | 60 | 75 | 4,349,078 | 199,741 |
| 1908 | 6,646,000 | 25.1 | 166,756,000 | 55.4 | 92,442,000 | 57 | 64½ | 66 | 75 | 6,580,393 | 2,644 |
| 1909 | 7,011,000 | 24.3 | 170,284,000 | | | | | | | | |
| 1909 | 7,699,000 | 22.5 | 173,344,000 | 54.0 | 93,539,000 | 55 | 72 | 50 | 68 | 4,311,566 | |
| 1910 | 7,743,000 | 22.5 | 173,832,000 | 57.8 | 100,426,000 | 72 | 90 | 75 | 115 | 9,999,346 | |
| 1911 | 7,627,000 | 21.0 | 160,240,000 | 86.9 | 139,182,000 | 102 | 130 | 68 | 132 | 1,585,242 | |
| 1912 | 7,530,000 | 29.7 | 223,824,000 | 50.5 | 112,957,000 | 43 | 77 | 45 | 68 | 17,576,703 | |
| 1913 | 7,499,000 | 23.8 | 178,189,000 | 53.7 | 95,731,000 | 50 | 79 | 51 | 66 | 6,444,747 | |
| 1914 | 7,565,000 | 25.8 | 194,953,000 | 54.3 | 105,903,000 | 60 | 75 | 74½ | 82 | 26,754,522 | |
| 1915 | 7,148,000 | 32.0 | 228,851,000 | 51.6 | 118,172,000 | 62 | 77 | 70 | 83 | 27,473,160 | |
| 1916 | 7,757,000 | 23.5 | 182,309,000 | 88.1 | 160,646,000 | 95 | 125 | 128 | 165 | 16,381,077 | |
| 1917 | 8,933,000 | 23.7 | 211,759,000 | 113.7 | 240,758,000 | 125 | 163 | 105 | 176 | 26,285,378 | |
| 1918 | 9,740,000 | 26.3 | 256,225,000 | 91.7 | 234,942,000 | 88 | 105 | 110 | 130 | 23,381,781 | |
| 1919 | 7,420,000 | 22.3 | 165,719,000 | 120.9 | 200,419,000 | 125 | 168 | | | | |

¹ Prices 1895 to 1908 for No. 3 grade.² Figures adjusted to census basis.

BARLEY—Continued.

TABLE 48.—*Barley: Revised acreage, production, and farm value, 1879 and 1889–1909.*

[See headnote of Table 4.]

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|-----------|---------------|-------------------------------|-----------------|---|-----------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| 1879..... | 1,998,000 | 24.4 | 48,721,000 | 59.4 | 28,928,000 |
| 1889..... | 3,231,000 | 24.3 | 78,213,000 | 41.6 | 32,574,000 |
| 1890..... | 3,406,000 | 21.4 | 73,017,000 | 62.6 | 45,719,000 |
| 1891..... | 3,705,000 | 26.1 | 96,589,000 | 51.8 | 50,051,000 |
| 1892..... | 3,892,000 | 23.6 | 92,037,000 | 46.5 | 42,790,000 |
| 1893..... | 3,855,000 | 21.7 | 83,700,000 | 40.5 | 33,922,000 |
| 1894..... | 4,005,000 | 19.5 | 78,051,000 | 43.5 | 33,924,000 |
| 1895..... | 4,283,000 | 26.9 | 114,732,000 | 32.0 | 36,678,000 |
| 1896..... | 4,172,000 | 23.8 | 99,394,000 | 30.0 | 29,814,000 |
| 1897..... | 4,150,000 | 24.9 | 103,279,000 | 35.2 | 36,340,000 |
| 1898..... | 4,237,000 | 23.5 | 99,490,000 | 38.9 | 38,701,000 |
| 1899..... | 4,470,000 | 26.1 | 116,552,000 | 39.0 | 45,479,000 |
| 1900..... | 4,545,000 | 21.1 | 96,041,000 | 40.5 | 38,896,000 |
| 1901..... | 4,742,000 | 25.7 | 121,784,000 | 45.2 | 55,068,000 |
| 1902..... | 5,126,000 | 20.1 | 103,389,000 | 45.5 | 67,944,000 |
| 1903..... | 5,568,000 | 26.4 | 146,864,000 | 45.4 | 66,700,000 |
| 1904..... | 5,912,000 | 27.4 | 162,105,000 | 41.6 | 67,427,000 |
| 1905..... | 6,250,000 | 27.2 | 170,174,000 | 39.4 | 67,005,000 |
| 1906..... | 6,730,000 | 28.6 | 192,270,000 | 41.6 | 80,069,000 |
| 1907..... | 6,941,000 | 24.5 | 170,008,000 | 66.3 | 112,675,000 |
| 1908..... | 7,294,000 | 25.3 | 184,857,000 | 55.2 | 102,037,000 |
| 1909..... | 7,690,000 | 24.4 | 187,973,000 | 54.8 | 102,947,000 |

TABLE 49.—*Barley: Acreage, production, and total farm value, by States, 1919.*

[000 omitted.]

| State. | Acreage. | Production. | Farm value. Dec. 1. | State. | Acreage. | Production. | Farm value. Dec. 1. |
|--------------------|---------------|-----------------|---------------------------|--------------------|---------------|-----------------|---------------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Dollars.</i> | | <i>Acres.</i> | <i>Bushels.</i> | <i>Dollars.</i> |
| Maine..... | 6 | 168 | 286 | Kansas..... | 600 | 16,200 | 16,200 |
| New Hampshire..... | 1 | 25 | 47 | Kentucky..... | 4 | 100 | 157 |
| Vermont..... | 14 | 420 | 630 | Tennessee..... | 8 | 176 | 317 |
| New York..... | 113 | 2,466 | 3,381 | Texas..... | 25 | 875 | 990 |
| Pennsylvania..... | 16 | 392 | 502 | Oklahoma..... | 50 | 1,500 | 1,830 |
| Maryland..... | 6 | 198 | 244 | Montana..... | 90 | 540 | 756 |
| Virginia..... | 15 | 375 | 488 | Wyoming..... | 35 | 525 | 919 |
| Ohio..... | 125 | 3,150 | 3,938 | Colorado..... | 200 | 3,900 | 4,680 |
| Indiana..... | 55 | 1,430 | 1,687 | New Mexico..... | 20 | 680 | 748 |
| Illinois..... | 212 | 5,724 | 6,926 | Arizona..... | 29 | 1,102 | 1,543 |
| Michigan..... | 280 | 5,390 | 6,278 | Utah..... | 24 | 720 | 1,915 |
| Wisconsin..... | 512 | 13,568 | 16,417 | Nevada..... | 12 | 420 | 630 |
| Minnesota..... | 910 | 18,200 | 21,112 | Idaho..... | 120 | 3,360 | 4,794 |
| Iowa..... | 315 | 8,032 | 8,996 | Washington..... | 138 | 4,140 | 5,589 |
| Mis-souri..... | 11 | 330 | 429 | Oregon..... | 82 | 1,886 | 2,829 |
| North Dakota..... | 1,300 | 14,950 | 16,146 | California..... | 1,000 | 30,000 | 42,306 |
| South Dakota..... | 875 | 19,250 | 22,138 | | | | |
| Nebraska..... | 217 | 5,577 | 5,577 | United States..... | 7,420 | 165,719 | 200,419 |

BARLEY—Continued.

TABLE 50.—Barley: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars). ¹ | | | |
|---------|-----------------------------|------|------|------|------|------|------|------|------|------|--------------------------------|-----------------------------|------|------|-------|--|-------|----------------------------|-------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average, 1914-1918. | 1919 |
| Me. | 27.0 | 31.0 | 28.0 | 26.0 | 28.0 | 30.0 | 26.5 | 26.0 | 21.0 | 25.0 | 28.0 | 103 | 75 | 104 | 130 | 149 | 170 | 27.15 | 47.60 |
| N. H. | 27.8 | 26.0 | 24.0 | 28.0 | 32.0 | 30.0 | 30.0 | 28.0 | 25.0 | 32.0 | 25.0 | 109 | 79 | 90 | 175 | 150 | 188 | 33.38 | 47.00 |
| Vt. | 31.6 | 31.0 | 30.5 | 35.0 | 32.0 | 34.5 | 35.0 | 27.5 | 29.0 | 31.0 | 30.0 | 100 | 75 | 100 | 140 | 153 | 150 | 33.53 | 45.00 |
| N. Y. | 27.1 | 28.3 | 25.0 | 26.0 | 26.7 | 28.0 | 32.0 | 23.3 | 28.0 | 31.5 | 22.0 | 94 | 75 | 101 | 130 | 126 | 136 | 28.70 | 29.92 |
| Pa. | 29.8 | 26.5 | 25.0 | 27.5 | 26.0 | 28.0 | 29.5 | 25.0 | 28.0 | 28.0 | 24.5 | 88 | 75 | 75 | 140 | 120 | 128 | 26.05 | 31.36 |
| Md. | 29.8 | 31.0 | 23.0 | 27.0 | 29.0 | 33.0 | 34.0 | 32.0 | 25.0 | 31.0 | 33.0 | 84 | 70 | 73 | 130 | 120 | 123 | 27.73 | 40.50 |
| Va. | 26.8 | 29.3 | 23.0 | 25.0 | 26.0 | 26.0 | 29.0 | 27.5 | 30.0 | 27.0 | 25.0 | 95 | 75 | 85 | 139 | 160 | 130 | 30.17 | 32.50 |
| Ohio | 28.4 | 28.5 | 27.2 | 31.0 | 24.0 | 25.0 | 31.0 | 27.8 | 33.0 | 31.5 | 25.2 | 79 | 54 | 80 | 118 | 93 | 125 | 24.39 | 31.50 |
| Ind. | 28.2 | 27.0 | 26.5 | 29.5 | 25.0 | 25.0 | 28.0 | 27.0 | 30.5 | 37.0 | 26.0 | 77 | 65 | 75 | 104 | 104 | 118 | 25.08 | 30.68 |
| Ill. | 31.2 | 30.2 | 28.0 | 31.5 | 26.0 | 29.5 | 34.0 | 32.0 | 37.5 | 36.0 | 27.0 | 81 | 57 | 103 | 121 | 90 | 121 | 29.62 | 32.67 |
| Mich. | 25.4 | 26.0 | 24.0 | 26.0 | 24.8 | 26.0 | 29.5 | 24.5 | 24.4 | 30.0 | 19.0 | 82 | 62 | 91 | 119 | 100 | 118 | 23.31 | 22.42 |
| Wis. | 29.3 | 25.9 | 25.5 | 29.4 | 25.0 | 27.3 | 35.5 | 30.0 | 32.0 | 35.7 | 26.5 | 84 | 56 | 105 | 124 | 92 | 121 | 28.17 | 32.06 |
| Minn. | 24.3 | 32.0 | 19.0 | 28.2 | 24.0 | 23.0 | 30.0 | 19.0 | 27.0 | 31.0 | 20.0 | 74 | 49 | 87 | 111 | 80 | 116 | 19.69 | 23.20 |
| Iowa. | 28.6 | 29.5 | 21.9 | 31.0 | 25.0 | 26.0 | 31.0 | 29.5 | 35.0 | 31.5 | 25.5 | 76 | 49 | 91 | 117 | 85 | 112 | 21.81 | 28.56 |
| Mo. | 24.3 | 27.0 | 20.0 | 24.8 | 22.0 | 24.0 | 25.0 | 20.0 | 25.0 | 25.0 | 30.0 | 82 | 63 | 93 | 94 | 115 | 130 | 20.44 | 39.00 |
| N. Dak. | 18.7 | 5.5 | 19.5 | 29.9 | 20.0 | 19.5 | 32.0 | 15.5 | 12.5 | 21.5 | 11.5 | 66 | 44 | 80 | 100 | 73 | 108 | 12.69 | 12.42 |
| S. Dak. | 22.3 | 18.2 | 5.4 | 26.0 | 17.5 | 23.0 | 32.0 | 22.7 | 27.0 | 29.9 | 22.0 | 72 | 46 | 83 | 110 | 78 | 115 | 19.55 | 25.30 |
| Nebr. | 21.0 | 18.5 | 11.0 | 22.0 | 16.0 | 23.0 | 31.0 | 28.0 | 26.5 | 16.5 | 25.7 | 64 | 42 | 75 | 98 | 85 | 100 | 17.01 | 25.70 |
| Kans. | 17.3 | 18.0 | 6.5 | 23.5 | 8.1 | 24.5 | 31.0 | 16.0 | 8.0 | 10.0 | 27.0 | 68 | 42 | 77 | 115 | 95 | 100 | 11.11 | 27.00 |
| Ky. | 27.1 | 24.0 | 28.7 | 26.0 | 26.6 | 26.0 | 30.0 | 26.0 | 28.0 | 28.0 | 25.0 | 95 | 77 | 90 | 115 | 140 | 157 | 27.97 | 39.25 |
| Tenn. | 23.7 | 23.0 | 28.0 | 26.0 | 25.0 | 27.0 | 24.0 | 23.7 | 15.0 | 23.0 | 22.0 | 105 | 75 | 100 | 144 | 152 | 180 | 24.08 | 39.20 |
| Texas | 24.3 | 30.0 | 18.0 | 29.3 | 24.0 | 25.0 | 28.0 | 17.0 | 20.0 | 17.0 | 35.0 | 94 | 68 | 80 | 137 | 130 | 112 | 19.93 | 39.20 |
| Okl. | 19.8 | 30.0 | 10.0 | 20.0 | 9.0 | 25.0 | 26.5 | 12.5 | 18.0 | 17.0 | 30.0 | 84 | 50 | 100 | 148 | 124 | 122 | 17.34 | 35.65 |
| Mont. | 26.2 | 28.0 | 34.4 | 36.5 | 31.0 | 33.0 | 34.0 | 28.0 | 15.0 | 22.0 | 6.0 | 75 | 48 | 76 | 103 | 100 | 140 | 18.24 | 8.40 |
| Wyo. | 31.8 | 30.0 | 34.0 | 34.0 | 30.0 | 33.0 | 36.0 | 33.0 | 36.0 | 37.0 | 15.0 | 91 | 55 | 87 | 130 | 130 | 175 | 32.91 | 26.20 |
| Colo. | 31.0 | 32.0 | 29.0 | 39.0 | 32.5 | 38.5 | 36.0 | 32.0 | 33.0 | 18.0 | 19.5 | 76 | 48 | 82 | 104 | 113 | 120 | 23.87 | 23.40 |
| N. Mex. | 30.2 | 25.0 | 33.0 | 35.0 | 24.0 | 34.0 | 33.0 | 28.0 | 28.0 | 28.0 | 34.0 | 90 | 70 | 100 | 139 | 110 | 110 | 29.26 | 37.40 |
| Ariz. | 36.4 | 36.0 | 36.0 | 54.0 | 39.0 | 39.0 | 37.0 | 35.0 | 35.0 | 34.0 | 38.0 | 98 | 56 | 108 | 150 | 130 | 140 | 35.36 | 53.20 |
| Utah | 38.8 | 36.0 | 43.0 | 45.0 | 38.5 | 45.0 | 42.5 | 39.0 | 37.0 | 35.0 | 30.0 | 82 | 52 | 76 | 120 | 140 | 141 | 33.07 | 42.30 |
| Nev. | 40.2 | 40.0 | 40.0 | 41.0 | 41.0 | 47.0 | 48.0 | 41.0 | 35.0 | 34.0 | 35.0 | 98 | 70 | 95 | 119 | 154 | 150 | 39.42 | 52.50 |
| Idaho | 36.3 | 33.0 | 42.0 | 43.5 | 42.0 | 38.0 | 40.5 | 39.0 | 29.0 | 28.0 | 28.0 | 78 | 52 | 82 | 105 | 130 | 140 | 27.78 | 30.20 |
| Wash. | 34.0 | 29.0 | 37.0 | 43.0 | 40.5 | 39.0 | 41.5 | 41.3 | 29.0 | 15.5 | 23.0 | 79 | 56 | 84 | 115 | 115 | 135 | 25.81 | 40.50 |
| Oreg. | 31.8 | 31.5 | 34.0 | 36.0 | 35.0 | 30.0 | 30.0 | 38.5 | 29.0 | 25.0 | 23.0 | 84 | 62 | 80 | 115 | 139 | 150 | 27.75 | 34.50 |
| Calif. | 28.7 | 31.0 | 28.0 | 30.0 | 26.0 | 30.0 | 29.0 | 28.0 | 29.0 | 26.0 | 30.0 | 87 | 62 | 95 | 120 | 115 | 141 | 25.40 | 42.30 |
| U. S. | 25.1 | 22.5 | 21.0 | 29.7 | 23.8 | 25.8 | 32.0 | 23.5 | 23.7 | 26.3 | 22.3 | 76.9 | 51.6 | 88.1 | 113.7 | 91.7 | 120.9 | 20.46 | 27.01 |

¹ Based upon farm price Dec. 1.

TABLE 51.—Barley: Condition of crop, United States, on first of months named, 1898-1919.

| Year. | June. | July. | August. | When har- vested. | Year. | June. | July. | August. | When har- vested. |
|-------|----------------|----------------|----------------|----------------------|-------|----------------|----------------|----------------|----------------------|
| 1898. | P. ct. 78.8 | P. ct. 85.7 | P. ct. 79.3 | P. ct. 79.2 | 1909. | P. ct. 90.6 | P. ct. 90.2 | P. ct. 85.4 | P. ct. 80.5 |
| 1899. | 91.4 | 92.0 | 93.6 | 86.7 | 1910. | 89.6 | 73.7 | 70.0 | 69.8 |
| 1900. | 86.2 | 76.3 | 71.6 | 70.7 | 1911. | 90.2 | 72.1 | 66.2 | 65.5 |
| 1901. | 91.0 | 91.3 | 86.9 | 83.8 | 1912. | 91.1 | 88.3 | 89.1 | 88.9 |
| 1902. | 93.6 | 93.7 | 90.2 | 89.7 | 1913. | 87.1 | 76.6 | 74.9 | 73.4 |
| 1903. | 91.5 | 86.8 | 83.4 | 82.1 | 1914. | 95.5 | 92.6 | 85.3 | 82.4 |
| 1904. | 90.5 | 88.5 | 88.1 | 87.4 | 1915. | 94.6 | 94.1 | 93.8 | 94.2 |
| 1905. | 93.7 | 91.5 | 89.5 | 87.8 | 1916. | 86.3 | 87.9 | 80.0 | 74.6 |
| 1906. | 93.5 | 92.5 | 90.3 | 89.4 | 1917. | 89.3 | 85.4 | 77.9 | 76.3 |
| 1907. | 84.9 | 84.4 | 84.5 | 78.5 | 1918. | 90.5 | 84.7 | 82.0 | 81.5 |
| 1908. | 89.7 | 86.2 | 83.1 | 81.2 | 1919. | 91.7 | 87.4 | 73.6 | 69.2 |

BARLEY—Continued.

TABLE 52.—Barley: Farm price, cents per bushel on first of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|-------|-------|-------|------|------|------|------|------|------|------|----------|
| Jan. 1..... | 91.3 | 126.5 | 87.1 | 54.9 | 54.3 | 52.2 | 49.9 | 86.4 | 59.8 | 57.6 | 72.0 |
| Feb. 1..... | 86.8 | 131.9 | 92.7 | 61.7 | 62.9 | 52.4 | 51.4 | 91.2 | 64.1 | 59.3 | 75.4 |
| Mar. 1..... | 85.4 | 161.1 | 96.9 | 59.6 | 67.7 | 51.1 | 49.0 | 91.0 | 63.0 | 60.2 | 78.5 |
| Apr. 1..... | 92.7 | 170.2 | 102.3 | 57.2 | 64.7 | 51.7 | 48.5 | 92.3 | 69.1 | 59.7 | 80.8 |
| May 1..... | 103.9 | 158.5 | 120.1 | 59.6 | 63.8 | 49.3 | 48.3 | 96.2 | 74.0 | 56.5 | 83.0 |
| June 1..... | 109.2 | 135.4 | 119.3 | 59.6 | 62.0 | 49.1 | 52.7 | 91.1 | 73.8 | 55.7 | 80.8 |
| July 1..... | 108.4 | 118.4 | 106.6 | 59.3 | 55.8 | 47.5 | 53.7 | 81.9 | 70.1 | 53.9 | 75.6 |
| Aug. 1..... | 118.7 | 110.0 | 114.5 | 59.3 | 56.7 | 45.1 | 50.8 | 66.8 | 69.3 | 54.7 | 74.6 |
| Sept. 1..... | 115.6 | 100.9 | 110.0 | 72.9 | 51.9 | 52.5 | 55.2 | 53.5 | 77.0 | 57.2 | 74.7 |
| Oct. 1..... | 115.3 | 95.5 | 113.9 | 76.5 | 46.8 | 51.8 | 56.8 | 54.8 | 81.7 | 56.1 | 74.9 |
| Nov. 1..... | 117.1 | 94.9 | 111.3 | 83.2 | 50.1 | 51.7 | 54.7 | 53.8 | 84.9 | 55.3 | 75.7 |
| Dec. 1..... | 120.9 | 91.7 | 113.7 | 88.1 | 51.6 | 54.3 | 53.7 | 50.5 | 86.9 | 57.8 | 76.9 |
| Average..... | 108.9 | 112.6 | 107.7 | 71.0 | 54.1 | 51.5 | 53.3 | 66.9 | 75.2 | 56.9 | 75.8 |

TABLE 53.—Barley: Wholesale price per bushel, 1913-1919.

| Date. | Cincinnati. | | | Chicago. | | | Milwaukee. | | | Minneapolis. | | | San Francisco. | | |
|--------------------|---------------------------|-------|----------|------------------------------------|-------|----------|---------------------|-------|----------|--------------|-------|----------|------------------------|-------|----------|
| | Spring malt. ¹ | | | Low malting to fancy. ² | | | No. 3. ³ | | | All grades. | | | Feed (per 100 pounds). | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| January-June..... | 70 | 86 | 79.1 | 42 | 71 | 57.0 | 53 | 73 | 61.8 | 39 | 63 | 50.9 | 128 | 150 | 137.0 |
| July-December..... | 87 | 92 | 89.5 | 43 | 85 | 66.2 | 58 | 60 | 63.4 | 42 | 73 | 56.9 | 123 | 142 | 132.0 |
| 1914. | | | | | | | | | | | | | | | |
| January-June..... | 60 | 70 | 64.5 | 49 | 79 | 60.6 | 53 | 68 | 61.0 | 41 | 65 | 51.1 | 90 | 132 | 109.2 |
| July-December..... | 70 | 80 | 75.3 | 50 | 82 | 65.6 | 51 | 82 | 67.9 | 40 | 76 | 58.6 | 95 | 130 | 110.0 |
| 1915. | | | | | | | | | | | | | | | |
| January-June..... | 72 | 102 | 83.9 | 66 | 91 | 78.1 | 70 | 93 | 78.9 | 58 | 86 | 70.7 | 100 | 162 | 131.6 |
| July-December..... | 70 | 102 | 83.0 | 51 | 85 | 65.6 | 54 | 81 | 66.9 | 42 | 78 | 58.9 | 100 | 132 | 121.7 |
| 1916. | | | | | | | | | | | | | | | |
| January-June..... | 83 | 102 | 93.8 | 64 | 86 | 74.6 | 68 | 82 | 75.7 | 59 | 76 | 67.4 | 127 | 136 | 131.7 |
| July-December..... | 93 | 145 | 124.2 | 68 | 128 | 99.4 | 70 | 128 | 106.3 | 57 | 112 | 82.4 | 127 | 225 | 178.3 |
| 1917. | | | | | | | | | | | | | | | |
| January-June..... | 135 | 182 | 161.3 | 102 | 165 | 130.4 | 120 | 186 | 139.2 | 85 | 155 | 114.6 | 215 | 305 | 236.3 |
| July-December..... | 147 | 185 | 168.3 | 112 | 163 | 136.2 | 120 | 162 | 139.5 | 88 | 160 | 132.1 | 205 | 285 | 241.3 |
| 1918. | | | | | | | | | | | | | | | |
| January-June..... | 172 | 256 | 205.8 | 100 | 243 | 163.0 | 115 | 239 | 171.2 | 85 | 237 | 154.3 | 280 | 350 | 315.5 |
| July-December..... | 108 | 208 | 153.2 | 80 | 128 | 99.9 | 93 | 125 | 106.8 | 80 | 130 | 94.4 | 210 | 222 | 215.7 |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 108 | 115 | 112.1 | 70 | 109 | 98.0 | 88 | 113 | 103.0 | 70 | 100 | 88.3 | 217 | 225 | 222.0 |
| February..... | 108 | 115 | 112.4 | 80 | 100 | 89.2 | 90 | 103 | 99.7 | 71 | 94 | 83.1 | 187 | 225 | 214.1 |
| March..... | 108 | 123 | 112.1 | 87 | 120 | 101.1 | 92 | 118 | 103.9 | 77 | 105 | 90.2 | 185 | 232 | 201.4 |
| April..... | 120 | 123 | 121.5 | 104 | 127 | 114.2 | 111 | 130 | 118.2 | 94 | 119 | 104.0 | 227 | 240 | 234.0 |
| May..... | 125 | 133 | 130.8 | 110 | 130 | 118.8 | 117 | 133 | 122.9 | 100 | 119 | 108.4 | 235 | 260 | 243.6 |
| June..... | 125 | 132 | 128.7 | 112 | 128 | 119.0 | 115 | 128 | 121.2 | 98 | 118 | 108.0 | 235 | 290 | 262.8 |
| January-June..... | 108 | 139 | 119.6 | 70 | 130 | 106.7 | 88 | 133 | 111.5 | 70 | 119 | 97.0 | 185 | 290 | 229.6 |
| July..... | 120 | 152 | 136.8 | 115 | 143 | 126.0 | 123 | 146 | 132.4 | 104 | 140 | 119.1 | 280 | 320 | 306.4 |
| August..... | 145 | 152 | 149.8 | 132 | 148 | 138.6 | 144 | 155 | 148.3 | 103 | 142 | 123.4 | 317 | 322 | 320.0 |
| September..... | 137 | 140 | 138.5 | 100 | 140 | 127.6 | 135 | 143 | 140.3 | 105 | 134 | 114.2 | 290 | 305 | 299.0 |
| October..... | 138 | 145 | 142.0 | 115 | 143 | 128.7 | 119 | 145 | 133.7 | 100 | 139 | 117.3 | 285 | 317 | 298.9 |
| November..... | 143 | 155 | 149.0 | 120 | 158 | 139.8 | 132 | 157 | 144.1 | 105 | 146 | 126.2 | 310 | 350 | 327.6 |
| December..... | 150 | 165 | 155.0 | 125 | 168 | 157.3 | 143 | 167 | 157.0 | 123 | 162 | 143.0 | 332 | 350 | 339.0 |
| July-December..... | 130 | 165 | 145.2 | 100 | 168 | 136.3 | 119 | 167 | 142.6 | 100 | 162 | 123.9 | 280 | 350 | 315.2 |

¹ No. 2 spring Jan.-July, 1919; No. 3 spring September, 1919.

² No. 4 September, 1919.

³ Beginning September—all barley.

BARLEY—Continued.

TABLE 54.—*Barley and malt: International trade, calendar years 1911–1913, 1917, and 1918.*

[See "General note," Table 12.]

EXPORTS.

[000 omitted.]

| Country. | Barley. | | | Malt. | | | Barley and malt in terms of barley. | | |
|----------------------|-------------------|-----------------|-----------------|-------------------|-----------------|-----------------|-------------------------------------|-----------------|-----------------|
| | Average 1911–1913 | 1917 (prelim.) | 1918 (prelim.) | Average 1911–1913 | 1917 (prelim.) | 1918 (prelim.) | Average 1911–1913 | 1917 (prelim.) | 1918 (prelim.) |
| <i>From—</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Algeria..... | 4,720 | 2,353 | 3,743 | | | | 4,720 | 2,353 | 3,743 |
| Argentina..... | 917 | 566 | 218 | | | | 917 | 566 | 218 |
| Austria-Hungary..... | 7,529 | | | 11,816 | | | 18,271 | | |
| Belgium..... | 3,629 | | | 246 | | | 3,853 | | |
| British India..... | 17,129 | 14,531 | 14,848 | | | | 17,129 | 14,531 | 14,848 |
| Bulgaria..... | 1,700 | | | | | | 1,700 | | |
| Canada..... | 6,656 | 7,034 | 4,046 | 15 | 202 | 561 | 6,670 | 7,218 | 4,536 |
| Chile..... | 608 | 197 | | 25 | 943 | | 631 | 1,064 | |
| China..... | 660 | 61 | 97 | | | | 660 | 61 | 97 |
| Denmark..... | 3,473 | 6 | 357 | 97 | 29 | | 3,561 | 32 | 357 |
| France..... | 609 | 92 | 12 | 33 | 548 | 93 | 639 | 590 | 96 |
| Germany..... | 139 | | | 1,194 | | | 1,225 | | |
| Netherlands..... | 28,995 | | | 678 | | | 29,611 | | |
| Roumania..... | 16,690 | | | 3 | | | 16,632 | | |
| Russia..... | 168,289 | | | 189 | | | 168,461 | | |
| United Kingdom..... | 107 | 11 | 44 | 908 | 513 | 23 | 932 | 478 | 65 |
| United States..... | 8,177 | 17,859 | 18,805 | 244 | 4,163 | 896 | 8,400 | 21,644 | 18,620 |
| Other countries..... | 15,560 | | | 10 | | | 15,569 | | |
| Total..... | 285,587 | | | 15,468 | | | 299,641 | | |

IMPORTS.

| | | | | | | | | | |
|---------------------------|---------|------------------|------------------|--------|-----|-----|---------|--------|--------|
| <i>Into—</i> | | | | | | | | | |
| Argentina..... | 3 | 2 | 7 | 1,437 | 838 | 965 | 1,310 | 764 | 885 |
| Austria-Hungary..... | 838 | | | 1 | | | 839 | | |
| Belgium..... | 19,546 | | | 759 | | | 20,236 | | |
| Brazil..... | 1 | | | 1,074 | | | 978 | | |
| British South Africa..... | 2 | (¹) | (¹) | 383 | 151 | 37 | 351 | 167 | 41 |
| Canada..... | 33 | 3 | 1 | 147 | 37 | 7 | 166 | 36 | 8 |
| Cuba..... | 278 | 437 | 273 | | | | 278 | 437 | 273 |
| Denmark..... | 2,041 | 466 | 12 | 62 | | | 2,098 | 466 | 12 |
| Egypt..... | 690 | 12 | (¹) | 218 | 67 | 1 | 889 | 73 | 1 |
| France..... | 6,993 | 9,060 | 10,686 | 178 | 418 | 370 | 7,155 | 9,440 | 11,022 |
| Finland..... | 311 | | | 237 | | | 526 | | |
| Germany..... | 150,706 | | | 3,122 | | | 153,544 | | |
| Italy..... | 815 | 1,229 | 7,510 | | 331 | 104 | 815 | 1,530 | 7,604 |
| Netherlands..... | 37,646 | | | 3,893 | | | 41,184 | | |
| Norway..... | 4,218 | 2,115 | | 126 | 154 | | 4,333 | 2,255 | |
| Russia..... | 940 | | | 37 | | | 974 | | |
| Switzerland..... | 1,142 | 729 | 605 | 3,626 | 825 | 11 | 4,440 | 1,479 | 616 |
| United Kingdom..... | 51,636 | 21,313 | 11,725 | 100 | 163 | | 51,727 | 21,462 | 11,725 |
| Other countries..... | 1,751 | | | 556 | | | 2,253 | | |
| Total..... | 279,591 | | | 15,956 | | | 294,096 | | |

¹ Less than 500 bushels.

RYE.

TABLE 55.—*Rye: Area and production in undermentioned countries, 1909-1919.*

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|--|--|------------------------|------------------------|------------------------|--|---------------------------|---------------------------|---------------------------|
| | Average 1909- 1913. ¹ | 1917 | 1918 | 1919 | Average 1909- 1913. ¹ | 1917 | 1918 | 1919 |
| NORTH AMERICA. | | | | | | | | |
| United States..... | <i>Acres.</i> 2,236 | <i>Acres.</i> 4,317 | <i>Acres.</i> 6,391 | <i>Acres.</i> 7,063 | <i>Bushels.</i> 34,916 | <i>Bushels.</i> 62,933 | <i>Bushels.</i> 91,041 | <i>Bushels.</i> 88,478 |
| Canada: | | | | | | | | |
| Quebec..... | 14 | 22 | 29 | 33 | 234 | 376 | 472 | 578 |
| Ontario..... | 77 | 68 | 113 | 141 | 1,405 | 1,207 | 1,813 | 2,318 |
| Manitoba..... | 5 | 37 | 240 | 299 | 96 | 638 | 3,936 | 4,783 |
| Saskatchewan..... | 3 | 53 | 124 | 190 | 55 | 988 | 1,420 | 1,067 |
| Alberta..... | 12 | 31 | 45 | 84 | 297 | 633 | 826 | 1,506 |
| Other..... | 1 | 1 | 1 | 7 | 9 | 5 | 37 | 149 |
| Total Canada..... | 112 | 212 | 555 | 754 | 2,096 | 3,857 | 8,504 | 11,003 |
| Mexico..... | (²) | (²) | (²) | (²) | 70 | (²) | (²) | (²) |
| Total..... | 2,348 | | | | 37,082 | | | |
| SOUTH AMERICA. | | | | | | | | |
| Argentina..... | 68 | 180 | (²) | (²) | 949 | 858 | (²) | (²) |
| Chile..... | 6 | 6 | 8 | 8 | 144 | 92 | 176 | 192 |
| Uruguay..... | (²) | (²) | (²) | (²) | 1 | 1 | 1 | (²) |
| Total..... | 74 | | | | 1,094 | 951 | | |
| EUROPE. | | | | | | | | |
| Austria ⁴ | 5,019 | (²) | (²) | (²) | 112,752 | (²) | (²) | (²) |
| Hungary proper..... | 2,601 | (²) | (²) | (²) | 48,716 | (²) | (²) | (²) |
| Croatia Slavonia ⁴ | 185 | (²) | (²) | (²) | 2,231 | (²) | (²) | (²) |
| Bosnia-Herzegovina ⁴ | 39 | (²) | (²) | (²) | 444 | (²) | (²) | (²) |
| Belgium..... | 644 | (²) | (²) | 496 | 22,075 | (²) | (²) | 13,681 |
| Bulgaria ⁴ | 530 | (²) | (²) | (²) | 8,553 | 8,490 | (²) | (²) |
| Denmark..... | 632 | 436 | 542 | 559 | 18,098 | 8,870 | 12,726 | (²) |
| Finland..... | (²) | (²) | (²) | (²) | 11,174 | (²) | (²) | (²) |
| France ⁴ | 2,960 | * 1,834 | * 1,746 | 1,817 | 48,647 | * 24,768 | * 28,935 | 27,833 |
| Germany ⁴ | 15,357 | * 13,650 | * 14,200 | (²) | 445,222 | * 274,677 | * 315,301 | (²) |
| Italy..... | 303 | 279 | 272 | 272 | 5,328 | 4,460 | 4,724 | 4,571 |
| Luxemburg..... | (²) | 17 | 17 | (²) | 292 | 422 | 422 | (²) |
| Netherlands..... | 557 | 463 | 472 | 481 | 16,422 | 11,958 | 13,022 | 14,057 |
| Norway..... | 37 | 58 | 37 | 37 | 974 | 1,169 | 1,012 | * 1,063 |
| Roumania..... | * 317 | (²) | * 624 | * 523 | 44,652 | (²) | * 1,694 | (²) |
| Russia proper..... | 64,575 | (²) | (²) | (²) | 791,333 | (²) | (²) | (²) |
| Poland ⁴ | 5,261 | (²) | (²) | (²) | 90,494 | (²) | (²) | (²) |
| Northern Caucasia ⁴ | 547 | (²) | (²) | (²) | 7,409 | (²) | (²) | (²) |
| Serbia ⁴ | 114 | (²) | (²) | (²) | 1,533 | (²) | (²) | (²) |
| Spain..... | 1,987 | 1,800 | 1,818 | 1,822 | 27,035 | 24,365 | 30,445 | 24,635 |
| Sweden..... | 977 | 815 | 948 | (²) | 23,859 | 14,080 | 19,793 | (²) |
| Switzerland..... | (²) | 55 | 72 | 51 | (²) | 1,752 | 1,850 | 1,575 |
| United Kingdom..... | 61 | 64 | 116 | 122 | 1,751 | (²) | (²) | (²) |
| Total..... | 102,733 | | | | 1,689,902 | | | |
| ASIA. | | | | | | | | |
| Russia: | | | | | | | | |
| Central Asia (4 gov- ernments) ⁴ | 176 | (²) | (²) | (²) | 1,001 | (²) | (²) | (²) |
| Siberia (4 govern- ments) ⁴ | 2,273 | (²) | (²) | (²) | 23,647 | (²) | (²) | (²) |
| Transcaucasia (1 gov- ernment) ⁴ | 2 | (²) | (²) | (²) | 15 | (²) | (²) | (²) |
| Total..... | 2,451 | | | | 24,663 | | | |

¹ Five-year average, except in a few cases where statistics for 5 years were not available.² No official statistics.³ Less than 500.⁴ Old boundaries.⁵ Unofficial estimate.⁶ Excluding territory occupied by enemy.⁷ Excludes Alsace-Lorraine.⁸ Including Bessarabia, but excluding Dobruja.

RYE—Continued.

TABLE 55.—*Rye: Area and production in undermentioned countries, 1909-1919—Contd.*

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|-------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|---------------------------|------------------|------------------|------------------|
| | Average 1909- 1913. | 1917 | 1918 | 1919 | Average 1909- 1913. | 1917 | 1918 | 1919 |
| AUSTRALASIA. | | | | | | | | |
| Australia: | <i>Acres.</i> (²) | <i>Acres.</i> (²) | <i>Acres.</i> (²) | <i>Acres.</i> (¹) | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Queensland | | | | (¹) | 2 | 2 | (¹) | (¹) |
| New South Wales | 4 | 2 | (²) | (²) | 49 | 31 | (²) | (²) |
| Victoria | 2 | 3 | (²) | (²) | 24 | 43 | (²) | (²) |
| South Australia | 1 | 2 | (²) | (²) | 10 | 11 | | (²) |
| Western Australia | 1 | 1 | (¹) | (²) | 5 | 4 | 4 | (²) |
| Tasmania | 1 | 1 | (²) | (²) | 18 | 7 | (²) | (²) |
| Total Australia | 9 | 9 | | | 108 | 98 | | |
| New Zealand | 5 | (²) | (²) | (²) | 97 | (²) | (²) | (²) |
| Total Australasia | 14 | | | | 205 | | | |
| Grand total | 107, 620 | | | | 1, 752, 946 | | | |

¹ No official statistics.² Less than 500.TABLE 56.—*Rye: Total production of countries in Table 55. 1895-1915.*

| Year. | Production. | Year. | Production. | Year. | Production. | Year. | Production. |
|------------|------------------|------------|------------------|------------|------------------|------------|------------------|
| | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> |
| 1895 | 1, 468, 212, 000 | 1901 | 1, 416, 022, 000 | 1907 | 1, 538, 778, 000 | 1913 | 1, 880, 387, 000 |
| 1896 | 1, 499, 250, 000 | 1902 | 1, 647, 845, 000 | 1908 | 1, 590, 057, 000 | 1914 | 1, 586, 882, 000 |
| 1897 | 1, 300, 645, 000 | 1903 | 1, 659, 961, 000 | 1909 | 1, 747, 123, 000 | 1915 | 1, 577, 490, 000 |
| 1898 | 1, 461, 171, 000 | 1904 | 1, 742, 112, 000 | 1910 | 1, 673, 473, 000 | | |
| 1899 | 1, 583, 179, 000 | 1905 | 1, 495, 751, 000 | 1911 | 1, 753, 933, 000 | | |
| 1900 | 1, 557, 634, 000 | 1906 | 1, 433, 395, 000 | 1912 | 1, 886, 517, 000 | | |

TABLE 57.—*Rye: Average yield per acre in undermentioned countries. 1890-1919.*

| Year. | United States | Russia (Euro- pean). ¹ | Ger- many. ¹ | Austria. ¹ | Hungary proper. ¹ | France. ² | Ireland. ¹ |
|-----------------|------------------|---|----------------------------|-----------------------|---------------------------------|----------------------|-----------------------|
| Average: | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| 1890-1899 | 13.9 | 10.4 | 20.9 | 16.1 | | 17.6 | 25.2 |
| 1900-1909 | 15.7 | 11.5 | 25.6 | 19.0 | 17.6 | 17.1 | 27.5 |
| 1910-1914 | 16.3 | 12.5 | 28.3 | 22.2 | 18.5 | 16.1 | 29.9 |
| 1906 | 16.7 | 8.8 | 25.1 | 19.9 | 19.8 | 16.3 | 27.6 |
| 1907 | 16.4 | 10.8 | 25.8 | 18.9 | 16.0 | 18.2 | 27.0 |
| 1908 | 16.4 | 11.0 | 28.0 | 22.0 | 17.5 | 16.8 | 29.2 |
| 1909 | 13.4 | 12.6 | 28.8 | 22.3 | 17.8 | 18.1 | 30.8 |
| 1910 | 16.0 | 12.3 | 27.1 | 21.3 | 18.9 | 14.7 | 30.3 |
| 1911 | 15.6 | 10.5 | 28.2 | 20.9 | 18.7 | 15.8 | 29.0 |
| 1912 | 16.8 | 14.3 | 29.5 | 23.3 | 19.4 | 16.5 | 30.6 |
| 1913 | 16.2 | 13.5 | 30.4 | 22.0 | 19.6 | 17.0 | 30.0 |
| 1914 | 16.8 | 12.1 | 26.4 | 23.7 | 16.1 | 16.6 | 29.4 |
| 1915 | 17.3 | 14.6 | 22.8 | 16.4 | 17.5 | 14.3 | 29.2 |
| 1916 | 15.3 | | | | | 15.4 | 29.0 |
| 1917 | 14.6 | | | | | ¹ 13.7 | 29.2 |
| 1918 | 14.4 | | | | | 17.2 | 27.0 |
| 1919 | 12.9 | | | | | | |

¹ Bushels of 56 pounds.² Winchester bushels.

RYE—Continued.

TABLE 58.—*Rye: Acreage, production, value, exports, etc., in the United States, 1849–1919.*

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage harvested. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. | Chicago cash price per bushel, No. 2. | | | | Domestic exports, including rye flour, fiscal year beginning July 1. |
|-------|--------------------|-------------------------|-------------|---------------------------------------|--------------------|---------------------------------------|-------|----------------|-------|--|
| | | | | | | December. | | Following May. | | |
| | | | | | | Low. | High. | Low. | High. | |
| | Acres. | Bush. | Bushels. | Cents. | Dollars. | Cts. | Cts. | Cts. | Cts. | Bushels. |
| 1849 | | | 14,189,000 | | | | | | | |
| 1859 | | | 21,101,000 | | | | | | | |
| 1866 | 1,548,000 | 13.5 | 20,865,000 | 82.2 | 17,150,000 | | | 142 | 150 | 234,971 |
| 1867 | 1,689,000 | 13.7 | 23,184,000 | 100.4 | 23,281,000 | 132 | 157 | 173 | 185 | 564,901 |
| 1868 | 1,651,000 | 13.6 | 22,504,000 | 94.9 | 21,349,000 | 106½ | 118 | 100 | 115½ | 92,869 |
| 1869 | 1,658,000 | 13.6 | 22,528,000 | 77.0 | 17,342,000 | 66 | 77½ | 78 | 83½ | 199,450 |
| 1869 | | | 16,919,000 | | | | | | | |
| 1870 | 1,176,000 | 13.2 | 15,474,000 | 73.2 | 11,327,000 | 67 | 74 | 81 | 91 | 87,174 |
| 1871 | 1,070,000 | 14.4 | 15,366,000 | 71.1 | 10,928,000 | 62 | 63½ | 75 | 93 | 832,699 |
| 1872 | 1,049,000 | 14.2 | 14,889,000 | 67.6 | 10,071,000 | 57½ | 70 | 68½ | 70 | 611,749 |
| 1873 | 1,150,000 | 13.2 | 15,142,000 | 70.3 | 10,638,000 | 70 | 81 | 91 | 102 | 1,923,404 |
| 1874 | 1,117,000 | 13.4 | 14,991,000 | 77.4 | 11,610,000 | 93 | 99½ | 103 | 107½ | 267,058 |
| 1875 | 1,360,000 | 13.0 | 17,722,000 | 67.1 | 11,894,000 | 67 | 68½ | 61½ | 70½ | 589,159 |
| 1876 | 1,468,000 | 13.9 | 20,375,000 | 61.4 | 12,505,000 | 65½ | 73 | 70 | 92½ | 2,234,856 |
| 1877 | 1,413,000 | 15.0 | 21,170,000 | 57.6 | 12,202,000 | 55½ | 56½ | 54 | 60 | 4,249,684 |
| 1878 | 1,623,000 | 15.9 | 25,843,000 | 52.5 | 13,566,000 | 44 | 44½ | 47 | 52 | 4,877,821 |
| 1879 | 1,625,000 | 14.5 | 23,639,000 | 65.6 | 15,507,000 | 73½ | 81 | 73½ | 85 | 2,943,894 |
| 1879 | 1,648,000 | 10.8 | 19,638,000 | | | | | | | |
| 1880 | 1,768,000 | 13.9 | 24,541,000 | 75.6 | 18,565,000 | 82 | 91½ | 115 | 118 | 1,955,155 |
| 1881 | 1,789,000 | 11.6 | 20,705,000 | 93.3 | 19,327,000 | 96½ | 98 | 77 | 83 | 1,003,609 |
| 1882 | 2,228,000 | 13.4 | 29,960,000 | 61.5 | 18,439,000 | 57 | 58½ | 62 | 67 | 2,206,712 |
| 1883 | 2,315,000 | 12.1 | 28,059,000 | 58.1 | 16,301,000 | 56½ | 60 | 60½ | 62½ | 6,247,590 |
| 1884 | 2,344,000 | 12.2 | 28,640,000 | 51.9 | 14,857,000 | 51 | 52 | 68 | 73 | 2,974,390 |
| 1885 | 2,129,000 | 10.2 | 21,756,000 | 57.9 | 12,595,000 | 58½ | 61 | 58 | 61 | 216,699 |
| 1886 | 2,130,000 | 11.5 | 24,489,000 | 53.8 | 13,181,000 | 53 | 54½ | 54½ | 56½ | 377,302 |
| 1887 | 2,063,000 | 10.1 | 20,863,000 | 54.5 | 11,283,000 | 55½ | 61½ | 63 | 68 | 94,827 |
| 1888 | 2,365,000 | 12.0 | 28,415,000 | 58.8 | 16,722,000 | 50 | 52 | 39 | 41½ | 309,266 |
| 1889 | 2,171,000 | 13.1 | 28,420,000 | 42.3 | 12,010,000 | 44 | 45½ | 49½ | 54 | 2,280,975 |
| 1889 | 2,172,000 | 15.1 | 28,421,000 | | | | | | | |
| 1890 | 2,142,000 | 12.0 | 25,807,000 | 62.9 | 16,230,000 | 64½ | 68½ | 83 | 92 | 358,263 |
| 1891 | 2,176,000 | 14.6 | 31,752,000 | 77.4 | 24,589,000 | 86 | 92 | 70½ | 79 | 12,068,628 |
| 1892 | 2,164,000 | 12.9 | 27,979,000 | 54.2 | 15,160,000 | 46 | 51 | 50½ | 62 | 1,493,924 |
| 1893 | 2,038,000 | 13.0 | 26,555,000 | 51.3 | 13,612,000 | 45 | 47½ | 44½ | 48 | 249,152 |
| 1894 | 1,945,000 | 13.7 | 26,728,000 | 50.1 | 13,395,000 | 47½ | 49 | 62½ | 67 | 32,045 |
| 1895 | 1,890,000 | 14.4 | 27,210,000 | 44.0 | 11,965,000 | 32 | 35½ | 33 | 36½ | 1,011,128 |
| 1896 | 1,831,000 | 13.3 | 24,369,000 | 40.9 | 9,961,000 | 37 | 42½ | 32½ | 35½ | 8,575,663 |
| 1897 | 1,704,000 | 16.1 | 27,363,000 | 44.7 | 12,240,000 | 45½ | 47 | 48 | 75 | 15,562,035 |
| 1898 | 1,643,000 | 15.6 | 25,658,000 | 46.3 | 11,875,000 | 52 | 55½ | 56½ | 62 | 10,169,822 |
| 1899 | 1,659,000 | 14.4 | 23,962,000 | 51.0 | 12,214,000 | 49 | 52 | 53 | 56½ | 2,382,012 |
| 1899 | 2,064,000 | 12.4 | 25,569,000 | | | | | | | |
| 1900 | 1,591,000 | 15.1 | 23,996,000 | 51.2 | 12,295,000 | 45½ | 49½ | 51½ | 54 | 2,345,512 |
| 1901 | 1,988,000 | 15.3 | 30,345,000 | 55.7 | 16,910,000 | 59 | 65½ | 54½ | 58 | 2,712,077 |
| 1902 | 1,979,000 | 17.0 | 33,631,000 | 50.8 | 17,081,000 | 48 | 49½ | 48 | 50½ | 5,445,273 |
| 1903 | 1,907,000 | 15.4 | 29,363,000 | 54.5 | 15,994,000 | 50½ | 52½ | 69½ | 78 | 784,068 |
| 1904 | 1,793,000 | 15.2 | 27,242,000 | 68.8 | 18,748,000 | 73 | 75 | 70 | 84 | 29,749 |
| 1905 | 1,730,000 | 16.5 | 28,486,000 | 61.1 | 17,414,000 | 64 | 68 | 58 | 62 | 1,387,826 |
| 1906 | 2,002,000 | 16.7 | 33,375,000 | 58.9 | 19,671,000 | 61 | 65 | 69 | 87 | 769,717 |
| 1907 | 1,926,000 | 16.4 | 31,566,000 | 73.1 | 23,068,000 | 75 | 82 | 79 | 86 | 2,444,588 |
| 1908 | 1,948,000 | 16.4 | 31,851,000 | 73.6 | 23,455,000 | 75 | 77½ | 83 | 90 | 1,295,701 |
| 1909 | 2,006,000 | 16.1 | 32,239,000 | | | | | | | |
| 1909 | 2,196,000 | 13.4 | 29,520,000 | 71.8 | 21,163,000 | 72 | 80 | 74 | 80 | 242,262 |
| 1910 | 2,185,000 | 16.0 | 34,897,000 | 71.5 | 24,953,000 | 80 | 82 | 90 | 113 | 40,123 |
| 1911 | 2,127,000 | 15.6 | 33,119,000 | 83.2 | 27,557,000 | 91 | 94 | 90 | 95½ | 31,384 |
| 1912 | 2,117,000 | 16.8 | 35,664,000 | 66.3 | 23,636,000 | 58 | 64 | 60 | 64 | 1,854,738 |
| 1913 | 2,557,000 | 16.2 | 41,381,000 | 63.4 | 26,220,000 | 61 | 65 | 62 | 67 | 2,272,492 |
| 1914 | 2,541,000 | 16.8 | 42,779,000 | 86.5 | 37,018,000 | 107½ | 112½ | 115 | 122 | 13,026,778 |
| 1915 | 3,129,000 | 17.3 | 54,050,000 | 83.4 | 45,083,000 | 94½ | 98½ | 96½ | 99½ | 15,250,151 |
| 1916 | 3,213,000 | 15.2 | 48,802,000 | 122.1 | 59,676,000 | 130 | 151 | 200 | 240 | 13,703,499 |
| 1917 | 4,317,000 | 14.6 | 62,933,000 | 166.0 | 104,447,000 | 176 | 184 | 180 | 260 | 17,186,417 |
| 1918 | 6,391,000 | 14.2 | 91,041,000 | 151.6 | 138,038,000 | 154 | 164 | 145½ | 173 | 36,468,650 |
| 1919 | 7,063,000 | 12.5 | 88,478,000 | 134.5 | 119,041,000 | 149 | 182 | | | |

¹ Figures adjusted to census basis.

RYE—Continued.

TABLE 59.—*Rye: Revised acreage, production, and farm value, 1879 and 1889–1909.*

[See head note of Table 4.]

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|-----------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| 1879..... | 1,848,000 | 13.7 | 25,201,000 | 67.6 | 17,040,000 |
| 1889..... | 2,172,000 | 13.1 | 28,378,000 | 42.3 | 11,991,000 |
| 1890..... | 2,184,000 | 12.1 | 26,414,000 | 62.6 | 16,536,000 |
| 1891..... | 2,234,000 | 14.7 | 32,761,000 | 77.1 | 25,264,000 |
| 1892..... | 2,251,000 | 13.0 | 29,253,000 | 53.6 | 15,674,000 |
| 1893..... | 2,178,000 | 13.1 | 28,592,000 | 50.2 | 14,360,000 |
| 1894..... | 2,164,000 | 13.7 | 29,613,000 | 49.4 | 14,622,000 |
| 1895..... | 2,153,000 | 14.5 | 31,139,000 | 42.2 | 13,151,000 |
| 1896..... | 2,126,000 | 13.6 | 28,913,000 | 38.8 | 11,231,000 |
| 1897..... | 2,077,000 | 16.1 | 33,433,000 | 43.2 | 14,454,000 |
| 1898..... | 2,071,000 | 15.9 | 32,888,000 | 44.5 | 14,640,000 |
| 1899..... | 2,044,000 | 14.8 | 30,334,000 | 49.6 | 15,046,000 |
| 1900..... | 2,042,000 | 15.1 | 30,791,000 | 49.8 | 15,241,000 |
| 1901..... | 2,033,000 | 15.3 | 31,103,000 | 55.4 | 17,220,000 |
| 1902..... | 2,061,000 | 17.2 | 35,255,000 | 50.5 | 17,798,000 |
| 1903..... | 2,074,000 | 15.4 | 31,990,000 | 54.0 | 17,272,800 |
| 1904..... | 2,085,000 | 15.3 | 31,905,000 | 68.9 | 21,923,000 |
| 1905..... | 2,141,000 | 16.4 | 35,167,000 | 60.4 | 21,241,000 |
| 1906..... | 2,186,000 | 16.7 | 36,556,000 | 58.5 | 21,381,000 |
| 1907..... | 2,167,000 | 16.4 | 35,455,000 | 72.5 | 25,709,000 |
| 1908..... | 2,175,000 | 16.4 | 35,768,000 | 72.8 | 26,023,000 |
| 1909..... | 2,196,000 | 16.1 | 35,406,000 | 72.2 | 25,548,000 |

TABLE 60.—*Rye: Acreage (sown and harvested), production, and total farm value, by States, 1919.*

[*** omitted.]

| State. | Acreage. | | Production. | Farm value Dec. 1. | State. | Acreage. | | Production. | Farm value Dec. 1. |
|---------------------|-----------------------|---------------|--------------|--------------------|-------------------|-----------------------|---------------|--------------|--------------------|
| | Sown in fall of 1918. | Harvested. | | | | Sown in fall of 1918. | Harvested. | | |
| | <i>Acres.</i> | <i>Acres.</i> | <i>Bush.</i> | <i>Dolls.</i> | | <i>Acres.</i> | <i>Acres.</i> | <i>Bush.</i> | <i>Dolls.</i> |
| Vermont..... | 1 | 1 | 17 | 26 | Missouri..... | 60 | 60 | 720 | 1,080 |
| Massachusetts..... | 5 | 5 | 115 | 201 | North Dakota..... | 2,068 | 1,945 | 15,560 | 18,828 |
| Connecticut..... | 12 | 11 | 220 | 440 | South Dakota..... | 505 | 500 | 6,500 | 8,125 |
| New York..... | 126 | 120 | 1,932 | 2,898 | Nebraska..... | 410 | 408 | 6,650 | 7,648 |
| New Jersey..... | 84 | 81 | 1,296 | 2,074 | Kansas..... | 202 | 200 | 2,520 | 3,553 |
| Pennsylvania..... | 230 | 228 | 3,648 | 5,727 | Kentucky..... | 63 | 62 | 744 | 1,302 |
| Delaware..... | 1 | 2 | 26 | 42 | Tennessee..... | 32 | 31 | 279 | 558 |
| Maryland..... | 31 | 30 | 420 | 685 | Alabama..... | 4 | 4 | 38 | 99 |
| Virginia..... | 73 | 72 | 828 | 1,408 | Texas..... | 7 | 7 | 119 | 199 |
| West Virginia..... | 21 | 20 | 260 | 429 | Oklahoma..... | 26 | 25 | 350 | 525 |
| North Carolina..... | 92 | 90 | 810 | 1,701 | Arkansas..... | 3 | 3 | 28 | 56 |
| South Carolina..... | 18 | 17 | 170 | 502 | Montana..... | 75 | 68 | 272 | 503 |
| Georgia..... | 35 | 33 | 294 | 800 | Wyoming..... | 80 | 28 | 252 | 454 |
| Ohio..... | 116 | 115 | 1,846 | 2,735 | Colorado..... | 120 | 143 | 1,258 | 1,635 |
| Indiana..... | 384 | 380 | 5,320 | 7,448 | Utah..... | 19 | 18 | 126 | 232 |
| Illinois..... | 250 | 250 | 4,125 | 5,362 | Idaho..... | 9 | 9 | 135 | 236 |
| Michigan..... | 910 | 900 | 13,500 | 17,280 | Washington..... | 20 | 20 | 240 | 444 |
| Wisconsin..... | 525 | 525 | 8,295 | 11,032 | Oregon..... | 60 | 60 | 582 | 1,106 |
| Minnesota..... | 535 | 522 | 7,830 | 10,179 | | | | | |
| Iowa..... | 70 | 70 | 1,113 | 1,469 | United States.. | 7,232 | 7,063 | 88,478 | 119,041 |

RYE—Continued.

TABLE 61.—*Rye: Acreage sown and harvested, United States, 1906–1919.*

| Year. | Acreage sown in pre- ceding fall. | Acreage har- vested. | Year. | Acreage sown in pre- ceding fall. | Acreage har- vested. |
|-----------|---|----------------------------|-----------|---|----------------------------|
| | <i>Acres.</i> | <i>Acres.</i> | | <i>Acres.</i> | <i>Acres.</i> |
| 1906..... | 2,100,000 | 2,002,000 | 1914..... | 2,773,000 | 2,541,000 |
| 1907..... | 2,061,000 | 1,926,000 | 1915..... | 3,153,000 | 3,129,000 |
| 1908..... | 2,015,000 | 1,948,000 | 1916..... | 3,474,000 | 3,213,000 |
| 1909..... | 2,326,000 | 2,196,000 | 1917..... | 4,450,000 | 4,317,000 |
| 1910..... | 2,413,000 | 2,185,000 | 1918..... | 6,708,000 | 6,185,000 |
| 1911..... | 2,415,000 | 2,127,000 | 1919..... | 7,232,000 | 7,063,000 |
| 1912..... | 2,478,000 | 2,117,000 | 1920..... | 5,530,000 | |
| 1913..... | 2,731,000 | 2,557,000 | | | |

TABLE 62.—*Rye: Condition of crop, United States, on first of months named, 1899–1919.*

| Year. | De- cem- ber of pre- vious year. | April. | May. | June. | When har- vested. | Year. | De- cem- ber of pre- vious year. | April. | May. | June. | When har- vested. |
|-----------|---|---------------|---------------|---------------|-------------------------|-----------|---|---------------|---------------|---------------|-------------------------|
| | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> |
| 1899..... | 98.9 | 84.9 | 85.2 | 84.5 | 85.6 | 1910..... | 94.1 | 92.3 | 91.3 | 90.6 | 87.5 |
| 1900..... | 98.2 | 84.8 | 88.5 | 87.6 | 80.4 | 1911..... | 92.6 | 89.3 | 90.0 | 88.6 | 85.0 |
| 1901..... | 99.1 | 93.1 | 94.6 | 93.9 | 93.0 | 1912..... | 93.3 | 87.9 | 87.5 | 97.7 | 88.2 |
| 1902..... | 89.9 | 85.4 | 83.4 | 88.1 | 90.2 | 1913..... | 93.5 | 89.3 | 91.0 | 90.9 | 88.6 |
| 1903..... | 98.1 | 97.9 | 93.3 | 90.6 | 89.5 | 1914..... | 95.3 | 91.3 | 93.4 | 93.6 | 92.9 |
| 1904..... | 92.7 | 82.3 | 81.2 | 86.3 | 88.9 | 1915..... | 93.6 | 89.5 | 93.3 | 92.0 | 92.0 |
| 1905..... | 90.5 | 92.1 | 93.5 | 94.0 | 93.2 | 1916..... | 91.5 | 87.8 | 88.7 | 88.9 | 87.0 |
| 1906..... | 95.4 | 90.9 | 92.9 | 89.9 | 91.3 | 1917..... | 88.8 | 86.0 | 88.8 | 84.3 | 79.4 |
| 1907..... | 96.2 | 92.0 | 88.0 | 88.1 | 89.7 | 1918..... | 84.1 | 85.8 | 85.8 | 83.6 | 80.8 |
| 1908..... | 91.4 | 89.1 | 90.3 | 91.3 | 91.2 | 1919..... | 89.0 | 90.6 | 95.3 | 93.5 | 85.7 |
| 1909..... | 87.6 | 87.2 | 88.1 | 89.6 | 91.4 | 1920..... | 89.8 | | | | |

RYE—Continued.

TABLE 63.—*Rye: Yield per acre, price per bushel Dec. 1. and value per acre, by States.*

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars). ¹ | | | |
|---------|----------------------------------|------|------|------|------|------|------|------|------|------|--------------------------------|----------------------------------|------|-------|-------|--|-------|---------------------------------|-------|
| | 10-year aver- age, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year aver- age, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year aver- age, 1914-1918. | 1919 |
| | | | | | | | | | | | | | | | | | | | |
| Vt. | 19.3 | 17.5 | 22.5 | 20.0 | 18.0 | 20.0 | 17.0 | 20.0 | 20.0 | 21.0 | 17.0 | 114 | 85 | 120 | 175 | 166 | 150 | 24.80 | 25.50 |
| Mass. | 19.0 | 17.0 | 16.0 | 18.5 | 18.5 | 19.0 | 20.0 | 18.5 | 19.0 | 20.0 | 23.0 | 132 | 102 | 127 | 200 | 227 | 175 | 29.30 | 40.25 |
| Conn. | 19.8 | 20.0 | 18.5 | 17.5 | 19.3 | 19.0 | 21.5 | 19.6 | 20.5 | 22.0 | 20.0 | 130 | 102 | 123 | 210 | 205 | 200 | 30.64 | 40.00 |
| N. Y. | 17.5 | 18.3 | 16.7 | 16.5 | 17.2 | 17.7 | 17.8 | 17.8 | 19.0 | 16.5 | 16.1 | 113 | 93 | 128 | 184 | 172 | 150 | 23.90 | 24.15 |
| N. J. | 18.0 | 18.0 | 16.4 | 17.5 | 18.0 | 18.5 | 20.0 | 19.0 | 18.5 | 18.5 | 16.0 | 112 | 92 | 117 | 175 | 173 | 160 | 24.04 | 25.60 |
| Pa. | 17.0 | 17.0 | 15.1 | 17.5 | 17.5 | 18.0 | 18.0 | 17.0 | 17.0 | 17.0 | 16.0 | 107 | 84 | 109 | 170 | 165 | 157 | 21.11 | 25.12 |
| Del. | 15.0 | 15.5 | 15.0 | 14.0 | 14.0 | 17.5 | 15.5 | 15.0 | 16.0 | 14.5 | 13.0 | 115 | 99 | 123 | 178 | 171 | 160 | 20.63 | 20.80 |
| Md. | 15.4 | 16.1 | 14.5 | 15.5 | 14.4 | 17.0 | 16.5 | 15.5 | 16.0 | 15.0 | 14.0 | 110 | 88 | 110 | 168 | 170 | 163 | 19.71 | 22.82 |
| Va. | 12.8 | 13.5 | 11.5 | 12.5 | 12.3 | 13.0 | 14.5 | 12.5 | 15.0 | 12.0 | 11.5 | 114 | 93 | 107 | 175 | 175 | 170 | 17.16 | 19.55 |
| W. Va. | 13.5 | 12.9 | 11.0 | 13.0 | 13.5 | 14.5 | 14.0 | 16.0 | 13.5 | 13.7 | 13.0 | 117 | 93 | 119 | 169 | 180 | 165 | 18.52 | 21.45 |
| N. C. | 9.9 | 10.0 | 10.0 | 9.3 | 10.3 | 10.0 | 11.5 | 9.7 | 10.0 | 9.0 | 9.0 | 135 | 105 | 130 | 200 | 198 | 210 | 14.60 | 18.90 |
| S. C. | 10.2 | 10.0 | 10.0 | 9.5 | 10.5 | 11.5 | 10.0 | 9.8 | 10.0 | 11.2 | 10.0 | 195 | 151 | 185 | 285 | 295 | 295 | 22.40 | 29.50 |
| Ga. | 9.3 | 10.4 | 9.5 | 9.2 | 9.5 | 9.3 | 9.2 | 9.5 | 8.3 | 8.8 | 8.9 | 176 | 140 | 160 | 270 | 210 | 272 | 16.58 | 24.21 |
| Ohio. | 16.4 | 16.5 | 15.5 | 15.5 | 16.5 | 17.0 | 17.5 | 14.5 | 18.0 | 17.0 | 16.4 | 104 | 83 | 120 | 161 | 150 | 145 | 20.03 | 23.78 |
| Ind. | 15.1 | 15.8 | 13.7 | 14.5 | 15.2 | 16.3 | 16.0 | 14.0 | 15.0 | 16.5 | 14.0 | 102 | 82 | 119 | 160 | 152 | 140 | 18.54 | 19.60 |
| Ill. | 17.0 | 17.4 | 16.8 | 16.0 | 16.5 | 16.0 | 18.5 | 15.5 | 17.5 | 19.0 | 16.5 | 102 | 83 | 122 | 165 | 150 | 130 | 21.05 | 21.45 |
| Mich. | 14.7 | 15.3 | 14.6 | 13.3 | 14.3 | 16.0 | 15.5 | 14.3 | 14.0 | 14.3 | 15.0 | 103 | 85 | 130 | 165 | 150 | 128 | 18.18 | 19.20 |
| Wis. | 17.2 | 16.0 | 17.0 | 18.3 | 17.5 | 16.5 | 18.5 | 16.2 | 18.5 | 17.6 | 15.8 | 104 | 87 | 132 | 169 | 150 | 133 | 22.03 | 21.01 |
| Minn. | 18.4 | 17.0 | 18.7 | 23.0 | 19.0 | 18.8 | 19.5 | 15.0 | 18.5 | 20.0 | 15.0 | 98 | 81 | 127 | 167 | 150 | 130 | 22.50 | 19.50 |
| Iowa. | 18.1 | 18.5 | 18.0 | 19.0 | 18.2 | 19.0 | 18.5 | 17.0 | 18.0 | 19.0 | 15.9 | 97 | 80 | 115 | 155 | 147 | 132 | 20.96 | 20.99 |
| Mo. | 13.8 | 15.0 | 14.1 | 14.8 | 15.0 | 14.0 | 13.5 | 11.0 | 14.7 | 14.0 | 12.0 | 109 | 86 | 123 | 165 | 163 | 150 | 16.88 | 18.00 |
| N. Dak. | 13.1 | 8.5 | 16.6 | 18.0 | 14.4 | 17.1 | 15.0 | 13.3 | 9.5 | 10.5 | 8.0 | 95 | 79 | 125 | 164 | 145 | 121 | 14.73 | 9.68 |
| S. Dak. | 16.1 | 17.0 | 10.0 | 19.5 | 13.2 | 21.7 | 0.9 | 19.5 | 18.0 | 16.0 | 13.0 | 93 | 76 | 118 | 155 | 141 | 125 | 19.90 | 16.25 |
| Nebr. | 15.4 | 16.0 | 13.0 | 16.0 | 14.5 | 16.0 | 17.5 | 16.0 | 15.6 | 12.9 | 16.3 | 92 | 73 | 116 | 155 | 135 | 115 | 16.96 | 18.74 |
| Kans. | 14.6 | 14.0 | 11.0 | 15.9 | 14.0 | 20.0 | 16.0 | 14.5 | 14.0 | 14.3 | 12.6 | 104 | 76 | 110 | 167 | 170 | 141 | 18.36 | 17.77 |
| Ky. | 12.5 | 13.0 | 12.0 | 13.0 | 12.4 | 13.7 | 12.0 | 11.2 | 12.5 | 13.6 | 12.0 | 118 | 94 | 129 | 174 | 161 | 175 | 16.51 | 21.00 |
| Tenn. | 10.9 | 11.0 | 11.9 | 11.5 | 12.0 | 13.0 | 10.0 | 10.0 | 9.8 | 10.0 | 9.0 | 131 | 103 | 135 | 195 | 192 | 200 | 15.07 | 18.00 |
| Ala. | 11.0 | 12.0 | 10.0 | 11.5 | 11.1 | 13.0 | 10.0 | 13.0 | 9.5 | 11.0 | 9.5 | 173 | 135 | 175 | 268 | 261 | 260 | 20.94 | 24.70 |
| Tex. | 12.7 | 11.5 | 10.0 | 16.6 | 15.0 | 14.8 | 17.0 | 10.0 | 10.0 | 5.4 | 17.0 | 134 | 103 | 120 | 196 | 235 | 167 | 15.29 | 28.39 |
| Okla. | 11.9 | 13.7 | 9.5 | 12.0 | 9.5 | 16.0 | 13.5 | 10.0 | 10.0 | 11.0 | 14.0 | 116 | 77 | 125 | 170 | 187 | 150 | 15.13 | 21.00 |
| Ark. | 10.8 | 12.0 | 10.0 | 10.5 | 11.5 | 10.5 | 10.5 | 10.0 | 13.5 | 10.5 | 9.5 | 127 | 100 | 115 | 150 | 210 | 200 | 15.06 | 19.00 |
| Mont. | 18.0 | 20.0 | 23.0 | 23.5 | 21.0 | 21.0 | 22.5 | 20.5 | 12.7 | 12.0 | 4.0 | 98 | 65 | 96 | 165 | 144 | 185 | 17.45 | 7.40 |
| Wyo. | 17.0 | 18.5 | 20.0 | 19.0 | 19.0 | 17.0 | 20.0 | 15.5 | 14.0 | 18.0 | 9.0 | 107 | 90 | 108 | 155 | 152 | 180 | 19.51 | 16.20 |
| Colo. | 14.3 | 14.0 | 12.0 | 19.5 | 17.0 | 17.5 | 17.5 | 14.0 | 16.0 | 7.0 | 8.8 | 91 | 70 | 105 | 146 | 140 | 130 | 14.30 | 11.44 |
| Utah. | 13.9 | 18.5 | 15.5 | 15.0 | 17.0 | 17.5 | 15.5 | 12.0 | 8.0 | 13.0 | 7.0 | 103 | 65 | 100 | 160 | 180 | 200 | 13.76 | 14.00 |
| Idaho. | 18.9 | 20.0 | 22.5 | 22.0 | 22.0 | 20.0 | 20.0 | 17.0 | 15.5 | 15.0 | 15.0 | 96 | 68 | 95 | 135 | 165 | 175 | 17.76 | 26.25 |
| Wash. | 17.1 | 20.5 | 22.0 | 20.0 | 21.0 | 19.7 | 18.2 | 14.5 | 12.7 | 10.0 | 12.0 | 112 | 75 | 111 | 175 | 200 | 185 | 17.74 | 22.20 |
| Oreg. | 15.2 | 15.1 | 19.5 | 16.0 | 17.5 | 16.0 | 18.0 | 17.0 | 12.7 | 11.0 | 9.7 | 120 | 90 | 115 | 170 | 205 | 190 | 19.18 | 18.43 |
| U. S. | 15.5 | 16.0 | 15.6 | 16.8 | 16.2 | 16.8 | 17.3 | 15.2 | 14.6 | 14.2 | 12.5 | 102.8 | 83.4 | 122.1 | 166.0 | 151.6 | 134.5 | 18.67 | 16.85 |

¹ Based upon farm price Dec. 1.

RYE—Continued.

TABLE 64.—Rye: Farm price, cents per bushel on first of each month, 1917-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|-------|-------|-------|-------|-------|------|------|------|------|------|----------|
| Jan. 1..... | 150.7 | 170.3 | 118.5 | 85.3 | 90.2 | 62.5 | 63.8 | 82.7 | 73.3 | 74.8 | 97.2 |
| Feb. 1..... | 140.4 | 174.8 | 123.5 | 88.3 | 100.6 | 61.7 | 68.9 | 84.4 | 73.1 | 76.1 | 99.2 |
| Mar. 1..... | 132.2 | 201.0 | 126.0 | 85.6 | 105.4 | 61.9 | 63.2 | 84.0 | 71.9 | 76.5 | 100.8 |
| Apr. 1..... | 145.8 | 235.1 | 135.6 | 83.6 | 100.4 | 63.0 | 62.9 | 85.1 | 75.4 | 76.6 | 106.4 |
| May 1..... | 155.5 | 221.1 | 164.1 | 83.7 | 101.9 | 62.9 | 62.4 | 84.6 | 75.8 | 74.9 | 108.7 |
| June 1..... | 143.7 | 187.6 | 133.0 | 83.8 | 98.1 | 64.4 | 64.1 | 86.1 | 77.9 | 74.8 | 106.4 |
| July 1..... | 138.6 | 169.9 | 177.1 | 83.3 | 93.7 | 63.1 | 63.2 | 83.6 | 76.9 | 74.6 | 102.4 |
| Aug. 1..... | 149.7 | 163.9 | 178.1 | 83.4 | 89.0 | 61.0 | 60.7 | 77.9 | 75.5 | 74.4 | 101.4 |
| Sept. 1..... | 138.3 | 159.3 | 161.9 | 99.7 | 85.5 | 75.4 | 63.0 | 70.8 | 76.9 | 74.1 | 100.5 |
| Oct. 1..... | 135.8 | 154.0 | 169.8 | 104.1 | 81.7 | 79.0 | 64.8 | 70.1 | 79.7 | 72.8 | 101.2 |
| Nov. 1..... | 129.8 | 152.6 | 168.8 | 115.3 | 85.7 | 80.1 | 63.2 | 68.8 | 83.1 | 71.6 | 101.9 |
| Dec. 1..... | 134.5 | 151.6 | 166.0 | 122.1 | 83.4 | 86.5 | 63.4 | 66.3 | 83.2 | 71.5 | 102.8 |
| Average..... | 138.7 | 167.4 | 156.5 | 99.7 | 89.2 | 72.8 | 63.8 | 74.9 | 78.1 | 73.7 | 101.5 |

TABLE 65.—Rye: Wholesale price per bushel, 1913-1919.

| Date. | Philadelphia. | | | Cincinnati. | | | Chicago. | | | Duluth. | | | San Francisco. | | |
|--------------------|----------------|-------|----------|-------------|-------|----------|----------|-------|----------|-----------|-------|----------|----------------|-------|----------|
| | No. 2 Western. | | | No. 2. | | | No. 2. | | | No grade. | | | Per 100 lbs. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| January-June..... | 65 | 70 | | 60 | 70 | 65.8 | 58 | 65 | 62.5 | 52 | 59 | 55.6 | 132 | 147 | 140.0 |
| July-December..... | 65 | 77 | | 60 | 72 | 65.3 | 61 | 70 | 64.9 | 50 | 65 | 56.4 | 135 | 165 | 145.0 |
| 1914. | | | | | | | | | | | | | | | |
| January-June..... | 65 | 75 | | 62 | 71 | 65.7 | 58 | 67 | 62.8 | 50 | 62 | 56.3 | 152 | 165 | 159.1 |
| July-December..... | 65 | 125 | 109.4 | 60 | 115 | 92.6 | 55 | 112 | 89.2 | 57 | 107 | 86.6 | 130 | 165 | 154.2 |
| 1915. | | | | | | | | | | | | | | | |
| January-June..... | 105 | 130 | 117.0 | 107 | 133 | 115.9 | 111 | 131 | 118.9 | 106 | 128 | 114.2 | 160 | 225 | 186.6 |
| July-December..... | 90 | 112 | | 92 | 112 | 102.1 | 91 | 119 | 100.3 | 87 | 111 | 94.4 | 145 | 165 | 156.5 |
| 1916. | | | | | | | | | | | | | | | |
| January-June..... | 90 | 118 | | 90 | 106 | 98.9 | 90 | 104 | 97.8 | 87 | 98 | 93.4 | 150 | 160 | 155.4 |
| July-December..... | 90 | 155 | 138.3 | 96 | 155 | 127.3 | 94 | 153 | 125.5 | 89 | 150 | 123.0 | 152 | 265 | 197.6 |
| 1917. | | | | | | | | | | | | | | | |
| January-June..... | 140 | 245 | 186.9 | 140 | 240 | 180.1 | 138 | 245 | 194.9 | 134 | 240 | 177.7 | 230 | 400 | 279.6 |
| July-December..... | 173 | 245 | 200.6 | 170 | 280 | 191.4 | 165 | 243 | 189.1 | 168 | 298 | 187.8 | 290 | 400 | 339.0 |
| 1918. | | | | | | | | | | | | | | | |
| January-June..... | 175 | 188 | 180.4 | 175 | 280 | 218.9 | 160 | 295 | 228.6 | 182 | 300 | 246.5 | 390 | 425 | 409.7 |
| July-December..... | 165 | 176 | 172.5 | 155 | 170 | 160.7 | 154 | 185 | 164.5 | 150 | 186 | 165.6 | | | |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 176 | 176 | 176.5 | 143 | 162 | 154.9 | 157 | 165 | 162.8 | 156 | 156 | 156.0 | (*) | | |
| February..... | (1) | (1) | | 123 | 140 | 129.9 | 124 | 151 | 136.7 | 128 | 141 | 133.8 | (*) | | |
| March..... | (1) | (1) | | 142 | 171 | 154.3 | 145 | 176 | 157.1 | 141 | 170 | 151.3 | (*) | | |
| April..... | 176 | 176 | 176.0 | 167 | 172 | 169.2 | 164 | 181 | 173.5 | 163 | 178 | 170.9 | (*) | | |
| May..... | 160 | 176 | 164.7 | 145 | 173 | 159.9 | 145 | 173 | 156.3 | 140 | 171 | 146.7 | (*) | | |
| June..... | 148 | 160 | 159.5 | 146 | 150 | 148.8 | 138 | 153 | 148.2 | 135 | 154 | 147.6 | | | |
| January-June..... | 148 | 176 | 169.2 | 123 | 173 | 152.8 | 124 | 181 | 155.7 | 129 | 178 | 151.6 | (*) | | |
| July..... | 148 | 158 | 150.4 | 140 | 168 | 152.9 | 141 | 169 | 158.6 | 135 | 166 | 154.8 | 350 | 375 | 362.5 |
| August..... | 153 | 165 | 156.3 | 156 | 163 | 158.9 | 144 | 164 | 153.7 | 138 | 157 | 150.3 | 350 | 375 | 362.5 |
| September..... | 115 | 155 | 131.2 | 142 | 153 | 147.0 | 135 | 145 | 142.0 | 134 | 143 | 140.5 | 350 | 375 | 360.3 |
| October..... | (1) | (1) | | 141 | 148 | 144.7 | 135 | 143 | 139.4 | 133 | 142 | 136.7 | 330 | 350 | 347.3 |
| November..... | (1) | (1) | | 136 | 146 | 140.0 | 133 | 150 | 140.1 | 134 | 149 | 139.8 | 310 | 337 | 325.6 |
| December..... | (1) | (1) | | 146 | 177 | 161.1 | 149 | 182 | 167.4 | 150 | 178 | 166.8 | 310 | 325 | 317.5 |
| July-December..... | 115 | 165 | 146.0 | 136 | 177 | 150.8 | 133 | 182 | 150.2 | 133 | 178 | 148.2 | 310 | 375 | 346.0 |

1 No quotations.

2 Nominal.

RYE—Continued.

TABLE 66.—*Rye (including flour): International trade, calendar years 1911–1913, 1917, and 1918.*

[See "General note," Table 12.]

EXPORTS.

[000 omitted.]

| Country. | Average 1911–1913. | 1917 (prelim.). | 1918 (prelim.). | Country. | Average 1911–1913. | 1917 (prelim.). | 1918 (prelim.). |
|------------------|--------------------|-----------------|-----------------|----------------------|--------------------|-----------------|-----------------|
| <i>From—</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Argentina..... | 443 | | 2 | Rumania..... | 3,411 | | |
| Belgium..... | 914 | | | Russia..... | 34,921 | | |
| Bulgaria..... | 2,336 | | | United States..... | 855 | 14,689 | 16,308 |
| Canada..... | 69 | 833 | 798 | Other countries..... | 514 | | |
| Denmark..... | 303 | 555 | 582 | Total..... | 107,587 | | |
| Germany..... | 44,951 | | | | | | |
| Netherlands..... | 18,870 | | | | | | |

IMPORTS.

| <i>Into—</i> | | | | | | | |
|--------------------|--------|-------|-------|----------------------|---------|-------|-------|
| Austria-Hungary... | 1,224 | | | Norway..... | 10,520 | 5,095 | |
| Belgium..... | 6,157 | | | Russia..... | 5,231 | | |
| Denmark..... | 8,587 | 443 | 41 | Sweden..... | 3,769 | 461 | |
| Finland..... | 15,472 | | | Switzerland..... | 729 | 198 | 452 |
| France..... | 4,138 | 21 | 1,346 | United Kingdom..... | 2,195 | 5,353 | 5,309 |
| Germany..... | 16,900 | | | Other countries..... | 677 | | |
| Italy..... | 721 | 1,440 | 3,506 | Total..... | 107,343 | | |
| Netherlands..... | 31,023 | | | | | | |

¹ Less than 500 bushels.

BUCKWHEAT.

TABLE 67.—*Buckwheat: Acreage, production, and value in the United States, 1849–1919.*

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage (thousands of acres). | Average yield per acre (bushels). | Production (thousands of bushels). | Average farm price Dec. 1 (cents per bushel). | Farm value Dec. 1 (thousands of dollars). | Year. | Acreage (thousands of acres). | Average yield per acre (bushels). | Production (thousands of bushels). | Average farm price Dec. 1 (cents per bushel). | Farm value Dec. 1 (thousands of dollars). |
|-----------|-------------------------------|-----------------------------------|------------------------------------|---|---|-----------|-------------------------------|-----------------------------------|------------------------------------|---|---|
| 1849..... | | | 8,957 | | | 1890..... | 845 | 14.7 | 12,433 | 57.2 | 7,110 |
| 1859..... | | | 17,572 | | | 1891..... | 849 | 15.0 | 12,761 | 57.0 | 7,272 |
| 1866..... | 1,046 | 21.8 | 22,792 | 67.6 | 15,413 | 1892..... | 861 | 14.1 | 12,143 | 51.8 | 6,296 |
| 1867..... | 1,223 | 17.4 | 21,359 | 78.7 | 18,812 | 1893..... | 816 | 14.9 | 12,132 | 58.3 | 7,074 |
| 1868..... | 1,114 | 17.8 | 19,864 | 78.0 | 15,490 | 1894..... | 789 | 16.1 | 12,668 | 55.6 | 7,040 |
| 1869..... | 1,029 | 16.9 | 17,431 | 71.9 | 12,535 | 1895..... | 763 | 20.1 | 15,341 | 45.2 | 6,936 |
| 1869..... | | | 9,822 | | | 1896..... | 755 | 18.7 | 14,090 | 39.2 | 5,522 |
| 1870..... | 537 | 18.3 | 9,842 | 70.5 | 6,937 | 1897..... | 718 | 20.9 | 14,997 | 42.1 | 6,319 |
| 1871..... | 414 | 20.1 | 8,329 | 74.5 | 6,208 | 1898..... | 678 | 17.3 | 11,722 | 45.0 | 5,271 |
| 1872..... | 448 | 18.1 | 8,134 | 73.5 | 5,979 | 1899..... | 670 | 16.6 | 11,094 | 55.7 | 6,184 |
| 1873..... | 454 | 17.3 | 7,838 | 75.0 | 5,879 | 1900..... | 638 | 15.0 | 9,567 | 55.8 | 5,341 |
| 1874..... | 453 | 17.7 | 8,017 | 72.9 | 5,844 | 1901..... | 811 | 18.6 | 15,126 | 56.3 | 8,523 |
| 1875..... | 578 | 17.5 | 10,082 | 62.0 | 6,255 | 1902..... | 805 | 18.1 | 14,530 | 59.6 | 8,655 |
| 1876..... | 666 | 14.5 | 9,669 | 66.6 | 6,436 | 1903..... | 804 | 17.7 | 14,244 | 60.7 | 8,651 |
| 1877..... | 650 | 15.7 | 10,177 | 66.9 | 6,808 | 1904..... | 794 | 18.9 | 15,008 | 62.2 | 9,331 |
| 1878..... | 673 | 18.2 | 12,247 | 52.6 | 6,441 | 1905..... | 790 | 19.2 | 14,585 | 58.7 | 8,565 |
| 1879..... | 640 | 20.5 | 13,140 | 59.8 | 7,856 | 1906..... | 789 | 18.6 | 14,642 | 59.6 | 8,727 |
| 1879..... | 848 | 13.9 | 11,817 | | | 1907..... | 800 | 17.9 | 14,290 | 69.8 | 9,975 |
| 1880..... | 823 | 17.8 | 14,618 | 59.4 | 8,682 | 1908..... | 803 | 19.8 | 15,874 | 75.6 | 12,004 |
| 1881..... | 829 | 11.4 | 9,486 | 86.5 | 8,206 | 1909..... | 834 | 20.9 | 17,438 | | |
| 1882..... | 847 | 13.0 | 11,019 | 73.0 | 8,039 | 1910..... | 878 | 16.9 | 14,849 | 70.1 | 10,346 |
| 1883..... | 857 | 8.9 | 7,669 | 82.2 | 6,304 | 1911..... | 833 | 20.5 | 17,598 | 66.1 | 11,636 |
| 1884..... | 879 | 12.6 | 11,116 | 58.9 | 6,549 | 1912..... | 841 | 21.1 | 17,549 | 72.6 | 12,735 |
| 1885..... | 914 | 13.8 | 12,626 | 55.9 | 7,057 | 1913..... | 805 | 22.9 | 19,249 | 68.1 | 12,790 |
| 1886..... | 918 | 12.9 | 11,869 | 54.5 | 6,465 | 1914..... | 792 | 17.2 | 13,833 | 75.5 | 10,445 |
| 1887..... | 911 | 11.9 | 10,844 | 56.5 | 6,122 | 1915..... | 769 | 21.3 | 16,381 | 76.4 | 12,892 |
| 1888..... | 913 | 13.2 | 12,050 | 63.3 | 7,628 | 1916..... | 828 | 19.6 | 15,056 | 78.7 | 11,843 |
| 1889..... | 837 | 14.5 | 12,110 | 50.5 | 6,113 | 1917..... | 824 | 14.1 | 11,662 | 112.7 | 13,147 |
| 1889..... | 837 | 14.5 | 12,110 | | | 1918..... | 1,027 | 17.3 | 16,022 | 160.0 | 25,631 |
| | | | | | | 1919..... | 790 | 16.5 | 16,905 | 166.5 | 28,142 |
| | | | | | | | | 20.6 | 16,301 | 147.4 | 24,036 |

¹ Figures adjusted to census basis.

BUCKWHEAT—Continued.

TABLE 68.—*Buckwheat: Revised acreage, production, and farm value, 1879 and 1889–1909.*

[See head note of Table 4.]

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|-----------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| 1879..... | 848,000 | 20.7 | 17,530,000 | 60.3 | 10,575,000 |
| 1889..... | 837,000 | 14.5 | 12,109,000 | 50.5 | 6,115,000 |
| 1890..... | 863,000 | 14.7 | 12,678,000 | 57.3 | 7,264,000 |
| 1891..... | 867,000 | 15.0 | 13,013,000 | 57.0 | 7,422,000 |
| 1892..... | 899,000 | 14.1 | 12,643,000 | 52.0 | 6,573,000 |
| 1893..... | 873,000 | 14.7 | 12,866,000 | 58.3 | 7,503,000 |
| 1894..... | 864,000 | 15.9 | 13,721,000 | 55.7 | 7,638,000 |
| 1895..... | 842,000 | 19.9 | 16,748,000 | 45.3 | 7,583,000 |
| 1896..... | 853,000 | 18.5 | 15,805,000 | 39.3 | 6,211,000 |
| 1897..... | 838,000 | 20.6 | 17,280,000 | 42.1 | 7,259,000 |
| 1898..... | 811,000 | 17.2 | 13,961,000 | 45.0 | 6,278,000 |
| 1899..... | 807,000 | 16.1 | 13,001,000 | 55.9 | 7,263,000 |
| 1900..... | 795,000 | 14.9 | 11,810,000 | 55.8 | 6,588,000 |
| 1901..... | 852,000 | 18.4 | 15,693,000 | 56.4 | 8,857,000 |
| 1902..... | 856,000 | 17.9 | 15,286,000 | 59.6 | 9,110,000 |
| 1903..... | 870,000 | 17.5 | 15,243,000 | 60.8 | 9,277,000 |
| 1904..... | 876,000 | 18.6 | 16,327,000 | 62.5 | 10,208,000 |
| 1905..... | 840,000 | 18.8 | 15,797,000 | 58.6 | 9,261,000 |
| 1906..... | 865,000 | 18.2 | 15,734,000 | 59.7 | 9,386,000 |
| 1907..... | 838,000 | 17.7 | 14,858,000 | 70.0 | 10,397,000 |
| 1908..... | 853,000 | 19.4 | 16,541,000 | 75.7 | 12,518,000 |
| 1909..... | 878,000 | 20.5 | 17,983,000 | 70.2 | 12,628,000 |

TABLE 69.—*Buckwheat: Acreage, production, and total farm value, by States, 1919.*

[000 omitted.]

| State. | Acreage. | Production. | Farm value Dec. 1. | State. | Acreage. | Production. | Farm value Dec. 1. |
|---------------------|---------------|-----------------|--------------------|-----------------|---------------|-----------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Dollars.</i> | | <i>Acres.</i> | <i>Bushels.</i> | <i>Dollars.</i> |
| Maine..... | 17 | 408 | 714 | Ohio..... | 26 | 621 | 963 |
| New Hampshire..... | 2 | 52 | 81 | Indiana..... | 14 | 231 | 346 |
| Vermont..... | 9 | 225 | 382 | Illinois..... | 4 | 72 | 130 |
| Massachusetts..... | 2 | 44 | 70 | Michigan..... | 43 | 662 | 907 |
| Connecticut..... | 5 | 100 | 200 | Wisconsin..... | 31 | 502 | 753 |
| New York..... | 233 | 5,126 | 7,433 | Minnesota..... | 15 | 240 | 312 |
| New Jersey..... | 11 | 198 | 297 | Iowa..... | 7 | 98 | 166 |
| Pennsylvania..... | 256 | 5,530 | 7,742 | Missouri..... | 6 | 90 | 166 |
| Delaware..... | 6 | 108 | 173 | Nebraska..... | 1 | 16 | 29 |
| Maryland..... | 14 | 322 | 499 | Tennessee..... | 5 | 90 | 135 |
| Virginia..... | 25 | 475 | 736 | | | | |
| West Virginia..... | 42 | 882 | 1,499 | United States.. | 790 | 16,301 | 24,026 |
| North Carolina..... | 11 | 209 | 293 | | | | |

TABLE 70.—*Buckwheat: Condition of crop, United States, on first of months named, 1899–1919.*

| Year. | Aug. | Sept. | When harvested. | Year. | Aug. | Sept. | When harvested. | Year. | Aug. | Sept. | When harvested. |
|-----------|---------------|---------------|-----------------|-----------|---------------|---------------|-----------------|-----------|---------------|---------------|-----------------|
| | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> |
| 1899..... | 93.2 | 75.2 | 70.2 | 1906..... | 93.2 | 91.2 | 84.9 | 1913..... | 85.5 | 75.4 | 65.9 |
| 1900..... | 87.9 | 80.5 | 72.8 | 1907..... | 91.9 | 77.4 | 80.1 | 1914..... | 88.8 | 87.1 | 83.3 |
| 1901..... | 91.1 | 90.9 | 90.5 | 1908..... | 89.4 | 87.8 | 81.6 | 1915..... | 92.6 | 88.6 | 81.9 |
| 1902..... | 91.4 | 86.4 | 80.5 | 1909..... | 86.4 | 81.0 | 79.5 | 1916..... | 87.8 | 78.5 | 66.9 |
| 1903..... | 93.9 | 91.0 | 83.0 | 1910..... | 87.9 | 82.3 | 81.7 | 1917..... | 92.2 | 90.2 | 74.8 |
| 1904..... | 92.8 | 91.5 | 88.7 | 1911..... | 82.9 | 83.8 | 81.4 | 1918..... | 88.6 | 83.3 | 75.6 |
| 1905..... | 92.6 | 91.8 | 91.6 | 1912..... | 88.4 | 91.6 | 89.2 | 1919..... | 88.1 | 90.1 | 88.0 |

BUCKWHEAT—Continued.

TABLE 71.—*Buckwheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States.*

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars.) ¹ | | | |
|--------|-----------------------------|------|------|------|------|------|------|------|------|------|--------------------------------|-----------------------------|------|-------|-------|--|-------|----------------------------|-------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average, 1914-1918. | 1919 |
| Me. | 22.8 | 32.5 | 30.0 | 29.4 | 32.0 | 29.0 | 26.0 | 24.0 | 21.5 | 20.0 | 24.0 | 96 | 70 | 95 | 150 | 150 | 175 | 24.13 | 42.00 |
| N. H. | 25.4 | 31.0 | 27.3 | 31.0 | 31.0 | 25.0 | 30.0 | 20.0 | 16.0 | 17.0 | 26.0 | 107 | 81 | 100 | 183 | 200 | 156 | 25.02 | 40.56 |
| Vt. | 24.2 | 24.0 | 24.3 | 30.0 | 25.0 | 28.0 | 27.0 | 17.5 | 20.0 | 21.0 | 25.0 | 106 | 82 | 105 | 150 | 160 | 170 | 25.42 | 42.50 |
| Mass. | 18.4 | 22.0 | 21.0 | 21.0 | 17.0 | 18.5 | 16.0 | 16.0 | 15.0 | 16.0 | 22.0 | 118 | 95 | 140 | 166 | 196 | 160 | 21.88 | 35.20 |
| Conn. | 19.0 | 19.5 | 19.0 | 20.5 | 17.0 | 18.5 | 20.0 | 19.0 | 17.3 | 19.0 | 20.0 | 128 | 96 | 120 | 200 | 210 | 200 | 26.82 | 40.00 |
| N. Y. | 19.1 | 23.0 | 21.3 | 23.8 | 14.3 | 23.0 | 19.0 | 12.0 | 18.0 | 15.0 | 22.0 | 104 | 80 | 122 | 160 | 175 | 145 | 20.47 | 31.90 |
| N. J. | 20.0 | 21.5 | 20.0 | 22.0 | 22.0 | 21.0 | 21.0 | 19.0 | 18.0 | 18.0 | 18.0 | 104 | 83 | 108 | 158 | 170 | 150 | 22.88 | 27.00 |
| Pa. | 19.7 | 19.5 | 21.9 | 24.2 | 18.5 | 20.5 | 21.0 | 14.0 | 18.0 | 18.0 | 21.6 | 100 | 78 | 111 | 163 | 160 | 140 | 21.13 | 30.24 |
| Del. | 18.8 | 20.5 | 19.0 | 16.0 | 17.0 | 19.0 | 18.5 | 19.0 | 20.0 | 20.5 | 18.0 | 98 | 75 | 118 | 148 | 143 | 160 | 21.93 | 28.80 |
| Md. | 19.4 | 18.5 | 20.0 | 17.5 | 16.5 | 18.5 | 20.0 | 19.0 | 21.0 | 20.0 | 23.0 | 103 | 72 | 110 | 165 | 165 | 155 | 23.59 | 35.65 |
| Va. | 19.8 | 18.0 | 16.0 | 21.5 | 23.1 | 19.4 | 20.0 | 19.2 | 21.1 | 21.0 | 19.0 | 103 | 80 | 95 | 150 | 163 | 155 | 23.28 | 29.45 |
| W. Va. | 21.4 | 23.0 | 24.0 | 24.0 | 21.0 | 21.5 | 22.0 | 18.3 | 20.0 | 19.5 | 21.0 | 109 | 80 | 101 | 170 | 173 | 170 | 24.33 | 35.70 |
| N. C. | 18.8 | 19.0 | 19.0 | 17.5 | 19.3 | 19.0 | 17.5 | 17.5 | 20.0 | 20.0 | 19.0 | 99 | 82 | 85 | 130 | 150 | 140 | 20.20 | 26.80 |
| Ohio | 15.8 | 18.0 | 21.0 | 19.5 | 18.0 | 24.0 | 23.0 | 17.7 | 17.2 | 16.6 | 23.9 | 103 | 77 | 110 | 153 | 156 | 155 | 21.34 | 37.04 |
| Ind. | 17.0 | 17.7 | 18.3 | 19.0 | 18.5 | 17.5 | 14.0 | 18.0 | 15.0 | 15.0 | 16.5 | 103 | 80 | 112 | 155 | 160 | 150 | 18.45 | 24.75 |
| Ill. | 18.4 | 20.0 | 18.1 | 22.0 | 17.0 | 17.7 | 17.0 | 17.0 | 19.0 | 17.8 | 18.0 | 119 | 90 | 130 | 170 | 180 | 180 | 23.71 | 32.40 |
| Mich. | 14.2 | 15.3 | 18.0 | 17.0 | 15.0 | 18.5 | 14.5 | 11.0 | 9.0 | 10.0 | 13.8 | 98 | 72 | 115 | 147 | 170 | 137 | 13.29 | 18.91 |
| Wis. | 15.4 | 14.0 | 17.5 | 17.0 | 16.5 | 17.5 | 13.0 | 14.0 | 12.2 | 15.9 | 16.2 | 105 | 83 | 116 | 174 | 165 | 150 | 17.56 | 24.30 |
| Minn. | 16.8 | 16.0 | 18.0 | 21.0 | 16.5 | 17.0 | 17.5 | 15.0 | 14.0 | 17.0 | 16.0 | 97 | 75 | 112 | 135 | 170 | 130 | 17.92 | 20.80 |
| Iowa | 15.3 | 14.9 | 17.5 | 19.0 | 14.0 | 18.3 | 13.0 | 15.0 | 12.9 | 15.0 | 14.0 | 116 | 80 | 125 | 200 | 180 | 169 | 18.85 | 23.96 |
| Mo. | 14.0 | 16.5 | 10.0 | 15.0 | 11.0 | 15.5 | 15.0 | 14.0 | 15.0 | 13.0 | 15.0 | 120 | 90 | 133 | 144 | 180 | 184 | 18.31 | 27.60 |
| Nebr. | 17.6 | 20.0 | 16.0 | 18.0 | 20.0 | 18.5 | 20.0 | 17.0 | 16.0 | 14.0 | 16.0 | 114 | 95 | 110 | 150 | 165 | 199 | 20.07 | 28.80 |
| Tenn. | 17.5 | 15.0 | 16.0 | 18.0 | 15.0 | 22.3 | 18.0 | 18.0 | 17.0 | 18.0 | 18.0 | 101 | 76 | 100 | 150 | 140 | 150 | 19.95 | 27.00 |
| U. S. | 19.1 | 20.5 | 21.1 | 22.9 | 17.2 | 21.3 | 19.6 | 14.1 | 17.3 | 16.5 | 20.6 | 102.2 | 78.7 | 112.7 | 160.0 | 166.5 | 147.4 | 20.54 | 30.41 |

¹ Based upon farm price Dec. 1.TABLE 72.—*Buckwheat: Farm price, cents per bushel on first of each month, 1910-1919.*

| | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|----------|-------|-------|-------|-------|------|------|------|------|------|------|----------|
| Jan. 1. | 162.9 | 162.7 | 117.2 | 81.5 | 77.9 | 76.6 | 66.8 | 73.7 | 65.8 | 70.0 | 95.5 |
| Feb. 1. | 158.1 | 161.9 | 114.6 | 80.7 | 83.7 | 75.6 | 69.4 | 73.6 | 64.4 | 72.0 | 95.4 |
| Mar. 1. | 148.4 | 168.2 | 124.8 | 83.2 | 85.5 | 75.1 | 67.0 | 76.9 | 64.1 | 70.6 | 96.4 |
| Apr. 1. | 149.6 | 170.1 | 128.3 | 83.1 | 85.3 | 76.9 | 68.3 | 76.9 | 65.3 | 73.4 | 97.7 |
| May 1. | 147.3 | 176.0 | 150.6 | 84.9 | 84.6 | 77.3 | 71.4 | 79.9 | 65.8 | 71.0 | 100.9 |
| June 1. | 165.6 | 191.0 | 183.7 | 87.0 | 86.9 | 79.0 | 70.8 | 84.8 | 70.1 | 73.7 | 109.3 |
| July 1. | 160.8 | 200.8 | 209.2 | 93.1 | 92.1 | 85.5 | 72.9 | 86.2 | 72.4 | 78.0 | 115.1 |
| Aug. 1. | 165.9 | 192.7 | 189.3 | 89.0 | 89.2 | 81.2 | 72.4 | 83.6 | 76.0 | 74.8 | 111.4 |
| Sept. 1. | 159.8 | 190.3 | 164.3 | 86.4 | 81.4 | 79.8 | 70.0 | 76.6 | 74.0 | 72.6 | 105.5 |
| Oct. 1. | 162.0 | 180.0 | 154.4 | 90.4 | 73.7 | 78.7 | 74.1 | 69.7 | 69.6 | 71.3 | 102.4 |
| Nov. 1. | 151.0 | 173.0 | 154.2 | 102.9 | 78.5 | 78.0 | 75.5 | 65.5 | 73.0 | 65.9 | 101.8 |
| Dec. 1. | 147.4 | 166.5 | 160.0 | 112.7 | 78.7 | 76.4 | 75.5 | 66.1 | 72.0 | 66.1 | 102.2 |
| Average. | 154.9 | 174.7 | 153.2 | 94.7 | 81.0 | 77.9 | 72.4 | 72.6 | 70.3 | 69.8 | 102.2 |

FLAX.

TABLE 73.—*Flax: Area and production in undermentioned countries, 1909–1918.*

[000 omitted.]

| Country. | Area. | | | | Production. | | | | | | | |
|---------------------------------------|--|------------------|------------------|------------------|--|------------------|------------------|------------------|--|------------------|------------------|------------------|
| | | | | | Seed. | | | | Fiber. | | | |
| | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 |
| NORTH AMERICA. | | | | | | | | | | | | |
| United States..... | 2,490 | 1,474 | 1,984 | 1,938 | 19,505 | 14,296 | 9,164 | 14,657 | Lbs. | Lbs. | Lbs. | Lbs. |
| Canada: | | | | | | | | | | | | |
| Quebec..... | 1 | 1 | 6 | 7 | 11 | 5 | 47 | 83 | | | | |
| Ontario..... | 8 | 4 | 4 | 16 | 128 | 42 | 52 | 196 | | | | |
| Manitoba..... | 58 | 16 | 16 | 108 | 706 | 210 | 147 | 1,091 | | | | |
| Saskatchewan..... | 833 | 542 | 754 | 841 | 10,393 | 6,662 | 4,710 | 4,205 | | | | |
| Alberta..... | 76 | 95 | 140 | 96 | 830 | 1,311 | 979 | 490 | | | | |
| Total Canada.. | 1,036 | 658 | 920 | 1,068 | 12,068 | 8,260 | 5,935 | 6,055 | | | | |
| Mexico..... | (²) | (²) | (²) | (²) | 150 | (²) | (²) | (²) | | | | |
| Total..... | 3,526 | 2,132 | 2,904 | 3,006 | 31,723 | 22,556 | 15,099 | 20,712 | | | | |
| SOUTH AMERICA. | | | | | | | | | | | | |
| Argentina..... | 3,683 | 4,001 | 3,207 | 3,229 | 31,989 | 39,283 | 4,082 | 19,588 | | | | |
| Uruguay..... | 106 | 44 | 36 | 30 | 793 | 391 | 122 | 333 | | | | |
| Total..... | 3,789 | 4,045 | 3,243 | 3,259 | 32,782 | 39,680 | 4,154 | 19,921 | | | | |
| EUROPE. | | | | | | | | | | | | |
| Austria ³ | 97 | (²) | (²) | (²) | 694 | (²) | (²) | (²) | 53,096 | (²) | (²) | (²) |
| Hungary ³ | 24 | (²) | (²) | (²) | 196 | (²) | (²) | (²) | 20,548 | (²) | (²) | (²) |
| Croatia-Slavonia ³ | 17 | (²) | (²) | (²) | 21 | (²) | (²) | (²) | 8,046 | (²) | (²) | (²) |
| Bosnia-Herzegovina ³ | (²) | (²) | (²) | (²) | 4 | (²) | (²) | (²) | 1,080 | (²) | (²) | (²) |
| Belgium..... | 50 | (²) | (²) | (²) | 443 | (²) | (²) | (²) | 46,487 | (²) | (²) | (²) |
| Bulgaria ³ | 1 | (²) | (²) | (²) | 7 | (²) | (²) | (²) | 524 | (²) | (²) | (²) |
| France ^{3,4} | 61 | 15 | 20 | 21 | 533 | 146 | 134 | (²) | 40,623 | 11,061 | 8,909 | (²) |
| Ireland..... | 53 | 91 | 108 | 143 | (²) | (²) | (²) | (²) | 23,701 | 32,461 | 34,410 | (²) |
| Italy..... | 22 | 21 | 20 | 46 | 320 | 362 | 323 | 472 | 6,289 | 5,512 | 5,291 | 5,291 |
| Netherlands..... | 33 | 30 | 30 | 14 | 374 | 367 | 222 | 145 | 17,276 | 21,844 | 11,756 | 6,559 |
| Roumania ³ | 52 | 20 | (²) | 186 | 503 | (²) | (²) | 292 | 4,864 | (²) | (²) | 4,455 |
| Russia proper ³ | 3,217 | 3,505 | (²) | (²) | 19,772 | (²) | (²) | (²) | 1,022 | (²) | (²) | (²) |
| Poland ³ | 88 | (²) | (²) | (²) | 874 | (²) | (²) | (²) | 42,450 | (²) | (²) | (²) |
| Northern Caucasia ³ | 104 | (²) | (²) | (²) | 679 | (²) | (²) | (²) | 26,130 | (²) | (²) | (²) |
| Serbia ³ | 4 | (²) | (²) | (²) | (²) | (²) | (²) | (²) | 1,812 | (²) | (²) | (²) |
| Spain..... | (²) | 3 | 4 | 4 | (²) | (²) | 22 | 65 | (²) | (²) | (²) | 6,768 |
| Sweden ³ | 4 | (²) | (²) | 5 | 15 | (²) | (²) | (²) | 1,208 | 333 | (²) | (²) |
| Total..... | 3,827 | | | | 24,435 | | | | 295,156 | | | |
| ASIA. | | | | | | | | | | | | |
| British India ³ | 3,821 | 3,334 | 3,564 | 3,797 | 10,733 | 19,040 | 21,040 | 20,690 | | | | |
| Japan..... | 12 | 36 | 48 | (²) | (²) | (²) | (²) | (²) | 30,187 | 104,028 | 101,441 | (²) |
| Russia: | | | | | | | | | | | | |
| Central Asia (4 gov.)..... | 120 | (²) | (²) | (²) | 510 | (²) | (²) | (²) | 51,864 | (²) | (²) | (²) |
| Siberia (4 gov.)..... | 147 | (²) | (²) | (²) | 852 | (²) | (²) | (²) | 38,109 | (²) | (²) | (²) |
| Transcaucasia (1 gov.)..... | 18 | (²) | (²) | (²) | 94 | (²) | (²) | (²) | 6,429 | (²) | (²) | (²) |
| Total..... | 4,118 | | | | 21,180 | | | | 126,589 | | | |
| AFRICA. | | | | | | | | | | | | |
| Algeria..... | 1 | 1 | 1 | (²) | 11 | (²) | (²) | (²) | (²) | (²) | (²) | (²) |
| Grand total..... | 15,161 | | | | 110,140 | | | | 421,745 | | | |

¹ Five year average except where statistics were not available.² No official statistics.³ Old boundaries.⁴ Excludes territory occupied by the enemy.⁵ Including Bessarabia but excluding Dobruja.⁶ Includes hemp.⁷ Includes certain native States.

FLAX—Continued.

TABLE 74.—*Flax (seed and fiber): Total production of countries named in Table 73, 1896–1915.*

| Year. | Production. | | Year. | Production. | |
|-----------|-----------------|----------------|-----------|-----------------|----------------|
| | Seed. | Fiber. | | Seed. | Fiber. |
| | <i>Bushels.</i> | <i>Pounds.</i> | | <i>Bushels.</i> | <i>Pounds.</i> |
| 1896..... | 82,684,000 | 1,714,205,000 | 1906..... | 88,165,000 | 1,871,723,000 |
| 1897..... | 57,596,000 | 1,498,054,000 | 1907..... | 102,960,000 | 2,042,390,000 |
| 1898..... | 72,938,000 | 1,780,663,000 | 1908..... | 100,850,000 | 1,907,591,000 |
| 1899..... | 66,348,000 | 1,138,763,000 | 1909..... | 100,820,000 | 1,384,524,000 |
| 1900..... | 62,432,000 | 1,315,931,000 | 1910..... | 85,253,000 | 913,112,000 |
| 1901..... | 72,314,000 | 1,050,260,000 | 1911..... | 101,339,000 | 1,011,350,000 |
| 1902..... | 83,891,000 | 1,564,840,000 | 1912..... | 130,291,000 | 1,429,967,000 |
| 1903..... | 110,455,000 | 1,492,383,000 | 1913..... | 132,477,000 | 1,384,757,000 |
| 1904..... | 107,743,000 | 1,517,922,000 | 1914..... | 94,559,000 | 1,044,746,000 |
| 1905..... | 100,458,000 | 1,494,229,000 | 1915..... | 103,287,000 | 975,685,000 |

TABLE 75.—*Flaxseed: Acreage, production, value, and condition in the United States, 1849–1919.*

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. | Condition of growing crop. | | | |
|-------------------------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|----------------------------|---------------|---------------|-----------------|
| | | | | | | July 1. | Aug. 1. | Sept. 1. | When harvested. |
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> |
| 1849..... | | | 562,000 | | | | | | |
| 1859..... | | | 567,000 | | | | | | |
| 1869..... | | | 1,780,000 | | | | | | |
| 1879..... | | | 7,171,000 | | | | | | |
| 1889..... | 1,319,000 | 7.8 | 10,256,000 | | | | | | |
| 1899..... | 2,111,000 | 9.5 | 19,979,000 | | | | | | |
| 1902..... | 3,740,000 | 7.8 | 29,285,000 | 105.2 | 30,815,000 | | | | |
| 1903..... | 3,233,000 | 8.4 | 27,301,000 | 81.7 | 22,292,000 | 86.2 | 80.3 | 80.5 | 74.0 |
| 1904..... | 2,264,000 | 10.3 | 23,401,000 | 99.3 | 23,229,000 | 86.6 | 78.9 | 85.8 | 87.0 |
| 1905..... | 2,535,000 | 11.2 | 28,478,000 | 84.4 | 24,049,000 | 92.7 | 96.7 | 94.2 | 91.5 |
| 1906..... | 2,506,000 | 10.2 | 25,576,000 | 101.3 | 25,899,000 | 93.2 | 92.2 | 89.0 | 87.4 |
| 1907..... | 2,864,000 | 9.0 | 25,851,000 | 95.6 | 24,713,000 | 91.2 | 91.9 | 85.4 | 78.0 |
| 1908..... | 2,679,000 | 9.6 | 25,805,000 | 118.4 | 30,577,000 | 92.5 | 86.1 | 82.5 | 81.2 |
| 1909..... | 2,742,000 | 9.4 | 25,856,000 | | | | | | |
| 1909..... | 2,083,000 | 9.4 | 19,513,000 | 153.0 | 29,796,000 | 95.1 | 92.7 | 88.9 | 84.9 |
| 1910 ¹ | 2,467,000 | 5.2 | 12,718,000 | 231.7 | 29,472,000 | 65.0 | 51.7 | 48.3 | 47.2 |
| 1911..... | 2,757,000 | 7.0 | 19,370,000 | 182.1 | 35,272,000 | 80.9 | 71.0 | 68.4 | 69.6 |
| 1912..... | 2,851,000 | 9.8 | 28,073,000 | 114.7 | 32,202,000 | 88.9 | 87.5 | 86.3 | 83.8 |
| 1913..... | 2,291,000 | 7.8 | 17,853,000 | 119.9 | 21,399,000 | 82.0 | 77.4 | 74.9 | 74.7 |
| 1914..... | 1,645,000 | 8.4 | 13,749,000 | 126.0 | 17,318,000 | 90.5 | 82.1 | 72.9 | 77.4 |
| 1915..... | 1,387,000 | 10.1 | 14,030,000 | 174.0 | 24,410,000 | 88.5 | 91.2 | 87.6 | 84.5 |
| 1916..... | 1,474,000 | 9.7 | 14,296,000 | 248.6 | 35,541,000 | 90.3 | 84.0 | 84.8 | 86.2 |
| 1917..... | 1,984,000 | 4.6 | 9,164,000 | 296.6 | 27,182,000 | 84.0 | 60.6 | 50.2 | 51.3 |
| 1918..... | 1,910,000 | 7.0 | 13,369,000 | 340.1 | 45,470,000 | 79.8 | 70.6 | 72.6 | 70.8 |
| 1919..... | 1,683,000 | 5.3 | 8,919,000 | 438.9 | 39,145,000 | 73.5 | 52.7 | 50.5 | 52.6 |

¹ Figures adjusted to census basis.

FLAX—Continued.

TABLE 76.—*Flaxseed: Acreage, production, and total farm value, by States, 1919.*

| State. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|--------------------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| Wisconsin..... | 6,000 | 10.5 | 63,000 | 4.30 | 271,000 |
| Minnesota..... | 320,000 | 9.0 | 2,880,000 | 4.45 | 12,816,000 |
| Iowa..... | 16,000 | 9.5 | 152,000 | 4.20 | 638,000 |
| Missouri..... | 5,000 | 9.5 | 48,000 | 4.48 | 215,000 |
| North Dakota..... | 760,000 | 5.0 | 3,800,000 | 4.41 | 16,758,000 |
| South Dakota..... | 145,000 | 8.0 | 1,160,000 | 4.25 | 4,930,000 |
| Nebraska..... | 3,000 | 5.0 | 15,000 | 4.00 | 60,000 |
| Kansas..... | 14,000 | 6.3 | 88,000 | 3.80 | 334,000 |
| Montana..... | 410,000 | 1.7 | 697,000 | 4.40 | 3,067,000 |
| Wyoming..... | 4,000 | 4.0 | 16,000 | 3.50 | 56,000 |
| United States..... | 1,683,000 | 5.3 | 8,919,000 | 4.39 | 39,145,000 |

TABLE 77.—*Flaxseed: Yield per acre, price per bushel Dec. 1, and value per acre, by States.*

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars). ¹ | | | |
|-------------|-----------------------------|------|------|------|------|------|------|------|------|------|--------------------------------|-----------------------------|-------|-------|-------|--|-------|----------------------------|-------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average, 1914-1918. | 1919 |
| Wis..... | 12.1 | 10.0 | 12.0 | 12.5 | 14.0 | 13.5 | 13.5 | 12.0 | | 11.0 | 10.5 | 218 | 180 | 240 | | 330 | 430 | 26.57 | 45.16 |
| Minn..... | 9.2 | 7.5 | 8.0 | 10.2 | 9.0 | 9.3 | 10.5 | 8.5 | 9.5 | 10.4 | 9.0 | 228 | 176 | 240 | 295 | 341 | 445 | 22.85 | 40.06 |
| Iowa..... | 10.1 | 12.2 | 8.0 | 11.5 | 9.4 | 9.5 | 9.0 | 10.0 | 11.0 | 11.0 | 9.5 | 215 | 150 | 215 | 275 | 320 | 420 | 22.37 | 39.90 |
| Mo..... | 7.1 | 8.4 | 3.0 | 6.0 | 5.0 | 8.0 | 8.0 | 7.0 | 8.5 | 8.0 | 9.5 | 210 | 135 | 212 | 275 | 300 | 448 | 16.27 | 42.56 |
| N. Dak..... | 7.3 | 3.6 | 7.6 | 9.7 | 7.2 | 8.3 | 9.9 | 10.3 | 3.9 | 7.8 | 5.0 | 230 | 178 | 252 | 300 | 345 | 441 | 18.56 | 22.05 |
| S. Dak..... | 7.8 | 5.0 | 5.3 | 8.6 | 7.2 | 7.5 | 11.0 | 9.3 | 7.0 | 9.5 | 8.0 | 223 | 167 | 247 | 299 | 325 | 425 | 20.47 | 34.00 |
| Nebr..... | 7.4 | 8.0 | 5.0 | 9.5 | 6.0 | 7.0 | 11.0 | 8.0 | 5.5 | 9.5 | 5.0 | 212 | 147 | 230 | 250 | 330 | 400 | 17.60 | 20.00 |
| Kans..... | 5.9 | 8.2 | 3.0 | 6.0 | 6.0 | 6.0 | 5.7 | 5.8 | 7.0 | 5.0 | 6.3 | 215 | 145 | 234 | 290 | 330 | 390 | 13.23 | 23.94 |
| Mont..... | 7.1 | 7.0 | 7.7 | 12.0 | 9.0 | 8.0 | 10.5 | 9.5 | 3.0 | 3.0 | 1.7 | 226 | 170 | 248 | 295 | 338 | 440 | 14.00 | 7.48 |
| Wyo..... | 8.7 | 10.0 | | 12.0 | 9.9 | 7.0 | 13.0 | 7.0 | 6.5 | 9.0 | 4.0 | 261 | 145 | 225 | 291 | 325 | 350 | 20.20 | 14.00 |
| U. S..... | 7.5 | 5.2 | 7.0 | 9.8 | 7.8 | 8.4 | 10.1 | 9.7 | 4.6 | 7.0 | 5.3 | 227.3 | 174.0 | 248.6 | 296.6 | 340.1 | 438.9 | 17.95 | 23.26 |

¹ Based upon farm price Dec. 1.TABLE 78.—*Flaxseed: Farm price, cents per bushel on first of each month, 1910-1919.*

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| Jan. 1..... | 327.7 | 310.8 | 250.7 | 185.9 | 134.8 | 124.2 | 106.2 | 187.1 | 221.1 | 171.2 | 202.0 |
| Feb. 1..... | 310.1 | 326.7 | 253.7 | 210.9 | 163.7 | 127.8 | 109.3 | 190.8 | 233.9 | 192.9 | 212.0 |
| Mar. 1..... | 327.4 | 349.8 | 253.1 | 202.5 | 157.9 | 132.5 | 119.0 | 183.9 | 240.7 | 193.1 | 216.0 |
| Apr. 1..... | 348.7 | 379.7 | 266.1 | 202.1 | 167.7 | 132.8 | 113.6 | 191.3 | 234.6 | 193.9 | 223.0 |
| May 1..... | 361.4 | 373.3 | 300.6 | 191.8 | 169.6 | 134.7 | 114.3 | 181.0 | 241.9 | 209.5 | 227.8 |
| June 1..... | 389.3 | 363.6 | 298.8 | 176.5 | 169.5 | 136.8 | 115.8 | 205.0 | 225.0 | 195.5 | 227.6 |
| July 1..... | 444.1 | 349.3 | 278.0 | 163.2 | 152.5 | 136.0 | 113.4 | 198.4 | 205.6 | 183.5 | 222.4 |
| Aug. 1..... | 540.6 | 410.5 | 271.6 | 178.1 | 144.6 | 150.7 | 118.6 | 175.2 | 199.2 | 209.7 | 239.9 |
| Sept. 1..... | 517.5 | 381.2 | 302.8 | 190.2 | 143.5 | 139.3 | 127.8 | 162.6 | 203.6 | 220.0 | 238.8 |
| Oct. 1..... | 438.2 | 340.9 | 308.5 | 199.2 | 148.1 | 127.4 | 122.6 | 147.7 | 205.0 | 234.3 | 231.2 |
| Nov. 1..... | 382.3 | 333.8 | 295.9 | 234.7 | 162.9 | 118.7 | 118.7 | 133.4 | 210.6 | 229.4 | 222.0 |
| Dec. 1..... | 438.9 | 340.1 | 296.6 | 218.6 | 174.0 | 126.0 | 119.9 | 114.7 | 182.1 | 231.7 | 227.3 |
| Average..... | 398.6 | 345.5 | 288.7 | 218.4 | 159.5 | 125.6 | 117.7 | 148.6 | 207.8 | 217.9 | 222.8 |

FLAX—Continued.

TABLE 79.—*Flax: Monthly marketings by farmers, 1914-1919.*

| Month. | Estimated amount sold monthly by farmers of United States (millions of bushels). | | | | | Per cent of year's sales. | | | | |
|----------------|--|---------|---------|---------|---------|---------------------------|---------|---------|---------|---------|
| | 1918-19 | 1917-18 | 1916-17 | 1915-16 | 1914-15 | 1918-19 | 1917-18 | 1916-17 | 1915-16 | 1914-15 |
| July..... | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 1.8 | 1.8 | 1.2 | 1.5 | 1.5 |
| August..... | .4 | .3 | .3 | .2 | .2 | 2.9 | 3.6 | 2.2 | 1.6 | 1.4 |
| September..... | 2.0 | 1.6 | 1.7 | 1.3 | 2.2 | 14.8 | 21.5 | 12.7 | 10.1 | 16.6 |
| October..... | 2.9 | 2.1 | 4.7 | 3.8 | 4.1 | 21.5 | 28.1 | 35.6 | 28.3 | 31.9 |
| November..... | 2.0 | 1.3 | 3.2 | 3.6 | 3.2 | 15.0 | 17.6 | 24.3 | 27.0 | 24.7 |
| December..... | 1.5 | .6 | 1.5 | 1.6 | 1.2 | 10.9 | 7.6 | 11.4 | 11.9 | 9.3 |
| January..... | .7 | .3 | .6 | .6 | .5 | 5.2 | 4.7 | 4.4 | 4.6 | 3.6 |
| February..... | .6 | .3 | .2 | .7 | .4 | 4.4 | 4.0 | 1.7 | 5.1 | 3.2 |
| March..... | .8 | .4 | .3 | .4 | .4 | 5.8 | 4.8 | 2.0 | 3.3 | 3.0 |
| April..... | .6 | .1 | .1 | .2 | .2 | 4.3 | 1.8 | .9 | 1.6 | 1.6 |
| May..... | .7 | .1 | .2 | .2 | .1 | 5.0 | 1.6 | 1.6 | 1.6 | 1.2 |
| June..... | 1.1 | .2 | .3 | .5 | .3 | 8.4 | 2.9 | 2.0 | 3.4 | 2.0 |
| Season..... | 13.5 | 7.4 | 13.3 | 13.3 | 13.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TABLE 80.—*Flaxseed: Wholesale price per bushel, 1913-1919.*

| Date. | Cincinnati. | | | Minneapolis. | | | Milwaukee. | | | Duluth. | | |
|--------------------|-------------|------------------|----------|-------------------|-------------------|----------|---------------------|-------------------|----------|-------------------|-------------------|----------|
| | No grade. | | | No grade. | | | No. 1 Northwestern. | | | No grade. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | | | | | | | | | | | | |
| January-June..... | \$1.50 | \$1.50 | \$1.50 | \$1.23 | \$1.40 | | \$1.26 | \$1.43 | \$1.31 | \$1.23 | \$1.39 | \$1.30 |
| July-December..... | 1.50 | 1.50 | 1.50 | 1.31 | 1.53 | | 1.31 | 1.54 | 1.41 | 1.34 | 1.53 | 1.42 |
| 1914. | | | | | | | | | | | | |
| January-June..... | 1.50 | 1.50 | 1.50 | 1.47 | 1.61 | \$1.55 | 1.45 | 1.75 | 1.57 | 1.48 | 1.63 | 1.56 |
| July-December..... | 1.40 | 1.50 | 1.41 | 1.28 | 1.88 | 1.52 | 1.30 | 1.93 | 1.56 | 1.29 | 1.93 | 1.53 |
| 1915. | | | | | | | | | | | | |
| January-June..... | 1.70 | 1.80 | | 1.60 | 2.08 | 1.87 | 1.52 | 2.05 | 1.86 | 1.62 | 2.09 | 1.89 |
| July-December..... | 1.70 | 1.70 | | 1.52 | 2.21 | 1.82 | 1.52 | 2.18 | 1.81 | 1.53 | 2.20 | 1.82 |
| 1916. | | | | | | | | | | | | |
| January-June..... | 2.85 | 2.85 | 2.85 | 1.74 | 2.41 | 2.14 | 1.74 | 2.38 | 2.11 | 1.76 | 2.43 | 2.12 |
| July-December..... | 1.50 | 2.85 | 2.05 | 1.60 | 2.94 | 2.38 | 1.77 | 2.89 | 2.37 | 1.80 | 2.94 | 2.41 |
| 1917. | | | | | | | | | | | | |
| January-June..... | 2.25 | 3.25 | 2.62 | 2.22 | 3.61 | 3.03 | 2.75 | 3.55 | 3.00 | 2.78 | 3.64 | 3.04 |
| July-December..... | 3.25 | 4.25 | 3.52 | 2.64 | 3.76 | 3.29 | 2.68 | 3.71 | 3.26 | 2.69 | 3.79 | 3.28 |
| 1918. | | | | | | | | | | | | |
| January-June..... | 3.75 | 4.25 | 3.83 | 3.46 | 4.34 | 3.96 | 3.50 | 4.32 | 3.88 | 3.46 | 4.36 | 3.91 |
| July-December..... | 3.25 | 4.75 | 3.91 | 3.31 | 4.70 | 3.97 | 3.33 | 4.67 | 3.97 | 3.31 | 4.73 | 3.97 |
| 1919. | | | | | | | | | | | | |
| January..... | 3.25 | 3.25 | 3.25 | 3.19 | 3.65 ¹ | 3.41 | 3.13 | 3.67 | 3.43 | 3.20 | 3.62 ¹ | 3.40 |
| February..... | 3.50 | 4.00 | 3.62 | 3.24 | 3.66 ¹ | 3.46 | 3.24 | 3.68 | 3.47 | 3.26 ¹ | 3.66 | 3.46 |
| March..... | 3.50 | 4.50 | 4.00 | 3.62 | 3.87 ¹ | 3.75 | 3.60 | 3.99 | 3.78 | 3.61 | 3.99 | 3.76 |
| April..... | 4.50 | 4.50 | 4.50 | 3.74 | 4.08 | 3.87 | 3.76 ¹ | 4.13 ¹ | 3.92 | 3.75 ¹ | 4.07 | 3.89 |
| May..... | 4.50 | 4.75 | 4.60 | 3.91 | 4.35 ¹ | 4.12 | 3.97 | 4.39 | 4.14 | 3.88 | 4.34 | 4.11 |
| June..... | 4.50 | 5.50 | 5.17 | 4.44 | 5.41 | 4.86 | 4.44 | 5.41 | 4.80 | 4.38 | 5.41 | 4.85 |
| January-June..... | 3.25 | 5.50 | 4.19 | 3.19 | 5.41 | 3.91 | 3.13 | 5.41 | 3.92 | 3.20 | 5.41 | 3.91 |
| July..... | | (¹) | | 5.35 | 6.21 | 5.94 | 5.37 | 6.20 ¹ | 5.96 | 5.35 | 6.73 | 5.96 |
| August..... | 5.50 | 5.85 | 5.62 | 5.17 | 6.13 | 5.88 | 5.20 | 6.11 | 5.91 | 5.18 | 6.15 | 5.96 |
| September..... | 5.50 | 5.50 | 5.50 | 4.02 | 5.52 | 4.90 | 4.05 | 5.48 | 4.99 | 4.13 | 5.52 | 4.87 |
| October..... | 4.75 | 4.75 | 4.75 | 3.74 | 5.22 | 4.33 | 3.91 | 4.50 | 4.30 | 4.29 | 4.38 | 4.28 |
| November..... | 4.75 | 4.75 | 4.75 | 4.50 ¹ | 5.15 | 4.84 | 4.45 | 5.10 | 4.86 | 4.32 | 5.10 | 4.78 |
| December..... | 4.50 | 4.50 | 4.50 | 4.55 | 5.47 | 5.00 | 4.60 | 5.50 | 5.05 | 4.60 | 5.52 | 5.03 |
| July-December..... | 4.50 | 5.85 | 5.02 | 3.74 | 6.21 | 5.15 | 3.91 | 6.20 ¹ | 5.18 | 4.13 | 6.73 | 5.15 |

¹ No quotations.

RICE.

TABLE 81.—Rice: Area and production in undermentioned countries, 1909–1918.

[Expressed in terms of hulled rice; (000 omitted).]

| Country. | Area. | | | | Production. | | | |
|--|--|--------|--------|--------|--|------------|------------|------------|
| | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 |
| NORTH AMERICA. | | | | | | | | |
| United States..... | 749 | 860 | 981 | 1,113 | 681,166 | 1,135,028 | 864,872 | 1,222,860 |
| Hawaii..... | 9 | (*) | (*) | (*) | 25,820 | (*) | (*) | (*) |
| Porto Rico..... | 16 | (*) | (*) | (*) | 4,298 | (*) | (*) | (*) |
| Central America: | | | | | | | | |
| Guatemala..... | (*) | (*) | 29 | (*) | 2,680 | 13,477 | 20,733 | (*) |
| Costa Rica..... | 7 | (*) | (*) | (*) | (*) | (*) | (*) | (*) |
| Honduras..... | (*) | (*) | (*) | (*) | 8,100 | (*) | (*) | (*) |
| Mexico..... | (*) | 66 | (*) | (*) | 161,299 | 34,222 | (*) | 40,155 |
| SOUTH AMERICA. | | | | | | | | |
| Argentina..... | 20 | 17 | (*) | (*) | 24,087 | (*) | (*) | (*) |
| Brazil: Sao Paulo..... | 228 | (*) | (*) | (*) | 90,514 | 133,235 | 234,327 | (*) |
| British Guiana..... | 38 | (*) | (*) | (*) | 60,078 | (*) | (*) | (*) |
| Dutch Guiana..... | (*) | (*) | (*) | (*) | 2,754 | 16,471 | 11,237 | 17,640 |
| Peru..... | 138 | (*) | 86 | (*) | 100,976 | 69,436 | 95,166 | (*) |
| EUROPE. | | | | | | | | |
| Bulgaria..... | 7 | 9 | (*) | (*) | 7,767 | 16,000 | (*) | (*) |
| France..... | 1 | (*) | (*) | (*) | 2,017 | (*) | (*) | (*) |
| Italy..... | 361 | 353 | 341 | 342 | 646,470 | 708,058 | 716,359 | 712,412 |
| Russia (northern Cauca- sia)..... | 2 | (*) | (*) | (*) | 1,049 | (*) | (*) | (*) |
| Spain..... | 95 | 100 | 106 | 111 | 297,468 | 328,931 | 322,130 | 282,581 |
| ASIA. | | | | | | | | |
| India: | | | | | | | | |
| British India..... | 70,501 | 80,080 | 85,141 | 79,996 | 72,949,786 | 77,931,840 | 81,197,760 | 53,361,280 |
| Native States..... | 2,498 | (*) | (*) | (*) | 2,634,720 | (*) | (*) | (*) |
| Ceylon..... | 706 | (*) | (*) | (*) | 343,614 | (*) | (*) | (*) |
| Federated Malay States..... | 125 | (*) | (*) | (*) | 80,398 | (*) | (*) | (*) |
| Japanese Empire: | | | | | | | | |
| Japan..... | 7,357 | 7,527 | 7,557 | 7,559 | 14,008,517 | 18,359,997 | 17,142,858 | 17,184,044 |
| Formosa..... | 1,198 | 1,166 | (*) | (*) | 1,186,174 | 1,460,563 | (*) | (*) |
| Chosen (Korea)..... | 2,416 | 2,839 | (*) | (*) | 2,455,522 | 3,936,361 | (*) | (*) |
| Java and Madura..... | 6,021 | 7,521 | (*) | (*) | 7,349,417 | (*) | (*) | (*) |
| Philippine Islands..... | 2,688 | 2,819 | 3,029 | 3,831 | 1,123,805 | 1,288,827 | 1,745,488 | 2,209,585 |
| Russia Transcaucasia and Turkestan..... | 614 | (*) | (*) | (*) | 378,401 | (*) | (*) | (*) |
| Straits Settlements..... | 92 | 89 | (*) | (*) | 123,204 | (*) | (*) | (*) |
| Siam..... | 5,286 | (*) | (*) | (*) | 6,510,985 | (*) | (*) | (*) |
| AFRICA. | | | | | | | | |
| Egypt (Lower)..... | 241 | 150 | 273 | (*) | 552,838 | 236,528 | 487,163 | (*) |
| Madagascar..... | (*) | 1,176 | (*) | (*) | 953,000 | 1,047,470 | 1,404,662 | (*) |
| Nyasaland..... | (*) | (*) | (*) | (*) | 2,212 | 2,831 | 2,121 | (*) |
| OCEANIA. | | | | | | | | |
| Australia..... | (*) | (*) | (*) | (*) | 75 | (*) | (*) | (*) |
| Fiji..... | 12 | 17 | 18 | (*) | 5,916 | 53,146 | (*) | (*) |

¹ Five-year average except where statistics were not available.
² No official statistics.

* Unofficial estimate.
 † Old boundaries.

RICE—Continued.

TABLE 82.—*Rice (cleaned): Total production in principal countries for which estimates are available, 1900–1915.*

[The figures below include the principal countries for which estimates are available. The totals shown are merely approximate. China and French Indo-China are not included below. Three Provinces of China in 1910 produced 47,204,000,000 pounds of rice. The totals below may represent at least two-thirds of the total world production of rice.]

| Year. | Production. | Year. | Production. | Year. | Production. |
|-----------|-----------------|-----------|-----------------|-----------|-----------------|
| | <i>Pounds.</i> | | <i>Pounds.</i> | | <i>Pounds.</i> |
| 1900..... | 100,400,000,000 | 1906..... | 105,800,000,000 | 1912..... | 97,350,000,000 |
| 1901..... | 94,400,000,000 | 1907..... | 100,800,000,000 | 1913..... | 100,700,000,000 |
| 1902..... | 101,600,000,000 | 1908..... | 102,900,000,000 | 1914..... | 102,900,000,000 |
| 1903..... | 101,800,000,000 | 1909..... | 127,700,000,000 | 1915..... | 115,193,190,000 |
| 1904..... | 110,700,000,000 | 1910..... | 126,100,000,000 | | |
| 1905..... | 102,400,000,000 | 1911..... | 102,100,000,000 | | |

TABLE 83.—*Rice: Acreage, production, value, and condition, in the United States, 1904–1919.*

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. | Condition of growing crop. | | | |
|-----------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|----------------------------|----------------|----------------|----------------|
| | | | | | | July 1. | Aug. 1. | Sept. 1. | When harvested |
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> | <i>Per ct.</i> | <i>Per ct.</i> | <i>Per ct.</i> | <i>Per ct.</i> |
| 1904..... | 662,000 | 31.9 | 21,096,000 | 65.8 | 13,892,000 | 88.2 | 90.2 | 89.7 | 87.3 |
| 1905..... | 482,000 | 28.2 | 13,607,000 | 95.2 | 12,956,000 | 88.0 | 92.9 | 92.2 | 89.3 |
| 1906..... | 575,000 | 31.1 | 17,855,000 | 90.3 | 16,121,000 | 82.9 | 83.1 | 86.8 | 87.2 |
| 1907..... | 627,000 | 29.9 | 18,738,000 | 85.8 | 16,081,000 | 88.7 | 88.6 | 87.0 | 88.7 |
| 1908..... | 655,000 | 33.4 | 21,890,000 | 81.2 | 17,771,000 | 92.9 | 94.1 | 93.5 | 87.7 |
| 1909..... | 720,000 | 33.8 | 24,368,000 | | | | | | |
| 1909..... | 610,000 | 35.8 | 21,859,000 | 79.6 | 17,383,000 | 90.7 | 84.5 | 84.7 | 81.2 |
| 1910..... | 723,000 | 33.9 | 24,510,000 | 67.8 | 16,624,000 | 86.3 | 87.6 | 88.8 | 88.1 |
| 1911..... | 696,000 | 32.9 | 22,934,000 | 79.7 | 18,274,000 | 87.7 | 88.3 | 87.2 | 85.4 |
| 1912..... | 723,000 | 34.7 | 25,054,000 | 93.5 | 23,423,000 | 86.3 | 86.3 | 88.8 | 89.2 |
| 1913..... | 827,000 | 31.1 | 25,744,000 | 85.8 | 22,090,000 | 88.4 | 88.7 | 88.0 | 80.3 |
| 1914..... | 694,000 | 34.1 | 23,649,000 | 92.4 | 21,849,000 | 86.5 | 87.6 | 88.9 | 88.0 |
| 1915..... | 803,000 | 36.1 | 28,947,000 | 90.6 | 26,212,000 | 90.5 | 90.0 | 82.3 | 80.9 |
| 1916..... | 869,000 | 47.0 | 40,861,000 | 88.9 | 36,311,000 | 92.7 | 92.2 | 91.2 | 91.5 |
| 1917..... | 981,000 | 35.4 | 34,739,000 | 189.6 | 65,879,000 | 85.1 | 85.0 | 78.4 | 79.7 |
| 1918..... | 1,119,000 | 34.5 | 38,608,000 | 191.8 | 74,042,000 | 91.1 | 85.7 | 83.7 | 85.4 |
| 1919..... | 1,090,000 | 37.7 | 41,059,000 | 267.0 | 109,613,000 | 89.5 | 90.4 | 91.9 | 91.3 |

TABLE 84.—*Rice: Acreage, production, and farm value, by States, 1919.*

| State. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|---------------------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| North Carolina..... | 400 | 24.4 | 10,000 | 2.75 | 28,000 |
| South Carolina..... | 3,700 | 24.4 | 90,000 | 3.00 | 270,000 |
| Georgia..... | 1,200 | 24.4 | 29,000 | 2.75 | 80,000 |
| Florida..... | 2,000 | 21.1 | 42,000 | 2.63 | 110,000 |
| Missouri..... | 600 | 38.0 | 23,000 | 2.40 | 55,000 |
| Alabama..... | 600 | 26.4 | 16,000 | 2.70 | 43,000 |
| Mississippi..... | 3,300 | 29.1 | 95,000 | 1.90 | 182,000 |
| Louisiana..... | 560,000 | 35.2 | 19,712,000 | 2.71 | 53,420,000 |
| Texas..... | 218,000 | 32.1 | 6,998,000 | 2.80 | 19,594,000 |
| Arkansas..... | 158,000 | 39.0 | 6,162,000 | 2.40 | 14,789,000 |
| California..... | 142,000 | 55.5 | 7,881,000 | 2.67 | 21,042,000 |
| United States..... | 1,080,800 | 37.7 | 41,059,000 | 2.67 | 109,613,000 |

RICE—Continued.

TABLE 85.—Rice: Yield per acre, price per bushel Dec. 1, and value per acre by States.

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars). ¹ | | | |
|--------|-----------------------------|------|------|------|------|-------|-------|------|------|------|--------------------------------|-----------------------------|------|------|-------|--|-------|----------------------------|--------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average, 1914-1918. | 1919 |
| N. C. | 24.0 | 26.5 | 25.6 | 25.0 | 24.0 | 26.3 | 21.0 | 21.0 | 26.0 | 20.0 | 24.4 | 124 | 85 | 85 | 195 | 200 | 275 | 29.22 | 67.10 |
| S. C. | 22.4 | 21.0 | 11.7 | 25.0 | 30.0 | 26.0 | 24.3 | 14.0 | 25.0 | 23.0 | 24.4 | 130 | 90 | 90 | 195 | 195 | 300 | 30.40 | 73.20 |
| Ga. | 26.8 | 22.0 | 20.8 | 20.0 | 22.0 | 22.9 | 20.0 | 20.0 | 26.0 | 24.4 | 24.4 | 123 | 88 | 87 | 195 | 175 | 275 | 34.42 | 67.10 |
| Fla. | 24.2 | 21.0 | 25.0 | 25.0 | 25.0 | 25.0 | 25.0 | 25.0 | 26.0 | 24.0 | 22.1 | 112 | 75 | 75 | 195 | 140 | 263 | 27.80 | 55.49 |
| Mo. | 45.8 | | | | | | 50.0 | 51.0 | 45.0 | 45.0 | 38.0 | 162 | 100 | 100 | 190 | 180 | 240 | 66.88 | 91.20 |
| Ala. | 25.3 | 25.0 | 20.0 | 30.0 | 22.0 | 28.0 | 25.0 | 25.0 | 27.0 | 25.0 | 26.4 | 112 | 75 | 75 | 190 | 150 | 270 | 29.18 | 71.28 |
| Miss. | 29.4 | 30.0 | 26.0 | 35.0 | 30.0 | 30.0 | 25.0 | 28.0 | 30.0 | 23.0 | 22.1 | 109 | 88 | 80 | 190 | 150 | 190 | 32.28 | 65.29 |
| La. | 33.0 | 34.4 | 43.1 | 53.3 | 52.9 | 33.2 | 134.2 | 46.0 | 31.0 | 28.8 | 35.2 | 125 | 90 | 90 | 190 | 195 | 271 | 43.42 | 95.39 |
| Tex. | 33.8 | 33.0 | 34.3 | 35.5 | 53.2 | 33.8 | 30.0 | 54.5 | 30.0 | 32.0 | 32.1 | 127 | 89 | 86 | 200 | 197 | 280 | 44.00 | 89.88 |
| Ark. | 10.9 | 10.0 | 9.39 | 9.37 | 5.36 | 9.39 | 8.48 | 4.50 | 5.41 | 9.37 | 9.39 | 123 | 95 | 90 | 190 | 180 | 240 | 55.28 | 93.60 |
| Calif. | 53.9 | 33.0 | 10.0 | 6.50 | 0.48 | 0.33 | 36.7 | 59.0 | 68.0 | 65.5 | 55.5 | 123 | 90 | 78 | 175 | 190 | 267 | 80.64 | 148.18 |
| U. S. | 35.7 | 33.0 | 33.2 | 9.34 | 7.31 | 134.1 | 36.1 | 47.0 | 35.4 | 34.5 | 37.7 | 124.7 | 90.6 | 88.9 | 189.6 | 191.8 | 267.0 | 47.80 | 100.58 |

¹ Based upon farm price Dec. 1.

TABLE 86.—Rice: Wholesale price per pound, 1913-1919.

| Date. | New York. | | | Cincinnati. | | | Lake Charles. | | | New Orleans. | | | Houston. | | |
|----------------|------------------|-------|----------|-------------|-------|----------|----------------------|-------|----------|---------------------|-------|----------|----------------------|-------|----------|
| | Domestic (good). | | | Prime. | | | Rough (per 162 lbs.) | | | Honduras (cleaned). | | | Head rice (cleaned). | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Dols. | Dols. | Dols. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| January-June. | 42 | 5 | | 51 | 61 | | 2.50 | 3.82 | | 3 | 58 | | 41 | 54 | |
| July-December. | 42 | 51 | | 52 | 61 | | 2.00 | 3.76 | | 3 | 44 | 3.85 | 41 | 6 | |
| 1914. | | | | | | | | | | | | | | | |
| January-June. | 42 | 5 | | 51 | 61 | | 1.40 | 3.76 | | 11 | 61 | | 31 | 52 | |
| July-December. | 41 | 51 | | 52 | 61 | | 2.00 | 4.55 | | 11 | 61 | | 3 | 51 | |
| 1915. | | | | | | | | | | | | | | | |
| January-June. | 5 | 51 | | 51 | 61 | | 2.85 | 4.61 | | 21 | 51 | | 41 | 5 | |
| July-December. | 41 | 51 | | 5 | 61 | | 2.80 | 3.65 | | 21 | 51 | | 41 | 51 | |
| 1916. | | | | | | | | | | | | | | | |
| January-June. | 5 | 51 | | 51 | 51 | | 2.65 | 4.25 | | 2 | 51 | | 31 | 41 | |
| July-December. | 5 | 51 | | 51 | 51 | | 2.60 | 3.65 | | 21 | 51 | | 31 | 41 | |
| 1917. | | | | | | | | | | | | | | | |
| January-June. | 51 | 9 | | 51 | 81 | | 2.70 | 7.00 | | 21 | 81 | | 41 | 8 | |
| July-December. | 71 | 91 | | 8 | 81 | | 5.34 | 7.50 | | 41 | 81 | | 7 | 81 | |
| 1918. | | | | | | | | | | | | | | | |
| January-June. | 81 | 101 | 9.4 | 81 | 10 | 19.0 | 15.00 | 15.56 | 17.57 | 51 | 91 | 7.7 | 8 | 91 | 81 |
| July-December. | 91 | 101 | 10.2 | 10 | 101 | 10.1 | 35.00 | 7.50 | 27.16 | 41 | 101 | 7.6 | 91 | 91 | 91 |
| 1919. | | | | | | | | | | | | | | | |
| January-June. | 101 | 101 | 10.1 | 101 | 101 | 10.2 | 4.00 | 7.25 | 7.00 | 5 | 91 | 7.8 | 41 | 41 | 41 |
| July-December. | 101 | 101 | 10.1 | 101 | 101 | 10.1 | 10.8 | 3.00 | 7.25 | 6.75 | 41 | 111 | 7.7 | 91 | 11 |
| March. | 91 | 101 | 10.1 | 101 | 111 | 11.0 | | | | 5 | 91 | 8.0 | 91 | 91 | 91 |
| April. | 91 | 101 | 10.1 | 101 | 111 | 11.0 | 2.50 | 7.00 | 6.50 | 61 | 91 | 7.9 | 91 | 91 | 91 |
| May. | 101 | 111 | 10.7 | 101 | 111 | 11.0 | 3.00 | 7.00 | 6.50 | 51 | 91 | 7.0 | 91 | 11 | 11 |
| June. | 11 | 13 | 11.7 | 101 | 111 | 11.0 | 4.00 | 7.25 | 6.75 | 51 | 111 | 9.2 | 91 | 13 | 11.7 |
| January-June. | 101 | 12 | 10.7 | 101 | 111 | 10.8 | 2.70 | 7.25 | 6.70 | 41 | 111 | 7.9 | 91 | 13 | 9.4 |
| July. | 13 | 11 | 13.7 | 101 | 111 | 11.1 | 6.00 | 9.00 | 7.50 | 61 | 131 | 10.1 | 12 | 11 | 131 |
| August. | 14 | 111 | 14.3 | 101 | 11 | 11.6 | 11.60 | 13.70 | 13.00 | 6 | 111 | 10.9 | 121 | 13 | 13 |
| September. | 131 | 111 | 14.1 | 13 | 111 | 13.5 | 7.00 | 2.60 | 11.00 | 61 | 131 | 12.2 | 121 | 131 | 131 |
| October. | 131 | 131 | 13.6 | 14 | 111 | 14.2 | | | | 111 | 121 | 11.8 | 9.8 | 11.5 | 10.6 |
| November. | 131 | 11 | 13.8 | 131 | 141 | 14.1 | | | | 11 | 131 | 11.9 | 9.2 | 11.8 | 10.5 |
| December. | 131 | 141 | 14.2 | 131 | 11 | 14.0 | | | | 11 | 131 | 12.3 | 9.8 | 12.8 | 11.2 |
| July-December. | 13 | 141 | 14.0 | 101 | 141 | 13.1 | | | | 6 | 141 | 11.5 | 9.2 | 14 | 11.9 |

¹ Five months, average.

² Fancy head, 1919.

³ Fancy, 1919.

⁴ Honduras, 1919.

RICE—Continued.

TABLE 87.—*Rice: International trade, calendar years 1909–1913, 1917, and 1918.*

[Mostly cleaned rice. Under rice is included paddy, unhulled, rough, cleaned, polished, broken, and cargo rice, in addition to rice flour and meal. Rice bran is not included. Rough rice or paddy, where specifically reported, has been reduced to terms of cleaned rice at ratio of 162 pounds, rough or unhulled, to 100 pounds of cleaned. "Rice, other than whole or cleaned rice," in the returns of United Kingdom, is not considered paddy, since the chief sources of supply indicate that it is practically all hulled rice. Cargo rice, a mixture of hulled and unhulled, is included without being reduced to terms of cleaned. Broken rice and rice flour and meal are taken without being reduced to terms of whole cleaned rice. See "General note" Table 12.]

EXPORTS.

[900 omitted.]

| Country. | Average 1909–1913 | 1917 (prelim.) | 1918 (prelim.) | Country. | Average 1909–1913 | 1917 (prelim.) | 1918 (prelim.) |
|---------------------|----------------------|-------------------|-------------------|----------------------|----------------------|-------------------|-------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Belgium..... | 99,948 | | | Penang..... | 357,548 | | |
| British India..... | 5,337,516 | 3,847,321 | 5,488,117 | Siam..... | 1,928,507 | 2,496,924 | 1,893,866 |
| Dutch East Indies.. | 132,400 | 12,747 | | Singapore..... | 758,875 | | |
| France..... | 79,087 | 9,850 | 3,840 | Other countries..... | 806,020 | | |
| French Indo-China.. | 2,288,040 | | | Total..... | 12,726,845 | | |
| Germany..... | 396,628 | | | | | | |
| Netherlands..... | 476,276 | | | | | | |

IMPORTS.

| | | | | | | | |
|---------------------|-----------|-----------|-----------|----------------------|------------|---------|---------|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Austria-Hungary.... | 183,411 | | | Netherlands..... | 778,682 | | |
| Belgium..... | 180,830 | | | Penang..... | 511,035 | | |
| Brazil..... | 24,753 | | | Perak..... | 179,187 | | |
| British India..... | 278,272 | 188,271 | 341,532 | Philippine Islands.. | 412,781 | 324,045 | 428,807 |
| Ceylon..... | 821,654 | 922,529 | 762,406 | Russia..... | 250,461 | | |
| China..... | 704,992 | 1,311,624 | 931,203 | Selangor..... | 159,178 | | |
| Cuba..... | 262,207 | 324,810 | 387,892 | Singapore..... | 975,095 | | |
| Dutch East Indies.. | 1,178,111 | 1,669,448 | | United Kingdom..... | 768,853 | 818,152 | 849,032 |
| Egypt..... | 98,600 | 32,207 | 10,510 | United States..... | 209,814 | 266,471 | 536,060 |
| France..... | 517,861 | 525,483 | 377,676 | Other countries..... | 1,242,092 | | |
| Germany..... | 913,772 | | | Total..... | 11,439,950 | | |
| Japan..... | 655,676 | 188,125 | 1,549,056 | | | | |
| Mauritius..... | 132,543 | | | | | | |

CEREALS CONSUMED.

TABLE 88.—*Consumption of specified cereals in selected countries; yearly average. 1909–1913.*

BARLEY (INCLUDING MALT CONVERTED TO BARLEY).

| Country. | Average yearly production, 1909–1913. | Average yearly net imports (+) or exports (–), calendar years 1909–1913. | Average yearly total consumption, 1909–1913. | Mean yearly population, 1909–1913. | Average yearly consumption per capita, 1909–1913. |
|----------------------|---|--|---|--|--|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> |
| Austria-Hungary..... | 147,795,000 | + 17,663,000 | 130,132,000 | 51,783,777 | 2.51 |
| Belgium..... | 4,247,000 | – 15,733,000 | 19,980,000 | 7,497,119 | 2.66 |
| France..... | 46,489,000 | + 5,628,000 | 52,117,000 | 39,561,600 | 1.32 |
| Germany..... | 153,529,000 | + 143,626,000 | 297,155,000 | 65,781,755 | 4.52 |
| India (British)..... | No data. | No data. | No data. | 244,267,542 | |
| Italy..... | 10,104,000 | + 789,000 | 10,893,000 | 31,681,653 | .31 |
| Japan..... | 89,528,000 | No data. | 89,528,000 | 51,775,737 | 1.73 |
| Netherlands..... | 3,270,000 | + 12,099,000 | 15,369,000 | 6,030,634 | 2.55 |
| United Kingdom..... | 64,760,000 | + 30,477,000 | 95,237,000 | 45,175,723 | 2.11 |
| United States..... | 181,881,000 | – 7,653,000 | 174,228,000 | 93,832,950 | 1.86 |

CEREALS CONSUMED—Continued.

TABLE 88.—Consumption of specified cereals in selected countries; yearly average—Continued.

1909-1913—Continued.

CORN (INCLUDING CORN MEAL CONVERTED TO CORN).

| Country. | Average yearly production, 1909-1913. | Average yearly net imports (+) or exports (—), calendar years 1909-1913. | Average yearly total consumption, 1909-1913. | Mean yearly population, 1909-1913. | Average yearly consumption per capita, 1909-1913. |
|----------------------|---------------------------------------|--|--|------------------------------------|---|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> |
| Austria-Hungary..... | 216,601,000 | +13,608,000 | 230,209,000 | 51,783,777 | 4.44 |
| Belgium..... | No data. | +17,672,000 | 17,672,000 | 7,497,119 | 2.36 |
| France..... | 22,229,000 | +18,600,000 | 40,829,000 | 39,561,600 | 1.03 |
| Germany..... | No data. | +32,159,000 | 32,159,000 | 65,781,875 | .49 |
| India (British)..... | 87,240,000 | No data. | 87,240,000 | 244,267,542 | .36 |
| Italy..... | 100,349,000 | +14,658,000 | 115,007,000 | 34,681,653 | 3.32 |
| Japan..... | 3,637,000 | No data. | 3,637,000 | 51,775,737 | .01 |
| Netherlands..... | No data. | +20,829,000 | 20,829,000 | 6,030,634 | 3.45 |
| United Kingdom..... | No data. | +82,861,000 | 82,861,000 | 45,175,723 | 1.83 |
| United States..... | 2,708,384,600 | -43,870,000 | 2,664,464,000 | 93,832,959 | 28.40 |

OATS.

| | | | | | |
|----------------------|----------------|----------------|----------------|-------------|----------------|
| | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | <i>Pounds.</i> |
| Austria-Hungary..... | 233,421,000 | + 2,262,000 | 241,683,000 | 51,783,777 | 4.67 |
| Belgium..... | 40,985,000 | + 7,859,000 | 48,764,000 | 7,497,119 | 6.50 |
| France..... | 310,680,000 | +27,280,000 | 337,270,000 | 39,561,600 | 8.53 |
| Germany..... | 564,998,000 | + 971,000 | 562,967,000 | 65,781,875 | 9.01 |
| India (British)..... | No data. | No data. | No data. | 244,267,542 | |
| Italy..... | 36,945,000 | + 8,153,000 | 45,098,000 | 34,681,653 | 1.30 |
| Japan..... | No data. | No data. | No data. | 51,775,737 | |
| Netherlands..... | 18,512,000 | + 7,532,000 | 26,044,000 | 6,030,634 | 4.32 |
| United Kingdom..... | 182,777,000 | +65,881,000 | 248,658,000 | 45,175,723 | 5.50 |
| United States..... | 1,131,175,000 | -19,180,000 | 1,111,995,000 | 93,832,959 | 11.85 |

RICE (MOSTLY CLEANED, AND INCLUDING RICE FLOUR, RICE MEAL, AND BROKEN RICE).

| | | | | | |
|----------------------|----------------|----------------|----------------|-------------|----------------|
| | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | <i>Pounds.</i> |
| Austria-Hungary..... | No data. | + 182,921,000 | 182,921,000 | 51,783,777 | 3.53 |
| Belgium..... | No data. | + 80,882,000 | 80,882,000 | 7,497,119 | 10.79 |
| France..... | 2,017,000 | + 438,774,000 | 440,791,000 | 39,561,600 | 11.14 |
| Germany..... | No data. | + 517,145,000 | 517,145,000 | 65,781,875 | 7.86 |
| India (British)..... | 72,949,786,000 | -5,059,244,000 | 67,890,542,000 | 244,267,542 | 277.94 |
| Italy..... | 646,470,000 | - 128,162,000 | 518,308,000 | 34,681,653 | 14.94 |
| Japan..... | 14,008,517,000 | + 583,675,000 | 14,692,192,000 | 51,775,737 | 282.03 |
| Netherlands..... | No data. | + 302,407,000 | 302,407,000 | 6,030,634 | 50.15 |
| United Kingdom..... | No data. | + 678,290,000 | 678,290,000 | 45,175,723 | 15.01 |
| United States..... | 681,166,000 | + 193,599,000 | 874,765,000 | 93,832,959 | 9.32 |

RYE (INCLUDING RYE FLOUR CONVERTED TO RYE).

| | | | | | |
|----------------------|-----------------|-----------------|-----------------|-------------|-----------------|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> |
| Austria-Hungary..... | 164,143,000 | + 1,487,000 | 165,630,000 | 51,783,777 | 3.20 |
| Belgium..... | 22,675,000 | + 4,315,000 | 26,990,000 | 7,497,119 | 3.60 |
| France..... | 48,647,699 | + 3,019,000 | 51,666,699 | 39,561,600 | 1.31 |
| Germany..... | 445,222,000 | -26,836,000 | 418,386,000 | 65,781,875 | 6.36 |
| India (British)..... | No data. | No data. | No data. | 244,267,542 | |
| Italy..... | 5,328,000 | + 746,000 | 6,074,000 | 34,681,653 | .18 |
| Japan..... | No data. | No data. | No data. | 51,775,737 | |
| Netherlands..... | 16,422,000 | +11,238,000 | 27,660,000 | 6,030,634 | 4.59 |
| United Kingdom..... | 1,751,000 | + 2,122,000 | 3,873,000 | 45,175,723 | .09 |
| United States..... | 34,916,000 | - 601,000 | 34,315,000 | 93,832,959 | .37 |

WHEAT (INCLUDING WHEAT FLOUR CONVERTED TO WHEAT).

| | | | | | |
|----------------------|-----------------|-----------------|-----------------|-------------|-----------------|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> |
| Austria-Hungary..... | 217,598,000 | + 8,032,000 | 225,630,000 | 51,783,777 | 4.38 |
| Belgium..... | 14,588,000 | + 51,273,000 | 65,861,000 | 7,497,119 | 8.78 |
| France..... | 317,254,000 | + 37,168,000 | 354,422,000 | 39,561,600 | 8.96 |
| Germany..... | 152,119,000 | + 68,606,000 | 220,725,000 | 65,781,875 | 3.36 |
| India (British)..... | 350,736,000 | - 50,983,000 | 299,753,000 | 244,267,542 | 1.23 |
| Italy..... | 183,260,000 | + 49,309,000 | 232,569,000 | 34,681,653 | 6.71 |
| Japan..... | 25,274,000 | + 3,469,000 | 28,743,000 | 51,775,737 | .56 |
| Netherlands..... | 4,976,000 | + 22,259,000 | 27,235,000 | 6,030,634 | 4.52 |
| United Kingdom..... | 61,481,000 | +214,639,000 | 276,120,000 | 45,175,723 | 6.11 |
| United States..... | 686,691,000 | - 98,673,000 | 588,018,000 | 93,832,959 | 6.27 |

NOTE.—Bushel=Barley, 48; oats, 32; corn and rye, 56; and wheat, 60 pounds.

TABLE 88.—Consumption of specified cereals in selected countries: Yearly average—Con.

1914-1918.

BARLEY (INCLUDING MALT CONVERTED TO BARLEY).

| Country. | Average yearly production, 1914-1918. | Average yearly net imports (+) or exports (-), calendar years 1914-1918. | Average yearly total consumption, 1914-1918. | Mean yearly population, 1914-1918. | Average yearly consumption per capita, 1914-1918. |
|------------------------------------|---------------------------------------|--|--|------------------------------------|---|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> |
| Austria-Hungary ¹ | 109,760,000 | No data. | 109,760,000 | 53,279,370 | 2.66 |
| Belgium ¹ | 4,116,000 | No data. | 4,116,000 | 7,752,390 | .53 |
| France..... | 36,087,000 | + 7,475,000 | 43,562,000 | 37,769,000 | 1.15 |
| Germany ² | 113,222,000 | No data. | 113,222,000 | 69,149,378 | 1.64 |
| India (British)..... | 145,273,000 | - 9,163,000 | 136,110,000 | 250,598,343 | .54 |
| Italy..... | 9,123,000 | + 2,161,000 | 11,284,000 | 36,407,653 | .31 |
| Japan..... | 87,004,000 | + 262,000 | 87,266,000 | 55,527,016 | 1.57 |
| Netherlands ³ | 2,966,000 | + 749,000 | 3,715,000 | 6,448,547 | .58 |
| United Kingdom..... | 58,780,000 | + 25,604,000 | 84,384,000 | 45,582,551 | 1.94 |
| United States..... | 214,819,000 | - 22,973,000 | 191,846,000 | 102,017,312 | 1.88 |

CORN (INCLUDING CORN MEAL CONVERTED TO CORN).

| | | | | | |
|------------------------------------|---------------|--------------|---------------|-------------|-------|
| Austria-Hungary ¹ | 217,840,000 | No data. | 217,840,000 | 53,279,370 | 4.09 |
| Belgium..... | No data. | No data. | No data. | 7,801,926 | |
| France..... | 16,642,000 | + 14,736,000 | 31,378,000 | 37,769,000 | .83 |
| Germany ² | No data. | No data. | No data. | 69,149,378 | |
| India (British)..... | 90,224,000 | + 1,082,000 | 91,306,000 | 250,598,343 | .36 |
| Italy..... | 92,076,000 | + 6,346,000 | 98,422,000 | 36,407,653 | 2.70 |
| Japan..... | 3,868,000 | No data. | 3,868,000 | 55,527,016 | .07 |
| Netherlands ³ | No data. | + 29,721,000 | 29,721,000 | 6,448,547 | 4.58 |
| United Kingdom..... | No data. | + 64,480,000 | 64,480,000 | 45,582,551 | 1.48 |
| United States..... | 2,776,514,000 | - 89,686,000 | 2,736,828,000 | 102,017,312 | 26.63 |

OATS.

| | | | | | |
|------------------------------------|---------------|--------------|---------------|-------------|-------|
| Austria-Hungary ¹ | 186,600,000 | No data. | 186,600,000 | 53,279,370 | 3.50 |
| Belgium ¹ | 44,871,000 | No data. | 44,871,000 | 7,801,926 | 5.79 |
| France..... | 237,814,000 | + 47,587,000 | 285,401,000 | 37,769,000 | 7.56 |
| Germany ² | 413,010,000 | No data. | 413,010,000 | 69,149,378 | 5.97 |
| India (British)..... | No data. | No data. | No data. | 250,598,343 | |
| Italy..... | 31,914,000 | + 21,800,000 | 53,714,000 | 36,407,653 | 1.48 |
| Japan..... | No data. | - 357,000 | No data. | 55,527,016 | |
| Netherlands ³ | 20,963,000 | + 4,928,099 | 25,891,000 | 6,448,547 | 4.01 |
| United Kingdom..... | 202,808,000 | + 54,220,000 | 257,028,000 | 45,582,551 | 5.89 |
| United States..... | 1,414,605,000 | - 96,317,000 | 1,318,288,000 | 102,017,312 | 12.92 |

RICE (MOSTLY CLEANED AND INCLUDING RICE FLOUR, RICE MEAL, AND BROKEN RICE).

| | | | | | |
|----------------------------|----------------|----------------|----------------|-------------|----------------|
| Austria-Hungary..... | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | <i>Pounds.</i> |
| Belgium..... | No data. | No data. | No data. | 53,279,370 | |
| France..... | No data. | + 469,911,000 | 469,911,000 | 37,769,000 | 12.44 |
| Germany ² | No data. | No data. | No data. | 69,149,378 | |
| India (British)..... | 69,407,744,000 | -3,725,780,000 | 65,681,964,000 | 250,598,343 | 2.10 |
| Italy..... | 728,198,000 | + 129,412,000 | 857,610,000 | 36,407,653 | 23.56 |
| Japan..... | 17,632,967,000 | + 407,271,000 | 18,040,238,000 | 55,527,016 | 324.89 |
| Netherlands..... | No data. | + 166,683,000 | 166,683,000 | 6,448,547 | 25.55 |
| United Kingdom..... | No data. | + 883,137,000 | 883,137,000 | 45,582,551 | 20.26 |
| United States..... | 956,778,000 | + 176,164,000 | 1,132,942,000 | 102,017,312 | 11.11 |

¹ Two-year average 1914-15. No further data available.² Excluding Alsace-Lorraine.³ Three-year average 1911-1916.⁴ Four-year average 1914-1917.

TABLE 88.—Consumption of specified cereals in selected countries: Yearly average—Con.

1914-1918—Continued.

RYE (INCLUDING RYE FLOUR CONVERTED TO RYE).

| Country. | Average yearly production, 1914-1918. | Average yearly net imports (+) or exports (—), calendar years 1914-1918. | Average yearly total consumption, 1914-1918. | Mean yearly population, 1914-1918. | Average yearly consumption per capita, 1914-1918 |
|------------------------------------|---------------------------------------|--|--|------------------------------------|--|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> |
| Austria-Hungary ¹ | 109,916,000 | No data. | 109,916,000 | 53,279,370 | 2.06 |
| Belgium ¹ | 20,568,000 | No data. | 20,568,000 | 7,752,390 | 2.65 |
| France..... | 31,179,000 | + 559,000 | 31,738,000 | 37,709,600 | .84 |
| Germany ² | 341,185,000 | No data. | 341,185,000 | 69,149,378 | 4.93 |
| India (British)..... | No data. | No data. | No data. | 250,598,343 | |
| Italy..... | 4,878,000 | + 1,036,000 | 5,914,000 | 36,407,653 | .16 |
| Japan..... | No data. | No data. | No data. | 55,527,016 | |
| Netherlands..... | 12,351,000 | + 2,007,000 | 14,358,000 | 6,521,217 | 2.20 |
| United Kingdom ¹ | 1,750,000 | + 3,231,000 | 4,981,000 | 45,285,376 | .11 |
| United States..... | 50,545,000 | - 13,730,000 | 45,815,000 | 102,017,312 | .45 |

WHEAT.

| | | | | | |
|------------------------------------|-------------|---------------|-------------|-------------|------|
| Austria-Hungary ¹ | 176,348,000 | No data. | 176,348,000 | 53,279,370 | 3.31 |
| Belgium ¹ | 10,980,000 | No data. | 10,980,000 | 7,752,390 | 1.42 |
| France..... | 217,061,000 | + 74,007,000 | 292,228,000 | 37,760,600 | 7.74 |
| Germany ² | 111,548,000 | No data. | 111,548,000 | 69,149,378 | 1.61 |
| India (British)..... | 332,852,000 | - 33,287,000 | 299,565,000 | 250,598,343 | 1.20 |
| Italy..... | 166,004,000 | + 4,861,000 | 213,465,000 | 36,407,653 | 5.86 |
| Japan..... | 29,151,000 | + 29,000 | 29,180,000 | 55,527,016 | .53 |
| Netherlands ³ | 5,035,000 | + 25,748,000 | 31,383,000 | 6,448,547 | 4.87 |
| United Kingdom..... | 72,939,000 | + 197,883,000 | 270,822,000 | 43,582,551 | 6.21 |
| United States..... | 821,378,000 | - 20,134,000 | 619,244,000 | 102,017,312 | 6.03 |

¹ Two-year average, 1914-15. ² Excludes Alsace-Lorraine. ³ Three-year average, 1914-1916.

NOTE.—Bushel: Barley, 48; oats, 32; corn and rye, 56; and wheat, 60 pounds.

STATISTICS OF CROPS OTHER THAN GRAIN CROPS.

POTATOES.

TABLE 89.—Potatoes: Area and production in undermentioned countries, 1909–1913.
(000 omitted.)

| Country. | Area. | | | | Production. | | | |
|--|--|------------------|------------------|------------------|--|------------------|------------------|------------------|
| | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 |
| NORTH AMERICA. | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| United States..... | 3,680 | 3,565 | 4,374 | 4,210 | 356,627 | 286,953 | 438,618 | 400,106 |
| Canada: | | | | | | | | |
| Prince Edward Island.. | 32 | 31 | 35 | 30 | 5,901 | 6,386 | 6,125 | 5,295 |
| Nova Scotia..... | 32 | 34 | 41 | 50 | 6,627 | 6,935 | 7,173 | 9,306 |
| New Brunswick..... | 42 | 39 | 46 | 56 | 8,898 | 7,488 | 6,891 | 10,263 |
| Quebec..... | 120 | 112 | 227 | 260 | 19,723 | 14,672 | 18,158 | 36,149 |
| Ontario..... | 156 | 133 | 142 | 155 | 20,720 | 8,113 | 18,981 | 17,224 |
| Manitoba..... | 26 | 32 | 34 | 44 | 4,755 | 4,709 | 3,643 | 6,897 |
| Saskatchewan..... | 29 | 47 | 63 | 59 | 4,812 | 7,319 | 9,010 | 8,054 |
| Alberta..... | 24 | 29 | 49 | 45 | 3,934 | 4,783 | 7,406 | 6,188 |
| British Columbia..... | 14 | 15 | 15 | 14 | 3,128 | 2,892 | 2,502 | 2,807 |
| Total Canada..... | 475 | 472 | 657 | 713 | 78,498 | 63,297 | 79,892 | 102,189 |
| Mexico..... | (²) | (²) | (²) | (²) | 924 | (²) | (²) | 452 |
| Newfoundland..... | (²) | (²) | (²) | (²) | 1,495 | (²) | (²) | (²) |
| Total..... | 4,155 | 4,037 | 5,031 | 4,923 | 437,544 | 350,250 | 518,810 | 502,747 |
| SOUTH AMERICA. | | | | | | | | |
| Argentina..... | 235 | 322 | (²) | (²) | 40,216 | 31,138 | (²) | (²) |
| Chile..... | 66 | 79 | 70 | 78 | 8,023 | 11,598 | 9,091 | 9,768 |
| Total..... | 301 | 401 | | | 48,239 | 42,736 | | |
| EUROPE.. | | | | | | | | |
| Austria ³ | 3,105 | (²) | (²) | (²) | 456,485 | (²) | (²) | (²) |
| Hungary, proper ⁴ | 1,521 | (²) | (²) | (²) | 180,103 | (²) | (²) | (²) |
| Croatia-Slavonia ⁵ | 193 | (²) | (²) | (²) | 22,254 | (²) | (²) | (²) |
| Bosnia-Herzegovina ⁵ | 69 | (²) | (²) | (²) | 3,359 | (²) | (²) | (²) |
| Belgium..... | 390 | (²) | (²) | (²) | 107,021 | (²) | (²) | (²) |
| Bulgaria ⁶ | 8 | (²) | (²) | (²) | 454 | (²) | (²) | (²) |
| Denmark..... | 145 | 159 | 143 | 186 | 32,440 | 26,629 | 31,882 | 43,605 |
| Finland..... | 184 | (²) | (²) | (²) | 20,975 | (²) | (²) | (²) |
| France ⁷ | 3,841 | 3,163 | 3,482 | 2,884 | 489,377 | 322,647 | 401,336 | 228,433 |
| Germany ¹ | 8,280 | *6,782 | *6,186 | *6,740 | 1,681,959 | *907,236 | *1,204,374 | 1,082,816 |
| Italy..... | 658 | 729 | 732 | 739 | 60,813 | 54,277 | 48,112 | 51,808 |
| Luxemburg..... | 36 | 34 | 27 | 25 | 6,439 | 2,971 | 5,926 | 4,731 |
| Malta..... | 4 | 3 | (²) | (²) | 672 | 356 | (²) | (²) |
| Netherlands..... | 414 | 413 | 419 | 405 | 110,153 | 105,040 | 120,288 | 123,978 |
| Norway..... | 102 | 114 | 145 | 133 | 34,821 | 81,310 | 42,564 | 28,954 |
| Roumania ⁸ | 28 | 35 | (²) | 78 | 3,634 | (²) | (²) | 2,409 |
| Do. ⁹ | 58 | (²) | (²) | 738 | 1,144 | (²) | (²) | 7,260 |
| Russia proper ¹ | 8,302 | 5,879 | (²) | (²) | 862,798 | 662,169 | (²) | (²) |
| Poland ¹ | 2,628 | (²) | (²) | (²) | 373,917 | (²) | (²) | (²) |
| Northern Caucasus ¹ | 197 | (²) | (²) | (²) | 15,683 | (²) | (²) | (²) |
| Serbia ¹ | 30 | (²) | (²) | (²) | 2,201 | (²) | (²) | (²) |
| Spain..... | 687 | (²) | 839 | 728 | 93,413 | (²) | 113,477 | 94,767 |
| Sweden..... | 379 | 373 | 397 | 398 | 60,327 | 54,972 | 83,700 | 71,129 |
| Switzerland..... | 186 | 200 | 140 | 168 | 40,537 | 18,372 | 38,580 | 43,355 |
| United Kingdom: | | | | | | | | |
| England..... | 408 | 400 | 473 | 597 | 94,487 | 88,484 | 117,351 | 148,848 |
| Scotland..... | 145 | 130 | 148 | 169 | 34,674 | 19,825 | 41,443 | 42,970 |
| Wales..... | 26 | 28 | 35 | 37 | 5,403 | 5,018 | 7,380 | 8,288 |
| Ireland..... | 590 | 586 | 709 | 702 | 119,874 | 90,845 | 155,036 | 144,230 |
| Total United King- dom..... | 1,169 | 1,144 | 1,370 | 1,505 | 254,438 | 204,172 | 321,210 | 344,336 |
| Total..... | 32,594 | | | | 4,905,397 | | | |

¹ Five-year average, except where statistics were not available.

² No official statistics.

³ Old boundaries.

⁴ Excludes Alsace-Lorraine.

⁵ Grown alone.

⁶ Grown with corn.

⁷ Including Bessarabia, but excluding Dobrudja.

POTATOES—Continued.

TABLE 89.—Potatoes: Area and production in undermentioned countries, 1909–1918—Con.

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|--------------------------------------|---------------------------|------------------|------------------|------------------|---------------------------|------------------|------------------|------------------|
| | Average 1909– 1913. | 1916 | 1917 | 1918 | Average 1909– 1913. | 1916 | 1917 | 1918 |
| ASIA. | | | | | | | | |
| Japan..... | 174 | 254 | 246 | 273 | 24,738 | 38,613 | 36,924 | 41,275 |
| Russia, Asiatic: | | | | | | | | |
| Central Asia (4 govern- | | | | | | | | |
| ments) ¹ | 9 | (²) | (²) | (²) | 5,230 | (²) | (²) | (²) |
| Siberia (4 governments) ¹ | 298 | (²) | (²) | (²) | 27,773 | (²) | (²) | (²) |
| Transcaucasia (1 govern- | | | | | | | | |
| ment) ¹ | 2 | (²) | (²) | (²) | 148 | (²) | (²) | (²) |
| Total..... | 573 | | | | 57,889 | | | |
| AFRICA. | | | | | | | | |
| Algeria..... | 45 | (²) | 27 | (²) | 1,783 | (²) | 2,756 | (²) |
| Union of South Africa..... | 62 | (²) | (²) | (²) | 3,269 | (²) | (²) | (²) |
| Total..... | 107 | | | | 5,052 | | | |
| AUSTRALASIA. | | | | | | | | |
| Australia: | | | | | | | | |
| Queensland..... | 8 | 6 | 9 | (²) | 524 | 278 | 726 | (²) |
| New South Wales..... | 39 | 20 | 22 | (²) | 3,378 | 1,658 | 1,691 | (²) |
| Victoria..... | 55 | 57 | 74 | (²) | 5,983 | 6,489 | 7,018 | (²) |
| South Australia..... | 8 | 4 | 5 | 4 | 894 | 485 | 759 | 422 |
| Western Australia..... | 3 | 5 | 6 | (²) | 309 | 527 | 629 | (²) |
| Tasmania..... | 24 | 29 | 34 | (²) | 2,969 | 2,983 | 2,403 | (²) |
| Total Australia..... | 137 | 121 | 150 | | 14,077 | 12,420 | 13,326 | |
| New Zealand..... | 28 | 30 | 26 | 23 | 6,047 | 4,809 | 4,992 | 3,756 |
| Total Australasia..... | 165 | 151 | 176 | | 20,124 | 17,229 | 18,318 | |
| Grand total..... | 37,895 | | | | 5,474,245 | | | |

¹ Old boundaries.

² No official statistics.

TABLE 90.—Potatoes: Total production of countries mentioned in Table 89, 1900–1915.

| Year. | Production. | Year. | Production. | Year. | Production. | Year. | Production. |
|-----------|-----------------|-----------|-----------------|-----------|-----------------|-----------|-----------------|
| | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> | | <i>Bushels.</i> |
| 1900..... | 4,382,031,000 | 1904..... | 4,288,049,000 | 1908..... | 5,295,043,000 | 1912..... | 5,872,953,000 |
| 1901..... | 4,669,958,000 | 1905..... | 5,254,598,000 | 1909..... | 5,595,567,000 | 1913..... | 5,802,910,000 |
| 1902..... | 4,674,000,000 | 1906..... | 4,789,112,000 | 1910..... | 5,242,278,000 | 1914..... | 5,016,291,000 |
| 1903..... | 4,409,793,000 | 1907..... | 5,122,078,000 | 1911..... | 4,842,109,000 | 1915..... | 5,361,898,000 |

TABLE 91.—Potatoes: Average yield, per acre, of undermentioned countries in 1900–1919.

| Year. | United States. | Russia (Euro- pean). ¹ | Ger- many. ¹ | Austria. ¹ | Hungary proper. ¹ | France. ¹ | United King- dom. ¹ |
|----------------|-------------------|---|----------------------------|-----------------------|---------------------------------|----------------------|--------------------------------------|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Average: | | | | | | | |
| 1900–1909..... | 91.4 | 99.9 | 200.0 | 151.1 | 118.7 | 133.8 | 193.8 |
| 1910–1915..... | 97.6 | 107.9 | 205.7 | 145.6 | 122.2 | 116.3 | 222.8 |
| 1906..... | 102.2 | 94.9 | 193.3 | 158.4 | 128.7 | 99.5 | 192.2 |
| 1907..... | 95.4 | 102.4 | 205.3 | 173.2 | 126.6 | 136.2 | 171.0 |
| 1908..... | 85.7 | 102.9 | 209.2 | 154.0 | 96.6 | 163.7 | 231.1 |
| 1909..... | 106.8 | 111.5 | 208.9 | 157.3 | 125.2 | 160.3 | 222.1 |
| 1910..... | 93.8 | 121.1 | 196.1 | 160.0 | 117.4 | 81.9 | 209.1 |
| 1911..... | 80.9 | 104.2 | 158.9 | 137.2 | 106.3 | 121.8 | 241.5 |
| 1912..... | 113.4 | 121.5 | 223.5 | 149.0 | 129.2 | 142.9 | 177.0 |
| 1913..... | 90.4 | 110.6 | 235.8 | 134.7 | 118.4 | 127.3 | 242.0 |
| 1914..... | 110.5 | 102.8 | 200.1 | 160.7 | 129.0 | 119.9 | 233.3 |
| 1915..... | 96.3 | 87.1 | 224.7 | 132.1 | 132.8 | 103.9 | 234.1 |
| 1916..... | 80.4 | | ² 133.8 | | | 104.1 | 178.5 |
| 1917..... | 100.8 | | ² 204.3 | | | 115.2 | 235.2 |
| 1918..... | 95.0 | | ² 160.6 | | | 66.8 | 227.7 |
| 1919..... | 87.9 | | | | | | |

¹ Bushels of 60 pounds.

² Excluding Alsace-Lorraine.

POTATOES.

TABLE 92.—Potatoes: Acreage, production, value, exports, etc., in the United States, 1849-1919.

NOTE.—Figures in *italics* are census returns; figures in *roman* are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. | Chicago cash price per bushel, fair to fancy. ¹ | | | | Domestic exports, fiscal year be- ginning July 1. | Imports during fiscal year be- ginning July 1. |
|----------------|-----------|----------------------------------|---------------------------|--|-----------------------|---|-------|-------------------|-------|--|---|
| | | | | | | December. | | Following May. | | | |
| | | | | | | Low. | High. | Low. | High. | | |
| | Acres. | Bush. | Bushels. | Cts. | Dollars. | Cts. | Cts. | Cts. | Cts. | Bushels. | Bushels. |
| 1849- 1869. | | | 65,798,000 111,149,000 | | | | | | | 155,595 380,372 | |
| 1866. | 1,069,000 | 100.2 | 107,201,000 | 47.3 | 50,723,000 | | | | | 512,390 | 198,265 |
| 1867. | 1,192,000 | 82.0 | 97,783,000 | 65.9 | 64,462,000 | | | | | 378,605 | 209,555 |
| 1868. | 1,132,000 | 93.8 | 106,090,000 | 59.3 | 62,919,000 | | | | | 506,249 | 138,470 |
| 1869. | 1,222,000 | 109.5 | 133,886,000 | 42.9 | 57,481,000 | | | | | 596,968 | 75,336 |
| 1869. | | | 145,537,000 | | | | | | | | |
| 1870. | 1,325,000 | 86.6 | 114,775,080 | 65.0 | 74,621,080 | | | | | 553,070 | 458,758 |
| 1871. | 1,221,000 | 98.7 | 120,462,000 | 53.9 | 64,905,000 | | | | | 621,537 | 96,239 |
| 1872. | 1,331,000 | 85.3 | 113,516,000 | 53.5 | 60,692,000 | | | | | 518,806 | 346,840 |
| 1873. | 1,295,000 | 81.9 | 106,089,000 | 65.2 | 69,154,000 | | | | | 497,413 | 549,073 |
| 1874. | 1,310,000 | 80.9 | 105,981,000 | 61.5 | 65,223,000 | | | | | 609,642 | 198,737 |
| 1875. | 1,510,000 | 110.5 | 166,877,000 | 34.4 | 57,358,000 | | | | | 704,379 | 92,148 |
| 1876. | 1,742,000 | 71.7 | 124,827,000 | 61.9 | 77,820,000 | | | | | 529,650 | 3,285,555 |
| 1877. | 1,792,000 | 94.9 | 170,092,000 | 48.7 | 74,272,000 | | | | | 744,409 | 528,594 |
| 1878. | 1,777,000 | 69.9 | 124,127,000 | 58.7 | 72,924,000 | | | | | 625,312 | 2,624,149 |
| 1879. | 1,837,000 | 98.9 | 181,626,000 | 43.6 | 79,154,000 | | | | | 696,960 | 721,968 |
| 1879. | | | 169,458,000 | | | | | | | | |
| 1880. | 1,843,000 | 91.0 | 167,660,000 | 48.3 | 81,062,000 | | | | | 638,840 | 2,170,872 |
| 1881. | 2,042,000 | 53.5 | 109,145,000 | 91.0 | 99,291,000 | | | | | 8,789,560 | 8,789,560 |
| 1882. | 2,172,000 | 78.7 | 170,973,000 | 55.7 | 95,305,000 | | | | | 429,443 | 2,962,362 |
| 1883. | 2,290,000 | 90.9 | 208,164,000 | 42.2 | 87,849,000 | | | | | 554,613 | 425,408 |
| 1884. | 2,221,000 | 85.8 | 190,642,000 | 39.6 | 75,524,000 | | | | | 280,868 | 658,033 |
| 1885. | 2,266,000 | 77.2 | 175,029,000 | 44.7 | 78,153,000 | | | | | 494,948 | 1,937,416 |
| 1886. | 2,287,000 | 73.5 | 168,051,000 | 46.7 | 78,442,000 | 44 | 47 | 65 | 90 | 434,864 | 1,432,440 |
| 1887. | 2,357,000 | 56.9 | 134,103,000 | 68.2 | 91,507,000 | 70 | 83 | 65 | 85 | 403,880 | 8,259,538 |
| 1888. | 2,533,000 | 79.9 | 202,365,000 | 40.2 | 81,414,000 | 30 | 37 | 24 | 45 | 471,955 | 883,340 |
| 1889. | 2,648,000 | 77.4 | 204,891,000 | 35.4 | 72,611,000 | 33 | 45 | 30 | 60 | 690,618 | 3,415,578 |
| 1889. | | | 217,546,000 | | | | | | | | |
| 1890. | 2,652,000 | 55.9 | 148,290,000 | 75.8 | 112,342,000 | 82 | 93 | 95 | 110 | 341,189 | 5,401,912 |
| 1891. | 2,715,000 | 93.7 | 251,421,000 | 35.8 | 91,013,000 | 30 | 40 | 30 | 50 | 857,022 | 186,871 |
| 1892. | 2,548,000 | 61.5 | 156,655,000 | 66.1 | 108,968,000 | 60 | 72 | 70 | 98 | 845,720 | 4,317,021 |
| 1893. | 2,605,000 | 70.3 | 183,031,000 | 59.4 | 108,662,000 | 51 | 60 | 64 | 88 | 803,111 | 3,042,578 |
| 1894. | 2,738,000 | 62.4 | 170,787,000 | 53.6 | 91,327,000 | 43 | 58 | 40 | 70 | 572,957 | 1,341,333 |
| 1895. | 2,865,000 | 100.6 | 297,237,000 | 26.6 | 78,885,000 | 18 | 24 | 10 | 23 | 690,049 | 175,240 |
| 1896. | 2,767,000 | 91.1 | 252,285,000 | 28.6 | 72,182,000 | 18 | 26 | 19 | 26 | 626,646 | 244,178 |
| 1897. | 2,535,000 | 64.7 | 164,016,000 | 54.7 | 89,648,000 | 50 | 62 | 60 | 87 | 668,187 | 1,171,878 |
| 1898. | 2,558,000 | 75.2 | 192,308,000 | 41.4 | 79,575,000 | 30 | 36 | 33 | 52 | 579,833 | 530,420 |
| 1899. | 2,581,000 | 88.6 | 228,783,000 | 39.0 | 89,329,000 | 35 | 46 | 27 | 39 | 809,472 | 155,961 |
| 1899. | 2,939,000 | 93.0 | 273,318,000 | | | | | | | | |
| 1900. | 2,611,000 | 80.8 | 210,927,000 | 43.1 | 90,811,000 | 40 | 48 | 35 | 60 | 741,483 | 871,911 |
| 1901. | 2,894,000 | 65.5 | 187,598,000 | 76.7 | 113,979,000 | 75 | 82 | 58 | 100 | 528,484 | 7,656,162 |
| 1902. | 2,966,000 | 96.0 | 284,633,000 | 47.1 | 134,111,000 | 42 | 48 | 42 | 60 | 843,075 | 358,506 |
| 1903. | 2,917,000 | 84.7 | 247,128,000 | 61.4 | 151,638,000 | 60 | 66 | 95 | 116 | 944,042 | 3,161,581 |
| 1904. | 3,016,000 | 110.4 | 332,830,000 | 45.3 | 150,673,000 | 32 | 38 | 20 | 25 | 1,163,270 | 1,860,199 |
| 1905. | 2,997,000 | 87.0 | 260,741,000 | 61.7 | 160,821,000 | 55 | 66 | 48 | 73 | 1,000,326 | 1,948,180 |
| 1906. | 3,013,000 | 102.2 | 308,088,000 | 51.1 | 157,547,000 | 40 | 43 | 55 | 75 | 1,530,461 | 176,817 |
| 1907. | 3,128,000 | 95.4 | 298,262,000 | 61.8 | 184,184,000 | 46 | 58 | 50 | 80 | 1,203,894 | 408,932 |
| 1908. | 3,257,000 | 85.7 | 278,985,000 | 70.6 | 197,039,000 | 60 | 77 | 70 | 150 | 783,651 | 8,383,666 |
| 1909. | 3,125,000 | 106.8 | 376,537,000 | 54.1 | 210,662,000 | 20 | 58 | 16 | 34 | 999,472 | 323,208 |
| 1909. | 3,698,000 | 106.1 | 389,195,000 | | | | | | | | |
| 1910. | 3,720,000 | 93.8 | 349,082,000 | 55.7 | 194,506,000 | 30 | 48 | 35 | 75 | 2,388,867 | 218,894 |
| 1911. | 3,619,000 | 80.9 | 292,737,000 | 79.9 | 233,778,000 | 70 | 100 | 80 | 200 | 1,237,276 | 13,734,665 |
| 1912. | 3,711,000 | 118.4 | 420,047,000 | 50.5 | 212,550,000 | 40 | 65 | 33 | 70 | 2,028,264 | 237,280 |
| 1913. | 3,698,000 | 90.4 | 331,525,000 | 68.7 | 227,908,000 | 50 | 70 | 60 | 90 | 1,794,073 | 3,645,986 |
| 1914. | 3,711,000 | 110.5 | 409,921,000 | 48.7 | 199,460,000 | 30 | 66 | 34 | 150 | 3,135,474 | 270,942 |
| 1915. | 3,734,000 | 96.3 | 359,721,000 | 61.7 | 221,992,000 | 53 | 95 | 80 | 110 | 4,077,760 | 209,532 |
| 1916. | 3,935,000 | 80.5 | 286,853,000 | 116.1 | 419,333,000 | 125 | 190 | 200 | 375 | 2,499,001 | 3,079,025 |
| 1917. | 4,384,000 | 100.8 | 442,108,000 | 122.8 | 542,774,000 | 93 | 135 | 80 | 250 | 3,453,307 | 1,180,480 |
| 1918. | 4,295,000 | 95.9 | 411,860,000 | 119.3 | 491,527,000 | 90 | 225 | 125 | 250 | 3,688,840 | 3,534,076 |
| 1919. | 4,013,000 | 89.2 | 357,901,000 | 161.4 | 577,581,000 | 280 | 360 | | | | |

¹ Burbank to 1910.² Figures adjusted to census basis. ³ Per 100 pounds.

POTATOES—Continued.

TABLE 93.—Potatoes: Revised acreage, production, and farm value, 1889–1909.

NOTE.—This revision for 1879 and 1889–1909 consists (1) in using the Department of Agriculture's estimate of average yield per acre to compute, from census acreage, the total production, (2) in adjusting the department's estimate of acreage for each year so as to be consistent with the following as well as the preceding census acreage, and (3) in recomputing total farm value from these revised production figures.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|-----------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| 1889..... | 2,601,000 | 77.4 | 201,200,000 | 35.4 | 71,294,000 |
| 1890..... | 2,655,000 | 56.7 | 150,494,000 | 75.3 | 113,291,000 |
| 1891..... | 2,732,000 | 93.7 | 256,122,000 | 35.6 | 91,229,000 |
| 1892..... | 2,650,000 | 62.1 | 164,516,000 | 66.5 | 107,835,000 |
| 1893..... | 2,722,000 | 71.7 | 195,040,000 | 58.4 | 113,886,000 |
| 1894..... | 2,891,000 | 63.6 | 183,841,000 | 52.8 | 97,030,000 |
| 1895..... | 3,101,000 | 102.3 | 317,114,000 | 26.2 | 83,151,000 |
| 1896..... | 2,975,000 | 91.4 | 271,769,000 | 29.0 | 78,783,000 |
| 1897..... | 2,813,000 | 67.9 | 191,025,000 | 54.2 | 103,442,000 |
| 1898..... | 2,841,000 | 77.0 | 218,772,000 | 41.5 | 90,897,000 |
| 1899..... | 2,939,000 | 88.6 | 260,257,000 | 39.7 | 103,365,000 |
| 1900..... | 2,987,000 | 82.9 | 247,758,000 | 42.3 | 104,764,000 |
| 1901..... | 2,996,000 | 66.3 | 198,626,000 | 76.2 | 151,602,000 |
| 1902..... | 3,078,000 | 95.5 | 293,918,000 | 46.9 | 137,730,000 |
| 1903..... | 3,080,000 | 85.1 | 262,053,000 | 60.9 | 159,620,000 |
| 1904..... | 3,172,000 | 111.1 | 352,268,000 | 44.8 | 157,646,000 |
| 1905..... | 3,195,000 | 87.3 | 278,885,000 | 61.1 | 170,340,000 |
| 1906..... | 3,244,000 | 102.2 | 331,685,000 | 50.6 | 167,796,000 |
| 1907..... | 3,375,000 | 95.7 | 322,954,000 | 61.3 | 197,863,000 |
| 1908..... | 3,303,000 | 86.2 | 302,000,000 | 60.7 | 210,618,000 |
| 1909..... | 3,659,000 | 107.5 | 394,553,000 | 54.2 | 213,679,000 |

TABLE 94.—Potatoes: Acreage, production, and total farm value, by States, 1919.

[000 omitted.]

| State. | Acreage. | Production. | Farm value Dec. 1. | State. | Acreage. | Production. | Farm value Dec. 1. |
|---------------------|---------------|-----------------|--------------------|--------------------|---------------|-----------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Dollars.</i> | | <i>Acres.</i> | <i>Bushels.</i> | <i>Dollars.</i> |
| Maine..... | 102 | 24,480 | 34,272 | North Dakota..... | 90 | 5,670 | 9,072 |
| New Hampshire..... | 20 | 2,400 | 4,200 | South Dakota..... | 90 | 4,500 | 8,580 |
| Vermont..... | 25 | 3,125 | 4,906 | Nebraska..... | 115 | 6,325 | 12,018 |
| Massachusetts..... | 33 | 2,970 | 5,643 | Kansas..... | 68 | 5,168 | 9,819 |
| Rhode Island..... | 5 | 425 | 765 | Kentucky..... | 72 | 5,040 | 10,584 |
| Connecticut..... | 24 | 1,680 | 3,276 | Tennessee..... | 48 | 3,120 | 5,366 |
| New York..... | 363 | 39,567 | 57,372 | Alabama..... | 44 | 3,520 | 7,668 |
| New Jersey..... | 110 | 10,560 | 17,846 | Mississippi..... | 18 | 1,530 | 2,830 |
| Pennsylvania..... | 254 | 25,400 | 39,116 | Louisiana..... | 25 | 1,600 | 3,520 |
| Delaware..... | 11 | 913 | 1,141 | Texas..... | 52 | 3,796 | 7,972 |
| Maryland..... | 55 | 5,170 | 6,721 | Oklahoma..... | 44 | 3,520 | 7,216 |
| Virginia..... | 121 | 11,495 | 18,047 | Arkansas..... | 41 | 3,321 | 6,898 |
| West Virginia..... | 57 | 5,130 | 8,978 | Montana..... | 47 | 2,820 | 4,512 |
| North Carolina..... | 58 | 4,930 | 8,036 | Wyoming..... | 33 | 2,640 | 5,016 |
| South Carolina..... | 27 | 2,295 | 4,590 | Colorado..... | 92 | 11,040 | 18,768 |
| Georgia..... | 23 | 1,610 | 3,494 | New Mexico..... | 11 | 495 | 940 |
| Florida..... | 24 | 1,824 | 3,830 | Arizona..... | 5 | 350 | 682 |
| Ohio..... | 150 | 9,300 | 17,856 | Utah..... | 17 | 2,397 | 3,284 |
| Indiana..... | 100 | 4,400 | 8,580 | Nevada..... | 6 | 900 | 1,350 |
| Illinois..... | 155 | 8,060 | 15,798 | Idaho..... | 26 | 5,400 | 8,184 |
| Michigan..... | 326 | 28,688 | 38,729 | Washington..... | 58 | 7,250 | 10,512 |
| Wisconsin..... | 300 | 28,200 | 39,480 | Oregon..... | 45 | 4,270 | 6,345 |
| Minnesota..... | 300 | 26,190 | 39,933 | California..... | 88 | 11,252 | 19,412 |
| Iowa..... | 115 | 4,945 | 9,494 | | | | |
| Missouri..... | 110 | 8,250 | 15,180 | United States..... | 4,013 | 357,901 | 577,581 |

POTATOES—Continued.

TABLE 95.—Potatoes: Condition of crop, United States, on 1st of months named, 1898–1919.

| Year. | July. | Aug. | Sept. | Oct. | Year. | July. | Aug. | Sept. | Oct. |
|-----------|---------------|---------------|---------------|---------------|-----------|---------------|---------------|---------------|---------------|
| | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> |
| 1898..... | 95.5 | 83.9 | 77.7 | 72.5 | 1909..... | 93.0 | 85.8 | 80.9 | 78.8 |
| 1899..... | 93.8 | 93.0 | 86.3 | 81.7 | 1910..... | 86.3 | 75.8 | 70.5 | 71.8 |
| 1900..... | 91.3 | 88.2 | 80.0 | 74.4 | 1911..... | 76.0 | 62.3 | 50.8 | 62.3 |
| 1901..... | 87.4 | 62.3 | 52.2 | 54.0 | 1912..... | 88.9 | 87.8 | 87.2 | 85.1 |
| 1902..... | 82.9 | 94.8 | 89.1 | 82.5 | 1913..... | 86.2 | 78.0 | 69.9 | 67.7 |
| 1903..... | 88.1 | 87.2 | 84.3 | 74.6 | 1914..... | 83.6 | 79.0 | 75.8 | 78.3 |
| 1904..... | 93.9 | 94.1 | 91.6 | 89.5 | 1915..... | 91.1 | 92.0 | 82.7 | 74.2 |
| 1905..... | 91.2 | 87.2 | 80.9 | 74.3 | 1916..... | 87.8 | 80.8 | 67.4 | 68.6 |
| 1906..... | 91.5 | 86.0 | 85.3 | 82.2 | 1917..... | 90.1 | 87.9 | 82.7 | 79.0 |
| 1907..... | 90.2 | 88.5 | 80.2 | 77.0 | 1918..... | 87.6 | 79.9 | 74.5 | 74.7 |
| 1908..... | 89.6 | 82.9 | 73.7 | 68.7 | 1919..... | 87.6 | 75.1 | 69.5 | 67.9 |

TABLE 96.—Potatoes: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | | | | | | Value per acre (dollars). ¹ | |
|-------------|-----------------------------|------|------|-------|------|-------|------|------|-------|------|--------------------------------|------|------|-------|-------|-------|-------|-------|--------|--------|--|--|
| | 10-year average, 1910-1919. | | | | | | | | | | 10-year average, 1910-1919. | | | | | | | | | | 5-year average, 1914-1918. | |
| | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 1915 | 1916 | 1917 | 1918 | 1919 | 1919 | 1919 | | | | | |
| Me..... | 203 | 220 | 180 | 198 | 220 | 260 | 179 | 204 | 125 | 200 | 240 | 86 | 70 | 142 | 130 | 120 | 140 | 180 | 66 | 336.00 | | |
| N. H..... | 128 | 150 | 125 | 140 | 122 | 159 | 95 | 120 | 107 | 140 | 120 | 109 | 95 | 166 | 167 | 145 | 175 | 153 | 31 | 210.00 | | |
| Vt..... | 124 | 130 | 105 | 140 | 127 | 168 | 108 | 112 | 100 | 130 | 125 | 95 | 81 | 139 | 140 | 138 | 157 | 128 | 30 | 196.25 | | |
| Mass..... | 116 | 125 | 93 | 130 | 105 | 155 | 120 | 91 | 115 | 133 | 90 | 120 | 94 | 175 | 175 | 170 | 190 | 161 | 80 | 171.00 | | |
| R. I..... | 119 | 136 | 110 | 113 | 130 | 165 | 110 | 74 | 135 | 130 | 85 | 122 | 92 | 185 | 175 | 173 | 180 | 162 | 95 | 183.00 | | |
| Conn..... | 101 | 125 | 85 | 107 | 92 | 140 | 95 | 95 | 110 | 95 | 70 | 120 | 96 | 175 | 164 | 165 | 195 | 137 | 12 | 136.50 | | |
| N. Y..... | 94 | 102 | 74 | 106 | 74 | 145 | 62 | 70 | 95 | 98 | 109 | 96 | 82 | 158 | 130 | 122 | 145 | 93 | 66 | 158.05 | | |
| N. J..... | 104 | 105 | 73 | 108 | 95 | 108 | 130 | 122 | 114 | 92 | 96 | 109 | 75 | 155 | 141 | 170 | 169 | 133 | 92 | 162.24 | | |
| Pa..... | 86 | 88 | 56 | 109 | 88 | 105 | 72 | 70 | 92 | 80 | 100 | 100 | 75 | 148 | 135 | 151 | 154 | 92 | 70 | 154.00 | | |
| Del..... | 88 | 103 | 60 | 100 | 87 | 80 | 95 | 90 | 95 | 87 | 83 | 97 | 75 | 125 | 130 | 140 | 125 | 97 | 01 | 103.75 | | |
| Md..... | 88 | 95 | 45 | 112 | 87 | 78 | 97 | 95 | 100 | 80 | 94 | 89 | 62 | 133 | 119 | 120 | 130 | 89 | 66 | 122.20 | | |
| Va..... | 93 | 98 | 45 | 87 | 94 | 65 | 125 | 130 | 99 | 94 | 95 | 98 | 61 | 137 | 125 | 120 | 157 | 108 | 19 | 140.15 | | |
| W. Va..... | 88 | 92 | 45 | 112 | 83 | 54 | 117 | 88 | 115 | 87 | 90 | 109 | 65 | 158 | 132 | 100 | 175 | 109 | 97 | 157.50 | | |
| N. C..... | 81 | 89 | 48 | 85 | 80 | 52 | 90 | 95 | 90 | 95 | 85 | 108 | 73 | 140 | 143 | 135 | 163 | 100 | 70 | 138.85 | | |
| S. C..... | 84 | 90 | 70 | 90 | 80 | 70 | 80 | 75 | 96 | 102 | 85 | 149 | 115 | 175 | 210 | 193 | 200 | 141 | 84 | 170.00 | | |
| Ga..... | 72 | 82 | 72 | 78 | 81 | 60 | 65 | 60 | 84 | 70 | 70 | 138 | 99 | 175 | 195 | 185 | 217 | 105 | 13 | 151.90 | | |
| Fla..... | 85 | 90 | 90 | 93 | 76 | 80 | 80 | 74 | 91 | 100 | 76 | 152 | 115 | 200 | 205 | 200 | 210 | 143 | 39 | 159.60 | | |
| Ohio..... | 78 | 82 | 65 | 112 | 64 | 95 | 82 | 45 | 100 | 60 | 62 | 106 | 70 | 182 | 143 | 150 | 192 | 87 | 23 | 119.04 | | |
| Ind..... | 74 | 84 | 58 | 114 | 53 | 80 | 95 | 44 | 92 | 80 | 44 | 103 | 56 | 177 | 139 | 135 | 195 | 82 | 35 | 85.80 | | |
| Ill..... | 71 | 75 | 50 | 101 | 46 | 60 | 110 | 58 | 90 | 72 | 52 | 109 | 59 | 179 | 152 | 148 | 190 | 89 | 74 | 101.92 | | |
| Mich..... | 90 | 105 | 94 | 105 | 96 | 121 | 59 | 48 | 95 | 84 | 88 | 77 | 56 | 160 | 105 | 89 | 135 | 94 | 12 | 118.80 | | |
| Wis..... | 102 | 95 | 116 | 120 | 109 | 124 | 87 | 47 | 114 | 110 | 94 | 72 | 45 | 147 | 90 | 80 | 140 | 67 | 21 | 131.60 | | |
| Minn..... | 100 | 61 | 115 | 135 | 110 | 114 | 106 | 60 | 112 | 105 | 87 | 72 | 39 | 190 | 91 | 75 | 153 | 67 | 30 | 133.11 | | |
| Iowa..... | 75 | 72 | 74 | 109 | 48 | 86 | 105 | 42 | 95 | 72 | 43 | 100 | 54 | 175 | 181 | 133 | 192 | 80 | 23 | 82.56 | | |
| Mo..... | 66 | 86 | 27 | 84 | 38 | 45 | 98 | 60 | 87 | 61 | 75 | 112 | 60 | 180 | 137 | 153 | 184 | 82 | 43 | 138.00 | | |
| N. Dak..... | 87 | 41 | 120 | 128 | 85 | 109 | 90 | 93 | 43 | 99 | 63 | 79 | 41 | 115 | 130 | 73 | 160 | 63 | 56 | 100.80 | | |
| S. Dak..... | 80 | 44 | 72 | 105 | 78 | 90 | 115 | 66 | 90 | 91 | 50 | 87 | 35 | 137 | 111 | 93 | 190 | 71 | 50 | 95.00 | | |
| Nebr..... | 72 | 60 | 52 | 90 | 48 | 80 | 105 | 73 | 85 | 86 | 55 | 97 | 42 | 150 | 107 | 118 | 190 | 77 | 85 | 104.50 | | |
| Kans..... | 60 | 57 | 22 | 82 | 40 | 62 | 83 | 71 | 57 | 53 | 76 | 116 | 74 | 165 | 152 | 144 | 190 | 77 | 85 | 144.40 | | |
| Ky..... | 78 | 92 | 39 | 101 | 49 | 45 | 126 | 84 | 96 | 75 | 70 | 113 | 55 | 142 | 140 | 165 | 210 | 96 | 91 | 147.00 | | |
| Tenn..... | 72 | 80 | 41 | 88 | 64 | 43 | 88 | 82 | 94 | 70 | 65 | 111 | 63 | 149 | 126 | 165 | 172 | 90 | 14 | 111.80 | | |
| Ala..... | 80 | 80 | 78 | 81 | 84 | 79 | 80 | 90 | 72 | 80 | 80 | 134 | 90 | 169 | 182 | 181 | 215 | 115 | 95 | 172.00 | | |
| Miss..... | 82 | 85 | 83 | 89 | 80 | 80 | 90 | 65 | 78 | 80 | 85 | 126 | 84 | 160 | 168 | 165 | 185 | 103 | 73 | 157.25 | | |
| La..... | 66 | 55 | 69 | 73 | 70 | 70 | 51 | 65 | 64 | 79 | 64 | 128 | 95 | 167 | 184 | 150 | 220 | 92 | 23 | 140.80 | | |
| Tex..... | 59 | 51 | 57 | 63 | 52 | 61 | 65 | 50 | 60 | 55 | 78 | 147 | 105 | 190 | 210 | 200 | 216 | 92 | 54 | 158.30 | | |
| Okla..... | 59 | 60 | 18 | 60 | 60 | 70 | 85 | 53 | 69 | 34 | 80 | 137 | 84 | 195 | 180 | 195 | 205 | 85 | 65 | 164.00 | | |
| Ark..... | 71 | 81 | 55 | 70 | 72 | 60 | 90 | 65 | 80 | 50 | 81 | 130 | 76 | 190 | 157 | 184 | 205 | 93 | 54 | 166.05 | | |
| Mont..... | 128 | 120 | 150 | 165 | 140 | 140 | 155 | 125 | 95 | 135 | 60 | 84 | 50 | 120 | 102 | 80 | 100 | 104 | 40 | 96.00 | | |
| Wyo..... | 120 | 100 | 42 | 140 | 140 | 108 | 150 | 130 | 155 | 150 | 80 | 98 | 60 | 128 | 104 | 85 | 190 | 124 | 14 | 152.00 | | |
| Colo..... | 118 | 100 | 35 | 95 | 115 | 120 | 135 | 138 | 100 | 160 | 120 | 86 | 55 | 135 | 91 | 99 | 170 | 124 | 91 | 294.00 | | |
| N. Mex..... | 86 | 47 | 80 | 100 | 68 | 100 | 100 | 102 | 116 | 100 | 45 | 129 | 95 | 175 | 165 | 160 | 190 | 143 | 98 | 85.50 | | |
| Ariz..... | 97 | 92 | 95 | 125 | 75 | 110 | 95 | 115 | 105 | 85 | 70 | 148 | 100 | 180 | 190 | 205 | 195 | 153 | 15 | 130.50 | | |
| Utah..... | 160 | 142 | 140 | 185 | 180 | 140 | 125 | 180 | 189 | 180 | 141 | 82 | 63 | 130 | 78 | 97 | 137 | 143 | 75 | 193.17 | | |
| Nev..... | 167 | 150 | 160 | 178 | 160 | 130 | 172 | 190 | 207 | 171 | 150 | 96 | 70 | 130 | 120 | 123 | 150 | 183 | 43 | 225.00 | | |
| Idaho..... | 160 | 142 | 180 | 185 | 170 | 155 | 125 | 150 | 156 | 185 | 150 | 75 | 56 | 127 | 79 | 81 | 151 | 121 | 60 | 226.50 | | |
| Wash..... | 139 | 131 | 160 | 167 | 123 | 128 | 135 | 165 | 125 | 132 | 125 | 78 | 53 | 98 | 92 | 101 | 145 | 110 | 39 | 181.25 | | |
| Oreg..... | 120 | 105 | 130 | 155 | 135 | 97 | 115 | 150 | 108 | 110 | 94 | 77 | 60 | 90 | 80 | 100 | 150 | 91 | 72 | 141.00 | | |
| Calif..... | 131 | 130 | 135 | 130 | 119 | 138 | 130 | 141 | 145 | 143 | 129 | 104 | 75 | 140 | 150 | 120 | 171 | 156 | 12 | 223.39 | | |
| U. S..... | 95.2 | 93.8 | 80.9 | 113.4 | 90.4 | 110.5 | 96.3 | 80.5 | 100.8 | 95.9 | 89.2 | 91.5 | 61.7 | 146.1 | 122.8 | 119.3 | 161.4 | 93.81 | 143.93 | | | |

¹ Based upon farm price Dec. 1.

POTATOES—Continued.

TABLE 97.—Potatoes: Stocks on January 1.

| State and year. | Total production (000 omitted). | Stocks Jan. 1. | | | | Price per bushel. | |
|------------------------------------|--|----------------------|------------------------------|-------------------------------|----------|-------------------|-------------|
| | | Per cent of crop. | Bushels (000 omitted). | Per cent of stock held by— | | Dec. 1. | Mar. 1. |
| | | | | Growers. | Dealers. | | |
| Total (21 Northern States): | <i>Bush.</i> | | | | | <i>Cts.</i> | <i>Cts.</i> |
| 1919-20..... | 250,213 | 36.4 | 90,972 | 79.5 | 20.5 | 157 | |
| 1918-19..... | 281,060 | 42.5 | 122,261 | 82.4 | 17.6 | 115 | 102 |
| 1917-18..... | 303,899 | 49.6 | 150,066 | 84.6 | 15.4 | 122 | 116 |
| 1916-17..... | 183,281 | 33.1 | 60,603 | 74.9 | 25.1 | 152 | 252 |
| Total (11 far West States): | | | | | | | |
| 1919-20..... | 48,874 | 43.1 | 21,063 | 71.6 | 28.4 | 162 | |
| 1918-19..... | 66,639 | 48.0 | 31,282 | 85.3 | 14.7 | 101 | 89 |
| 1917-18..... | 70,779 | 42.0 | 32,748 | 86.8 | 13.2 | 105 | 88 |
| 1916-17..... | 54,081 | 44.6 | 21,140 | 71.0 | 29.0 | 120 | 238 |
| Total (16 Southern States): | | | | | | | |
| 1919-20..... | 58,814 | 27.5 | 16,146 | 69.1 | 30.9 | 191 | |
| 1918-19..... | 64,170 | 32.3 | 20,730 | 79.5 | 20.5 | 157 | 161 |
| 1917-18..... | 67,430 | 31.0 | 20,900 | 82.3 | 17.2 | 147 | 171 |
| 1916-17..... | 49,591 | 16.3 | 8,065 | 68.8 | 31.2 | 151 | 204 |
| Maine: | | | | | | | |
| 1919-20..... | 21,480 | 55.0 | 13,464 | 78.0 | 22.0 | 140 | |
| 1918-19..... | 22,400 | 54.0 | 12,096 | 81.0 | 19.0 | 120 | 85 |
| 1917-18..... | 18,750 | 55.0 | 10,313 | 84.0 | 16.0 | 130 | 135 |
| 1916-17..... | 25,500 | 47.0 | 11,985 | 72.0 | 28.0 | 142 | 200 |
| New York: | | | | | | | |
| 1919-20..... | 39,567 | 48.0 | 18,992 | 90.0 | 10.0 | 145 | |
| 1918-19..... | 37,240 | 50.0 | 18,620 | 92.0 | 8.0 | 122 | 105 |
| 1917-18..... | 38,000 | 58.0 | 22,040 | 95.0 | 5.0 | 130 | 120 |
| 1916-17..... | 22,400 | 41.0 | 9,184 | 85.0 | 15.0 | 158 | 275 |
| Pennsylvania: | | | | | | | |
| 1919-20..... | 25,400 | 30.0 | 7,620 | 80.0 | 20.0 | 154 | |
| 1918-19..... | 22,000 | 42.0 | 9,240 | 88.0 | 12.0 | 151 | 126 |
| 1917-18..... | 29,532 | 43.0 | 12,699 | 88.0 | 12.0 | 135 | 131 |
| 1916-17..... | 19,040 | 32.0 | 6,092 | 81.0 | 19.0 | 148 | 264 |
| Ohio: | | | | | | | |
| 1919-20..... | 9,300 | 34.0 | 3,162 | 71.0 | 29.0 | 192 | |
| 1918-19..... | 11,040 | 39.0 | 4,306 | 74.0 | 26.0 | 150 | 139 |
| 1917-18..... | 16,000 | 53.0 | 8,480 | 87.0 | 13.0 | 143 | 134 |
| 1916-17..... | 6,300 | 21.0 | 1,323 | 71.0 | 29.0 | 182 | 286 |
| Indiana: | | | | | | | |
| 1919-20..... | 4,400 | 27.0 | 1,188 | 70.0 | 30.0 | 195 | |
| 1918-19..... | 8,640 | 48.0 | 4,147 | 81.0 | 19.0 | 135 | 129 |
| 1917-18..... | 8,464 | 47.0 | 3,978 | 81.0 | 19.0 | 139 | 138 |
| 1916-17..... | 3,256 | 20.0 | 652 | 85.0 | 15.0 | 177 | 272 |
| Illinois: | | | | | | | |
| 1919-20..... | 8,060 | 29.0 | 2,337 | 76.0 | 24.0 | 196 | |
| 1918-19..... | 11,520 | 34.0 | 3,917 | 74.0 | 26.0 | 148 | 138 |
| 1917-18..... | 13,660 | 40.0 | 5,400 | 88.0 | 12.0 | 152 | 153 |
| 1916-17..... | 7,250 | 27.0 | 1,958 | 74.0 | 26.0 | 179 | 270 |
| Michigan: | | | | | | | |
| 1919-20..... | 28,688 | 35.0 | 10,041 | 77.0 | 23.0 | 135 | |
| 1918-19..... | 28,560 | 51.0 | 14,666 | 82.0 | 18.0 | 89 | 77 |
| 1917-18..... | 35,910 | 58.0 | 20,828 | 88.0 | 12.0 | 105 | 85 |
| 1916-17..... | 15,360 | 36.0 | 5,630 | 78.0 | 22.0 | 160 | 235 |
| Wisconsin: | | | | | | | |
| 1919-20..... | 28,200 | 36.0 | 10,162 | 78.0 | 22.0 | 140 | |
| 1918-19..... | 33,440 | 51.0 | 17,054 | 80.0 | 20.0 | 80 | 76 |
| 1917-18..... | 34,908 | 60.0 | 20,999 | 80.0 | 20.0 | 90 | 83 |
| 1916-17..... | 13,630 | 56.0 | 7,633 | 79.0 | 21.0 | 147 | 227 |
| Minnesota: | | | | | | | |
| 1919-20..... | 26,100 | 33.0 | 8,613 | 76.0 | 24.0 | 153 | |
| 1918-19..... | 39,790 | 42.0 | 13,759 | 76.0 | 24.0 | 75 | 63 |
| 1917-18..... | 33,600 | 50.0 | 16,800 | 80.0 | 20.0 | 91 | 75 |
| 1916-17..... | 16,600 | 37.0 | 6,216 | 62.0 | 38.0 | 130 | 210 |
| North Dakota: | | | | | | | |
| 1919-20..... | 5,670 | 21.0 | 1,191 | 86.0 | 14.0 | 160 | |
| 1918-19..... | 9,108 | 42.0 | 3,825 | 86.0 | 14.0 | 73 | 83 |
| 1917-18..... | 3,870 | 29.0 | 1,122 | 86.0 | 14.0 | 130 | 140 |
| 1916-17..... | 6,975 | 22.0 | 1,534 | 63.0 | 37.0 | 115 | 173 |
| Nebraska: | | | | | | | |
| 1919-20..... | 6,325 | 36.0 | 2,277 | 78.0 | 22.0 | 190 | |
| 1918-19..... | 10,406 | 37.0 | 3,850 | 76.0 | 24.0 | 118 | 135 |
| 1917-18..... | 12,495 | 48.0 | 5,988 | 79.0 | 21.0 | 107 | 126 |
| 1916-17..... | 7,665 | 29.0 | 2,223 | 69.0 | 31.0 | 150 | 228 |
| Kentucky: | | | | | | | |
| 1919-20..... | 5,040 | 41.0 | 2,066 | 61.0 | 39.0 | 210 | |
| 1918-19..... | 5,625 | 52.0 | 2,925 | 75.0 | 25.0 | 165 | 151 |
| 1917-18..... | 6,720 | 53.0 | 3,562 | 83.0 | 17.0 | 140 | 156 |
| 1916-17..... | 4,116 | 36.0 | 1,482 | 89.0 | 11.0 | 142 | 235 |

POTATOES—Continued.

TABLE 97.—Potatoes: Stocks on January 1—Continued.

| State and year. | Total production (000 omitted). | Stocks Jan. 1. | | | | Price per bushel. | |
|-----------------|---------------------------------|-------------------|------------------------|----------------------------|----------|-------------------|---------|
| | | Per cent of crop. | Bushels (000 omitted). | Per cent of stock held by— | | Dec. 1. | Mar. 1. |
| | | | | Growers. | Dealers. | | |
| Montana: | | | | | | | |
| 1919-20..... | 2,820 | | | | | 169 | |
| 1918-19..... | 6,750 | 66.0 | 4,455 | 82.0 | 18.0 | 89 | 110 |
| 1917-18..... | 5,415 | 45.0 | 2,437 | 84.0 | 16.0 | 102 | 104 |
| 1916-17..... | 4,875 | 64.0 | 3,120 | 63.0 | 37.0 | 120 | 163 |
| Colorado: | | | | | | | |
| 1919-20..... | 11,040 | 38.0 | 4,195 | 89.0 | 11.0 | 170 | |
| 1918-19..... | 15,840 | 56.0 | 8,870 | 89.0 | 11.0 | 99 | 66 |
| 1917-18..... | 12,800 | 60.0 | 7,680 | 90.0 | 10.0 | 91 | 91 |
| 1916-17..... | 6,900 | 42.0 | 2,898 | 86.0 | 14.0 | 135 | 238 |
| Idaho: | | | | | | | |
| 1919-20..... | 5,400 | 41.0 | 2,214 | 63.0 | 37.0 | 151 | |
| 1918-19..... | 6,290 | 58.0 | 3,648 | 86.0 | 14.0 | 81 | 59 |
| 1917-18..... | 6,084 | 46.0 | 2,799 | 87.0 | 13.0 | 79 | 65 |
| 1916-17..... | 4,059 | 44.0 | 1,782 | 84.0 | 16.0 | 127 | 175 |
| Washington: | | | | | | | |
| 1919-20..... | 7,250 | 55.0 | 3,988 | 75.0 | 25.0 | 145 | |
| 1918-19..... | 8,316 | 62.0 | 5,156 | 89.0 | 11.0 | 101 | 75 |
| 1917-18..... | 9,875 | 36.0 | 3,555 | 83.0 | 17.0 | 92 | 62 |
| 1916-17..... | 9,900 | 32.0 | 3,168 | 69.0 | 31.0 | 98 | 168 |

TABLE 98.—Potatoes: Farm price, cents per bushel on first of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|-------|-------|-------|-------|------|------|------|-------|-------|------|----------|
| Jan. 1..... | 116.1 | 121.0 | 147.3 | 70.6 | 49.7 | 68.4 | 50.6 | 84.5 | 54.1 | 56.0 | 81.8 |
| Feb. 1..... | 114.4 | 122.9 | 172.4 | 88.0 | 50.4 | 69.7 | 53.1 | 94.4 | 55.1 | 56.2 | 87.7 |
| Mar. 1..... | 102.4 | 120.3 | 240.7 | 94.4 | 50.4 | 70.7 | 52.0 | 102.0 | 55.3 | 54.6 | 95.0 |
| Apr. 1..... | 105.4 | 92.6 | 234.7 | 97.6 | 47.8 | 70.0 | 50.3 | 117.1 | 55.5 | 47.4 | 91.8 |
| May 1..... | 118.9 | 80.1 | 279.6 | 94.8 | 50.5 | 71.4 | 48.2 | 127.3 | 62.5 | 38.4 | 97.2 |
| June 1..... | 121.4 | 75.5 | 274.0 | 96.8 | 50.8 | 71.3 | 55.2 | 119.7 | 63.3 | 37.4 | 96.7 |
| July 1..... | 128.4 | 94.9 | 247.9 | 102.3 | 52.1 | 81.5 | 49.8 | 103.6 | 96.3 | 40.1 | 96.7 |
| Aug. 1..... | 192.8 | 141.6 | 170.8 | 95.4 | 56.3 | 87.1 | 69.2 | 86.5 | 136.0 | 64.9 | 110.1 |
| Sept. 1..... | 187.5 | 148.8 | 139.1 | 109.3 | 50.5 | 74.9 | 75.3 | 65.0 | 113.7 | 72.9 | 103.7 |
| Oct. 1..... | 164.2 | 143.6 | 122.1 | 112.0 | 48.8 | 64.7 | 73.9 | 51.1 | 88.3 | 67.8 | 93.6 |
| Nov. 1..... | 152.8 | 127.2 | 127.8 | 135.7 | 60.8 | 52.8 | 69.6 | 45.5 | 76.3 | 55.7 | 90.4 |
| Dec. 1..... | 161.4 | 119.3 | 122.8 | 146.1 | 61.7 | 48.7 | 68.7 | 50.5 | 79.9 | 55.7 | 91.5 |
| Average..... | 148.4 | 121.8 | 164.9 | 114.1 | 54.4 | 64.4 | 64.3 | 72.5 | 80.6 | 56.4 | 94.2 |

TABLE 99. Late commercial potato crop.

The States in the following table include all those State producing late potatoes in considerable commercial quantity for other than local market.

| State. | Average yield per acre, 1919. | Estimated commercial production. | | 1919 as per cent of 1918. | Per cent of crop in hands of growers Dec. 1, 1919. | Per cent lost after harvest, 1919. |
|--------------------|-------------------------------|----------------------------------|------------------------|---------------------------|--|------------------------------------|
| | | 1919 | 1918 | | | |
| | | Bushels. | Carloads. ¹ | Carloads. ¹ | Per cent. | Per cent. |
| Maine..... | 260 | 27,499 | 26,922 | 102 | 65 | 9.0 |
| New York..... | 122 | 11,500 | 10,650 | 108 | 42 | 4.5 |
| Pennsylvania..... | 121 | 6,600 | 5,950 | 111 | 36 | 11.0 |
| Michigan..... | 95 | 10,460 | 12,000 | 87 | 44 | 2.3 |
| Wisconsin..... | 98 | 20,900 | 25,510 | 82 | 34 | 5.8 |
| Minnesota..... | 93 | 25,105 | 26,000 | 97 | 26 | 6.0 |
| Iowa..... | 73 | 229 | 950 | 24 | 20 | 2.0 |
| North Dakota..... | 63 | 2,000 | 2,950 | 68 | 11 | 5.0 |
| Nebraska..... | 69 | 2,211 | 5,000 | 44 | 33 | 12.0 |
| Montana..... | 107 | 450 | 946 | 48 | 25 | 10.0 |
| Colorado..... | 155 | 10,000 | 14,800 | 68 | 31 | 0.0 |
| Utah..... | 159 | 450 | 490 | 92 | 14 | 2.0 |
| Nevada..... | 160 | 790 | 725 | 109 | 15 | 2.0 |
| Idaho..... | 170 | 6,830 | 7,725 | 88 | 28 | 5.5 |
| Washington..... | 120 | 2,400 | 3,130 | 77 | 18 | 5.0 |
| Oregon..... | 101 | 1,200 | 8,350 | 51 | 62 | 5.0 |
| California..... | 170 | 4,500 | 6,200 | 73 | 17 | (*) |
| United States..... | 144 | 133,124 | 152,298 | 87 | 39 | 5.8 |

¹ Carload figures are based on cars loaded 700 bushels.

* Not reported.

TABLE 100. Potatoes: Wholesale price, 1913-1919.

| Date. | New York State and Western (per 180 pounds). | | | Chicago, fair to fancy (per bushel). | | | Minneapolis (per bushel). | | | St. Louis, Burbank (per bushel). | | | Cincinnati (per bushel). | | | Denver (per 100 pounds). | | | San Francisco (per 100 pounds). | | |
|--------------------|--|--------|----------|--------------------------------------|-----------------|-----------------|---------------------------|-----------------|-----------------|----------------------------------|-----------------|-----------------|--------------------------|-----------------|-----------------|--------------------------|--------|----------|---------------------------------|--------|----------|
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | \$1.70 | \$2.57 | | \$0.15 | \$0.70 | | \$0.33 | \$0.60 | | \$0.30 | \$0.87 | | \$0.30 | \$1.00 | | \$0.50 | \$4.00 | | \$0.20 | \$1.65 | |
| July-December..... | 1.75 | 2.37 | | .50 | .82 | | .50 | 1.00 | | .45 | .93 | | .65 | 1.00 | | .60 | 2.50 | | .60 | 1.25 | |
| 1914. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 2.00 | 3.00 | | .56 | 1.75 | | .55 | 1.35 | | .65 | 1.60 | | .65 | 1.15 | | 1.00 | 2.50 | | .80 | 1.65 | |
| July-December..... | 1.25 | 2.12 | | .28 | 1.65 | | .28 | 1.50 | | .33 | 1.50 | | .45 | 1.70 | | .90 | 2.75 | | .60 | 1.30 | |
| 1915. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 1.00 | 1.75 | | .18 | 1.60 | | .30 | .65 | | .38 | .55 | | .30 | .50 | | .90 | 2.25 | | 1.00 | 3.50 | |
| July-December..... | 1.75 | 3.00 | | .17 | .93 | | .25 | 1.00 | | .22 | .96 | | .30 | .90 | | .85 | 3.20 | | .86 | 1.50 | |
| 1916. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 2.85 | 3.90 | | .60 | 1.30 | | .62 | 1.35 | | .73 | 1.35 | | .65 | 1.30 | | 1.40 | 5.00 | | .90 | 2.25 | |
| July-December..... | 3.40 | 5.25 | | .65 | 2.00 | | .75 | 1.75 | | .60 | 2.10 | | .80 | 1.90 | | 1.65 | 3.25 | | 1.00 | 2.50 | |
| 1917. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 4.75 | 11.00 | | 1.00 | 4.50 | | 1.50 | 4.20 | | 1.70 | 3.35 | | 1.85 | 3.90 | | 2.25 | 6.50 | | 1.90 | 5.00 | |
| July-December..... | 3.00 | 5.75 | | .90 | 2.80 | | .90 | 2.75 | | .87 | 1.70 | | 1.10 | 2.75 | | 2.00 | 4.25 | | 1.35 | 2.75 | |
| 1918. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 1.00 | 3.33 | \$2.02 | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | Per 100 pounds. | 75 | 3.25 | \$2.05 | 1.00 | 2.00 | \$1.97 |
| July-December..... | 1.65 | 2.40 | 2.15 | .85 | 3.25 | 2.01 | 1.50 | 3.25 | 2.08 | 1.07 | 2.85 | 1.41 | 1.10 | 2.75 | | 1.00 | 3.65 | 2.85 | 1.25 | 2.75 | 2.00 |
| 1919. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 3.50 | 5.75 | 4.52 | .95 | 2.50 | 1.90 | 1.50 | 1.90 | 1.66 | 1.85 | 2.30 | 2.02 | 1.25 | 2.50 | \$2.09 | 1.40 | 2.00 | 1.70 | 1.50 | 2.00 | 1.71 |
| February..... | 3.25 | 5.00 | 4.16 | .80 | 2.00 | 1.68 | 1.35 | 1.66 | 1.60 | 1.60 | 2.20 | 1.73 | 1.75 | 2.35 | 2.03 | 1.40 | 2.00 | 1.70 | 1.50 | 2.00 | 1.77 |
| March..... | 3.00 | 4.75 | 3.83 | .85 | 2.15 | 1.68 | 1.40 | 1.60 | 1.44 | 1.75 | 2.25 | 1.82 | 1.75 | 2.35 | 2.04 | 1.40 | 2.00 | 1.70 | 1.75 | 2.50 | 1.99 |
| April..... | 3.00 | 6.00 | 4.55 | .95 | 2.50 | 1.79 | 1.60 | 2.15 | 1.88 | 1.65 | 2.64 | 2.22 | 1.90 | 3.60 | 2.42 | 1.40 | 2.00 | 1.70 | 1.90 | 3.00 | 2.38 |
| May..... | 3.25 | 6.00 | 4.96 | 1.25 | 2.50 | 1.93 | 1.80 | 4.00 | 2.47 | 1.80 | 2.60 | 2.39 | 2.25 | 3.00 | 2.55 | 1.40 | 2.00 | 1.84 | 1.90 | 2.75 | 2.11 |
| June..... | 3.50 | 6.50 | 4.50 | 1.25 | 3.25 | 1.52 | | | | 1.76 | 2.50 | 2.23 | 2.00 | 2.40 | 2.16 | 1.50 | 7.00 | 3.67 | 1.90 | 2.30 | 2.10 |
| January-June..... | 3.00 | 6.00 | 4.42 | .85 | 3.25 | 1.72 | 1.40 | 4.00 | 1.81 | 1.25 | 2.65 | 2.06 | 1.25 | 3.50 | 2.22 | 1.40 | 7.00 | 2.34 | 1.50 | 3.00 | 1.99 |
| July-December..... | 1.00 | 7.25 | 3.61 | 2.50 | 4.75 | 3.64 | 3.25 | 4.50 | 3.67 | 1.50 | 3.40 | 2.73 | 4.00 | 7.50 | 5.91 | 1.50 | 5.00 | 2.88 | 1.75 | 2.30 | 2.18 |
| 1920. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 4.00 | 6.25 | 5.13 | 1.90 | 3.65 | 3.65 | 3.50 | 3.75 | 3.67 | 1.70 | 4.50 | 3.15 | 3.50 | 7.00 | 5.17 | 1.50 | 6.00 | 3.04 | 1.90 | 2.50 | 2.18 |
| July-December..... | 2.00 | 3.50 | 2.12 | 1.50 | 2.90 | 2.37 | 2.30 | 2.45 | 2.32 | 2.00 | 3.30 | 2.97 | 2.25 | 3.50 | 2.60 | 2.25 | 3.00 | 2.68 | 1.90 | 2.25 | 2.00 |
| 1921. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 2.00 | 3.00 | 2.61 | 2.10 | 3.70 | 2.86 | 2.40 | 2.50 | 2.45 | 2.15 | 3.30 | 2.96 | 2.65 | 4.50 | 3.53 | 2.15 | 3.00 | 2.49 | 2.00 | 2.50 | 2.17 |
| July-December..... | 2.00 | 3.33 | 2.85 | 2.80 | 3.60 | 3.19 | 2.70 | 3.15 | 2.89 | 2.15 | 4.00 | 3.37 | 4.60 | 6.75 | 4.92 | 3.10 | 4.00 | 3.46 | 2.25 | 3.00 | 2.65 |
| 1922. | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 1.00 | 7.25 | 3.26 | 1.50 | 5.50 | 3.06 | 2.20 | 4.60 | 2.91 | 1.50 | 4.90 | 2.90 | 2.65 | 7.50 | 5.36 | 1.50 | 5.00 | 2.98 | 1.75 | 4.25 | 2.37 |

POTATOES—Continued.

TABLE 101.—Potatoes: International trade, calendar years, 1911-13, 1917, and 1918.

GENERAL NOTE.—Substantially the international trade of the world. It should not be expected that the world export and import totals for any year will agree. Among sources of disagreement are these: (1) Different periods of time covered in the "year" of the various countries; (2) Imports received in year subsequent to year of export; (3) want of uniformity in classification of goods among countries; (4) different practices and varying degrees of failure in recording countries of origin and ultimate destination; (5) different practices of recording reexported goods; (6) opposite methods of treating free ports; (7) clerical errors, which, it may be assumed, are not infrequent.

The exports given are domestic exports, and the imports given are imports for consumption as far as it is feasible and consistent so to express the facts. While there are some inevitable omissions, on the other hand there are some duplications because of reshipments that do not appear as such in official reports. For the United Kingdom, import figures refer to imports for consumption, when available, otherwise total imports, less exports, of "foreign and colonial merchandise." Figures for the United States include Alaska, Porto Rico, and Hawaii.

EXPORTS.

[000 omitted.]

| Country. | Average, 1911-1913. | 1917 (prelim.). | 1918 (prelim.). | Country. | Average, 1911-1913. | 1917 (prelim.). | 1918 (prelim.). |
|--------------------|------------------------|--------------------|--------------------|---------------------|------------------------|--------------------|--------------------|
| <i>From—</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>From—</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| Argentina..... | 543 | 542 | 572 | Netherlands..... | 16,451 | | |
| Austria-Hungary... | 1,451 | | | Portugal..... | 506 | | |
| Belgium..... | 8,692 | | | Russia..... | 7,762 | | |
| Canada..... | 1,207 | 4,039 | 2,126 | Spain..... | 1,835 | 1,185 | 863 |
| China..... | 1,288 | 242 | 128 | United Kingdom... | 6,246 | 339 | 2,532 |
| Denmark..... | 928 | 31 | 1,703 | United States..... | 1,814 | 2,423 | 3,863 |
| France..... | 8,683 | 1,099 | 611 | Other countries.... | 1,924 | | |
| Germany..... | 12,412 | | | Total..... | 75,151 | | |
| Italy..... | 3,975 | 583 | 148 | | | | |
| Japan..... | 440 | 385 | 326 | | | | |

IMPORTS.

| <i>Into—</i> | | | | <i>Into—</i> | | | |
|--------------------|--------|-------|-------|----------------------|--------|-------|-------|
| Algeria..... | 1,218 | 573 | 373 | Norway..... | 215 | 3,658 | |
| Argentina..... | 1,337 | 249 | 35 | Philippine Islands.. | 334 | 287 | 239 |
| Austria-Hungary... | 4,070 | | | Portugal..... | 273 | | |
| Belgium..... | 4,921 | | | Russia..... | 309 | | |
| Brazil..... | 939 | 43 | | Sweden..... | 700 | 112 | |
| Canada..... | 525 | 463 | 683 | Switzerland..... | 3,172 | 1,259 | 140 |
| Cuba..... | 2,001 | 2,467 | 3,378 | United Kingdom... | 11,382 | 2,965 | 1,896 |
| Egypt..... | 599 | 359 | 297 | United States..... | 5,707 | 3,182 | 1,201 |
| Finland..... | 479 | | | Other countries.... | 2,311 | | |
| France..... | 7,143 | 970 | 1,069 | Total..... | 78,767 | | |
| Germany..... | 29,180 | | | | | | |
| Netherlands..... | 1,952 | | | | | | |

SWEET POTATOES.

TABLE 102.—Sweet potatoes: Acreage, production, and value, in the United States, 1849-1919.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|-----------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| 1849..... | | | 38,298,000 | | |
| 1849..... | | | 42,095,000 | | |
| 1869..... | | | 21,710,000 | | |
| 1879..... | | | 33,379,000 | | |
| 1889..... | | | 43,950,000 | | |
| 1899..... | 537,000 | 79.1 | 42,517,000 | 52.9 | 22,476,000 |
| 1900..... | 544,000 | 88.9 | 48,346,000 | 50.6 | 24,478,000 |
| 1901..... | 547,000 | 81.7 | 44,697,000 | 57.5 | 25,720,000 |
| 1902..... | 532,000 | 85.2 | 45,344,000 | 58.1 | 26,358,000 |
| 1903..... | 548,000 | 89.2 | 48,870,000 | 58.3 | 28,478,000 |
| 1904..... | 548,000 | 88.9 | 48,705,000 | 60.4 | 29,424,000 |
| 1905..... | 551,000 | 92.6 | 51,084,000 | 58.3 | 29,734,000 |
| 1906..... | 554,000 | 90.2 | 49,948,000 | 62.2 | 31,063,000 |
| 1907..... | 565,000 | 88.2 | 49,813,000 | 70.0 | 34,858,000 |
| 1908..... | 599,000 | 92.4 | 55,352,000 | 66.1 | 36,564,000 |
| 1909..... | 641,000 | 82.4 | 52,822,000 | 69.4 | 41,052,000 |
| 1910..... | 641,000 | 93.5 | 59,938,000 | 67.1 | 40,216,000 |
| 1911..... | 605,000 | 90.1 | 54,538,000 | 75.5 | 41,392,000 |
| 1912..... | 583,000 | 95.2 | 55,479,000 | 72.6 | 40,264,000 |
| 1913..... | 625,000 | 94.5 | 59,057,000 | 72.6 | 42,884,000 |
| 1914..... | 603,000 | 93.8 | 56,574,000 | 73.0 | 41,294,000 |
| 1915..... | 731,000 | 103.5 | 75,639,000 | 62.1 | 46,980,000 |
| 1916..... | 774,000 | 91.7 | 70,955,000 | 84.8 | 60,141,000 |
| 1917..... | 919,000 | 91.2 | 83,822,000 | 110.8 | 92,916,000 |
| 1918..... | 940,000 | 93.5 | 87,924,000 | 135.2 | 118,893,000 |
| 1919..... | 1,029,000 | 100.7 | 103,579,000 | 133.3 | 138,085,000 |

TABLE 103.—Sweet potatoes: Acreage, production, and total farm value, by States, 1919.
[000 omitted.]

| State. | Acreage. | Production. | Farm value Dec. 1. | State. | Acreage. | Production. | Farm value Dec. 1. |
|---------------------|---------------|-----------------|--------------------|--------------------|---------------|-----------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Dollars.</i> | | <i>Acres.</i> | <i>Bushels.</i> | <i>Dollars.</i> |
| New Jersey..... | 14 | 1,750 | 3,850 | Kansas..... | 4 | 436 | 807 |
| Pennsylvania..... | 1 | 138 | 248 | Kentucky..... | 16 | 1,680 | 2,688 |
| Delaware..... | 7 | 966 | 1,063 | Tennessee..... | 40 | 4,400 | 5,148 |
| Maryland..... | 12 | 1,680 | 2,234 | Alabama..... | 151 | 14,194 | 16,039 |
| Virginia..... | 38 | 4,750 | 7,362 | Mississippi..... | 98 | 10,290 | 11,525 |
| West Virginia..... | 2 | 230 | 483 | Louisiana..... | 70 | 6,300 | 7,245 |
| North Carolina..... | 106 | 9,858 | 13,604 | Texas..... | 95 | 10,450 | 15,675 |
| South Carolina..... | 84 | 7,560 | 11,189 | Oklahoma..... | 25 | 3,000 | 5,400 |
| Georgia..... | 142 | 13,064 | 14,370 | Arkansas..... | 46 | 4,600 | 5,290 |
| Florida..... | 41 | 4,100 | 5,740 | New Mexico..... | 3 | 450 | 1,012 |
| Ohio..... | 1 | 115 | 247 | Arizona..... | 1 | 159 | 375 |
| Indiana..... | 3 | 315 | 677 | California..... | 8 | 1,096 | 1,962 |
| Illinois..... | 9 | 855 | 1,496 | | | | |
| Iowa..... | 4 | 320 | 800 | United States..... | 1,029 | 103,579 | 138,085 |
| Missouri..... | 8 | 832 | 1,556 | | | | |

SWEET POTATOES—Continued.

TABLE 104.—Sweet potatoes: Condition of crop, United States, on 1st of months named, 1899–1919.

| Year. | July. | Aug. | Sept. | Oct. | Year. | July. | Aug. | Sept. | Oct. | Year. | July. | Aug. | Sept. | Oct. |
|----------|--------|--------|--------|--------|----------|--------|--------|--------|--------|----------|--------|--------|--------|--------|
| | P. ct. | P. ct. | P. ct. | P. ct. | | P. ct. | P. ct. | P. ct. | P. ct. | | P. ct. | P. ct. | P. ct. | P. ct. |
| 1899.... | 85.1 | 84.1 | 80.7 | 74.9 | 1906.... | 90.9 | 91.2 | 88.7 | 86.0 | 1913.... | 86.5 | 85.8 | 81.4 | 80.1 |
| 1900.... | 93.7 | 92.2 | 83.6 | 80.0 | 1907.... | 85.9 | 85.7 | 85.7 | 82.7 | 1914.... | 77.1 | 75.5 | 81.8 | 80.7 |
| 1901.... | 93.1 | 80.7 | 78.7 | 79.0 | 1908.... | 86.8 | 88.8 | 89.7 | 85.5 | 1915.... | 88.7 | 85.5 | 87.5 | 85.0 |
| 1902.... | 83.6 | 78.3 | 77.2 | 79.7 | 1909.... | 88.7 | 86.9 | 81.3 | 77.8 | 1916.... | 90.4 | 85.9 | 82.7 | 79.2 |
| 1903.... | 90.2 | 88.7 | 91.1 | 83.7 | 1910.... | 87.3 | 85.4 | 83.9 | 80.2 | 1917.... | 81.9 | 84.8 | 85.7 | 83.2 |
| 1904.... | 87.3 | 88.5 | 89.9 | 86.1 | 1911.... | 78.4 | 77.7 | 79.1 | 78.1 | 1918.... | 86.4 | 78.3 | 74.5 | 77.4 |
| 1905.... | 90.6 | 90.1 | 89.5 | 88.6 | 1912.... | 86.9 | 85.0 | 84.1 | 82.0 | 1919.... | 90.1 | 87.1 | 86.0 | 83.9 |

TABLE 105.—Sweet potatoes: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

| State. | Yield per acre (bushels). | | | | | | | | | | Farm price per bushel (cents). | | | | | Value per acre (dollars). ¹ | | | |
|---------|-----------------------------|------|------|------|------|------|-------|------|------|------|--------------------------------|-----------------------------|------|------|-------|--|--------|----------------------------|--------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average, 1914-1918. | 1919 |
| N. J. | 121 | 110 | 130 | 120 | 133 | 100 | 155 | 100 | 120 | 115 | 125 | 118 | 70 | 120 | 160 | 190 | 220 | 146.80 | 275.00 |
| Pa. | 113 | 105 | 121 | 120 | 110 | 105 | 105 | 100 | 110 | 120 | 138 | 115 | 75 | 135 | 140 | 185 | 180 | 136.01 | 248.40 |
| Del. | 124 | 115 | 140 | 120 | 135 | 120 | 135 | 125 | 112 | 120 | 138 | 82 | 62 | 81 | 120 | 125 | 110 | 110.67 | 151.80 |
| Md. | 126 | 110 | 115 | 125 | 141 | 125 | 130 | 126 | 118 | 130 | 140 | 87 | 70 | 88 | 100 | 150 | 133 | 120.48 | 186.20 |
| Va. | 107 | 100 | 90 | 90 | 108 | 92 | 110 | 130 | 104 | 120 | 125 | 92 | 65 | 90 | 110 | 145 | 155 | 109.36 | 198.76 |
| W. Va. | 112 | 101 | 110 | 115 | 91 | 92 | 110 | 140 | 106 | 115 | 125 | 92 | 126 | 140 | 204 | 210 | 156.00 | 241.50 | |
| N. C. | 92 | 105 | 86 | 90 | 100 | 90 | 105 | 107 | 95 | 110 | 93 | 81 | 56 | 75 | 105 | 132 | 138 | 88.50 | 128.34 |
| S. C. | 93 | 91 | 84 | 105 | 92 | 85 | 105 | 86 | 95 | 95 | 90 | 89 | 65 | 85 | 104 | 112 | 148 | 86.91 | 133.20 |
| Ga. | 87 | 83 | 81 | 90 | 87 | 85 | 85 | 80 | 93 | 92 | 92 | 82 | 61 | 81 | 105 | 125 | 110 | 77.59 | 104.20 |
| Fla. | 108 | 108 | 108 | 112 | 110 | 120 | 112 | 100 | 95 | 110 | 100 | 92 | 68 | 86 | 115 | 125 | 140 | 100.98 | 140.00 |
| Ohio. | 103 | 98 | 113 | 118 | 90 | 110 | 95 | 99 | 95 | 96 | 115 | 129 | 98 | 150 | 175 | 175 | 215 | 136.29 | 247.55 |
| Ind. | 101 | 104 | 111 | 116 | 78 | 100 | 104 | 100 | 108 | 108 | 105 | 128 | 90 | 150 | 165 | 195 | 215 | 143.82 | 226.75 |
| Ill. | 92 | 110 | 89 | 98 | 70 | 84 | 110 | 90 | 97 | 82 | 95 | 120 | 82 | 125 | 150 | 175 | 175 | 114.30 | 166.25 |
| Iowa. | 92 | 98 | 105 | 90 | 80 | 100 | 95 | 91 | 90 | 83 | 90 | 157 | 108 | 102 | 210 | 210 | 250 | 157.72 | 200.00 |
| Mo. | 90 | 102 | 91 | 88 | 56 | 84 | 100 | 70 | 112 | 91 | 104 | 123 | 82 | 150 | 141 | 186 | 187 | 118.96 | 194.48 |
| Kans. | 92 | 101 | 75 | 99 | 50 | 110 | 110 | 92 | 92 | 80 | 109 | 137 | 100 | 150 | 160 | 222 | 185 | 137.88 | 201.65 |
| Ky. | 94 | 85 | 96 | 90 | 75 | 105 | 105 | 90 | 95 | 85 | 105 | 105 | 70 | 100 | 125 | 175 | 160 | 105.87 | 168.00 |
| Tenn. | 95 | 85 | 85 | 90 | 80 | 100 | 105 | 100 | 95 | 96 | 110 | 87 | 59 | 87 | 105 | 136 | 117 | 90.20 | 128.70 |
| Ala. | 91 | 85 | 97 | 100 | 95 | 93 | 90 | 74 | 90 | 96 | 94 | 79 | 57 | 74 | 92 | 115 | 113 | 71.94 | 106.22 |
| Miss. | 92 | 94 | 85 | 97 | 98 | 90 | 110 | 82 | 65 | 95 | 105 | 74 | 55 | 67 | 97 | 104 | 112 | 66.80 | 117.60 |
| La. | 86 | 93 | 90 | 84 | 85 | 87 | 92 | 90 | 79 | 75 | 90 | 79 | 50 | 66 | 104 | 128 | 115 | 67.85 | 103.50 |
| Tex. | 82 | 56 | 71 | 75 | 80 | 101 | 98 | 89 | 78 | 58 | 110 | 112 | 70 | 90 | 140 | 175 | 150 | 49.45 | 105.00 |
| Okl. | 87 | 70 | 75 | 92 | 64 | 102 | 115 | 74 | 90 | 65 | 120 | 130 | 73 | 135 | 160 | 220 | 180 | 112.35 | 226.00 |
| Ark. | 98 | 98 | 92 | 88 | 90 | 95 | 130 | 91 | 110 | 90 | 100 | 90 | 61 | 90 | 96 | 138 | 115 | 92.65 | 135.00 |
| N. Mex. | 134 | 100 | 150 | 141 | 123 | 143 | 160 | 125 | 118 | 125 | 150 | 159 | 120 | 180 | 205 | 250 | 225 | 226.00 | 337.00 |
| Ariz. | 154 | 120 | 200 | 140 | 135 | 200 | 150 | 160 | 150 | 135 | 150 | 182 | 150 | 185 | 227 | 238 | 250 | 236.50 | 375.00 |
| Calif. | 156 | 160 | 140 | 156 | 170 | 161 | 135 | 160 | 167 | 170 | 137 | 114 | 80 | 100 | 150 | 150 | 179 | 182.71 | 245.23 |
| U. S. | 94.8 | 93.5 | 90.1 | 95.2 | 94.5 | 93.8 | 103.5 | 91.7 | 91.2 | 93.5 | 100.7 | 88.7 | 62.1 | 84.8 | 110.8 | 135.2 | 133.3 | 87.60 | 134.19 |

¹ Based upon farm price Dec. 1.

SWEET POTATOES—Continued.

TABLE 106.—Sweet potatoes: Farm price, cents per bushel on 1st of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|-------|-------|-------|------|------|------|------|-------|-------|-------|----------|
| Jan. 1..... | 142.1 | 117.2 | 90.1 | 64.9 | 79.0 | 79.2 | 80.4 | 83.0 | 75.0 | | 90.1 |
| Feb. 1..... | 143.1 | 123.1 | 95.8 | 71.2 | 82.0 | 84.3 | 85.4 | 90.2 | 80.4 | 76.8 | 93.2 |
| Mar. 1..... | 153.7 | 142.7 | 110.7 | 77.3 | 84.7 | 86.7 | 88.9 | 98.0 | 84.4 | 79.4 | 100.6 |
| Apr. 1..... | 160.7 | 151.6 | 124.0 | 78.0 | 90.7 | 89.6 | 92.6 | 109.9 | 91.2 | 82.4 | 107.1 |
| May 1..... | 174.6 | 155.0 | 141.3 | 80.5 | 95.6 | 91.5 | 95.8 | 118.0 | 99.3 | 83.4 | 113.6 |
| June 1..... | 173.7 | 148.8 | 149.4 | 83.4 | 96.7 | 94.2 | 92.0 | 115.0 | 98.7 | 79.4 | 113.1 |
| July 1..... | 152.8 | 134.3 | 140.5 | 79.4 | 88.9 | 82.6 | 90.1 | 112.2 | 99.0 | 75.1 | 106.2 |
| Aug. 1..... | 167.9 | 144.7 | 129.3 | 87.1 | 85.8 | 97.5 | 94.1 | 107.8 | 105.8 | 78.2 | 109.8 |
| Sept. 1..... | 175.4 | 156.2 | 132.6 | 89.9 | 84.6 | 92.8 | 94.3 | 95.7 | 102.6 | 81.2 | 110.5 |
| Oct. 1..... | 154.7 | 160.6 | 116.1 | 83.7 | 72.7 | 87.3 | 83.9 | 84.4 | 91.8 | 77.6 | 101.3 |
| Nov. 1..... | 143.9 | 116.0 | 111.2 | 80.6 | 63.7 | 76.3 | 75.7 | 76.8 | 80.9 | 71.8 | 92.7 |
| Dec. 1..... | 133.3 | 135.2 | 110.8 | 84.8 | 62.1 | 73.0 | 72.6 | 72.6 | 75.5 | 67.1 | 88.7 |

TABLE 107.—Sweet Potatoes: Wholesale price per barrel, 1913-1919.

| Date. | Baltimore. | | | St. Louis. | | | New Orleans. | | | New York. | | |
|--------------------|-------------|--------|----------|--------------------------|--------|----------|--------------|--------|----------|----------------------|--------|----------|
| | All grades. | | | All grades (per bushel). | | | All grades. | | | Jersey and Southern. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | | | | | | | | | | | | |
| January-June..... | \$2.90 | \$3.50 | | \$1.63 | \$3.75 | | \$2.00 | \$2.00 | | \$1.75 | \$3.00 | |
| July-December..... | .75 | 7.00 | | .88 | 6.25 | | 2.00 | 2.00 | | .40 | 5.50 | |
| 1914. | | | | | | | | | | | | |
| January-June..... | 1.00 | 2.50 | | 1.50 | 2.50 | | 1.00 | 3.20 | | .75 | 2.00 | |
| July-December..... | 1.00 | 5.50 | | 1.75 | 4.50 | | .80 | 3.50 | | .75 | 5.00 | |
| 1915. | | | | | | | | | | | | |
| January-June..... | 1.50 | 5.50 | | 2.50 | 4.50 | | 1.00 | 3.00 | | 2.00 | 3.50 | |
| July-December..... | .75 | 6.50 | | 1.50 | 3.40 | | .70 | 3.00 | | .50 | 5.00 | |
| 1916. | | | | | | | | | | | | |
| January-June..... | 1.00 | 3.00 | | 1.50 | 2.65 | | .50 | 1.70 | | 1.00 | 2.50 | |
| July-December..... | 1.25 | 5.50 | | 2.00 | 3.25 | | .80 | 2.50 | | 1.00 | 5.50 | |
| 1917. | | | | | | | | | | | | |
| January-June..... | 2.75 | 6.00 | | .75 | 2.75 | | .65 | 2.25 | | 2.50 | 5.25 | |
| July-December..... | .50 | 12.00 | | .40 | 2.50 | | .80 | 1.60 | | .50 | 9.00 | |
| 1918. | | | | | | | | | | | | |
| January-June..... | 1.00 | 8.00 | \$5.02 | .80 | 2.25 | \$1.79 | 2.00 | 7.00 | \$3.44 | 1.50 | 2.50 | \$2.00 |
| July-December..... | 2.50 | 10.00 | 5.88 | .65 | 3.25 | 1.67 | 1.00 | 4.80 | 2.85 | 1.25 | 10.00 | 4.22 |
| 1919. | | | | | | | | | | | | |
| January..... | 5.00 | 7.50 | 6.34 | 1.25 | 2.50 | 1.85 | 1.00 | 3.25 | 2.09 | 5.50 | 6.00 | 5.75 |
| February..... | 5.50 | 9.00 | 7.00 | 1.35 | 2.75 | 2.07 | 1.25 | 3.50 | 2.64 | 5.50 | 6.00 | 5.75 |
| March..... | 4.00 | 9.00 | 6.66 | 1.25 | 2.75 | 2.18 | 2.00 | 3.50 | 2.55 | 5.00 | 7.00 | 6.00 |
| April..... | 6.00 | 10.00 | 7.78 | 1.75 | 3.00 | 2.46 | 1.75 | 4.50 | 2.62 | 5.00 | 8.50 | 6.56 |
| May..... | 7.00 | 11.00 | 9.32 | 2.50 | 4.25 | 3.45 | | | | | | |
| June..... | 9.00 | 11.00 | 10.00 | | | | 5.50 | 5.50 | 5.50 | | | |
| January-June..... | 4.00 | 11.00 | 7.85 | 1.25 | 4.25 | 2.40 | 1.00 | 5.50 | 3.08 | 5.00 | 8.50 | 6.02 |
| July..... | 3.00 | 12.00 | 6.24 | 1.50 | 3.25 | 2.78 | | | | | | |
| August..... | 2.25 | 4.25 | 3.19 | 1.00 | 2.50 | 1.42 | 1.50 | 3.25 | 2.30 | 1.50 | 5.00 | 2.75 |
| September..... | 2.25 | 3.50 | 2.80 | .90 | 1.25 | 1.00 | 1.00 | 2.25 | 1.83 | 1.75 | 4.75 | 3.06 |
| October..... | 4.00 | 5.00 | 4.57 | .90 | 1.35 | 1.08 | .75 | 2.25 | 1.61 | 1.75 | 5.25 | 3.10 |
| November..... | 3.00 | 6.00 | 4.54 | 1.25 | 2.00 | 1.62 | .75 | 3.00 | 1.47 | | | |
| December..... | | | | | | | | | | | | |
| July-December..... | 2.25 | 12.00 | 4.27 | .90 | 3.25 | 1.58 | .75 | 3.25 | 1.80 | 1.50 | 5.25 | 2.97 |

HAY.

TABLE 108.—Hay: Acreage, production, value, exports, etc., in the United States, 1849-1919.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per ton Dec. 1. | Farm value Dec. 1. | Chicago prices No. 1 timothy per ton, by carload lots. | | | | Domestic exports fiscal year beginning July 1. |
|-------|------------|-------------------------|--------------------|------------------------------------|--------------------|--|--------|----------------|--------|--|
| | | | | | | December. | | Following May. | | |
| | | | | | | Low. | High. | Low. | High. | |
| | Acres. | Tons. ¹ | Tons. ¹ | Dolls. | Dollars. | Dolls. | Dolls. | Dolls. | Dolls. | Tons. ² |
| 1849. | | | 15,859,000 | | | | | | | |
| 1859. | | | 18,084,000 | | | | | | | |
| 1866. | 17,669,000 | 1.23 | 21,779,000 | 10.14 | 221,836,000 | | | | | 5,026 |
| 1867. | 20,921,000 | 1.31 | 26,277,000 | 10.21 | 268,301,000 | | | | | 5,645 |
| 1868. | 21,542,900 | 1.21 | 26,142,000 | 10.08 | 263,589,000 | | | | | |
| 1869. | 18,591,000 | 1.42 | 26,420,000 | 10.18 | 268,933,000 | | | | | 6,723 |
| 1869. | | | 27,316,000 | | | | | | | |
| 1870. | 19,862,000 | 1.23 | 24,525,000 | 12.47 | 305,743,000 | | | | | 4,581 |
| 1871. | 19,009,000 | 1.17 | 22,239,000 | 14.30 | 317,940,000 | | | | | 5,266 |
| 1872. | 20,319,000 | 1.17 | 23,813,000 | 12.94 | 308,025,000 | | | | | 4,557 |
| 1873. | 21,844,000 | 1.15 | 25,085,000 | 12.53 | 314,241,000 | | | | | 4,899 |
| 1874. | 21,779,000 | 1.15 | 25,134,000 | 11.94 | 300,222,000 | | | | | 7,183 |
| 1875. | 23,508,000 | 1.19 | 27,874,000 | 10.78 | 300,378,000 | | | | | 7,526 |
| 1876. | 25,283,000 | 1.22 | 30,867,000 | 8.97 | 276,991,000 | | | 9.00 | 10.00 | 7,267 |
| 1877. | 25,368,000 | 1.25 | 31,629,000 | 8.37 | 264,880,000 | 9.50 | 10.50 | 9.75 | 10.75 | 9,514 |
| 1878. | 26,931,000 | 1.47 | 39,608,000 | 7.20 | 285,016,000 | 8.00 | 8.50 | 9.00 | 11.50 | 8,127 |
| 1879. | 27,485,000 | 1.29 | 35,493,000 | 9.32 | 339,804,000 | 14.00 | 14.50 | 14.00 | 15.00 | 13,739 |
| 1879. | 30,631,000 | 1.15 | 35,161,000 | | | | | | | |
| 1880. | 25,964,000 | 1.23 | 31,925,000 | 11.65 | 371,811,000 | 15.00 | 15.50 | 17.00 | 19.00 | 12,662 |
| 1881. | 30,889,000 | 1.14 | 35,135,000 | 11.82 | 415,131,000 | 16.00 | 16.50 | 15.90 | 16.50 | 10,570 |
| 1882. | 32,340,000 | 1.18 | 38,138,000 | 9.73 | 371,170,000 | 11.50 | 12.25 | 12.00 | 13.00 | 13,309 |
| 1883. | 35,516,000 | 1.32 | 46,864,000 | 8.19 | 383,834,000 | 9.00 | 10.00 | 12.50 | 17.00 | 16,908 |
| 1884. | 38,572,000 | 1.26 | 48,470,000 | 8.17 | 396,139,000 | 10.00 | 11.50 | 15.50 | 17.50 | 11,142 |
| 1885. | 39,850,000 | 1.12 | 44,732,000 | 8.71 | 389,753,000 | 11.00 | 12.00 | 10.00 | 12.00 | 13,300 |
| 1886. | 36,502,000 | 1.15 | 41,796,000 | 8.46 | 353,438,000 | 9.50 | 10.50 | 11.00 | 12.50 | 13,873 |
| 1887. | 37,665,000 | 1.10 | 41,454,000 | 9.97 | 413,440,000 | 13.50 | 14.50 | 17.00 | 21.00 | 18,198 |
| 1888. | 38,592,000 | 1.21 | 46,643,000 | 8.76 | 408,590,000 | 11.00 | 11.50 | 10.50 | 21.00 | 21,926 |
| 1889. | 52,949,000 | 1.26 | 66,831,000 | 7.04 | 470,394,000 | 9.00 | 10.00 | 9.00 | 14.00 | 36,274 |
| 1889. | 62,948,000 | 1.26 | 66,831,000 | | | | | | | |
| 1890. | 50,713,000 | 1.19 | 60,198,000 | 7.87 | 473,570,000 | 9.00 | 10.50 | 12.50 | 15.50 | 28,006 |
| 1891. | 51,044,000 | 1.19 | 60,818,000 | 8.12 | 494,114,000 | 12.50 | 15.00 | 13.50 | 14.00 | 25,201 |
| 1892. | 50,853,000 | 1.18 | 59,824,000 | 8.20 | 490,428,000 | 11.00 | 11.50 | 12.00 | 13.50 | 33,084 |
| 1893. | 49,613,000 | 1.33 | 65,766,000 | 8.68 | 570,883,000 | 19.00 | 10.50 | 10.00 | 10.00 | 54,446 |
| 1894. | 48,321,000 | 1.14 | 54,874,000 | 8.54 | 468,578,000 | 10.00 | 11.00 | 10.00 | 10.25 | 47,117 |
| 1895. | 44,206,000 | 1.06 | 47,079,000 | 8.35 | 393,186,000 | 12.00 | 12.50 | 11.50 | 12.00 | 50,052 |
| 1896. | 43,260,000 | 1.37 | 59,282,000 | 6.55 | 388,146,000 | 8.00 | 8.50 | 8.50 | 9.00 | 61,658 |
| 1897. | 42,427,000 | 1.43 | 60,665,000 | 6.62 | 401,391,000 | 8.00 | 8.50 | 9.50 | 10.50 | 81,827 |
| 1898. | 42,781,000 | 1.55 | 66,377,000 | 6.00 | 398,061,000 | 8.00 | 8.25 | 9.50 | 10.50 | 64,916 |
| 1899. | 41,328,000 | 1.37 | 56,656,000 | 7.27 | 411,926,000 | 10.50 | 11.50 | 10.50 | 12.50 | 72,716 |
| 1899. | 45,127,000 | 1.25 | 55,828,000 | | | | | | | |
| 1900. | 39,133,000 | 1.28 | 50,111,000 | 8.89 | 445,539,000 | 11.50 | 14.00 | 12.50 | 13.50 | 89,364 |
| 1901. | 39,391,000 | 1.28 | 50,591,000 | 10.01 | 506,192,000 | 13.90 | 13.50 | 12.50 | 13.50 | 153,431 |
| 1902. | 39,825,000 | 1.50 | 59,858,000 | 9.96 | 542,036,000 | 12.00 | 12.50 | 13.50 | 15.00 | 50,974 |
| 1903. | 39,934,000 | 1.54 | 61,306,000 | 9.07 | 556,276,000 | 19.00 | 12.00 | 12.00 | 16.00 | 60,730 |
| 1904. | 39,999,000 | 1.52 | 60,696,000 | 8.72 | 529,108,000 | 10.50 | 11.50 | 11.00 | 12.00 | 66,557 |
| 1905. | 39,362,000 | 1.54 | 60,522,000 | 8.52 | 515,960,000 | 10.00 | 12.00 | 11.50 | 12.50 | 70,172 |
| 1906. | 42,476,000 | 1.35 | 57,146,000 | 10.37 | 592,549,000 | 15.00 | 18.00 | 15.50 | 20.50 | 58,692 |
| 1907. | 44,028,000 | 1.45 | 63,677,000 | 11.68 | 743,507,000 | 13.00 | 17.50 | 13.00 | 14.00 | 77,281 |
| 1908. | 45,970,000 | 1.52 | 70,050,000 | 9.02 | 631,683,000 | 11.50 | 12.99 | 12.00 | 13.00 | 64,641 |
| 1909. | 45,744,000 | 1.42 | 64,938,000 | | | | | | | |
| 1909. | 51,041,000 | 1.35 | 68,830,000 | 10.49 | 722,385,000 | 16.00 | 17.00 | 12.50 | 16.00 | 55,007 |
| 1910. | 51,015,000 | 1.36 | 69,378,000 | 12.14 | 842,252,000 | 16.00 | 19.00 | 18.50 | 23.50 | 55,223 |
| 1911. | 48,240,000 | 1.14 | 54,916,000 | 14.29 | 784,926,000 | 20.00 | 22.00 | 24.00 | 28.00 | 59,730 |
| 1912. | 49,530,000 | 1.47 | 72,691,000 | 11.79 | 856,695,000 | 13.00 | 18.00 | 14.00 | 16.50 | 60,720 |
| 1913. | 48,954,000 | 1.31 | 64,116,000 | 12.43 | 797,077,000 | 14.50 | 18.00 | 15.00 | 17.50 | 50,151 |
| 1914. | 49,145,000 | 1.43 | 70,071,000 | 11.12 | 779,068,000 | 15.00 | 16.90 | 16.50 | 17.50 | 156,508 |
| 1915. | 51,108,000 | 1.68 | 85,920,000 | 10.63 | 913,644,000 | 14.50 | 16.50 | 17.50 | 20.00 | 178,336 |
| 1916. | 55,721,000 | 1.64 | 91,192,000 | 11.22 | 1,022,931,000 | 15.00 | 17.50 | 19.00 | 22.00 | 85,529 |
| 1917. | 55,203,000 | 1.51 | 83,308,000 | 17.09 | 1,423,766,000 | 26.00 | 28.00 | 20.00 | 26.00 | 30,145 |
| 1918. | 55,755,000 | 1.37 | 76,660,000 | 21.13 | 1,543,494,000 | 29.00 | 31.00 | 34.00 | 37.00 | 29,013 |
| 1919. | 56,348,000 | 1.62 | 91,326,000 | 21.15 | 1,839,967,000 | 28.00 | 32.00 | | | |

¹ 2,000 pounds.² 2,240 pounds.³ Figures adjusted to census basis.

HAY—Continued.

TABLE 109.—Hay: Revised acreage, production, and farm value, 1879 and 1889-1909.

[See head note to Table 93.]

| Year. | Acreage. | Average yield per acre. | Production. | Average farm price per ton Dec. 1. | Farm value Dec. 1. |
|-----------|---------------|-------------------------|--------------|------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Tons.</i> | <i>Tons.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| 1879..... | 30,631,000 | 1.30 | 39,862,000 | 9.31 | 371,045,000 |
| 1889..... | 39,004,000 | 1.26 | 49,181,000 | 7.76 | 381,481,000 |
| 1890..... | 40,038,000 | 1.23 | 49,057,000 | 8.18 | 401,111,000 |
| 1891..... | 41,258,000 | 1.18 | 48,759,000 | 8.89 | 433,276,000 |
| 1892..... | 42,191,000 | 1.17 | 49,238,000 | 8.95 | 440,710,000 |
| 1893..... | 42,413,000 | 1.31 | 55,575,000 | 9.48 | 527,044,000 |
| 1894..... | 42,772,000 | 1.18 | 50,468,000 | 8.96 | 452,079,000 |
| 1895..... | 40,832,000 | 1.02 | 41,838,000 | 9.46 | 395,647,000 |
| 1896..... | 40,973,000 | 1.33 | 54,380,000 | 7.48 | 406,957,000 |
| 1897..... | 41,336,000 | 1.42 | 58,878,000 | 7.28 | 428,919,000 |
| 1898..... | 43,120,000 | 1.55 | 66,772,000 | 6.63 | 442,905,000 |
| 1899..... | 43,127,000 | 1.33 | 57,450,000 | 8.20 | 470,844,000 |
| 1900..... | 42,070,000 | 1.27 | 53,231,000 | 9.72 | 517,398,000 |
| 1901..... | 42,066,000 | 1.33 | 55,819,000 | 9.91 | 553,328,000 |
| 1902..... | 42,962,000 | 1.52 | 65,296,000 | 9.19 | 593,781,000 |
| 1903..... | 43,400,000 | 1.57 | 68,154,000 | 9.35 | 637,485,000 |
| 1904..... | 44,645,000 | 1.55 | 69,192,000 | 8.91 | 616,369,000 |
| 1905..... | 45,991,000 | 1.59 | 72,973,000 | 8.59 | 627,023,000 |
| 1906..... | 47,891,000 | 1.39 | 66,341,000 | 10.43 | 692,116,000 |
| 1907..... | 49,088,000 | 1.47 | 72,261,000 | 11.78 | 850,915,000 |
| 1908..... | 51,196,000 | 1.53 | 78,440,000 | 9.14 | 716,644,000 |
| 1909..... | 51,041,000 | 1.46 | 74,384,000 | 10.58 | 786,722,000 |

TABLE 110.—Hay: Acreage, production, and total farm value, by States, 1919.

[000 omitted.]

| State. | Acreage. | Production. | Farm value Dec. 1. | State. | Acreage. | Production. | Farm value Dec. 1. |
|---------------------|---------------|--------------|--------------------|--------------------|---------------|--------------|--------------------|
| | <i>Acres.</i> | <i>Tons.</i> | <i>Dollars.</i> | | <i>Acres.</i> | <i>Tons.</i> | <i>Dollars.</i> |
| Maine..... | 1,120 | 1,456 | 27,227 | North Dakota..... | 605 | 908 | 12,803 |
| New Hampshire..... | 450 | 675 | 16,200 | South Dakota..... | 890 | 1,558 | 21,033 |
| Vermont..... | 910 | 1,456 | 29,266 | Nebraska..... | 1,769 | 4,299 | 60,196 |
| Massachusetts..... | 410 | 656 | 17,712 | Kansas..... | 1,832 | 4,507 | 71,211 |
| Rhode Island..... | 57 | 86 | 2,752 | Kentucky..... | 1,115 | 1,561 | 39,649 |
| Connecticut..... | 340 | 544 | 16,429 | Tennessee..... | 1,280 | 1,792 | 48,384 |
| New York..... | 4,386 | 6,579 | 134,870 | Alabama..... | 1,367 | 1,367 | 30,484 |
| New Jersey..... | 325 | 488 | 14,201 | Mississippi..... | 405 | 648 | 13,284 |
| Pennsylvania..... | 2,978 | 4,318 | 103,632 | Louisiana..... | 250 | 450 | 10,350 |
| Delaware..... | 82 | 105 | 2,730 | Texas..... | 662 | 1,258 | 22,644 |
| Maryland..... | 450 | 630 | 15,120 | Oklahoma..... | 700 | 1,540 | 23,254 |
| Virginia..... | 1,100 | 1,650 | 39,105 | Arkansas..... | 550 | 770 | 15,785 |
| West Virginia..... | 1,010 | 1,215 | 31,104 | Montana..... | 752 | 827 | 19,021 |
| North Carolina..... | 800 | 1,040 | 25,168 | Wyoming..... | 605 | 853 | 19,619 |
| South Carolina..... | 275 | 358 | 11,098 | Colorado..... | 1,065 | 2,396 | 44,326 |
| Georgia..... | 557 | 613 | 15,509 | New Mexico..... | 235 | 646 | 11,757 |
| Florida..... | 113 | 141 | 3,243 | Arizona..... | 169 | 676 | 13,520 |
| Ohio..... | 2,879 | 3,973 | 86,611 | Utah..... | 453 | 938 | 20,542 |
| Indiana..... | 2,200 | 3,080 | 66,528 | Nevada..... | 225 | 526 | 10,310 |
| Illinois..... | 3,250 | 4,810 | 102,934 | Idaho..... | 650 | 1,625 | 35,750 |
| Michigan..... | 2,650 | 3,180 | 74,412 | Washington..... | 794 | 1,906 | 43,838 |
| Wisconsin..... | 2,677 | 4,738 | 96,181 | Oregon..... | 854 | 1,452 | 27,733 |
| Minnesota..... | 2,000 | 3,800 | 55,100 | California..... | 2,352 | 4,257 | 73,220 |
| Iowa..... | 3,140 | 5,181 | 90,149 | | | | |
| Missouri..... | 2,810 | 3,794 | 73,983 | United States..... | 56,348 | 91,326 | 1,839,967 |

HAY—Continued.

TABLE 111.—Hay: Yield per acre, price per ton Dec. 1, and value per acre, by States.

| State. | Average yield per acre (tons). | | | | | | | | | | Farm price per ton (dollars). | | | | | Value per acre (dollars). ¹ | | | |
|---------|--------------------------------|------|------|------|------|------|------|------|------|------|-------------------------------|----------------------------|-------|-------|-------|--|-------|---------------------------|-------|
| | 10-year average 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average 1914-1918. | 1919 |
| Me. | 1.21 | 1.25 | 1.10 | 1.16 | 1.00 | 1.15 | 1.15 | 1.45 | 1.35 | 1.15 | 1.30 | 13.89 | 14.90 | 12.40 | 11.10 | 13.90 | 18.70 | 16.33 | 24.31 |
| N. H. | 1.21 | 1.20 | 1.05 | 1.25 | 1.00 | 1.15 | 1.00 | 1.45 | 1.35 | 1.15 | 1.50 | 16.89 | 17.40 | 14.50 | 12.00 | 18.80 | 24.00 | 19.16 | 36.00 |
| Vt. | 1.42 | 1.35 | 1.30 | 1.50 | 1.28 | 1.20 | 1.35 | 1.70 | 1.62 | 1.30 | 1.60 | 14.55 | 15.50 | 12.60 | 11.50 | 16.30 | 20.10 | 19.94 | 32.16 |
| Mass. | 1.35 | 1.28 | 1.08 | 1.25 | 1.21 | 1.32 | 1.50 | 1.56 | 1.50 | 1.20 | 1.60 | 22.01 | 22.00 | 19.00 | 19.90 | 26.00 | 27.00 | 30.41 | 43.20 |
| R. I. | 1.25 | 1.18 | 1.00 | 1.13 | 1.17 | 1.17 | 1.24 | 1.35 | 1.50 | 1.30 | 1.50 | 22.76 | 22.50 | 20.00 | 20.30 | 25.50 | 32.60 | 28.43 | 48.00 |
| Conn. | 1.33 | 1.35 | 1.10 | 1.15 | 1.14 | 1.25 | 1.35 | 1.55 | 1.50 | 1.30 | 1.60 | 21.68 | 20.00 | 18.50 | 19.50 | 24.00 | 30.20 | 28.10 | 48.32 |
| N. Y. | 1.31 | 1.32 | 1.02 | 1.25 | 1.14 | 1.20 | 1.30 | 1.62 | 1.46 | 1.25 | 1.50 | 16.00 | 15.70 | 11.90 | 15.10 | 20.40 | 20.50 | 20.95 | 30.75 |
| N. J. | 1.41 | 1.50 | 1.05 | 1.44 | 1.30 | 1.35 | 1.45 | 1.60 | 1.45 | 1.50 | 1.50 | 21.24 | 19.00 | 17.60 | 20.00 | 28.00 | 29.10 | 30.60 | 44.65 |
| Pa. | 1.37 | 1.38 | 1.00 | 1.43 | 1.32 | 1.28 | 1.40 | 1.60 | 1.41 | 1.41 | 1.45 | 17.46 | 15.60 | 13.80 | 17.50 | 23.70 | 24.00 | 24.12 | 34.60 |
| Del. | 1.25 | 1.43 | .88 | 1.33 | 1.30 | 1.10 | 1.20 | 1.45 | 1.26 | 1.25 | 1.28 | 19.24 | 17.00 | 15.90 | 20.50 | 28.00 | 26.00 | 24.60 | 33.28 |
| Md. | 1.27 | 1.35 | .72 | 1.51 | 1.26 | 1.15 | 1.20 | 1.48 | 1.25 | 1.35 | 1.40 | 18.36 | 16.20 | 14.00 | 19.90 | 26.80 | 24.00 | 23.76 | 33.66 |
| Va. | 1.17 | 1.19 | .64 | 1.20 | 1.27 | .72 | 1.35 | 1.35 | 1.16 | 1.35 | 1.50 | 18.15 | 15.70 | 15.00 | 21.30 | 23.00 | 23.70 | 21.92 | 35.55 |
| W. Va. | 1.25 | 1.20 | .66 | 1.38 | 1.25 | .92 | 1.50 | 1.54 | 1.27 | 1.30 | 1.50 | 18.15 | 15.00 | 14.50 | 21.10 | 23.50 | 25.60 | 26.60 | 38.40 |
| N. C. | 1.31 | 1.50 | .05 | 1.30 | 1.31 | 1.15 | .85 | 1.30 | 1.13 | 1.20 | 1.30 | 18.08 | 16.50 | 17.50 | 19.70 | 21.00 | 24.20 | 24.06 | 41.46 |
| S. C. | 1.19 | 1.25 | .08 | 1.15 | 1.16 | 1.15 | .30 | 1.30 | 1.08 | 1.10 | 1.30 | 19.67 | 15.60 | 16.70 | 20.60 | 26.10 | 31.00 | 22.50 | 40.30 |
| Ga. | 1.25 | 1.40 | 1.35 | 1.35 | 1.40 | 1.35 | 1.15 | 1.15 | 1.03 | 1.24 | 1.10 | 18.46 | 15.10 | 16.20 | 20.00 | 23.50 | 25.30 | 21.52 | 27.88 |
| Fla. | 1.25 | 1.33 | 1.30 | 1.25 | 1.35 | 1.35 | 1.20 | 1.25 | 1.10 | 1.14 | 1.25 | 18.07 | 16.00 | 16.00 | 18.20 | 18.50 | 23.00 | 20.71 | 28.75 |
| Ohio. | 1.34 | 1.39 | .98 | 1.36 | 1.30 | 1.13 | 1.41 | 1.57 | 1.42 | 1.40 | 1.38 | 15.69 | 12.70 | 10.60 | 19.00 | 22.20 | 29.21 | 20.21 | 30.08 |
| Ind. | 1.28 | 1.39 | .94 | 1.37 | 1.00 | 1.00 | 1.50 | 1.44 | 1.45 | 1.45 | 1.40 | 15.03 | 11.00 | 10.90 | 18.70 | 19.80 | 21.60 | 24.43 | 30.24 |
| Ill. | 1.24 | 1.33 | .82 | 1.30 | .98 | .85 | 1.54 | 1.45 | 1.25 | 1.35 | 1.48 | 15.46 | 10.80 | 11.30 | 20.00 | 21.00 | 21.00 | 19.72 | 31.67 |
| Mich. | 1.30 | 1.30 | 1.16 | 1.33 | 1.05 | 1.28 | 1.40 | 1.70 | 1.50 | 1.03 | 1.20 | 15.47 | 12.20 | 10.00 | 17.20 | 23.50 | 23.40 | 19.91 | 28.03 |
| Wis. | 1.55 | 1.00 | 1.20 | 1.60 | 1.62 | 1.75 | 1.75 | 1.70 | 1.70 | 1.40 | 1.77 | 14.90 | 9.90 | 11.60 | 17.30 | 21.60 | 20.30 | 22.59 | 35.93 |
| Minn. | 1.55 | 1.00 | 1.00 | 1.53 | 1.50 | 1.89 | 1.91 | 1.85 | 1.55 | 1.40 | 1.90 | 9.42 | 6.40 | 7.00 | 12.10 | 14.10 | 14.50 | 21.68 | 27.55 |
| Iowa. | 1.37 | 1.05 | .80 | 1.40 | 1.48 | 1.38 | 1.80 | 1.60 | 1.23 | 1.30 | 1.65 | 12.14 | 8.70 | 9.00 | 16.80 | 18.20 | 17.40 | 17.66 | 28.71 |
| Mo. | 1.07 | 1.30 | .60 | 1.30 | .60 | .70 | 1.52 | 1.30 | 1.15 | .90 | 1.35 | 13.57 | 8.50 | 9.30 | 17.50 | 20.50 | 19.50 | 14.62 | 26.32 |
| N. Dak. | 1.23 | .55 | 1.10 | 1.40 | 1.14 | 1.45 | 1.50 | 1.70 | .88 | 1.10 | 1.50 | 8.30 | 5.70 | 6.00 | 11.50 | 14.60 | 14.10 | 10.49 | 21.15 |
| S. Dak. | 1.45 | .80 | .55 | 1.46 | 1.20 | 1.70 | 2.00 | 1.90 | 1.50 | 1.60 | 1.75 | 7.87 | 5.30 | 5.40 | 10.60 | 10.00 | 13.50 | 12.49 | 23.62 |
| Nebr. | 1.64 | 1.00 | .85 | 1.35 | 1.34 | 1.69 | 2.60 | 2.10 | 1.60 | 1.40 | 2.43 | 10.19 | 5.80 | 7.10 | 15.20 | 17.20 | 14.00 | 18.01 | 34.02 |
| Kans. | 1.61 | 1.15 | .85 | 1.50 | .90 | 1.51 | 2.30 | 1.55 | 2.18 | 1.73 | 2.46 | 11.02 | 5.60 | 7.60 | 16.60 | 19.40 | 15.80 | 21.12 | 38.87 |
| Ky. | 1.21 | 1.29 | .95 | 1.23 | .87 | .95 | 1.40 | 1.40 | 1.30 | 1.30 | 1.40 | 17.11 | 12.50 | 12.60 | 20.30 | 23.70 | 25.40 | 21.51 | 35.56 |
| Tenn. | 1.29 | 1.40 | 1.00 | 1.30 | 1.21 | 1.20 | 1.47 | 1.38 | 1.20 | 1.35 | 1.40 | 17.83 | 13.90 | 15.00 | 19.30 | 24.00 | 27.00 | 23.42 | 37.80 |
| Ala. | 1.19 | 1.43 | 1.40 | 1.25 | 1.36 | 1.31 | 1.45 | 1.10 | .80 | .81 | 1.00 | 15.28 | 12.40 | 13.00 | 16.20 | 20.30 | 22.30 | 15.95 | 22.80 |
| Miss. | 1.42 | 1.42 | 1.50 | 1.48 | 1.33 | 1.45 | 1.40 | 1.40 | 1.45 | 1.20 | 1.60 | 13.75 | 11.00 | 11.00 | 18.60 | 19.50 | 20.50 | 18.52 | 32.80 |
| La. | 1.62 | 1.75 | 1.30 | 1.65 | 1.50 | 1.90 | 1.75 | 1.70 | 1.60 | 1.30 | 1.80 | 14.05 | 10.30 | 11.00 | 14.30 | 21.20 | 23.00 | 21.99 | 41.40 |
| Tex. | 1.33 | 1.15 | 1.00 | 1.40 | 1.16 | 1.75 | 1.79 | 1.20 | 1.00 | 1.00 | 1.90 | 13.72 | 7.90 | 10.50 | 20.00 | 24.90 | 18.00 | 17.62 | 34.26 |
| Okl. | 1.41 | 1.05 | .80 | 1.25 | .85 | 1.12 | 2.30 | 1.70 | 1.60 | 1.20 | 2.20 | 10.67 | 5.60 | 9.00 | 15.40 | 19.50 | 15.10 | 17.62 | 33.22 |
| Ark. | 1.30 | 1.35 | 1.15 | 1.23 | 1.20 | 1.05 | 1.60 | 1.25 | 1.47 | 1.30 | 1.40 | 14.06 | 10.30 | 12.50 | 15.40 | 19.50 | 20.50 | 18.72 | 28.70 |
| Mont. | 1.74 | 1.40 | 2.00 | 1.90 | 1.80 | 2.50 | 2.00 | 1.70 | 1.40 | 1.60 | 1.10 | 10.12 | 7.50 | 11.00 | 18.60 | 19.60 | 23.00 | 22.57 | 25.30 |
| Wyo. | 1.98 | 2.40 | 2.10 | 1.90 | 1.90 | 2.30 | 2.20 | 1.80 | 1.70 | 2.10 | 1.41 | 11.94 | 7.80 | 12.00 | 17.00 | 14.00 | 23.00 | 22.86 | 32.43 |
| Colo. | 2.18 | 2.00 | 2.00 | 2.19 | 2.05 | 2.40 | 2.20 | 2.05 | 2.45 | 2.22 | 2.25 | 11.54 | 7.60 | 11.00 | 16.60 | 15.50 | 26.42 | 26.42 | 41.62 |
| N. Mex. | 2.27 | 2.10 | 2.60 | 2.33 | 2.06 | 2.50 | 2.20 | 2.00 | 1.90 | 2.20 | 2.75 | 13.64 | 8.80 | 14.00 | 21.00 | 20.00 | 18.20 | 20.90 | 50.05 |
| Ariz. | 3.43 | 2.10 | 3.80 | 3.40 | 4.00 | 3.20 | 3.20 | 3.50 | 3.30 | 3.20 | 4.00 | 14.97 | 9.60 | 14.50 | 21.80 | 24.00 | 20.00 | 55.42 | 80.00 |
| Utah. | 2.54 | 3.00 | 2.50 | 2.78 | 2.32 | 2.75 | 2.50 | 2.20 | 2.90 | 2.35 | 2.07 | 11.98 | 8.00 | 15.00 | 15.00 | 17.10 | 21.90 | 31.57 | 45.33 |
| Nev. | 2.90 | 3.40 | 3.40 | 3.00 | 2.75 | 3.25 | 3.00 | 2.40 | 2.90 | 2.60 | 2.34 | 12.08 | 7.50 | 9.60 | 15.90 | 19.90 | 19.00 | 34.07 | 45.86 |
| Idaho. | 2.82 | 3.00 | 3.10 | 2.80 | 2.90 | 2.65 | 2.70 | 2.50 | 3.00 | 3.00 | 2.50 | 11.28 | 7.70 | 12.10 | 16.00 | 17.60 | 22.00 | 24.34 | 55.00 |
| Wash. | 2.23 | 2.10 | 2.40 | 2.20 | 2.30 | 2.20 | 2.30 | 2.40 | 2.20 | 1.80 | 2.40 | 15.27 | 10.80 | 13.80 | 20.00 | 25.40 | 23.00 | 34.38 | 55.20 |
| Oreg. | 2.04 | 2.10 | 2.20 | 2.20 | 2.10 | 2.00 | 2.20 | 2.30 | 1.95 | 1.80 | 1.70 | 12.52 | 9.50 | 10.90 | 17.50 | 23.00 | 19.10 | 26.96 | 32.47 |
| Calif. | 1.72 | 1.83 | 1.75 | 1.53 | 1.50 | 1.95 | 1.80 | 1.75 | 2.00 | 1.25 | 1.81 | 13.61 | 11.20 | 12.60 | 19.20 | 20.00 | 17.20 | 23.31 | 31.13 |
| U. S. | 1.45 | 1.36 | 1.14 | 1.47 | 1.31 | 1.43 | 1.68 | 1.64 | 1.51 | 1.37 | 1.62 | 14.10 | 10.63 | 11.22 | 17.09 | 20.13 | 20.15 | 21.11 | 33.65 |

¹ Based upon farm price Dec. 1.

HAY—Continued.

TABLE 112.—Hay: Stocks on farms May 1.

| Year. | Production of all hay preceding year (tons). | Per cent on farms May 1. | Tons on farms May 1. | Price per ton May 1. |
|-----------|--|--------------------------|----------------------|----------------------|
| 1910..... | 87,216,000 | 11.5 | 10,053,000 | \$11.08 |
| 1911..... | 82,829,000 | 12.4 | 10,222,000 | 11.69 |
| 1912..... | 67,071,000 | 8.5 | 5,732,000 | 16.31 |
| 1913..... | 90,734,000 | 14.9 | 13,523,000 | 10.42 |
| 1914..... | 79,179,000 | 12.2 | 9,631,000 | 11.63 |
| 1915..... | 88,686,000 | 12.2 | 10,797,000 | 11.03 |
| 1916..... | 107,263,000 | 13.5 | 14,452,000 | 11.27 |
| 1917..... | 110,992,000 | 11.4 | 12,659,000 | 13.94 |
| 1918..... | 98,439,000 | 11.7 | 11,476,000 | 17.97 |
| 1919..... | 91,139,000 | 9.4 | 8,559,000 | 22.31 |

TABLE 113.—Hay: Farm price per ton on 1st of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|
| Jan. 1..... | \$19.92 | \$18.09 | \$10.86 | \$10.07 | \$10.47 | \$11.70 | \$11.11 | \$13.75 | \$11.69 | \$10.45 | \$12.81 |
| Feb. 1..... | 19.79 | 18.88 | 11.34 | 10.55 | 10.83 | 11.67 | 10.86 | 14.39 | 11.80 | 11.34 | 13.14 |
| Mar. 1..... | 19.82 | 19.14 | 11.54 | 10.75 | 10.89 | 11.69 | 10.61 | 14.66 | 11.57 | 11.61 | 13.23 |
| Apr. 1..... | 20.52 | 18.68 | 12.53 | 10.85 | 10.98 | 11.52 | 10.43 | 15.64 | 11.36 | 11.53 | 13.40 |
| May 1..... | 22.31 | 17.97 | 13.94 | 11.27 | 11.03 | 11.63 | 10.42 | 16.31 | 11.69 | 11.08 | 13.76 |
| June 1..... | 23.30 | 17.13 | 14.68 | 11.47 | 11.16 | 11.64 | 10.55 | 16.22 | 12.38 | 10.84 | 13.94 |
| July 1..... | 21.73 | 16.07 | 13.96 | 11.10 | 10.85 | 11.29 | 10.47 | 14.32 | 13.19 | 10.75 | 13.37 |
| Aug. 1..... | 20.16 | 15.92 | 12.90 | 9.89 | 10.19 | 10.76 | 10.43 | 12.03 | 13.83 | 10.75 | 12.69 |
| Sept. 1..... | 20.52 | 17.42 | 13.26 | 9.72 | 9.95 | 11.10 | 11.04 | 11.21 | 13.63 | 11.21 | 12.91 |
| Oct. 1..... | 19.79 | 18.45 | 13.83 | 9.65 | 9.83 | 10.98 | 11.45 | 11.02 | 13.53 | 11.12 | 12.96 |
| Nov. 1..... | 19.36 | 19.27 | 15.16 | 9.99 | 9.98 | 10.78 | 11.51 | 11.08 | 13.61 | 11.20 | 13.19 |
| Dec. 1..... | 20.15 | 20.13 | 17.09 | 11.22 | 10.63 | 11.12 | 12.43 | 11.79 | 14.29 | 12.14 | 14.10 |
| Average..... | 20.46 | 18.10 | 13.53 | 10.48 | 10.50 | 11.28 | 11.02 | 13.24 | 12.83 | 11.21 | 13.26 |

TABLE 114.—Timothy and clover hay: Farm price per ton, 15th of each month, 1915-1919.

| Date. | Timothy. | | | | | Clover. | | | | |
|---------------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | 1919 | 1918 | 1917 | 1916 | 1915 | 1919 | 1918 | 1917 | 1916 | 1915 |
| Jan. 15..... | \$23.48 | \$21.37 | \$12.61 | \$13.11 | \$14.07 | \$21.69 | \$19.82 | \$11.38 | \$11.24 | \$13.07 |
| Feb. 15..... | 22.69 | 22.25 | 12.91 | 13.39 | 14.28 | 21.11 | 21.11 | 11.65 | 11.41 | 13.36 |
| Mar. 15..... | 22.68 | 22.53 | 13.20 | 13.61 | 14.28 | 21.25 | 21.37 | 11.90 | 11.70 | 13.41 |
| Apr. 15..... | 24.74 | 21.47 | 14.26 | 14.00 | 14.53 | 23.36 | 19.68 | 13.06 | 11.87 | 13.65 |
| May 15..... | 27.27 | 20.40 | 15.31 | 14.50 | 14.74 | 25.33 | 18.30 | 13.94 | 12.52 | 13.79 |
| June 15..... | 27.50 | 18.55 | 15.76 | 14.71 | 14.33 | 25.48 | 16.54 | 14.22 | 12.46 | 12.78 |
| July 15..... | 24.22 | 17.61 | 14.68 | 12.97 | 13.43 | 22.02 | 15.73 | 12.95 | 10.84 | 11.65 |
| Aug. 15..... | 23.89 | 18.98 | 14.11 | 11.74 | 12.39 | 21.58 | 17.18 | 12.76 | 9.93 | 10.87 |
| Sept. 15..... | 23.65 | 20.85 | 14.89 | 11.57 | 12.32 | 21.74 | 19.27 | 13.79 | 10.01 | 10.82 |
| Oct. 15..... | 23.04 | 22.60 | 16.23 | 11.54 | 12.14 | 21.17 | 20.60 | 15.01 | 10.08 | 10.60 |
| Nov. 15..... | 22.90 | 22.93 | 18.33 | 12.03 | 12.24 | 21.61 | 21.13 | 17.14 | 10.46 | 10.59 |
| Dec. 15..... | 23.71 | 22.94 | 20.31 | 12.29 | 12.73 | 22.60 | 21.26 | 18.67 | 10.86 | 10.95 |

HAY—Continued.

TABLE 115.—*Alfalfa and prairie hay: Farm price per ton, 15th of each month, 1915-1919.*

| | Alfalfa. | | | | | Prairie. | | | | |
|---------------|----------|---------|---------|--------|--------|----------|---------|--------|--------|--------|
| | 1919 | 1918 | 1917 | 1916 | 1915 | 1919 | 1918 | 1917 | 1916 | 1915 |
| Jan. 15..... | \$20.42 | \$21.27 | \$12.79 | \$9.89 | \$9.48 | \$16.33 | \$15.39 | \$8.58 | \$7.38 | \$7.65 |
| Feb. 15..... | 20.91 | 21.38 | 13.63 | 10.35 | 9.32 | 16.55 | 15.74 | 8.60 | 7.34 | 7.86 |
| Mar. 15..... | 21.40 | 20.82 | 14.68 | 10.74 | 9.79 | 17.38 | 15.47 | 9.32 | 7.39 | 8.03 |
| Apr. 15..... | 22.28 | 18.97 | 17.68 | 10.73 | 9.81 | 18.85 | 14.47 | 10.94 | 7.56 | 8.56 |
| May 15..... | 23.32 | 17.84 | 17.92 | 10.56 | 9.58 | 20.22 | 12.75 | 12.02 | 7.71 | 8.20 |
| June 15..... | 20.89 | 16.74 | 16.77 | 10.49 | 8.50 | 18.71 | 12.78 | 11.84 | 7.97 | 7.72 |
| July 15..... | 20.15 | 16.58 | 14.13 | 9.87 | 8.28 | 16.10 | 12.51 | 10.11 | 7.25 | 7.37 |
| Aug. 15..... | 20.72 | 18.22 | 15.28 | 9.80 | 8.28 | 16.10 | 13.26 | 10.52 | 6.96 | 6.83 |
| Sept. 15..... | 20.89 | 19.72 | 16.33 | 10.06 | 8.22 | 15.90 | 14.35 | 11.40 | 7.21 | 6.64 |
| Oct. 15..... | 20.56 | 20.23 | 17.59 | 10.25 | 8.14 | 15.88 | 15.06 | 12.29 | 7.26 | 6.44 |
| Nov. 15..... | 21.63 | 20.42 | 19.19 | 11.37 | 8.72 | 16.91 | 15.47 | 13.32 | 7.85 | 6.75 |
| Dec. 15..... | 22.95 | 20.74 | 20.39 | 12.31 | 9.52 | 17.19 | 16.30 | 14.91 | 8.14 | 6.95 |

TABLE 116.—*Hay: Wholesale price (baled) per ton, 1913-1919.*

| Date. | Chicago. | | | Cincinnati. | | | St. Louis. ¹ | | | New York. | | | San Francisco. | | |
|--------------------|----------------|-------|----------|----------------|-------|----------|-------------------------|-------|----------|----------------|-------|----------|---------------------------|-------|----------|
| | No. 1 timothy. | | | No. 1 timothy. | | | No. 1 timothy. | | | No. 1 timothy. | | | No. 1 wheat; light bales. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. |
| January-June..... | 13.00 | 18.00 | 15.15 | 13.50 | 19.00 | 16.42 | 12.00 | 17.50 | 17.57 | 19.50 | 23.00 | 20.93 | 24.30 | 25.75 | 24.66 |
| July-December..... | 13.50 | 19.50 | 16.15 | 15.00 | 21.00 | 18.89 | 14.50 | 22.50 | 18.10 | 20.00 | 22.00 | 21.09 | 19.50 | 22.19 | 20.19 |
| 1914. | | | | | | | | | | | | | | | |
| January-June..... | 13.50 | 17.50 | 15.62 | 17.50 | 21.00 | 18.91 | 15.00 | 23.00 | 19.24 | 19.50 | 23.00 | 21.34 | 13.50 | 18.75 | 15.87 |
| July-December..... | 13.00 | 18.50 | 15.79 | 17.50 | 21.50 | 19.06 | 14.50 | 22.50 | 18.53 | 18.50 | 25.00 | 21.61 | 11.90 | 12.50 | 11.90 |
| 1915. | | | | | | | | | | | | | | | |
| January-June..... | 14.50 | 18.00 | 16.30 | 18.00 | 22.00 | 19.24 | 16.00 | 22.00 | 18.81 | 18.00 | 25.00 | 22.20 | 11.00 | 14.00 | 11.90 |
| July-December..... | 12.00 | 21.00 | 16.36 | 13.00 | 23.00 | 19.02 | 12.00 | 24.00 | 16.16 | 24.00 | 31.50 | 25.07 | 13.00 | 18.00 | 15.64 |
| 1916. | | | | | | | | | | | | | | | |
| January-June..... | 14.50 | 20.00 | 17.27 | 18.00 | 24.00 | 20.76 | 14.00 | 21.00 | 17.95 | 24.00 | 31.00 | 27.19 | 14.50 | 19.00 | 17.08 |
| July-December..... | 9.50 | 18.00 | 14.98 | 14.25 | 18.50 | 16.31 | 11.00 | 19.50 | 15.40 | 18.00 | 28.00 | 22.37 | 14.50 | 30.00 | 17.30 |
| 1917. | | | | | | | | | | | | | | | |
| January-June..... | 15.00 | 22.00 | 17.34 | 15.00 | 21.50 | 17.57 | 14.50 | 25.00 | 18.85 | 18.00 | 24.00 | 21.80 | 19.00 | 35.00 | 25.55 |
| July-December..... | 16.50 | 28.50 | 23.06 | 16.50 | 30.00 | 23.40 | 15.00 | 32.00 | 25.15 | 20.00 | 34.00 | 25.61 | 19.00 | 34.00 | 25.20 |
| 1918. | | | | | | | | | | | | | | | |
| January-June..... | 16.00 | 33.00 | 25.47 | 19.00 | 34.25 | 27.71 | 19.00 | 34.50 | 27.98 | 20.00 | 40.00 | 32.93 | 27.00 | 31.00 | 28.56 |
| July-December..... | 17.00 | 35.00 | 29.32 | 21.50 | 34.50 | 29.14 | 23.00 | 35.00 | 30.15 | 27.00 | 48.00 | 34.10 | 24.00 | 39.00 | 27.35 |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 27.00 | 32.00 | 29.61 | 24.00 | 32.00 | 30.50 | 24.00 | 34.00 | 28.76 | 28.00 | 36.00 | 32.60 | 24.00 | 26.00 | 25.00 |
| February..... | 24.00 | 28.00 | 26.23 | 28.00 | 30.50 | 29.41 | 22.00 | 28.50 | 25.38 | 28.00 | 33.00 | 29.74 | 24.00 | 28.00 | 25.00 |
| March..... | 28.00 | 33.00 | 30.40 | 29.50 | 35.25 | 32.28 | 27.00 | 34.00 | 30.64 | 32.00 | 36.00 | 34.62 | 21.00 | 26.00 | 23.85 |
| April..... | 30.00 | 37.00 | 33.43 | 30.00 | 40.00 | 35.00 | 29.00 | 38.00 | 34.32 | 35.00 | 42.00 | 39.72 | 21.00 | 23.00 | 22.00 |
| May..... | 34.00 | 37.00 | 35.50 | 34.50 | 41.00 | 40.34 | 30.00 | 39.00 | 36.40 | 42.00 | 48.00 | 44.16 | 19.00 | 23.00 | 22.00 |
| June..... | 30.00 | 36.00 | 33.82 | 38.50 | 42.25 | 40.38 | 34.00 | 39.00 | 36.08 | 40.00 | 48.00 | 46.68 | 21.00 | 21.00 | 20.00 |
| January-June..... | 24.00 | 37.00 | 31.49 | 28.00 | 42.25 | 35.02 | 22.00 | 39.00 | 31.93 | 28.00 | 48.00 | 37.92 | 19.00 | 26.00 | 22.98 |
| July..... | 32.00 | 35.00 | 30.33 | 22.33 | 50.31 | 25.37 | 24.50 | 34.00 | 29.97 | 37.00 | 45.00 | 40.04 | 17.50 | 18.00 | 17.75 |
| August..... | 26.00 | 44.00 | 30.34 | 31.00 | 35.00 | 33.31 | 23.00 | 31.00 | 27.19 | 37.00 | 48.00 | 43.42 | 17.50 | 19.00 | 17.98 |
| September..... | 26.00 | 33.00 | 30.58 | 24.00 | 30.75 | 29.59 | 23.00 | 30.00 | 26.21 | 33.00 | 38.00 | 35.05 | 17.50 | 19.00 | 18.25 |
| October..... | 27.00 | 29.00 | 27.91 | 24.00 | 29.75 | 28.50 | 22.00 | 28.50 | 26.56 | 33.00 | 36.00 | 34.40 | 17.50 | 22.00 | 19.01 |
| November..... | 28.00 | 31.00 | 29.46 | 28.00 | 30.75 | 29.31 | 25.00 | 30.25 | 27.34 | 33.00 | 38.00 | 35.02 | 20.00 | 25.00 | 22.50 |
| December..... | 28.00 | 32.00 | 30.98 | 31.50 | 33.00 | 31.81 | 26.00 | 33.00 | 28.74 | 32.00 | 36.00 | 32.68 | 24.00 | 27.00 | 25.30 |
| July-December..... | 26.00 | 44.00 | 30.94 | 26.00 | 39.25 | 31.65 | 22.00 | 34.00 | 27.72 | 32.00 | 48.00 | 33.77 | 17.50 | 27.00 | 20.13 |

¹ No. 2 timothy for 1919.

* Fancy wheat hay, 1913.

HAY—Continued.

TABLE 117.—Wild, salt, and prairie hay: Acreage, production, and total farm value, by States, 1919.

[000 omitted.]

| State. | Acreage. | Production. | Farm value Dec. 1. | State. | Acreage. | Production. | Farm value Dec. 1. |
|---------------------|---------------|--------------|--------------------|-------------------|---------------|--------------|--------------------|
| | <i>Acres.</i> | <i>Tons.</i> | <i>Dollars.</i> | | <i>Acres.</i> | <i>Tons.</i> | <i>Dollars.</i> |
| Maine..... | 25 | 25 | 450 | North Dakota..... | 2,094 | 2,303 | 37,769 |
| New Hampshire..... | 20 | 22 | 484 | South Dakota..... | 3,550 | 3,723 | 65,240 |
| Vermont..... | 13 | 15 | 270 | Nebraska..... | 2,771 | 2,828 | 49,738 |
| Massachusetts..... | 21 | 25 | 600 | Kansas..... | 1,048 | 1,205 | 17,954 |
| Rhode Island..... | 1 | 1 | 25 | Kentucky..... | 10 | 12 | 204 |
| Connecticut..... | 16 | 18 | 396 | Tennessee..... | 40 | 52 | 1,331 |
| New York..... | 55 | 69 | 1,104 | Alabama..... | 35 | 35 | 780 |
| New Jersey..... | 39 | 47 | 940 | Mississippi..... | 49 | 64 | 1,357 |
| Pennsylvania..... | 14 | 18 | 360 | Louisiana..... | 40 | 60 | 1,320 |
| Delaware..... | 8 | 11 | 220 | Texas..... | 214 | 268 | 4,744 |
| Maryland..... | 6 | 8 | 176 | Oklahoma..... | 630 | 756 | 11,491 |
| Virginia..... | 25 | 29 | 725 | Arkansas..... | 137 | 185 | 3,737 |
| West Virginia..... | 7 | 8 | 192 | Montana..... | 450 | 158 | 3,966 |
| North Carolina..... | 40 | 40 | 800 | Wyoming..... | 300 | 204 | 4,774 |
| South Carolina..... | 10 | 11 | 280 | Colorado..... | 380 | 380 | 6,624 |
| Georgia..... | 13 | 14 | 399 | New Mexico..... | 45 | 45 | 846 |
| Florida..... | 9 | 10 | 265 | Arizona..... | 17 | 17 | 221 |
| Ohio..... | 2 | 3 | 48 | Utah..... | 88 | 97 | 1,765 |
| Indiana..... | 50 | 60 | 852 | Nevada..... | 145 | 109 | 1,962 |
| Illinois..... | 76 | 103 | 1,854 | Idaho..... | 125 | 125 | 2,562 |
| Michigan..... | 45 | 56 | 952 | Washington..... | 34 | 41 | 738 |
| Wisconsin..... | 339 | 461 | 6,362 | Oregon..... | 200 | 200 | 3,600 |
| Minnesota..... | 1,680 | 2,453 | 33,361 | California..... | 177 | 205 | 2,460 |
| Iowa..... | 478 | 621 | 10,184 | | | | |
| Missouri..... | 135 | 157 | 2,638 | United States.. | 15,686 | 17,340 | 289,120 |

TABLE 118.—Wild, salt, and prairie hay: Acreage, production, and value, United States, 1909-1919.

| Year. | Acreage. | Yield per acre. | Production. | Farm price per ton. | Farm value. |
|-------------------------|---------------|-----------------|--------------|---------------------|-----------------|
| | <i>Acres.</i> | <i>Tons.</i> | <i>Tons.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| 1909 ¹ | 17,186,000 | 1.07 | 18,383,000 | | |
| 1910..... | 17,187,000 | .77 | 13,151,000 | | |
| 1911..... | 17,187,000 | .71 | 12,155,000 | | |
| 1912..... | 17,427,000 | 1.04 | 18,043,000 | | |
| 1913..... | 16,341,000 | .92 | 15,063,000 | | |
| 1914..... | 16,732,000 | 1.11 | 18,615,000 | | |
| 1915..... | 16,796,000 | 1.27 | 21,343,000 | | |
| 1916..... | 16,635,000 | 1.19 | 19,800,000 | | |
| 1917..... | 16,212,000 | .93 | 15,131,000 | 13.49 | 204,086,000 |
| 1918..... | 15,365,000 | .94 | 14,479,000 | 15.23 | 220,487,000 |
| 1919..... | 15,686,000 | 1.11 | 17,340,000 | 16.67 | 289,120,000 |

¹ Census figures.

CLOVER AND TIMOTHY SEED.

TABLE 119.—Clover seed: Acreage, production, and value, by States, 1919, and totals, 1916-1918.

| State and year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Nov. 15. | Farm value Nov. 15. |
|-------------------|---------------|-------------------------|-----------------|--|---------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| New York..... | 15,000 | 2.2 | 33,000 | 25.00 | 825,000 |
| Pennsylvania..... | 8,000 | 1.4 | 11,000 | 28.20 | 321,000 |
| Ohio..... | 100,000 | 1.0 | 100,000 | 28.20 | 2,820,000 |
| Indiana..... | 75,000 | 1.0 | 75,000 | 27.30 | 2,048,000 |
| Illinois..... | 140,000 | 1.5 | 210,000 | 25.10 | 5,334,000 |
| Michigan..... | 72,000 | 1.4 | 101,000 | 27.50 | 2,778,000 |
| Wisconsin..... | 124,000 | 2.0 | 248,000 | 26.60 | 6,597,000 |
| Minnesota..... | 19,000 | 2.5 | 48,000 | 25.00 | 1,200,000 |
| Iowa..... | 60,000 | 1.4 | 84,000 | 26.70 | 2,243,000 |
| Missouri..... | 20,000 | 1.7 | 34,000 | 23.50 | 799,000 |
| Nebraska..... | 4,000 | 1.8 | 7,000 | 24.20 | 169,000 |
| Kansas..... | 6,000 | 1.8 | 11,000 | 19.00 | 209,000 |
| Kentucky..... | 20,000 | 1.9 | 38,000 | 29.70 | 1,139,000 |
| Tennessee..... | 4,000 | 1.5 | 6,000 | 25.70 | 154,000 |
| Idaho..... | 13,000 | 5.8 | 75,000 | 25.40 | 1,905,000 |
| Oregon..... | 6,000 | 3.0 | 18,000 | 29.80 | 536,000 |
| Total..... | 686,000 | 1.6 | 1,099,000 | 26.45 | 29,067,000 |
| 1918..... | 820,000 | 1.5 | 1,197,000 | 19.80 | 23,705,000 |
| 1917..... | 821,000 | 1.8 | 1,488,000 | 12.84 | 19,107,000 |
| 1916..... | 939,000 | 1.8 | 1,706,000 | 9.18 | 15,661,000 |

TABLE 120.—Clover seed: Farm price per bushel, 15th of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|---------------|---------|---------|--------|---------|--------|--------|--------|---------|--------|--------|----------|
| Jan. 15..... | \$21.55 | \$14.48 | \$9.60 | \$10.27 | \$8.51 | \$7.99 | \$9.41 | \$10.89 | \$8.27 | \$8.26 | \$10.02 |
| Feb. 15..... | 21.79 | 16.46 | 9.87 | 10.47 | 8.60 | 8.07 | 10.28 | 12.72 | 8.37 | 8.26 | 11.44 |
| Mar. 15..... | 22.61 | 17.49 | 10.32 | 10.76 | 8.55 | 8.17 | 10.42 | 12.89 | 8.56 | 8.15 | 11.79 |
| Apr. 15..... | 24.81 | 17.86 | 10.41 | 10.58 | 8.36 | 8.06 | 11.00 | 12.91 | 8.79 | 7.91 | 12.07 |
| May 15..... | 24.48 | 16.56 | 10.40 | 9.98 | 8.14 | 7.87 | 10.74 | 12.53 | 8.74 | 7.47 | 11.69 |
| June 15..... | 23.37 | 15.88 | 10.29 | 9.47 | 7.90 | 7.96 | 9.77 | 11.69 | 8.80 | 7.24 | 11.24 |
| July 15..... | 23.25 | 14.71 | 10.50 | 9.15 | 7.96 | 8.12 | 9.78 | 10.64 | 8.83 | 7.17 | 11.01 |
| Aug. 15..... | 24.33 | 15.20 | 10.53 | 9.12 | 7.94 | 8.76 | 9.37 | 9.80 | 9.65 | 7.53 | 11.22 |
| Sept. 15..... | 25.38 | 16.61 | 10.89 | 8.65 | 8.49 | 9.10 | 7.31 | 9.39 | 10.19 | 8.27 | 11.43 |
| Oct. 15..... | 26.47 | 19.01 | 11.92 | 8.54 | 9.70 | 8.24 | 7.00 | 9.37 | 10.33 | 8.13 | 11.87 |
| Nov. 15..... | 26.53 | 20.03 | 12.91 | 9.20 | 9.67 | 8.02 | 7.33 | 9.06 | 10.37 | 7.70 | 12.08 |
| Dec. 15..... | 27.63 | 20.67 | 13.53 | 9.40 | 10.01 | 8.12 | 7.70 | 9.00 | 10.62 | 7.94 | 12.46 |

TABLE 121.—Timothy seed: Farm price per bushel, 15th of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Jan. 15..... | \$4.34 | \$3.57 | \$2.44 | \$3.06 | \$2.63 | \$2.07 | \$1.79 | \$6.99 | \$4.12 | |
| Feb. 15..... | 4.51 | 3.78 | 2.46 | 3.19 | 2.66 | 2.12 | 1.78 | 7.26 | 4.51 | |
| Mar. 15..... | 4.54 | 3.84 | 2.70 | 3.28 | 2.78 | 2.30 | 1.72 | 7.33 | 4.93 | |
| Apr. 15..... | 4.69 | 3.74 | 2.76 | 3.51 | 2.69 | 2.28 | 1.74 | 7.27 | 5.17 | |
| May 15..... | 5.05 | 3.84 | 3.09 | 3.33 | 2.75 | 2.38 | 1.76 | 7.16 | 5.24 | |
| June 15..... | 4.63 | 3.56 | 3.09 | 3.26 | 2.65 | 2.23 | 1.77 | 6.68 | 5.24 | |
| July 15..... | 4.49 | 3.67 | 3.04 | 3.08 | 2.57 | 2.32 | 1.94 | 5.96 | 5.48 | |
| Aug. 15..... | 4.58 | 3.87 | 3.23 | 2.36 | 2.56 | 2.43 | 2.01 | 3.20 | 6.52 | |
| Sept. 15..... | 4.55 | 3.79 | 3.31 | 2.22 | 2.62 | 2.46 | 2.13 | 2.09 | 6.65 | \$3.77 |
| Oct. 15..... | 4.78 | 4.08 | 3.61 | 2.27 | 2.72 | 2.34 | 2.02 | 1.95 | 6.91 | 4.03 |
| Nov. 15..... | 4.67 | 4.26 | 3.25 | 2.25 | 2.91 | 2.34 | 2.08 | 1.82 | 6.90 | 4.08 |
| Dec. 15..... | 4.98 | 4.21 | 3.37 | 2.31 | 2.86 | 2.18 | 2.10 | 1.79 | 6.72 | 4.11 |

CLOVER AND TIMOTHY SEED.
TABLE 122.—*Clover and timothy seed: Wholesale price, 1913-1919.*

| Date. | Clover (bushels of 60 pounds). | | | | | | | | | | Timothy. | | | | | | | | | | | | | |
|--------------------|--------------------------------|---------|----------|----------------|---------|----------|-----------------|---------|----------|-------------|----------|----------|-------------------------|--------|----------|----------------------------------|--------|----------|-----------------|--------|----------|---------------------------------|--------|----------|
| | Cincinnati. | | | Chicago. | | | Toledo. | | | Detroit. | | | Cincinnati. | | | Chicago. | | | Milwaukee. | | | St. Louis. | | |
| | Prime. | | | Poor to prime. | | | Poor to choice. | | | All grades. | | | Per bushel (45 pounds). | | | Poor to choice (per 100 pounds). | | | Per 100 pounds. | | | Poor to prime (per 100 pounds). | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | \$8.00 | \$11.50 | \$9.34 | \$5.00 | \$22.00 | \$14.51 | \$7.50 | \$17.50 | \$12.30 | \$11.15 | \$13.40 | | \$1.50 | \$1.80 | \$1.65 | \$2.50 | \$5.35 | \$3.04 | \$2.50 | \$4.00 | \$3.23 | \$2.00 | \$8.75 | \$2.52 |
| July-December..... | 5.00 | 9.00 | 6.34 | 7.00 | 16.00 | 10.43 | 6.80 | 12.75 | 9.11 | 7.50 | 9.45 | | 1.50 | 2.25 | 1.94 | 3.50 | 5.00 | 4.65 | 3.50 | 5.50 | 4.61 | 2.25 | 5.50 | 4.30 |
| 1914. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 5.00 | 9.00 | 6.95 | 7.00 | 15.00 | 11.03 | 7.25 | 9.47 | 8.20 | 7.40 | 9.40 | | 1.40 | 2.25 | 1.80 | 2.50 | 5.75 | 4.34 | 3.00 | 5.50 | 4.02 | 2.25 | 5.35 | 4.07 |
| July-December..... | 5.00 | 9.25 | 7.30 | 9.00 | 18.50 | 12.68 | 8.20 | 11.15 | 9.32 | 8.20 | 11.25 | | 1.40 | 2.70 | 2.16 | 3.50 | 7.25 | 5.03 | 3.20 | 6.50 | 4.72 | 3.25 | 7.00 | 6.20 |
| 1915. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 6.50 | 9.65 | 8.01 | 7.00 | 14.75 | 10.81 | 7.25 | 9.65 | 8.18 | 7.85 | 9.60 | \$8.52 | 2.00 | 3.00 | 2.84 | 4.00 | 7.00 | 5.63 | 4.50 | 7.00 | 5.51 | 3.00 | 7.00 | |
| July-December..... | 6.50 | 12.20 | 8.80 | 7.00 | 20.50 | 13.12 | 7.40 | 13.10 | 10.42 | 7.70 | 12.55 | 10.02 | 1.90 | 3.75 | 2.75 | 4.50 | 8.00 | 6.11 | 4.50 | 8.00 | 6.05 | 3.00 | 7.50 | |
| 1916. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 6.50 | 11.50 | 8.60 | 6.00 | 22.00 | 12.54 | 8.20 | 13.65 | 10.64 | 8.75 | 13.25 | 10.70 | 1.80 | 3.30 | 2.54 | 4.00 | 8.50 | 6.30 | 4.00 | 8.50 | 6.28 | 3.75 | 7.50 | 6.10 |
| July-December..... | 6.50 | 10.00 | 8.57 | 6.00 | 18.00 | 12.62 | 8.40 | 11.15 | 9.94 | 8.40 | 11.00 | 9.88 | 1.20 | 2.80 | 1.69 | 3.00 | 7.50 | 4.45 | 3.50 | 8.00 | 4.96 | 3.00 | 6.50 | 4.63 |
| 1917. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 8.00 | 11.00 | 9.38 | 12.00 | 19.00 | 15.13 | 10.00 | 11.98 | 11.05 | 10.00 | 11.80 | 10.98 | 1.30 | 3.35 | 2.19 | 3.00 | 8.40 | 5.06 | 4.00 | 8.40 | 6.02 | 3.50 | 7.00 | 5.46 |
| July-December..... | 9.20 | 16.00 | 11.77 | 12.00 | 28.00 | 20.62 | 10.00 | 16.35 | 13.74 | 10.80 | 16.50 | 13.86 | 2.50 | 3.50 | 2.88 | 4.00 | 8.50 | 6.45 | 6.25 | 8.50 | 7.35 | 5.00 | 8.25 | 7.12 |
| 1918. | | | | | | | | | | | | | | | | | | | | | | | | |
| January-June..... | 11.00 | 19.75 | 15.43 | 18.00 | 35.00 | 24.75 | 13.00 | 20.80 | 18.80 | 10.00 | 20.05 | 18.98 | 2.50 | 3.70 | 3.14 | 5.00 | 8.25 | 6.51 | 5.00 | 8.25 | 6.92 | 6.50 | 7.98 | 7.22 |
| July-December..... | 11.00 | 22.00 | 17.11 | 15.00 | 38.00 | 29.77 | 15.00 | 26.00 | 21.48 | 16.00 | 25.75 | 21.27 | 2.90 | 5.00 | 4.00 | 5.00 | 11.00 | 8.17 | 5.00 | 11.00 | 8.19 | 6.50 | 10.50 | 9.02 |
| 1919. | | | | | | | | | | | | | | | | | | | | | | | | |
| January..... | 10.00 | 22.00 | 20.50 | 25.00 | 38.00 | 30.50 | 24.10 | 25.65 | 25.05 | 24.00 | 25.25 | 24.95 | 4.00 | 4.50 | 4.25 | 7.00 | 11.00 | 9.11 | 7.00 | 11.00 | 9.09 | 8.50 | 10.25 | 9.38 |
| February..... | 10.00 | 25.00 | 19.12 | 24.00 | 36.00 | 30.04 | 22.30 | 25.50 | 25.25 | 24.03 | 24.25 | 24.03 | 3.00 | 4.25 | 3.93 | 6.00 | 10.00 | 8.33 | 6.00 | 10.00 | 8.36 | 7.50 | 9.50 | 8.64 |
| March..... | 18.00 | 23.00 | 20.02 | 25.00 | 45.00 | 33.88 | 25.50 | 31.25 | 27.94 | 25.00 | 29.00 | 27.27 | 3.00 | 4.75 | 4.28 | 7.00 | 10.50 | 8.64 | 7.00 | 10.50 | 8.66 | 8.40 | 9.25 | 9.02 |
| April..... | 20.00 | 25.00 | 23.12 | 25.00 | 45.00 | 37.20 | 29.00 | 33.00 | 30.00 | 29.50 | 29.50 | 29.50 | 4.00 | 4.50 | 4.28 | 7.50 | 11.00 | 9.36 | 7.00 | 11.00 | 9.21 | 8.75 | 11.00 | 9.95 |

COTTON.

TABLE 123.—Cotton: Area and production in undermentioned countries, 1909–1918.

[Bales of 478 pounds net.]

| Country. | Area. | | | | Production. | | | |
|----------------------------------|--|------------------|------------------|------------------|--|------------------|------------------|------------------|
| | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 |
| NORTH AMERICA. | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bales.</i> | <i>Bales.</i> | <i>Bales.</i> | <i>Bales.</i> |
| United States ² | 35,805,607 | 34,985,000 | 33,841,000 | 35,890,000 | 13,033,137 | 11,450,000 | 11,302,000 | 12,041,000 |
| Porto Rico ³ | (⁴) | (⁴) | (⁴) | (⁴) | 396 | 379 | 268 | 443 |
| St. Croix..... | (⁴) | (⁴) | 20 | (⁴) | 510 | (⁴) | 16 | (⁴) |
| West Indies: | | | | | | | | |
| British— | | | | | | | | |
| Barbados..... | 4,227 | (⁴) | (⁴) | (⁴) | 1,211 | 299 | 124 | (⁴) |
| Grenada..... | (⁴) | (⁴) | (⁴) | (⁴) | 688 | 730 | (⁴) | 595 |
| Jamaica..... | (⁴) | 602 | 45 | (⁴) | 66 | (⁴) | (⁴) | (⁴) |
| Leeward Islands..... | (⁴) | (⁴) | (⁴) | (⁴) | 2,254 | (⁴) | (⁴) | (⁴) |
| St. Lucia..... | (⁴) | (⁴) | (⁴) | (⁴) | 15 | (⁴) | (⁴) | (⁴) |
| St. Vincent..... | 5,045 | 2,622 | 2,401 | (⁴) | 903 | 618 | 835 | (⁴) |
| Dominican Rep..... | (⁴) | (⁴) | (⁴) | (⁴) | 1,140 | 270 | (⁴) | (⁴) |
| Mexico..... | (⁴) | (⁴) | (⁴) | (⁴) | (⁴) | (⁴) | (⁴) | 365,709 |
| SOUTH AMERICA. | | | | | | | | |
| Argentina..... | 5,356 | 9,118 | (⁴) | (⁴) | 2,646 | (⁴) | (⁴) | (⁴) |
| Brazil..... | (⁴) | (⁴) | (⁴) | (⁴) | 290,400 | 420,000 | 449,000 | (⁴) |
| Peru..... | (⁴) | 137,474 | (⁴) | (⁴) | 87,120 | 113,472 | 80,110 | (⁴) |
| EUROPE. | | | | | | | | |
| Bulgaria..... | 1,829 | (⁴) | (⁴) | (⁴) | 871 | (⁴) | (⁴) | (⁴) |
| Malta..... | 1,095 | 817 | (⁴) | (⁴) | 433 | 331 | (⁴) | (⁴) |
| ASIA. | | | | | | | | |
| British India..... | 22,079,666 | 21,745,000 | 25,188,000 | 20,497,000 | 3,511,684 | 3,767,000 | 3,347,000 | 3,071,967 |
| Ceylon..... | (⁴) | (⁴) | (⁴) | (⁴) | 634 | (⁴) | (⁴) | (⁴) |
| Cyprus..... | (⁴) | (⁴) | (⁴) | (⁴) | 6,611 | (⁴) | (⁴) | (⁴) |
| Dutch East Indies..... | (⁴) | (⁴) | (⁴) | (⁴) | 15,121 | (⁴) | (⁴) | (⁴) |
| Indo-China..... | (⁴) | (⁴) | (⁴) | (⁴) | 11,689 | (⁴) | (⁴) | (⁴) |
| Japanese Empire: | | | | | | | | |
| Japan..... | 6,599 | 5,685 | 5,866 | 6,563 | 4,704 | 4,360 | 4,186 | (⁴) |
| Korea..... | 131,104 | (⁴) | (⁴) | (⁴) | 38,037 | 28,901 | 52,189 | (⁴) |
| Russia: | | | | | | | | |
| Transcaucasia..... | 252,637 | 233,254 | | | 79,885 | | | |
| Central Asia..... | 1,123,433 | 1,900,349 | 1,147,000 | (⁴) | 658,089 | 1,101,489 | | |
| Siam..... | (⁴) | (⁴) | (⁴) | (⁴) | 5,386 | (⁴) | (⁴) | (⁴) |
| AFRICA. | | | | | | | | |
| British Africa: | | | | | | | | |
| Lagos..... | (⁴) | (⁴) | (⁴) | (⁴) | (⁴) | 7,782 | 6,527 | 2,510 |
| Nyasaland..... | 23,534 | 29,850 | (⁴) | (⁴) | 4,001 | 7,244 | 5,439 | 4,184 |
| East Africa..... | (⁴) | (⁴) | (⁴) | (⁴) | 435 | 167 | 167 | 167 |
| Gold Coast..... | (⁴) | (⁴) | (⁴) | (⁴) | 34 | 80 | 83 | 83 |
| Nigeria, N..... | (⁴) | (⁴) | (⁴) | (⁴) | 8,570 | 9,038 | 3,264 | 2,510 |
| Nigeria, S..... | (⁴) | (⁴) | (⁴) | (⁴) | (⁴) | 84 | 84 | (⁴) |
| Uganda..... | (⁴) | 92,127 | 129,833 | (⁴) | 17,613 | 21,004 | 20,084 | 19,247 |
| Union of S. Africa..... | (⁴) | (⁴) | (⁴) | (⁴) | 94 | 267 | 732 | 837 |
| Egypt..... | 1,783,911 | 1,719,000 | 1,741,000 | 1,366,000 | 1,451,621 | 1,062,000 | 1,347,000 | 1,262,000 |
| French Africa: | | | | | | | | |
| Dahomey..... | (⁴) | (⁴) | (⁴) | (⁴) | 629 | (⁴) | (⁴) | (⁴) |
| Guinea..... | (⁴) | (⁴) | (⁴) | (⁴) | 230 | (⁴) | (⁴) | (⁴) |
| Ivory Coast..... | (⁴) | (⁴) | (⁴) | (⁴) | 84 | (⁴) | (⁴) | (⁴) |
| German Africa: | | | | | | | | |
| East Africa..... | 35,643 | (⁴) | (⁴) | (⁴) | 5,807 | (⁴) | (⁴) | (⁴) |
| Togo..... | (⁴) | (⁴) | (⁴) | (⁴) | 2,350 | (⁴) | (⁴) | (⁴) |
| Italian Africa: | | | | | | | | |
| Entrea..... | (⁴) | (⁴) | (⁴) | (⁴) | 942 | (⁴) | (⁴) | (⁴) |
| Sudan (Anglo-Egyptian)..... | (⁴) | (⁴) | (⁴) | (⁴) | 13,342 | 13,556 | 19,247 | 10,042 |
| OCEANIA. | | | | | | | | |
| British: | | | | | | | | |
| Fiji..... | 16 | (⁴) | (⁴) | (⁴) | 4 | (⁴) | (⁴) | (⁴) |
| Queensland..... | 523 | (⁴) | (⁴) | (⁴) | 91 | (⁴) | (⁴) | (⁴) |
| Solomon Islands..... | (⁴) | (⁴) | (⁴) | (⁴) | 22 | (⁴) | (⁴) | (⁴) |
| French: | | | | | | | | |
| New Caledonia..... | (⁴) | (⁴) | (⁴) | (⁴) | 463 | (⁴) | (⁴) | (⁴) |

¹ Five-year average except where statistics were not available.² Linters not included. Quantity of linters produced 1,330,714 bales in 1916, 1,130,997 bales in 1917.³ Shipments to the United States plus exports to foreign countries.⁴ No official statistics.⁵ Exports.⁶ Old boundaries.⁷ Includes Rhodesia.

COTTON—Continued.

TABLE 124.—*Cotton: Total production of countries for which estimates were available, 1900–1915.*

| Year. | Production. | Year. | Production. | Year. | Production. | Year. | Production. |
|-----------|---------------------------|-----------|---------------------------|-----------|---------------------------|-----------|---------------------------|
| | <i>Bales.¹</i> | | <i>Bales.¹</i> | | <i>Bales.¹</i> | | <i>Bales.¹</i> |
| 1900..... | 15,893,591 | 1904..... | 21,005,175 | 1908..... | 23,688,292 | 1912..... | 19,578,095 |
| 1901..... | 15,920,048 | 1905..... | 18,342,075 | 1909..... | 20,679,334 | 1913..... | 21,271,902 |
| 1902..... | 17,331,503 | 1906..... | 22,183,148 | 1910..... | 22,433,269 | 1914..... | 23,804,422 |
| 1903..... | 17,278,891 | 1907..... | 18,328,613 | 1911..... | 21,754,810 | 1915..... | 17,659,126 |

¹ Bales of 478 pounds, net weight.TABLE 125.—*Cotton: Acreage, production, value, exports, etc., in the United States, 1866–1919.*

| Year. | Acreage. | Average yield per acre. | Produc- tion. | Average farm price per pound Dec. 1. | Farm value Dec. 1. | New York closing prices, per pound, on middling upland. | | | | Domestic exports, fiscal year be- ginning July 1. |
|-----------|---------------|----------------------------------|------------------|---|-----------------------|---|---------------|-----------------------------|---------------|--|
| | | | | | | December. | | May of follow- ing year. | | |
| | | | | | | Low. | High. | Low. | High. | |
| | <i>Acres.</i> | <i>Pounds.</i> | <i>Bales.</i> | <i>Cents.</i> | <i>Dollars.</i> | <i>Cents.</i> | <i>Cents.</i> | <i>Cents.</i> | <i>Cents.</i> | <i>Bales.¹</i> |
| 1866..... | 7,569,000 | 129.0 | 1,750,000 | | | 334 | 344 | 274 | 284 | 1,322,947 |
| 1867..... | 7,828,000 | 189.8 | 2,340,000 | | | 151 | 171 | 304 | 324 | 1,569,577 |
| 1868..... | 6,799,000 | 192.2 | 2,380,000 | | | 241 | 251 | 281 | 281 | 1,288,656 |
| 1869..... | 7,743,000 | 196.9 | 3,012,000 | | | 25 | 26 | 22 | 23 | 1,917,117 |
| 1870..... | 8,885,000 | 198.9 | 3,800,000 | | | 15 | 15 | 14 | 17 | 2,925,856 |
| 1871..... | 7,558,000 | 148.2 | 2,553,000 | | | 194 | 204 | 234 | 264 | 1,867,075 |
| 1872..... | 8,483,000 | 188.7 | 3,920,000 | | | 194 | 204 | 194 | 194 | 2,400,127 |
| 1873..... | 9,510,000 | 179.7 | 3,683,000 | | | 154 | 164 | 174 | 184 | 2,717,205 |
| 1874..... | 11,764,000 | 147.5 | 3,941,000 | | | 144 | 144 | 164 | 164 | 2,520,838 |
| 1875..... | 11,934,000 | 190.6 | 5,123,000 | | | 134 | 134 | 114 | 134 | 2,982,811 |
| 1876..... | 11,677,000 | 167.8 | 4,438,000 | 9.0 | 174,724,000 | 124 | 124 | 104 | 114 | 2,890,738 |
| 1877..... | 12,133,000 | 163.8 | 4,370,000 | | | 114 | 114 | 104 | 114 | 3,215,067 |
| 1878..... | 12,344,000 | 191.2 | 5,244,000 | 8.2 | 192,515,000 | 84 | 94 | 114 | 134 | 3,256,746 |
| 1879..... | 14,480,000 | 181.0 | 5,755,000 | 10.3 | 269,305,000 | 124 | 134 | 114 | 114 | 3,644,363 |
| 1880..... | 15,951,000 | 184.5 | 6,343,000 | 9.8 | 289,083,000 | 114 | 12 | 104 | 164 | 4,382,009 |
| 1881..... | 16,711,000 | 149.8 | 5,456,000 | | | 114 | 124 | 124 | 124 | 3,480,792 |
| 1882..... | 16,277,000 | 185.7 | 6,957,000 | 9.1 | 275,513,000 | 104 | 104 | 104 | 114 | 4,576,378 |
| 1883..... | 16,778,000 | 164.8 | 5,701,000 | 9.1 | 250,977,000 | 104 | 104 | 114 | 114 | 3,725,145 |
| 1884..... | 17,440,000 | 153.8 | 5,682,000 | 9.2 | 246,575,000 | 104 | 114 | 104 | 114 | 3,789,319 |
| 1885..... | 18,301,000 | 164.4 | 6,575,000 | 8.4 | 251,775,000 | 94 | 94 | 94 | 94 | 4,116,149 |
| 1886..... | 18,455,000 | 169.5 | 6,446,000 | 8.1 | 251,856,000 | 94 | 94 | 104 | 114 | 4,338,915 |
| 1887..... | 18,641,000 | 182.7 | 7,020,000 | 8.5 | 290,901,000 | 104 | 104 | 94 | 104 | 4,528,883 |
| 1888..... | 19,059,000 | 190.4 | 6,941,000 | 8.5 | 292,139,000 | 94 | 94 | 114 | 114 | 4,770,065 |
| 1889..... | 20,175,000 | 159.7 | 7,473,000 | 8.5 | 275,249,000 | 104 | 104 | 114 | 124 | 4,943,925 |
| 1890..... | 19,512,000 | 187.0 | 8,674,000 | 8.6 | 313,360,000 | 94 | 94 | 84 | 84 | 5,814,718 |
| 1891..... | 19,059,000 | 179.4 | 9,018,000 | 7.2 | 247,633,000 | 74 | 84 | 74 | 74 | 5,870,440 |
| 1892..... | 15,911,000 | 209.2 | 6,664,000 | 8.3 | 277,194,000 | 94 | 104 | 74 | 74 | 4,424,230 |
| 1893..... | 19,525,000 | 149.9 | 7,403,000 | 7.0 | 204,983,000 | 74 | 84 | 74 | 74 | 5,366,565 |
| 1894..... | 23,688,000 | 196.3 | 9,476,000 | 4.6 | 212,335,000 | 54 | 54 | 64 | 74 | 7,034,566 |
| 1895..... | 20,185,000 | 155.6 | 7,161,000 | 7.6 | 238,503,000 | 84 | 84 | 84 | 84 | 4,670,453 |
| 1896..... | 23,273,000 | 184.9 | 8,533,000 | 6.7 | 286,169,000 | 74 | 74 | 74 | 74 | 6,207,510 |
| 1897..... | 24,320,000 | 182.7 | 10,898,000 | 6.7 | 296,816,000 | 54 | 54 | 64 | 64 | 7,728,572 |
| 1898..... | 24,067,000 | 220.6 | 11,189,000 | 5.7 | 315,449,000 | 54 | 54 | 64 | 64 | 7,575,438 |
| 1899..... | 24,327,000 | 183.8 | 9,345,000 | 7.0 | 326,215,000 | 74 | 74 | 94 | 94 | 6,252,451 |
| 1900..... | 24,933,000 | 194.4 | 10,123,000 | 9.2 | 463,310,000 | 94 | 104 | 84 | 84 | 6,718,125 |
| 1901..... | 26,774,000 | 170.0 | 9,510,000 | 7.0 | 334,088,000 | 84 | 84 | 94 | 94 | 7,057,949 |
| 1902..... | 27,175,000 | 187.3 | 10,631,000 | 7.6 | 403,718,000 | 84 | 84 | 104 | 104 | 7,186,284 |
| 1903..... | 27,652,000 | 174.3 | 9,851,000 | 10.5 | 516,763,000 | 11.95 | 14.10 | 12.75 | 13.10 | 6,179,712 |
| 1904..... | 31,215,000 | 205.9 | 13,438,000 | 9.0 | 603,438,000 | 6.85 | 9.00 | 7.85 | 8.85 | 8,678,644 |
| 1905..... | 27,110,000 | 186.6 | 10,575,000 | 10.8 | 569,791,000 | 11.65 | 12.60 | 11.25 | 12.00 | 7,268,090 |
| 1906..... | 31,374,000 | 202.5 | 13,274,000 | 9.6 | 635,534,000 | 10.45 | 11.25 | 11.50 | 12.90 | 9,036,434 |
| 1907..... | 29,660,000 | 179.1 | 11,107,000 | 10.4 | 575,226,000 | 11.70 | 12.20 | 10.20 | 11.50 | 7,633,997 |
| 1908..... | 32,444,000 | 194.9 | 13,242,000 | 8.7 | 575,092,000 | 9.10 | 9.35 | 10.85 | 11.80 | 8,895,970 |
| 1909..... | 30,938,000 | 154.3 | 10,005,000 | 13.9 | 697,681,000 | 14.65 | 16.15 | 14.50 | 16.05 | 6,413,416 |
| 1910..... | 32,403,000 | 170.7 | 11,609,000 | 14.1 | 820,407,000 | 14.80 | 15.25 | 15.35 | 16.15 | 8,067,882 |
| 1911..... | 36,045,000 | 207.7 | 15,633,000 | 8.8 | 687,888,000 | 9.20 | 9.65 | 11.30 | 11.90 | 11,070,251 |
| 1912..... | 34,283,000 | 190.9 | 13,703,000 | 11.9 | 817,055,000 | 12.75 | 13.20 | 11.80 | 12.10 | 9,124,591 |
| 1913..... | 37,089,000 | 182.0 | 14,156,000 | 12.2 | 862,708,000 | 12.50 | 13.50 | 12.90 | 14.50 | 9,521,881 |
| 1914..... | 36,832,000 | 209.2 | 16,135,000 | 6.8 | 549,036,000 | 7.25 | 7.80 | 9.50 | 10.40 | 8,807,157 |
| 1915..... | 31,412,000 | 170.3 | 11,192,000 | 11.3 | 631,460,000 | 11.95 | 12.75 | 12.30 | 13.35 | 6,168,140 |
| 1916..... | 34,985,000 | 156.6 | 11,450,000 | 19.6 | 1,122,295,000 | 16.20 | 20.30 | 19.60 | 22.10 | 6,176,162 |
| 1917..... | 33,841,000 | 159.7 | 11,302,000 | 27.7 | 1,566,198,000 | 29.85 | 31.85 | 25.70 | 30.10 | 4,641,023 |
| 1918..... | 36,008,000 | 159.6 | 12,041,000 | 27.6 | 1,663,633,000 | 27.50 | 33.00 | 25.90 | 34.00 | 5,467,366 |
| 1919..... | 33,344,000 | 158.2 | 11,030,000 | 35.7 | 1,967,143,000 | 38.00 | 40.25 | | | |

¹ Bales of 500 pounds, gross weight.

COTTON—Continued.

TABLE 126.—Cotton: Acreage harvested, by States, 1910-1919.

[Thousands of acres.]

| State. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 |
|---------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Virginia..... | 33 | 43 | 47 | 47 | 45 | 34 | 42 | 50 | 44 | 42 |
| North Carolina..... | 1,478 | 1,624 | 1,545 | 1,576 | 1,527 | 1,282 | 1,451 | 1,515 | 1,600 | 1,568 |
| South Carolina..... | 2,534 | 2,800 | 2,695 | 2,790 | 2,861 | 2,516 | 2,790 | 2,837 | 3,001 | 2,881 |
| Georgia..... | 4,873 | 5,504 | 5,325 | 5,318 | 5,433 | 4,825 | 5,277 | 5,195 | 5,341 | 5,288 |
| Florida..... | 257 | 308 | 224 | 188 | 221 | 193 | 191 | 183 | 167 | 117 |
| Alabama..... | 3,560 | 4,017 | 3,730 | 3,760 | 4,007 | 3,340 | 3,225 | 1,977 | 2,570 | 2,621 |
| Mississippi..... | 3,317 | 3,340 | 2,899 | 3,067 | 3,064 | 2,735 | 3,110 | 2,788 | 3,138 | 2,950 |
| Louisiana..... | 975 | 1,075 | 929 | 1,244 | 1,299 | 990 | 1,250 | 1,454 | 1,683 | 1,532 |
| Texas..... | 10,060 | 10,943 | 11,318 | 12,587 | 11,031 | 10,510 | 11,400 | 11,092 | 11,233 | 10,346 |
| Arkansas..... | 2,238 | 2,363 | 1,991 | 2,502 | 2,490 | 2,170 | 2,600 | 2,740 | 2,991 | 2,563 |
| Tennessee..... | 765 | 837 | 783 | 865 | 915 | 772 | 887 | 882 | 902 | 775 |
| Missouri..... | 100 | 129 | 103 | 112 | 145 | 96 | 133 | 153 | 148 | 111 |
| Oklahoma..... | 2,204 | 3,050 | 2,665 | 3,009 | 2,847 | 1,895 | 2,562 | 2,783 | 2,998 | 2,341 |
| California..... | 9 | 12 | 9 | 14 | 47 | 39 | 52 | 136 | 173 | 167 |
| Arizona..... | | | | | | | | 41 | 95 | 116 |
| All other..... | | | | | 20 | 15 | 25 | 15 | 12 | 11 |
| United States.. | 32,403 | 36,045 | 34,283 | 37,089 | 36,832 | 31,412 | 34,985 | 33,841 | 36,008 | 33,344 |

¹ Lower California (85,000 acres in 1919 and 88,000 acres in 1918) included in California figures but excluded from United States totals.

TABLE 127.—Cotton: Production of lint (excluding linters) in 500-pound gross weight bales, by States, 1910 to 1919.

[Thousands of bales, as finally reported by U. S. Bureau of the Census.]

| State. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 |
|---------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Virginia..... | 15 | 30 | 24 | 23 | 25 | 16 | 27 | 19 | 25 | 22 |
| North Carolina..... | 706 | 1,076 | 866 | 792 | 981 | 609 | 655 | 618 | 898 | 875 |
| South Carolina..... | 1,161 | 1,649 | 1,182 | 1,378 | 1,534 | 1,131 | 932 | 1,237 | 1,570 | 1,475 |
| Georgia..... | 1,767 | 2,709 | 1,777 | 2,317 | 2,718 | 1,909 | 1,821 | 1,884 | 2,122 | 1,730 |
| Florida..... | 59 | 83 | 53 | 59 | 81 | 48 | 41 | 38 | 29 | 17 |
| Alabama..... | 1,194 | 1,716 | 1,342 | 1,495 | 1,751 | 1,021 | 533 | 518 | 801 | 715 |
| Mississippi..... | 1,263 | 1,204 | 1,046 | 1,311 | 1,246 | 954 | 812 | 905 | 1,226 | 946 |
| Louisiana..... | 246 | 385 | 376 | 444 | 449 | 341 | 443 | 639 | 588 | 300 |
| Texas..... | 3,049 | 4,256 | 4,880 | 3,945 | 4,592 | 3,227 | 3,726 | 3,125 | 2,667 | 2,700 |
| Arkansas..... | 821 | 939 | 792 | 1,073 | 1,016 | 816 | 1,134 | 974 | 967 | 830 |
| Tennessee..... | 332 | 450 | 277 | 379 | 394 | 303 | 382 | 240 | 330 | 298 |
| Missouri..... | 60 | 97 | 56 | 67 | 82 | 48 | 63 | 61 | 62 | 60 |
| Oklahoma..... | 923 | 1,022 | 1,021 | 840 | 1,262 | 640 | 823 | 959 | 577 | 930 |
| California..... | 6 | 10 | 8 | 23 | 50 | 29 | 44 | 58 | 67 | 101 |
| Arizona..... | | | | | | | | 22 | 56 | 75 |
| All other..... | 4 | 7 | 3 | 10 | 14 | 7 | 14 | 5 | 6 | 7 |
| United States.. | 11,609 | 15,693 | 13,703 | 14,156 | 16,135 | 11,192 | 11,450 | 11,302 | 12,041 | 11,030 |

¹ Includes 52,000 bales estimated grown in Lower California, not included in United States totals.

COTTON—Continued.

TABLE 128.—*Cotton: Condition of crop, United States, monthly, 1898–1919.*

[Prior to 1901 figures of condition relate to first month following dates indicated.]

| Year. | May 25. | June 25. | July 25. | Aug. 25. | Sept. 25. | Year. | May 25. | June 25. | July 25. | Aug. 25. | Sept. 25. |
|-----------|---------------|---------------|---------------|---------------|---------------|-----------|---------------|---------------|---------------|---------------|---------------|
| | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> |
| 1898..... | 89.0 | 91.2 | 91.2 | 79.8 | 75.4 | 1909..... | 81.1 | 74.6 | 71.9 | 63.7 | 58.5 |
| 1899..... | 85.7 | 87.8 | 84.0 | 68.5 | 62.4 | 1910..... | 82.0 | 80.7 | 75.5 | 72.1 | 65.9 |
| 1900..... | 82.5 | 75.8 | 76.0 | 68.2 | 67.0 | 1911..... | 87.8 | 88.2 | 89.1 | 73.2 | 71.1 |
| 1901..... | 81.5 | 81.1 | 77.2 | 71.4 | 61.4 | 1912..... | 78.9 | 80.4 | 76.5 | 74.8 | 69.6 |
| 1902..... | 95.1 | 84.7 | 81.9 | 64.0 | 58.3 | 1913..... | 79.1 | 81.8 | 79.6 | 68.2 | 64.1 |
| 1903..... | 74.1 | 77.1 | 79.7 | 81.2 | 65.1 | 1914..... | 74.3 | 79.6 | 76.4 | 78.0 | 72.5 |
| 1904..... | 83.0 | 88.0 | 91.6 | 84.1 | 75.8 | 1915..... | 80.0 | 80.2 | 75.4 | 69.2 | 60.8 |
| 1905..... | 77.2 | 77.0 | 74.9 | 72.1 | 71.2 | 1916..... | 77.5 | 81.1 | 72.3 | 61.2 | 56.3 |
| 1906..... | 84.6 | 83.3 | 82.9 | 77.3 | 71.6 | 1917..... | 69.5 | 70.3 | 70.3 | 67.8 | 60.4 |
| 1907..... | 70.5 | 72.0 | 75.0 | 72.7 | 67.7 | 1918..... | 82.3 | 85.8 | 73.6 | 55.7 | 54.4 |
| 1908..... | 79.7 | 81.2 | 83.0 | 76.1 | 69.7 | 1919..... | 75.6 | 70.0 | 67.1 | 61.4 | 54.4 |

TABLE 129.—*Cotton: Yield per acre, price per pound Dec. 1, and value per acre, by States.*

| State. | Yield per acre (pounds of lint). | | | | | | | | | | | Farm price per pound (cents). | | | | | Value per acre (dollars). ¹ | | |
|----------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------------------|-------|-------|-------|------|--|-------------------------------|--------|
| | 10-year average, 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average, 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average, 1914-1918. | 1919 |
| | | | | | | | | | | | | | | | | | | | |
| Va... | 253 | 212 | 330 | 250 | 240 | 265 | 225 | 310 | 180 | 270 | 250 | 17.5 | 11.4 | 19.4 | 27.8 | 36.5 | 35.0 | 45.34 | 87.50 |
| N. C... | 254 | 227 | 315 | 267 | 239 | 290 | 260 | 215 | 194 | 268 | 266 | 17.4 | 11.2 | 19.4 | 27.7 | 36.4 | 35.2 | 43.07 | 93.63 |
| S. C... | 227 | 216 | 280 | 209 | 235 | 255 | 215 | 160 | 208 | 250 | 243 | 17.8 | 11.3 | 19.6 | 28.4 | 27.6 | 35.7 | 40.27 | 86.75 |
| Ga... | 181 | 173 | 240 | 159 | 208 | 239 | 189 | 165 | 173 | 190 | 159 | 17.9 | 11.4 | 19.9 | 28.8 | 27.5 | 35.8 | 34.59 | 55.85 |
| Fla... | 116 | 110 | 139 | 113 | 150 | 175 | 120 | 105 | 100 | 85 | 70 | 25.9 | 14.8 | 31.0 | 50.5 | 43.0 | 42.0 | 31.74 | 29.40 |
| Ala... | 155 | 160 | 204 | 172 | 190 | 209 | 146 | 79 | 125 | 149 | 130 | 17.5 | 11.1 | 19.5 | 28.0 | 27.0 | 34.8 | 24.17 | 45.24 |
| Miss... | 171 | 182 | 172 | 173 | 204 | 195 | 167 | 125 | 155 | 187 | 154 | 18.1 | 11.5 | 20.5 | 28.5 | 27.8 | 37.5 | 30.84 | 57.75 |
| La... | 162 | 129 | 170 | 193 | 170 | 165 | 165 | 170 | 210 | 167 | 94 | 17.3 | 11.2 | 19.1 | 26.7 | 27.5 | 35.0 | 33.28 | 32.90 |
| Tex... | 155 | 145 | 189 | 206 | 150 | 184 | 147 | 157 | 135 | 115 | 125 | 17.3 | 11.1 | 19.4 | 26.7 | 28.2 | 35.0 | 25.55 | 43.75 |
| Ark... | 183 | 175 | 170 | 190 | 205 | 196 | 180 | 209 | 170 | 158 | 155 | 17.7 | 11.6 | 19.6 | 28.2 | 27.8 | 36.4 | 33.33 | 56.42 |
| Tenn... | 193 | 207 | 257 | 169 | 210 | 200 | 188 | 206 | 130 | 175 | 184 | 17.3 | 11.3 | 19.5 | 27.3 | 26.7 | 33.5 | 31.28 | 61.64 |
| Mo... | 258 | 285 | 300 | 290 | 286 | 270 | 240 | 225 | 190 | 209 | 290 | 17.0 | 11.0 | 19.0 | 27.5 | 27.0 | 34.0 | 38.50 | 83.60 |
| Okla... | 165 | 200 | 160 | 183 | 132 | 212 | 162 | 154 | 165 | 92 | 190 | 16.8 | 11.3 | 19.0 | 26.5 | 25.5 | 35.5 | 25.71 | 66.83 |
| Calif... | 376 | 335 | 370 | 450 | 500 | 500 | 380 | 400 | 242 | 270 | 292 | 18.6 | 11.2 | 20.0 | 28.0 | 30.0 | 43.0 | 61.26 | 125.56 |
| Ariz... | 292 | | | | | | | | 285 | 280 | 310 | | | | | 48.0 | 51.0 | | 158.10 |
| U. S. | 176.5 | 170.7 | 207.7 | 190.9 | 182.0 | 209.2 | 170.3 | 156.6 | 159.7 | 159.6 | 158.2 | 17.6 | 11.3 | 19.6 | 27.7 | 27.6 | 35.7 | 31.91 | 59.00 |

¹ Based upon farm price Dec. 1.TABLE 130.—*Cotton: Farm price, cents per pound on 1st of each month, 1909–1918.*

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|------|------|------|------|------|------|------|------|------|------|----------|
| Jan. 1..... | 28.7 | 28.9 | 17.1 | 11.4 | 6.6 | 11.7 | 12.2 | 8.4 | 14.4 | 14.6 | 15.4 |
| Feb. 1..... | 24.9 | 29.7 | 16.8 | 11.5 | 7.4 | 11.9 | 11.9 | 9.0 | 14.3 | 14.0 | 15.1 |
| Mar. 1..... | 24.0 | 30.2 | 15.9 | 11.1 | 7.4 | 12.6 | 11.8 | 9.8 | 13.9 | 14.0 | 15.1 |
| Apr. 1..... | 24.5 | 31.8 | 18.0 | 11.5 | 8.1 | 11.9 | 11.8 | 10.1 | 13.9 | 14.1 | 15.6 |
| May 1..... | 26.0 | 28.5 | 18.9 | 11.5 | 9.1 | 12.2 | 11.6 | 10.9 | 14.2 | 14.0 | 15.7 |
| June 1..... | 29.5 | 27.4 | 20.2 | 12.2 | 8.6 | 12.4 | 11.5 | 11.0 | 14.6 | 14.2 | 16.2 |
| July 1..... | 31.1 | 28.6 | 24.7 | 12.5 | 8.6 | 12.4 | 11.6 | 11.2 | 14.4 | 13.9 | 16.9 |
| Aug. 1..... | 32.5 | 27.8 | 24.3 | 12.6 | 8.1 | 12.4 | 11.5 | 12.0 | 13.2 | 14.3 | 16.9 |
| Sept. 1..... | 30.3 | 32.2 | 23.4 | 14.6 | 8.5 | 8.7 | 11.8 | 11.3 | 11.8 | 14.4 | 16.7 |
| Oct. 1..... | 31.3 | 31.8 | 23.3 | 15.5 | 11.2 | 7.8 | 13.3 | 11.2 | 10.2 | 13.3 | 16.9 |
| Nov. 1..... | 36.5 | 29.3 | 27.3 | 18.0 | 11.6 | 6.3 | 13.0 | 10.9 | 8.9 | 14.0 | 17.6 |
| Dec. 1..... | 35.7 | 27.6 | 27.7 | 19.6 | 11.3 | 6.8 | 12.2 | 11.9 | 8.8 | 14.1 | 17.6 |
| Average..... | 31.4 | 29.4 | 22.7 | 15.1 | 9.7 | 9.1 | 12.4 | 10.5 | 11.4 | 14.0 | 16.6 |

TABLE 131.—Cotton: Closing price of middling upland, per pound, 1913-1919.

| Date. | New York. | | | New Orleans. | | | Memphis. | | | Galveston. | | | Savannah. | | | Charleston. | | |
|-----------------------|-----------|-------|---------------|--------------|-------|---------------|----------|-------|---------------|------------|-------|---------------|-----------|-------|---------------|-------------|-------|---------------|
| | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. |
| 1913. | | | | | | | | | | | | | | | | | | |
| January-June..... | 11.70 | 13.40 | 12.50 | 12.11 | 13.00 | 12.46 | 12.00 | 13.11 | 12.45 | 12.00 | 13.00 | 12.30 | 11.11 | 12.71 | 12.30 | 11.11 | 12.71 | 12.30 |
| July-December..... | 11.90 | 14.50 | 13.11 | 12.11 | 14.00 | 12.92 | 11.11 | 13.11 | 12.93 | 11.11 | 14.11 | 13.01 | 11.11 | 14.11 | 12.71 | 11.11 | 14.11 | 12.71 |
| 1914. | | | | | | | | | | | | | | | | | | |
| January-June..... | 12.30 | 14.50 | 13.16 | 12.11 | 13.11 | 13.17 | 12.00 | 13.11 | 13.32 | 12.11 | 14.00 | 13.12 | 12.11 | 13.11 | 13.13 | 12.11 | 13.11 | 13.13 |
| July-December..... | 7.25 | 13.25 | 9.46 | 6.11 | 13.11 | 8.07 | 6.11 | 13.11 | 8.63 | 6.11 | 13.11 | 8.78 | 6.11 | 13.11 | 8.59 | 6.11 | 13.11 | 8.59 |
| 1915. | | | | | | | | | | | | | | | | | | |
| January-June..... | 7.90 | 10.60 | 9.27 | 7.11 | 9.68 | 8.64 | 7.11 | 9.50 | 8.55 | 7.11 | 10.10 | 8.92 | 7.11 | 9.11 | 8.69 | 7.11 | 9.11 | 8.69 |
| July-December..... | 8.90 | 12.75 | 11.01 | 8.50 | 12.13 | 10.06 | 8.62 | 12.23 | 10.60 | 8.50 | 12.60 | 10.74 | 8.11 | 12.11 | 10.54 | 8.11 | 12.11 | 10.54 |
| 1916. | | | | | | | | | | | | | | | | | | |
| January-June..... | 11.20 | 13.45 | 12.31 | 11.13 | 13.08 | 12.08 | 11.38 | 13.25 | 12.30 | 11.45 | 13.75 | 12.52 | 11.11 | 13.00 | 12.19 | 11.00 | 13.11 | 12.19 |
| July-December..... | 12.90 | 20.95 | 16.61 | 13.00 | 20.38 | 16.27 | 13.12 | 20.50 | 16.59 | 13.66 | 20.55 | 16.64 | 13.00 | 20.11 | 16.54 | 12.11 | 20.11 | 16.42 |
| 1917. | | | | | | | | | | | | | | | | | | |
| January-June..... | 14.30 | 27.40 | 19.72 | 16.50 | 26.25 | 19.36 | 17.00 | 26.00 | 19.55 | 14.50 | 26.50 | 19.48 | 13.11 | 20.00 | 20.22 | 17.11 | 26.00 | 20.04 |
| July-December..... | 21.20 | 31.55 | 27.22 | 20.13 | 30.13 | 26.01 | 22.00 | 30.00 | 26.79 | 21.50 | 30.35 | 26.38 | 20.00 | 30.11 | 26.26 | 20.00 | 30.11 | 25.76 |
| 1918. | | | | | | | | | | | | | | | | | | |
| January-June..... | 25.70 | 36.00 | 31.26 | 28.50 | 34.50 | 31.22 | 29.00 | 34.50 | 31.47 | 27.25 | 34.75 | 31.18 | 29.00 | 34.50 | 31.02 | 28.50 | 34.00 | 31.58 |
| July-December..... | 27.50 | 38.20 | 32.28 | 27.80 | 34.50 | 30.60 | 29.00 | 35.00 | 31.08 | 26.75 | 36.35 | 31.55 | 28.25 | 35.25 | 30.72 | 27.00 | 35.00 | 30.30 |
| 1919. | | | | | | | | | | | | | | | | | | |
| January..... | 25.60 | 32.40 | 29.10 | 27.00 | 30.75 | 28.64 | 28.00 | 30.50 | 29.29 | 28.25 | 31.75 | 29.45 | 30.00 | 31.00 | 30.88 | 30.00 | 30.00 | 30.00 |
| February..... | 23.00 | 27.85 | 26.25 | 25.50 | 27.75 | 26.98 | 26.50 | 28.00 | 27.18 | 28.25 | 28.25 | 28.25 | 27.00 | 27.00 | 27.03 | 23.00 | 23.00 | 26.91 |
| March..... | 26.10 | 28.60 | 27.08 | 27.25 | 27.50 | 26.40 | 26.50 | 27.25 | 26.86 | 26.50 | 28.25 | 26.98 | 27.00 | 27.25 | 27.04 | 23.00 | 23.00 | 25.99 |
| April..... | 26.60 | 29.05 | 28.85 | 27.25 | 27.75 | 26.70 | 26.50 | 28.00 | 26.90 | 26.00 | 29.00 | 27.15 | 26.25 | 26.50 | 26.63 | 26.00 | 26.75 | 26.14 |
| May..... | 25.90 | 34.00 | 32.99 | 27.63 | 32.88 | 29.34 | 28.00 | 32.00 | 29.00 | 29.00 | 33.50 | 30.60 | 27.50 | 33.50 | 29.23 | 27.00 | 31.00 | 28.55 |
| June..... | 30.35 | 34.95 | 32.99 | 31.00 | 34.00 | 32.10 | 31.50 | 32.75 | 32.19 | 31.50 | 34.20 | 32.93 | 30.50 | 33.50 | 31.90 | 30.25 | 32.90 | 31.68 |
| January-June..... | 25.00 | 34.95 | 29.22 | 25.25 | 33.00 | 28.39 | 26.50 | 32.75 | 28.60 | 25.75 | 34.20 | 29.22 | 26.25 | 33.50 | 28.94 | 25.00 | 32.90 | 28.21 |
| July..... | 33.40 | 36.20 | 35.25 | 33.00 | 34.50 | 33.91 | 32.75 | 34.50 | 33.81 | 33.50 | 35.50 | 34.59 | 32.50 | 34.50 | 33.58 | 32.00 | 34.00 | 33.08 |
| August..... | 30.55 | 35.10 | 32.10 | 30.13 | 34.25 | 31.40 | 32.50 | 34.50 | 33.52 | 30.50 | 35.00 | 31.91 | 30.00 | 33.50 | 31.50 | 30.50 | 34.00 | 32.02 |
| September..... | 28.85 | 32.85 | 30.40 | 29.00 | 32.50 | 30.41 | 28.50 | 32.50 | 30.94 | 28.50 | 35.00 | 31.56 | 27.75 | 32.00 | 29.60 | 28.00 | 31.75 | 29.36 |
| October..... | 31.10 | 38.40 | 34.98 | 31.75 | 35.29 | 33.29 | 32.50 | 40.00 | 35.91 | 33.75 | 40.50 | 37.10 | 32.00 | 37.38 | 34.56 | 31.50 | 37.00 | 32.72 |
| November..... | 38.40 | 40.50 | 39.12 | 38.75 | 41.75 | 39.86 | 40.00 | 42.08 | 41.12 | 40.00 | 43.00 | 41.28 | 37.25 | 39.44 | 36.80 | 37.00 | 38.88 | 37.74 |
| December..... | 38.00 | 40.25 | 38.84 | 39.25 | 40.00 | 39.98 | 40.50 | 40.50 | 39.93 | 38.25 | 42.75 | 41.68 | 38.00 | 39.75 | 38.46 | 38.00 | 39.00 | 38.48 |
| January-December..... | 28.85 | 40.50 | 35.15 | 29.00 | 41.75 | 34.36 | 30.00 | 43.00 | 35.87 | 29.50 | 43.00 | 36.35 | 27.75 | 39.75 | 34.09 | 28.00 | 39.00 | 33.90 |

COTTON—Continued.

TABLE 132.—Cotton: *International trade, calendar years 1909–1913, 1917, 1918.*

[Expressed in bales of 500 pounds gross weight, or 478 pounds net. The figures for cotton refer to ginned and unginned cotton and linters, but not to mill waste, cotton batting, scarto (Egypt and Soudan). Wherever unginned cotton has been separately stated in the original reports it has been reduced to ginned cotton in this statement at the ratio of 3 pounds unginned to 1 pound ginned. See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average 1909–1913. | 1917 (prelim.). | 1918 (prelim.). | Country. | Average 1909–1913. | 1917 (prelim.). | 1918 (prelim.). |
|--------------------|-----------------------|--------------------|--------------------|----------------------|-----------------------|--------------------|--------------------|
| <i>From—</i> | <i>Bales.</i> | <i>Bales.</i> | <i>Bales.</i> | <i>From—</i> | <i>Bales.</i> | <i>Bales.</i> | <i>Bales.</i> |
| Belgium..... | 159 | | 12 | Netherlands..... | 145 | | |
| Brazil..... | 83 | 27 | | Persia..... | 118 | | |
| British India..... | 1,966 | 1,663 | 819 | Peru..... | 87 | 80 | 99 |
| China..... | 240 | 232 | 360 | United States..... | 9,008 | 5,180 | 4,481 |
| Egypt..... | 1,442 | 844 | 1,040 | Other countries..... | 169 | | |
| France..... | 316 | 89 | 29 | | | | |
| Germany..... | 232 | | | Total..... | 13,965 | | |

IMPORTS.

| | | | | | | | |
|----------------------|-------|-------|-------|----------------------|--------|-------|-------|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Austria-Hungary..... | 906 | | | Russia..... | 886 | | |
| Belgium..... | 496 | | | Spain..... | 382 | 447 | 277 |
| Canada..... | 137 | 178 | 230 | Sweden..... | 95 | 32 | |
| France..... | 1,435 | 1,260 | 656 | Switzerland..... | 113 | 64 | 38 |
| Germany..... | 2,258 | | | United Kingdom..... | 4,164 | 3,163 | 3,114 |
| Italy..... | 896 | 828 | 601 | United States..... | 215 | 290 | 236 |
| Japan..... | 1,405 | 1,947 | 1,886 | Other countries..... | 319 | | |
| Mexico..... | 23 | | | | | | |
| Netherlands..... | 277 | | | Total..... | 14,005 | | |

¹ Year beginning Mar. 21.

COTTONSEED.

TABLE 133.—Cottonseed: *Production, by States, 1910–1919.*

[Thousands of tons, 1910–1918, as reported by the United States Bureau of the Census.]

| State. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Virginia..... | 7 | 13 | 11 | 19 | 11 | 7 | 12 | 8 | 11 | 10 |
| North Carolina..... | 312 | 476 | 383 | 351 | 412 | 310 | 290 | 273 | 398 | 388 |
| South Carolina..... | 518 | 732 | 526 | 613 | 682 | 504 | 414 | 550 | 699 | 635 |
| Georgia..... | 795 | 1,216 | 798 | 1,038 | 1,217 | 860 | 826 | 847 | 947 | 769 |
| Florida..... | 33 | 46 | 28 | 31 | 43 | 27 | 20 | 25 | 17 | 7 |
| Alabama..... | 530 | 762 | 596 | 664 | 778 | 453 | 236 | 220 | 356 | 318 |
| Mississippi..... | 561 | 545 | 465 | 583 | 553 | 424 | 361 | 402 | 545 | 421 |
| Louisiana..... | 109 | 171 | 167 | 197 | 200 | 151 | 197 | 281 | 261 | 133 |
| Texas..... | 1,356 | 1,893 | 2,171 | 1,755 | 2,043 | 1,436 | 1,658 | 1,390 | 1,199 | 1,203 |
| Arkansas..... | 366 | 418 | 352 | 477 | 451 | 363 | 504 | 432 | 439 | 369 |
| Tennessee..... | 148 | 200 | 123 | 169 | 171 | 135 | 170 | 107 | 147 | 133 |
| Missouri..... | 26 | 43 | 25 | 30 | 36 | 21 | 28 | 27 | 28 | 27 |
| Oklahoma..... | 410 | 454 | 454 | 373 | 561 | 285 | 366 | 426 | 256 | 414 |
| All other..... | 5 | 8 | 5 | 14 | 28 | 16 | 25 | 39 | 57 | 82 |
| United States..... | 5,175 | 6,997 | 6,104 | 6,305 | 7,186 | 4,992 | 5,113 | 5,040 | 5,360 | 4,929 |

COTTONSEED—Continued.

TABLE 134.—Cottonseed: Value, by States, 1910-1919.

[Thousands of dollars.]

| State. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 |
|---------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Virginia..... | 210 | 250 | 240 | 260 | 240 | 260 | 640 | 550 | 740 | 771 |
| North Carolina..... | 9,580 | 9,140 | 8,460 | 9,130 | 8,900 | 11,470 | 15,580 | 18,630 | 26,810 | 29,637 |
| South Carolina..... | 14,700 | 12,590 | 11,150 | 15,750 | 14,190 | 18,400 | 22,760 | 38,200 | 47,550 | 51,538 |
| Georgia..... | 22,580 | 21,060 | 16,360 | 25,120 | 24,580 | 31,730 | 45,980 | 58,660 | 64,170 | 61,204 |
| Florida..... | 990 | 800 | 490 | 660 | 740 | 850 | 1,240 | 1,600 | 1,130 | 545 |
| Alabama..... | 15,160 | 13,870 | 11,620 | 15,600 | 14,700 | 16,720 | 12,860 | 15,910 | 23,910 | 24,453 |
| Mississippi..... | 14,700 | 9,360 | 10,140 | 13,060 | 10,340 | 14,540 | 18,840 | 26,900 | 35,340 | 26,707 |
| Louisiana..... | 2,760 | 3,080 | 3,290 | 3,640 | 3,720 | 4,830 | 9,740 | 18,080 | 16,650 | 9,156 |
| Texas..... | 31,050 | 30,670 | 37,120 | 36,160 | 31,260 | 42,070 | 75,940 | 89,290 | 74,670 | 68,317 |
| Arkansas..... | 8,800 | 6,980 | 7,040 | 9,280 | 7,670 | 12,380 | 25,330 | 28,420 | 28,240 | 23,833 |
| Tennessee..... | 3,820 | 3,620 | 2,820 | 4,140 | 3,120 | 4,730 | 8,770 | 7,090 | 9,440 | 8,411 |
| Missouri..... | 660 | 980 | 550 | 640 | 790 | 660 | 1,460 | 1,730 | 1,760 | 1,992 |
| Oklahoma..... | 8,610 | 7,260 | 7,960 | 7,650 | 8,190 | 8,720 | 18,970 | 26,310 | 15,920 | 24,531 |
| All other..... | 130 | 140 | 100 | 310 | 500 | 540 | 940 | 2,180 | 3,160 | 5,656 |
| United States..... | 133,810 | 119,800 | 117,330 | 141,360 | 128,960 | 167,900 | 259,070 | 333,560 | 349,490 | 336,751 |

TABLE 135.—Cottonseed: Farm price per ton on 15th of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Jan. 15..... | \$64.93 | \$67.51 | \$52.53 | \$36.85 | \$19.14 | \$22.70 | \$21.98 | \$16.57 | \$26.35 | |
| Feb. 15..... | 64.65 | 66.95 | 51.43 | 36.75 | 23.33 | 23.37 | 22.01 | 16.81 | 25.61 | |
| Mar. 15..... | 64.00 | 68.27 | 53.18 | 36.56 | 22.32 | 23.60 | 21.55 | 18.21 | 25.49 | |
| Apr. 15..... | 64.28 | 68.08 | 55.94 | 38.13 | 22.69 | 24.17 | 21.89 | 18.62 | 26.12 | |
| May 15..... | 63.83 | 68.16 | 55.61 | 37.91 | 22.07 | 23.56 | 21.88 | 19.21 | 25.46 | |
| June 15..... | 63.80 | 66.03 | 57.19 | 35.79 | 20.82 | 23.62 | 21.54 | 19.24 | 23.38 | |
| July 15..... | 64.24 | 64.11 | 56.90 | 36.06 | 20.05 | 22.78 | 21.37 | 19.04 | 22.70 | |
| Aug. 15..... | 66.23 | 61.34 | 56.61 | 35.22 | 20.14 | 20.16 | 20.24 | 18.02 | 20.45 | |
| Sept. 15..... | 62.13 | 67.90 | 57.58 | 41.13 | 20.98 | 13.88 | 21.07 | 17.61 | 18.09 | \$26.23 |
| Oct. 15..... | 65.96 | 65.85 | 65.02 | 47.19 | 33.73 | 15.28 | 22.01 | 18.04 | 16.73 | 28.80 |
| Nov. 15..... | 72.65 | 64.97 | 69.38 | 55.82 | 34.01 | 14.01 | 22.46 | 18.57 | 16.69 | 25.36 |
| Dec. 15..... | 69.07 | 65.05 | 68.29 | 56.35 | 35.54 | 17.73 | 23.48 | 21.42 | 16.70 | 25.65 |

COTTONSEED OIL.

TABLE 136.—Cottonseed oil: International trade, calendar years 1909-1913, 1917, 1918.

[See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average 1909-1913. | 1917 (prelim.). | 1918 (prelim.). | Country. | Average 1909-1913. | 1917 (prelim.). | 1918 (prelim.). |
|------------------|--------------------|-----------------|-----------------|----------------------|--------------------|-----------------|-----------------|
| From— | Gallons. | Gallons. | Gallons. | From— | Gallons. | Gallons. | Gallons. |
| Belgium..... | 1,086 | | | United Kingdom..... | 7,189 | 619 | 15 |
| China..... | 281 | 1,388 | 2,369 | United States..... | 38,968 | 16,627 | 15,876 |
| Egypt..... | 476 | 648 | 127 | Other countries..... | 44 | | |
| France..... | 335 | 16 | 6 | Total..... | 48,431 | | |
| Netherlands..... | 52 | | | | | | |

IMPORTS.

| Into— | | | Into— | | |
|----------------------|-------|------------------|----------------------|--------|-------|
| Algeria..... | 364 | | Mexico..... | 3,607 | |
| Australia..... | 142 | 119 | Netherlands..... | 5,352 | |
| Austria-Hungary..... | 39 | | Norway..... | 1,504 | 3,638 |
| Belgium..... | 2,251 | | Roumania..... | 633 | |
| Brazil..... | 624 | 47 | Senegal..... | 422 | |
| Canada..... | 2,817 | 5,246 | Serbia..... | 336 | |
| Egypt..... | 257 | (¹) | Sweden..... | 696 | |
| France..... | 3,289 | 1,999 | United Kingdom..... | 5,899 | 2,564 |
| Germany..... | 6,918 | | Other countries..... | 4,191 | 5,727 |
| Italy..... | 4,600 | 71 | Total..... | 44,498 | |
| Malta..... | 265 | | | | |
| Martinique..... | 292 | | | | |

¹ Year beginning Apr. 1.

² Less than 500 gallons. by Google

TOBACCO.

TABLE 137.—Tobacco: Area and production in undermentioned countries, 1909–1913.
[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|------------------------|--|------------------|------------------|------------------|--|----------------------|----------------------|----------------------|
| | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 |
| NORTH AMERICA. | | | | | | | | |
| United States | Acres. 1,148 | Acres. 1,413 | Acres. 1,518 | Acres. 1,549 | Pounds. 996,176 | Pounds. 1,153,278 | Pounds. 1,249,008 | Pounds. 1,340,019 |
| Porto Rico | 18 | 13 | (²) | (²) | 12,700 | * 9,409 | * 17,114 | |
| Canada: | | | | | | | | |
| Quebec | 10 | 3 | 5 | (²) | 6,262 | 3,000 | 5,000 | (²) |
| Ontario | 4 | 3 | 3 | (²) | 8,372 | 2,943 | 3,495 | (²) |
| Total | 14 | 6 | 8 | | 14,634 | 5,943 | 8,495 | |
| Costa Rica | (²) | 3 | (²) | (²) | (²) | 900 | (²) | (²) |
| Cuba | (²) | (²) | (²) | (²) | 57,490 | (²) | (²) | (²) |
| Dominican Republic | (²) | (²) | (²) | (²) | 29,200 | 17,250 | 28,756 | * 35,000 |
| Guatemala | (²) | (²) | (²) | (²) | 674 | 862 | (²) | (²) |
| Jamaica | 1 | 1 | 1 | (²) | 418 | (²) | (²) | (²) |
| Mexico | (²) | (²) | (²) | (²) | 34,711 | (²) | (²) | * 27,638 |
| SOUTH AMERICA. | | | | | | | | |
| Argentina | 24 | 18 | (²) | (²) | 28,568 | (²) | (²) | (²) |
| Brazil | (²) | (²) | (²) | (²) | 59,991 | * 47,636 | * 56,780 | (²) |
| Chile | 2 | (²) | (²) | (²) | 3,377 | (²) | (²) | (²) |
| Uruguay | 3 | 1 | 1 | (²) | 2,371 | 884 | 558 | (²) |
| Paraguay | (²) | (²) | (²) | (²) | 13,000 | 20,000 | (²) | (²) |
| EUROPE. | | | | | | | | |
| Austria | 0 | (²) | (²) | (²) | 14,160 | (²) | (²) | (²) |
| Hungary | 120 | (²) | (²) | (²) | 143,123 | (²) | (²) | (²) |
| Croatia-Slavonia | (²) | (²) | (²) | (²) | 107 | (²) | (²) | (²) |
| Bosnia-Herzegovina | (²) | (²) | (²) | (²) | 9,833 | (²) | (²) | (²) |
| Belgium | 10 | (²) | (²) | (²) | 20,741 | (²) | (²) | (²) |
| Bulgaria | 24 | (²) | (²) | (²) | 15,220 | (²) | (²) | (²) |
| Denmark | 1 | (²) | 1 | (²) | 219 | 438 | 803 | (²) |
| France | 39 | 22 | 14 | 11 | 45,272 | 32,280 | 17,142 | (²) |
| Germany | 39 | 31 | (²) | (²) | 66,536 | (²) | (²) | (²) |
| Greece | (²) | (²) | (²) | (²) | (²) | * 102,276 | * 102,276 | * 102,276 |
| Italy | 19 | 17 | 16 | 17 | 22,120 | 19,841 | (²) | 19,841 |
| Netherlands | 1 | 1 | 1 | 1 | 1,829 | (²) | (²) | (²) |
| Roumania | * 25 | * 24 | (²) | * 31 | * 16,426 | (²) | (²) | * 13,481 |
| Russia proper | 108 | (²) | (²) | (²) | 177,107 | (²) | (²) | (²) |
| Poland | (²) | (²) | (²) | (²) | (²) | (²) | (²) | (²) |
| Northern Caucasus | 64 | (²) | (²) | (²) | 55,842 | (²) | (²) | (²) |
| Serbia | 5 | (²) | (²) | (²) | 3,988 | (²) | (²) | (²) |
| Sweden | 1 | (²) | (²) | 1 | 1,657 | 1,627 | (²) | 1,360 |
| Switzerland | 1 | 1 | 1 | 1 | 1,444 | 838 | 832 | (²) |
| ASIA. | | | | | | | | |
| British India | 1,026 | 1,027 | 1,031 | 1,015 | 450,000 | (²) | (²) | (²) |
| British North Borneo | (²) | (²) | (²) | (²) | 2,891 | (²) | (²) | (²) |
| Ceylon | 14 | (²) | (²) | (²) | 4,273 | 2,752 | (²) | (²) |
| Dutch East Indies: | | | | | | | | |
| Java and Madura | 432 | (²) | (²) | (²) | 117,180 | (²) | (²) | (²) |
| Sumatra, East Coast of | (²) | (²) | (²) | (²) | 46,699 | (²) | (²) | (²) |
| Japanese Empire: | | | | | | | | |
| Japan | 72 | 71 | 65 | 64 | 93,717 | 105,642 | 91,766 | 83,544 |
| Korea | 46 | 32 | (²) | (²) | 29,737 | 28,847 | (²) | (²) |
| Formosa | 1 | 3 | (²) | (²) | 1,120 | 3,737 | (²) | (²) |
| Philippine Islands | 155 | 146 | 153 | (²) | 63,907 | 90,695 | 107,868 | (²) |
| Russia, Asiatic | 37 | (²) | (²) | (²) | 30,939 | (²) | (²) | (²) |
| AFRICA. | | | | | | | | |
| Algeria | 21 | (²) | 25 | 27 | 23,974 | (²) | 36,155 | 52,910 |
| Tunis | (²) | (²) | (²) | 1 | 259 | (²) | (²) | 484 |
| Nyasaland | 7 | 9 | 7 | (²) | 2,416 | * 3,706 | * 4,304 | (²) |
| Rhodesia | 5 | (²) | (²) | (²) | 901 | (²) | (²) | (²) |
| Union of South Africa | 19 | (²) | 10 | (²) | 13,789 | (²) | 7,000 | (²) |
| OCEANIA. | | | | | | | | |
| Australia | 2 | 2 | 1 | (²) | 1,837 | 1,302 | (²) | (²) |
| Fiji | (²) | (²) | (²) | (²) | 42 | (²) | (²) | (²) |

¹ Five-year average except where statistics were not available.² No official statistics.³ Exports fiscal year beginning July 1.⁴ Unofficial.⁵ Exports.⁶ Old boundaries.⁷ Less than 500.⁸ Including Bessarabia but excluding Dobruja.

TOBACCO—Continued.

TABLE 138.—Tobacco: Total production of countries for which estimates were available, 1900–1915.

| Year. | Production. | Year. | Production. | Year. | Production. | Year. | Production. |
|-----------|----------------|-----------|----------------|-----------|----------------|-----------|----------------|
| | <i>Pounds.</i> | | <i>Pounds.</i> | | <i>Pounds.</i> | | <i>Pounds.</i> |
| 1900..... | 2,201,188,000 | 1904..... | 2,146,641,000 | 1908..... | 2,382,601,000 | 1912..... | 1,274,319,000 |
| 1901..... | 2,270,213,000 | 1905..... | 2,279,728,000 | 1909..... | 2,742,500,000 | 1913..... | 2,149,258,000 |
| 1902..... | 2,370,054,000 | 1906..... | 2,270,208,000 | 1910..... | 2,833,729,000 | 1914..... | 2,254,687,000 |
| 1903..... | 2,401,268,000 | 1907..... | 2,391,061,000 | 1911..... | 2,566,202,000 | 1915..... | 2,153,395,000 |

TABLE 139.—Tobacco: Acreage, production, value, condition, etc., in the United States, 1849–1919.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

| Year. | Acreage ('000 omit- ted). | Average yield per acre. | Production ('000 omit- ted). | Average farm price per pound Dec. 1. | Farm value Dec. 1 ('000 omit- ted). | Domestic exports of unmanu- factured, fiscal year beginning July 1. | Imports of un- manu- factured, fiscal year beginning July 1. | Condition of growing crop. | | | |
|-------------------------|------------------------------------|----------------------------------|---------------------------------------|---|--|---|--|-------------------------------|---------------|---------------|-------------------------|
| | | | | | | | | July 1. | Aug. 1. | Sept. 1. | When har- vested. |
| | <i>Acres.</i> | <i>Lbs.</i> | <i>Pounds.</i> | <i>Cts.</i> | <i>Dolls.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> |
| 1849..... | 776 | 815.6 | 633,034 | 8.5 | 53,519 | 312,227,202 | 41,125,970 | 87.4 | 84.1 | 85.1 | 85.8 |
| 1859..... | 796 | 857.2 | 682,429 | 10.0 | 68,233 | 340,742,864 | 40,898,807 | 86.7 | 87.2 | 86.2 | 84.6 |
| 1869..... | 821 | 850.5 | 698,126 | 10.2 | 71,411 | 330,812,658 | 35,005,131 | 81.3 | 82.8 | 82.5 | 84.8 |
| 1879..... | 839 | 739.7 | 618,061 | 10.3 | 74,130 | 287,900,946 | 43,123,196 | 86.6 | 85.8 | 84.3 | 84.1 |
| 1889..... | 695 | 702.5 | 488,257 | | | | | | | | |
| 1899..... | 1,101 | 788.5 | 868,113 | 7.2 | 62,104 | | | | | | |
| 1900..... | 1,046 | 778.0 | 814,345 | 6.6 | 53,661 | 315,787,782 | 26,851,253 | 88.5 | 82.9 | 77.5 | 76.1 |
| 1901..... | 1,039 | 788.0 | 818,953 | 7.1 | 58,283 | 301,007,365 | 29,428,837 | 86.5 | 72.1 | 78.2 | 81.5 |
| 1902..... | 1,031 | 797.3 | 821,824 | 7.0 | 57,564 | 368,184,084 | 34,010,956 | 85.6 | 81.2 | 81.5 | 84.1 |
| 1903..... | 1,038 | 786.3 | 815,972 | 6.8 | 55,515 | 311,971,831 | 31,162,676 | 85.1 | 82.9 | 83.4 | 82.3 |
| 1904..... | 806 | 819.0 | 660,461 | 8.1 | 53,383 | 334,302,091 | 33,288,378 | 85.3 | 83.9 | 83.7 | 85.6 |
| 1905..... | 776 | 815.6 | 633,034 | 8.5 | 53,519 | 312,227,202 | 41,125,970 | 87.4 | 84.1 | 85.1 | 85.8 |
| 1906..... | 796 | 857.2 | 682,429 | 10.0 | 68,233 | 340,742,864 | 40,898,807 | 86.7 | 87.2 | 86.2 | 84.6 |
| 1907..... | 821 | 850.5 | 698,126 | 10.2 | 71,411 | 330,812,658 | 35,005,131 | 81.3 | 82.8 | 82.5 | 84.8 |
| 1908..... | 875 | 820.2 | 718,061 | 10.3 | 74,130 | 287,900,946 | 43,123,196 | 86.6 | 85.8 | 84.3 | 84.1 |
| 1909..... | 1,180 | 804.3 | 949,357 | | | | | | | | |
| 1909..... | 1,496 | 816.3 | 1,065,765 | 10.1 | 106,599 | 357,196,074 | 46,853,399 | 89.8 | 83.4 | 80.2 | 81.3 |
| 1910 ¹ | 1,366 | 807.7 | 1,103,415 | 9.3 | 102,142 | 355,327,072 | 48,203,288 | 85.3 | 78.5 | 77.7 | 80.2 |
| 1911..... | 1,013 | 893.7 | 905,109 | 9.4 | 85,210 | 379,845,320 | 54,740,380 | 72.6 | 68.0 | 71.1 | 80.5 |
| 1912..... | 1,226 | 785.5 | 962,855 | 10.8 | 104,063 | 418,796,906 | 67,977,118 | 87.7 | 82.8 | 81.1 | 81.8 |
| 1913..... | 1,216 | 784.3 | 953,734 | 12.8 | 122,481 | 449,749,982 | 61,174,751 | 82.8 | 78.3 | 74.5 | 76.6 |
| 1914..... | 1,224 | 845.7 | 1,034,679 | 9.8 | 101,411 | 348,846,091 | 45,764,728 | 66.0 | 66.5 | 71.4 | 81.8 |
| 1915..... | 1,370 | 775.4 | 1,062,237 | 9.1 | 96,281 | 443,283,156 | 48,013,335 | 85.5 | 79.7 | 80.7 | 81.9 |
| 1916..... | 1,413 | 816.0 | 1,157,278 | 14.7 | 169,672 | 411,598,800 | 46,136,347 | 87.6 | 84.4 | 85.5 | 85.6 |
| 1917..... | 1,518 | 823.1 | 1,249,276 | 24.0 | 300,449 | 289,170,686 | 79,367,563 | 86.8 | 88.1 | 84.5 | 87.8 |
| 1918..... | 1,647 | 873.7 | 1,439,071 | 28.0 | 402,264 | 629,519,583 | 83,951,103 | 83.1 | 83.6 | 82.4 | 87.4 |
| 1919..... | 1,901 | 730.8 | 1,389,468 | 39.0 | 542,547 | | | 83.6 | 75.1 | 71.8 | 73.6 |

¹ Figures adjusted to census basis.

TABLE 140.—Tobacco: Acreage, production, and total farm value, by States, 1919.

| State. | Acreage. | Production. | Farm value Dec. 1. | State. | Acreage. | Production. | Farm value Dec. 1. |
|--------------------|---------------|----------------|-----------------------|----------------|---------------|----------------|-----------------------|
| | <i>Acres.</i> | <i>Pounds.</i> | <i>Dollars.</i> | | <i>Acres.</i> | <i>Pounds.</i> | <i>Dollars.</i> |
| Massachusetts..... | 10,000 | 15,400,000 | 7,130,000 | Ohio..... | 90,000 | 77,400,000 | 26,084,000 |
| Connecticut..... | 25,000 | 39,000,000 | 18,057,000 | Indiana..... | 17,900 | 15,215,000 | 5,356,000 |
| New York..... | 2,700 | 3,483,000 | 784,000 | Illinois..... | 700 | 525,000 | 105,000 |
| | | | | Wisconsin..... | 48,000 | 60,980,000 | 13,533,000 |
| Pennsylvania..... | 41,000 | 54,120,000 | 9,200,000 | Missouri..... | 3,500 | 3,500,000 | 1,260,000 |
| Maryland..... | 29,000 | 19,575,000 | 5,872,000 | | | | |
| Virginia..... | 230,000 | 131,100,000 | 62,141,000 | Kentucky..... | 550,000 | 459,500,000 | 174,383,000 |
| West Virginia..... | 15,000 | 10,500,000 | 5,250,000 | Tennessee..... | 110,000 | 88,000,000 | 22,088,000 |
| | | | | Alabama..... | 3,000 | 1,890,000 | 567,000 |
| N. Carolina..... | 554,000 | 310,240,000 | 166,289,000 | Louisiana..... | 400 | 174,000 | 113,000 |
| S. Carolina..... | 135,000 | 81,000,000 | 18,468,000 | Arkansas..... | 800 | 456,000 | 160,000 |
| Georgia..... | 31,000 | 16,430,000 | 3,532,000 | | | | |
| Florida..... | 4,200 | 3,990,000 | 2,175,000 | U. S..... | 1,901,200 | 1,389,468,000 | 542,547,000 |

TABLE 141.—*Tobacco: Yield per acre, price per pound Dec. 1, and value per acre, by States.*

| State. | Yield per acre (pounds). | | | | | | | | | | Farm price per pound (cents). | | | | | Value per acre (dollars). ¹ | | |
|---------------------|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------------------------------|----------------------------|------|------|------|--|------|---------------------------|
| | 10-year average 1910-1919. | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 10-year average 1910-1919. | 1915 | 1916 | 1917 | 1918 | 1919 | 5-year average 1914-1918. |
| | | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | | | | | | | |
| Massachusetts..... | 1,558 | 1,730 | 1,650 | 1,700 | 1,550 | 1,750 | 1,100 | 1,660 | 1,400 | 1,500 | 1,540 | 96.2 | 14.5 | 25.0 | 38.4 | 40.0 | 46.3 | 404.37 |
| Connecticut..... | 1,584 | 1,730 | 1,625 | 1,700 | 1,550 | 1,770 | 1,350 | 1,650 | 1,400 | 1,500 | 1,560 | 97.3 | 17.0 | 27.0 | 38.4 | 44.0 | 46.3 | 405.03 |
| New York..... | 1,242 | 1,340 | 1,340 | 1,400 | 1,200 | 1,300 | 1,200 | 1,300 | 1,200 | 1,300 | 1,300 | 14.1 | 8.5 | 13.0 | 22.0 | 18.0 | 22.5 | 183.08 |
| Pennsylvania..... | 1,287 | 1,300 | 1,320 | 1,450 | 1,200 | 1,430 | 1,350 | 1,300 | 1,200 | 1,300 | 1,320 | 11.9 | 9.2 | 14.2 | 21.0 | 14.0 | 17.0 | 180.51 |
| Maryland..... | 743 | 690 | 735 | 660 | 740 | 800 | 740 | 770 | 730 | 830 | 675 | 14.5 | 8.5 | 15.0 | 20.0 | 30.0 | 30.0 | 131.42 |
| Virginia..... | 707 | 780 | 800 | 600 | 770 | 650 | 750 | 680 | 700 | 770 | 570 | 17.8 | 9.4 | 14.6 | 28.5 | 27.0 | 47.4 | 124.24 |
| West Virginia..... | 764 | 640 | 760 | 760 | 680 | 820 | 870 | 900 | 800 | 720 | 700 | 18.0 | 10.0 | 15.0 | 26.0 | 36.6 | 50.0 | 156.74 |
| North Carolina..... | 652 | 600 | 710 | 660 | 670 | 660 | 640 | 650 | 630 | 705 | 560 | 22.0 | 11.2 | 20.0 | 31.5 | 35.1 | 53.6 | 140.02 |
| South Carolina..... | 675 | 630 | 810 | 700 | 760 | 730 | 850 | 620 | 710 | 720 | 600 | 15.4 | 7.0 | 14.0 | 23.1 | 31.1 | 22.5 | 114.43 |
| Georgia..... | 880 | 680 | 940 | 850 | 1,000 | 1,000 | 880 | 1,180 | 1,000 | 960 | 960 | 30.8 | 23.0 | 27.0 | 57.0 | 46.0 | 21.5 | 341.68 |
| Florida..... | 939 | 680 | 940 | 840 | 1,000 | 1,000 | 910 | 1,210 | 1,100 | 960 | 960 | 35.2 | 23.0 | 30.0 | 57.0 | 46.0 | 54.5 | 388.18 |
| Ohio..... | 896 | 810 | 925 | 920 | 750 | 900 | 900 | 860 | 960 | 860 | 860 | 14.6 | 9.0 | 13.0 | 26.0 | 19.5 | 33.7 | 142.96 |
| Indiana..... | 874 | 840 | 910 | 800 | 750 | 900 | 840 | 930 | 930 | 830 | 850 | 14.2 | 7.3 | 13.0 | 20.0 | 20.7 | 36.2 | 129.15 |
| Illinois..... | 769 | 730 | 760 | 760 | 780 | 760 | 830 | 760 | 760 | 750 | 750 | 12.5 | 9.0 | 10.0 | 19.0 | 17.0 | 20.0 | 105.26 |
| Wisconsin..... | 1,172 | 1,060 | 1,250 | 1,290 | 1,180 | 1,180 | 900 | 1,270 | 1,000 | 1,330 | 1,270 | 13.2 | 6.0 | 12.5 | 17.5 | 22.0 | 22.2 | 162.03 |
| Missouri..... | 939 | 1,050 | 800 | 1,000 | 650 | 1,200 | 900 | 950 | 940 | 900 | 1,000 | 17.1 | 12.0 | 15.0 | 31.2 | 25.0 | 36.0 | 166.16 |
| Kentucky..... | 854 | 810 | 880 | 780 | 750 | 810 | 710 | 900 | 900 | 950 | 830 | 14.8 | 7.8 | 12.7 | 20.0 | 26.3 | 36.2 | 137.28 |
| Tennessee..... | 773 | 760 | 810 | 660 | 720 | 820 | 750 | 800 | 810 | 890 | 800 | 12.0 | 6.3 | 10.1 | 17.0 | 21.4 | 25.1 | 99.69 |
| Alabama..... | 621 | 500 | 700 | 750 | 700 | 700 | 500 | 300 | 730 | 700 | 630 | 28.0 | 22.0 | 40.0 | 35.0 | 30.0 | 30.0 | 172.30 |
| Louisiana..... | 422 | 550 | 450 | 300 | 450 | 440 | 420 | 450 | 350 | 420 | 434 | 36.9 | 30.0 | 36.0 | 85.0 | 65.0 | 65.0 | 157.30 |
| Arkansas..... | 623 | 650 | 600 | 650 | 650 | 610 | 630 | 500 | 700 | 700 | 570 | 20.1 | 17.0 | 30.0 | 23.2 | 25.0 | 35.0 | 126.84 |
| United States..... | 813.6 | 807.7 | 893.7 | 785.5 | 784.3 | 845.7 | 775.4 | 816.0 | 823.1 | 873.7 | 730.8 | 16.7 | 9.1 | 14.7 | 24.0 | 28.0 | 39.0 | 149.08 |

¹ Based upon farm price Dec. 1.

TOBACCO—Continued.

TABLE 142.—Tobacco: Acreage, production, and farm value, by types and districts, 1918 and 1919.

| Type and district. | Acreage (thousands of acres). | | Yield per acre (pounds). | | Production (thousands of pounds). | | Average farm price per pound Dec. 1 (cents). | | Total farm value (thou- sands of dollars). ¹ | |
|---|-------------------------------------|---------|--------------------------------|-------|---|-----------|---|------|--|---------|
| | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 |
| I. CIGAR TYPES. | | | | | | | | | | |
| New England..... | 35.0 | 35.0 | 1,554 | 1,500 | 54,400 | 52,500 | 46.3 | 42.9 | 25,187 | 22,500 |
| New York..... | 3.7 | 3.0 | 1,299 | 1,250 | 3,483 | 3,750 | 22.5 | 18.0 | 784 | 675 |
| Pennsylvania..... | 41.0 | 45.0 | 1,320 | 1,420 | 54,120 | 64,752 | 17.0 | 14.0 | 9,200 | 9,065 |
| Ohio-Miami Valley..... | 40.0 | 53.0 | 1,000 | 1,000 | 40,000 | 53,000 | 15.0 | 12.0 | 6,000 | 6,360 |
| Wisconsin..... | 48.0 | 49.0 | 1,270 | 1,330 | 60,960 | 65,170 | 22.2 | 22.0 | 13,533 | 14,337 |
| Georgia and Florida..... | 6.2 | 6.1 | 950 | 945 | 5,890 | 5,764 | 54.5 | 50.0 | 3,210 | 2,886 |
| Total cigar types... | 172.9 | 191.7 | 1,265 | 1,278 | 218,853 | 244,936 | 21.9 | 22.1 | 57,914 | 55,823 |
| II. CHEWING, SMOKING, SNUFF, AND EXPORT TYPES. | | | | | | | | | | |
| Burley..... | 313.0 | 300.0 | 840 | 1,040 | 262,920 | 312,000 | 55.8 | 32.6 | 146,000 | 101,712 |
| Paducah..... | 137.8 | 95.0 | 800 | 800 | 110,240 | 76,000 | 24.0 | 21.0 | 26,458 | 15,960 |
| Henderson..... | 106.5 | 91.4 | 820 | 930 | 87,330 | 85,002 | 20.0 | 15.0 | 17,400 | 12,750 |
| One-sticker..... | 47.5 | 50.0 | 780 | 900 | 37,050 | 45,000 | 16.2 | 14.4 | 6,132 | 6,480 |
| Clarksville and Hopkins- ville..... | 125.0 | 100.0 | 800 | 770 | 100,800 | 77,000 | 25.8 | 22.6 | 26,006 | 17,402 |
| Virginia sun-cured..... | 13.0 | 14.0 | 640 | 850 | 8,320 | 11,900 | 27.3 | 20.5 | 2,271 | 2,440 |
| Virginia dark..... | 70.0 | 70.0 | 680 | 860 | 47,600 | 60,200 | 30.0 | 17.7 | 14,280 | 10,655 |
| Old Bright..... | 365.0 | 330.0 | 510 | 710 | 201,450 | 227,200 | 56.6 | 34.4 | 114,020 | 75,885 |
| New Bright..... | 463.0 | 366.0 | 600 | 710 | 277,800 | 259,800 | 42.5 | 35.0 | 118,065 | 90,951 |
| Maryland and eastern Ohio export..... | 33.5 | 38.0 | 720 | 800 | 24,120 | 32,680 | 28.5 | 30.0 | 6,874 | 9,804 |
| Louisiana Perique..... | .4 | .3 | 434 | 420 | 174 | 126 | 65.0 | 65.0 | 113 | 82 |
| Total chewing, smoking, snuff, and export types..... | 1,708.7 | 1,444.7 | 679 | 822 | 1,187,804 | 1,186,968 | 41.3 | 20.6 | 478,294 | 344,121 |
| All other..... | 22.6 | 10.7 | 566 | 670 | 12,801 | 7,167 | 41.7 | 32.2 | 6,353 | 2,320 |
| Total..... | 1,901.2 | 1,647.1 | 703.8 | 897.5 | 1,389,458 | 1,430,071 | 39.0 | 27.9 | 542,547 | 462,264 |

¹ Based upon farm price Dec. 1.

TABLE 143.—Tobacco: Price per pound, 1913-1919.

| Date. | Hopkinsville. | | | Louisville. | | | Clarksburg. | | | Richmond. | | | Baltimore. | | |
|--------------------|---|-------|----------|--|-------|----------|------------------------------------|-------|----------|--------------------------------|--------|----------|----------------------------------|-------|----------|
| | Leaf, plug, stock, common to good red. ¹ | | | Leaf (burley, dark red), common to good. | | | Leaf, common to fine. ² | | | Leaf, smokers, common to fine. | | | Leaf (Maryland), medium to fine. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | | | | | | | | | | | | | | | |
| January-June..... | 5.50 | 13.75 | | 7.00 | 14.00 | | 9.00 | 14.00 | | 6.00 | 16.00 | | 8.50 | 15.00 | |
| July-December..... | 5.50 | 13.75 | | 8.75 | 14.00 | | 8.50 | 15.00 | | 7.00 | 16.00 | | 8.50 | 15.00 | |
| 1914. | | | | | | | | | | | | | | | |
| January-June..... | 5.50 | 14.00 | | 8.00 | 14.00 | | 9.50 | 16.00 | | 7.00 | 20.00 | | 8.50 | 15.00 | |
| July-December..... | 5.50 | 13.00 | | 7.50 | 14.00 | | 7.50 | 16.00 | | 7.00 | 20.00 | | 8.00 | 15.00 | |
| 1915. | | | | | | | | | | | | | | | |
| January-June..... | 6.00 | 13.00 | | 4.00 | 12.50 | | 6.00 | 13.00 | | 7.00 | 20.00 | | 8.00 | 13.00 | |
| July-December..... | 5.00 | 13.00 | | 5.50 | 10.00 | | 6.00 | 13.00 | | 7.00 | 20.00 | | 8.00 | 14.00 | |
| 1916. | | | | | | | | | | | | | | | |
| January-June..... | 5.00 | 16.00 | | 5.00 | 14.00 | | 4.50 | 13.00 | | 7.00 | 23.00 | | 9.00 | 16.00 | |
| July-December..... | 7.50 | 17.00 | | 7.50 | 14.50 | | 4.50 | 12.00 | | 9.00 | 18.00 | | 11.00 | 21.00 | |
| 1917. | | | | | | | | | | | | | | | |
| January-June..... | 15.00 | 21.00 | | 10.00 | 19.00 | | 8.00 | 14.50 | | 9.00 | 27.00 | | 17.00 | 24.00 | |
| July-December..... | 15.00 | 28.00 | | 10.50 | 20.50 | | 6.00 | 15.00 | | 12.00 | 27.00 | | 19.00 | 28.00 | |
| 1918. | | | | | | | | | | | | | | | |
| January..... | 22.00 | 40.00 | 28.25 | 14.00 | 23.50 | 18.10 | | | | *21.00 | *30.00 | *24.97 | 22.00 | 39.00 | 27.10 |
| July-December..... | 22.00 | 40.00 | 31.00 | 14.50 | 25.00 | 19.96 | | | | 16.00 | 45.00 | 32.50 | 33.00 | 49.00 | 40.03 |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 32.00 | 50.00 | 43.00 | 15.00 | 35.00 | 23.75 | 10.00 | 30.00 | 17.31 | 16.00 | 45.00 | 30.50 | 33.00 | 40.00 | 36.50 |
| February..... | 32.00 | 50.00 | 43.00 | 17.00 | 34.50 | 25.84 | 10.00 | 31.00 | 20.50 | 16.00 | 45.00 | 30.50 | 33.00 | 40.00 | 36.50 |
| March..... | 32.00 | 50.00 | 43.00 | 18.00 | 36.50 | 26.12 | 10.00 | 35.00 | 28.28 | 16.00 | 45.00 | 30.50 | 33.00 | 40.00 | 36.50 |
| April..... | 32.00 | 50.00 | 43.00 | 18.00 | 30.00 | 23.94 | 10.00 | 29.50 | 19.31 | 15.00 | 45.00 | 30.50 | 33.00 | 40.00 | 36.50 |
| May..... | | | | 18.00 | 29.50 | 23.19 | 10.00 | 24.50 | 16.56 | 15.00 | 37.00 | 26.00 | 31.00 | 40.00 | 35.50 |
| June..... | | | | | (*) | | | (*) | | 15.00 | 37.00 | 26.00 | 31.00 | 38.00 | 34.50 |
| January-June..... | 32.00 | 50.00 | 43.00 | 15.00 | 36.50 | 24.57 | 10.00 | 35.00 | 20.59 | 15.00 | 45.00 | 28.62 | 31.00 | 40.00 | 36.00 |
| July..... | 15.00 | 45.00 | 26.00 | (*) | (*) | | | | | 15.00 | 37.00 | 26.00 | 26.00 | 38.00 | 32.00 |
| August..... | 15.00 | 45.00 | 26.00 | (*) | (*) | | | | | 15.00 | 37.00 | 26.00 | 35.00 | 42.50 | 37.00 |
| September..... | 15.00 | 45.00 | 26.00 | (*) | (*) | | | | | 15.00 | 37.00 | 26.00 | 36.00 | 46.00 | 40.62 |
| October..... | 15.00 | 45.00 | 26.00 | (*) | (*) | | | | | 15.00 | 37.00 | 26.00 | 31.00 | 48.00 | 39.50 |
| November..... | 15.00 | 45.00 | 26.00 | (*) | (*) | | | | | 15.00 | 37.00 | 26.00 | 31.00 | 50.00 | 39.50 |
| December..... | 15.00 | 45.00 | 26.00 | 12.14 | 28.25 | 19.23 | | | | 15.00 | 37.00 | 26.00 | 31.00 | 53.00 | 42.00 |
| July-December..... | 15.00 | 45.00 | 26.00 | 12.14 | 28.25 | 19.23 | | | | 15.00 | 37.00 | 26.00 | 26.00 | 53.00 | 38.44 |

¹ Burley, dark and bright red, common to good, February to December, 1917, inclusive and all of 1918 and 1919. ² No grade given, five month average. ³ Market closed. ⁴ No quotations for 1918.

TOBACCO—Continued.

TABLE 144.—*Tobacco (unmanufactured): International trade, calendar years 1909–1913, 1917, 1918.*

[Tobacco comprises leaf, stems, strippings, and tobacc, but not snuff. See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). | Country. | Average 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). |
|-------------------------|-----------------------|-------------------------|-------------------------|---------------------------|-----------------------|-------------------------|-------------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Aden ¹ | 7,739 | | | Mexico..... | 1,845 | | |
| Algeria..... | 11,681 | 4,700 | 14,835 | Netherlands..... | 3,786 | | |
| Austria-Hungary..... | 23,182 | | | Paraguay..... | 11,361 | | |
| Brazil..... | 59,991 | 56,789 | 65,598 | Persia ¹ | 3,874 | | |
| British India..... | 28,874 | 28,488 | 28,514 | Philippine Islands..... | 26,018 | 15,134 | 56,705 |
| Bulgaria..... | 4,310 | | | Russia..... | 23,283 | | |
| Ceylon..... | 4,063 | 3,463 | 4,754 | United States..... | 381,127 | 251,663 | 406,827 |
| Cuba..... | 38,035 | 28,329 | 27,351 | Other countries..... | 94,995 | | |
| Dominican Republic..... | 22,395 | 19,294 | 33,510 | | | | |
| Dutch East Indies..... | 163,823 | 28,344 | | Total..... | 928,535 | | |
| Greece..... | 18,113 | 28,199 | | | | | |

IMPORTS.

| <i>Into—</i> | | | | <i>Into—</i> | | | |
|-------------------------|---------|--------|---------|----------------------|---------|--------|---------|
| Aden ¹ | 11,619 | | | Italy..... | 47,732 | 55,019 | 42,150 |
| Argentina..... | 14,988 | 27,378 | 12,454 | Netherlands..... | 57,218 | | |
| Australia..... | 13,740 | 5,707 | | Norway..... | 3,994 | 5,021 | |
| Austria-Hungary..... | 49,984 | | | Portugal..... | 6,565 | | |
| Belgium..... | 22,094 | | | Nigeria..... | 6,050 | | |
| British India..... | 6,538 | 8,129 | 5,775 | Spain..... | 51,026 | 41,342 | 49,807 |
| Canada..... | 17,891 | 18,570 | 22,870 | Sweden..... | 9,772 | 10,514 | |
| China..... | 15,113 | 20,524 | 24,145 | Switzerland..... | 17,949 | 17,551 | 18,866 |
| Denmark..... | 8,774 | 6,077 | 3,621 | United Kingdom..... | 117,956 | 44,359 | 171,428 |
| Egypt..... | 19,005 | 14,274 | 15,027 | United States..... | 52,768 | 57,960 | 88,514 |
| Finland..... | 9,597 | | | Other countries..... | 51,366 | | |
| France..... | 63,914 | 70,915 | 110,120 | | | | |
| Germany..... | 168,437 | | | Total..... | 844,090 | | |

¹ Year beginning Apr. 1.

¹ Year beginning Mar. 21.

APPLES.

TABLE 145.—*Apples: Production and prices, Dec. 1, by States, 1918 and 1919.*

| State. | Apples. | | | | | | | |
|---------------------|------------------------------|------------|-----------------------------------|--------------|---------------|---------------|---------------|---------------|
| | Total crop (000 omitted). | | Commercial crop (000 omitted). | | Price Dec. 1. | | | |
| | | | | | Per bushel. | | Per barrel. | |
| | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 |
| | <i>Bu.</i> | <i>Bu.</i> | <i>Bbbs.</i> | <i>Bbbs.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> |
| Maine..... | 4,680 | 2,010 | 601 | 226 | 1.17 | 0.95 | 3.45 | 2.80 |
| New Hampshire..... | 1,510 | 1,155 | 187 | 122 | 1.60 | 1.10 | 4.70 | 3.20 |
| Vermont..... | 1,500 | 990 | 203 | 105 | 1.75 | 1.40 | 4.90 | 4.10 |
| Massachusetts..... | 3,240 | 2,430 | 335 | 300 | 2.00 | 1.60 | 4.90 | 4.20 |
| Rhode Island..... | 294 | 189 | 24 | 20 | 1.95 | 1.55 | 5.50 | 4.60 |
| Connecticut..... | 1,572 | 999 | 119 | 108 | 1.70 | 1.55 | 5.00 | 3.99 |
| New York..... | 16,800 | 40,878 | 2,975 | 5,950 | 2.00 | 1.12 | 5.66 | 3.65 |
| New Jersey..... | 2,313 | 2,463 | 587 | 514 | 2.00 | 1.60 | 5.80 | 4.69 |
| Pennsylvania..... | 7,972 | 16,080 | 759 | 1,116 | 2.25 | 1.20 | 6.25 | 3.49 |
| Delaware..... | 750 | 714 | 192 | 186 | 2.00 | 1.25 | 6.00 | 4.50 |
| Maryland..... | 1,944 | 2,034 | 226 | 315 | 2.00 | 1.10 | 6.00 | 3.00 |
| Virginia..... | 9,950 | 10,068 | 1,508 | 1,766 | 1.60 | 1.24 | 5.25 | 3.95 |
| West Virginia..... | 3,478 | 5,856 | 648 | 1,092 | 1.80 | 1.17 | 5.65 | 3.55 |
| North Carolina..... | 1,108 | 3,588 | 92 | 184 | 1.87 | 1.30 | 6.16 | 4.20 |
| South Carolina..... | 700 | 1,407 | | | 2.80 | 2.05 | 7.35 | 5.70 |

APPLES—Continued.

TABLE 145.—Apples: Production and prices, Dec. 1, by States, 1918 and 1919—Contd.

| State. | Apples. | | | | | | | |
|-------------------|---------------------------|---------|--------------------------------|--------|---------------|--------|-------------|--------|
| | Total crop (000 omitted). | | Commercial crop (000 omitted). | | Price Dec. 1. | | | |
| | 1919 | 1918 | 1919 | 1918 | Per bushel. | | Per barrel. | |
| | Bu. | Bu. | Bbls. | Bbls. | Dolls. | Dolls. | Dolls. | Dolls. |
| Georgia..... | 636 | 1,713 | 57 | 117 | 2.45 | 1.65 | 7.60 | 5.25 |
| Ohio..... | 2,806 | 7,005 | 364 | 902 | 2.62 | 1.53 | 7.50 | 4.64 |
| Indiana..... | 1,704 | 1,794 | 197 | 266 | 2.67 | 1.80 | 8.10 | 5.30 |
| Illinois..... | 4,943 | 3,459 | 750 | 837 | 2.39 | 1.85 | 7.00 | 6.00 |
| Michigan..... | 6,484 | 9,792 | 1,109 | 1,405 | 2.20 | 1.15 | 6.60 | 3.75 |
| Wisconsin..... | 2,087 | 2,811 | 126 | 114 | 2.20 | 1.55 | 6.30 | 4.80 |
| Minnesota..... | 1,365 | 906 | 61 | 40 | 2.50 | 2.09 | 7.40 | 6.11 |
| Iowa..... | 1,815 | 1,584 | 174 | 101 | 2.75 | 2.06 | 8.50 | 6.40 |
| Missouri..... | 5,773 | 4,245 | 1,127 | 735 | 1.90 | 1.64 | 6.70 | 5.10 |
| South Dakota..... | 302 | 273 | 3 | 3 | 3.00 | 2.35 | 9.00 | 6.80 |
| Nebraska..... | 1,125 | 525 | 215 | 72 | 2.50 | 2.30 | 8.09 | 7.00 |
| Kansas..... | 1,835 | 1,533 | 459 | 333 | 2.10 | 1.93 | 6.22 | 5.65 |
| Kentucky..... | 1,480 | 2,799 | 65 | 108 | 2.50 | 1.70 | 7.60 | 6.00 |
| Tennessee..... | 1,561 | 4,050 | 87 | 218 | 2.25 | 1.56 | 7.00 | 4.50 |
| Alabama..... | 617 | 1,662 | 10 | 26 | 2.50 | 1.70 | 7.50 | 6.00 |
| Texas..... | 624 | 273 | 40 | 11 | 1.90 | 1.60 | 6.00 | 4.50 |
| Oklahoma..... | 1,512 | 660 | 43 | 17 | 1.75 | 2.01 | 5.40 | 6.00 |
| Arkansas..... | 4,251 | 1,299 | 1,010 | 241 | 1.70 | 1.40 | 6.00 | 4.20 |
| Montana..... | 1,289 | 792 | 124 | 75 | 1.75 | 2.10 | | |
| Colorado..... | 3,418 | 2,067 | 828 | 527 | 1.85 | 1.70 | | |
| New Mexico..... | 1,329 | 912 | 224 | 117 | 2.00 | 1.18 | | |
| Arizona..... | 154 | 138 | 16 | 15 | 2.25 | 2.40 | | |
| Utah..... | 779 | 786 | 121 | 163 | 1.70 | 1.40 | | |
| Idaho..... | 4,390 | 1,200 | 1,200 | 112 | 1.80 | 1.70 | | |
| Washington..... | 23,190 | 16,491 | 6,440 | 4,296 | 1.55 | 1.25 | | |
| Oregon..... | 5,579 | 3,384 | 1,357 | 671 | 1.40 | 1.10 | | |
| California..... | 8,640 | 6,560 | 1,511 | 1,127 | 1.45 | 1.30 | | |
| United States.. | 147,457 | 169,625 | 26,174 | 24,748 | 1.87 | 1.33 | | |

TABLE 146.—Apples: Total production (bushels) in the United States, 1889-1919.

| Year. | Production. | Year. | Production. | Year. | Production. | Year. | Production. |
|-------------------------|-------------|-------------------------|-------------|-------------------------|-------------|-----------|-------------|
| 1889 ¹ | 147,457,000 | 1897..... | 163,728,000 | 1905..... | 136,220,000 | 1913..... | 145,410,000 |
| 1890..... | 80,142,000 | 1898..... | 118,061,000 | 1906..... | 216,720,000 | 1914..... | 253,200,000 |
| 1891..... | 198,907,000 | 1899 ¹ | 175,397,000 | 1907..... | 119,560,000 | 1915..... | 230,011,000 |
| 1892..... | 129,536,000 | 1900..... | 206,980,000 | 1908..... | 148,940,000 | 1916..... | 193,905,000 |
| 1893..... | 111,773,000 | 1901..... | 135,500,000 | 1909 ¹ | 150,122,000 | 1917..... | 166,749,000 |
| 1894..... | 134,648,000 | 1902..... | 212,330,000 | 1910..... | 141,640,000 | 1918..... | 169,625,000 |
| 1895..... | 219,600,000 | 1903..... | 186,680,000 | 1911..... | 214,020,000 | 1919..... | 147,457,000 |
| 1896..... | 232,600,000 | 1904..... | 233,630,000 | 1912..... | 235,220,000 | | |

¹ Census figures.

TABLE 147.—Apples: Farm price, cents per bushel on 1st of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|--------------|-------|-------|-------|-------|------|-------|------|-------|-------|-------|
| Jan. 1..... | 147.7 | 128.8 | 101.1 | 79.7 | 68.0 | 107.1 | 73.4 | 89.4 | 106.0 | 106.8 |
| Feb. 1..... | 160.4 | 140.1 | 110.0 | 88.0 | 71.2 | 116.8 | 76.4 | 95.8 | 117.2 | 106.8 |
| Mar. 1..... | 175.4 | 145.3 | 123.3 | 92.0 | 73.2 | 126.0 | 80.4 | 101.2 | 112.6 | 112.6 |
| Apr. 1..... | 201.6 | 151.9 | 133.0 | 94.9 | 76.8 | 133.0 | 83.7 | 109.2 | 131.8 | 114.2 |
| May 1..... | 224.5 | 154.8 | 149.8 | 98.0 | 85.4 | 141.8 | 89.5 | 121.8 | 139.2 | 129.7 |
| June 1..... | 237.3 | 158.2 | 157.2 | 105.4 | 90.4 | 141.0 | 97.6 | 118.4 | 137.5 | 119.6 |
| July 1..... | 197.7 | 150.4 | 151.1 | 108.1 | 84.4 | 113.4 | 93.6 | 95.2 | 115.1 | 94.4 |
| Aug. 1..... | 174.7 | 128.1 | 127.0 | 80.4 | 70.1 | 79.9 | 80.6 | 75.0 | 83.9 | 75.4 |
| Sept. 1..... | 162.0 | 123.7 | 107.8 | 77.7 | 59.9 | 65.1 | 75.8 | 64.8 | 71.6 | 73.7 |
| Oct. 1..... | 171.1 | 133.5 | 106.8 | 83.1 | 62.0 | 58.8 | 81.0 | 61.8 | 66.0 | 75.5 |
| Nov. 1..... | 182.8 | 138.6 | 117.5 | 87.6 | 69.2 | 56.6 | 96.0 | 62.4 | 69.4 | 88.4 |
| Dec. 1..... | 186.8 | 132.8 | 121.5 | 91.2 | 69.0 | 59.4 | 98.1 | 66.3 | 72.1 | 89.6 |

APPLES—Continued.

TABLE 148.—*Estimated annual production of the commercial apple crop in the United States for the years 1916 to 1919, inclusive.*

[By commercial crop is meant that portion of the total crop which is sold for consumption as fresh fruit. One barrel is equivalent to three boxes.]

| State. | 1919 | 1918 | 1917 | 1916 |
|---------------------|-----------------|-----------------|-----------------|-----------------|
| | <i>Barrels.</i> | <i>Barrels.</i> | <i>Barrels.</i> | <i>Barrels.</i> |
| Maine..... | 601,000 | 228,000 | 400,000 | 536,000 |
| New Hampshire..... | 187,000 | 122,000 | 120,000 | 196,000 |
| Vermont..... | 203,000 | 105,000 | 132,000 | 388,000 |
| Massachusetts..... | 335,000 | 300,000 | 225,000 | 368,000 |
| Rhode Island..... | 24,000 | 20,000 | 19,000 | 27,000 |
| Connecticut..... | 119,000 | 108,000 | 96,000 | 146,000 |
| New York..... | 2,975,000 | 5,950,000 | 2,058,000 | 5,544,000 |
| New Jersey..... | 587,000 | 514,000 | 408,000 | 442,000 |
| Pennsylvania..... | 759,000 | 1,116,000 | 854,000 | 1,226,000 |
| Delaware..... | 102,000 | 186,000 | 191,000 | 108,000 |
| Maryland..... | 226,000 | 315,000 | 268,000 | 311,000 |
| Virginia..... | 1,508,000 | 1,766,000 | 1,687,000 | 2,179,000 |
| West Virginia..... | 648,000 | 1,092,000 | 688,000 | 1,140,000 |
| North Carolina..... | 92,000 | 184,000 | 200,000 | 270,000 |
| Georgia..... | 57,000 | 117,000 | 120,000 | 111,000 |
| Ohio..... | 364,000 | 902,000 | 598,000 | 747,000 |
| Indiana..... | 197,000 | 286,000 | 456,000 | 298,000 |
| Illinois..... | 750,000 | 837,000 | 1,554,000 | 1,040,000 |
| Michigan..... | 1,109,000 | 1,495,000 | 515,000 | 1,414,000 |
| Wisconsin..... | 126,000 | 114,000 | 124,000 | 105,000 |
| Minnesota..... | 61,000 | 40,000 | 60,000 | 42,000 |
| Iowa..... | 174,000 | 101,000 | 275,000 | 180,000 |
| Missouri..... | 1,127,000 | 785,000 | 1,128,000 | 675,000 |
| South Dakota..... | 3,000 | 3,000 | 4,000 | 5,000 |
| Nebraska..... | 215,000 | 72,000 | 226,000 | 142,000 |
| Kansas..... | 450,000 | 333,000 | 660,000 | 500,000 |
| Kentucky..... | 66,000 | 108,000 | 153,000 | 128,000 |
| Tennessee..... | 87,000 | 218,000 | 192,000 | 147,000 |
| Alabama..... | 10,000 | 26,000 | 24,000 | 19,000 |
| Texas..... | 40,000 | 11,000 | 23,000 | 20,000 |
| Oklahoma..... | 43,000 | 17,000 | 54,000 | 27,000 |
| Arkansas..... | 1,010,000 | 241,000 | 409,000 | 245,000 |
| Montana..... | 124,000 | 75,000 | 74,000 | 70,000 |
| Colorado..... | 828,000 | 527,000 | 701,000 | 677,000 |
| New Mexico..... | 224,000 | 117,000 | 175,000 | 108,000 |
| Arizona..... | 16,000 | 15,000 | 16,000 | 17,000 |
| Utah..... | 121,000 | 163,000 | 184,000 | 24,000 |
| Idaho..... | 1,200,000 | 112,000 | 873,000 | 170,000 |
| Washington..... | 6,440,000 | 4,296,000 | 4,620,000 | 4,892,000 |
| Oregon..... | 1,357,000 | 671,000 | 713,000 | 801,000 |
| California..... | 1,511,000 | 1,127,000 | 1,174,000 | 1,174,000 |
| United States..... | 28,174,000 | 24,743,000 | 22,341,000 | 26,747,000 |

TABLE 149.—*Estimated annual production by regions of the commercial apple crop in the United States, 1918 and 1919.*

| Region. | 1918 | 1919 | Region. | 1918 | 1919 |
|--------------------------------------|-----------------------------|-----------------------------|------------------------------------|-----------------------------|-----------------------------|
| | <i>Barrels.¹</i> | <i>Barrels.¹</i> | | <i>Barrels.¹</i> | <i>Barrels.¹</i> |
| Western New York..... | 4,800,000 | 1,728,000 | Southern and western Illinois..... | 800,000 | 705,000 |
| New England..... | 645,000 | 1,120,000 | Ozark..... | 301,000 | 1,395,000 |
| Hudson Valley..... | 647,000 | 1,050,000 | Arkansas River region..... | 123,000 | 135,000 |
| Shenandoah-Cumberland district..... | 2,600,000 | 1,900,000 | Missouri River region..... | 630,000 | 990,000 |
| Piedmont district..... | 465,000 | 551,000 | Pacific Northwest..... | 5,037,000 | 9,128,000 |
| South Ohio Rome Beauty district..... | 558,000 | 181,000 | Colorado..... | 527,000 | 828,000 |
| Western Michigan..... | 760,000 | 912,000 | California..... | 1,127,000 | 1,511,000 |

¹ 1 barrel is equivalent to 3 boxes.

APPLES—Continued.

TABLE 150.—Approximate relative production of principal varieties of apples, expressed as percentages of a normal crop of all apples.

| Variety. | United States. | Maine. | New York. | Pennsylvania. | Virginia. | West Virginia. | Ohio. | Michigan. | Illinois. | Missouri. | Kentucky. | Arkansas. | Washington. | Oregon. | California. |
|--|----------------|--------------|--------------|---------------|--------------|----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Arkansas (Mammoth Black Twig)..... | P. ct. 0.7 | P. ct. 0.2 | P. ct. | P. ct. 0.3 | P. ct. 3.1 | P. ct. 0.7 | P. ct. 0.6 | P. ct. 0.0 | P. ct. 0.9 | P. ct. 1.1 | P. ct. 0.9 | P. ct. 2.3 | P. ct. 0.3 | P. ct. 1.1 | P. ct. 0.3 |
| Arkansas Black..... | P. ct. 0.9 | P. ct. | P. ct. | P. ct. 0.2 | P. ct. 3.1 | P. ct. 0.8 | P. ct. 1.1 | P. ct. 0.7 | P. ct. 1.5 | P. ct. 3.0 | P. ct. 3.0 | P. ct. 2.3 | P. ct. 1.1 | P. ct. 1.0 | P. ct. 1.0 |
| Baldwin..... | P. ct. 13.4 | P. ct. 34.5 | P. ct. 31.3 | P. ct. 17.8 | P. ct. 2.8 | P. ct. 5.8 | P. ct. 15.1 | P. ct. 17.0 | P. ct. 2.8 | P. ct. 1.5 | P. ct. 2.9 | P. ct. 4.4 | P. ct. 7.8 | P. ct. 12.6 | P. ct. 3.2 |
| Ben Davis..... | P. ct. 13.3 | P. ct. 9.8 | P. ct. 5.0 | P. ct. 6.0 | P. ct. 11.4 | P. ct. 15.7 | P. ct. 13.9 | P. ct. 8.5 | P. ct. 37.0 | P. ct. 34.2 | P. ct. 16.8 | P. ct. 44.1 | P. ct. 7.4 | P. ct. 4.9 | P. ct. 3.9 |
| Early Harvest (Prince's Harvest)..... | P. ct. 2.8 | P. ct. .9 | P. ct. .9 | P. ct. 3.1 | P. ct. 4.7 | P. ct. 3.9 | P. ct. 3.7 | P. ct. 1.8 | P. ct. 2.2 | P. ct. 2.8 | P. ct. 0.4 | P. ct. 2.0 | P. ct. .8 | P. ct. .7 | P. ct. .7 |
| Fall Pippin..... | P. ct. 1.7 | P. ct. .7 | P. ct. 1.7 | P. ct. 3.1 | P. ct. 1.8 | P. ct. 1.5 | P. ct. 1.8 | P. ct. 1.6 | P. ct. 1.1 | P. ct. 4.4 | P. ct. 2.4 | P. ct. .7 | P. ct. .8 | P. ct. .8 | P. ct. .6 |
| Fameuse (Snow)..... | P. ct. 1.3 | P. ct. 3.5 | P. ct. 2.4 | P. ct. .6 | P. ct. .1 | P. ct. .0 | P. ct. .6 | P. ct. 3.0 | P. ct. 1.5 | P. ct. .4 | P. ct. .0 | P. ct. .1 | P. ct. .3 | P. ct. .2 | P. ct. .0 |
| Gano..... | P. ct. 1.6 | P. ct. .3 | P. ct. .2 | P. ct. .9 | P. ct. .6 | P. ct. 1.6 | P. ct. 1.3 | P. ct. .3 | P. ct. 3.8 | P. ct. 6.5 | P. ct. 2.6 | P. ct. .6 | P. ct. .8 | P. ct. 1.0 | P. ct. .2 |
| Golden Russet..... | P. ct. 1.4 | P. ct. 1.7 | P. ct. 2.0 | P. ct. 2.5 | P. ct. .3 | P. ct. 1.6 | P. ct. .9 | P. ct. 3.7 | P. ct. .7 | P. ct. .3 | P. ct. 1.0 | P. ct. .1 | P. ct. .3 | P. ct. .6 | P. ct. .1 |
| Gravenstein..... | P. ct. 1.1 | P. ct. 2.3 | P. ct. .9 | P. ct. 1.0 | P. ct. .1 | P. ct. .1 | P. ct. .3 | P. ct. .1 | P. ct. .1 | P. ct. .1 | P. ct. .0 | P. ct. .0 | P. ct. 4.1 | P. ct. 7.3 | P. ct. 8.9 |
| Grimes (Grimes Golden)..... | P. ct. 2.2 | P. ct. .2 | P. ct. .1 | P. ct. 2.6 | P. ct. 2.6 | P. ct. 4.6 | P. ct. 5.0 | P. ct. 1.2 | P. ct. 4.9 | P. ct. 3.6 | P. ct. 2.6 | P. ct. 2.1 | P. ct. 1.6 | P. ct. .4 | P. ct. .1 |
| Horse (Yellow Horse)..... | P. ct. .9 | P. ct. | P. ct. | P. ct. 1.0 | P. ct. .0 | P. ct. .0 | P. ct. .0 | P. ct. .2 | P. ct. 2.5 | P. ct. 2.1 | P. ct. 1.8 | P. ct. .1 | P. ct. .1 | P. ct. .1 | P. ct. .1 |
| Jonathan..... | P. ct. 3.6 | P. ct. .8 | P. ct. .4 | P. ct. 1.4 | P. ct. 1.0 | P. ct. 1.7 | P. ct. 1.8 | P. ct. 2.2 | P. ct. 9.3 | P. ct. 10.4 | P. ct. 2.5 | P. ct. 3.7 | P. ct. 13.8 | P. ct. 4.4 | P. ct. 1.7 |
| Lambertwig (Red Lambertwig)..... | P. ct. 1.6 | P. ct. .0 | P. ct. .0 | P. ct. | P. ct. 2.5 | P. ct. .8 | P. ct. .3 | P. ct. .0 | P. ct. .6 | P. ct. 1.5 | P. ct. 4.0 | P. ct. 5.8 | P. ct. | P. ct. .2 | P. ct. .3 |
| McIntosh (McIntosh Red)..... | P. ct. .9 | P. ct. 3.7 | P. ct. 1.6 | P. ct. .7 | P. ct. .1 | P. ct. .1 | P. ct. .1 | P. ct. .3 | P. ct. .4 | P. ct. .1 | P. ct. .1 | P. ct. .1 | P. ct. .3 | P. ct. .1 | P. ct. .1 |
| Maiden Blush..... | P. ct. 2.0 | P. ct. .3 | P. ct. 1.0 | P. ct. 3.0 | P. ct. 1.5 | P. ct. 2.5 | P. ct. 4.5 | P. ct. 2.6 | P. ct. 2.3 | P. ct. 2.8 | P. ct. 4.5 | P. ct. 1.0 | P. ct. .8 | P. ct. .2 | P. ct. .4 |
| Missouri (Missouri Pippin)..... | P. ct. .8 | P. ct. .0 | P. ct. .0 | P. ct. .0 | P. ct. .2 | P. ct. .1 | P. ct. .1 | P. ct. .1 | P. ct. 1.2 | P. ct. 3.0 | P. ct. 5.1 | P. ct. 1.4 | P. ct. .5 | P. ct. .1 | P. ct. .9 |
| Northern Spy..... | P. ct. 6.1 | P. ct. 7.1 | P. ct. 13.1 | P. ct. 11.4 | P. ct. .8 | P. ct. 4.2 | P. ct. 7.7 | P. ct. 17.9 | P. ct. 1.4 | P. ct. 1.1 | P. ct. 1.4 | P. ct. 1.5 | P. ct. 3.8 | P. ct. 7.4 | P. ct. .6 |
| Northwestern Greening..... | P. ct. .9 | P. ct. .3 | P. ct. .9 | P. ct. .4 | P. ct. .0 | P. ct. .4 | P. ct. .6 | P. ct. 1.9 | P. ct. .3 | P. ct. .3 | P. ct. .4 | P. ct. | P. ct. 1.0 | P. ct. .1 | P. ct. .2 |
| Oldenburg (Duchess of Oldenburg)..... | P. ct. 1.9 | P. ct. 2.9 | P. ct. 2.2 | P. ct. 1.1 | P. ct. .1 | P. ct. .5 | P. ct. 1.0 | P. ct. 5.0 | P. ct. 1.7 | P. ct. .5 | P. ct. .1 | P. ct. .1 | P. ct. 1.1 | P. ct. .3 | P. ct. .1 |
| Red Astrachan..... | P. ct. 1.9 | P. ct. 3.9 | P. ct. 2.1 | P. ct. 3.5 | P. ct. .8 | P. ct. 2.1 | P. ct. 2.7 | P. ct. 2.8 | P. ct. .8 | P. ct. .3 | P. ct. .5 | P. ct. .7 | P. ct. 2.2 | P. ct. 2.2 | P. ct. 3.3 |
| Red June (Carolina Red June)..... | P. ct. 1.6 | P. ct. | P. ct. .7 | P. ct. .3 | P. ct. 1.8 | P. ct. 1.3 | P. ct. .2 | P. ct. .0 | P. ct. 1.2 | P. ct. 1.9 | P. ct. 4.3 | P. ct. 2.7 | P. ct. 1.3 | P. ct. 1.3 | P. ct. 1.4 |
| Rhode Island Greening..... | P. ct. 4.7 | P. ct. 4.1 | P. ct. 14.8 | P. ct. 5.5 | P. ct. .3 | P. ct. 1.4 | P. ct. 5.7 | P. ct. 5.4 | P. ct. .8 | P. ct. .3 | P. ct. 2.6 | P. ct. .6 | P. ct. 2.2 | P. ct. 2.6 | P. ct. 2.7 |
| Rome Beauty..... | P. ct. 3.1 | P. ct. .1 | P. ct. .3 | P. ct. 1.3 | P. ct. 1.2 | P. ct. 18.7 | P. ct. 10.8 | P. ct. 2.8 | P. ct. 3.8 | P. ct. 1.7 | P. ct. 9.6 | P. ct. 1.8 | P. ct. 12.2 | P. ct. 5.6 | P. ct. 2.4 |
| Stayman Winesap..... | P. ct. 1.5 | P. ct. .6 | P. ct. .1 | P. ct. 1.8 | P. ct. 5.3 | P. ct. 1.9 | P. ct. 1.3 | P. ct. .1 | P. ct. .5 | P. ct. 1.8 | P. ct. 1.9 | P. ct. 1.7 | P. ct. 2.7 | P. ct. 1.8 | P. ct. .9 |
| Tolman (Tolman Sweet)..... | P. ct. 1.0 | P. ct. 2.6 | P. ct. 2.1 | P. ct. 1.1 | P. ct. .1 | P. ct. .4 | P. ct. .5 | P. ct. 2.4 | P. ct. .3 | P. ct. .2 | P. ct. .3 | P. ct. | P. ct. .9 | P. ct. | P. ct. .0 |
| Tompkins King (King of Tompkins Co.)..... | P. ct. 1.4 | P. ct. 2.4 | P. ct. 4.1 | P. ct. 1.5 | P. ct. .0 | P. ct. .5 | P. ct. .6 | P. ct. 2.1 | P. ct. .1 | P. ct. .1 | P. ct. .0 | P. ct. | P. ct. 2.7 | P. ct. 5.1 | P. ct. 1.1 |
| Wealthy..... | P. ct. 2.2 | P. ct. 5.4 | P. ct. 1.8 | P. ct. 1.2 | P. ct. .0 | P. ct. 1.1 | P. ct. 1.2 | P. ct. 3.7 | P. ct. 1.6 | P. ct. 1.3 | P. ct. .4 | P. ct. .1 | P. ct. 1.5 | P. ct. 1.1 | P. ct. .1 |
| White Pearmain (White Winter Pearmain)..... | P. ct. .5 | P. ct. | P. ct. .1 | P. ct. .0 | P. ct. .2 | P. ct. .2 | P. ct. .1 | P. ct. .0 | P. ct. .2 | P. ct. .3 | P. ct. .3 | P. ct. .1 | P. ct. .0 | P. ct. .5 | P. ct. 7.5 |
| Winesap..... | P. ct. 5.1 | P. ct. .5 | P. ct. .1 | P. ct. 1.8 | P. ct. 20.7 | P. ct. 1.8 | P. ct. 1.8 | P. ct. .4 | P. ct. 5.6 | P. ct. 6.8 | P. ct. 14.0 | P. ct. 8.4 | P. ct. 7.1 | P. ct. 2.9 | P. ct. 1.4 |
| Wolf River..... | P. ct. .9 | P. ct. 1.4 | P. ct. .3 | P. ct. .3 | P. ct. .2 | P. ct. .6 | P. ct. .4 | P. ct. 1.5 | P. ct. .4 | P. ct. .7 | P. ct. .3 | P. ct. .1 | P. ct. .8 | P. ct. 1.7 | P. ct. .1 |
| Yellow Bellflower..... | P. ct. 1.4 | P. ct. 1.7 | P. ct. .3 | P. ct. 2.3 | P. ct. .2 | P. ct. .5 | P. ct. 1.3 | P. ct. 1.2 | P. ct. .5 | P. ct. 1.0 | P. ct. .6 | P. ct. .1 | P. ct. 1.9 | P. ct. 3.4 | P. ct. 18.6 |
| Yellow Newtown (Albermarle; Newtown Pippin)..... | P. ct. 1.6 | P. ct. .0 | P. ct. .2 | P. ct. .6 | P. ct. 7.0 | P. ct. .3 | P. ct. .4 | P. ct. .3 | P. ct. .2 | P. ct. .1 | P. ct. .2 | P. ct. | P. ct. 2.9 | P. ct. 11.3 | P. ct. 23.7 |
| Yellow Transparent..... | P. ct. 1.5 | P. ct. 1.1 | P. ct. .3 | P. ct. 1.7 | P. ct. 1.5 | P. ct. 3.2 | P. ct. 2.1 | P. ct. 1.4 | P. ct. 2.1 | P. ct. 1.1 | P. ct. 3.2 | P. ct. .4 | P. ct. 1.5 | P. ct. 1.6 | P. ct. .2 |
| York Imperial (Johnson Fine Winter)..... | P. ct. 2.1 | P. ct. | P. ct. .1 | P. ct. 7.5 | P. ct. 15.1 | P. ct. 5.0 | P. ct. 1.3 | P. ct. .3 | P. ct. .8 | P. ct. 1.1 | P. ct. .1 | P. ct. .1 | P. ct. .2 | P. ct. .9 | P. ct. .1 |
| Other varieties..... | P. ct. 10.4 | P. ct. 7.0 | P. ct. 8.9 | P. ct. 12.8 | P. ct. 10.2 | P. ct. 13.4 | P. ct. 10.1 | P. ct. 11.0 | P. ct. 7.4 | P. ct. 8.2 | P. ct. 12.5 | P. ct. 8.2 | P. ct. 12.5 | P. ct. 15.5 | P. ct. 8.2 |
| Total..... | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 | P. ct. 100.0 |

NOTE.—In important apple-producing States not included in table, the principal varieties and their respective percentages of all apples in a normal crop are:

Indiana.—Ben Davis 22.8, Baldwin 7.2, Grimes Golden 6.7, Winesap 6.7, Maiden Blush 5.8, Rome Beauty 4.4, Northern Spy 4.2. *North Carolina*.—Lambertwig 14.3, Winesap 12.2, Ben Davis 7.5, Early Harvest 7.2, Horse 7.2, Red June 5.9. *Tennessee*.—Winesap 14.1, Ben Davis 12.2, Lambertwig 12.1, Early Harvest 8.4, Horse 6.3, Red June 5.4. *Iowa*.—Ben Davis 15.2, Wealthy 12.4, Jonathan 10.3, Oldenburg 8.9, Grimes Golden 4.9, Northwestern Greening 4.3. *Kansas*.—Ben Davis 19.4, Winesap 15.3, Jonathan 13.8, Missouri Pippin 8.6, Gano 6.0, Maiden Blush 4.3. *Colorado*.—Ben Davis 26.3, Jonathan 18.3, Gano 7.8, Rome Beauty 4.8, Winesap 4.1. *Massachusetts*.—Baldwin 48.4, Rhode Island Greening 9.3, Gravenstein 5.7, McIntosh 4.8, Northern Spy 5.1. *Nebraska*.—Ben Davis 21.3, Winesap 13.6, Jonathan 9.4, Wealthy 6.2, Oldenburg 5.8, Grimes Golden 4.8, Missouri Pippin 4.2, Gano 4.0. *Wisconsin*.—Oldenburg 14.7, Wealthy 13.7, Northwestern Greening 11.1, Fameuse (Snow) 8.6, Wolf River 7.5, Ben Davis 5.1, Golden Russet 4.2, Maryland. —Ben Davis 17.0, York Imperial 16.2, Baldwin 8.8, Winesap 7.6, Stayman Winesap 7.0, Arkansas 4.4, Early Harvest 4.2. *New Jersey*.—Baldwin 25.2, Ben Davis 14.5, Rome Beauty 6.0, Early Harvest 4.7, Rhode Island Greening 4.3, Northern Spy 4.2. *Vermont*.—Baldwin 15.1, Rhode Island Greening 12.8, Northern Spy 12.0, Fameuse (Snow) 8.1, McIntosh 6.1, Ben Davis 5.6, Yellow Bellflower 4.2. *Connecticut*.—Baldwin 42.2, Rhode Island Greening 16.9, Golden Russet 5.2. *New Hampshire*.—Baldwin 51.9, Rhode Island Greening 5.9, Northern Spy 5.2, McIntosh 4.4. *Idaho*.—Jonathan 21.3, Rome Beauty 16.6, Ben Davis 13.1, Gano 7.8, Winesap 4.6. *Oklahoma*.—Ben Davis 25.8, Missouri Pippin 12.1, Jonathan 8.2, Winesap 8.1, Arkansas Black 5.6, Gano 4.0. *Georgia*.—Horse 14.3, Ben Davis 12.2, Red June 10.0, Lambertwig 8.8, Winesap 7.6, Early Harvest 6.1, Arkansas Black 1.6.

PEACHES.

TABLE 151.—*Peaches: Production and prices, by States, 1918 and 1919.*

| State. | Total crop (000 omitted). | | Commercial crop (000 omitted). | | Prices. | | | |
|---------------------|------------------------------|-----------------|-----------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | | | | | 1919 | | 1918 | |
| | 1919 | 1918 | 1919 | 1918 | Oct. 15. | Sept. 15. | Oct. 15. | Sept. 15. |
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Dollars.</i> | <i>Dollars.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| New Hampshire..... | 43 | 0 | 11 | 0 | 2.10 | 2.10 | | |
| Massachusetts..... | 160 | 0 | 49 | 0 | 2.40 | 2.20 | | |
| Connecticut..... | 200 | 0 | 53 | 0 | 2.50 | 2.50 | | |
| New York..... | 1,648 | 700 | 780 | 525 | 3.00 | 2.70 | 3.75 | 3.10 |
| New Jersey..... | 1,018 | 832 | 083 | 640 | 2.60 | 2.70 | 2.60 | 2.80 |
| Pennsylvania..... | 1,200 | 720 | 467 | 258 | 3.00 | 3.00 | 2.60 | 2.75 |
| Delaware..... | 277 | 136 | 175 | 101 | | 1.90 | | 2.40 |
| Maryland..... | 731 | 235 | 287 | 144 | | 1.90 | 2.00 | 2.40 |
| Virginia..... | 928 | 510 | 201 | 90 | 2.20 | 2.00 | 2.50 | 1.80 |
| West Virginia..... | 760 | 680 | 529 | 459 | 2.50 | 2.20 | 2.45 | 1.80 |
| North Carolina..... | 713 | 1,150 | 92 | 90 | 2.50 | 2.10 | 1.85 | 1.60 |
| South Carolina..... | 466 | 968 | 35 | 102 | 2.80 | 2.20 | | 1.67 |
| Georgia..... | 5,895 | 6,092 | 2,964 | 3,255 | 2.30 | 2.50 | 1.65 | 1.50 |
| Ohio..... | 428 | 174 | 173 | 87 | 3.70 | 3.30 | 3.20 | 3.00 |
| Indiana..... | 150 | 0 | 14 | 0 | 3.40 | 3.30 | 3.00 | 3.40 |
| Illinois..... | 790 | 0 | 261 | 0 | 3.20 | 2.70 | 3.15 | 3.50 |
| Michigan..... | 480 | 85 | 120 | 54 | 3.10 | 3.10 | 3.35 | 3.30 |
| Iowa..... | 3 | 0 | | | 3.00 | 3.30 | 3.75 | 3.30 |
| Missouri..... | 828 | 0 | 139 | 0 | 2.00 | 2.00 | 2.10 | 3.30 |
| Nebraska..... | 0 | 0 | | | | | | |
| Kansas..... | 80 | 0 | | | 2.50 | 2.60 | | 3.50 |
| Kentucky..... | 726 | 110 | 15 | 4 | 2.40 | 2.40 | 1.60 | 2.75 |
| Tennessee..... | 978 | 833 | 119 | 100 | 2.20 | 1.80 | 1.70 | 1.70 |
| Alabama..... | 1,678 | 2,440 | 109 | 138 | 1.20 | 1.70 | | 1.10 |
| Texas..... | 2,760 | 2,333 | 880 | 767 | 2.00 | 1.80 | 2.00 | 1.75 |
| Oklahoma..... | 1,007 | 167 | 345 | 77 | 2.30 | 1.40 | 1.90 | 1.90 |
| Arkansas..... | 3,639 | 217 | 1,300 | 87 | 1.70 | 1.60 | 1.67 | 1.90 |
| Colorado..... | 840 | 969 | 676 | 719 | 2.50 | 2.50 | | 2.00 |
| New Mexico..... | 145 | 34 | 75 | 27 | 2.10 | 2.00 | 2.45 | 2.35 |
| Utah..... | 1,500 | 1,060 | 830 | 735 | 1.70 | 1.60 | 1.40 | 1.50 |
| Idaho..... | 350 | 51 | 163 | 42 | 2.10 | 1.80 | | 1.90 |
| Washington..... | 1,899 | 575 | 1,417 | 402 | 1.70 | 1.70 | 1.75 | 1.60 |
| Oregon..... | 514 | 93 | 171 | 31 | 1.40 | 1.40 | 2.00 | 2.00 |
| California..... | 17,600 | 11,920 | 16,268 | 11,663 | 1.90 | 1.50 | 1.45 | 1.40 |
| United States.. | 50,434 | 33,094 | 29,461 | 20,597 | 2.12 | 1.91 | 1.93 | 1.62 |

TABLE 152.—*Peaches: Total production (bushels) in the United States, 1899-1919.*

| Year. | Production. | Year. | Production. | Year. | Production. |
|-------------------------|-------------|-------------------------|-------------|-----------|-------------|
| 1899 ¹ | 15,453,000 | 1906..... | 44,104,000 | 1913..... | 39,707,000 |
| 1900..... | 49,438,000 | 1907..... | 22,527,000 | 1914..... | 54,109,000 |
| 1901..... | 46,445,000 | 1908..... | 48,145,000 | 1915..... | 64,097,000 |
| 1902..... | 37,831,000 | 1909 ¹ | 35,470,000 | 1916..... | 37,505,000 |
| 1903..... | 28,850,000 | 1910..... | 48,171,000 | 1917..... | 45,068,000 |
| 1904..... | 41,070,000 | 1911..... | 34,880,000 | 1918..... | 33,094,000 |
| 1905..... | 36,634,000 | 1912..... | 52,343,000 | 1919..... | 50,434,000 |

¹ Census figures.

PEACHES—Continued.

TABLE 153.—*Peaches: Farm price, cents per bushel on 15th of month, 1910-1919.*

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|
| Apr. 15..... | | | | | | | | | 130.0 | |
| May 15..... | | | | | | | | | 152.0 | |
| June 15..... | 191.1 | 134.0 | 170.3 | 119.6 | | | | 119.2 | 135.0 | |
| July 15..... | 201.6 | 169.4 | 144.8 | 109.1 | 99.5 | 120.4 | 130.5 | 112.1 | 151.0 | |
| Aug. 15..... | 199.6 | 178.9 | 143.3 | 114.9 | 85.4 | 105.0 | 126.2 | 108.3 | 138.0 | 110.9 |
| Sept. 15..... | 205.7 | 185.3 | 143.8 | 118.3 | 81.1 | 102.2 | 136.3 | 110.0 | 128.0 | 115.1 |
| Oct. 15..... | 211.7 | 193.2 | 160.6 | 112.1 | 85.2 | 105.3 | 145.0 | 105.0 | 131.0 | 122.8 |
| Nov. 15..... | | | | | | | | | 125.0 | |
| Dec. 15..... | | | | | | | | | 142.0 | |

TABLE 154.—*Estimated production of the commercial peach crop, 1917 to 1919.*

| State. | 1919 (prelim.). | 1918 | 1917 | State. | 1919 (prelim.). | 1918 | 1917 |
|---------------------|--------------------|-----------------|-----------------|-------------------------------|--------------------|-----------------|-----------------|
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> |
| New Hampshire..... | 11,000 | 0 | 14,000 | Illinois..... | 261,000 | 0 | 175,000 |
| Massachusetts..... | 49,000 | 0 | 36,000 | Michigan..... | 120,000 | 54,000 | 336,000 |
| Connecticut..... | 53,000 | 0 | 273,000 | Missouri..... | 139,000 | 0 | 218,000 |
| New York..... | 780,000 | 525,000 | 3,617,000 | Kentucky..... | 15,000 | 4,000 | 44,000 |
| New Jersey..... | 683,000 | 640,000 | 711,000 | Tennessee..... | 119,000 | 100,000 | 65,000 |
| Pennsylvania..... | 467,000 | 258,000 | 665,000 | Alabama..... | 109,000 | 138,000 | 69,000 |
| Delaware..... | 175,000 | 101,000 | 108,000 | Texas..... | 880,000 | 767,000 | 456,000 |
| Maryland..... | 287,000 | 144,000 | 639,000 | Oklahoma..... | 345,000 | 77,000 | 287,000 |
| Virginia..... | 201,000 | 90,000 | 119,000 | Arkansas..... | 1,360,000 | 87,000 | 949,000 |
| West Virginia..... | 529,000 | 459,000 | 675,000 | Colorado..... | 676,000 | 719,000 | 822,000 |
| North Carolina..... | 92,000 | 90,000 | 150,000 | New Mexico..... | 75,000 | 27,000 | 99,000 |
| South Carolina..... | 35,000 | 102,000 | 113,000 | Utah..... | 830,000 | 735,000 | 956,000 |
| Georgia..... | 2,964,000 | 3,255,000 | 1,512,000 | Idaho..... | 163,000 | 42,000 | 158,000 |
| Ohio..... | 173,000 | 87,000 | 188,000 | Washington..... | 1,417,000 | 402,000 | 1,223,000 |
| Indiana..... | 14,000 | 0 | 31,000 | Oregon..... | 171,000 | 31,000 | 114,000 |
| | | | | California ¹ | 16,268,000 | 11,663,000 | 14,161,000 |
| | | | | United States..... | 29,461,000 | 20,597,000 | 28,927,000 |

¹ Attention is called to the fact that approximately 90 per cent of the California peach crop is either canned or dried.

PEARS.

TABLE 155.—*Pears: Production and prices, 1918 and 1919.*

| State. | Total crop (000 omitted). | | Commercial crop (000 omitted). | | Prices Nov. 15. | |
|---------------------|---------------------------|-----------------|--------------------------------|-----------------|-----------------|-----------------|
| | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 |
| | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| Maine..... | 44 | 20 | | | | |
| New Hampshire..... | 25 | 15 | | | | |
| Vermont..... | 18 | 13 | | | | |
| Massachusetts..... | 115 | 77 | | | | |
| Rhode Island..... | 12 | 10 | | | | 1.75 |
| Connecticut..... | 47 | 34 | | | | 1.75 |
| New York..... | 1,530 | 1,352 | 990 | 828 | 2.40 | 1.50 |
| New Jersey..... | 500 | 630 | 200 | 211 | 1.40 | 1.10 |
| Pennsylvania..... | 355 | 518 | | | 2.30 | 1.35 |
| Delaware..... | 200 | 238 | 144 | 200 | | .80 |
| Maryland..... | 420 | 455 | | | 1.30 | 1.00 |
| Virginia..... | 190 | 119 | | | 1.60 | 1.20 |
| West Virginia..... | 40 | 33 | | | 2.30 | 2.00 |
| North Carolina..... | 84 | 108 | | | 2.10 | 1.50 |
| South Carolina..... | 81 | 98 | | | 2.20 | 1.40 |
| Georgia..... | 152 | 188 | | | 1.80 | 1.50 |
| Florida..... | 70 | 132 | | | | |
| Ohio..... | 213 | 304 | | | 2.60 | 1.70 |
| Indiana..... | 188 | 260 | | | 1.80 | 1.75 |
| Illinois..... | 436 | 302 | 150 | 104 | 1.70 | 1.00 |
| Michigan..... | 426 | 704 | 123 | 307 | 1.80 | 1.25 |
| Iowa..... | 58 | 32 | | | 1.90 | |
| Missouri..... | 280 | 112 | 38 | 24 | 1.40 | 1.90 |
| Nebraska..... | 16 | 6 | | | 2.50 | |
| Kansas..... | 120 | 38 | | | 1.70 | 2.00 |
| Kentucky..... | 128 | 140 | | | 1.80 | 1.75 |
| Tennessee..... | 72 | 112 | | | 2.00 | 1.50 |
| Alabama..... | 114 | 152 | | | 1.60 | 1.30 |
| Mississippi..... | 95 | 136 | | | 1.60 | 1.05 |
| Louisiana..... | 50 | 52 | | | | 1.20 |
| Texas..... | 385 | 246 | 60 | 60 | 1.40 | 1.50 |
| Oklahoma..... | 70 | 38 | | | 1.90 | 2.40 |
| Arkansas..... | 98 | 64 | | | 1.70 | 1.80 |
| Montana..... | 11 | 6 | | | 3.00 | |
| Colorado..... | 290 | 194 | 392 | 182 | 2.20 | 1.50 |
| New Mexico..... | 67 | 56 | | | 2.30 | |
| Arizona..... | 22 | 19 | | | 3.80 | 3.84 |
| Utah..... | 47 | 51 | | | | 1.00 |
| Nevada..... | 5 | 6 | | | | |
| Idaho..... | 70 | 60 | | | | 1.50 |
| Washington..... | 1,700 | 1,300 | 1,620 | 1,300 | 1.70 | 1.15 |
| Oregon..... | 553 | 672 | 615 | 406 | 1.50 | 1.25 |
| California..... | 4,500 | 4,240 | 4,090 | 3,871 | 1.80 | 1.40 |
| United States..... | 13,902 | 13,362 | 8,422 | 7,589 | 1.84 | 1.38 |

TABLE 156.—*Pears: Total production (bushels) in the United States, 1909-1919.*

| Year. | Production. | Year. | Production. |
|-------------------------|-------------|-----------|-------------|
| 1909 ¹ | 8,341,000 | 1915..... | 11,216,000 |
| 1910..... | 10,431,000 | 1916..... | 11,874,000 |
| 1911..... | 11,450,000 | 1917..... | 13,281,000 |
| 1912..... | 11,843,000 | 1918..... | 13,362,000 |
| 1913..... | 10,108,000 | 1919..... | 13,902,000 |
| 1914..... | 12,086,000 | | |

¹ Census figures.

PEARS—Continued.

TABLE 157.—Pears: Farm price, cents per bushel on 15th of month, 1910–1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Jan. 15..... | | | 119.8 | 92.4 | 100.4 | 113.3 | 108.0 | | | 113.5 |
| Feb. 15..... | | | | | | | | | | 106.4 |
| Mar. 15..... | | | | | | | | | 108.9 | 138.2 |
| Apr. 15..... | | | | | | | | | 134.0 | 130.5 |
| May 15..... | | | | | | | | | 138.6 | 139.6 |
| June 15..... | | | | | | | | 113.2 | 126.0 | |
| July 15..... | | | | | | | | 122.0 | 128.0 | 100.6 |
| Aug. 15..... | 188.4 | 168.4 | 132.2 | 109.0 | 80.8 | 98.8 | 109.9 | 106.3 | 118.0 | |
| Sept. 15..... | 183.0 | 157.8 | 125.0 | 102.7 | 83.8 | 92.8 | 119.3 | 100.0 | 102.8 | 108.9 |
| Oct. 15..... | 181.3 | 147.5 | 118.2 | 96.9 | 82.7 | 80.4 | 95.6 | 83.1 | 97.2 | 98.6 |
| Nov. 15..... | 182.0 | 140.1 | 116.1 | 93.3 | 89.8 | 77.5 | 93.0 | 79.3 | 85.1 | 100.8 |
| Dec. 15..... | 219.5 | 156.6 | | 105.6 | 89.7 | 82.5 | 97.9 | 92.8 | 111.0 | 122.4 |

TABLE 158.—Estimated annual production of the commercial pear crop in the United States for 1918 and 1919.

[000 omitted.]

| State. | 1919 (prelim.) | 1918 (prelim.) | State. | 1919 (prelim.) | 1918 (prelim.) |
|-----------------|-------------------|-------------------|--------------------|-------------------|-------------------|
| | <i>Bushels.</i> | <i>Bushels.</i> | | <i>Bushels.</i> | <i>Bushels.</i> |
| New York..... | 990 | 828 | Colorado..... | 392 | 182 |
| New Jersey..... | 200 | 211 | Washington..... | 1,620 | 1,300 |
| Delaware..... | 144 | 296 | Oregon..... | 615 | 406 |
| Illinois..... | 150 | 104 | California..... | 4,090 | 3,871 |
| Michigan..... | 123 | 307 | | | |
| Missouri..... | 38 | 24 | United States..... | 8,422 | 7,589 |
| Texas..... | 60 | 60 | | | |

ORANGES.

TABLE 159.—Oranges: Production and value, 1915–1919.

| Year. | United States. | | | Florida. | | | California. | | |
|-----------|---------------------------|-------------------------------|-----------------------------------|---------------------------|-------------------------------|-----------------------------------|---------------------------|-------------------------------|-----------------------------------|
| | Production (000 omitted). | Average price per box Dec. 1. | Farm value Dec. 1, (000 omitted). | Production (000 omitted). | Average price per box Dec. 1. | Farm value Dec. 1, (000 omitted). | Production (000 omitted). | Average price per box Dec. 1. | Farm value Dec. 1, (000 omitted). |
| | <i>Boxes.</i> | | <i>Dollars.</i> | <i>Boxes.</i> | | <i>Dollars.</i> | <i>Boxes.</i> | | <i>Dollars.</i> |
| 1915..... | 21,200 | \$2.39 | 50,692 | 6,150 | \$1.88 | 11,562 | 15,060 | \$2.60 | 39,130 |
| 1916..... | 24,433 | 2.62 | 61,463 | 6,933 | 2.05 | 14,213 | 17,500 | 2.70 | 47,250 |
| 1917..... | 10,593 | 2.60 | 27,556 | 3,500 | 2.30 | 8,050 | 7,093 | 2.75 | 19,506 |
| 1918..... | 24,200 | 3.49 | 84,480 | 5,700 | 2.65 | 15,105 | 18,500 | 3.75 | 69,375 |
| 1919..... | 23,916 | 2.68 | 64,169 | 6,400 | 2.50 | 16,000 | 17,516 | 2.75 | 48,169 |

CRANBERRIES.

TABLE 160.—Cranberries: Acreage, production, and farm value, by States, 1919, and totals, 1914-1919.

[Leading producing States.]

| State and year. | Acreage. | Average yield per acre. | Production. | Average farm price per barrel Dec. 1. | Farm value Dec. 1. |
|---------------------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Barrels.</i> | <i>Barrels.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| Massachusetts..... | 14,000 | 24.0 | 336,000 | 8.80 | 2,956,800 |
| New Jersey..... | 10,300 | 15.8 | 161,000 | 8.00 | 1,288,000 |
| Wisconsin..... | 1,900 | 23.4 | 44,000 | 8.55 | 376,000 |
| Total of above..... | 26,100 | 20.7 | 541,000 | 8.36 | 4,520,000 |
| 1918..... | 25,400 | 13.9 | 352,000 | 10.77 | 3,791,000 |
| 1917..... | 18,200 | 13.7 | 249,000 | 10.24 | 2,550,000 |
| 1916..... | 26,200 | 18.0 | 471,000 | 7.32 | 3,449,000 |
| 1915..... | 23,100 | 19.1 | 441,000 | 6.59 | 2,908,000 |
| 1914..... | 22,000 | 31.7 | 697,000 | 3.97 | 2,766,000 |

HOPS.

TABLE 161.—Hops: Area and production in undermentioned countries, 1909-1918.

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|-------------------------------------|---------------------------------|---------------------|---------------------|---------------------|---------------------------------|------------------|------------------|------------------|
| | Average 1909-1913. ¹ | 1916 | 1917 | 1918 | Average 1909-1913. ¹ | 1916 | 1917 | 1918 |
| NORTH AMERICA. | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| United States..... | (²) 1 | (²) 44 | (²) 30 | (²) 28 | 53,655 | 50,595 | 29,388 | 20,193 |
| Canada..... | | | | | 1,208 | (²) | (²) | (²) |
| Total..... | | | | | 54,863 | | | |
| EUROPE. | | | | | | | | |
| Austria ³ | 50 | (²) | (²) | (²) | 27,523 | (²) | (²) | (²) |
| Hungary ³ | 5 | (²) | (²) | (²) | 2,932 | (²) | (²) | (²) |
| Croatia-Slavonia ³ | 1 | (²) | (²) | (²) | 263 | (²) | (²) | (²) |
| Belgium..... | 6 | (²) | (²) | (²) | 7,096 | (²) | (²) | (²) |
| France ³ | 7 | 4 | 4 | 3 | 6,948 | 4,958 | 3,937 | (²) |
| Germany ³ | 67 | (²) | (²) | 27 | 30,105 | (²) | (²) | 1,833 |
| Russia ³ | (²) | (²) | (²) | (²) | 11,765 | (²) | (²) | (²) |
| United Kingdom, England..... | 36 | 31 | 17 | 16 | 33,058 | 34,480 | 24,721 | 14,660 |
| Total..... | 172 | | | | 119,690 | | | |
| Australia..... | 1 | 2 | 1 | (²) | 1,564 | 2,110 | 1,752 | (²) |
| Grand total..... | 174 | | | | 176,117 | | | |

¹ Five-year average, except where statistics were not available.

² No official estimates.

³ Old boundaries.

TABLE 162.—Hops: Total production of countries named in Table 161, 1895-1915.

| Year. | Production. | Year. | Production. | Year. | Production. |
|-----------|----------------|-----------|----------------|-----------|----------------|
| | <i>Pounds.</i> | | <i>Pounds.</i> | | <i>Pounds.</i> |
| 1895..... | 204,894,000 | 1902..... | 170,063,000 | 1909..... | 128,173,000 |
| 1896..... | 168,509,000 | 1903..... | 174,457,000 | 1910..... | 188,951,000 |
| 1897..... | 189,219,000 | 1904..... | 178,862,000 | 1911..... | 163,810,000 |
| 1898..... | 166,100,000 | 1905..... | 277,260,000 | 1912..... | 224,493,000 |
| 1899..... | 231,563,000 | 1906..... | 180,998,000 | 1913..... | 174,642,000 |
| 1900..... | 174,683,000 | 1907..... | 215,923,000 | 1914..... | 224,179,000 |
| 1901..... | 201,902,000 | 1908..... | 230,220,000 | 1915..... | 163,084,000 |

HOPS—Continued.

TABLE 163.—Hops: Acreage, production, and value by States in 1919, and totals, 1915–1919.

[Leading producing States.]

| State and year. | Acreage. | Average yield per acre. | Production. | Average farm price per pound Nov. 15. | Farm value Nov. 15. |
|-----------------|---------------|-------------------------|----------------|---------------------------------------|---------------------|
| | <i>Acres.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| New York..... | 2,300 | 690 | 1,587,000 | 73.0 | 1,159,000 |
| Washington..... | 2,600 | 1,340 | 3,484,000 | 75.0 | 2,613,000 |
| Oregon..... | 8,000 | 800 | 6,400,000 | 80.0 | 5,120,000 |
| California..... | 11,000 | 1,625 | 17,875,000 | 77.0 | 13,764,000 |
| Total..... | 23,900 | 1,227.9 | 29,346,000 | 77.2 | 22,656,000 |
| 1918..... | 25,900 | 829.4 | 21,481,000 | 19.3 | 4,150,000 |
| 1917..... | 29,900 | 962.9 | 29,388,000 | 33.3 | 9,795,000 |
| 1916..... | 43,900 | 1,152.5 | 50,595,000 | 12.0 | 6,073,000 |
| 1915..... | 44,653 | 1,186.6 | 52,988,000 | 11.7 | 6,203,000 |

TABLE 164.—Hops: Farm price, cents per pound on 15th of month, 1910–1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|------|------|------|------|------|------|------|------|------|------|
| Jan. 15..... | 31.0 | | 11.8 | 13.0 | 14.8 | 26.6 | 19.7 | 44.8 | 19.3 | 23.4 |
| Feb. 15..... | 32.5 | | | 12.0 | 11.1 | 19.1 | 16.9 | 38.8 | 17.8 | 22.6 |
| Mar. 15..... | 32.2 | | | 13.5 | 12.0 | 20.5 | | 40.1 | 19.2 | 18.4 |
| Apr. 15..... | | | | 14.3 | 12.4 | 20.6 | 15.0 | | 18.2 | 20.4 |
| May 15..... | | | | 12.7 | 10.9 | 21.8 | 13.4 | 37.2 | 20.9 | 16.6 |
| June 15..... | | | | 10.5 | 9.6 | | 14.1 | | 22.6 | |
| July 15..... | | | | 10.1 | 10.5 | 14.7 | 14.8 | 28.9 | 23.8 | |
| Aug. 15..... | | | 25.9 | | 15.0 | 20.0 | | 18.8 | 26.5 | |
| Sept. 15..... | 56.6 | | 36.5 | 16.4 | 15.8 | 24.4 | 20.9 | 19.8 | 40.6 | |
| Oct. 15..... | | 12.7 | 42.7 | 21.0 | 14.8 | 19.1 | 29.5 | 22.2 | 37.8 | 13.3 |
| Nov. 15..... | 77.0 | 19.7 | 33.7 | 21.5 | 13.8 | 15.6 | 26.0 | 19.7 | 41.4 | 14.3 |
| Dec. 15..... | 77.2 | 19.3 | 33.3 | 18.2 | 12.3 | 13.2 | 29.4 | 17.8 | 42.5 | 14.6 |

TABLE 165.—Hop consumption and movement, 1910–1919.

[The total hop movement of the United States for the last 11 years is shown. The figures on the quantity consumed by brewers have been compiled from the records of the Treasury Department; exports and imports are as reported by the Department of Commerce.]

| Yearend June 30— | Consumed by brewers. | Exports. | | Total of brewers' consumption and exports. | Imports. | Net domestic movement. |
|------------------|----------------------|----------------|----------------|--|----------------|------------------------|
| | | Domestic. | Foreign. | | | |
| | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| 1919..... | 13,924,650 | 7,466,952 | 4,719 | 21,396,321 | 6 | 21,396,315 |
| 1918..... | 33,481,415 | 3,494,579 | 37,823 | 37,013,817 | 121,288 | 36,892,529 |
| 1917..... | 41,949,225 | 4,874,876 | 26,215 | 46,850,316 | 236,849 | 46,613,467 |
| 1916..... | 37,451,610 | 22,409,818 | 134,571 | 59,995,999 | 675,704 | 59,320,295 |
| 1915..... | 38,839,291 | 16,210,443 | 16,947 | 55,066,684 | 11,651,332 | 43,415,352 |
| 1914..... | 43,987,623 | 24,262,806 | 30,224 | 68,280,743 | 5,282,025 | 63,008,718 |
| 1913..... | 44,237,735 | 17,591,195 | 35,859 | 61,864,789 | 8,494,144 | 53,370,645 |
| 1912..... | 42,136,665 | 12,190,683 | 35,869 | 54,663,197 | 2,991,125 | 51,672,072 |
| 1911..... | 45,068,811 | 13,104,774 | 17,974 | 58,191,560 | 8,557,531 | 49,634,028 |
| 1910..... | 23,293,764 | 10,549,254 | 14,590 | 33,857,608 | 3,200,560 | 30,657,048 |

Statistics of Hops.

611

TABLE 166.—Hops: Wholesale price per pound, 1913-1919.

| Date. | New York. | | | Cincinnati. | | | Chicago. | | | San Francisco. | | | | | | | | |
|--------------------|---------------|-------|------------|-------------|-------|------------|--------------------------------|-------|------------|----------------------------|-------|------------|---|-------|------------|--|-------|------------|
| | Choice state. | | | Prime. | | | Pacific Coast, good to choice. | | | Sacramento Valley, choice. | | | Willamette Valley, choice. ¹ | | | Eastern Washington, choice. ² | | |
| | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. | Low. | High. | Aver- age. |
| 1913. | | | | | | | | | | | | | | | | | | |
| January-June..... | 17 | 32 | Cents. | 18 | 23 | Cents. | 15 | 24 | Cents. | 18 | 20 | Cents. | 19 | 21 | Cents. | 19 | 21 | Cents. |
| July-December..... | 17 | 48 | | 18 | 32 | | 17 | 31 | | 18 | 28 | | 18 | 30 | | 19 | 30 | |
| 1914. | | | | | | | | | | | | | | | | | | |
| January-June..... | 36 | 48 | | 21 | 27½ | | 18 | 27 | | 16 | 28 | | 16 | 30 | | 16 | 30 | |
| July-December..... | 23 | 50 | | 13½ | 22 | | 13 | 22 | | 10 | 19 | | 11 | 20 | | 10 | 20 | |
| 1915. | | | | | | | | | | | | | | | | | | |
| January-June..... | 13 | 25 | | 16 | 17 | | 10 | 18 | | 9 | 15 | | 10 | 16 | | 10 | 15 | |
| July-December..... | 13 | 30 | | 15½ | 16 | | 10 | 16 | | 7½ | 14 | | 10 | 16 | | 10 | 15 | |
| 1916. | | | | | | | | | | | | | | | | | | |
| January-June..... | 18 | 27 | | 14 | 15½ | | 14 | 17 | | 7½ | 11 | | 09 | 12½ | | 9 | 12½ | |
| July-December..... | 15 | 55 | | 13 | 16½ | | 10 | 18 | | 8 | 14 | | 07 | 14 | | 7 | 14 | |
| 1917. | | | | | | | | | | | | | | | | | | |
| January-June..... | 34 | 60 | | 11 | 15 | | 10 | 15 | | 5 | 10½ | | 07 | 11 | | 6 | 11½ | |
| July-December..... | 34 | 90 | | 13 | 43 | | 10 | 46 | | 5 | 37½ | | 07 | 40 | | 6 | 40 | |
| 1918. | | | | | | | | | | | | | | | | | | |
| January-June..... | 40 | 54 | 42.6 | | | | 18 | 24 | | 15 | 20 | 16.1 | 15 | 20 | 10.0 | 19 | 22½ | 19.8 |
| July-December..... | 23 | 42 | 33.2 | | | | 13 | 40 | | 13 | 15 | 15.0 | 19 | 19 | 19.0 | 19 | 19 | 19.0 |
| 1919. | | | | | | | | | | | | | | | | | | |
| January..... | 37 | 40 | 37.8 | | | 46 | (3) | (3) | (3) | 30 | 42 | 38.0 | 35 | 40 | 40.1 | 35 | 45 | 43.2 |
| February..... | 40 | 40 | 40.0 | | | 46 | (3) | (3) | (3) | 31 | 42 | 38.1 | 36 | 45 | 36.3 | 34 | 45 | 37.0 |
| March..... | 40 | 40 | 40.0 | | | 46 | (3) | (3) | (3) | 30 | 37 | 33.2 | 36 | 42 | 36.3 | 36 | 40 | 38.0 |
| April..... | 40 | 42 | 40.2 | | | 46 | (3) | (3) | (3) | (3) | (3) | (3) | 41 | 42 | 41.5 | | | |
| May..... | 39 | 46 | 42.2 | | | 46 | (3) | (3) | (3) | (3) | (3) | (3) | 41 | 42 | 41.5 | | | |
| June..... | 46 | 63 | 56.9 | | | 46 | (3) | (3) | (3) | (3) | (3) | (3) | 41 | 50 | 46.8 | | | |
| January-June..... | 37 | 63 | 42.8 | | | 46 | | | | 30 | 42 | 35.8 | 35 | 50 | 40.9 | 34 | 45 | 39.4 |

¹ 1912 quotations are for all grades. Called "Oregon" hops in 1916; Sonoma hops for 1919.

² Called "Washington" hops in 1916; Oregon hops for January-March, 1919.

³ No quotations.

⁴ Nominal.

TABLE 166.—Hops: Wholesale price per pound, 1913-1919—Continued.

| Date. | New York. | | | Cincinnati. | | | Chicago. | | | San Francisco. | | | | | |
|--------------------|---------------|-----------|-------------|-------------|-------------|-----------|--------------------------------|------------|------------|----------------------------|------------|----------------------------|-----------|-----------------------------|------------|
| | Choice state. | | | Prime. | | | Pacific Coast, good to choice. | | | Sacramento Valley, choice. | | Willamette Valley, choice. | | Eastern Washington, choice. | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Low. | High. | Low. | Average. |
| July..... | Cents. 63 | Cents. 65 | Cents. 64.9 | Cents. | Cents. | Cents. 60 | Cents. (1) | Cents. (1) | Cents. (1) | Cents. (1) | Cents. (1) | Cents. 48 | Cents. 52 | Cents. 49.0 | Cents. (1) |
| August..... | 65 | 65 | 65.0 | | | 66 | (1) | (1) | (1) | (1) | (1) | 52 | 52 | 52.0 | (1) |
| September..... | 80 | 82 | 81.3 | | | | (1) | (1) | (1) | (1) | (1) | 55 | 55 | 56.1 | (1) |
| October..... | 82 | 85 | 82.8 | | 75 | | (1) | (1) | (1) | (1) | (1) | 60 | 60 | 67.5 | 54.6 |
| November..... | 85 | 85 | 85.0 | | | | (1) | (1) | (1) | (1) | (1) | 83 | 83 | 85.0 | 73.0 |
| December..... | 80 | 85 | 82.5 | | 97 | | (1) | (1) | (1) | (1) | (1) | 85 | 85 | 85.0 | 84.5 |
| July-December..... | 63 | 85 | 76.9 | | | | (1) | (1) | (1) | 52 | 90 | 48 | 85 | 67.4 | 74.0 |

1 No quotations.

2 Nominal.

HOPS—Continued.

TABLE 167.—Hops: International trade, calendar years, 1919–1913.

[Lupulin and hopfenmehl (hop meal) are not included with hops in the data shown. See "General note."]

[000 omitted.]

EXPORTS.

| Country. | Average 1909– 1913. | 1917 (prelim.). | 1918 (prelim.). | Country. | Average 1909– 1913. | 1917 (prelim.). | 1918 (prelim.). |
|----------------------|---------------------------|--------------------|--------------------|----------------------|---------------------------|--------------------|--------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Austria-Hungary..... | 18,333 | | | New Zealand..... | 352 | 314 | 225 |
| Belgium..... | 4,814 | | | Russia..... | 2,348 | | |
| France..... | 335 | 491 | 612 | United Kingdom..... | 2,162 | 1,453 | 775 |
| Germany..... | 17,564 | | | United States..... | 15,416 | 4,138 | 3,670 |
| Netherlands..... | 1,496 | | | Other countries..... | 212 | | |
| | | | | Total..... | 62,941 | | |

IMPORTS.

| | | | | | | | |
|---------------------------|-------|-------|-------|----------------------|--------|-------|-------|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Australia..... | 1,106 | 110 | | Germany..... | 7,688 | | |
| Austria-Hungary..... | 938 | | | Netherlands..... | 2,938 | | |
| Belgium..... | 6,915 | | | Russia..... | 1,238 | | |
| British India..... | 246 | 336 | 532 | Sweden..... | 987 | 1,230 | |
| British South Africa..... | 498 | 442 | 570 | Switzerland..... | 1,257 | 469 | 300 |
| Canada..... | 1,396 | 790 | 849 | United Kingdom..... | 21,028 | 955 | |
| Denmark..... | 1,027 | 1,459 | | United States..... | 6,235 | 194 | 77 |
| France..... | 5,436 | 1,238 | 888 | Other countries..... | 4,123 | | |
| | | | | Total..... | 63,076 | | |

BEANS.

TABLE 168.—Beans: Area and production in undermentioned countries, 1909–1918.

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|-------------------------------------|--|------------------|------------------|------------------|--|------------------|------------------|------------------|
| | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 |
| NORTH AMERICA. | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bu.</i> | <i>Bu.</i> | <i>Bu.</i> | <i>Bu.</i> |
| United States (6 States)..... | 788 | 1,107 | 1,769 | 1,106 | 11,166 | 10,715 | 15,283 | 17,397 |
| Canada: | | | | | | | | |
| Nova Scotia..... | 1 | 1 | 1 | 9 | 32 | 14 | 18 | 143 |
| New Brunswick..... | 2 | (²) | (²) | 5 | 21 | 4 | 6 | 86 |
| Quebec..... | 6 | 4 | 55 | 110 | 125 | 78 | 827 | 1,867 |
| Ontario..... | 42 | 27 | 36 | 100 | 796 | 317 | 423 | 1,388 |
| Other..... | (³) | (³) | (³) | 5 | (³) | (²) | (²) | 80 |
| Total Canada..... | 51 | 32 | 92 | 229 | 974 | 413 | 1,274 | 3,564 |
| Mexico..... | | | | | | | | 4,858 |
| SOUTH AMERICA. | | | | | | | | |
| Argentina..... | 65 | (³) | (³) | (³) | (³) | (³) | (³) | (³) |
| Brazil..... | (²) | (³) | (³) | (³) | (³) | (³) | 13,139 | (³) |
| Chile..... | 79 | (³) | (³) | (³) | 1,398 | 1,914 | (²) | (³) |
| EUROPE. | | | | | | | | |
| Austria ⁴ | 648 | (³) | (³) | (³) | 9,666 | (³) | (³) | (³) |
| Hungary ⁴ | 41 | (³) | (³) | (³) | 599 | (³) | (³) | (³) |
| Do. ⁴ | 1,471 | (³) | (³) | (³) | 6,917 | (³) | (³) | (³) |
| Croatia-Slovenia ⁴ | 25 | (³) | (³) | (³) | 265 | (³) | (³) | (³) |
| Do. ⁴ | 472 | (³) | (³) | (³) | 2,011 | (³) | (³) | (³) |
| Belgium..... | 21 | (³) | (³) | (³) | 604 | (³) | (³) | (³) |
| Bulgaria ⁴ | 178 | (³) | (³) | (³) | 1,895 | (³) | (³) | (³) |
| Denmark..... | 9 | 11 | (³) | (³) | 369 | 269 | (³) | (³) |
| France ⁴ | 554 | 489 | 484 | (³) | 9,518 | 6,053 | 5,955 | (³) |
| Italy..... | 2,023 | 2,555 | 1,099 | 1,077 | 21,038 | 17,372 | 13,153 | 15,609 |
| Luxemburg..... | 4 | (³) | (³) | (³) | 73 | (³) | (³) | (³) |

¹ Five-year average except where statistics were not available.

² Less than 500 acres.

³ No official statistics.

⁴ Unofficial.

⁵ Old boundaries.

⁶ Grown alone.

⁷ Grown with corn.

BEANS—Continued.

TABLE 168.—*Beans: Area and production in undermentioned countries, 1909–1918—Con.*
[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|---|---------------------------|---------------|---------------|---------------|---------------------------|------------|------------|------------|
| | Average 1909– 1913. | 1916 | 1917 | 1918 | Average 1909– 1913. | 1916 | 1917 | 1918 |
| EUROPE—continued. | | | | | | | | |
| | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bu.</i> | <i>Bu.</i> | <i>Bu.</i> | <i>Bu.</i> |
| Netherlands..... | 61 | 60 | 92 | (1) | 1,853 | 1,742 | 2,526 | (1) |
| Roumania ¹ | 93 | 186 | (1) | (1) | 1,385 | (1) | (1) | (1) |
| Do. ² | 1,285 | (1) | (1) | (1) | 3,630 | (1) | (1) | (1) |
| Russia proper ² | 523 | 744 | (1) | (1) | 6,027 | 7,758 | (1) | (1) |
| Poland ² | 29 | (1) | (1) | (1) | 505 | (1) | (1) | (1) |
| Northern Caucasus ² | 4 | (1) | (1) | (1) | 58 | (1) | (1) | (1) |
| Serbia ² | 25 | (1) | (1) | (1) | 1,676 | (1) | (1) | (1) |
| Spain..... | 1,132 | 1,225 | * 519 | * 489 | 11,908 | 14,755 | * 7,862 | * 7,489 |
| Sweden..... | 10 | 6 | 5 | 6 | 174 | 195 | 91 | 132 |
| United Kingdom: | | | | | | | | |
| England..... | 276 | 228 | 202 | 239 | 8,015 | 6,871 | 3,462 | 7,032 |
| Wales..... | 1 | 1 | 1 | 2 | 33 | 28 | 29 | 78 |
| Scotland..... | 9 | 5 | 6 | 7 | 818 | 196 | 237 | 286 |
| Ireland..... | 2 | 1 | 1 | * 2 | 67 | 46 | 65 | (1) |
| Total United Kingdom.... | 288 | 235 | 210 | 251 | 8,423 | 7,141 | 3,793 | |
| ASIA. | | | | | | | | |
| British India ¹ | 13,156 | 13,224 | 15,307 | 16,106 | 143,360 | * 127,979 | * 147,467 | * 164,267 |
| Japanese Empire: | | | | | | | | |
| Japan..... | 1,598 | 1,584 | (1) | (1) | 23,175 | 26,464 | (1) | (1) |
| Formosa ¹ | 79 | 83 | (1) | (1) | 637 | 780 | 661 | (1) |
| Korea..... | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) |
| Total Japanese Empire.... | 1,677 | | | | 23,832 | | | |
| Russia (9 governments) ² | 22 | (1) | (1) | (1) | 225 | (1) | (1) | (1) |
| AFRICA. | | | | | | | | |
| Algeria..... | 110 | (1) | (1) | (1) | 1,132 | (1) | (1) | (1) |
| Egypt..... | 544 | 583 | 472 | (1) | (1) | (1) | (1) | (1) |
| AUSTRALASIA. | | | | | | | | |
| Australia..... | 40 | | | | 791 | | | |

¹ No official statistics.² Old boundaries.³ Grown alone.⁴ Grown with corn.⁵ Unofficial.⁶ Includes peas.⁷ Includes other pulse.⁸ Incomplete.TABLE 169.—*Beans (dry): Acreage, production, and value by States 1919, and totals, 1914–1919.*

[Leading producing States.]

| State and year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Nov. 15. | Farm value Nov. 15. |
|-----------------|---------------|-------------------------------|-----------------|--|---------------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| New York..... | 100,000 | 14.5 | 1,450,000 | 4.90 | 7,105,000 |
| Michigan..... | 310,000 | 13.0 | 4,030,000 | 4.20 | 16,926,000 |
| Colorado..... | 69,000 | 6.5 | 448,000 | 3.50 | 1,568,000 |
| New Mexico..... | 128,000 | 7.5 | 960,000 | 3.70 | 3,552,000 |
| Arizona..... | 16,000 | 8.5 | 136,000 | 4.50 | 612,000 |
| California..... | 395,000 | 11.3 | 4,464,000 | 4.35 | 19,418,000 |
| Total..... | 1,018,000 | 11.3 | 11,488,000 | 4.28 | 49,181,000 |
| 1918..... | 1,744,000 | 10.0 | 17,397,000 | 5.28 | 91,863,000 |
| 1917..... | 1,821,000 | 8.8 | 16,045,000 | 6.50 | 104,350,000 |
| 1916..... | 1,107,000 | 9.7 | 10,715,000 | 5.10 | 54,684,000 |
| 1915..... | 928,000 | 11.1 | 10,321,000 | 2.59 | 26,771,000 |
| 1914..... | 875,000 | 13.2 | 11,585,000 | 2.26 | 26,218,000 |

BEANS—Continued.

TABLE 170.—Beans: Farm price per bushel on 15th of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Jan. 15..... | \$4.98 | \$7.00 | \$5.71 | \$3.47 | \$2.63 | \$2.17 | \$2.26 | \$2.38 | \$2.20 | \$2.23 |
| Feb. 15..... | 4.52 | 7.08 | 6.07 | 3.43 | 3.02 | 2.00 | 2.19 | 2.38 | 2.23 | 2.23 |
| Mar. 15..... | 4.40 | 6.95 | 6.49 | 3.34 | 2.99 | 2.05 | 2.10 | 2.42 | 2.17 | 2.17 |
| Apr. 15..... | 4.44 | 6.95 | 7.37 | 3.42 | 2.81 | 2.11 | 2.11 | 2.37 | 2.20 | 2.16 |
| May 15..... | 4.19 | 6.67 | 8.94 | 3.56 | 2.93 | 2.31 | 2.18 | 2.52 | 2.17 | 2.17 |
| June 15..... | 4.39 | 6.28 | 8.99 | 3.72 | 2.87 | 2.23 | 2.23 | 2.62 | 2.19 | 2.29 |
| July 15..... | 4.25 | 5.88 | 8.07 | 5.09 | 2.75 | 2.22 | 2.22 | 2.47 | 2.23 | 2.34 |
| Aug. 15..... | 4.30 | 6.11 | 7.29 | 4.59 | 2.67 | 2.54 | 2.11 | 2.40 | 2.20 | 2.27 |
| Sept. 15..... | 4.36 | 5.67 | 6.69 | 4.60 | 2.70 | 2.46 | 2.08 | 2.38 | 2.26 | 2.28 |
| Oct. 15..... | 4.27 | 5.72 | 7.48 | 4.47 | 2.93 | 2.17 | 2.25 | 2.34 | 2.27 | 2.28 |
| Nov. 15..... | 4.42 | 5.46 | 7.33 | 5.53 | 3.08 | 2.28 | 2.26 | 2.25 | 2.34 | 2.14 |
| Dec. 15..... | 4.41 | 4.86 | 7.00 | 5.77 | 3.30 | 2.40 | 2.12 | 2.31 | 2.42 | 2.29 |

TABLE 171.—Beans: Wholesale price per bushel, 1913-1919.

| Date. | Boston. | | | Chicago. | | | Detroit. | | | San Francisco. | | |
|--------------------|---------------|---------------|---------------|-------------------|---------------|---------------|-----------------|---------------|---------------|-------------------------|---------------|---------------|
| | Pea. | | | Pea. ¹ | | | Pea (100 lbs.). | | | Small white (100 lbs.). | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> | <i>Dolls.</i> |
| January-June..... | 2.25 | 2.60 | 2.45 | 1.25 | 2.50 | 1.86 | 1.80 | 2.20 | | 4.50 | 5.90 | 4.91 |
| July-December..... | 2.15 | 2.40 | 2.28 | 1.15 | 2.25 | 1.76 | 1.75 | 2.05 | | 4.50 | 6.00 | 5.41 |
| 1914. | | | | | | | | | | | | |
| January-June..... | 2.10 | 2.35 | 2.20 | 1.60 | 2.30 | 1.99 | 1.80 | 2.10 | | 4.75 | 5.50 | 5.15 |
| July-December..... | 2.15 | 3.10 | 2.59 | 1.95 | 3.10 | 2.44 | 1.85 | 2.90 | | 4.00 | 6.00 | 4.81 |
| 1915. | | | | | | | | | | | | |
| January-June..... | 2.96 | 3.50 | 3.24 | 2.40 | 3.50 | 3.06 | 2.15 | 3.20 | 2.98 | 4.50 | 5.70 | 5.40 |
| July-December..... | 2.86 | 4.10 | 3.47 | 2.62 | 4.10 | 3.39 | 2.60 | 3.60 | 3.15 | 4.50 | 6.40 | 5.19 |
| 1916. | | | | | | | | | | | | |
| January-June..... | 3.80 | 5.85 | 4.08 | 3.00 | 8.00 | 3.94 | 3.50 | 6.00 | 3.86 | 6.25 | 11.50 | 6.70 |
| July-December..... | 4.50 | 7.25 | 5.83 | 5.00 | 8.00 | 6.34 | 4.90 | 7.00 | 5.77 | 7.50 | 11.00 | 9.40 |
| 1917. | | | | | | | | | | | | |
| January-June..... | 6.50 | 10.25 | 8.23 | 6.40 | 11.25 | 8.47 | 6.25 | 10.00 | 7.97 | 10.50 | 16.00 | 13.21 |
| July-December..... | 8.00 | 15.00 | 10.26 | 7.25 | 14.50 | 9.71 | 7.25 | 13.25 | 9.24 | 11.75 | 15.75 | 13.20 |
| 1918. | | | | | | | | | | | | |
| January-June..... | 12.00 | 14.50 | 13.37 | 10.00 | 15.00 | 12.61 | 9.50 | 13.25 | 11.64 | 11.75 | 12.75 | 12.35 |
| July-December..... | 9.00 | 12.60 | 10.78 | 8.25 | 12.50 | 10.37 | 8.63 | 10.25 | 9.27 | 8.90 | 12.25 | 10.94 |
| 1919. | | | | | | | | | | | | |
| January..... | 9.00 | 10.00 | 9.55 | 7.50 | 9.25 | 8.82 | 7.75 | 9.00 | 8.65 | 7.00 | 8.90 | 8.56 |
| February..... | 7.00 | 9.00 | 8.15 | 7.00 | 7.75 | 7.29 | 6.50 | 8.00 | 7.37 | 6.90 | 7.50 | 7.29 |
| March..... | 6.50 | 8.00 | 7.13 | 6.50 | 7.35 | 6.98 | 6.75 | 7.75 | 7.24 | 5.75 | 6.90 | 6.59 |
| April..... | 6.50 | 8.00 | 7.45 | 6.75 | 7.75 | 7.27 | 7.25 | 7.75 | 7.32 | 6.50 | 6.75 | 6.73 |
| May..... | 7.00 | 8.00 | 7.63 | 7.50 | 8.25 | 7.84 | 7.40 | 8.00 | 7.79 | 6.70 | 6.75 | 6.78 |
| June..... | 6.50 | 8.00 | 7.60 | 7.75 | 8.25 | 8.03 | 7.10 | 7.75 | 7.46 | 6.70 | 7.15 | 6.90 |
| January-June..... | 6.50 | 10.00 | 7.92 | 6.50 | 9.25 | 7.70 | 6.50 | 9.00 | 7.64 | 5.75 | 8.90 | 7.14 |
| July..... | 6.00 | 8.00 | 6.94 | 7.25 | 8.25 | 7.63 | 7.15 | 8.25 | 7.49 | 6.75 | 7.25 | 7.00 |
| August..... | 7.00 | 9.00 | 7.80 | 8.50 | 9.50 | 9.02 | 8.10 | 8.75 | 8.30 | 7.25 | 8.00 | 7.90 |
| September..... | 7.50 | 8.75 | 8.21 | 8.50 | 9.00 | 8.75 | 7.00 | 8.10 | 7.59 | 7.50 | 7.50 | 7.50 |
| October..... | 7.25 | 8.25 | 7.68 | 7.25 | 8.75 | 8.10 | 6.75 | 7.50 | 7.15 | 6.25 | 7.50 | 6.73 |
| November..... | 7.00 | 7.75 | 7.37 | 7.25 | 8.00 | 7.66 | 6.75 | 7.00 | 6.86 | 6.25 | 6.50 | 6.32 |
| December..... | 7.00 | 8.00 | 7.40 | 7.25 | 8.00 | 7.64 | 7.00 | 7.35 | 7.20 | 6.20 | 6.50 | 6.30 |
| July-December..... | 6.00 | 9.00 | 7.57 | 7.25 | 9.50 | 8.13 | 6.75 | 8.75 | 7.43 | 6.20 | 8.00 | 6.96 |

¹ Hand picked, choice to fancy.

SOY BEANS.

TABLE 172.—Soy beans: Acreage, production, and value, by States 1919, and totals 1917-1919.

[Leading producing States.]

| State and year. | Acreage. ¹ | Average yield per acre. | Production. | Average farm price per bushel Nov. 15. | Farm value Nov. 15. |
|---------------------|-----------------------|-------------------------|-----------------|--|---------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| Pennsylvania..... | 2,000 | 18.0 | 36,000 | 4.10 | 148,000 |
| Virginia..... | 30,000 | 18.5 | 550,000 | 4.10 | 2,255,000 |
| North Carolina..... | 82,000 | 14.0 | 1,148,000 | 3.10 | 3,559,000 |
| South Carolina..... | 1,000 | 6.0 | 6,000 | 2.80 | 17,000 |
| Georgia..... | 2,000 | 10.0 | 25,000 | 2.90 | 72,000 |
| Ohio..... | 2,000 | 7.0 | 14,000 | 4.80 | 67,000 |
| Indiana..... | 2,000 | 14.0 | 35,000 | 4.50 | 158,000 |
| Illinois..... | 6,000 | 12.5 | 78,000 | 4.20 | 328,000 |
| Wisconsin..... | 1,000 | 7.5 | 10,000 | 4.20 | 42,000 |
| Missouri..... | 6,000 | 14.0 | 77,000 | 3.50 | 270,000 |
| Kentucky..... | 7,000 | 12.0 | 84,000 | 4.00 | 336,000 |
| Tennessee..... | 2,000 | 5.0 | 10,000 | 3.00 | 30,000 |
| Alabama..... | 7,000 | 9.5 | 66,000 | 2.90 | 191,000 |
| Mississippi..... | 8,000 | 15.0 | 120,000 | 2.80 | 336,000 |
| Other..... | 10,000 | | 143,000 | | 496,000 |
| Total..... | 168,000 | 14.3 | 2,402,000 | 3.46 | 8,304,000 |
| 1918..... | 169,000 | 17.7 | 2,997,000 | 3.20 | 9,590,000 |
| 1917..... | 154,000 | 14.8 | 2,283,000 | 2.86 | 6,529,000 |

¹ Acres rounded to nearest thousands.

TABLE 173.—Soy beans: Farm price per bushel on 15th of month, 1913-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 |
|--------------|--------|--------|--------|--------|--------|--------|--------|
| Jan. 15..... | \$3.00 | \$3.47 | \$2.20 | \$2.31 | \$2.35 | \$1.96 | |
| Feb. 15..... | 3.00 | 3.82 | 2.45 | 2.39 | 2.26 | 1.80 | |
| Oct. 15..... | 3.34 | 3.36 | 2.73 | 2.13 | 1.88 | 2.08 | \$1.96 |
| Nov. 15..... | 3.35 | 3.20 | 2.86 | 2.13 | 2.08 | 2.15 | 1.57 |
| Dec. 15..... | 3.44 | 3.29 | 3.33 | 2.18 | 2.23 | 2.24 | 1.72 |

COWPEAS.

TABLE 174.—Cowpeas: Acreage, production, and value by States 1919, and totals, 1917-1919.

[Leading producing States.]

| State and year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Dec. 1. | Farm value Dec. 1. |
|---------------------|---------------|-------------------------|-----------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| Virginia..... | 76,000 | 12.5 | 950,000 | 320 | 3,040,000 |
| North Carolina..... | 243,000 | 9.4 | 2,284,000 | 270 | 6,167,000 |
| South Carolina..... | 100,000 | 7.0 | 700,000 | 290 | 2,030,000 |
| Georgia..... | 220,000 | 4.5 | 990,000 | 240 | 2,376,000 |
| Florida..... | 24,000 | 9.0 | 216,000 | 300 | 648,000 |
| Indiana..... | 4,000 | 15.0 | 60,000 | 340 | 204,000 |
| Illinois..... | 13,000 | 8.0 | 104,000 | 340 | 354,000 |
| Missouri..... | 19,000 | 11.0 | 209,000 | 340 | 711,000 |
| Kentucky..... | 20,000 | 10.0 | 200,000 | 320 | 640,000 |
| Tennessee..... | 5,000 | 3.0 | 15,000 | 260 | 39,000 |
| Alabama..... | 408,000 | 5.6 | 2,285,000 | 230 | 5,256,000 |
| Mississippi..... | 40,000 | 4.0 | 160,000 | 250 | 400,000 |
| Louisiana..... | 130,000 | 6.0 | 780,000 | 320 | 2,496,000 |
| Texas..... | 90,000 | 11.0 | 990,000 | 280 | 2,772,000 |
| Oklahoma..... | 6,000 | 8.0 | 48,000 | 290 | 139,000 |
| Arkansas..... | 75,000 | 5.0 | 375,000 | 290 | 1,088,000 |
| Other..... | 5,000 | 12.0 | 60,000 | | 164,000 |
| Total..... | 1,478,000 | 7.1 | 10,426,000 | 273.6 | 28,524,000 |
| 1918..... | 2,003,000 | 6.2 | 12,427,000 | 231.4 | 28,756,000 |
| 1917..... | 1,829,000 | 7.0 | 12,787,000 | 227.1 | 29,089,000 |

COWPEAS—Continued.

TABLE 175.—Cowpeas: Farm price, cents per bushel on 15th of month, 1915–1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | Date. | 1919 | 1918 | 1917 | 1916 | 1915 |
|--------------|-------|-------|-------|-------|-------|---------------|-------|-------|-------|-------|-------|
| Jan. 15..... | 238.9 | 262.2 | 192.2 | 156.3 | | July 15..... | 342.8 | 248.4 | 303.2 | 135.1 | 179.8 |
| Feb. 15..... | 252.1 | 292.5 | 210.0 | 157.2 | 187.0 | Aug. 15..... | 310.3 | 211.3 | 245.4 | 141.3 | 174.4 |
| Mar. 15..... | 248.8 | 301.5 | 231.8 | 153.7 | 198.8 | Sept. 15..... | 269.4 | 226.2 | 217.0 | 112.4 | 155.4 |
| Apr. 15..... | 267.6 | 292.8 | 253.4 | 150.2 | 203.7 | Oct. 15..... | 260.9 | 233.9 | 219.5 | 118.1 | 156.0 |
| May 15..... | 292.3 | 283.3 | 236.1 | 148.8 | 201.9 | Nov. 15..... | 270.7 | 231.4 | 227.1 | 161.6 | 151.4 |
| June 15..... | 343.9 | 257.4 | 309.1 | 140.0 | 194.5 | Dec. 15..... | 280.6 | 237.6 | 237.5 | 177.0 | |

PEAS.

TABLE 176.—Peas: Area and production in undermentioned countries, 1909–1918.

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|---|-----------------------------------|------------------|------------------|------------------|-----------------------------------|------------------|------------------|------------------|
| | Average 1909–1913 ¹ | 1916 | 1917 | 1918 | Average 1909–1913 ¹ | 1916 | 1917 | 1918 |
| NORTH AMERICA. | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Bu.</i> | <i>Bu.</i> | <i>Bu.</i> | <i>Bu.</i> |
| United States..... | 1,305 | (²) | (²) | (²) | 7,129 | (²) | (²) | (²) |
| Canada: | | | | | | | | |
| Prince Edward Islands..... | 1 | (²) | (²) | (²) | 4 | 1 | 1 | 9 |
| Nova Scotia..... | 1 | (²) | (²) | 2 | 14 | 3 | 2 | 45 |
| New Brunswick..... | 1 | (²) | (²) | 4 | 21 | 7 | 6 | 82 |
| Quebec..... | 33 | 22 | 66 | 100 | 520 | 302 | 798 | 1,174 |
| Ontario..... | 267 | 126 | 126 | 99 | 4,482 | 1,795 | 2,110 | 1,458 |
| Saskatchewan..... | (²) | 2 | 3 | 4 | 7 | 52 | 45 | 83 |
| Alberta..... | (²) | 1 | 2 | 2 | 7 | 13 | 32 | 22 |
| British Columbia..... | 1 | 1 | 1 | 2 | 42 | 44 | 32 | 62 |
| Total, Canada..... | 304 | 152 | 198 | 213 | 5,097 | 2,218 | 3,026 | 2,935 |
| SOUTH AMERICA. | | | | | | | | |
| Chile ³ | 26 | 36 | (²) | (²) | 387 | 515 | (²) | (²) |
| EUROPE. | | | | | | | | |
| Austria ⁴ | (²) | (²) | (²) | (²) | (²) | (²) | (²) | (²) |
| Hungary ⁴ | 32 | (²) | (²) | (²) | 427 | (²) | (²) | (²) |
| Croatia-Slavonia ⁴ | 12 | (²) | (²) | (²) | 159 | (²) | (²) | (²) |
| Belgium ⁴ | 12 | (²) | (²) | (²) | 390 | (²) | (²) | (²) |
| France ⁴ | 73 | 33 | 28 | (²) | 1,308 | 568 | 386 | (²) |
| Italy ⁴ | (²) | (²) | (²) | (²) | 3,829 | 2,704 | 2,656 | (²) |
| Luxembourg ⁴ | 2 | (²) | (²) | (²) | 34 | (²) | (²) | (²) |
| Netherlands..... | 65 | 61 | 89 | 90 | 1,581 | 1,600 | 2,529 | (²) |
| Roumania ⁴ | 42 | 77 | (²) | (²) | 675 | (²) | (²) | (²) |
| Russia proper ⁴ | 2,628 | 1,070 | (²) | (²) | 27,973 | 12,201 | (²) | (²) |
| Poland ⁴ | 383 | (²) | (²) | (²) | 5,428 | (²) | (²) | (²) |
| Northern Caucasus ⁴ | 11 | (²) | (²) | (²) | 89 | (²) | (²) | (²) |
| Spain ⁴ | 1,071 | 1,392 | 10,825 | 10,941 | 10,402 | 13,369 | 10,8,962 | 10,8,143 |
| Sweden..... | 47 | 65 | 25 | 36 | 1,227 | 1,123 | 843 | 1,885 |
| United Kingdom: | | | | | | | | |
| England..... | 152 | 84 | 102 | 127 | 3,974 | 2,072 | 2,203 | 3,496 |
| Wales..... | 1 | (²) | 1 | 1 | 14 | 9 | 12 | 15 |
| Scotland..... | 1 | (²) | (²) | (²) | 14 | 3 | 1 | 2 |
| Ireland..... | 1 | (²) | (²) | (²) | 8 | 4 | 8 | 12 |
| Total, United Kingdom..... | 154 | 84 | 103 | 128 | 4,010 | 2,088 | 2,224 | 3,525 |
| ASIA. | | | | | | | | |
| Japan..... | 91 | 126 | 222 | (²) | 1,804 | 2,329 | 3,898 | (²) |
| Russia (9 governments) ⁴ | 94 | (²) | (²) | (²) | 794 | (²) | (²) | (²) |
| AUSTRALASIA. | | | | | | | | |
| Australia..... | (²) | 25 | 32 | (²) | (²) | 404 | 567 | (²) |
| New Zealand..... | 16 | 9 | 12 | (²) | 507 | 168 | 242 | (²) |

¹ Five-year average except where statistics were not available.

² Census of 1909.

³ No official statistics.

⁴ Less than 500 acres.

⁵ Includes chick-peas, lentils, and vetches.

⁶ Old boundaries.

⁷ Includes lentils.

⁸ Included under beans.

⁹ Excludes territory occupied by the enemy.

¹⁰ Unofficial estimate.

BROOM CORN.

TABLE 177.—Broom corn: Acreage, production, and value, by States 1919, and totals 1915-1919.

[Leading producing States.]

| State and year. | Acreage. | Average yield per acre. | Production. | Average farm price per ton Nov. 15. | Farm value Nov. 15. |
|-----------------|---------------|-------------------------|--------------|-------------------------------------|---------------------|
| | <i>Acres.</i> | <i>Tons.</i> | <i>Tons.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| Illinois..... | 15,200 | .275 | 4,200 | 270.00 | 1,134.000 |
| Missouri..... | 4,400 | .205 | 900 | 170.00 | 153.000 |
| Kansas..... | 20,000 | .167 | 3,300 | 150.00 | 495.000 |
| Texas..... | 58,000 | .186 | 10,800 | 140.00 | 1,512.000 |
| Oklahoma..... | 137,000 | .196 | 26,900 | 149.00 | 4,006.000 |
| Colorado..... | 17,000 | .175 | 3,000 | 100.00 | 300.000 |
| New Mexico..... | 20,000 | .200 | 4,000 | 125.00 | 500.000 |
| Total..... | 271,600 | .196 | 53,100 | 152.58 | 8,102.000 |
| 1918..... | 306,000 | .158 | 57,800 | 221.93 | 12,770.000 |
| 1917..... | 315,000 | .166 | 57,400 | 292.75 | 16,804.000 |
| 1916..... | 235,200 | .165 | 38,726 | 172.75 | 6,690.000 |
| 1915..... | 230,100 | .227 | 52,242 | 91.67 | 4,789.000 |

TABLE 178.—Broom corn: Farm price per ton on 15th of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|----------|----------|----------|----------|---------|---------|---------|---------|---------|----------|
| Jan. 15..... | \$169.41 | \$219.39 | \$184.08 | \$103.97 | \$86.26 | \$94.38 | \$48.89 | \$90.06 | \$51.46 | \$169.85 |
| Feb. 15..... | 140.96 | 253.70 | 200.54 | 103.52 | 78.44 | 95.16 | 56.08 | 85.97 | 79.70 | 126.88 |
| Mar. 15..... | 173.73 | 242.47 | 212.24 | 103.81 | 68.42 | 91.36 | 56.97 | 99.36 | 77.96 | 121.65 |
| Apr. 15..... | 119.46 | 222.19 | 226.82 | 96.39 | 70.79 | 89.47 | 58.13 | 100.54 | 74.19 | 203.80 |
| May 15..... | 151.72 | 205.98 | 252.33 | 100.94 | 74.84 | 84.99 | 53.40 | 83.34 | 81.05 | 199.25 |
| June 15..... | 106.49 | 222.11 | 222.66 | 101.81 | 76.51 | 88.04 | 61.08 | 79.40 | 69.36 | 150.67 |
| July 15..... | 119.02 | 235.02 | 193.79 | 103.05 | 78.94 | 87.94 | 56.61 | 84.68 | 65.14 | 179.65 |
| Aug. 15..... | 123.64 | 231.68 | 307.66 | 119.79 | 82.96 | 91.44 | 90.53 | 83.12 | 72.07 | 142.13 |
| Sept. 15..... | 154.28 | 300.29 | 240.15 | 128.51 | 75.24 | 77.05 | 106.05 | 76.52 | 91.67 | 138.66 |
| Oct. 15..... | 161.86 | 265.23 | 269.85 | 167.52 | 86.44 | 66.53 | 101.85 | 70.40 | 121.47 | 107.94 |
| Nov. 15..... | 160.55 | 205.35 | 235.50 | 172.60 | 92.04 | 65.82 | 99.80 | 69.32 | 124.00 | 95.02 |
| Dec. 15..... | 162.86 | 171.63 | 279.55 | 171.94 | 101.19 | 58.21 | 92.32 | 57.07 | 108.20 | 98.01 |

GRAIN SORGHUMS.

TABLE 179.—Grain sorghums:¹ Acreage, production, and value, by States 1913, and totals 1915-1919.

[Leading producing States.]

| State and year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Nov. 15. | Farm value Nov. 15. |
|-----------------|---------------|-------------------------|-----------------|--|---------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| Kansas..... | 1,040,000 | 17.2 | 17,888,000 | 150. | 26,832.000 |
| Texas..... | 1,798,000 | 33.0 | 59,334,000 | 110. | 65,267.000 |
| Oklahoma..... | 1,440,000 | 23.0 | 33,120,000 | 120. | 19,680.000 |
| Colorado..... | 149,000 | 14.5 | 2,160,000 | 120. | 2,592.000 |
| New Mexico..... | 238,000 | 30.0 | 7,140,000 | 130. | 9,282.000 |
| Arizona..... | 58,000 | 35.0 | 2,030,000 | 150. | 3,045.000 |
| California..... | 170,000 | 25.8 | 4,386,000 | 134. | 6,754.000 |
| Total..... | 4,893,000 | 25.8 | 126,068,000 | 129.7 | 163,452.000 |
| 1918..... | 6,036,000 | 12.1 | 73,241,000 | 150.0 | 109,861.000 |
| 1917..... | 5,153,000 | 11.9 | 61,409,000 | 161.9 | 99,433.000 |
| 1916..... | 3,944,000 | 13.7 | 53,858,000 | 105.9 | 57,027.000 |
| 1915..... | 4,153,000 | 27.6 | 114,460,000 | 44.7 | 51,157.000 |

¹ Kaffirs, milo maize, feterita.

GRAIN SORGHUMS—Continued.

TABLE 180.—Grain sorghums: Farm price, cents per bushel on 15th of month, 1916-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | Date. | 1919 | 1918 | 1917 | 1916 |
|--------------|-------|-------|-------|------|---------------|-------|-------|-------|-------|
| Jan. 15..... | 153.7 | 170.8 | 119.1 | | July 15..... | 175.9 | 105.6 | 214.0 | 62.8 |
| Feb. 15..... | 156.9 | 185.7 | 129.0 | | Aug. 15..... | 176.9 | 177.2 | 233.3 | 72.4 |
| Mar. 15..... | 150.9 | 193.5 | 147.0 | | Sept. 15..... | 153.7 | 181.0 | 187.7 | 83.8 |
| Apr. 15..... | 162.1 | 204.0 | 152.0 | 53.6 | Oct. 15..... | 139.7 | 175.9 | 171.1 | 80.8 |
| May 15..... | 173.6 | 211.0 | 183.0 | 58.2 | Nov. 15..... | 133.6 | 159.5 | 169.6 | 102.4 |
| June 15..... | 174.1 | 179.6 | 206.3 | 60.0 | Dec. 15..... | 144.3 | 154.8 | 199.7 | 101.5 |

PEANUTS.

TABLE 181.—Peanuts: Acreage, production, and value, by States 1919, and totals 1916-1919.

| State and year. | Acreage. | Average yield per acre. | Production. | Average farm price per bushel Nov. 15. | Farm value Nov. 15. |
|---------------------|---------------|-------------------------|-----------------|--|---------------------|
| | <i>Acres.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| Virginia..... | 139,000 | 38.0 | 5,282,000 | 213 | 14,420,000 |
| North Carolina..... | 116,000 | 41.0 | 4,756,000 | 244 | 11,605,000 |
| South Carolina..... | 13,000 | 45.0 | 585,000 | 292 | 1,798,000 |
| Georgia..... | 202,000 | 25.0 | 5,050,000 | 246 | 12,423,000 |
| Florida..... | 126,000 | 21.0 | 3,402,000 | 211 | 7,178,000 |
| Missouri..... | 400 | 36.0 | 15,000 | 275 | 41,600 |
| Tennessee..... | 11,000 | 35.0 | 385,000 | 221 | 851,000 |
| Alabama..... | 380,000 | 18.0 | 6,840,000 | 218 | 14,911,000 |
| Mississippi..... | 4,000 | 32.0 | 128,000 | 221 | 283,000 |
| Louisiana..... | 8,000 | 31.0 | 248,000 | 254 | 62,600 |
| Texas..... | 222,000 | 25.0 | 5,550,000 | 238 | 13,202,000 |
| Oklahoma..... | 16,000 | 32.0 | 512,000 | 277 | 1,418,000 |
| Arkansas..... | 19,000 | 35.0 | 665,000 | 234 | 1,556,000 |
| Total..... | 1,251,400 | 26.6 | 33,263,000 | 240.0 | 79,839,000 |
| 1918..... | 1,865,400 | 24.7 | 46,010,000 | 173.7 | 79,929,000 |
| 1917..... | 1,842,400 | 28.5 | 52,606,000 | 174.3 | 91,498,000 |
| 1916..... | 1,043,350 | 33.0 | 34,433,500 | 120.1 | 41,357,000 |

TABLE 182.—Peanuts: Farm price, cents per pound on 15th of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|------|------|------|------|------|------|------|------|------|------|
| Jan. 15..... | 6.0 | 7.0 | 4.9 | 4.3 | 4.5 | 4.7 | 4.6 | 4.3 | 4.4 | 4.9 |
| Feb. 15..... | 6.9 | 7.2 | 5.3 | 4.4 | 4.4 | 4.7 | 4.5 | 4.7 | 5.0 | 5.4 |
| Mar. 15..... | 7.0 | 7.4 | 5.5 | 4.4 | 4.2 | 4.7 | 4.7 | 5.0 | 4.8 | 5.0 |
| Apr. 15..... | 6.9 | 8.3 | 6.2 | 4.6 | 4.5 | 4.9 | 4.8 | 4.9 | 4.9 | 5.4 |
| May 15..... | 7.2 | 8.2 | 7.2 | 4.6 | 4.8 | 5.1 | 4.7 | 4.9 | 4.8 | 5.2 |
| June 15..... | 7.7 | 7.9 | 7.7 | 4.7 | 4.8 | 5.1 | 5.0 | 5.2 | 5.2 | 5.4 |
| July 15..... | 8.2 | 7.8 | 7.6 | 4.6 | 4.7 | 5.2 | 5.1 | 4.9 | 5.0 | 5.2 |
| Aug. 15..... | 8.1 | 7.9 | 7.2 | 4.6 | 4.5 | 4.9 | 4.9 | 5.0 | 5.3 | 4.5 |
| Sept. 15..... | 8.3 | 8.3 | 6.6 | 4.4 | 4.4 | 5.0 | 4.9 | 4.8 | 5.1 | 4.5 |
| Oct. 15..... | 8.1 | 6.9 | 6.1 | 4.4 | 4.3 | 4.5 | 4.8 | 4.7 | 4.6 | 4.6 |
| Nov. 15..... | 9.1 | 6.6 | 7.1 | 4.4 | 4.2 | 4.4 | 4.4 | 4.7 | 4.4 | 4.7 |
| Dec. 15..... | 9.1 | 6.1 | 7.1 | 4.7 | 4.2 | 4.3 | 4.3 | 4.6 | 4.4 | 4.5 |

PEANUTS—Continued.

TABLE 183.—*Peanuts: Area and production in Spain, British, India, Japan, and Formosa, and exports from Senegal.*

[From official reports.]

SPAIN.

| Year. | Area. | Production. | Year. | Area. | Production. |
|-----------|---------------|-------------------------------|-----------|---------------|-------------------------------|
| | <i>Acres.</i> | <i>Tons of \$,000 pounds.</i> | | <i>Acres.</i> | <i>Tons of \$,000 pounds.</i> |
| 1912..... | 18,434 | 21,620 | 1916..... | 11,490 | 12,800 |
| 1913..... | 18,656 | 19,626 | 1917..... | 11,663 | 14,273 |
| 1914..... | 18,928 | 22,319 | 1918..... | 19,546 | 24,224 |
| 1915..... | 14,429 | 13,834 | | | |

BRITISH INDIA.

| | | | | | |
|-----------|-----------|-------------------------------|-----------|-----------|-------------------------------|
| | | <i>Tons of \$,240 pounds.</i> | | | <i>Tons of \$,240 pounds.</i> |
| 1912..... | 1,214,100 | 605,700 | 1916..... | 1,673,000 | 1,058,000 |
| 1913..... | 1,368,400 | 669,900 | 1917..... | 2,334,000 | 1,196,000 |
| 1914..... | 2,105,900 | 748,800 | 1918..... | 1,894,000 | 1,042,000 |
| 1915..... | 2,413,000 | 947,000 | 1919..... | 1,312,000 | 490,000 |

JAPAN.

| | | | | | |
|-----------|--------|----------------------------|-----------|--------|----------------------------|
| | | <i>Winchester bushels.</i> | | | <i>Winchester bushels.</i> |
| 1911..... | 19,140 | 1,568,323 | 1915..... | 24,767 | 2,064,534 |
| 1912..... | 24,622 | 2,002,681 | 1916..... | 30,092 | 2,453,091 |
| 1913..... | 22,539 | 2,203,750 | 1917..... | 32,990 | 2,335,984 |
| 1914..... | 23,350 | 2,216,271 | | | |

FORMOSA.

| | | | | | |
|-----------|--------|----------------------------|-----------|--------|----------------------------|
| | | <i>Winchester bushels.</i> | | | <i>Winchester bushels.</i> |
| 1911..... | 44,836 | 880,304 | 1915..... | 50,512 | 1,224,623 |
| 1912..... | 44,503 | 838,308 | 1916..... | 51,599 | 1,181,655 |
| 1913..... | 46,518 | 1,125,893 | 1917..... | 53,361 | 1,401,280 |
| 1914..... | 47,627 | 1,006,953 | | | |

QUANTITY AND VALUE OF PEANUTS EXPORTED FROM SENEGAL.

| | | | | | |
|-----------|-------------------------------|-----------------|-----------|-------------------------------|-----------------|
| | <i>Tons of \$,000 pounds.</i> | <i>Dollars.</i> | | <i>Tons of \$,000 pounds.</i> | <i>Dollars.</i> |
| 1911..... | 181,778 | 7,902,182 | 1914..... | 309,224 | 13,498,637 |
| 1912..... | 203,663 | 7,944,452 | 1915..... | 334,071 | 10,865,718 |
| 1913..... | 253,487 | 11,054,810 | | | |

TRUCK CROPS.

TABLE 184.—Commercial acreage and production of truck crops in the United States for the years 1917 and 1918. (Revised March 13, 1920.)

| Crop. | Number of States producing. | Acreage. | | Production. | | Unit of measure. |
|-----------------------------|-----------------------------|-----------|-----------|-------------|------------|----------------------|
| | | 1917 | 1918 | 1917 | 1918 | |
| Asparagus..... | 24 | 31,647 | 28,459 | 36,289 | 28,004 | Tons. |
| Beans (snap)..... | 33 | 31,104 | 31,618 | 54,156 | 56,859 | Do. |
| Cabbage..... | 28 | 93,518 | 92,715 | 603,962 | 624,812 | Do. |
| Cauliflower..... | 16 | 60,150 | 39,680 | 8,006,500 | 5,796,000 | Standard crates. |
| Celery..... | 20 | 9,086 | 9,972 | 1,898,974 | 2,084,148 | Crates. ¹ |
| Corn (sweet)..... | 7 | 14,500 | 14,750 | 6,597,750 | 6,436,500 | Do. ² |
| Cucumbers..... | 23 | 204,645 | 278,480 | 377,688 | 511,809 | Tons. |
| Lettuce..... | 23 | 50,521 | 63,005 | 42,581 | 111,711 | Do. |
| Onions..... | 8 | 12,500 | 15,350 | 6,348,300 | 7,476,900 | Crates. ³ |
| Peas..... | 22 | 64,420 | 61,715 | 19,133,000 | 19,336,000 | Bushels. |
| Potatoes (early Irish)..... | 32 | 180,407 | 127,611 | 152,462 | 132,769 | Tons. |
| Strawberries..... | 16 | 267,850 | 258,650 | 18,552,300 | 27,471,750 | Bushels. |
| Tomatoes..... | 23 | 109,510 | 83,820 | 7,948,141 | 5,152,605 | Crates. ⁴ |
| Watermelons..... | 42 | 3 0,850 | 351,252 | 1,074,596 | 1,462,869 | Tons. |
| | 17 | 120,700 | 67,745 | 44,961,000 | 27,533,000 | Number. |
| Total..... | | 1,548,448 | 1,525,792 | | | |

¹ Crates of 1 dozen heads each.

² Crates of 10 bunches of 1 dozen plants each.

³ Crates of 2 dozen heads each.

⁴ Crates containing 24 quarts.

CABBAGE.

TABLE 185.—Commercial acreage, yield per acre, and production of cabbages in the United States, 1915-1919. (Unrevised.)

| State. | Acreage harvested. | | | | | Yield per acre. | | | | | Production in cars—25,000 pounds. | | | | |
|---------------------------|--------------------|--------|--------|--------|--------|-----------------|------|------|------|------|-----------------------------------|-------|--------|--------|--------|
| | 1915 | 1916 | 1917 | 1918 | 1919 | 1915 | 1916 | 1917 | 1918 | 1919 | 1915 | 1916 | 1917 | 1918 | 1919 |
| Early: | | | | | | | | | | | | | | | |
| Calif..... | 3,500 | 3,600 | 3,800 | 4,300 | 5,160 | 8.5 | 8.5 | 7.0 | 5.0 | 4.0 | 2,384 | 2,448 | 2,128 | 1,720 | 1,651 |
| Fla..... | 3,460 | 4,500 | 5,700 | 9,200 | 3,950 | 7.6 | 7.6 | 2.0 | 5.3 | 6.0 | 2,064 | 2,736 | 912 | 3,901 | 1,896 |
| La..... | 1,500 | 1,600 | 1,600 | 1,200 | 1,980 | 5.0 | 5.0 | 2.0 | 3.0 | 4.0 | 600 | 740 | 256 | 288 | 634 |
| Tex..... | 4,100 | 4,400 | 8,900 | 6,650 | 4,430 | 3.3 | 3.3 | 2.0 | 0.8 | 5.0 | 1,080 | 1,160 | 1,424 | 425 | 1,772 |
| Late: | | | | | | | | | | | | | | | |
| Ala..... | 1,100 | 1,000 | 1,000 | 1,500 | 1,380 | 8.3 | 8.3 | 3.0 | 7.8 | 7.0 | 728 | 664 | 160 | 936 | 773 |
| Colo..... | 3,700 | 3,200 | 3,300 | 4,220 | 3,420 | 10.8 | 10.3 | 12.9 | 9.0 | 10.0 | 3,197 | 2,637 | 3,406 | 3,038 | 2,736 |
| Idaho..... | 32 | 35 | 30 | 35 | 35 | 9.0 | 8.5 | 8.6 | 7.5 | 10.0 | 23 | 24 | 20 | 21 | 28 |
| Ill..... | 325 | 375 | 225 | 225 | 170 | 8.0 | 7.5 | 7.8 | 8.0 | 5.0 | 208 | 225 | 147 | 144 | 68 |
| Ind..... | 1,300 | 1,100 | 1,300 | 1,400 | 830 | 5.0 | 3.5 | 9.5 | 8.2 | 6.3 | 520 | 308 | 988 | 918 | 418 |
| Iowa..... | 2,800 | 1,700 | 1,000 | 1,800 | 1,170 | 10.0 | 6.5 | 7.2 | 7.0 | 4.5 | 2,240 | 884 | 576 | 1,008 | 421 |
| Ky..... | 300 | 350 | 250 | 200 | 200 | 9.3 | 9.5 | 8.7 | 9.2 | 8.6 | 223 | 266 | 174 | 147 | 136 |
| Md..... | 1,565 | 1,584 | 340 | 180 | 470 | 8.0 | 8.5 | 8.5 | 8.4 | 8.0 | 1,001 | 1,077 | 231 | 121 | 301 |
| Mich..... | 4,600 | 2,400 | 5,100 | 3,750 | 1,440 | 9.0 | 7.1 | 8.3 | 10.2 | 6.8 | 3,312 | 1,363 | 3,386 | 3,101 | 783 |
| Minn..... | 2,300 | 1,500 | 2,500 | 1,650 | 1,740 | 9.0 | 6.4 | 9.5 | 9.3 | 8.0 | 1,656 | 768 | 1,900 | 1,227 | 1,113 |
| Miss..... | 1,200 | 1,200 | 2,100 | 2,600 | 1,450 | 4.3 | 4.3 | 3.0 | 5.7 | 5.5 | 416 | 416 | 504 | 1,186 | 638 |
| Mo..... | 135 | 115 | 125 | 105 | 250 | 7.3 | 8.3 | 7.5 | 9.4 | 8.0 | 79 | 76 | 75 | 79 | 160 |
| Nebr..... | 65 | 55 | 25 | 25 | 25 | 7.3 | 8.3 | 7.0 | 9.2 | 9.0 | 38 | 36 | 14 | 18 | 18 |
| N. J..... | 1,650 | 1,695 | 1,620 | 1,500 | 1,390 | 8.0 | 9.2 | 8.6 | 8.7 | 7.5 | 1,056 | 1,248 | 1,115 | 1,044 | 834 |
| N. Y..... | 35,900 | 17,800 | 28,300 | 28,000 | 20,120 | 10.0 | 5.4 | 7.3 | 9.1 | 6.5 | 28,729 | 7,690 | 16,527 | 20,384 | 10,462 |
| N. C..... | 500 | 650 | 350 | 400 | 280 | 9.0 | 9.0 | 4.5 | 5.0 | 3.5 | 260 | 366 | 126 | 160 | 78 |
| Ohio..... | 3,900 | 2,200 | 3,600 | 3,080 | 2,030 | 7.0 | 5.3 | 8.3 | 7.0 | 7.0 | 2,184 | 943 | 2,324 | 1,736 | 1,137 |
| Ore..... | 175 | 200 | 195 | 275 | 275 | 9.0 | 9.5 | 8.0 | 7.0 | 11.0 | 126 | 132 | 125 | 154 | 242 |
| Pa..... | 650 | 555 | 350 | 275 | 320 | 10.0 | 5.0 | 7.0 | 9.0 | 8.0 | 590 | 292 | 196 | 198 | 205 |
| S. C..... | 2,300 | 2,300 | 3,100 | 3,500 | 2,090 | 9.0 | 9.0 | 3.0 | 8.0 | 7.5 | 1,656 | 1,656 | 744 | 2,240 | 1,236 |
| Tenn..... | 250 | 275 | 300 | 310 | 420 | 8.6 | 8.2 | 8.0 | 8.8 | 6.0 | 172 | 180 | 192 | 218 | 201 |
| Utah..... | 18 | 20 | 23 | 25 | 25 | 8.5 | 8.2 | 8.6 | 7.5 | 10.0 | 12 | 13 | 16 | 15 | 20 |
| Va..... | | | | | | | | | | | | | | | |
| E. Shore and Norfolk sec. | 4,750 | 5,050 | 4,350 | 3,050 | 2,475 | 9.2 | 9.2 | 4.6 | 7.3 | 6.5 | 3,504 | 3,714 | 1,620 | 1,780 | 1,287 |
| SW..... | 1,400 | 1,700 | 2,150 | 1,500 | 1,520 | 9.0 | 7.1 | 6.8 | 8.9 | 7.5 | 1,008 | 966 | 1,170 | 1,008 | 912 |
| Wash..... | 165 | 185 | 175 | 260 | 260 | 9.2 | 8.6 | 8.6 | 7.2 | 10.0 | 121 | 127 | 120 | 150 | 208 |
| Wis..... | 13,500 | 9,200 | 11,800 | 11,500 | 8,860 | 9.9 | 6.3 | 8.2 | 8.0 | 7.2 | 10,692 | 4,637 | 7,741 | 7,360 | 5,404 |

¹ New Orleans section.

CABBAGE—Continued.

TABLE 186.—Cabbage: Farm price, per 100 pounds on 15th of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Jan. 15..... | \$2.19 | \$2.74 | \$3.95 | \$1.17 | \$1.36 | \$1.87 | \$1.26 | \$1.89 | \$1.56 | \$1.87 |
| Feb. 15..... | 2.33 | 3.26 | 5.65 | 1.21 | 1.41 | 2.07 | 1.17 | 2.24 | 1.48 | 2.05 |
| Mar. 15..... | 2.71 | 2.86 | 6.77 | 1.38 | 1.38 | 2.03 | 1.03 | 2.88 | 1.26 | 2.14 |
| Apr. 15..... | 3.79 | 2.98 | 7.61 | 1.50 | 1.99 | 2.24 | 1.15 | 3.17 | 1.33 | 2.29 |
| May 15..... | 4.97 | 3.23 | 7.53 | 1.93 | 2.53 | 2.05 | 1.58 | 2.98 | 1.28 | 2.77 |
| June 15..... | 4.08 | 3.55 | 5.10 | 2.27 | 2.34 | 2.61 | 2.18 | 2.67 | 2.45 | 2.19 |
| July 15..... | 4.23 | 3.41 | 3.23 | 2.15 | 1.95 | 2.66 | 2.64 | 2.29 | 2.93 | 2.27 |
| Aug. 15..... | 3.73 | 2.96 | 2.19 | 2.26 | 1.61 | 1.74 | 2.15 | 1.88 | 2.47 | 1.89 |
| Sept. 15..... | 3.08 | 2.45 | 1.76 | 2.17 | 1.24 | 1.50 | 1.79 | 1.25 | 1.94 | 1.94 |
| Oct. 15..... | 2.88 | 2.16 | 1.79 | 2.40 | 1.06 | 1.31 | 1.69 | 1.08 | 1.58 | 1.58 |
| Nov. 15..... | 2.71 | 1.99 | 2.66 | 2.61 | .97 | 1.14 | 1.58 | 1.04 | 1.51 | 1.36 |
| Dec. 15..... | 3.40 | 2.05 | 2.28 | 3.04 | 1.07 | 1.26 | 1.75 | 1.15 | 1.63 | 1.40 |

ONIONS.

TABLE 187.—Commercial acreage, yield per acre, and production of onions in the United States, 1915-1919. (Unrevised.)

| State. | Acreage harvested. | | | | | Yield per acre. | | | | | Production (cars of 500 bushels each). | | | | |
|-----------------|--------------------|--------|--------|--------|-------|-----------------|------|------|------|------|--|-------|-------|-------|-------|
| | 1915 | 1916 | 1917 | 1918 | 1919 | 1915 | 1916 | 1917 | 1918 | 1919 | 1915 | 1916 | 1917 | 1918 | 1919 |
| Early crop: | | | | | | | | | | | | | | | |
| Calif..... | 650 | 900 | 1,250 | 1,400 | 870 | 325 | 320 | 310 | 330 | 311 | 422 | 578 | 850 | 922 | 511 |
| La..... | 2,000 | 2,000 | 3,000 | 1,500 | 350 | 175 | 165 | 185 | 190 | 160 | 700 | 990 | 1,110 | 570 | 112 |
| Tex..... | 8,943 | 10,057 | 12,050 | 18,070 | 6,630 | 237 | 225 | 205 | 144 | 210 | 4,238 | 4,625 | 6,386 | 5,204 | 3,182 |
| Late crop: | | | | | | | | | | | | | | | |
| Calif..... | 5,100 | 5,300 | 8,600 | 8,200 | 7,570 | 375 | 345 | 391 | 350 | 325 | 3,826 | 3,680 | 6,777 | 5,740 | 4,920 |
| Colo..... | 388 | 400 | 850 | 1,350 | 550 | 391 | 270 | 266 | 214 | 250 | 304 | 200 | 432 | 657 | 271 |
| Idaho..... | 175 | 200 | 450 | 30 | 75 | 400 | 500 | 400 | 575 | 500 | 140 | 216 | 360 | 31 | 75 |
| Ill..... | 900 | 850 | 1,000 | 1,100 | 830 | 215 | 225 | 275 | 315 | 200 | 386 | 383 | 550 | 758 | 332 |
| Ind..... | 3,070 | 3,000 | 4,250 | 2,950 | 3,450 | 181 | 206 | 293 | 362 | 200 | 1,129 | 1,483 | 2,490 | 2,136 | 1,380 |
| Iowa..... | 527 | 505 | 1,100 | 1,100 | 950 | 400 | 287 | 315 | 365 | 300 | 421 | 325 | 608 | 781 | 570 |
| Ky..... | 950 | 1,100 | 1,000 | 850 | 1,200 | 227 | 232 | 225 | 301 | 300 | 431 | 510 | 450 | 511 | 720 |
| Mass..... | 3,923 | 3,800 | 4,150 | 4,000 | 4,250 | 316 | 340 | 344 | 475 | 310 | 2,714 | 2,584 | 2,855 | 4,369 | 2,800 |
| Mich..... | 943 | 750 | 1,500 | 1,200 | 1,100 | 210 | 266 | 301 | 314 | 175 | 448 | 368 | 912 | 993 | 385 |
| Minn..... | 1,027 | 1,000 | 1,450 | 1,350 | 1,250 | 375 | 206 | 388 | 416 | 275 | 770 | 412 | 1,126 | 1,133 | 675 |
| Nev..... | 25 | 55 | 15 | 25 | 25 | 225 | 184 | 245 | 265 | 350 | 11 | 29 | 7 | 13 | 17 |
| N. J..... | 2,185 | 2,000 | 2,450 | 2,000 | 2,000 | 320 | 275 | 348 | 320 | 250 | 1,368 | 1,595 | 1,705 | 1,250 | 1,000 |
| N. Y..... | 12,554 | 6,600 | 9,800 | 8,650 | 7,280 | 287 | 195 | 278 | 208 | 265 | 7,205 | 2,574 | 5,448 | 7,058 | 3,838 |
| Ohio..... | 2,667 | 5,200 | 6,600 | 6,000 | 5,300 | 102 | 277 | 258 | 312 | 250 | 544 | 2,884 | 3,403 | 3,781 | 2,650 |
| Oreg..... | 691 | 750 | 1,050 | 750 | 800 | 400 | 500 | 250 | 235 | 300 | 537 | 750 | 377 | 352 | 480 |
| Pac..... | 404 | 250 | 350 | 200 | 120 | 250 | 300 | 200 | 283 | 300 | 202 | 150 | 188 | 114 | 72 |
| Tex..... | 75 | 90 | 875 | 950 | 1,100 | 250 | 250 | 250 | 250 | 250 | 60 | 72 | 80 | 102 | 65 |
| Utah..... | 75 | 90 | 100 | 100 | 65 | 400 | 400 | 400 | 510 | 500 | 60 | 72 | 80 | 102 | 65 |
| Va. (E.S.)..... | 1,169 | 375 | 425 | 380 | 300 | 200 | 200 | 214 | 265 | 250 | 468 | 154 | 182 | 202 | 150 |
| Wash..... | 781 | 800 | 1,200 | 1,000 | 640 | 400 | 492 | 312 | 400 | 400 | 624 | 787 | 751 | 800 | 512 |
| Wis..... | 817 | 650 | 950 | 600 | 950 | 350 | 228 | 318 | 382 | 140 | 572 | 433 | 605 | 687 | 260 |

¹ Does not include acreage grown under contract with seedsmen.

TABLE 188.—Onions: Farm price, cents per bushel on 15th of each month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Jan. 15..... | 133.5 | 178.9 | 208.4 | 113.2 | 88.9 | 121.0 | 81.6 | 117.0 | 101.0 | 94.4 |
| Feb. 15..... | 151.7 | 183.2 | 357.8 | 126.8 | 97.6 | 140.7 | 77.5 | 140.0 | 104.0 | 100.1 |
| Mar. 15..... | 199.8 | 147.0 | 476.2 | 180.3 | 95.8 | 155.2 | 77.0 | 167.0 | 105.0 | 92.5 |
| Apr. 15..... | 242.1 | 134.1 | 495.6 | 123.5 | 104.4 | 159.2 | 79.0 | 175.0 | 119.0 | 103.4 |
| May 15..... | 229.9 | 131.7 | 398.0 | 123.3 | 102.9 | 152.6 | 87.2 | 177.0 | 129.0 | 102.8 |
| June 15..... | 231.1 | 138.7 | 398.0 | 133.8 | 102.9 | 140.8 | 95.6 | 155.0 | 134.0 | 105.8 |
| July 15..... | 232.0 | 162.5 | 201.0 | 147.3 | 93.0 | 170.1 | 101.7 | 114.0 | 122.0 | 104.5 |
| Aug. 15..... | 225.8 | 164.7 | 154.7 | 123.5 | 86.3 | 187.9 | 105.1 | 100.6 | 116.0 | 99.8 |
| Sept. 15..... | 195.1 | 163.3 | 142.9 | 122.9 | 82.8 | 103.3 | 103.9 | 89.0 | 104.0 | 99.4 |
| Oct. 15..... | 196.4 | 143.2 | 157.5 | 131.4 | 94.8 | 88.3 | 110.2 | 85.0 | 162.0 | 95.2 |
| Nov. 15..... | 212.5 | 143.1 | 176.6 | 153.8 | 94.8 | 84.4 | 114.9 | 84.0 | 102.0 | 94.6 |
| Dec. 15..... | 215.8 | 131.7 | 177.0 | 175.7 | 99.6 | 92.3 | 114.9 | 84.0 | 113.0 | 98.8 |

TOMATOES.

TABLE 189.—*Commercial acreage, yield per acre, and production of tomatoes for manufacture and table stock, 1917-1919. (Unrevised.)*

| States. | Acreage harvested. | | | Yield per acre. | | | | | | Production. | | | | | | | | |
|---------------------|--------------------|----------------------------|--------|-----------------|----------------------------|--------|---------------------|----------------------------|-------|-----------------|----------------------------|-----------|-----------------|----------------------------|-----------|---------------------|----------------------------|-----------|
| | 1917 | | | 1918 | | | 1919 (preliminary). | | | 1917 | | | 1918 | | | 1919 (preliminary). | | |
| | Table stock. | Manu- facture stock. | Acres. | Table stock. | Manu- facture stock. | Acres. | Table stock. | Manu- facture stock. | Tons. | Table stock. | Manu- facture stock. | Tons. | Table stock. | Manu- facture stock. | Tons. | Table stock. | Manu- facture stock. | Tons. |
| Alabama..... | 0 | 23 | 0 | 0 | 25 | 0 | 13 | 0 | 3.0 | 3.0 | 0 | 1,650 | 0 | 1,725 | 0 | 0 | 0 | 0 |
| Arkansas..... | 0 | 1,824 | 0 | 0 | 5,354 | 0 | 3,740 | 0 | 3.3 | 2.3 | 0 | 117,634 | 0 | 215,197 | 0 | 0 | 0 | 0 |
| California..... | 2,319 | 21,735 | 2,200 | 30,669 | 18,559 | 2,200 | 30,669 | 7.9 | 5.4 | 5.4 | 17,390 | 11,480 | 11,480 | 11,480 | 17,390 | 17,390 | 17,390 | 17,390 |
| Colorado..... | 0 | 1,294 | 0 | 1,358 | 1,358 | 0 | 1,358 | 7.6 | 6.4 | 6.4 | 0 | 321,134 | 0 | 228,134 | 0 | 0 | 0 | 0 |
| Connecticut..... | 0 | 118 | 0 | 190 | 190 | 0 | 178 | 4.7 | 4.7 | 4.7 | 0 | 7,788 | 0 | 17,344 | 0 | 0 | 0 | 0 |
| Delaware..... | 0 | 10,186 | 0 | 4,498 | 10,186 | 0 | 4,498 | 3.8 | 3.8 | 3.8 | 1,262,404 | 1,262,404 | 1,262,404 | 1,262,404 | 1,262,404 | 1,262,404 | 1,262,404 | 1,262,404 |
| Florida..... | 25,800 | 13,900 | 20,900 | 0 | 625 | 20,900 | 0 | 2.9 | 3.0 | 3.0 | 77,480 | 17,480 | 40,800 | 17,480 | 17,480 | 17,480 | 17,480 | 17,480 |
| Georgia..... | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Idaho..... | 0 | 70 | 0 | 61 | 31 | 0 | 0 | 0 | 6.0 | 4.0 | 0 | 9,240 | 0 | 2,720 | 0 | 0 | 0 | 0 |
| Illinois..... | 4,009 | 0 | 0 | 3,188 | 1,059 | 0 | 0 | 0 | 3.3 | 3.2 | 0 | 227,044 | 0 | 62,598 | 0 | 0 | 0 | 0 |
| Indiana..... | 32,151 | 0 | 19,812 | 30,681 | 0 | 19,812 | 0 | 2.6 | 2.6 | 2.6 | 486,784 | 0 | 1,242,580 | 0 | 609,978 | 0 | 0 | 0 |
| Iowa..... | 1,883 | 0 | 780 | 2,090 | 0 | 780 | 0 | 2.5 | 1.9 | 1.9 | 86,720 | 0 | 32,644 | 0 | 180,236 | 0 | 0 | 0 |
| Kansas..... | 0 | 114 | 0 | 0 | 0 | 0 | 0 | 3.0 | 2.6 | 2.6 | 0 | 350 | 0 | 6,512 | 0 | 0 | 0 | 0 |
| Kentucky..... | 2,540 | 7,306 | 0 | 3,159 | 2,7 | 0 | 0 | 2.7 | 1.1 | 1.1 | 106,502 | 0 | 180,236 | 0 | 0 | 0 | 0 | 0 |
| Louisiana..... | 105 | 0 | 0 | 17 | 0 | 0 | 0 | 5.0 | 3.0 | 3.0 | 11,550 | 0 | 1,540 | 0 | 0 | 0 | 0 | 0 |
| Maryland..... | 64,444 | 0 | 46,353 | 28,372 | 0 | 46,353 | 0 | 3.0 | 4.8 | 4.8 | 4,031,478 | 0 | 1,540 | 0 | 0 | 0 | 0 | 0 |
| Massachusetts..... | 0 | 10 | 0 | 10 | 0 | 0 | 0 | 3.0 | 4.0 | 4.0 | 528 | 0 | 26,202 | 0 | 228,862 | 0 | 0 | 0 |
| Michigan..... | 3,329 | 0 | 2,657 | 0 | 1,354 | 0 | 1,354 | 1.3 | 4.6 | 4.6 | 0 | 1,782 | 0 | 1,782 | 0 | 0 | 0 | 0 |
| Minnesota..... | 7,130 | 0 | 4,700 | 0 | 0 | 0 | 0 | 2.2 | 4.5 | 4.5 | 15,650 | 0 | 842,600 | 0 | 631,432 | 0 | 19,400 | 0 |
| Mississippi..... | 0 | 10,943 | 0 | 9,959 | 0 | 12,142 | 0 | 3.5 | 2.2 | 2.2 | 0 | 0 | 4,202 | 0 | 3,526 | 0 | 0 | 0 |
| Missouri..... | 0 | 58 | 0 | 75 | 0 | 0 | 0 | 3.3 | 3.0 | 2.6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Newbraska..... | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 3.0 | 7.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Hampshire..... | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Jersey..... | 11,200 | 8,679 | 4,950 | 18,811 | 8,679 | 4,950 | 18,811 | 5.1 | 2.6 | 2.6 | 48,320 | 33,468 | 33,468 | 33,468 | 48,320 | 48,320 | 48,320 | 48,320 |
| New Mexico..... | 0 | 1,062 | 0 | 410 | 1,062 | 0 | 410 | 2.0 | 5.0 | 5.0 | 0 | 33,000 | 0 | 96,758 | 0 | 96,758 | 0 | 96,758 |
| New York..... | 0 | 5,131 | 0 | 6,302 | 5,131 | 0 | 6,302 | 5.6 | 2.6 | 2.6 | 0 | 240,438 | 0 | 52,741 | 0 | 52,741 | 0 | 52,741 |
| North Carolina..... | 0 | 8,584 | 0 | 125 | 8,584 | 0 | 125 | 1.9 | 3.0 | 3.0 | 0 | 7,788 | 0 | 9,372 | 0 | 9,372 | 0 | 9,372 |
| North Carolina..... | 0 | 118 | 0 | 0 | 5,398 | 0 | 6,800 | 2.1 | 3.6 | 3.6 | 0 | 215,204 | 0 | 372,514 | 0 | 372,514 | 0 | 372,514 |
| Ohio..... | 0 | 9,673 | 0 | 0 | 5,398 | 0 | 6,800 | 2.1 | 3.6 | 3.6 | 0 | 6,605 | 0 | 9,760 | 0 | 9,760 | 0 | 9,760 |
| Oklahoma..... | 0 | 100 | 0 | 0 | 0 | 0 | 0 | 2.0 | 8.0 | 8.0 | 0 | 22,000 | 0 | 55,692 | 0 | 55,692 | 0 | 55,692 |
| Oregon..... | 0 | 123 | 0 | 55 | 0 | 0 | 0 | 7.7 | 1.8 | 1.8 | 0 | 92,198 | 0 | 92,198 | 0 | 92,198 | 0 | 92,198 |
| Pennsylvania..... | 0 | 3,972 | 0 | 1,511 | 0 | 1,511 | 0 | 2.4 | 2.0 | 2.0 | 0 | 135,762 | 0 | 92,198 | 0 | 92,198 | 0 | 92,198 |
| South Carolina..... | 0 | 192 | 0 | 2 | 0 | 0 | 0 | 3.0 | 2.0 | 2.0 | 0 | 1,732 | 0 | 1,732 | 0 | 1,732 | 0 | 1,732 |
| South Dakota..... | 0 | 30 | 0 | 0 | 21 | 0 | 0 | 3.0 | 2.0 | 2.0 | 0 | 1,364 | 0 | 1,364 | 0 | 1,364 | 0 | 1,364 |

TOMATOES—Continued.

TABLE 189.—Commercial acreage, yield per acre, and production of tomatoes for manufacture and table stock, 1917-1919. (Unrevised.)—Continued.

| States. | Acreage harvested. | | | | | | Yield per acre. | | | | | | Production. | | | | | |
|--------------------|--------------------|-------------------------|--------|--------------|-------------------------|---------|---------------------|-------------------------|--------|--------------|-------------------------|--------|--------------|-------------------------|---------|---------------------|-------------------------|-----------|
| | 1917 | | | 1918 | | | 1919 (preliminary). | | | 1917 | | | 1918 | | | 1919 (preliminary). | | |
| | Table stock. | Manu- facture stock. | Acrea. | Table stock. | Manu- facture stock. | Acrea. | Table stock. | Manu- facture stock. | Acrea. | Table stock. | Manu- facture stock. | Acrea. | Table stock. | Manu- facture stock. | Acrea. | Table stock. | Manu- facture stock. | Acrea. |
| Tennessee..... | 1,000 | 3,454 | 3,000 | 3,000 | 5,934 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 |
| Texas..... | 5,480 | 0 | 4,000 | 4,000 | 0 | 4,000 | 4,000 | 0 | 4,000 | 4,000 | 0 | 4,000 | 4,000 | 0 | 4,000 | 4,000 | 0 | 4,000 |
| Utah..... | 0 | 3,191 | 0 | 0 | 4,449 | 0 | 0 | 3,897 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Virginia..... | 0 | 22,354 | 0 | 0 | 23,103 | 0 | 0 | 18,157 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Washington..... | 0 | 0 | 0 | 0 | 133 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| West Virginia..... | 0 | 1,481 | 0 | 0 | 1,342 | 0 | 0 | 872 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wisconsin..... | 0 | 288 | 0 | 0 | 321 | 0 | 0 | 291 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| All other..... | 52,989 | 247,801 | 34,150 | 187,503 | 41,550 | 181,418 | 3,2 | 3,6 | 4,1 | 4,1 | 3,1 | 5,2 | 178,320 | 14,788,554 | 139,810 | 19,009,309 | 130,870 | 7,692,933 |
| Total..... | 52,989 | 247,801 | 34,150 | 187,503 | 41,550 | 181,418 | 3,2 | 3,6 | 4,1 | 4,1 | 3,1 | 5,2 | 178,320 | 14,788,554 | 139,810 | 19,009,309 | 130,870 | 7,692,933 |

¹ Cases of No. 3's.² Report for Washington includes Colorado.³ Report for Iowa includes Michigan, Illinois, and Minnesota.⁴ Report for Pennsylvania includes Kentucky and Tennessee.⁵ Report for Virginia includes West Virginia.

TOMATOES—Continued.

TABLE 190.—Tomatoes: Farm price, cents per bushel, 15th of month, 1912–1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|
| July 15..... | 240.3 | 219.1 | 194.3 | 161.5 | 141.4 | 167.4 | 161.4 | 127.0 |
| Aug. 15..... | 177.0 | 133.1 | 124.3 | 88.4 | 66.4 | 92.5 | 95.8 | 75.6 |
| Sept. 15..... | 137.2 | 108.0 | 109.5 | 75.6 | 56.9 | 63.0 | 68.0 | 58.7 |
| Oct. 15..... | 117.7 | 108.6 | 117.6 | 82.1 | 67.9 | 60.3 | 73.0 | 62.3 |

TURNIPS.

TABLE 191.—Turnips: Farm price, cents per bushel, 15th of month, 1912–1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 |
|--------------|-------|------|------|------|------|------|------|-------|
| Jan. 15..... | 82.1 | 88.4 | 78.6 | 48.6 | 42.9 | 56.8 | 49.6 | |
| Feb. 15..... | 84.7 | 89.9 | 91.1 | 49.6 | 51.1 | 60.0 | 51.2 | |
| Nov. 15..... | 98.9 | 79.6 | 76.4 | 68.4 | 45.9 | 47.4 | 56.1 | 44.6 |
| Dec. 15..... | 101.8 | 79.0 | 81.1 | 73.3 | 45.1 | 48.4 | 55.1 | 49.1 |

SUGAR.

TABLE 192.—Sugar: Production in the United States and its possessions, 1856–57 to 1918–19.¹

[Data for 1912–13 and subsequently beet sugar, also Louisiana and Hawaii cane sugar, estimated by United States Department of Agriculture; Porto Rico, by Treasury Department of Porto Rico; Philippine Islands, production estimated by the Philippine Department of Agriculture and exports for years ending June 30. For sources of data for earlier years, see Yearbook for 1912, p. 660. A short ton is 2,000 pounds.]

| Year. | Beet sugar (chiefly refined). | Cane sugar (chiefly raw). | | | | | Total. |
|---------------------------|-------------------------------|---------------------------|----------------------------|-------------|-------------|----------------------------------|-------------|
| | | Louisiana. | Other States. ² | Porto Rico. | Hawaii. | Philippine Islands. ³ | |
| Average: | Short tons. | Short tons. | Short tons. | Short tons. | Short tons. | Short tons. | Short tons. |
| 1856–7 to 1860–61..... | | 132,402 | 5,978 | 75,364 | | 46,446 | 260,190 |
| 1861–62 to 1865–66..... | 269 | 74,036 | 1,945 | 71,765 | | 54,488 | 202,503 |
| 1866–67 to 1870–71..... | 448 | 44,768 | 3,818 | 96,114 | | 81,486 | 226,633 |
| 1871–72 to 1875–76..... | 403 | 67,341 | 4,113 | 87,606 | (*) | 119,557 | 279,020 |
| 1876–77 to 1880–81..... | 470 | 104,920 | 5,327 | 76,579 | 27,040 | 189,067 | 383,403 |
| 1881–82 to 1885–86..... | 692 | 124,868 | 7,280 | 87,441 | 76,075 | 189,277 | 485,633 |
| 1886–87 to 1890–91..... | 1,922 | 163,049 | 8,439 | 70,112 | 125,440 | 186,129 | 555,091 |
| 1891–92 to 1895–96..... | 19,406 | 268,655 | 6,634 | 63,280 | 162,538 | 286,629 | 807,142 |
| 1896–97 to 1900–1901..... | 58,287 | 282,399 | 4,405 | 61,292 | 282,585 | 134,722 | 823,690 |
| 1901–2 to 1905–6..... | 239,730 | 352,053 | 12,126 | 141,478 | 408,308 | 108,978 | 1,267,673 |
| 1906–7 to 1910–11..... | 479,153 | 348,544 | 13,664 | 282,136 | 516,041 | 145,832 | 1,785,370 |
| 1901–2..... | 184,606 | 360,277 | 4,048 | 103,152 | 355,611 | 75,011 | 1,082,705 |
| 1902–3..... | 218,406 | 368,734 | 4,169 | 100,576 | 437,991 | 123,108 | 1,252,984 |
| 1903–4..... | 240,604 | 255,894 | 22,176 | 138,096 | 367,475 | 82,855 | 1,107,100 |
| 1904–5..... | 242,113 | 398,195 | 16,800 | 151,088 | 426,248 | 125,271 | 1,359,715 |
| 1905–6..... | 312,921 | 377,162 | 13,440 | 214,480 | 429,213 | 138,645 | 1,485,861 |
| 1906–7..... | 483,612 | 257,600 | 14,560 | 206,864 | 440,017 | 132,602 | 1,535,255 |
| 1907–8..... | 463,628 | 380,800 | 13,440 | 230,096 | 521,123 | 167,242 | 1,776,328 |
| 1908–9..... | 425,884 | 397,600 | 10,800 | 277,093 | 535,156 | 123,876 | 1,776,409 |
| 1909–10..... | 512,469 | 364,000 | 11,200 | 346,786 | 517,690 | 140,783 | 1,892,328 |
| 1910–11..... | 510,172 | 342,720 | 12,320 | 349,840 | 566,821 | 164,668 | 1,946,531 |
| 1911–12..... | 599,500 | 352,874 | 8,000 | 371,076 | 596,038 | 205,046 | 2,131,534 |
| 1912–13..... | 692,556 | 153,573 | 9,000 | 398,004 | 546,524 | * 345,077 | 2,144,734 |
| 1913–14..... | 733,401 | 292,698 | 7,800 | 351,666 | 612,000 | * 408,339 | 2,405,904 |
| 1914–15..... | 722,064 | 242,700 | 3,920 | 346,490 | 646,000 | * 421,192 | 2,382,356 |
| 1915–16..... | 874,220 | 137,500 | 1,120 | 483,590 | 592,763 | * 412,274 | 2,601,467 |
| 1916–17..... | 820,657 | 303,900 | 7,000 | 503,081 | 644,663 | * 425,266 | 2,704,567 |
| 1917–18..... | 765,207 | 243,600 | 2,240 | 462,819 | 576,700 | * 399,033 | |
| 1918–19..... | 760,950 | 263,450 | 3,500 | | | | |
| 1919–20..... | 763,848 | 115,590 | 1,126 | | | | |

¹ Census returns give production of beet sugar for 1899 as 81,729 short tons; for 1904, 253,921; 1909, 501,682; production of cane sugar in Louisiana for 1859, 59,974 short tons; 1869, 226,001 hogsheads; 1859, 221,726 hogsheads; 1869, 80,706 hogsheads; 1879, 171,708 hogsheads; 1889, 146,062 short tons; 1899, 278,497 short tons; 1899, 159,583; and 1909, 325,616 short tons; cane sugar in other States, 1859, 491 short tons; in 1849, 21,676 hogsheads; in 1859, 9,256 hogsheads; in 1869, 6,337 hogsheads; in 1879, 7,166 hogsheads; in 1889, 4,580 short tons; in 1899, 1,991; and in 1909, 8,687 short tons.

² Includes Texas only, subsequent to 1902–3. Unofficial returns prior to 1918–19.

³ Exports for years ending June 30.

⁴ Complete data not available for this period. Production in 1878–79 1,254 short tons; in 1879–80, 1,304 short tons.

⁵ Production.

SUGAR—Continued.

TABLE 193.—*Sugar beets and beet sugar: Production in the United States, 1913-1919.*

[Figures for 1919 are subject to revision.]

| State and year. ¹ | Area of beets. | | | Beets produced (weight as delivered to factories). | | | |
|------------------------------|----------------|---------------|----------------------|--|--------------------|-----------------|---------------------------|
| | Planted. | Harvested. | | Quantity. | Yield per acre. | Farm value. | Price to growers per ton. |
| | | Amount. | Per cent of planted. | | | | |
| | <i>Acres.</i> | <i>Acres.</i> | <i>Per cent.</i> | <i>Short tons.</i> | <i>Short tons.</i> | <i>Dollars.</i> | <i>Dollars.</i> |
| California: | | | | | | | |
| 1919..... | 129,500 | 110,931 | 85.66 | 819,638 | 7.39 | 10,952,000 | 13.36 |
| 1918..... | 120,900 | 100,684 | 83.28 | 858,028 | 8.52 | 8,534,000 | 9.95 |
| 1917..... | 190,200 | 161,909 | 85.13 | 1,331,548 | 8.22 | 10,125,000 | 7.60 |
| 1916..... | 159,100 | 141,067 | 88.68 | 1,477,426 | 10.47 | 9,311,000 | 6.30 |
| Colorado: | | | | | | | |
| 1919..... | 236,300 | 184,770 | 78.19 | 1,790,099 | 9.69 | 18,061,000 | 10.09 |
| 1918..... | 142,000 | 126,882 | 88.65 | 1,443,846 | 11.47 | 14,474,000 | 10.02 |
| 1917..... | 183,600 | 161,476 | 87.95 | 1,857,649 | 11.50 | 12,526,000 | 7.28 |
| 1916..... | 211,600 | 188,568 | 89.12 | 2,018,298 | 10.70 | 12,286,000 | 6.06 |
| Idaho: | | | | | | | |
| 1919..... | 53,700 | 27,094 | 50.45 | 201,407 | 7.43 | 2,014,000 | 10.00 |
| 1918..... | 37,700 | 32,306 | 85.69 | 344,334 | 10.66 | 3,443,000 | 10.00 |
| 1917..... | 46,500 | 37,745 | 81.17 | 312,067 | 8.27 | 2,203,000 | 7.06 |
| 1916..... | 48,500 | 42,135 | 86.87 | 357,137 | 8.48 | 2,190,000 | 6.16 |
| Michigan: | | | | | | | |
| 1919..... | 166,100 | 121,496 | 73.15 | 1,108,908 | 9.13 | 12,504,000 | 11.28 |
| 1918..... | 134,500 | 114,976 | 85.48 | 966,676 | 8.40 | 9,741,000 | 10.08 |
| 1917..... | 112,700 | 82,151 | 72.89 | 524,196 | 6.38 | 4,215,000 | 8.04 |
| 1916..... | 122,000 | 99,619 | 81.65 | 543,766 | 5.46 | 3,337,000 | 6.14 |
| Nebraska: | | | | | | | |
| 1919..... | 64,800 | 59,756 | 92.22 | 580,284 | 9.71 | 5,781,000 | 9.96 |
| 1918..... | 44,600 | 42,746 | 95.84 | 455,070 | 11.35 | 4,533,000 | 9.96 |
| 1917..... | 55,500 | 51,337 | 92.50 | 473,494 | 9.22 | 3,417,000 | 7.22 |
| 1916..... | 44,800 | 41,063 | 91.70 | 424,913 | 10.34 | 2,622,000 | 6.17 |
| Ohio: | | | | | | | |
| 1919..... | 37,100 | 30,295 | 81.66 | 280,450 | 9.26 | 3,104,000 | 11.07 |
| 1918..... | 36,100 | 32,547 | 90.16 | 315,371 | 9.69 | 3,162,000 | 10.08 |
| 1917..... | 29,300 | 24,234 | 82.71 | 219,931 | 9.08 | 1,580,000 | 7.18 |
| 1916..... | 32,600 | 24,767 | 75.97 | 147,718 | 5.96 | 1,008,000 | 6.83 |
| Utah: | | | | | | | |
| 1919..... | 109,700 | 101,780 | 92.78 | 1,070,738 | 10.52 | 10,707,000 | 10.00 |
| 1918..... | 90,100 | 81,717 | 90.70 | 1,003,013 | 12.27 | 10,041,000 | 10.01 |
| 1917..... | 91,100 | 80,289 | 88.13 | 762,028 | 7.49 | 5,368,000 | 7.04 |
| 1916..... | 77,400 | 68,211 | 88.13 | 798,119 | 11.70 | 4,577,000 | 5.73 |
| Wisconsin: | | | | | | | |
| 1919..... | 16,200 | 13,500 | 83.33 | 143,500 | 10.63 | 1,603,000 | 11.17 |
| 1918..... | 14,900 | 12,400 | 83.22 | 99,777 | 8.06 | 998,000 | 10.00 |
| 1917..... | 14,100 | 9,800 | 69.50 | 79,372 | 8.10 | 699,000 | 8.81 |
| 1916..... | 10,500 | 7,000 | 66.67 | 61,500 | 8.79 | 373,000 | 6.06 |
| Other States: | | | | | | | |
| 1919..... | 77,000 | 46,879 | 60.88 | 401,841 | 8.57 | 4,024,000 | 10.01 |
| 1918..... | 68,900 | 50,752 | 73.66 | 432,683 | 8.53 | 4,268,000 | 9.86 |
| 1917..... | 83,600 | 55,856 | 66.81 | 420,068 | 7.52 | 3,059,000 | 7.28 |
| 1916..... | 62,000 | 52,828 | 85.21 | 399,379 | 7.56 | 2,476,000 | 6.20 |
| United States: | | | | | | | |
| 1919..... | 890,400 | 696,503 | 78.22 | 6,396,860 | 9.18 | 66,750,000 | 10.75 |
| 1918..... | 689,700 | 594,010 | 86.13 | 5,948,798 | 10.01 | 59,494,000 | 10.00 |
| 1917..... | 806,600 | 664,797 | 82.43 | 5,980,377 | 9.00 | 44,192,000 | 7.39 |
| 1916..... | 768,500 | 665,308 | 86.57 | 6,228,256 | 9.26 | 38,139,000 | 6.12 |
| 1915..... | 664,300 | 611,301 | 92.02 | 6,511,274 | 10.7 | 36,950,000 | 5.67 |
| 1914..... | 514,600 | 483,400 | 93.94 | 5,585,000 | 11.6 | 30,438,000 | 5.45 |
| 1913..... | 635,100 | 580,006 | 91.33 | 5,886,000 | 10.1 | 33,491,000 | 5.69 |

¹ In this table the acreage and production of beets are credited to the respective States in which the beets were made into sugar and not to the States in which the beets were actually produced.

SUGAR—Continued.

TABLE 194.—*Sugar beets and beet sugar: Production in the United States, 1913-1919—Continued.*

[Figures for 1919 are subject to revision.]

| State and year. ¹ | Factories operating. | | Average length of campaign. | Sugar made (chilled refined). | Sugar beets used. | | | Analysis of beets. | | Recovery of sucrose. ⁴ | | Loss. ⁵ |
|------------------------------|----------------------|--------------|-----------------------------|-------------------------------|-------------------|-------------------------|---------------------------|-------------------------------------|----------------------------------|-----------------------------------|---------------------------------------|--------------------|
| | No. | Days. | | | Area harvested. | Average yield per acre. | Quantity worked (aliced). | Percentage of sucrose. ² | Purity coefficient. ³ | Percentage of weight of beets. | Percentage of total sucrose in beets. | |
| California: | <i>No.</i> | <i>Days.</i> | | <i>Short tons.</i> | <i>Acres.</i> | <i>Short tons.</i> | <i>Short tons.</i> | <i>Per cent.</i> | <i>Per cent.</i> | <i>Per cent.</i> | <i>Per cent.</i> | <i>Per cent.</i> |
| 1919..... | 11 | | | 127,907 | 110,931 | 7.39 | 819,638 | 16.64 | | 15.61 | 98.81 | 1.08 |
| 1918..... | 13 | 81 | | 122,795 | 100,684 | 8.40 | 845,728 | 17.08 | 81.50 | 14.52 | 95.26 | 2.61 |
| 1917..... | 14 | 92 | | 209,325 | 161,909 | 8.16 | 1,321,716 | 18.48 | 82.91 | 15.84 | 95.71 | 2.64 |
| 1916..... | 11 | 108 | | 236,322 | 141,097 | 10.37 | 1,462,895 | 18.35 | 84.13 | 16.15 | 98.01 | 2.20 |
| Colorado: | | | | | | | | | | | | |
| 1919..... | 15 | | | 198,881 | 184,770 | 9.69 | 1,790,099 | 13.86 | | 11.11 | 90.16 | 2.75 |
| 1918..... | 14 | 76 | | 191,880 | 125,882 | 10.83 | 1,363,277 | 16.10 | 85.96 | 14.07 | 87.39 | 2.03 |
| 1917..... | 15 | 91 | | 234,303 | 161,476 | 10.84 | 1,749,875 | 15.40 | 85.16 | 13.39 | 96.95 | 2.01 |
| 1916..... | 14 | 102 | | 252,147 | 188,568 | 10.25 | 1,933,991 | 15.00 | 85.79 | 13.04 | 96.98 | 1.96 |
| Idaho: | | | | | | | | | | | | |
| 1919..... | 6 | | | 25,867 | 27,094 | 7.43 | 201,407 | 15.60 | | 12.84 | 82.31 | 2.76 |
| 1918..... | 7 | 87 | | 44,652 | 32,306 | 10.12 | 326,979 | 16.57 | 86.46 | 13.66 | 82.44 | 2.91 |
| 1917..... | 7 | 70 | | 38,376 | 37,745 | 7.56 | 286,446 | 16.74 | 84.84 | 13.40 | 90.06 | 3.24 |
| 1916..... | 5 | 86 | | 45,874 | 42,135 | 7.87 | 331,478 | 16.95 | 86.39 | 13.84 | 81.65 | 3.11 |
| Michigan: | | | | | | | | | | | | |
| 1919..... | 16 | | | 132,268 | 121,498 | 9.13 | 1,108,908 | 14.65 | | 11.98 | 81.43 | 2.72 |
| 1918..... | 16 | 75 | | 127,979 | 114,976 | 7.74 | 890,238 | 16.61 | 85.49 | 14.38 | 96.51 | 2.28 |
| 1917..... | 14 | 53 | | 64,247 | 82,151 | 5.62 | 461,721 | 16.28 | 86.57 | 13.91 | 85.44 | 2.87 |
| 1916..... | 15 | 49 | | 99,341 | 99,619 | 5.05 | 502,705 | 16.87 | 85.22 | 13.79 | 84.24 | 2.58 |
| Nebraska: | | | | | | | | | | | | |
| 1919..... | 4 | | | 65,550 | 59,756 | 9.71 | 580,284 | 13.73 | | 11.30 | 82.36 | 2.42 |
| 1918..... | 4 | 99 | | 63,494 | 42,746 | 10.60 | 453,266 | 16.05 | 86.14 | 14.01 | 87.29 | 2.04 |
| 1917..... | 4 | 97 | | 53,993 | 51,337 | 9.22 | 443,355 | 14.91 | 80.71 | 12.16 | 81.56 | 2.76 |
| 1916..... | 3 | 107 | | 51,945 | 41,063 | 10.34 | 404,017 | 15.61 | 81.12 | 12.86 | 82.91 | 2.65 |
| Ohio: | | | | | | | | | | | | |
| 1919..... | 5 | | | 30,165 | 30,295 | 9.26 | 280,450 | 14.39 | | 10.76 | 74.77 | 3.63 |
| 1918..... | 5 | 91 | | 35,476 | 32,547 | 8.94 | 291,064 | 15.74 | 84.23 | 12.19 | 77.45 | 3.55 |
| 1917..... | 5 | 70 | | 24,467 | 24,234 | 8.36 | 202,624 | 16.24 | 86.25 | 12.08 | 74.38 | 4.16 |
| 1916..... | 4 | 45 | | 18,234 | 24,767 | 5.56 | 137,996 | 15.89 | 83.36 | 13.24 | 83.82 | 2.65 |
| Utah: | | | | | | | | | | | | |
| 1919..... | 18 | | | 119,829 | 101,780 | 10.52 | 1,070,733 | 14.49 | | 11.19 | 77.23 | 3.80 |
| 1918..... | 16 | 98 | | 105,794 | 81,717 | 11.08 | 906,064 | 15.29 | 84.21 | 11.69 | 76.46 | 3.60 |
| 1917..... | 15 | 82 | | 83,662 | 80,289 | 8.68 | 696,522 | 15.61 | 82.27 | 12.01 | 76.94 | 3.60 |
| 1916..... | 11 | 95 | | 90,277 | 68,211 | 10.38 | 708,237 | 16.05 | 84.79 | 12.75 | 79.44 | 3.80 |
| Wisconsin: | | | | | | | | | | | | |
| 1919..... | 4 | | | 13,849 | 13,500 | 10.63 | 143,500 | 12.92 | | 9.65 | 74.69 | 3.27 |
| 1918..... | 4 | 61 | | 13,358 | 12,400 | 7.54 | 93,467 | 16.29 | 82.40 | 14.29 | 87.72 | 2.00 |
| 1917..... | 4 | 53 | | 8,032 | 9,800 | 7.23 | 70,830 | 15.03 | | 11.34 | 75.45 | 3.69 |
| 1916..... | 3 | 48 | | 6,900 | 7,000 | 8.39 | 58,700 | 14.90 | | 11.58 | 77.72 | 3.32 |
| Other States: | | | | | | | | | | | | |
| 1919..... | 11 | | | 49,532 | 46,879 | 8.57 | 401,941 | 15.08 | | 12.33 | 81.76 | 2.75 |
| 1918..... | 10 | 64 | | 55,462 | 50,752 | 8.05 | 408,423 | 15.95 | 84.31 | 13.59 | 85.20 | 2.76 |
| 1917..... | 13 | 51 | | 48,902 | 55,856 | 7.03 | 392,456 | 16.17 | 81.87 | 12.46 | 82.14 | 2.71 |
| 1916..... | 8 | 57 | | 49,717 | 52,828 | 7.20 | 380,354 | 15.69 | 82.67 | 13.07 | 83.30 | 2.62 |
| United States: | | | | | | | | | | | | |
| 1919..... | 90 | | | 763,848 | 696,503 | 9.18 | 6,296,860 | 14.33 | | 11.94 | 83.32 | 2.39 |
| 1918..... | 89 | 81 | | 760,950 | 594,010 | 9.39 | 5,577,506 | 16.18 | 84.70 | 13.64 | 84.30 | 2.54 |
| 1917..... | 91 | 74 | | 765,207 | 664,797 | 8.46 | 5,625,545 | 16.28 | 83.89 | 13.60 | 83.54 | 2.68 |
| 1916..... | 74 | 80 | | 820,657 | 665,308 | 8.90 | 5,919,673 | 16.30 | 84.74 | 13.86 | 85.08 | 2.44 |
| 1915..... | 67 | 82 | | 874,220 | 611,301 | 10.10 | 6,150,293 | 16.49 | 84.38 | 14.21 | 86.17 | 2.28 |
| 1914..... | 60 | 85 | | 722,054 | 483,400 | 10.9 | 5,288,500 | 16.38 | 83.89 | 13.65 | 83.33 | 2.73 |
| 1913..... | 71 | 85 | | 733,401 | 580,006 | 8.76 | 5,669,462 | 15.78 | 83.22 | 12.96 | 82.13 | 2.82 |

¹ Acreage and production of beets are credited, as in former reports, to the State in which the beets were made into sugar.

² Based upon weight of beets.

³ Percentage of sucrose (pure sugar) in the total soluble solids of the beets.

⁴ Percentage of sucrose actually extracted by factories.

⁵ Percentage of sucrose (based upon weight of beets) remaining in molasses and pulp.

⁶ Includes 2 factories in Washington, 3 in Wyoming, and 1 each in Illinois, Indiana, Iowa, Kansas, Minnesota, and Montana.

SUGAR—Continued.

TABLE 195.—Cane-sugar production of Louisiana, 1911-1919.

[Figures for 1919 are from returns made before the end of the season, and are subject to revision.]

| Year of cane harvest. | Factories in operation. | Sugar made. | Average sugar made, per ton of cane. | Cane used for sugar. | | | Molasses made. ¹ | |
|-----------------------|-------------------------|-------------|--------------------------------------|----------------------|-------------------|-------------|-----------------------------|-------------------|
| | | | | Area. | Average per acre. | Production. | Total. | Per ton of sugar. |
| | Number. | Short tons. | Pounds. | Acres. | Short tons. | Short tons. | Gallons. | Gallons. |
| 1911..... | 188 | 352,874 | 120 | 310,000 | 19 | 5,887,292 | 35,062,325 | 99 |
| 1912..... | 126 | 153,873 | 142 | 197,000 | 11 | 2,162,574 | 14,302,169 | 93 |
| 1913..... | 153 | 292,998 | 139 | 248,000 | 17 | 4,214,000 | 24,046,320 | 82 |
| 1914..... | 149 | 242,700 | 153 | 213,000 | 15 | 3,199,000 | 17,177,443 | 71 |
| 1915..... | 136 | 137,500 | 135 | 183,000 | 11 | 2,018,000 | 12,743,000 | 93 |
| 1916..... | 150 | 305,900 | 149 | 221,000 | 18 | 4,072,000 | 26,154,000 | 86 |
| 1917..... | 140 | 245,600 | 128 | 244,000 | 16.6 | 3,813,000 | 30,728,000 | 126 |
| 1918..... | 134 | 290,900 | 135 | 231,200 | 18 | 4,170,000 | 28,049,000 | 100 |
| 1919..... | | 115,590 | 131 | 176,500 | 10 | 1,765,000 | | |

¹ Figures for molasses, 1911-1914, are as reported by the Louisiana Sugar Planters' Association; figures for later years as reported by Bureau of Crop Estimates, U. S. Department of Agriculture.

TABLE 196.—Area of sugar cane and production of cane sirup in the United States, 1918 and 1919.

[Not including sorghum.]

| States. | Total cane area. | | Area harvested for sirup. | | Sirup made. | |
|--------------------------|------------------|---------|---------------------------|---------|-------------|------------|
| | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 |
| | Acres. | Acres. | Acres. | Acres. | Gallons. | Gallons. |
| South Carolina..... | 7,700 | 7,200 | 7,400 | 7,000 | 1,369,000 | 959,000 |
| Georgia..... | 67,600 | 67,300 | 56,000 | 50,000 | 10,640,000 | 8,500,000 |
| Florida..... | 21,000 | 16,300 | 17,000 | 13,000 | 4,590,000 | 2,800,000 |
| Alabama..... | 62,500 | 61,000 | 51,000 | 56,000 | 8,480,000 | 8,195,000 |
| Mississippi..... | 31,400 | 30,500 | 26,700 | 23,500 | 6,675,000 | 4,740,000 |
| Louisiana..... | 275,000 | 303,000 | 20,800 | 27,500 | 3,874,000 | 10,793,000 |
| Texas ¹ | 12,600 | 17,000 | 7,800 | 1,300 | 2,421,000 | 220,000 |
| Arkansas..... | 3,200 | 2,800 | 2,200 | 1,700 | 336,000 | 170,000 |
| Total..... | 481,000 | 505,100 | 188,900 | 180,000 | 38,385,000 | 36,377,000 |

¹ Texas had a poor crop in 1918, due to drought; and a good crop in 1919.

TABLE 197.—Total and per capita sugar supply of the United States, 1901-1919.

[The "supply" shown below consists of domestic production, plus imports, minus exports, and is quoted from the Statistical Abstract of the United States for 1918, pp. 560-561, for all years except 1919. Figures for 1919 are based upon the Bureau of Crop Estimates reports on production and the Bureau of Foreign and Domestic Commerce reports on exports and imports. The average per capita supply is computed from the Census estimates of population for June 1, each year. No allowance has been made for sugar carried over from one fiscal year to the next.]

| Year ending June 30— | Supply ("consumption") of sugar. | | Year ending June 30— | Supply ("consumption") of sugar. | |
|--------------------------------|----------------------------------|-------------|--------------------------------|----------------------------------|-------------|
| | Total. | Per capita. | | Total. | Per capita. |
| | Millions of pounds. | Pounds. | | Millions of pounds. | Pounds. |
| 1901..... | 5,585 | 71.96 | 1911..... | 7,236 | 77.15 |
| 1902..... | 5,019 | 63.35 | 1912..... | 7,862 | 82.43 |
| 1903..... | 6,380 | 78.92 | 1913..... | 8,324 | 85.04 |
| 1904..... | 5,662 | 68.66 | 1914..... | 8,794 | 89.14 |
| 1905..... | 6,026 | 71.66 | 1915..... | 8,627 | 86.04 |
| Annual average, 1901-1905..... | 5,734 | 70.91 | Annual average, 1911-1915..... | 8,169 | 83.96 |
| 1906..... | 6,491 | 75.74 | 1916..... | 7,960 | 78.13 |
| 1907..... | 7,090 | 81.19 | 1917..... | 8,468 | 81.81 |
| 1908..... | 6,591 | 74.11 | 1918..... | 8,090 | 76.97 |
| 1909..... | 7,283 | 80.43 | 1919 ¹ | 8,735 | 81.84 |
| 1910..... | 7,360 | 79.90 | | | |
| Annual average, 1906-1910..... | 6,963 | 78.27 | | | |

¹ Preliminary.

SUGAR—Continued.

TABLE 198.—Cane-sugar production of Hawaii, 1913-1919.

[Figures for 1919 are subject to revision.]

| Island, and year ending Sept. 30. | Average length of campaign. | Sugar made. | Cane used for sugar. | | | Total area in cane. | Average extraction of sugar. | |
|-----------------------------------|-----------------------------|-------------|----------------------|-------------------------|-------------|---------------------|------------------------------|------------------------|
| | | | Area harvested. | Average yield per acre. | Production. | | Per cent of cane. | Per short ton of cane. |
| | Days. | Short tons. | Acres. | Short tons. | Short tons. | Acres. | Per cent. | Pounds. |
| Hawaii: | | | | | | | | |
| 1919..... | 190 | 203,204 | 53,500 | 32 | 1,731,000 | 106,300 | 11.74 | 235 |
| 1918..... | 171 | 162,900 | 52,700 | 28 | 1,498,000 | 120,800 | 10.87 | 217 |
| 1917..... | 184 | 232,140 | 52,700 | 36 | 1,868,000 | 100,300 | 12.23 | 245 |
| 1916..... | 179 | 197,130 | 52,627 | 33 | 1,713,759 | 98,787 | 11.50 | 230 |
| 1915..... | 196 | 240,300 | 50,800 | 41 | 2,099,060 | 100,200 | 11.45 | 229 |
| 1914..... | 174 | 213,000 | 51,000 | 35 | 1,854,000 | | 11.49 | 230 |
| 1913..... | 170 | 197,212 | 53,600 | 32 | 1,703,060 | | 11.58 | 232 |
| Kauai: | | | | | | | | |
| 1919..... | 161 | 106,943 | 22,300 | 40 | 896,000 | 47,700 | 12.13 | 243 |
| 1918..... | 162 | 137,800 | 21,400 | 48 | 1,037,000 | 48,600 | 13.29 | 265 |
| 1917..... | 207 | 119,218 | 26,400 | 41 | 1,040,000 | 51,300 | 11.46 | 229 |
| 1916..... | 191 | 108,632 | 21,392 | 43 | 927,970 | 51,712 | 11.71 | 234 |
| 1915..... | 203 | 115,700 | 21,000 | 45 | 941,000 | 49,200 | 12.30 | 246 |
| 1914..... | 214 | 121,000 | 21,600 | 50 | 1,089,000 | | 11.11 | 222 |
| 1913..... | 196 | 100,340 | 20,800 | 42 | 841,000 | | 11.93 | 239 |
| Mau: | | | | | | | | |
| 1919..... | 160 | 132,960 | 20,000 | 47 | 939,000 | 40,500 | 14.16 | 283 |
| 1918..... | 231 | 162,200 | 23,100 | 57 | 1,315,000 | 50,300 | 12.33 | 247 |
| 1917..... | 160 | 147,755 | 23,600 | 47 | 1,108,000 | 49,300 | 13.33 | 267 |
| 1916..... | 168 | 150,311 | 19,911 | 55 | 1,098,247 | 51,897 | 13.69 | 274 |
| 1915..... | 174 | 160,300 | 19,800 | 57 | 1,126,000 | 44,400 | 14.24 | 285 |
| 1914..... | 167 | 145,000 | 19,400 | 54 | 1,054,000 | | 13.76 | 275 |
| 1913..... | 152 | 124,820 | 19,700 | 47 | 929,000 | | 13.44 | 269 |
| Oahu: | | | | | | | | |
| 1919..... | 204 | 155,065 | 23,900 | 49 | 1,176,000 | 45,400 | 13.19 | 264 |
| 1918..... | 193 | 113,800 | 22,600 | 50 | 1,006,000 | 47,100 | 11.32 | 227 |
| 1917..... | 214 | 145,550 | 22,200 | 53 | 1,174,000 | 44,200 | 12.39 | 248 |
| 1916..... | 179 | 136,690 | 21,489 | 52 | 1,119,448 | 43,936 | 12.21 | 244 |
| 1915..... | 205 | 129,700 | 21,600 | 47 | 1,019,000 | 46,000 | 12.73 | 255 |
| 1914..... | 188 | 133,000 | 20,700 | 44 | 903,060 | | 14.73 | 295 |
| 1913..... | 167 | 124,152 | 20,500 | 49 | 1,003,000 | | 12.38 | 248 |
| Territory of Hawaii: | | | | | | | | |
| 1919..... | 178 | 600,312 | 119,700 | 40 | 4,744,000 | 239,900 | 12.65 | 253 |
| 1918..... | 184 | 576,700 | 118,800 | 41 | 4,855,000 | 276,800 | 11.88 | 238 |
| 1917..... | 190 | 644,663 | 126,900 | 42 | 5,220,000 | 245,100 | 12.35 | 247 |
| 1916..... | 180 | 592,763 | 115,419 | 42 | 4,859,424 | 246,323 | 12.20 | 244 |
| 1915..... | 195 | 646,000 | 113,200 | 46 | 5,185,000 | 239,800 | 12.46 | 249 |
| 1914..... | 183 | 612,000 | 112,700 | 43 | 4,600,000 | | 12.49 | 250 |
| 1913..... | 169 | 546,524 | 114,600 | 39 | 4,476,000 | | 12.21 | 244 |

TABLE 199.—Sugar: Wholesale price per pound, on New York market, 1913-1919.

| Date. | Raw, centrifugal, 96° polarization. | | | Refined. | | | | | | | | |
|--------------------|-------------------------------------|-------|----------|-----------|-------|----------|-------------------------------|-------|----------|-------------------|-------|----------|
| | | | | Cut loaf. | | | Granulated, fine or standard. | | | Soft sugar No. 1. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| January-June..... | 3.25 | 3.73 | | 5.05 | 5.70 | | 4.25 | 4.95 | | 4.65 | 4.00 | |
| July-December..... | 3.12 | 3.80 | | 5.05 | 5.60 | | 4.15 | 4.85 | | 4.05 | 4.55 | |
| 1914. | | | | | | | | | | | | |
| January-June..... | 2.92 | 3.48 | | 5.05 | 5.25 | | 3.85 | 4.35 | | 3.60 | 4.10 | |
| July-December..... | 3.26 | 6.52 | | 5.25 | 8.40 | | 3.85 | 7.55 | | 4.10 | 7.30 | |
| 1915. | | | | | | | | | | | | |
| January-June..... | 3.95 | 5.02 | | 5.85 | 7.00 | | 4.95 | 6.15 | | 4.70 | 5.85 | |
| July-December..... | 3.50 | 5.20 | | 5.80 | 7.05 | | 4.90 | 6.20 | | 4.65 | 5.90 | |
| 1916. | | | | | | | | | | | | |
| January-June..... | 4.33 | 6.52 | | 6.65 | 8.80 | | 5.75 | 7.70 | | 5.50 | 7.50 | |
| July-December..... | 4.89 | 6.65 | | 7.40 | 8.80 | | 6.25 | 7.70 | | 6.10 | 7.50 | |
| 1917. | | | | | | | | | | | | |
| January-June..... | 4.64 | 6.52 | | 7.90 | 9.00 | | 6.75 | 7.55 | | 6.60 | 7.35 | |
| July-December..... | 5.92 | 7.77 | | 9.00 | 9.90 | | 7.50 | 8.45 | | 7.35 | 8.25 | |
| 1918. | | | | | | | | | | | | |
| January-June..... | 6.00 | 6.00 | 6.05 | 8.95 | 9.65 | 8.97 | 7.45 | 8.20 | 7.50 | 7.30 | 8.00 | 7.32 |
| July-December..... | 6.00 | 7.28 | 6.81 | 9.00 | 10.50 | 9.95 | 7.50 | 9.05 | 8.41 | 7.35 | 8.85 | 8.30 |

SUGAR—Continued.

TABLE 199.—*Sugar: Wholesale price per pound, on New York market, 1913-1919—Continued.*

| Date. | Raw, centrifugal, 96° polarization. | | | Refined. | | | | | | | | |
|----------------|-------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------------------------|-------------|-------------|-------------------|-------------|-------------|
| | | | | Cut loaf. | | | Granulated, fine or standard. | | | Soft sugar No. 1. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1919. | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> | <i>Cts.</i> |
| January..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| February..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| March..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| April..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| May..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| June..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| January-June. | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| July..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| August..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| September..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| October..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| November..... | 7.28 | 7.28 | 7.28 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |
| December..... | 7.28 | 13.04 | 9.27 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.02 | 8.85 | 8.85 | 8.85 |
| July-December | 7.28 | 13.04 | 7.61 | 10.50 | 10.50 | 10.50 | 9.00 | 9.05 | 9.025 | 8.85 | 8.85 | 8.85 |

TABLE 200.—*Sugar: International trade, calendar years 1909-1913, 1917, 1918.*

[The following kinds and grades have been included under the head of sugar: Brown, white candied, caramel, phanaca (Peru), crystal cube, maple, muscovado, panels. The following have been excluded: "Candy" (meaning confectionery), confectionery, glucose, grape sugar, jaggery, molasses, and sirups. See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average 1909-1913. | 1917 | 1918 | Country. | Average 1909-1913. | 1917 | 1918 |
|-------------------------|--------------------|----------------|----------------|--------------------------|--------------------|----------------|----------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Argentina..... | 144 | 70 | 21 | Germany..... | 1,746,322 | | |
| Austria-Hungary..... | 1,697,659 | | | Guadeloupe..... | 75,270 | | |
| Barbadoes..... | 51,657 | | | Martinique..... | 85,110 | | |
| Belgium..... | 808,952 | | | Mauritius..... | 452,510 | | |
| Brazil..... | 76,568 | 299,926 | 254,927 | Netherlands..... | 400,980 | | |
| British Guiana..... | 212,393 | | | Peru..... | 293,472 | 465,407 | |
| British India..... | 53,222 | 86,350 | 71,221 | Philippine Islands..... | 358,865 | 453,946 | 602,426 |
| China..... | 29,867 | 80,871 | 26,905 | Reunion..... | 83,316 | | |
| Cuba..... | 4,019,798 | 6,441,717 | 7,293,915 | Russia..... | 587,028 | | |
| Dominican Republic..... | 184,703 | 289,929 | 264,624 | Trinidad and Tobago..... | 87,510 | | |
| Dutch East Indies..... | 2,825,111 | 2,610,928 | | United Kingdom..... | 65,207 | 2,470 | 1,804 |
| Egypt..... | 16,171 | 57,296 | 37,659 | Other countries..... | 660,878 | | |
| Fiji..... | 157,633 | | | Total..... | 14,944,141 | | |
| France..... | 413,795 | 188,727 | 136,672 | | | | |

IMPORTS.

| <i>Into—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Into—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
|---------------------------|----------------|----------------|----------------|----------------------------------|----------------|----------------|----------------|
| Argentina..... | 103,380 | 353,127 | 73,371 | Netherlands..... | 165,443 | | |
| Australia..... | 152,465 | 35,408 | | New Zealand..... | 125,924 | 148,332 | 111,367 |
| British India..... | 1,431,980 | 928,759 | 1,190,562 | Norway..... | 104,651 | 124,531 | |
| British South Africa..... | 60,517 | 28,337 | 45,091 | Persia..... | 215,708 | | |
| Canada..... | 595,785 | 794,118 | 657,926 | Portugal..... | 79,262 | | |
| Chile..... | 169,931 | 199,106 | | Singapore..... | 163,220 | | |
| China..... | 687,243 | 826,277 | 1,165,173 | Switzerland..... | 236,408 | 225,560 | 160,649 |
| Denmark..... | 43,627 | 3,577 | 649 | United Kingdom..... | 3,707,211 | 2,413,419 | 2,016,755 |
| Egypt..... | 85,041 | 24,076 | 40,704 | United States ¹ | 4,245,634 | 4,944,089 | 5,170,976 |
| Finland..... | 100,153 | | | Other countries..... | 1,027,604 | | |
| France..... | 372,395 | 1,156,815 | 375,505 | Total..... | 14,249,356 | | |
| Italy..... | 18,499 | 123,964 | 81,638 | | | | |
| Japan..... | 353,885 | 175,482 | 496,720 | | | | |

¹ Not including receipts from Hawaii, amounting to an average for five years 1909-1913 of 1,089,659,793 in 1917 to 1,233,562,475, and in 1918, 1,008,749,843 pounds; and from Porto Rico, to an average for the five years 1909-1913 of 642,628,376; in 1917 to 1,424,399,175, and in 1918 to 801,329,419 pounds.

SUGAR—Continued.

TABLE 201.—*Sugar production of undermentioned countries, campaigns of 1909-10 to 1918-19.*

BEET SUGAR (RAW).

| Country. | Average 1909-10, 1913-14. | 1917-18 | 1918-19 | Country. | Average 1909-10, 1913-14. | 1917-18 | 1918-19 |
|-----------------------|---------------------------------|------------------------|------------------------|-----------------------|---------------------------------|------------------------|------------------------|
| NORTH AMERICA. | <i>Short tons.</i> | <i>Short tons.</i> | <i>Short tons.</i> | EUROPE—contd. | <i>Short tons.</i> | <i>Short tons.</i> | <i>Short tons.</i> |
| United States..... | 609,620 | 765,207 | 760,950 | Roumania..... | 39,230 | | |
| Canada..... | 11,457 | 11,688 | | Russia..... | 1,828,012 | 1,133,804 | |
| Total..... | 621,077 | 776,895 | | Serbia..... | 10,528 | | |
| EUROPE. | | | | Spain..... | 115,727 | 154,319 | 64,936 |
| Austria-Hungary..... | 1,652,389 | | | Sweden..... | 153,581 | | |
| Belgium..... | 276,075 | 142,497 | 80,949 | Switzerland..... | 4,390 | 9,921 | 12,126 |
| Bulgaria..... | 7,688 | | | Total..... | 7,858,785 | | |
| Denmark..... | 127,002 | 148,700 | 155,755 | OCEANIA. | | | |
| France..... | 759,426 | 220,752 | 121,374 | Australia..... | 719 | 1,904 | |
| Germany..... | 2,429,141 | 1,530,913 | 1,317,628 | Grand total... | 8,480,551 | | |
| Italy..... | 208,675 | | | | | | |
| Netherlands..... | 246,341 | 214,891 | 181,986 | | | | |

CANE SUGAR.

| | | | | | | | |
|------------------------------|------------------|-----------|-----------|---|-------------------|-----------|-----------|
| NORTH AMERICA. | | | | SOUTH AMERICA— continued. | | | |
| United States: | | | | Peru..... | 210,606 | 276,575 | |
| Louisiana..... | 301,173 | 243,000 | 280,900 | Total..... | 562,873 | | |
| Texas..... | 9,664 | 2,240 | 1,125 | EUROPE. | | | |
| Hawaii..... | 567,495 | 576,700 | 600,312 | Spain..... | 17,069 | 6,297 | 7,295 |
| Porto Rico..... | 363,474 | | | ASIA. | | | |
| Virgin Islands..... | 9,212 | | | British India..... | 2,614,396 | 3,616,480 | 2,617,440 |
| Central America: | | | | Formosa..... | 192,299 | 518,089 | 288,000 |
| British Honduras..... | 575 | | | Japan..... | 75,718 | | |
| Costa Rica..... | 2,922 | 5,100 | 4,225 | Java..... | 1,513,736 | 1,919,442 | 1,960,118 |
| Guatemala..... | 8,294 | 20,550 | 17,500 | Philippine Islands.. | 170,447 | 215,343 | |
| Nicaragua..... | 5,000 | 12,000 | 12,000 | Total..... | 4,566,596 | | |
| Salvador..... | 13,616 | | | AFRICA. | | | |
| Mexico..... | 168,080 | | | Egypt..... | 67,128 | 50,774 | 48,768 |
| West Indies: | | | | Mauritius..... | 233,671 | 248,531 | 278,628 |
| British— | | | | Natal..... | 88,165 | 119,000 | 164,080 |
| Antigua..... | 12,919 | 13,234 | 14,679 | Portuguese East A- rica..... | 27,800 | | |
| Barbados..... | 27,788 | 68,120 | 84,000 | Reunion..... | 41,658 | | |
| Jamaica..... | 23,856 | 35,840 | | Total..... | 458,422 | | |
| Montserrat..... | 222 | | | OCEANIA. | | | |
| St. Christopher..... | 13,252 | | | Australia..... | 216,331 | 366,900 | 212,775 |
| St. Lucia..... | 5,436 | | | Fiji..... | 84,629 | | |
| St. Vincent..... | 349 | 632 | | Total..... | 300,960 | | |
| Trinidad and Tobago..... | 51,275 | 79,398 | 50,687 | Total cane su- gar..... | 9,970,830 | | |
| Cuba..... | 2,295,353 | 3,850,613 | 4,448,389 | Total beet and cane sugar... | 18,451,381 | | |
| Dominican Re- public..... | 106,539 | 172,800 | 186,682 | | | | |
| French— | | | | | | | |
| Guadeloupe..... | 40,917 | 30,864 | 25,142 | | | | |
| Martinique..... | 142,567 | | | | | | |
| Total..... | 4,064,920 | | | | | | |
| SOUTH AMERICA. | | | | | | | |
| Argentina..... | 193,853 | 138,780 | | | | | |
| Brazil..... | 138,284 | 302,627 | 440,920 | | | | |
| Gulana: | | | | | | | |
| British..... | 106,194 | 121,163 | 120,467 | | | | |
| Dutch..... | 12,571 | 12,357 | | | | | |
| Paraguay..... | 1,363 | 808 | 619 | | | | |

¹ Exports.

SUGAR—Continued.

TABLE 202.—*Sugar: Total production of countries mentioned in Table 201, 1895-96 to 1918-19.*

| Year. | Production. | | | Year. | Production. | | |
|----------------|--------------------|--------------------|--------------------|--------------|--------------------|--------------------|--------------------|
| | Cane. ¹ | Beet. | Total. | | Cane. ¹ | Beet. | Total. |
| | <i>Short tons.</i> | <i>Short tons.</i> | <i>Short tons.</i> | | <i>Short tons.</i> | <i>Short tons.</i> | <i>Short tons.</i> |
| 1895-96..... | 3,259,000 | 4,832,000 | 8,091,000 | 1907-8..... | 7,925,900 | 7,990,000 | 15,916,000 |
| 1896-97..... | 3,171,000 | 5,549,000 | 8,720,000 | 1908-9..... | 8,654,000 | 7,350,000 | 16,004,000 |
| 1897-98..... | 3,208,000 | 5,457,000 | 8,663,000 | 1909-10..... | 9,423,000 | 6,991,000 | 16,414,000 |
| 1898-99..... | 3,355,000 | 5,616,000 | 8,971,000 | 1910-11..... | 9,540,000 | 9,042,000 | 18,582,000 |
| 1899-1900..... | 3,389,000 | 6,262,000 | 9,651,000 | 1911-12..... | 10,275,000 | 7,072,000 | 17,347,000 |
| 1900-1901..... | 4,084,000 | 6,795,000 | 10,879,000 | 1912-13..... | 10,908,000 | 9,509,769 | 20,518,000 |
| 1901-2..... | 6,818,000 | 7,743,000 | 14,561,000 | 1913-14..... | * 11,270,300 | 9,433,783 | 20,703,983 |
| 1902-3..... | 6,782,000 | 6,454,000 | 13,236,000 | 1914-15..... | * 11,316,952 | 8,756,581 | 20,073,783 |
| 1903-4..... | 6,909,000 | 6,835,000 | 13,744,000 | 1915-16..... | * 11,885,446 | 6,810,106 | * 18,695,551 |
| 1904-5..... | 7,662,000 | 5,525,000 | 13,187,000 | 1916-17..... | * 12,306,843 | * 3,976,008 | * 16,282,851 |
| 1905-6..... | 7,551,000 | 8,090,000 | 15,641,000 | 1917-18..... | * 12,033,366 | * 4,088,014 | * 17,121,280 |
| 1906-7..... | 8,365,000 | 7,587,000 | 15,952,000 | 1918-19..... | * 11,864,751 | * 2,710,357 | * 14,575,108 |

¹ Prior to 1901-2 these figures include exports instead of production for British India.² Excluding Costa Rica, Guatemala, and Salvador.³ Excluding Salvador and St. Lucia.⁴ Includes only countries for which reports were given in Table 201.TABLE 203.—*Beet and beet sugar production of undermentioned countries.*

| Country and year. | Factories in operation. | Sugar made, raw. | Beets used for sugar. | | | Average extraction of sugar. | |
|-----------------------------|-------------------------|--------------------|-------------------------|-------------------------|--------------------|--|-----------------------------------|
| | | | Area harvested. | Average yield per acre. | Quantity worked. | Per centage of weight of beets used. | Per short ton of beets used. |
| Austria-Hungary: | <i>Number.</i> | <i>Short tons.</i> | <i>Acres.</i> | <i>Short tons.</i> | <i>Short tons.</i> | <i>Per cent.</i> | <i>Pounds.</i> |
| 1910-11..... | 214 | 1,549,102 | 918,201 | 11.95 | 11,038,503 | 17.5 | 281 |
| 1911-12..... | 210 | 1,180,605 | 968,771 | 8.18 | 8,623,578 | 16.6 | 274 |
| 1912-13..... | 218 | 2,093,439 | 1,088,088 | 13.00 | 13,911,305 | 14.8 | 301 |
| | | | <i>Area cultivated.</i> | | <i>Produced.</i> | <i>P. c. of wt. of beets produced.</i> | <i>Per ton of beets produced.</i> |
| Belgium: | | | | | | | |
| 1910-11..... | 92 | 299,085 | 148,858 | 13.41 | 1,996,977 | 14.97 | 269 |
| 1911-12..... | 89 | 258,780 | 145,119 | 11.45 | 1,660,872 | 15.58 | 312 |
| 1912-13..... | 88 | 309,308 | 152,913 | 12.47 | 1,907,358 | 16.22 | 324 |
| 1913-14..... | 84 | 249,395 | 120,527 | 11.85 | 1,534,311 | 16.25 | 325 |
| Denmark: | | | | | | | |
| 1910-11..... | 8 | 110,792 | | | 817,381 | 13.56 | 271 |
| 1911-12..... | 8 | 128,032 | | | 809,616 | 15.81 | 316 |
| 1912-13..... | 9 | 148,447 | 79,986 | 14.49 | 1,159,369 | 12.80 | 256 |
| 1913-14..... | 9 | 179,002 | | | 1,025,140 | 17.46 | 349 |
| 1914-15..... | 9 | 167,803 | 79,000 | | 910,000 | | |
| 1915-16..... | 9 | 143,475 | 77,787 | | 811,351 | | |
| 1916-17..... | 9 | 123,623 | 76,020 | | 972,965 | | |
| | | | <i>Area harvested.</i> | | <i>Worked.</i> | <i>P. c. of wt. of beets used.</i> | <i>Per ton of beets used.</i> |
| France: | | <i>Refined.</i> | | | | | |
| 1910-11..... | 239 | 717,633 | 549,969 | 10.76 | 6,426,226 | 11.80 | 236 |
| 1911-12..... | 220 | 512,986 | 555,575 | 8.09 | 4,669,083 | 11.41 | 228 |
| 1912-13..... | 213 | 967,440 | 566,539 | 12.99 | 7,960,926 | 13.15 | 263 |
| 1913-14..... | 206 | 790,790 | 534,230 | 12.24 | 6,539,725 | 12.09 | 242 |
| 1914-15..... | 69 | 333,953 | 242,781 | 11.92 | 2,892,878 | 11.54 | 231 |
| 1915-16..... | 64 | 149,801 | 146,305 | 8.65 | 1,265,518 | 11.84 | 237 |
| Germany:¹ | | <i>Raw.</i> | | | | | |
| 1910-11..... | 354 | 2,770,001 | 1,180,913 | 14.72 | 17,360,003 | 15.96 | 819 |
| 1911-12..... | 342 | 1,551,797 | 1,247,213 | 8.03 | 9,987,473 | 15.54 | 311 |
| 1912-13..... | 342 | 2,901,564 | 1,353,181 | 13.56 | 18,344,738 | 15.82 | 316 |
| 1913-14..... | 341 | 2,885,572 | 1,316,655 | 14.19 | 18,672,939 | 15.45 | 309 |

¹ The production of sugar in Germany, including refined from imported raw sugar, was 2,963,085 short tons in 1912-13 and 2,993,704 in 1913-14.

SUGAR—Continued.

TABLE 203.—Beet and beet sugar production of undermentioned countries—Continued.

| Country and year. | Factories in operation. | Sugar made, raw (short tons). | Beets used for sugar. | | | Average extraction of sugar. | |
|----------------------------|-------------------------|-------------------------------|-------------------------|-------------------------|------------------|---------------------------------------|------------------------------|
| | | | Area harvested (acres). | Average yield per acre. | Quantity worked. | Per cent age of weight of beets used. | Per short ton of beets used. |
| | Number. | Refined. | Area cultivated. | Short tons. | Short tons. | | Pounds. |
| Italy: | | | | | | | |
| 1910-11..... | 35 | 190,901 | 124,044 | 14.92 | 1,698,551 | 11.24 | 225 |
| 1911-12..... | 37 | 174,894 | 131,280 | 13.30 | 1,621,760 | 10.78 | 216 |
| 1912-13..... | 37 | 218,628 | 133,434 | 14.40 | 1,879,328 | 11.63 | 233 |
| 1913-14..... | 37 | 336,823 | 152,700 | 19.70 | 2,904,816 | 11.25 | 225 |
| 1914-15..... | 30 | 165,583 | 100,370 | | 1,422,235 | | |
| 1915-16..... | 36 | 165,781 | 122,809 | | 1,532,542 | | |
| Netherlands: | | | | | | | |
| 1910-11..... | 27 | 219,947 | 138,554 | 12.94 | 1,678,803 | 13.10 | 262 |
| 1911-12..... | 27 | 265,401 | 137,388 | 16.06 | 1,886,187 | 14.00 | 280 |
| 1912-13..... | 27 | 315,775 | 160,180 | 14.99 | 2,228,861 | 14.17 | 283 |
| 1913-14..... | 27 | 231,073 | 149,001 | 12.27 | 1,706,878 | 13.55 | 271 |
| 1914-15..... | 27 | 316,346 | 156,251 | 14.06 | 2,198,577 | 14.42 | 288 |
| 1915-16 (prelim.).... | 23 | 240,828 | 139,644 | 13.52 | 1,755,964 | 13.71 | 274 |
| Russia: | | Raw. | | | | | |
| 1910-11..... | 276 | 2,074,410 | 1,631,188 | 8.9 | 14,437,305 | 14.61 | 292 |
| 1911-12..... | 281 | 2,036,990 | 1,923,539 | 7.8 | 14,754,312 | 13.84 | 277 |
| 1912-13..... | 287 | 1,361,842 | 1,847,313 | 6.4 | 11,538,078 | 11.73 | 225 |
| 1913-14..... | 293 | 1,680,893 | 1,756,160 | 7.7 | 13,436,058 | 12.51 | 250 |
| 1914-15..... | 265 | 1,958,975 | 1,941,122 | 7.4 | 13,979,662 | 14.01 | 280 |
| 1915-16..... | 235 | 1,697,356 | 1,748,466 | 7.0 | 12,324,612 | 13.77 | 275 |
| Spain: | | | | | | | |
| 1910-11..... | 33 | 68,743 | (¹) | | 532,882 | 12.90 | 258 |
| 1911-12..... | 32 | 102,859 | 90,787 | | 872,834 | 11.78 | 236 |
| 1912-13..... | 33 | 171,839 | 105,213 | | 1,302,871 | 11.33 | 264 |
| 1913-14..... | 31 | 186,680 | 146,745 | (¹) | 1,478,114 | 12.62 | 252 |
| 1914-15..... | (¹) | 112,231 | 78,642 | | 813,790 | 12.08 | |
| 1915-16..... | 27 | 117,334 | 99,114 | | 921,013 | 10.65 | |
| Sweden: | | | | | | | |
| 1910-11..... | 24 | 191,713 | 86,816 | 13.56 | 1,218,166 | 15.53 | 315 |
| 1911-12..... | 24 | 140,409 | 71,790 | 14.83 | 908,372 | 15.27 | 309 |
| 1912-13..... | 24 | 145,462 | 66,900 | 13.95 | 922,083 | 15.59 | 316 |
| United States: | | Refined. | Area harvested. | | | | |
| 1910-11..... | 61 | 510,172 | 398,029 | 10.17 | 4,047,292 | 12.61 | 252 |
| 1911-12..... | 66 | 569,500 | 473,877 | 10.68 | 5,062,333 | 11.84 | 237 |
| 1912-13..... | 73 | 692,556 | 555,300 | 9.41 | 5,224,377 | 13.26 | 265 |
| 1913-14..... | 71 | 733,401 | 580,006 | 9.76 | 5,559,402 | 12.96 | 259 |
| 1914-15..... | 60 | 722,054 | 493,400 | 10.9 | 5,268,500 | 13.65 | 273 |
| 1915-16..... | 67 | 874,220 | 611,301 | 10.1 | 6,150,293 | 14.21 | 267 |
| 1916-17..... | 74 | 820,657 | 665,308 | 8.90 | 5,919,673 | 13.86 | 277 |
| 1917-18..... | 91 | 765,207 | 664,797 | 8.46 | 5,625,545 | 13.60 | 272 |
| 1918-19..... | 89 | 760,950 | 594,010 | 9.39 | 5,577,506 | 13.64 | 273 |
| 1919-20 ² | 90 | 763,848 | 696,503 | 9.18 | 6,396,860 | 11.94 | 239 |

¹ No data.

² Preliminary.

SUGAR—Continued.

TABLE 204.—Cane and cane-sugar production of undermentioned countries.

| Country and year. | Factories in operation. | Sugar made. | Cane used for sugar. | | | Average extraction of sugar. |
|------------------------------------|-------------------------|-------------|-----------------------------|-------------------|------------------|------------------------------|
| | | | Area harvested. | Average per acre. | Quantity worked. | Per ton of cane used. |
| | Number. | Short tons. | Acres cultivated. | Short tons. | Short tons. | Pounds. |
| Argentina: | | | | | | |
| 1910-11..... | (¹) | 163,701 | 178,080 | (¹) | (¹) | (¹) |
| 1911-12..... | (¹) | 198,515 | 230,866 | (¹) | (¹) | (¹) |
| 1912-13..... | 39 | 162,313 | 232,830 | (¹) | 2,338,594 | 139 |
| 1913-14..... | 38 | 304,389 | 263,656 | (¹) | 3,451,321 | 176 |
| 1914-15..... | 37 | 370,324 | 269,833 | (¹) | 4,027,067 | 184 |
| Australia: | | | <i>Harvested.</i> | | <i>Produced.</i> | |
| 1910-11..... | 53 | 253,131 | 100,237 | 22.36 | 2,240,849 | 226 |
| 1911-12..... | 53 | 210,292 | 101,010 | 18.65 | 1,884,120 | 223 |
| 1912-13..... | 50 | 144,776 | 84,279 | 15.09 | 1,271,358 | 228 |
| Cuba: | | | <i>Cultivated.</i> | | | |
| 1910-11..... | 171 | 1,670,151 | (¹) | (¹) | 14,736,961 | 237 |
| 1911-12..... | 172 | 2,142,420 | (¹) | (¹) | 20,679,593 | 207 |
| 1912-13..... | 171 | 2,737,264 | 1,340,139 | (¹) | 25,137,684 | 218 |
| 1913-14..... | 170 | 2,891,281 | 1,334,070 | (¹) | 25,644,949 | 226 |
| 1914-15..... | 177 | 2,967,427 | | | 28,068,993 | |
| 1915-16..... | | 3,398,385 | | | 26,324,706 | |
| 1916-17..... | | 3,421,897 | | | 28,149,841 | |
| Hawaii: | | | <i>Harvested.</i> | | | |
| 1911-12..... | (¹) | 595,038 | 113,000 | 42.0 | 4,774,000 | 249 |
| 1912-13..... | (¹) | 546,524 | 114,600 | 39.0 | 4,476,000 | 244 |
| 1913-14..... | 46 | 612,000 | 112,700 | 45.0 | 5,094,000 | 240 |
| 1914-15..... | 45 | 646,000 | 113,200 | 46.0 | 5,185,000 | 249 |
| 1915-16..... | (¹) | 592,763 | 115,419 | 42.0 | 4,859,424 | 244 |
| 1916-17..... | (¹) | 644,663 | 123,900 | 42.0 | 5,230,900 | 247 |
| 1917-18..... | (¹) | 576,700 | 119,800 | 41.0 | 4,855,090 | 238 |
| 1918-19..... | (¹) | 600,312 | 119,700 | 40.0 | 4,744,000 | 263 |
| Japan: | | | <i>Cultivated.</i> | | | |
| 1910-11..... | 13 | 72,454 | 49,166 | 18.49 | 892,662 | 163 |
| 1911-12..... | 14 | 75,797 | 52,153 | 18.16 | 941,550 | 161 |
| 1912-13..... | 17 | 68,867 | 51,263 | 17.15 | 879,624 | 157 |
| 1913-14..... | 16 | 72,613 | 53,300 | 17.91 | 954,758 | 152 |
| Java (factory plantations): | | | <i>Harvested.</i> | | | |
| 1910-11..... | 189 | 1,583,178 | 321,720 | 46.43 | 14,936,085 | 212 |
| 1911-12..... | 193 | 1,424,657 | 336,021 | 40.71 | 13,679,962 | 206 |
| 1912-13..... | 191 | 1,527,584 | 340,739 | 45.11 | 15,370,765 | 199 |
| Spain: | | | <i>Cultivated.</i> | | | |
| 1910-11..... | 27 | 22,371 | 11,666 | 31.9 | 258,138 | 173 |
| 1911-12..... | 23 | 17,831 | 9,983 | 16.5 | 167,092 | 213 |
| 1912-13..... | 21 | 14,585 | 9,844 | 15.6 | 153,707 | 190 |
| 1913-14..... | 22 | 8,131 | 4,581 | 17.4 | 79,719 | 204 |
| 1914-15..... | (¹) | 6,168 | 4,717 | (¹) | 70,410 | (¹) |
| 1915-16..... | 16 | 4,700 | 2,950 | 16.59 | 48,937 | 194 |
| 1916-17..... | 16 | 5,053 | 4,621 | | 70,286 | |
| United States (Louisiana): | | | <i>Harvested for sugar.</i> | | | |
| 1911-12..... | 188 | 352,874 | 310,000 | 19.0 | 5,887,292 | 120 |
| 1912-13..... | 126 | 153,573 | 197,000 | 11.0 | 2,162,574 | 142 |
| 1913-14..... | 153 | 292,698 | 248,000 | 17.0 | 4,214,000 | 139 |
| 1914-15..... | 149 | 242,700 | 213,000 | 15.0 | 3,199,000 | 152 |
| 1915-16..... | 136 | 137,500 | 183,000 | 11.0 | 2,018,000 | 135 |
| 1916-17..... | 150 | 303,900 | 221,000 | 18.0 | 4,072,000 | 149 |
| 1917-18..... | 140 | 243,600 | 244,000 | 15.6 | 3,813,000 | 128 |
| 1918-19..... | 134 | 280,900 | 231,200 | 18.0 | 4,170,000 | 135 |
| 1919-20..... | | 115,590 | 176,500 | 10.0 | 1,765,000 | 131 |

¹ No data.² Preliminary.

SUGAR—Continued.

TABLE 205.—*Sugar beets: Area and production in undermentioned countries, 1909–1918.*

[000 omitted.]

| Country. | Area. | | | | Production. | | | |
|---|--|----------------------|----------------------|----------------------|--|---------------------------------|---------------------------------|---------------------------------|
| | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 | Average 1909– 1913. ¹ | 1916 | 1917 | 1918 |
| NORTH AMERICA. | | | | | | | | |
| United States..... | <i>Acres.</i> 568 | <i>Acres.</i> 665 | <i>Acres.</i> 665 | <i>Acres.</i> 792 | <i>Short tons.</i> 5,555 | <i>Short tons.</i> 6,228 | <i>Short tons.</i> 5,980 | <i>Short tons.</i> 7,303 |
| Canada..... | 18 | 15 | 14 | 18 | 174 | 71 | 118 | 180 |
| Total..... | 586 | 680 | 679 | 810 | 5,729 | 6,299 | 6,098 | 7,483 |
| EUROPE. | | | | | | | | |
| Austria ² | 642 | (³) | (³) | (³) | 8,202 | (³) | (³) | (³) |
| Hungary ² | 432 | (³) | (³) | (³) | 5,275 | (³) | (³) | (³) |
| Croatia-Slavonia ² | 10 | (³) | (³) | (³) | 73 | (³) | (³) | (³) |
| Bosnia-Herzegovina ² | 3 | (³) | (³) | (³) | 12 | (³) | (³) | (³) |
| Belgium..... | 142 | (³) | (³) | (³) | 1,720 | (³) | (³) | (³) |
| Bulgaria ² | 8 | (³) | (³) | (³) | 81 | (³) | (³) | (³) |
| Denmark..... | 80 | 78 | 76 | 89 | 1,025 | 811 | 973 | 1,041 |
| England..... | 4 | (³) | (³) | (³) | (³) | (³) | (³) | (³) |
| France ² | 623 | ⁴ 201 | ⁴ 180 | ⁴ 169 | 7,454 | ⁴ 2,192 | ⁴ 2,324 | ⁴ 2,324 |
| Germany ² | 1,335 | ⁴ 1,018 | ⁴ 992 | ⁴ 993 | 18,509 | ⁴ 11,175 | ⁴ 11,009 | ⁴ 10,895 |
| Italy..... | 143 | 123 | 120 | 106 | 2,465 | 1,486 | 1,237 | 1,260 |
| Netherlands..... | 154 | 157 | 115 | 92 | 2,117 | 2,115 | 1,826 | 1,317 |
| Roumania ² | 34 | 30 | (³) | ⁷ 18 | 316 | (³) | (³) | ⁷ 54 |
| Russia proper ² | 1,578 | (³) | (³) | (³) | 12,119 | (³) | (³) | (³) |
| Poland ² | 170 | (³) | (³) | (³) | 1,399 | (³) | (³) | (³) |
| North Caucasus (Kuban) ² | 8 | (³) | (³) | (³) | 84 | (³) | (³) | (³) |
| Spain..... | 126 | 134 | 146 | 163 | 2,130 | 830 | 923 | 742 |
| Sweden..... | 69 | 92 | 78 | 75 | 940 | 1,033 | 966 | 895 |
| Switzerland..... | 2 | 2 | (³) | (³) | 21 | 22 | (³) | (³) |
| Total..... | 5,563 | | | | 63,742 | | | |
| Grand total..... | 6,149 | | | | 69,471 | | | |

¹ Five-year average, except where statistics were not available.

² Old boundaries.

³ No official statistics.

⁴ Less than 500.

⁵ Exclusive of invaded area, in which 115,900 acres were under sugar in 1914.

⁶ Excludes Alsace-Lorraine.

⁷ Including Bessarabia but excluding Dobrudja.

MAPLE SUGAR AND SIRUP.

TABLE 206.—*Maple sugar and sirup production, 1909, 1917, 1918, and 1919.*

[Figures for 1909 are from the United States census; all others are based upon reports from field agents and correspondents of the Bureau of Crop Estimates.]

| State and year. | Trees tapped. | Sugar made. | Sirup made. | Average per tree. | |
|-----------------|---------------|-------------|-------------|-------------------|-----------|
| | | | | As sugar. | As sirup. |
| Maine: | Number. | Pounds. | Gallons. | Pounds. | Gallons. |
| 1919..... | 304,000 | 63,232 | 41,496 | 1.3 | 0.18 |
| 1918..... | 290,000 | 46,400 | 52,200 | 1.6 | .20 |
| 1917..... | 255,000 | 42,350 | 48,700 | 1.7 | .21 |
| 1909..... | 252,764 | 15,388 | 43,971 | 1.45 | .18 |
| New Hampshire: | | | | | |
| 1919..... | 870,000 | 445,440 | 118,320 | 1.6 | .20 |
| 1918..... | 870,000 | 556,800 | 147,900 | 2.0 | .25 |
| 1917..... | 800,000 | 537,600 | 142,800 | 2.1 | .26 |
| 1909..... | 792,147 | 558,811 | 111,500 | 1.83 | .23 |
| Vermont: | | | | | |
| 1919..... | 5,665,000 | 4,894,560 | 521,180 | 1.6 | .20 |
| 1918..... | 5,500,000 | 6,237,000 | 664,100 | 2.10 | .26 |
| 1917..... | 5,100,000 | 5,626,300 | 552,600 | 1.97 | .25 |
| 1909..... | 5,585,632 | 7,726,817 | 400,953 | 1.98 | .26 |

MAPLE SUGAR AND SIRUP—Continued.

TABLE 206.—Maple sugar and sirup production, 1909, 1917, 1918, and 1919—Contd.

| State and year. | Trees tapped. | Sugar made. | Sirup made. | Average per tree. | |
|-------------------------|----------------|----------------|-----------------|-------------------|-----------------|
| | | | | As sugar. | As sirup. |
| | <i>Number.</i> | <i>Pounds.</i> | <i>Gallons.</i> | <i>Pounds.</i> | <i>Gallons.</i> |
| Massachusetts: | | | | | |
| 1919..... | 273,900 | 138,045 | 44,374 | 1.8 | .23 |
| 1918..... | 273,900 | 182,600 | 50,800 | 2.15 | .27 |
| 1917..... | 256,000 | 182,700 | 50,800 | 2.30 | .29 |
| 1909..... | 256,501 | 156,952 | 53,091 | 2.27 | .28 |
| Connecticut: | | | | | |
| 1919..... | 13,500 | 5,832 | 2,308 | 1.8 | .22 |
| 1918..... | 13,500 | 8,900 | 3,900 | 3.0 | .38 |
| 1917..... | 12,000 | 6,600 | 2,900 | 2.5 | .31 |
| 1909..... | 11,296 | 10,207 | 4,236 | 3.65 | .46 |
| New York: | | | | | |
| 1919..... | 6,062,000 | 3,161,000 | 1,401,000 | 2.37 | .30 |
| 1918..... | 6,236,000 | 3,732,000 | 1,755,000 | 2.85 | .35 |
| 1917..... | 5,724,000 | 2,255,000 | 1,485,000 | 2.47 | .31 |
| 1909..... | 4,948,784 | 3,160,300 | 993,242 | 2.24 | .28 |
| Pennsylvania: | | | | | |
| 1919..... | 1,244,000 | 686,800 | 318,800 | 2.60 | .33 |
| 1918..... | 1,220,000 | 993,000 | 440,000 | 3.7 | .46 |
| 1917..... | 1,130,000 | 988,800 | 370,800 | 3.5 | .44 |
| 1909..... | 1,298,005 | 1,188,049 | 391,242 | 3.33 | .42 |
| Maryland: | | | | | |
| 1919..... | 76,300 | 221,300 | 20,000 | 5.0 | .62 |
| 1918..... | 74,800 | 179,500 | 15,000 | 4.0 | .50 |
| 1917..... | 68,000 | 161,800 | 9,500 | 3.5 | .44 |
| 1909..... | 79,658 | 351,908 | 12,172 | 5.64 | .70 |
| West Virginia: | | | | | |
| 1919..... | 100,000 | 160,000 | 30,000 | 4.0 | .50 |
| 1918..... | 105,000 | 147,000 | 27,500 | 3.5 | .44 |
| 1917..... | 85,000 | 151,700 | 18,200 | 3.5 | .44 |
| 1909..... | 97,274 | 140,060 | 31,176 | 4.0 | .50 |
| Ohio: | | | | | |
| 1919..... | 2,378,000 | 199,750 | 807,330 | 2.8 | .35 |
| 1918..... | 2,660,000 | 558,600 | 1,093,900 | 3.5 | .44 |
| 1917..... | 2,418,000 | 536,800 | 1,051,300 | 3.7 | .46 |
| 1909..... | 3,170,828 | 257,592 | 1,323,431 | 3.42 | .43 |
| Indiana: | | | | | |
| 1919..... | 700,000 | 200,000 | 273,000 | 3.40 | .43 |
| 1918..... | 700,000 | 238,000 | 267,800 | 3.4 | .42 |
| 1917..... | 637,000 | 48,000 | 296,600 | 3.8 | .48 |
| 1909..... | 742,586 | 33,419 | 273,728 | 2.99 | .37 |
| Michigan: | | | | | |
| 1919..... | 874,000 | 230,800 | 211,500 | 2.20 | .28 |
| 1918..... | 930,000 | 364,600 | 279,900 | 2.80 | .35 |
| 1917..... | 641,400 | 229,000 | 175,900 | 2.55 | .32 |
| 1909..... | 986,737 | 293,301 | 269,063 | 2.48 | .31 |
| Wisconsin: | | | | | |
| 1919..... | 442,000 | 19,200 | 95,800 | 1.78 | .22 |
| 1918..... | 425,000 | 26,500 | 107,200 | 2.08 | .26 |
| 1917..... | 340,000 | 72,000 | 81,000 | 2.12 | .26 |
| 1909..... | 449,727 | 27,199 | 124,117 | 2.26 | .28 |
| Total 13 States: | | | | | |
| 1919..... | 19,002,700 | 10,425,959 | 3,885,108 | 2.18 | .27 |
| 1918..... | 19,298,200 | 13,270,900 | 4,906,200 | 2.72 | .35 |
| 1917..... | 17,466,400 | 10,838,650 | 4,286,100 | 2.58 | .32 |
| 1909..... | 18,672,939 | 13,920,003 | 4,040,952 | 2.48 | .31 |

NOTE.—These 13 States produced, in 1909, 99 per cent of the maple-sugar crops of the United States and 98.4 per cent of the maple sirup.

TABLE 207.—Maple sugar and sirup: Farm price, 15th of month, 1913-1919.

| Date. | Sugar (cents per pound). | | | | | | | Sirup (dollars per gallon). | | | | | | |
|--------------|--------------------------|------|------|------|------|-------|------|-----------------------------|------|------|------|------|-------|------|
| | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 |
| Feb. 15..... | 22.0 | 18.8 | 14.7 | 12.6 | 11.6 | | 12.2 | 1.86 | 1.58 | 1.22 | 1.08 | 1.06 | | 1.06 |
| Mar. 15..... | 25.3 | 20.5 | 14.7 | 13.4 | 12.5 | 12.4 | 12.6 | 1.99 | 1.76 | 1.30 | 1.11 | 1.10 | 1.10 | 1.06 |
| Apr. 15..... | 26.9 | 22.5 | 16.3 | 13.9 | 12.9 | 12.5 | 13.0 | 2.03 | 1.80 | 1.33 | 1.17 | 1.10 | 1.10 | 1.08 |
| May 15..... | 26.3 | 22.6 | 16.2 | 13.6 | 12.3 | 12.3 | 12.3 | 2.02 | 1.85 | 1.34 | 1.15 | 1.07 | 1.10 | 1.08 |
| June 15..... | 26.2 | 22.0 | 15.9 | 13.7 | 12.4 | 12.2 | 12.1 | 2.19 | 1.85 | 1.33 | 1.16 | 1.12 | 1.12 | 1.09 |

SORGHUM FOR SIRUP.

TABLE 208.—Sorghum for sirup: Acreage, production, and value, by States 1919, and totals 1917-1919.

| State and year. | Acreage. | Average yield per acre. | Production of sirup. | Average farm price per gallon Dec. 1. | Farm value Dec. 1. |
|---------------------|---------------|-------------------------|----------------------|---------------------------------------|--------------------|
| | <i>Acres.</i> | <i>Gallons.</i> | <i>Gallons.</i> | <i>Cents.</i> | <i>Dollars.</i> |
| Virginia..... | 11,000 | 93 | 1,023,000 | 108 | 1,105,000 |
| West Virginia..... | 5,000 | 100 | 500,000 | 134 | 670,000 |
| North Carolina..... | 40,000 | 91 | 3,640,000 | 101 | 3,676,000 |
| South Carolina..... | 8,000 | 85 | 680,000 | 104 | 707,000 |
| Georgia..... | 16,000 | 92 | 1,472,000 | 102 | 1,501,000 |
| Florida..... | 600 | 130 | 78,000 | 111 | 87,000 |
| Ohio..... | 5,400 | 84 | 454,000 | 150 | 681,000 |
| Indiana..... | 11,300 | 82 | 927,000 | 147 | 1,363,000 |
| Illinois..... | 8,500 | 72 | 612,000 | 148 | 906,000 |
| Wisconsin..... | 3,000 | 75 | 225,000 | 176 | 396,000 |
| Minnesota..... | 3,000 | 128 | 384,000 | 145 | 557,000 |
| Iowa..... | 5,000 | 90 | 450,000 | 142 | 639,000 |
| Missouri..... | 19,500 | 83 | 1,618,000 | 128 | 2,071,000 |
| Nebraska..... | 2,000 | 75 | 150,000 | 129 | 194,000 |
| Kansas..... | 7,000 | 70 | 490,000 | 122 | 598,000 |
| Kentucky..... | 29,900 | 85 | 2,542,000 | 124 | 3,152,000 |
| Tennessee..... | 18,000 | 87 | 1,566,000 | 105 | 1,644,000 |
| Alabama..... | 109,000 | 91 | 9,100,000 | 95 | 8,645,000 |
| Mississippi..... | 60,000 | 85 | 5,100,000 | 95 | 4,845,000 |
| Louisiana..... | 600 | 110 | 66,000 | 106 | 70,000 |
| Texas..... | 8,300 | 68 | 564,000 | 102 | 575,000 |
| Oklahoma..... | 7,800 | 87 | 679,000 | 104 | 706,000 |
| Arkansas..... | 16,000 | 60 | 960,000 | 103 | 980,000 |
| Utah..... | 300 | 105 | 32,000 | 153 | 49,000 |
| Total..... | 386,200 | 86.3 | 33,312,000 | 107.5 | 35,826,000 |
| 1918..... | 374,800 | 79.1 | 29,643,000 | 96.3 | 28,532,000 |
| 1917..... | 415,200 | 90.3 | 37,472,000 | 69.5 | 26,056,000 |

TEA.

TABLE 209.—Tea: International trade, calendar years 1909-1913, 1917, and 1918.

["Tea" includes tea leaves only and excludes dust, sweepings, and yerba maté. See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average 1909-1913. | 1917 (preliminary). | 1918 (preliminary). | Country. | Average 1909-1913. | 1917 (preliminary). | 1918 (preliminary). |
|------------------------|--------------------|---------------------|---------------------|----------------------|--------------------|---------------------|---------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| British India..... | 267,887 | 299,180 | 378,075 | Japan..... | 35,823 | 61,765 | 46,825 |
| Ceylon..... | 189,016 | 196,232 | 180,818 | Singapore..... | 2,575 | | |
| China..... | 197,997 | 149,342 | 53,479 | Other countries..... | 6,991 | | |
| Dutch East Indies..... | 46,675 | 76,710 | | Total..... | 770,604 | | |
| Formosa..... | 23,640 | 26,169 | | | | | |

IMPORTS.

| <i>Into—</i> | | | | <i>Into—</i> | | | |
|---------------------------|--------|--------|--------|----------------------|---------|---------|---------|
| Argentina..... | 3,890 | 2,381 | 4,037 | Germany..... | 8,964 | | |
| Australia..... | 35,442 | 37,390 | | Netherlands..... | 11,383 | | |
| Austria-Hungary..... | 3,424 | | | New Zealand..... | 7,542 | 9,478 | 9,692 |
| British India..... | 8,002 | 13,247 | 17,199 | Persia..... | 9,446 | | |
| British South Africa..... | 5,544 | 8,930 | 10,510 | Russia..... | 157,704 | | |
| Canada..... | 37,927 | 52,145 | 29,964 | Singapore..... | 6,009 | | |
| Chile..... | 3,505 | 3,659 | | United Kingdom..... | 293,045 | 277,436 | 310,687 |
| China..... | 18,890 | 25,259 | 6,338 | United States..... | 98,897 | 126,796 | 134,418 |
| Dutch East Indies..... | 6,742 | 7,976 | | Other countries..... | 34,294 | | |
| France..... | 2,806 | 5,196 | 3,203 | Total..... | 756,761 | | |
| French Indo-China..... | 3,295 | | | | | | |

TEA—Continued.

TABLE 210.—Tea: Wholesale price per pound on New York market, 1913-1919.

| Date. | Foochow, fair to fine. | | | Formosa, fine to choice. | | | Japan, pan-fired. | | | India, orange pekoe. | | | Ceylon, orange pekoe. | | |
|--------------------|------------------------|-------|------------|--------------------------|-------|------------|-------------------|-------|------------|----------------------|-------|------------|-----------------------|-------|------------|
| | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. |
| 1913. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| January-June..... | 12 | 22 | | 24 | 39 | | 13½ | 35 | | 18½ | 24 | | 18½ | 24 | |
| July-December..... | 12 | 22 | | 24 | 39 | | 13½ | 28 | | 18½ | 21 | | 18½ | 24 | |
| 1914. | | | | | | | | | | | | | | | |
| January-June..... | 12 | 22 | | 24 | 39 | | 12½ | 30 | | 18½ | 21 | | 18½ | 24 | |
| July-December..... | 12½ | 22 | | 23 | 39 | | 12½ | 38 | | 18½ | 27 | | 18½ | 26 | |
| 1915. | | | | | | | | | | | | | | | |
| January-June..... | 15 | 22 | | 23 | 39 | | 18 | 35 | | | | | 21 | 30 | |
| July-December..... | 17 | 22 | | 23 | 39 | | 18 | 40 | | 24 | 32 | | 24 | 31 | |
| 1916. | | | | | | | | | | | | | | | |
| January-June..... | 17½ | 21 | | 23 | 39 | | 16 | 35½ | | 24 | 30 | | 24 | 30 | |
| July-December..... | 17½ | 21 | | 23 | 39 | | 16 | 35 | | 23 | 30 | | 28 | 30 | |
| 1917. | | | | | | | | | | | | | | | |
| January-June..... | 17½ | 26 | | 23 | 60 | | 16 | 40 | | 28 | 47 | | 28 | 53 | |
| July-December..... | 22½ | 27 | | 40 | 60 | | 21 | 40 | | 39 | 45 | | 40 | 50 | |
| 1918. | | | | | | | | | | | | | | | |
| January-June..... | 26½ | 27 | 26.8 | 35 | 60 | 48.8 | 24 | 40 | 32.1 | 35 | 50 | 42.8 | 36 | 50 | 41.6 |
| July-December..... | 26½ | 30½ | 29.8 | 35 | 60 | 47.8 | 25 | 45 | 35.6 | 35 | 50 | 42.5 | 36 | 45 | 40.5 |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 29 | 30½ | 29.8 | 36 | 60 | 48.0 | 28 | 45 | 31.5 | 32 | 50 | 38.5 | 35 | 45 | 40.1 |
| February..... | 29 | 30½ | 29.8 | 36 | 60 | 48.0 | 26 | 45 | 36.4 | 30 | 35 | 33.4 | 30 | 45 | 39.3 |
| March..... | 29 | 30½ | 29.8 | 33 | 60 | 47.3 | 24 | 45 | 35.0 | 30 | 35 | 32.5 | 30 | 40 | 35.0 |
| April..... | 29 | 30½ | 29.8 | 33 | 60 | 46.0 | 24 | 45 | 34.0 | 30 | 35 | 32.5 | 30 | 40 | 35.0 |
| May..... | 29 | 30½ | 29.8 | 33 | 62 | 46.5 | 24 | 48 | 34.8 | 30 | 35 | 32.5 | 30 | 40 | 36.0 |
| June..... | 29 | 30½ | 29.8 | 34 | 62 | 48.0 | 24 | 50 | 36.1 | 30 | 35 | 32.5 | 33 | 45 | 39.1 |
| January-June..... | 29 | 30½ | 29.8 | 33 | 62 | 47.3 | 24 | 50 | 34.6 | 30 | 50 | 33.6 | 30 | 45 | 37.4 |
| July..... | 29 | 30½ | 29.8 | 34 | 62 | 48.0 | 25 | 50 | 37.5 | 30 | 35 | 32.8 | 38 | 48 | 42.9 |
| August..... | 29 | 30½ | 29.8 | 34 | 62 | 48.0 | 25 | 50 | 37.5 | 32 | 35 | 33.5 | 42 | 50 | 47.3 |
| September..... | 29 | 30½ | 29.8 | 34 | 62 | 48.0 | 25 | 60 | 41.6 | 32 | 35 | 33.5 | 44 | 50 | 47.0 |
| October..... | (1) | (1) | (1) | 34 | 62 | 48.0 | 25 | 60 | 42.5 | 32 | 35 | 33.6 | 44 | 50 | 47.0 |
| November..... | (1) | (1) | (1) | 34 | 62 | 48.7 | 25 | 60 | 42.5 | 32 | 40 | 36.7 | 44 | 50 | 47.0 |
| December..... | (1) | (1) | (1) | 34 | 62 | 29.8 | 26 | 60 | 42.5 | 36 | 45 | 42.2 | 44 | 50 | 47.0 |
| July-December.. | 29 | 30½ | 29.8 | 28 | 62 | 48.0 | 25 | 60 | 40.7 | 30 | 45 | 35.4 | 38 | 50 | 46.4 |

¹ No quotations.

COFFEE.

TABLE 211.—*Coffee: International trade, calendar years 1909–1913, 1917, and 1918.*

[The item of coffee comprises unhulled and hulled, ground or otherwise prepared, but imitation or "surrogate" coffee and chicory are excluded. See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average, 1909–1913. | 1917 (prelim.) | 1918 (prelim.) | Country. | Average, 1909–1913. | 1917 (prelim.) | 1918 (prelim.) |
|------------------------|------------------------|-------------------|-------------------|----------------------------------|------------------------|-------------------|-------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Belgium..... | 33,626 | | | Netherlands..... | 199,288 | | |
| Brazil..... | 1,672,282 | 1,402,832 | 983,206 | Nicaragua..... | 19,033 | | |
| British India..... | 27,780 | 27,632 | 14,868 | Salvador..... | 62,830 | 79,928 | |
| Colombia..... | 104,398 | 138,518 | 151,935 | Singapore..... | 4,700 | | |
| Costa Rica..... | 27,515 | 27,048 | | United States ¹ | 44,251 | 48,562 | 44,727 |
| Dutch East Indies..... | 54,148 | 36,169 | | Venezuela..... | 111,326 | 97,286 | 88,155 |
| Guatemala..... | 85,951 | | | Other countries..... | 52,022 | | |
| Haiti..... | 61,943 | | | | | | |
| Jamaica..... | 8,263 | | | Total..... | 2,608,347 | | |
| Mexico..... | 48,991 | | | | | | |

IMPORTS.

| | | | | | | | |
|---------------------------|---------|---------|---------|----------------------|-----------|-----------|-----------|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Argentina..... | 28,125 | 37,438 | 48,572 | Norway..... | 29,309 | 32,973 | |
| Austria-Hungary..... | 128,304 | | | Russia..... | 26,073 | | |
| Belgium..... | 111,738 | | | Singapore..... | 6,000 | | |
| British South Africa..... | 26,445 | 30,169 | 47,845 | Spain..... | 20,316 | 40,229 | 36,097 |
| Cuba..... | 24,906 | 27,642 | 26,060 | Sweden..... | 74,486 | 18,893 | |
| Denmark..... | 33,102 | 41,874 | 6,155 | Switzerland..... | 25,020 | 21,193 | 22,534 |
| Egypt..... | 15,654 | 15,843 | 15,603 | United Kingdom..... | 28,581 | 45,299 | 47,934 |
| Finland..... | 28,624 | | | United States..... | 907,899 | 1,286,524 | 1,052,202 |
| France..... | 245,752 | 360,873 | 209,052 | Other countries..... | 103,377 | | |
| Germany..... | 399,965 | | | | | | |
| Italy..... | 58,278 | 98,830 | 113,848 | Total..... | 2,614,596 | | |
| Netherlands..... | 283,633 | | | | | | |

¹ Chiefly from Porto Rico.

TABLE 212.—Coffee: Wholesale price per pound on the New York and New Orleans markets, 1913-1919.

| Date. | New York. | | | | | | | | | | New Orleans. | | | |
|--------------------|------------|--------|--------------|--------|--------|------------|---------|--------|-----------------|--------|-------------------|------------|------------|--------|
| | Rio No. 7. | | Santa No. 7. | | Mocha. | | Padang. | | Curaça, washed. | | Mexican, cordova. | | Rio No. 7. | |
| | | | | | | | | | | | | | | |
| | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. | Aver. age. | Low. | High. |
| | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| 1913. | | | | | | | | | | | | | | |
| January-June..... | 9 1/4 | 14 | 15 1/2 | 10 1/2 | 13 1/2 | 15 1/2 | 19 | 23 | 12 | 17 1/2 | 15 | 18 | 14 | 15 |
| July-December..... | 8 1/2 | 11 1/2 | 10 1/2 | 10 1/2 | 13 1/2 | 15 1/2 | 21 | 23 | 11 1/2 | 17 1/2 | 15 | 16 1/2 | 10 1/2 | 12 1/2 |
| 1914. | | | | | | | | | | | | | | |
| January-June..... | 8 1/2 | 9 1/2 | 10 1/2 | 8 1/2 | 11 1/2 | 12 1/2 | 21 | 23 | 14 1/2 | 18 | 15 1/2 | 16 1/2 | 8 1/2 | 11 1/2 |
| July-December..... | 8 1/2 | 9 1/2 | 10 1/2 | 8 1/2 | 11 1/2 | 12 1/2 | 21 | 23 | 11 | 18 1/2 | 12 | 17 1/2 | 8 1/2 | 11 1/2 |
| 1915. | | | | | | | | | | | | | | |
| January-June..... | 7 1/2 | 8 1/2 | 9 1/2 | 7 1/2 | 9 1/2 | 10 1/2 | 21 | 23 | 11 1/2 | 15 1/2 | 12 | 14 1/2 | 7 1/2 | 8 1/2 |
| July-December..... | 6 1/2 | 7 1/2 | 8 1/2 | 6 1/2 | 9 1/2 | 10 1/2 | 21 | 23 | 11 | 15 1/2 | 10 1/2 | 13 1/2 | 6 1/2 | 8 1/2 |
| 1916. | | | | | | | | | | | | | | |
| January-June..... | 7 1/2 | 9 1/2 | 10 1/2 | 7 1/2 | 9 1/2 | 10 1/2 | 22 1/2 | 26 1/2 | 11 1/2 | 16 1/2 | 11 1/2 | 14 1/2 | 7 1/2 | 9 1/2 |
| July-December..... | 9 1/2 | 10 1/2 | 11 1/2 | 9 1/2 | 11 1/2 | 12 1/2 | 25 | 26 1/2 | 12 | 16 1/2 | 11 1/2 | 13 1/2 | 8 1/2 | 10 1/2 |
| 1917. | | | | | | | | | | | | | | |
| January-June..... | 9 1/2 | 10 1/2 | 11 1/2 | 9 1/2 | 11 1/2 | 12 1/2 | 24 | 26 | 11 1/2 | 14 1/2 | 11 | 14 1/2 | 9 1/2 | 10 1/2 |
| July-December..... | 7 1/2 | 9 1/2 | 10 1/2 | 7 1/2 | 9 1/2 | 10 1/2 | 24 | 26 | 10 1/2 | 14 | 10 1/2 | 13 | 7 1/2 | 9 1/2 |
| 1918. | | | | | | | | | | | | | | |
| January-June..... | 8 1/2 | 9 1/2 | 10 1/2 | 8 1/2 | 10 1/2 | 11 1/2 | 25 | 26 | 11 | 13 1/2 | 10 1/2 | 13 1/2 | 8 1/2 | 9 1/2 |
| July-December..... | 8 1/2 | 9 1/2 | 10 1/2 | 8 1/2 | 10 1/2 | 11 1/2 | 25 | 26 | 11 1/2 | 13 1/2 | 10 1/2 | 13 1/2 | 8 1/2 | 9 1/2 |
| 1919. | | | | | | | | | | | | | | |
| January..... | 14 1/2 | 15 1/2 | 16 1/2 | 14 1/2 | 15 1/2 | 16 1/2 | 26 1/2 | 27 1/2 | 20 | 25 | 20 1/2 | 23 1/2 | 15 1/2 | 16 1/2 |
| February..... | 15 1/2 | 16 1/2 | 17 1/2 | 15 1/2 | 16 1/2 | 17 1/2 | 26 1/2 | 27 1/2 | 20 | 25 | 20 1/2 | 23 1/2 | 15 1/2 | 16 1/2 |
| March..... | 15 1/2 | 16 1/2 | 17 1/2 | 15 1/2 | 16 1/2 | 17 1/2 | 26 1/2 | 27 1/2 | 21 | 25 1/2 | 21 1/2 | 23 1/2 | 15 1/2 | 16 1/2 |
| April..... | 15 1/2 | 16 1/2 | 17 1/2 | 15 1/2 | 16 1/2 | 17 1/2 | 26 1/2 | 27 1/2 | 21 | 25 1/2 | 21 1/2 | 23 1/2 | 15 1/2 | 16 1/2 |
| May..... | 15 1/2 | 16 1/2 | 17 1/2 | 15 1/2 | 16 1/2 | 17 1/2 | 26 1/2 | 27 1/2 | 21 | 25 1/2 | 21 1/2 | 23 1/2 | 15 1/2 | 16 1/2 |
| June..... | 20 | 25 1/2 | 21 1/2 | 20 1/2 | 25 1/2 | 21 1/2 | 26 1/2 | 27 1/2 | 21 1/2 | 25 1/2 | 21 1/2 | 23 1/2 | 20 1/2 | 25 1/2 |
| January-June..... | 14 1/2 | 15 1/2 | 16 1/2 | 14 1/2 | 15 1/2 | 16 1/2 | 26 1/2 | 27 1/2 | 20 | 25 1/2 | 20 1/2 | 23 1/2 | 15 1/2 | 16 1/2 |
| July..... | 22 1/2 | 23 1/2 | 24 1/2 | 22 1/2 | 23 1/2 | 24 1/2 | 29 | 30 | 28 | 29 1/2 | 27 1/2 | 28 1/2 | 22 1/2 | 23 1/2 |
| August..... | 19 1/2 | 20 1/2 | 21 1/2 | 19 1/2 | 20 1/2 | 21 1/2 | 29 | 30 | 28 | 29 1/2 | 27 1/2 | 28 1/2 | 19 1/2 | 20 1/2 |
| September..... | 15 1/2 | 16 1/2 | 17 1/2 | 15 1/2 | 16 1/2 | 17 1/2 | 29 | 30 | 28 | 29 1/2 | 27 1/2 | 28 1/2 | 15 1/2 | 16 1/2 |
| October..... | 15 1/2 | 16 1/2 | 17 1/2 | 15 1/2 | 16 1/2 | 17 1/2 | 29 | 30 | 28 | 29 1/2 | 27 1/2 | 28 1/2 | 15 1/2 | 16 1/2 |
| November..... | 15 1/2 | 16 1/2 | 17 1/2 | 15 1/2 | 16 1/2 | 17 1/2 | 29 | 30 | 28 | 29 1/2 | 27 1/2 | 28 1/2 | 15 1/2 | 16 1/2 |
| December..... | 15 1/2 | 16 1/2 | 17 1/2 | 15 1/2 | 16 1/2 | 17 1/2 | 29 | 30 | 28 | 29 1/2 | 27 1/2 | 28 1/2 | 15 1/2 | 16 1/2 |
| July-December..... | 15 1/2 | 16 1/2 | 17 1/2 | 15 1/2 | 16 1/2 | 17 1/2 | 29 | 30 | 28 | 29 1/2 | 27 1/2 | 28 1/2 | 15 1/2 | 16 1/2 |

1 No quotations.

OIL CAKE AND OIL-CAKE MEAL.

TABLE 213.—Oil cake and oil-cake meal: International trade, calendar years 1909–1913, 1917, and 1918.

[The class called here "oil cake and oil-cake meal" includes the edible cake and meal remaining after making oil from such products as cotton seed, flaxseed, peanuts, corn, etc. See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average, 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). | Country. | Average, 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). |
|----------------------|------------------------|----------------------|----------------------|----------------------|------------------------|----------------------|----------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Argentina..... | 42,587 | 37,849 | 19,358 | Italy..... | 55,115 | 22,885 | 11,129 |
| Austria-Hungary..... | 124,873 | | | Mexico..... | 33,764 | | |
| Belgium..... | 155,373 | | | Netherlands..... | 219,819 | | |
| British India..... | 268,648 | 204,267 | 191,307 | Russia..... | 1,453,413 | | |
| Canada..... | 51,370 | 18,309 | 2,456 | United Kingdom..... | 161,798 | 188 | 157 |
| China..... | 147,468 | 149,186 | 167,377 | United States..... | 1,702,124 | 735,040 | 107,063 |
| Denmark..... | 15,777 | 56 | | Other countries..... | 83,814 | | |
| Egypt..... | 161,624 | 181,434 | 11 | | | | |
| France..... | 476,863 | 12,076 | 5,323 | Total..... | 5,681,538 | | |
| Germany..... | 526,108 | | | | | | |

IMPORTS.

| | | | | | | | |
|------------------------|-----------|---------|--------|----------------------|-----------|---------|---------|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Austria-Hungary..... | 53,673 | | | Japan..... | 189,868 | 186,862 | 185,118 |
| Belgium..... | 543,648 | | | Netherlands..... | 707,116 | | |
| Canada..... | 7,752 | 2,348 | 44,249 | Norway..... | 55,112 | 69,531 | |
| Denmark..... | 1,002,329 | 339,006 | | Sweden..... | 346,764 | 73,414 | |
| Dutch East Indies..... | 2,509 | 1,279 | | Switzerland..... | 69,352 | 62,476 | 24,808 |
| Finland..... | 25,333 | | | United Kingdom..... | 790,865 | 476,847 | 24,232 |
| France..... | 288,968 | 6,352 | 83,821 | Other countries..... | 31,757 | | |
| Germany..... | 1,686,414 | | | Total..... | 5,812,002 | | |
| Italy..... | 10,550 | 28 | 4,393 | | | | |

ROSIN.

TABLE 214.—Rosin: International trade, calendar years 1909–1913, 1917, and 1918.

[For rosin, only the resinous substance known as "rosin" in the exports of the United States is taken. See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average, 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). | Country. | Average, 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). |
|----------------------|------------------------|----------------------|----------------------|----------------------|------------------------|----------------------|----------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Austria-Hungary..... | 2,206 | | | Spain..... | 20,073 | 23,008 | 11,757 |
| Belgium..... | 32,830 | | | United States..... | 665,820 | 418,150 | 218,128 |
| France..... | 118,296 | 60,102 | 41,049 | Other countries..... | 1,568 | | |
| Germany..... | 50,110 | | | Total..... | 950,381 | | |
| Greece..... | 10,423 | 6,194 | | | | | |
| Netherlands..... | 59,396 | | | | | | |

IMPORTS.

| | | | | | | | |
|------------------------|---------|--------|--------|----------------------|---------|---------|--------|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Argentina..... | 32,719 | 44,105 | 31,106 | Italy..... | 34,171 | 45,482 | 23,266 |
| Australia..... | 13,724 | 17,951 | | Japan..... | 10,073 | 26,068 | 26,142 |
| Austria-Hungary..... | 75,705 | | | Netherlands..... | 73,991 | | |
| Belgium..... | 47,163 | | | Norway..... | 6,732 | 2,064 | |
| Brazil..... | 36,905 | 78 | | Roumania..... | 5,004 | | |
| British India..... | 6,171 | 4,403 | 3,539 | Russia..... | 68,429 | | |
| Canada..... | 25,506 | 33,873 | 24,255 | Serbia..... | 1,162 | | |
| Chile..... | 7,410 | 4,186 | | Spain..... | 1,827 | 198 | 198 |
| Cuba..... | 4,128 | 7,851 | 6,831 | Switzerland..... | 4,983 | 5,581 | 9,108 |
| Denmark..... | 3,296 | 1,666 | 727 | United Kingdom..... | 166,075 | 188,881 | 84,198 |
| Dutch East Indies..... | 15,039 | 10,179 | | Other countries..... | 18,734 | | |
| Finland..... | 6,027 | | | Total..... | 900,441 | | |
| France..... | 2,432 | 536 | 1,158 | | | | |
| Germany..... | 233,100 | | | | | | |

TURPENTINE.

TABLE 215.—*Turpentine (spirits): International trade, calendar years, 1909–1913, 1917, and 1918.*

[Spirits of turpentine" includes only "spirits" or "oil" of turpentine, and for Russia, skipidar; it excludes crude turpentine, pitch, and, for Russia, turpentine. See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average, 1909– 1913. | 1917 (pre- lim.). | 1918 (pre- lim.). | Country. | Average, 1909– 1913. | 1917 (pre- lim.). | 1918 (pre- lim.). |
|------------------|----------------------------|-------------------------|-------------------------|----------------------|----------------------------|-------------------------|-------------------------|
| <i>From—</i> | <i>Gallons.</i> | <i>Gallons.</i> | <i>Gallons.</i> | <i>From—</i> | <i>Gallons.</i> | <i>Gallons.</i> | <i>Gallons.</i> |
| Belgium..... | 1,144 | | | Spain..... | 1,156 | 1,260 | 710 |
| France..... | 2,594 | 448 | 860 | United States..... | 17,868 | 6,517 | 3,717 |
| Germany..... | 460 | | | Other countries..... | 649 | | |
| Netherlands..... | 2,750 | | | | | | |
| Russia..... | 2,322 | | | Total..... | 28,943 | | |

IMPORTS.

| | | | | | | | |
|-------------------|-------|------------------|-------|----------------------|--------|-------|-----|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Argentina..... | 554 | 576 | 254 | New Zealand..... | 178 | 91 | 95 |
| Australia..... | 564 | 634 | | Russia..... | 273 | | |
| Austria-Hungary.. | 2,581 | | | Sweden..... | 134 | 4 | |
| Belgium..... | 1,932 | | | Switzerland..... | 466 | 376 | 439 |
| Canada..... | 1,175 | 1,247 | 1,200 | United Kingdom.. | 7,782 | 3,007 | 990 |
| Chile..... | 198 | (¹) | | Other countries..... | 1,057 | | |
| Germany..... | 9,368 | | | | | | |
| Italy..... | 940 | 702 | 673 | Total..... | 31,200 | | |
| Netherlands..... | 3,998 | | | | | | |

¹ Less than 500 gallons.

INDIA RUBBER.

TABLE 216.—*India rubber: International trade, calendar years 1909–1918.*

[Figures for india rubber include "india rubber," so called, and osoutchouc, caucho, jebe (Peru), hule (Mexico), borracha, massaranduba, mangabeira, manicoba, sorva, and seringa (Brazil), gomelastiek (Dutch East Indies), caura, ser nambi (Venezuela). See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average, 1909– 1913. | 1917 (pre- lim.). | 1918 (pre- lim.). | Country. | Average, 1909– 1913. | 1917 (pre- lim.). | 1918 (pre- lim.). |
|---------------------|----------------------------|-------------------------|-------------------------|----------------------|----------------------------|-------------------------|-------------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Angola..... | 5,620 | | | Kameran..... | 6,409 | | |
| Belgium Kongo..... | 7,755 | | | Mexico..... | 14,262 | | |
| Belgium..... | 20,749 | | | Netherlands..... | 7,172 | | |
| Bolivia..... | 8,395 | | | Peru..... | 5,030 | 7,263 | 3,828 |
| Brazil..... | 84,938 | 74,912 | 49,961 | Senegal..... | 1,067 | | |
| Ceylon..... | 10,953 | 75,781 | 50,935 | Singapore..... | 5,843 | | |
| Dutch East Indies.. | 7,679 | 100,779 | | Nigeria..... | 3,054 | | |
| Ecuador..... | 1,040 | 910 | | Negri Sembilan.. | 3,995 | | |
| France..... | 21,615 | 7,539 | 6,046 | Perak..... | 7,313 | | |
| French Guiana..... | 3,937 | | | Selangor..... | 13,736 | | |
| French Kongo..... | 3,797 | | | Venezuela..... | 772 | 404 | 81 |
| Germany..... | 9,844 | | | Other countries..... | 28,936 | | |
| Gold Coast..... | 2,393 | | | | | | |
| Ivory Coast..... | 2,740 | | | Total..... | 289,064 | | |

IMPORTS.

| | | | | | | | |
|--------------------|--------|--------|--------|----------------------|---------|---------|---------|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Austria-Hungary... | 6,696 | | | Russia..... | 19,131 | | |
| Belgium..... | 25,891 | | | United Kingdom.. | 43,141 | 58,122 | 67,298 |
| Canada..... | 3,945 | 13,641 | 18,216 | United States..... | 100,180 | 405,638 | 325,969 |
| France..... | 32,704 | 49,827 | 41,792 | Other countries..... | 12,424 | | |
| Germany..... | 42,004 | | | | | | |
| Italy..... | 5,381 | 13,508 | 16,635 | Total..... | 302,319 | | |
| Netherlands..... | 10,822 | | | | | | |

SILK.

TABLE 217.—*Production of raw silk in undermentioned countries, 1909–1918.*

[Estimates of the Silk Merchants' Union, Lyon, France.]

| Country. | Average, 1909–1913. | 1915 | 1916 | 1917 | 1918 |
|---|------------------------|-------------------|-------------------|-------------------|-------------------|
| Western Europe: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Italy..... | 8,524,000 | 6,349,000 | 7,963,000 | 6,217,000 | 5,942,000 |
| France..... | 992,000 | 287,000 | 485,000 | 452,000 | 520,000 |
| Spain..... | 182,000 | 121,000 | 198,000 | 154,000 | 165,000 |
| Austria..... | 726,000 | 187,000 | 187,000 | 188,000 | 188,000 |
| Hungary..... | | 143,000 | 143,000 | 143,000 | 143,000 |
| Total..... | 10,424,000 | 7,087,000 | 8,976,000 | 7,154,000 | 6,667,000 |
| Levant and Central Asia: | | | | | |
| Broussa and Anatolia..... | 1,137,000 | 386,000 | 386,000 | | |
| Syria and Cyprus..... | 1,058,000 | 772,000 | 772,000 | | |
| Other Provinces of Asiatic Turkey..... | 284,000 | 143,000 | 143,000 | | |
| Turkey in Europe ¹ | ² 187,000 | 66,000 | 66,000 | | |
| Saloniki and Adrianople..... | ³ 758,000 | | | | |
| Balkan States (Bulgaria, Servia, and Roumania)..... | 374,000 | 220,000 | 220,000 | | |
| Greece, Saloniki ¹ and Crete..... | 182,000 | 243,000 | 243,000 | | |
| Caucasus..... | 1,023,000 | 276,000 | 276,000 | | |
| Persia (exports)..... | 1,173,000 | 77,000 | 77,000 | | |
| Turkestan (exports) ⁴ | | 110,000 | 110,000 | | |
| Total..... | 6,186,000 | 2,208,000 | 2,293,000 | 2,293,000 | 2,293,000 |
| Far East: | | | | | |
| China— | | | | | |
| Exports from Shanghai..... | 12,576,000 | 12,087,000 | 10,340,000 | 10,097,000 | 10,251,000 |
| Exports from Canton..... | 5,146,000 | 4,068,000 | 5,346,000 | 5,170,000 | 4,134,000 |
| Japan— | | | | | |
| Exports from Yokohama..... | 21,898,000 | 26,466,000 | 29,431,000 | 34,050,000 | 31,416,000 |
| British India— | | | | | |
| Exports from Bengal and Cashmere..... | 428,000 | 192,000 | 254,000 | 232,000 | 242,000 |
| Indo-China— | | | | | |
| Exports from Saigon, Haiphong, etc..... | ⁵ 31,000 | 29,000 | 7,000 | 11,000 | 11,000 |
| Total..... | 40,079,000 | 42,792,000 | 45,378,000 | 49,560,000 | 46,064,000 |
| Grand total..... | 56,699,000 | 52,172,000 | 56,647,000 | 59,007,000 | 55,314,000 |

¹ Prior to 1913 Turkey in Europe included the vilayet of Saloniki, which belonged to Greece in subsequent years.

² For 1913 only.

³ For four years, 1909–1912.

⁴ Including "Central Asia" subsequent to 1911.

⁵ For three years, 1911–1913.

WOOD PULP.

TABLE 218.—*Wood pulp: International trade, calendar years 1909–1918.*

[All kinds of pulp from wood have been taken for this item, but no pulp made from other fibrous substances. See "General note," Table 101.]

EXPORTS.

[000 omitted.]

| Country. | Average, 1909–1913. | 1917 (prelim.) | 1918 (prelim.) | Country. | Average, 1909–1913. | 1917 (prelim.) | 1918 (prelim.) |
|----------------------|------------------------|-------------------|-------------------|----------------------|------------------------|-------------------|-------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Austria-Hungary..... | 205,364 | | | Sweden..... | 1,822,023 | 1,524,285 | |
| Belgium..... | 80,647 | | | Switzerland..... | 13,072 | 7,056 | 4,313 |
| Canada..... | 606,203 | 1,023,607 | 1,167,822 | United States..... | 24,309 | 78,360 | 44,648 |
| Finland..... | 236,881 | | | Other countries..... | 75,486 | | |
| Germany..... | 384,709 | | | Total..... | 4,938,507 | | |
| Norway..... | 1,437,078 | | | | | | |
| Russia..... | 52,735 | | | | | | |

IMPORTS.

| | | | | | | | |
|----------------------|---------|---------|---------|----------------------|------------------|-----------|-----------|
| <i>Into—</i> | | | | <i>Into—</i> | | | |
| Argentina..... | 52,016 | 29,636 | 37,293 | Russia..... | 56,072 | | |
| Austria-Hungary..... | 13,366 | | | Spain..... | 92,770 | 73,712 | 71,462 |
| Belgium..... | 291,254 | | | Sweden..... | 9,515 | 2,752 | |
| Denmark..... | 110,866 | 120,555 | 132,932 | Switzerland..... | 21,059 | 23,459 | 35,348 |
| France..... | 836,899 | 353,417 | 558,987 | United Kingdom..... | 1,591,006 | 866,784 | 939,337 |
| Germany..... | 112,660 | | | United States..... | 1,007,239 | 1,355,682 | 1,156,418 |
| Italy..... | 179,267 | 43,320 | 39,531 | Other countries..... | 85,052 | | |
| Japan..... | 79,260 | 31,854 | 63,934 | Total..... | 4,856,963 | | |
| Portugal..... | 18,662 | | | | | | |

LIVE STOCK, 1919.

FARM ANIMALS AND THEIR PRODUCTS.

TABLE 219.—Live stock in principal and other countries.

[Latest census or other official figures available, with comparison for earlier years. Census returns are in *italics*; other official figures are in roman type.]

PRINCIPAL COUNTRIES.

| Country. | Date. | Cattle. | Buffaloes. | Swine. | Sheep. | Goats. | Horses. | Mules. | Asses. |
|---|---------------|------------------|---------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | <i>Thous.</i> | <i>Thous.</i> | <i>Thous.</i> | <i>Thous.</i> | <i>Thous.</i> | <i>Thous.</i> | <i>Thous.</i> | <i>Thous.</i> |
| United States: | | | | | | | | | |
| On farms..... | Jan. 1, 1919 | 67,866 | | 75,587 | 49,863 | (1) | 21,534 | 4,925 | (1) |
| | Jan. 1, 1918 | 67,422 | | 70,978 | 48,008 | (1) | 21,555 | 4,873 | (1) |
| | Jan. 1, 1917 | 63,617 | | 67,453 | 48,483 | (1) | 21,126 | 4,639 | (1) |
| | Jan. 1, 1916 | 61,920 | | 67,766 | 48,625 | (1) | 21,159 | 4,593 | (1) |
| | Jan. 1, 1915 | 58,329 | | 64,618 | 49,956 | (1) | 21,195 | 4,479 | (1) |
| | Apr. 15, 1910 | 61,804 | | 58,188 | 52,448 | 2,815 | 19,833 | 4,210 | 106 |
| Not on farms..... | do..... | 1,879 | | 1,888 | 591 | 115 | 5,183 | 270 | 17 |
| Alaska (on farms and not on farms)..... | Jan. 1, 1910 | 1 | 228 | (¹) | (¹) | (¹) | 2 | (¹) | (¹) |
| Hawaii (on farms and not on farms)..... | Apr. 15, 1910 | 149 | | 31 | 77 | 5 | 28 | 9 | 3 |
| Porto Rico (on farms and not on farms)..... | do..... | 316 | | 108 | 6 | 49 | 58 | 5 | 1 |
| Virgin Islands: | | | | | | | | | |
| On farms..... | Nov. 1, 1917 | 12 | | 2 | 1 | 2 | 2 | 2 | 1 |
| Not on farms..... | do..... | (¹) | | (¹) | (¹) | (¹) | (¹) | (¹) | (¹) |
| Algeria..... | Dec. 31, 1912 | 1,107 | | 114 | 8,338 | 3,772 | 221 | 192 | 271 |
| | Sept. —, 1910 | 1,128 | | 109 | 9,042 | 3,900 | 230 | 192 | 276 |
| | Sept. —, 1905 | 1,067 | | 91 | 9,063 | 4,030 | 221 | 174 | 278 |
| | Sept. —, 1900 | 993 | | 82 | 6,724 | 3,563 | 202 | 147 | 263 |
| | Sept. —, 1895 | 1,121 | | 84 | 7,892 | 3,545 | 217 | 142 | 287 |
| Argentina..... | June 1, 1914 | 25,867 | | 2,801 | 45,225 | 4,395 | 8,324 | 565 | 865 |
| | May 1, 1898 | 29,124 | | 1,404 | 67,384 | 5,947 | 7,538 | 465 | 285 |
| | May —, 1895 | 21,702 | | 653 | 74,580 | 2,749 | 4,447 | 285 | 198 |
| | 1883 | 21,962 | | 394 | 68,706 | 1,894 | 4,234 | 417 | |
| Australia..... | June 30, 1919 | 11,040 | | | 91,676 | | | | |
| | Dec. 31, 1917 | 11,956 | | 1,169 | 84,965 | | 2,499 | | |
| | Dec. 31, 1916 | 10,468 | | 1,006 | 76,669 | | 2,437 | | |
| | Dec. 31, 1915 | 9,931 | | 754 | 69,257 | 4,262 | 2,378 | 8 | |
| | Dec. 31, 1914 | 11,063 | | 862 | 78,600 | | 2,521 | (1) | (1) |
| | Dec. 31, 1910 | 11,745 | | 1,026 | 92,047 | 314 | 2,168 | 5 | |
| | Dec. 31, 1905 | 8,528 | | 1,015 | 74,541 | (1) | 1,675 | (1) | (1) |
| | Dec. 31, 1900 | 8,640 | | 950 | 70,603 | (1) | 1,610 | (1) | (1) |
| | Dec. 31, 1895 | 11,767 | | 823 | 90,990 | (1) | 1,680 | (1) | (1) |
| | 1890 | 10,300 | | 891 | 97,881 | (1) | 1,522 | (1) | (1) |
| Austria-Hungary: | | | | | | | | | |
| Austria..... | Dec. 31, 1910 | 9,159 | 1 | 6,432 | 2,428 | 1,257 | 1,803 | 21 | 53 |
| | Dec. 31, 1900 | 9,511 | (1) | 4,683 | 2,621 | 1,080 | 1,716 | 20 | 46 |
| | Dec. 31, 1890 | 8,644 | (1) | 3,550 | 3,187 | 1,036 | 1,648 | 17 | 41 |
| | Dec. 31, 1880 | 8,584 | (1) | 2,722 | 3,841 | 1,007 | 1,463 | 50 | |
| Hungary..... | Apr. —, 1913 | 6,045 | 162 | 6,825 | 6,560 | 969 | 2,005 | 1 | 16 |
| | Feb. 28, 1911 | 6,184 | | 6,416 | 7,698 | 331 | 2,001 | 1 | 18 |
| | Nov. 20, 1896 | 5,830 | | 6,447 | 7,527 | 237 | 1,997 | 28 | |
| | 1884 | 4,879 | | 4,804 | 10,696 | 270 | 1,749 | 23 | |
| Croatia-Slavonia..... | Mar. 24, 1911 | 1,135 | | 1,164 | 850 | 96 | 350 | 3 | |
| | Dec. 31, 1895 | 909 | | 883 | 896 | 22 | 311 | 1 | 2 |
| Bosnia-Herzegovina.. | Oct. 10, 1910 | 1,309 | 1 | 527 | 2,499 | 1,393 | 222 | (¹) | 6 |
| | Apr. 22, 1896 | 1,416 | 1 | 662 | 3,231 | 1,447 | 231 | 1 | 5 |
| Belgium..... | Dec. 31, 1913 | 1,849 | | 1,412 | (1) | (1) | 267 | (1) | |
| | Dec. 31, 1910 | 1,880 | | 1,494 | 185 | 218 | 317 | 11 | |
| | Dec. 31, 1895 | 1,421 | | 1,163 | 236 | 241 | 272 | 7 | |
| | Dec. 31, 1880 | 1,383 | | 646 | 365 | (1) | 272 | (1) | (1) |
| Brazil..... | 1916 | 28,962 | | 17,329 | 7,305 | 6,920 | 6,065 | 3,222 | |
| | 1912-13 | 30,705 | | 18,399 | 10,653 | 10,049 | 7,829 | 5,208 | |
| Bulgaria..... | Dec. 31, 1910 | 1,603 | 415 | 527 | 8,632 | 1,459 | 478 | 12 | 117 |
| | Dec. 31, 1905 | 1,698 | 477 | 465 | 8,151 | 1,384 | 538 | 12 | 128 |
| | Dec. 31, 1900 | 1,598 | 431 | 368 | 7,015 | 1,406 | 495 | 9 | 104 |
| | Dec. 31, 1892 | 1,426 | 342 | 462 | 6,868 | 1,264 | 344 | 8 | 82 |

¹ No official statistics.

² Reindeer.

³ Less than 500.

⁴ Dec. 31, 1913.

TABLE 219.—Live stock in principal and other countries—Continued.

PRINCIPAL COUNTRIES—Continued.

| Country. | Date. | Cattle. | Buffaloes. | Swine. | Sheep. | Goats. | Horses. | Mules. | Asses. |
|--------------------|----------------------|---------|------------|--------|--------|--------|---------|--------|--------|
| | | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. |
| Canada..... | June 30, 1918 | 10,051 | | 4,290 | 3,053 | (1) | 3,609 | (1) | (1) |
| | June 30, 1917 | 7,920 | | 3,619 | 2,369 | (1) | 3,413 | (1) | (1) |
| | June 30, 1916 | 6,594 | | 3,475 | 2,023 | (1) | 3,258 | (1) | (1) |
| | June 30, 1915 | 6,066 | | 3,112 | 2,039 | (1) | 2,906 | (1) | (1) |
| | June 1, 1911 | 6,533 | | 3,610 | 1,175 | (1) | 2,596 | (1) | (1) |
| | June 30, 1901 | 5,578 | | 2,354 | 1,510 | (1) | 1,577 | (1) | (1) |
| | 1891 | 4,181 | | 1,734 | 2,564 | (1) | 1,471 | (1) | (1) |
| | 1881 | 3,515 | | 1,208 | 3,049 | (1) | 1,069 | (1) | (1) |
| Denmark..... | Feb. 10, 1919 | | | 583 | | | | | |
| | Feb. 20, 1918 | 2,142 | | 513 | 247 | (1) | 511 | (1) | (1) |
| | Feb. 1, 1917 | 2,453 | | 1,981 | 870 | (1) | 538 | (1) | (1) |
| | Feb. 29, 1916 | 2,290 | | 1,983 | 255 | (1) | 515 | (1) | (1) |
| | May 15, 1915 | 2,417 | | 1,919 | 533 | (1) | 526 | (1) | (1) |
| | July 15, 1914 | 2,453 | | 2,497 | 615 | 41 | 567 | (1) | (1) |
| | July 15, 1909 | 2,254 | | 1,468 | 727 | 40 | 535 | (1) | (1) |
| | July 15, 1903 | 1,840 | | 1,457 | 877 | 38 | 487 | (1) | (1) |
| | July 15, 1898 | 1,745 | | 1,168 | 1,074 | 32 | 449 | (1) | (1) |
| Egypt..... | Aug. to Sept., 1916. | 493 | 515 | (1) | 688 | 263 | 34 | 17 | 598 |
| | 1915 | 554 | 538 | (1) | 755 | 290 | 55 | 21 | 547 |
| | 1914 | 601 | 568 | (1) | (1) | (1) | (1) | (1) | (1) |
| | 1913 | 637 | 633 | (1) | (1) | (1) | (1) | (1) | (1) |
| Finland..... | 1910 | 1,573 | 1,120 | 418 | 1,309 | 13 | 361 | (1) | (1) |
| | 1905 | 1,481 | 1,142 | 220 | 938 | 6 | 324 | (1) | (1) |
| | 1900 | 1,428 | 1,119 | 211 | 965 | 8 | 311 | (1) | (1) |
| | 1890 | 1,305 | 1,086 | 194 | 1,054 | 15 | 293 | (1) | (1) |
| France..... | June 30, 1918 | 13,115 | | 4,021 | 9,496 | | | | |
| | July 1, 1917 | 12,443 | | 4,200 | 10,587 | | 2,283 | 150 | 325 |
| | Dec. 31, 1916 | 12,342 | | 4,362 | 10,845 | 1,177 | 2,246 | 148 | 337 |
| | Dec. 31, 1915 | 12,114 | | 4,916 | 12,379 | 1,230 | 2,156 | 144 | 324 |
| | Dec. 31, 1914 | 12,668 | | 5,926 | 14,038 | 1,317 | 2,195 | 152 | 337 |
| | Dec. 31, 1913 | 14,407 | | 7,048 | 16,213 | 1,453 | 3,231 | 193 | 360 |
| | Dec. 31, 1910 | 14,333 | | 6,900 | 17,111 | 1,418 | 3,198 | 193 | 361 |
| | Dec. 31, 1900 | 14,521 | | 6,740 | 20,180 | 1,558 | 2,903 | 205 | 356 |
| | Nov. 30, 1899 | 15,709 | | 7,481 | 21,116 | 1,845 | 2,795 | 217 | 369 |
| | 1882 | 12,987 | | 7,147 | 25,809 | 1,651 | 2,838 | 251 | 396 |
| | 1882 | 12,912 | | 6,058 | 29,830 | 1,796 | 2,914 | (1) | (1) |
| Germany..... | Dec. 4, 1918 | 17,327 | 10,080 | 17,887 | 6,073 | 3,438 | 3,344 | (1) | (1) |
| | Dec. 1, 1915 | 20,117 | | 17,887 | 6,073 | 3,438 | 3,344 | (1) | (1) |
| | Dec. 1, 1914 | 21,329 | | 25,341 | 6,471 | 3,538 | 3,435 | (1) | (1) |
| | Dec. 1, 1913 | 20,394 | | 26,659 | 6,881 | 3,648 | 3,287 | (1) | (1) |
| | Dec. 2, 1912 | 20,182 | | 21,924 | 6,803 | 3,410 | 4,583 | 13 | |
| | Dec. 2, 1907 | 20,631 | | 22,147 | 7,704 | 3,534 | 4,345 | 11 | |
| | Dec. 1, 1904 | 19,332 | | 18,921 | 7,807 | 3,330 | 4,267 | (1) | (1) |
| | Dec. 1, 1900 | 18,940 | | 16,807 | 9,693 | 3,267 | 4,195 | 8 | |
| | Dec. 1, 1897 | 18,491 | | 14,276 | 10,867 | (1) | 4,038 | (1) | (1) |
| | Dec. 1, 1892 | 17,556 | | 12,174 | 13,590 | 3,092 | 3,838 | 7 | |
| | Jan. 10, 1883 | 15,787 | | 9,206 | 18,190 | 3,641 | 8,523 | 10 | (1) |
| | 1914 | 300 | (1) | 227 | 3,547 | 2,638 | 149 | 80 | 133 |
| Greece..... | | | | | | | | | |
| India: | | | | | | | | | |
| British..... | 1916-1917 | 130,145 | 19,280 | (1) | 22,923 | 33,366 | 1,681 | 70 | 1,537 |
| | 1915-1916 | 129,742 | 19,206 | (1) | 22,970 | 33,607 | 1,673 | 69 | 1,538 |
| | 1914-1915 | 128,310 | 19,025 | (1) | 23,016 | 33,338 | 1,663 | 71 | 1,512 |
| | 1913-1914 | 125,042 | 18,235 | (1) | 23,092 | 30,673 | 1,643 | 86 | 1,501 |
| | 1910-1911 | 94,664 | 16,628 | (1) | 22,922 | 28,518 | 1,524 | 110 | 1,342 |
| | 1904-1905 | 77,111 | 12,871 | (1) | 17,562 | 24,803 | 1,278 | 54 | 1,177 |
| | 1899-1900 | 72,666 | 12,120 | (1) | 17,805 | 19,005 | 1,308 | | 1,237 |
| | 1894-1895 | 67,045 | 11,826 | (1) | 17,260 | 15,272 | 1,134 | | 1,102 |
| Native States..... | 1913-1914 | 12,236 | 1,765 | (1) | 8,306 | 175 | | | 181 |
| | 1909-1910 | 10,391 | 1,559 | (1) | 7,129 | 141 | | | 155 |
| | 1904-1905 | 8,178 | 1,347 | (1) | 6,318 | 92 | | | 129 |
| | 1900-1901 | 7,397 | 1,228 | (1) | 4,538 | 85 | | | 115 |
| Italy..... | Apr. 7, 1918 | 6,186 | (1) | 2,337 | 11,752 | | | | |
| | 1914 | 6,646 | | 2,722 | 13,824 | | | 2,235 | |
| | Mar. 10, 1908 | 6,199 | 19 | 2,508 | 11,163 | 2,715 | 955 | 338 | 850 |
| | Feb. 15, 1881 | 4,772 | 11 | 1,164 | 8,596 | 2,016 | 658 | 294 | 674 |
| Japanese Empire: | | | | | | | | | |
| Japan..... | Dec. 31, 1916 | 1,343 | (1) | 328 | 3 | 109 | 1,572 | (1) | (1) |
| | Dec. 31, 1915 | 1,388 | (1) | 333 | 3 | 97 | 1,580 | (1) | (1) |
| | Dec. 31, 1914 | 1,387 | (1) | 332 | 3 | 95 | 1,579 | (1) | (1) |
| | Dec. 31, 1913 | 1,389 | (1) | 310 | 3 | 89 | 1,582 | (1) | (1) |
| | Dec. 31, 1910 | 1,394 | (1) | 279 | 3 | 92 | 1,565 | (1) | (1) |
| | Dec. 31, 1906 | 1,168 | (1) | 181 | 4 | 72 | 1,368 | (1) | (1) |
| | Dec. 31, 1900 | 1,261 | (1) | 228 | 2 | 60 | 1,542 | (1) | (1) |

¹ No official statistics.
² Reindeer.

³ Excludes invaded area.
⁴ Exclusive of Alsace-Lorraine.

⁵ Including Army horses.
⁶ Including young buffaloes.

⁷ Not including young buffaloes.

TABLE 219.—Live stock in principal and other countries—Continued.

PRINCIPAL COUNTRIES—Continued.

| Country. | Date. | Cattle. | Buffaloes. | Swine. | Sheep. | Goats. | Horses. | Mules. | Asses. |
|---|----------------|------------------|------------------|--------|------------------|------------------|------------------|------------------|------------------|
| Japanese Empire—Continued. | | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. |
| Chosen (Korea)... | Dec. 31, 1915 | 1,354 | (¹) | 767 | | 24 | 55 | | 13 |
| | Dec. 31, 1914 | 1,338 | (¹) | 758 | | 12 | 53 | | 14 |
| | Dec. 31, 1913 | 1,211 | (¹) | 761 | | 10 | 51 | | 13 |
| | Dec. 31, 1910 | 704 | (¹) | 566 | | 7 | 40 | (¹) | (¹) |
| Formosa (Taiwan) | Dec. 31, 1916 | 2 | 385 | 1,295 | (²) | 118 | (²) | | |
| | Dec. 31, 1915 | 2 | 397 | 1,319 | (²) | 117 | (²) | | |
| | Dec. 31, 1914 | 2 | 398 | 1,313 | (²) | 125 | (²) | | |
| | Dec. 31, 1905 | (²) | 341 | 1,018 | (²) | 108 | (²) | | |
| Luxemburg..... | Nov. 8, 1918 | 108 | | 95 | 6 | 15 | 17 | | |
| | Oct. 18, 1917 | 114 | | 114 | 4 | 14 | 17 | | |
| Mexico..... | June 30, 1908 | 5,143 | | 616 | 3,424 | 4,206 | 889 | 334 | 888 |
| Netherlands..... | Mar. 1919 | 1,969 | | 450 | 437 | | 362 | (¹) | (¹) |
| | Aug. 1918 | 2,049 | | 600 | 642 | 311 | 378 | (¹) | (¹) |
| | Apr. 11, 1917 | 2,304 | | 1,185 | 521 | | | (¹) | (¹) |
| | May 1915 | 2,390 | | 1,487 | (¹) | (¹) | (¹) | (¹) | (¹) |
| | June 1913 | 2,087 | | 1,350 | 842 | 232 | 334 | (¹) | (¹) |
| | May 20, 1910 | 2,087 | | 1,890 | 889 | 224 | 227 | (¹) | (¹) |
| | Dec. 31, 1904 | 1,601 | | 862 | 607 | 166 | 205 | (¹) | (¹) |
| | Dec. 31, 1900 | 1,656 | | 747 | 771 | 180 | 205 | (¹) | (¹) |
| | Dec. 31, 1890 | 1,533 | | 579 | 819 | 165 | 273 | (¹) | (¹) |
| | Jan. 31, 1918 | 2,888 | | 258 | 26,538 | | 379 | | |
| New Zealand..... | Jan. 31, 1917 | 2,503 | | 278 | 24,753 | | 367 | | |
| | Jan. 31, 1916 | 2,417 | | 298 | 24,788 | 17 | 371 | (¹) | (¹) |
| | Apr. 1, 1911 | 2,080 | | 349 | | 6 | 404 | (¹) | (¹) |
| | Apr. 30, 1911 | | | | 23,998 | | | | |
| | Apr. 30, 1905 | | | 259 | 19,131 | | 327 | (¹) | (¹) |
| | Oct. 1905 | 1,811 | | | | | | (¹) | (¹) |
| | Apr. 30, 1900 | | | 251 | 19,355 | (¹) | 266 | (¹) | (¹) |
| | Oct. 1900 | 1,257 | | | | (¹) | | (¹) | (¹) |
| | Apr. 1895 | | | | 19,827 | (¹) | | (¹) | (¹) |
| | 1895 | 1,048 | | 240 | | | 237 | (¹) | (¹) |
| Norway..... | June 20, 1918 | 1,829 | (¹) | 309 | 18,188 | 9 | 211 | (¹) | (¹) |
| | Sept. 30, 1916 | 1,064 | (¹) | 225 | 1,216 | 204 | 221 | (¹) | (¹) |
| | Sept. 30, 1915 | 1,119 | (¹) | 221 | 1,281 | 230 | 189 | (¹) | (¹) |
| | Sept. 30, 1914 | 1,121 | (¹) | 209 | 1,330 | 240 | 186 | (¹) | (¹) |
| | Sept. 30, 1914 | 1,146 | (¹) | 228 | 1,327 | 237 | 182 | (¹) | (¹) |
| | Sept. 30, 1910 | 1,134 | (¹) | 334 | 1,368 | 288 | 168 | (¹) | (¹) |
| | Sept. 30, 1907 | 1,089 | 143 | 307 | 1,391 | 296 | 164 | (¹) | (¹) |
| | 1900 | 950 | 109 | 165 | 919 | 215 | 173 | (¹) | (¹) |
| | 1890 | 1,006 | 170 | 121 | 1,418 | 272 | 151 | (¹) | (¹) |
| | 1915 | 5,249 | | 61 | 600 | 87 | 478 | 17 | 18 |
| Paraguay..... | 1902 | 2,481 | | 37 | 228 | 60 | 218 | 9 | 9 |
| | 1889 | 2,483 | | 24 | 214 | 52 | 183 | 3 | 5 |
| | 1886 | 730 | | 12 | 32 | 11 | 62 | 2 | 4 |
| | 1877 | 201 | | 3 | 7 | | 21 | 1 | 2 |
| | Dec. 31, 1916 | | | | | | | | |
| Philippine Islands..... | Dec. 31, 1915 | 534 | 1,222 | 2,521 | 129 | 644 | 223 | (¹) | (¹) |
| | Dec. 31, 1910 | 270 | 757 | 1,682 | 94 | 441 | 143 | (¹) | (¹) |
| | Dec. 31, 1902 | 128 | 641 | 1,179 | 30 | 124 | 144 | (¹) | (¹) |
| Portugal..... | Oct. 1906 | 703 | (¹) | 1,111 | 3,073 | 1,084 | 88 | 58 | 144 |
| | 1870 | 685 | (¹) | 871 | 2,977 | 957 | 87 | 51 | 138 |
| Rumania..... | Apr. 1916 | 2,938 | | 1,382 | 7,811 | 301 | 1,219 | (¹) | 12 |
| | 1911 | 2,667 | | 1,021 | 5,269 | 187 | 825 | 4 | |
| | 1907 | 2,585 | | 1,124 | 5,105 | 191 | 808 | 5 | |
| | Dec. 1900 | 2,545 | 44 | 1,709 | 5,655 | 233 | 864 | 1 | 7 |
| | 1890 | 2,520 | | 926 | 5,002 | 210 | 595 | 6 | |
| | 1884 | 2,376 | | 886 | 4,655 | 245 | 533 | 2 | |
| Russian Empire. | | | | | | | | | |
| Russia, European. | 1914 | 32,704 | (¹) | 11,581 | 37,240 | (¹) | 22,529 | (¹) | (¹) |
| | 1913 | 31,974 | 605 | 13,458 | 41,426 | 873 | 22,771 | 6 | 7 |
| | 1910 | 31,315 | 482 | 12,049 | 40,734 | 857 | 21,868 | 5 | 2 |
| | 1900 | 31,661 | 350 | 11,761 | 47,628 | 1,017 | 19,744 | 1 | 2 |
| | 1890 | 25,528 | (¹) | 9,554 | 46,552 | (¹) | 19,779 | (¹) | (¹) |
| | 1881 | 22,122 | (¹) | 9,265 | 45,522 | 1,157 | 15,534 | (¹) | (¹) |
| | In Sum-mer. | 1914 | 2,014 | 452 | 565 | (¹) | 1,098 | | |
| Poland..... | 1913 | 2,011 | (¹) | 491 | 683 | 9 | 1,116 | (¹) | (¹) |
| | 1910 | 2,301 | (¹) | 612 | 1,050 | 9 | 1,222 | (¹) | (¹) |
| | 1900 | 2,823 | (¹) | 1,402 | 2,823 | 11 | 1,392 | (¹) | 1 |
| | 1890 | 3,013 | (¹) | 1,499 | 3,755 | (¹) | 1,207 | (¹) | |
| | 1881 | 5,055 | (¹) | 706 | 3,375 | 10 | 1,037 | | |
| Russia, Asiatic (33 governments of the Caucasus, Central Asia, and Siberia..... | 1914 | 17,334 | (¹) | 2,962 | 34,468 | (¹) | 11,346 | (¹) | (¹) |
| | 1913 | 18,404 | (¹) | 2,895 | 38,696 | 4,791 | 11,950 | (¹) | (¹) |
| | Dec. 31, 1910 | 857 | 7 | 866 | 3,819 | 631 | 153 | 1 | 1 |
| Serbia..... | Dec. 31, 1905 | 863 | 7 | 808 | 3,160 | 510 | 174 | 1 | 1 |

¹ No official statistics.² Less than 500.³ Reindeer.

TABLE 219.—Live stock in principal and other countries—Continued.

PRINCIPAL COUNTRIES—Continued.

| Country. | Date. | Cattle. | Buffaloes. | Swine. | Sheep. | Goats. | Horses. | Mules. | Asses. |
|-------------------------------|---------------|---------|------------|--------|--------|--------|---------|--------|--------|
| | | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. |
| Spain..... | 1916 | 3,071 | | 2,814 | 16,012 | 3,207 | 489 | 913 | 839 |
| | 1914 | 2,743 | | 2,810 | 16,128 | 3,265 | 525 | 984 | 841 |
| | 1913 | 2,879 | | 2,710 | 16,441 | 3,394 | 542 | 948 | 849 |
| | Dec. 31, 1910 | 2,369 | | 2,424 | 15,117 | 3,218 | 520 | 880 | 868 |
| | Dec. 31, 1906 | 2,497 | | 2,060 | 13,481 | 2,440 | 440 | 802 | 744 |
| | 1891 | 2,218 | | 1,928 | 13,359 | 2,534 | 397 | 768 | 754 |
| Sweden..... | June 1, 1918 | 2,584 | | 634 | 1,409 | 133 | 715 | (1) | (1) |
| | June 1, 1917 | 3,020 | | 1,030 | 1,344 | 136 | 715 | (1) | (1) |
| | June 1, 1916 | 2,913 | | 1,065 | 1,198 | 132 | 701 | (1) | (1) |
| | Dec. 31, 1914 | 2,761 | | 1,015 | 993 | 77 | 603 | (1) | (1) |
| | Dec. 31, 1913 | 2,721 | | 968 | 988 | 71 | 596 | (1) | (1) |
| | Dec. 31, 1910 | 2,748 | 273 | 957 | 1,004 | 69 | 587 | (1) | (1) |
| | Dec. 31, 1905 | 2,550 | 226 | 830 | 1,074 | 67 | 555 | (1) | (1) |
| | 1900 | 2,583 | 232 | 806 | 1,261 | 80 | 533 | (1) | (1) |
| | 1890 | 2,399 | 288 | 645 | 1,351 | 87 | 487 | (1) | (1) |
| Switzerland..... | Apr. 19, 1918 | 1,530 | | 366 | 230 | 356 | 129 | 3 | 1 |
| | Apr. 19, 1916 | 1,616 | | 544 | 172 | 358 | 137 | 3 | 1 |
| | Apr. 21, 1911 | 1,445 | | 870 | 161 | 341 | 144 | 3 | 2 |
| | Apr. 20, 1906 | 1,398 | | 549 | 210 | 368 | 156 | 3 | 2 |
| | Apr. 19, 1901 | 1,340 | | 555 | 219 | 355 | 185 | 3 | 2 |
| Turkey, European and Asiatic. | 1913 | 2,398 | 164 | 31 | (1) | (1) | (1) | (1) | (1) |
| | 1912 | (1) | (1) | 73 | 27,095 | 20,269 | (1) | (1) | (1) |
| | 1910 | (1) | (1) | 175 | 27,662 | 21,283 | (1) | (1) | (1) |
| | 1905 | (1) | (1) | 196 | 23,614 | 16,411 | (1) | (1) | (1) |
| Union of South Africa. | 1916 | (1) | (1) | (1) | 31,981 | 8,962 | (1) | (1) | (1) |
| | Dec. 31, 1915 | (1) | (1) | (1) | 31,434 | 8,918 | (1) | (1) | (1) |
| | Dec. 31, 1913 | (1) | (1) | (1) | 35,711 | 11,521 | (1) | (1) | (1) |
| | May 7, 1911 | 5,797 | (1) | 1,082 | 30,657 | 11,763 | 719 | 94 | 337 |
| | 1904 | 5,600 | (1) | 879 | 16,333 | 9,771 | 450 | 156 | 148 |
| United Kingdom..... | June, 1918 | 12,311 | | 2,809 | 27,063 | 277 | 1,916 | 26 | 232 |
| | 1917 | 12,382 | | 3,008 | 27,867 | 269 | 1,880 | 25 | 228 |
| | 1916 | 12,451 | | 3,616 | 28,850 | 293 | 1,834 | 28 | 230 |
| | 1915 | 12,171 | | 3,795 | 28,276 | 243 | 1,712 | 29 | 227 |
| | 1914 | 12,185 | | 3,953 | 27,964 | 242 | 1,851 | 31 | 245 |
| | 1910 | 11,765 | | 3,561 | 31,165 | 243 | 2,095 | 31 | 241 |
| Uruguay..... | 1916 | 7,803 | | | | | | | |
| | 1908 | 8,193 | | 180 | 26,286 | 20 | 556 | 18 | |
| | 1900 | 6,827 | | 9 | 18,609 | 20 | 561 | 23 | |
| | 1890 | 5,632 | | 6 | 1,990 | 5 | 518 | 8 | |

OTHER COUNTRIES.

| Azores and Madeira Islands..... | 1900 | 89 | | 93 | 87 | 38 | 2 | 3 | 9 |
|---------------------------------|---------------|-------|-----|-----|-------|-------|-----|-----|-----|
| Basutoland..... | 1911 | 437 | | (1) | 1,369 | (1) | 88 | (1) | (1) |
| Bechuanaland Protectorate..... | 1911 | 324 | | (1) | 358 | | 4 | | |
| Bolivia..... | 1913 | | | | 1,750 | | | | |
| British Guiana..... | Mar. 31, 1916 | 98 | | 14 | 22 | 15 | 1 | 2 | 6 |
| Ceylon..... | 1915 | 1,501 | | 70 | 90 | 183 | 4 | (1) | (1) |
| Chile..... | Dec. 31, 1914 | 1,944 | | 229 | 4,545 | | 458 | 42 | |
| Colombia..... | 1915 | 3,035 | | 711 | 164 | | 526 | 201 | 139 |
| Costa Rica..... | 1915 | 333 | | 63 | (8) | (8) | 52 | (8) | (8) |
| Cuba..... | Dec. 31, 1916 | 3,962 | | (1) | (1) | (1) | 750 | 58 | 3 |
| Cyprus..... | Mar. 31, 1916 | 63 | | 35 | 282 | 228 | 70 | | |
| Dominican Republic..... | | 200 | | | 50 | 550 | 80 | | |
| Dutch East Indies: | | | | | | | | | |
| Java and Madura..... | 1913 | 4,786 | | (1) | (1) | (1) | 274 | (1) | (1) |
| Other possessions..... | 1906 | 449 | 447 | (1) | (1) | (1) | 119 | (1) | (1) |
| Dutch Guiana..... | | | | | | | | | |
| East Africa Protectorate..... | Mar. 31, 1915 | 900 | (1) | 4 | 6,555 | 4,020 | 2 | (1) | (1) |
| Falkland Islands..... | 1915 | 8 | | (1) | 691 | (1) | 4 | (1) | (1) |
| Faroe Islands..... | 1914 | 4 | | (1) | 112 | (1) | 1 | | |
| Fiji..... | 1915 | 59 | | | 2 | 12 | 7 | | |
| French Guiana..... | 1914 | 400 | | (1) | 150 | 140 | 3 | (1) | (1) |
| French Indo-China: | | | | | | | | | |
| Annam..... | 1914 | 215 | (1) | (1) | (1) | (1) | (1) | (1) | (1) |
| Cochin-China..... | 1914 | 109 | 242 | 709 | 3 | | (1) | (1) | (1) |
| Gambia..... | 1907 | 83 | | (1) | (1) | (1) | 4 | (1) | (1) |
| Guam..... | 1913 | 6 | | (1) | (1) | (1) | (1) | (1) | (1) |

¹ No official statistics.

² Reindeer.

³ Less than 500.

TABLE 219.—Live stock in principal and other countries—Continued.

OTHER COUNTRIES—Continued.

| Country. | Date. | Cattle. | Buffaloes. | Swine. | Sheep. | Goats. | Horses. | Mules. | Asses. |
|-------------------------|---------------|---------|------------|--------|--------|--------|---------|--------|--------|
| | | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. | Thous. |
| Guatemala. | Dec. 31, 1915 | 620 | | 103 | 383 | 57 | 116 | | |
| German East Africa. | 1913 | 3,994 | | 6 | 6,440 | 25 | (1) | (1) | 25 |
| German S. W. Africa. | 1913 | 206 | | 8 | 555 | 517 | 16 | | 14 |
| Honduras. | 1914 | 489 | | 180 | 6 | 23 | 68 | | 25 |
| Iceland. | 1914 | 25 | | | 585 | 1 | 47 | | |
| Jamaica. | 1916 | 115 | | | 11 | 250 | 47 | | 21 |
| Madagascar. | Dec. 31, 1916 | 6,912 | | 544 | 309 | 200 | 3 | | |
| Malta. | Mar. 31, 1916 | 5 | | 4 | 19 | 20 | | 9 | |
| Mauritius. | 1913 | 41 | | 17 | 2 | 37 | 2 | 1 | (.) |
| Morocco: | | | | | | | | | |
| Western. | 1916-17 | 1,030 | | 51 | 4,290 | 1,266 | 108 | 43 | 286 |
| Eastern. | 1915-16 | 22 | | (.) | 664 | 285 | (.) | (.) | (.) |
| Newfoundland. | 1911 | 59 | | 27 | 98 | 17 | 14 | (.) | (.) |
| Nicaragua. | 1908 | 252 | | 12 | (1) | 1 | 28 | 6 | 1 |
| Nyasaland Protectorate. | 1916 | 82 | | 24 | 30 | 131 | (1) | (1) | (1) |
| Panama. | 1916 | 200 | | 30 | | 5 | 15 | 2 | |
| Rhodesia. | 1911 | 500 | | 2 | 300 | 608 | | 20 | |
| Salvador. | 1906 | 284 | | 423 | 21 | (.) | 74 | (.) | (.) |
| Sierra Leone. | Jan. 1, 1916 | 2,337 | 2,120 | (.) | | | 105 | (.) | (.) |
| Straits Settlements. | 1914 | 40 | | 113 | 35 | 18 | 2 | (.) | (.) |
| Swaziland. | Mar. 31, 1916 | 100 | | 9 | 250 | | 1 | 2 | |
| Togo. | 1913 | 65 | | (.) | (.) | (.) | (.) | (.) | (.) |
| Trinidad and Tobago. | 1914 | 13 | | 9 | 2 | 6 | 5 | 5 | (.) |
| Tunis. | Apr. 30, 1916 | 240 | | 10 | 1,142 | 522 | 31 | 15 | 84 |
| Uganda Protectorate. | 1914 | 845 | | 1 | 678 | | (1) | (1) | (1) |
| Venezuela. | 1912 | 2,004 | | 1,618 | 177 | 1,667 | 191 | 89 | 313 |

1 Less than 500.

2 Zebus.

3 No official statistics.

TABLE 220.—Hides and skins: International trade, calendar years 1909-1913, 1917, and 1918.

This table gives the classification as found in the original returns, and the summary statements for "All countries" represent the total for each class only so far as it is disclosed in the original returns. The following kinds are included: Alligator, buffalo, calf, camel, cattle, deer, goat and kid, horse and colt, kangaroo, mule and ass, sheep and lamb, and all other kinds except furs, bird skins, sheepskins with wool on, skins of rabbits and hares, and tanned or partly tanned hides and skins. Number of pounds computed from stated number of hides and skins.

GENERAL NOTE.—Substantially the international trade of the world. It should not be expected that the world export and import totals for any year will agree. Among sources of disagreement are these: (1) Different periods of time covered in the "year" of the various countries; (2) imports received in year subsequent to year of export; (3) want of uniformity in classification of goods among countries; (4) different practices and varying degrees of failure in recording countries of origin and ultimate destination; (5) different practices of recording reexported goods; (6) opposite methods of treating free ports; (7) clerical errors, which, it may be assumed, are not infrequent.

The exports given are domestic exports, and the imports given are imports for consumption as far as it is feasible and consistent so to express the facts. While there are some inevitable omissions, on the other hand there are some duplications because of reshipments that do not appear as such in official reports. For the United Kingdom, import figures refer to imports for consumption, when available, otherwise total imports, less exports, of "foreign and colonial merchandise." Figures for the United States include Alaska, Porto Rico, and Hawaii.

EXPORTS.

[000 omitted.]

| Country. | Average, 1909-1913. | 1917 (pre-lim.). | 1918 (pre-lim.). | Country. | Average, 1909-1913. | 1917 (pre-lim.). | 1918 (pre-lim.). |
|--------------------|---------------------|------------------|------------------|------------------------|---------------------|------------------|------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Argentina. | 293,951 | 257,655 | 241,381 | Netherlands. | 67,936 | | |
| Austria-Hungary. | 79,266 | | | New Zealand. | 25,577 | 22,629 | 31,742 |
| Belgium. | 117,213 | | | Peru. | 6,194 | 7,063 | 8,824 |
| Brazil. | 85,251 | 77,190 | 105,378 | Russia. | 96,351 | | |
| British India. | 169,857 | 130,497 | 80,524 | Singapore. | 6,435 | | |
| Canada. | 45,469 | 84,000 | 21,000 | Spain. | 17,457 | 11,001 | 4,943 |
| China. | 72,751 | 107,710 | 85,893 | Sweden. | 24,130 | 74 | |
| Chosen (Korea). | 4,944 | | | Switzerland. | 22,866 | 1,740 | 21 |
| Cuba. | 14,292 | 80,183 | 28,454 | Union of South Africa. | 50,937 | | |
| Denmark. | 21,998 | 5,333 | 7,312 | United Kingdom. | 38,109 | 11,239 | 2,364 |
| Dutch East Indies. | 16,708 | 17,059 | | United States. | 25,432 | 11,392 | 5,105 |
| Egypt. | 10,754 | 8,664 | 6,386 | Uruguay. | 71,107 | | |
| France. | 131,042 | 20,312 | 4,379 | Venezuela. | 9,764 | 10,521 | 5,082 |
| Germany. | 152,373 | | | Other countries. | 225,838 | | |
| Italy. | 48,427 | 928 | 308 | | | | |
| Mexico. | 41,013 | | | | | | |
| | | | | Total. | 1,991,133 | | |

TABLE 220.—Hides and skins: International trade, calendar years 1909–1913, 1917, and 1918—Continued.

IMPORTS.

| Country. | Average, 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). | Country. | Average, 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). |
|----------------------|------------------------|-------------------------|-------------------------|----------------------|------------------------|-------------------------|-------------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Austria-Hungary..... | 87,568 | | | Norway..... | 13,978 | 5,687 | |
| Belgium..... | 180,980 | | | Portugal..... | 6,803 | | |
| British India..... | 20,377 | 14,439 | 12,944 | Roumania..... | 7,223 | | |
| Canada..... | 46,820 | 31,872 | 17,640 | Russia..... | 110,142 | | |
| Denmark..... | 9,842 | 3,554 | 213 | Singapore..... | 9,332 | | |
| Finland..... | 10,717 | | | Spain..... | 19,119 | 25,490 | 26,191 |
| France..... | 155,508 | 116,921 | 44,433 | Sweden..... | 25,662 | 2,221 | |
| Germany..... | 440,199 | | | United Kingdom..... | 107,350 | 185,240 | 189,052 |
| Greece..... | 5,770 | 2,339 | | United States..... | 614,248 | 631,064 | 361,891 |
| Italy..... | 53,523 | 39,866 | 68,465 | Other countries..... | 54,398 | | |
| Japan..... | 6,321 | 12,535 | 21,789 | | | | |
| Netherlands..... | 73,691 | | | Total..... | 1,969,521 | | |

TABLE 221.—Meat and meat products: International trade, calendar years 1911–1918.

EXPORTS.

[Figures for 1915–1918, inclusive, are subject to revision.]

| Exporting country and classification. | Average, 1911–1913. | 1915 | 1916 | 1917 | 1918 |
|---------------------------------------|------------------------|----------------------|----------------------|----------------------|----------------------|
| <i>Argentina:</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Beef..... | 940,299,000 | 915,072,000 | 1,069,061,000 | 1,067,630,000 | 1,361,499,000 |
| Mutton..... | 148,457,000 | 77,250,000 | 113,136,000 | 87,787,000 | 111,145,000 |
| Pork..... | 9,000 | 2,304,000 | 3,381,000 | 4,034,000 | 3,668,000 |
| Other..... | 84,694,000 | 111,081,000 | 150,534,000 | 266,054,000 | 484,187,000 |
| Total..... | 1,173,459,000 | 1,105,657,000 | 1,326,102,000 | 1,425,555,000 | 1,960,499,000 |
| <i>Australia:¹</i> | | | | | |
| Beef..... | 301,882,000 | 146,863,000 | 307,545,000 | 222,814,000 | |
| Mutton..... | 149,958,000 | 38,344,000 | 66,813,000 | 19,175,000 | |
| Pork..... | 6,294,000 | 902,000 | 2,720,000 | 6,796,000 | |
| Other..... | 49,000,000 | 18,431,000 | 23,472,000 | 51,806,000 | |
| Total..... | 507,143,000 | 204,540,000 | 410,550,000 | 300,583,000 | |
| <i>Belgium:</i> | | | | | |
| Beef..... | 1,577,000 | | | | |
| Pork..... | 16,254,000 | | | | |
| Other..... | 109,226,000 | | | | |
| Total..... | 127,057,000 | | | | |
| <i>Canada:</i> | | | | | |
| Beef..... | 6,448,000 | 30,695,000 | 46,129,000 | 84,387,000 | 126,665,000 |
| Mutton..... | 48,000 | 83,000 | 188,000 | 844,000 | 731,000 |
| Pork..... | 47,694,000 | 156,656,000 | 211,616,000 | 233,742,000 | 158,488,000 |
| Other..... | 6,051,000 | 16,361,000 | 10,785,000 | 20,469,000 | 16,450,000 |
| Total..... | 60,241,000 | 203,695,000 | 268,718,000 | 339,442,000 | 302,364,000 |
| <i>China:</i> | | | | | |
| Beef..... | 8,787,000 | 15,151,000 | 40,800,000 | 36,961,000 | 18,763,000 |
| Pork..... | 7,679,000 | 12,785,000 | 14,066,000 | 23,778,000 | 20,036,000 |
| Other..... | 48,218,000 | 31,302,000 | 46,227,000 | 62,437,000 | 50,396,000 |
| Total..... | 64,684,000 | 59,238,000 | 101,093,000 | 123,176,000 | 89,195,000 |
| <i>Denmark:</i> | | | | | |
| Beef..... | 43,435,000 | 72,509,000 | 41,800,000 | 40,352,000 | 21,801,000 |
| Mutton..... | 344,000 | 810,000 | 865,000 | (²) | 1,000 |
| Pork..... | 297,174,000 | 322,982,000 | 245,364,000 | 187,739,000 | 6,134,000 |
| Other..... | 26,273,000 | 56,845,000 | 62,336,000 | 51,258,000 | 4,352,000 |
| Total..... | 367,276,000 | 453,147,000 | 349,855,000 | 279,349,000 | 32,288,000 |

¹ Year beginning July 1, 1915; and subsequently.

² Less than 500 pounds.

TABLE 221.—*Meat and meat products: International trade, calendar years 1911-1918—Continued.*

EXPORTS—Continued.

| Exporting country and classification. | Average, 1911-1913. | 1915 | 1916 | 1917 | 1918 |
|---------------------------------------|------------------------|----------------|----------------|----------------|----------------|
| Netherlands: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Beef..... | 326,176,000 | 446,395,000 | 398,977,000 | 235,731,000 | 28,647,000 |
| Mutton..... | 17,212,000 | 25,150,000 | 5,124,000 | 6,096,000 | |
| Pork..... | 139,916,000 | 144,550,000 | 90,285,000 | 28,031,000 | 165,000 |
| Other..... | 14,098,000 | 18,048,000 | | | |
| Total..... | 497,402,000 | 634,143,000 | 494,386,000 | 269,858,000 | 38,812,000 |
| New Zealand: | | | | | |
| Beef..... | 80,543,000 | 146,851,000 | 62,720,000 | 128,640,000 | 119,640,000 |
| Mutton..... | 235,509,000 | 302,218,000 | 251,245,000 | 169,645,000 | 139,575,000 |
| Pork..... | 1,049,000 | 1,363,000 | 1,179,000 | 2,123,000 | 609,000 |
| Other..... | 9,437,000 | 15,019,000 | 12,833,000 | 10,927,000 | 12,705,000 |
| Total..... | 326,538,000 | 465,451,000 | 327,977,000 | 311,335,000 | 272,529,000 |
| Russia:¹ | | | | | |
| Beef..... | 32,000 | 1,047,000 | | | |
| Mutton..... | 365,000 | 125,000 | | | |
| Pork..... | 28,871,000 | 5,704,000 | 1,011,000 | | |
| Other..... | 23,907,000 | 3,206,000 | 4,406,000 | | |
| Total..... | 53,175,000 | 10,082,000 | 5,417,000 | | |
| Sweden: | | | | | |
| Beef..... | 17,285,000 | 35,035,000 | 10,962,000 | 10,967,000 | |
| Mutton..... | 100,000 | 54,000 | 2,000 | 5,000 | |
| Pork..... | 19,445,000 | 42,518,000 | 32,190,000 | 10,507,000 | |
| Other..... | 2,937,000 | 11,626,000 | 4,646,000 | 2,684,000 | |
| Total..... | 39,767,000 | 89,232,000 | 47,790,000 | 24,163,000 | |
| United Kingdom: | | | | | |
| Beef..... | 27,596,000 | 19,551,000 | 10,790,000 | 2,837,000 | 1,963,000 |
| Pork..... | 15,820,000 | 13,842,000 | 10,886,000 | 1,607,000 | 202,000 |
| Other..... | 73,810,000 | 89,917,000 | 59,331,000 | 84,311,000 | 11,403,000 |
| Total..... | 117,225,000 | 123,310,000 | 81,007,000 | 88,756,000 | 13,588,000 |
| United States: | | | | | |
| Beef..... | 213,722,000 | 534,766,000 | 391,442,000 | 402,430,000 | 792,793,000 |
| Mutton..... | 4,146,000 | 4,231,000 | 5,258,000 | 2,862,000 | 1,631,000 |
| Pork..... | 1,019,561,000 | 1,371,100,000 | 1,453,966,000 | 1,299,566,000 | 2,261,046,000 |
| Other..... | 40,094,000 | 41,830,000 | 19,491,000 | 25,753,000 | 16,416,000 |
| Total..... | 1,277,523,000 | 1,961,927,000 | 1,870,157,000 | 1,730,601,000 | 3,061,886,000 |
| Other countries: | | | | | |
| Beef..... | 11,615,000 | | | | |
| Mutton..... | 546,000 | | | | |
| Pork..... | 15,566,000 | | | | |
| Other..... | 59,894,000 | | | | |
| Total..... | 87,621,000 | | | | |
| All countries: | | | | | |
| Beef..... | 1,979,446,000 | | | | |
| Mutton..... | 556,685,000 | | | | |
| Pork..... | 1,615,332,000 | | | | |
| Other..... | 547,648,000 | | | | |
| Total..... | 4,699,111,000 | | | | |

IMPORTS.

| | | | | | |
|-------------------------|----------------|----------------|----------------|----------------|----------------|
| Austria-Hungary: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Beef..... | 12,963,000 | | | | |
| Pork..... | 14,338,000 | | | | |
| Other..... | 21,948,000 | | | | |
| Total..... | 49,269,000 | | | | |

¹ For 1916, exports over European frontier only.

TABLE 221.—Meat and meat products: International trade, calendar years 1911–1918—Continued.

IMPORTS—Continued.

| Exporting country and classification. | Average, 1911–1913. | 1915 | 1916 | 1917 | 1918 |
|---------------------------------------|------------------------|--------------------|--------------------|--------------------|--------------------|
| Belgium: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Beef..... | 6,084,000 | | | | |
| Pork..... | 22,232,000 | | | | |
| Other..... | 160,854,000 | | | | |
| Total..... | 179,120,000 | | | | |
| Brasil: | | | | | |
| Beef..... | 47,990,000 | 17,117,000 | 3,541,000 | 4,189,000 | |
| Pork..... | 5,103,000 | 1,477,000 | 1,100,000 | 347,000 | |
| Other..... | 920,000 | 214,000 | 125,000 | 52,000 | |
| Total..... | 54,013,000 | 18,808,000 | 4,766,000 | 4,588,000 | |
| Canada: | | | | | |
| Beef..... | 3,091,000 | 5,623,000 | 9,783,000 | 19,434,000 | 9,540,000 |
| Mutton..... | 4,717,000 | 2,906,000 | 2,786,000 | 2,008,000 | 5,311,000 |
| Pork..... | 29,189,000 | 25,279,000 | 94,113,000 | 127,776,000 | 16,047,000 |
| Other..... | 6,330,000 | 3,870,000 | 42,494,000 | 28,985,000 | 2,155,000 |
| Total..... | 43,327,000 | 37,678,000 | 149,176,000 | 178,208,000 | 33,053,000 |
| Cuba: | | | | | |
| Beef..... | 37,822,000 | 22,655,000 | 42,271,000 | 39,800,000 | 24,247,000 |
| Mutton..... | 41,000 | 56,000 | 13,000 | 22,000 | 81,000 |
| Pork..... | 85,973,000 | 96,805,000 | 104,444,000 | 86,454,000 | 98,886,000 |
| Other..... | 4,525,000 | 4,862,000 | 6,438,000 | 6,898,000 | 7,812,000 |
| Total..... | 128,361,000 | 124,378,000 | 153,166,000 | 133,174,000 | 131,106,000 |
| Germany: | | | | | |
| Beef..... | 212,150,000 | | | | |
| Mutton..... | 1,046,000 | | | | |
| Pork..... | 265,666,000 | | | | |
| Other..... | 80,886,000 | | | | |
| Total..... | 559,748,000 | | | | |
| Italy: | | | | | |
| Beef..... | 131,000 | 215,000 | 262,000 | 97,000 | (²) |
| Pork..... | 74,861,000 | 15,228,000 | 8,894,000 | 29,883,000 | 89,689,000 |
| Other..... | 29,627,000 | 143,075,000 | 272,426,000 | 259,664,000 | 401,992,000 |
| Total..... | 104,619,000 | 158,528,000 | 281,582,000 | 289,644,000 | 491,681,000 |
| Netherlands: | | | | | |
| Beef and veal..... | 256,296,000 | 187,097,000 | | | |
| Mutton..... | 76,000 | 10,000 | | | |
| Pork..... | 88,143,000 | 51,255,000 | | | |
| Other..... | 15,349,000 | 8,698,000 | | | |
| Total..... | 359,864,000 | 247,060,000 | | | |
| Norway: | | | | | |
| Beef..... | 20,203,000 | 26,600,000 | 30,797,000 | 26,316,000 | |
| Pork..... | 9,751,000 | 11,348,000 | 18,523,000 | 16,341,000 | |
| Other..... | 12,460,000 | 5,048,000 | 7,222,000 | 27,116,000 | |
| Total..... | 42,414,000 | 42,996,000 | 56,542,000 | 69,773,000 | |
| Russia:¹ | | | | | |
| Beef..... | 2,216,000 | 78,000 | 347,000 | | |
| Other..... | 128,682,000 | 32,634,000 | 3,582,000 | | |
| Total..... | 130,898,000 | 32,712,000 | 3,929,000 | | |
| Spain: | | | | | |
| Beef..... | 966,000 | 80,000 | 160,000 | 167,000 | 81,000 |
| Pork..... | 563,000 | 1,760,000 | 5,881,000 | 1,050,000 | 56,000 |
| Other..... | 36,455,000 | 29,477,000 | 24,458,000 | 24,917,000 | 12,807,000 |
| Total..... | 37,974,000 | 31,317,000 | 30,499,000 | 26,134,000 | 12,944,000 |

¹ 1916 figures are for over European frontier only.

² Less than 500 pounds.

TABLE 221.—Meat and meat products: International trade, calendar years 1911-1918—Continued.

IMPORTS—Continued.

| Exporting country and classification. | Average, 1911-1913. | 1915 | 1916 | 1917 | 1918 |
|---------------------------------------|------------------------|----------------|----------------|----------------|----------------|
| Sweden: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Beef..... | 12,912,000 | 19,202,000 | 15,878,000 | 1,621,000 | |
| Mutton..... | 1,218,000 | 116,000 | 26,000 | 3,000 | |
| Pork..... | 6,736,000 | 9,832,000 | 6,572,000 | 14,683,000 | |
| Other..... | 3,349,000 | 6,788,000 | 2,541,000 | 1,392,000 | |
| Total..... | 24,215,000 | 35,938,000 | 25,017,000 | 17,699,000 | |
| Switzerland: | | | | | |
| Beef..... | 9,052,000 | 5,990,000 | 6,354,000 | 4,326,000 | 5,978,000 |
| Pork..... | 21,976,000 | 8,765,000 | 6,646,000 | 8,928,000 | 14,379,000 |
| Other..... | 25,298,000 | 5,532,000 | 5,251,000 | 4,418,000 | 3,212,000 |
| Total..... | 56,326,000 | 20,287,000 | 18,251,000 | 17,672,000 | 23,569,000 |
| United Kingdom: | | | | | |
| Beef..... | 1,413,965,000 | 1,669,573,000 | 1,471,188,000 | 1,180,013,000 | 1,296,341,000 |
| Mutton..... | 598,657,000 | 533,936,000 | 412,202,000 | 292,922,000 | 237,862,000 |
| Pork..... | 919,794,000 | 1,186,132,000 | 1,261,082,000 | 1,047,118,000 | 1,656,084,000 |
| Other..... | 124,530,000 | 138,403,000 | 113,993,000 | 110,292,000 | 110,267,000 |
| Total..... | 3,056,946,000 | 3,528,044,000 | 3,258,465,000 | 2,630,345,000 | 3,300,554,000 |
| United States: | | | | | |
| Beef..... | 17,668,000 | 120,308,000 | 40,421,000 | 27,628,000 | 30,291,000 |
| Mutton..... | 185,000 | 11,879,000 | 17,235,000 | 5,624,000 | 608,000 |
| Pork..... | 171,000 | 5,496,000 | 1,171,000 | 2,821,000 | 3,585,000 |
| Other..... | 696,000 | 96,000 | 4,000 | 13,000 | 5,000 |
| Total..... | 18,720,000 | 137,781,000 | 58,831,000 | 36,086,000 | 34,489,000 |
| Other countries: | | | | | |
| Beef..... | 68,773,000 | | | | |
| Mutton..... | 9,310,000 | | | | |
| Pork..... | 56,704,000 | | | | |
| Other..... | 27,412,000 | | | | |
| Total..... | 162,199,000 | | | | |
| All countries: | | | | | |
| Beef..... | 2,122,252,000 | | | | |
| Mutton..... | 615,250,000 | | | | |
| Pork..... | 1,601,190,000 | | | | |
| Other..... | 669,321,000 | | | | |
| Total..... | 5,008,013,000 | | | | |

HORSES AND MULES.

TABLE 222.—Horses and mules: Number and value on farms in the United States, 1867-1920.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentage of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

| Jan. 1— | Horses. | | | Mules. | | |
|----------------------------|-------------------|------------------------|--------------------|------------------|------------------------|--------------------|
| | Number. | Price per head Jan. 1. | Farm value Jan. 1. | Number. | Price per head Jan. 1. | Farm value Jan. 1. |
| 1867..... | 5,401,000 | \$59.05 | \$318,924,000 | 822,000 | \$66.94 | \$55,048,000 |
| 1868..... | 5,757,000 | 54.27 | 312,416,000 | 856,000 | 56.04 | 47,954,000 |
| 1869..... | 6,333,000 | 62.57 | 396,222,000 | 922,000 | 79.23 | 73,027,000 |
| 1870..... | 8,249,000 | 67.43 | 556,251,000 | 1,180,000 | 90.42 | 106,654,000 |
| 1870, census, June 1..... | <i>7,148,370</i> | | | <i>1,186,416</i> | | |
| 1871..... | 8,702,000 | 71.14 | 619,039,000 | 1,242,000 | 91.98 | 114,272,000 |
| 1872..... | 8,991,000 | 67.41 | 606,111,000 | 1,276,000 | 87.14 | 111,222,000 |
| 1873..... | 9,222,000 | 66.39 | 612,273,000 | 1,310,000 | 85.15 | 111,546,000 |
| 1874..... | 9,334,000 | 65.15 | 608,073,000 | 1,339,000 | 81.35 | 108,953,000 |
| 1875..... | 9,504,000 | 61.10 | 580,708,000 | 1,394,000 | 71.89 | 100,197,000 |
| 1876..... | 9,835,000 | 57.29 | 557,747,000 | 1,414,000 | 66.46 | 94,001,000 |
| 1877..... | 10,155,000 | 55.83 | 567,017,000 | 1,444,000 | 64.07 | 92,482,000 |
| 1878..... | 10,330,000 | 56.63 | 584,999,000 | 1,638,000 | 62.03 | 101,579,000 |
| 1879..... | 10,939,000 | 52.36 | 572,712,000 | 1,713,000 | 56.00 | 96,942,000 |
| 1880..... | 11,202,000 | 54.75 | 613,297,000 | 1,730,000 | 61.26 | 106,948,000 |
| 1880, census, June 1..... | <i>10,557,488</i> | | | <i>1,812,808</i> | | |
| 1881..... | 11,430,000 | 58.44 | 667,954,000 | 1,721,000 | 69.79 | 120,096,000 |
| 1882..... | 10,822,000 | 58.53 | 615,825,000 | 1,835,000 | 71.35 | 130,945,000 |
| 1883..... | 10,838,000 | 70.59 | 765,041,000 | 1,871,000 | 79.49 | 148,732,000 |
| 1884..... | 11,170,000 | 74.64 | 833,734,000 | 1,914,000 | 84.22 | 161,215,000 |
| 1885..... | 11,565,000 | 73.70 | 852,283,000 | 1,973,000 | 82.38 | 162,497,000 |
| 1886..... | 12,078,000 | 71.27 | 860,823,000 | 2,083,000 | 79.60 | 163,381,000 |
| 1887..... | 12,497,000 | 72.15 | 901,686,000 | 2,117,000 | 78.91 | 167,068,000 |
| 1888..... | 13,173,000 | 71.82 | 946,096,000 | 2,192,000 | 79.78 | 174,864,000 |
| 1889..... | 13,663,000 | 71.89 | 982,195,000 | 2,258,000 | 79.49 | 179,444,000 |
| 1890..... | 14,214,000 | 68.84 | 978,517,000 | 2,331,000 | 78.25 | 182,394,000 |
| 1890, census, June 1..... | <i>14,969,467</i> | | | <i>2,295,532</i> | | |
| 1891..... | 14,057,000 | 67.00 | 941,823,000 | 2,297,000 | 77.88 | 178,847,000 |
| 1892..... | 15,498,000 | 65.01 | 1,007,594,000 | 2,315,800 | 75.55 | 174,882,000 |
| 1893..... | 16,207,000 | 61.22 | 992,225,000 | 2,331,000 | 70.68 | 164,764,000 |
| 1894..... | 16,081,000 | 47.83 | 769,225,000 | 2,352,000 | 62.17 | 146,233,000 |
| 1895..... | 15,893,000 | 36.29 | 576,731,000 | 2,333,000 | 47.55 | 110,928,000 |
| 1896..... | 15,124,000 | 33.07 | 500,140,000 | 2,279,000 | 45.29 | 103,204,000 |
| 1897..... | 14,365,000 | 31.51 | 452,649,000 | 2,216,000 | 41.66 | 92,302,000 |
| 1898..... | 13,961,000 | 34.26 | 478,362,000 | 2,190,000 | 43.83 | 96,110,000 |
| 1899..... | 13,665,000 | 37.40 | 511,075,000 | 2,134,000 | 44.96 | 95,963,000 |
| 1900..... | 13,538,000 | 44.61 | 603,969,000 | 2,086,000 | 53.55 | 111,717,000 |
| 1900, census, June 1..... | <i>18,867,020</i> | | | <i>3,264,616</i> | | |
| 1901..... | 16,745,000 | 52.86 | 885,200,000 | 2,864,000 | 63.97 | 183,232,000 |
| 1902..... | 16,531,000 | 58.61 | 968,935,000 | 2,757,000 | 67.61 | 186,412,000 |
| 1903..... | 16,587,000 | 62.25 | 1,030,706,000 | 2,728,000 | 72.49 | 197,753,000 |
| 1904..... | 16,736,000 | 67.93 | 1,136,940,000 | 2,758,000 | 78.88 | 217,533,000 |
| 1905..... | 17,058,000 | 70.37 | 1,200,310,000 | 2,889,000 | 87.18 | 251,840,000 |
| 1906..... | 18,719,000 | 80.72 | 1,510,890,000 | 3,404,000 | 98.31 | 334,681,000 |
| 1907..... | 19,747,000 | 93.51 | 1,846,578,000 | 3,817,000 | 112.16 | 428,064,000 |
| 1908..... | 19,992,000 | 93.41 | 1,867,530,000 | 3,869,000 | 107.76 | 416,939,000 |
| 1909..... | 20,640,000 | 95.64 | 1,974,052,000 | 4,053,000 | 107.84 | 437,082,000 |
| 1910..... | 21,040,000 | | | 4,123,000 | | |
| 1910, census, Apr. 15..... | <i>19,833,113</i> | 108.03 | 2,142,524,000 | <i>4,809,769</i> | 120.20 | 506,049,000 |
| 1911..... | 20,277,000 | 111.46 | 2,259,981,000 | 4,323,000 | 125.92 | 544,359,000 |
| 1912..... | 20,509,000 | 105.94 | 2,172,694,000 | 4,362,000 | 120.51 | 525,657,000 |
| 1913..... | 20,567,000 | 110.77 | 2,278,222,000 | 4,386,000 | 124.31 | 545,245,000 |
| 1914..... | 20,962,000 | 109.32 | 2,291,638,000 | 4,449,000 | 123.85 | 551,017,000 |
| 1915..... | 21,195,000 | 103.33 | 2,190,102,000 | 4,479,000 | 112.36 | 503,271,000 |
| 1916..... | 21,159,000 | 101.60 | 2,149,796,000 | 4,563,000 | 113.83 | 522,834,000 |
| 1917..... | 21,210,000 | 102.89 | 2,182,307,000 | 4,723,000 | 118.15 | 558,006,000 |
| 1918..... | 21,558,000 | 104.24 | 2,246,970,000 | 4,873,000 | 128.81 | 627,679,000 |
| 1919..... | 21,482,000 | 98.45 | 2,114,897,000 | 4,954,000 | 135.83 | 672,922,000 |
| 1920..... | 21,109,000 | 94.39 | 1,992,542,000 | 4,995,000 | 147.10 | 734,779,000 |

¹ Estimates of numbers revised, based on census data.

HORSES AND MULES—Continued.

TABLE 223.—Horses and mules: Number and value on farms, Jan. 1, 1919 and 1920, by States.

| State. | Horses. | | | | | | Mules. | | | | | |
|---------------------|--------------------|--------|--------------------------------|----------|---|-----------|--------------------|-------|--------------------------------|----------|---|---------|
| | Number (thousands) | | Average price per head Jan. 1— | | Farm value (thousands of dollars) Jan. 1— | | Number (thousands) | | Average price per head Jan. 1— | | Farm value (thousands of dollars) Jan. 1— | |
| | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 |
| Maine..... | 107 | 108 | \$154.00 | \$154.00 | \$16,478 | \$16,632 | | | | | | |
| New Hampshire..... | 40 | 41 | 144.00 | 145.00 | 5,780 | 5,945 | | | | | | |
| Vermont..... | 85 | 86 | 141.00 | 139.00 | 11,985 | 11,954 | | | | | | |
| Massachusetts..... | 52 | 54 | 155.00 | 157.00 | 8,080 | 8,478 | | | | | | |
| Rhode Island..... | 8 | 8 | 160.00 | 159.00 | 1,280 | 1,272 | | | | | | |
| Connecticut..... | 43 | 44 | 165.00 | 164.00 | 7,095 | 7,216 | | | | | | |
| New York..... | 560 | 565 | 141.00 | 139.00 | 78,980 | 78,535 | 7 | 7 | \$148.00 | \$139.00 | \$1,036 | \$972 |
| New Jersey..... | 88 | 89 | 150.00 | 143.00 | 13,200 | 12,727 | 4 | 4 | 171.00 | 167.00 | 684 | 668 |
| Pennsylvania..... | 560 | 570 | 123.00 | 124.00 | 68,880 | 70,680 | 46 | 46 | 141.00 | 129.00 | 6,486 | 5,934 |
| Delaware..... | 34 | 35 | 83.00 | 92.00 | 2,822 | 3,220 | 6 | 6 | 111.00 | 122.00 | 666 | 732 |
| Maryland..... | 168 | 171 | 102.00 | 104.00 | 17,136 | 17,784 | 25 | 25 | 134.00 | 133.00 | 3,350 | 3,325 |
| Virginia..... | 362 | 369 | 108.00 | 109.00 | 39,096 | 40,221 | 65 | 66 | 136.00 | 138.00 | 8,840 | 9,108 |
| West Virginia..... | 192 | 194 | 104.00 | 101.00 | 19,968 | 19,594 | 12 | 12 | 121.00 | 115.00 | 1,452 | 1,380 |
| North Carolina..... | 183 | 181 | 153.00 | 146.00 | 27,999 | 26,426 | 236 | 225 | 190.00 | 176.00 | 44,840 | 39,600 |
| South Carolina..... | 80 | 80 | 180.00 | 180.00 | 14,400 | 14,400 | 206 | 200 | 231.00 | 206.00 | 47,586 | 41,200 |
| Georgia..... | 132 | 131 | 159.00 | 156.00 | 20,988 | 20,436 | 351 | 344 | 216.00 | 200.00 | 75,816 | 68,800 |
| Florida..... | 60 | 60 | 140.00 | 129.00 | 8,400 | 7,740 | 40 | 39 | 198.00 | 177.00 | 7,940 | 6,903 |
| Ohio..... | 873 | 891 | 109.00 | 107.00 | 95,157 | 95,337 | 28 | 28 | 120.00 | 117.00 | 3,360 | 3,276 |
| Indiana..... | 821 | 829 | 101.00 | 103.00 | 82,921 | 85,387 | 93 | 94 | 128.00 | 126.00 | 11,904 | 11,750 |
| Illinois..... | 1,422 | 1,467 | 94.00 | 100.00 | 133,668 | 146,700 | 147 | 147 | 126.00 | 126.00 | 18,375 | 18,375 |
| Michigan..... | 640 | 660 | 95.00 | 105.00 | 60,800 | 69,300 | 4 | 4 | 99.00 | 106.00 | 396 | 424 |
| Wisconsin..... | 680 | 694 | 109.00 | 109.00 | 74,120 | 75,946 | 3 | 3 | 112.00 | 111.00 | 336 | 333 |
| Minnesota..... | 940 | 950 | 91.00 | 98.00 | 85,540 | 93,100 | 6 | 6 | 99.00 | 110.00 | 594 | 660 |
| Iowa..... | 1,505 | 1,536 | 89.00 | 95.00 | 133,945 | 145,920 | 71 | 70 | 121.00 | 113.00 | 8,591 | 7,910 |
| Missouri..... | 1,040 | 1,040 | 83.00 | 92.00 | 86,320 | 95,680 | 378 | 374 | 120.00 | 116.00 | 45,360 | 43,384 |
| North Dakota..... | 825 | 850 | 81.00 | 93.00 | 66,825 | 79,050 | 9 | 9 | 98.00 | 107.00 | 882 | 963 |
| South Dakota..... | 819 | 827 | 71.00 | 80.00 | 58,149 | 66,160 | 15 | 16 | 84.00 | 99.00 | 1,410 | 1,584 |
| Nebraska..... | 1,018 | 1,049 | 75.00 | 87.00 | 76,350 | 91,263 | 106 | 109 | 109.00 | 109.00 | 11,554 | 11,881 |
| Kansas..... | 1,153 | 1,153 | 79.00 | 94.00 | 91,087 | 108,382 | 260 | 260 | 117.00 | 114.00 | 30,420 | 29,640 |
| Kentucky..... | 429 | 439 | 101.00 | 104.00 | 43,329 | 45,656 | 231 | 231 | 126.00 | 127.00 | 29,106 | 29,337 |
| Tennessee..... | 353 | 357 | 113.00 | 116.00 | 39,889 | 41,412 | 278 | 278 | 139.00 | 140.00 | 38,642 | 38,920 |
| Alabama..... | 158 | 155 | 128.00 | 128.00 | 20,224 | 19,940 | 316 | 304 | 171.00 | 157.00 | 54,036 | 47,728 |
| Mississippi..... | 261 | 258 | 113.00 | 113.00 | 29,493 | 29,154 | 322 | 316 | 152.00 | 139.00 | 48,944 | 43,924 |
| Louisiana..... | 215 | 215 | 107.00 | 97.00 | 23,005 | 20,855 | 166 | 164 | 164.00 | 145.00 | 27,224 | 23,780 |
| Texas..... | 1,199 | 1,164 | 96.00 | 78.00 | 115,104 | 90,792 | 784 | 792 | 140.00 | 115.00 | 109,760 | 91,080 |
| Oklahoma..... | 729 | 744 | 83.00 | 83.00 | 60,507 | 61,752 | 288 | 288 | 120.00 | 110.00 | 34,560 | 31,680 |
| Arkansas..... | 266 | 269 | 97.00 | 93.00 | 25,802 | 25,017 | 324 | 315 | 132.00 | 123.00 | 42,768 | 38,745 |
| Montana..... | 518 | 575 | 60.00 | 84.00 | 31,080 | 48,300 | 5 | 5 | 80.00 | 99.00 | 400 | 495 |
| Wyoming..... | 225 | 235 | 53.00 | 77.00 | 11,925 | 18,095 | 4 | 4 | 90.00 | 106.00 | 360 | 424 |
| Colorado..... | 427 | 419 | 79.00 | 91.00 | 33,733 | 38,129 | 31 | 31 | 101.00 | 107.00 | 3,131 | 3,317 |
| New Mexico..... | 232 | 242 | 68.00 | 62.00 | 15,776 | 15,004 | 20 | 20 | 104.00 | 92.00 | 2,060 | 1,840 |
| Arizona..... | 132 | 136 | 70.00 | 71.00 | 9,240 | 9,656 | 10 | 10 | 106.00 | 112.00 | 1,060 | 1,120 |
| Utah..... | 145 | 148 | 78.00 | 83.00 | 11,310 | 12,284 | 2 | 2 | 73.00 | 78.00 | 146 | 156 |
| Nevada..... | 75 | 77 | 60.00 | 62.00 | 4,500 | 4,774 | 3 | 3 | 64.00 | 72.00 | 192 | 216 |
| Idaho..... | 270 | 276 | 77.00 | 89.00 | 20,790 | 24,564 | 4 | 4 | 91.00 | 98.00 | 364 | 392 |
| Washington..... | 303 | 303 | 92.00 | 92.00 | 27,876 | 27,876 | 20 | 20 | 106.00 | 108.00 | 2,120 | 2,160 |
| Oregon..... | 282 | 303 | 85.00 | 89.00 | 23,970 | 26,967 | 10 | 10 | 91.00 | 93.00 | 910 | 930 |
| California..... | 400 | 435 | 94.00 | 91.00 | 37,600 | 39,585 | 59 | 63 | 122.00 | 126.00 | 7,198 | 7,875 |
| United States..... | 21,109 | 21,482 | 94.39 | 98.45 | 1,992,542 | 2,114,897 | 4,995 | 4,954 | 147.10 | 135.83 | 734,779 | 672,922 |

HORSES AND MULES—Continued.

TABLE 224.—*Prices of horses and mules per head at St. Louis, 1900-1919.*

| Year and month. | Horses good to choice, draft. | | Mules 16 to 16½ hands. | | Year and month. | Horses good to choice, draft. | | Mules 16 to 16½ hands. | |
|-----------------|-------------------------------|----------|------------------------|----------|-----------------|-------------------------------|----------|------------------------|----------|
| | Low. | High. | Low. | High. | | Low. | High. | Low. | High. |
| 1900..... | \$140.00 | \$190.00 | \$90.00 | \$150.00 | | | | | |
| 1901..... | 150.00 | 175.00 | 110.00 | 165.00 | | | | | |
| 1902..... | 160.00 | 185.00 | 120.00 | 190.00 | 1918. | | | | |
| 1903..... | 160.00 | 185.00 | 120.00 | 175.00 | July..... | \$230.00 | \$290.00 | \$200.00 | \$325.00 |
| 1904..... | 175.00 | 200.00 | 135.00 | 200.00 | August..... | 230.00 | 280.00 | 200.00 | 325.00 |
| 1905..... | 175.00 | 225.00 | 120.00 | 210.00 | September..... | 230.00 | 280.00 | 200.00 | 325.00 |
| 1906..... | 175.00 | 225.00 | 125.00 | 215.00 | October..... | 230.00 | 280.00 | 200.00 | 325.00 |
| 1907..... | 175.00 | 225.00 | 125.00 | 250.00 | November..... | 150.00 | 185.00 | 180.00 | 300.00 |
| 1908..... | 175.00 | 250.00 | 125.00 | 200.00 | December..... | 130.00 | 160.00 | 180.00 | 300.00 |
| 1909..... | 140.00 | 225.00 | 130.00 | 225.00 | Year 1918..... | 199.00 | 242.00 | 201.00 | 307.00 |
| 1910..... | 165.00 | 240.00 | 150.00 | 275.00 | | | | | |
| 1911..... | 165.00 | 235.00 | 150.00 | 275.00 | 1919. | | | | |
| 1912..... | 165.00 | 240.00 | 160.00 | 285.00 | January..... | 150.00 | 180.00 | 200.00 | 325.00 |
| 1913..... | 200.00 | 250.00 | 160.00 | 280.00 | February..... | 150.00 | 180.00 | 200.00 | 325.00 |
| 1914..... | 175.00 | 220.00 | 120.00 | 250.00 | March..... | 150.00 | 180.00 | 200.00 | 325.00 |
| 1915..... | 160.00 | 225.00 | 120.00 | 275.00 | April..... | 150.00 | 270.00 | 150.00 | 400.00 |
| 1916..... | 150.00 | 225.00 | 135.00 | 275.00 | May..... | 150.00 | 270.00 | 150.00 | 350.00 |
| 1917..... | 165.00 | 245.00 | 172.00 | 272.00 | June..... | 150.00 | 325.00 | 200.00 | 350.00 |
| 1918. | | | | | July..... | 150.00 | 300.00 | 200.00 | 350.00 |
| January..... | 160.00 | 200.00 | 200.00 | 265.00 | August..... | 150.00 | 300.00 | 200.00 | 350.00 |
| February..... | 185.00 | 220.00 | 225.00 | 290.00 | September..... | 145.00 | 300.00 | 200.00 | 350.00 |
| March..... | 190.00 | 335.00 | 225.00 | 310.00 | October..... | 145.00 | 300.00 | 200.00 | 350.00 |
| April..... | 195.00 | 255.00 | 200.00 | 290.00 | November..... | 145.00 | 255.00 | 200.00 | 350.00 |
| May..... | 225.00 | 250.00 | 200.00 | 300.00 | December..... | 140.00 | 250.00 | 190.00 | 350.00 |
| June..... | 230.00 | 280.00 | 200.00 | 325.00 | Year 1919..... | 140.00 | 325.00 | 150.00 | 400.00 |

TABLE 225.—*Horses: Farm price per head, 15th of each month, 1910-1919.*

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| Jan. 15..... | \$120 | \$130 | \$129 | \$128 | \$130 | \$137 | \$140 | \$134 | \$143 | \$140 | \$133 |
| Feb. 15..... | 121 | 133 | 131 | 129 | 132 | 139 | 146 | 137 | 144 | 147 | 136 |
| Mar. 15..... | 124 | 137 | 133 | 131 | 132 | 138 | 146 | 140 | 145 | 150 | 138 |
| Apr. 15..... | 127 | 137 | 136 | 133 | 132 | 138 | 148 | 142 | 147 | 154 | 139 |
| May 15..... | 129 | 136 | 138 | 134 | 133 | 139 | 145 | 144 | 146 | 148 | 139 |
| June 15..... | 127 | 135 | 137 | 132 | 132 | 136 | 146 | 145 | 145 | 151 | 139 |
| July 15..... | 127 | 132 | 135 | 133 | 134 | 137 | 143 | 142 | 139 | 148 | 138 |
| Aug. 15..... | 125 | 131 | 132 | 131 | 131 | 135 | 141 | 142 | 141 | 148 | 136 |
| Sept. 15..... | 119 | 128 | 132 | 131 | 131 | 132 | 141 | 141 | 139 | 145 | 144 |
| Oct. 15..... | 114 | 126 | 130 | 130 | 129 | 131 | 138 | 140 | 137 | 144 | 132 |
| Nov. 15..... | 113 | 122 | 129 | 129 | 127 | 130 | 136 | 139 | 136 | 143 | 130 |
| Dec. 15..... | 113 | 121 | 129 | 129 | 126 | 130 | 135 | 139 | 134 | 141 | 130 |

TABLE 226.—Average price per head for horses on the Chicago market, 1902-1919.

| Year and month. | Drafters. | Carriage teams. | Drivers. | General. | Bussers, trammers. | Cavalry horses. | Southern chunks. |
|-----------------|-----------|-----------------|----------|----------|--------------------|-----------------|------------------|
| 1902. | \$166.00 | \$450.00 | \$145.00 | \$117.00 | \$135.00 | \$151.00 | \$57.00 |
| 1903. | 171.00 | 455.00 | 150.00 | 122.00 | 140.00 | 156.00 | 62.00 |
| 1904. | 177.00 | 475.00 | 150.00 | 140.00 | 140.00 | 160.00 | 64.00 |
| 1905. | 186.00 | 486.00 | 156.00 | 132.00 | 148.00 | 172.00 | 70.00 |
| 1906. | 188.00 | 486.00 | 158.00 | 154.00 | 147.00 | 174.00 | 72.50 |
| 1907. | 194.00 | 482.00 | 165.00 | 137.00 | 152.00 | 172.00 | 77.50 |
| 1908. | 180.00 | 450.00 | 156.00 | 129.00 | 138.00 | 164.00 | 9.00 |
| 1909. | 194.00 | 482.00 | 165.00 | 137.00 | 152.00 | 172.00 | 77.00 |
| 1910. | 200.00 | 473.00 | 172.00 | 144.00 | 161.00 | 177.00 | 87.00 |
| 1911. | 205.00 | 483.00 | 182.00 | 155.00 | 170.00 | 190.00 | 92.00 |
| 1912. | 210.00 | 473.00 | 177.00 | 160.00 | 175.00 | 195.00 | 97.00 |
| 1913. | 213.00 | 493.00 | 174.00 | 165.00 | 176.00 | 189.00 | 98.00 |
| 1914. | 208.00 | 483.00 | 169.00 | 160.00 | 171.00 | 184.00 | 93.00 |
| 1915. | 205.00 | 473.00 | 164.00 | 155.00 | 166.00 | 179.00 | 88.00 |
| 1916. | 252.00 | | 166.00 | 160.00 | 167.00 | 124.00 | 109.00 |
| 1917. | 212.00 | 470.00 | 162.00 | 148.00 | 170.00 | 188.00 | 93.00 |
| 1918. | 220.00 | | | | | | |

HORSES AND MULES—Continued.

TABLE 226.—Average price per head for horses on the Chicago market, 1902-1919—Con.

| Year and month. | Drafters. | Carriage teams. | Drivers. | General. | Bussers, trammers. | Cavalry horses. | Southern chunks. |
|-----------------|-----------|-----------------|----------|----------|--------------------|-----------------|------------------|
| 1919. | | (1) | | | (2) | | |
| January..... | | | | | | | |
| February..... | | | | | | | |
| March..... | | | | | | | |
| April..... | \$250.00 | \$202.00 | | \$152.00 | \$162.00 | | \$105.00 |
| May..... | 218.00 | 170.00 | | 130.00 | 135.00 | | 75.00 |
| June..... | 200.00 | 172.00 | | 120.00 | 118.00 | | 65.00 |
| July..... | 218.00 | 170.00 | | 118.00 | 118.00 | | 65.00 |
| August..... | 205.00 | 158.00 | | 105.00 | 112.00 | | 65.00 |
| September..... | 230.00 | 158.00 | | 105.00 | 112.00 | | 65.00 |
| October..... | 250.00 | 158.00 | | 105.00 | 112.00 | | 75.00 |
| November..... | 250.00 | 158.00 | | 105.00 | 112.00 | | 75.00 |
| December..... | 250.00 | 158.00 | | 105.00 | 112.00 | | 65.00 |
| Year 1919..... | | | | | | | |

¹ Expressers for 1919.² Farm chunks for 1919.

TABLE 227.—Number of horses and mules received at principal live-stock markets.

[From reports of stockyard companies.]

| Year and month. | Horses. | | | Horses and mules. | | | | | Total 8 cities. |
|------------------|-----------------------|-----------|---------|-------------------|--------------|--------|-------------|--------------------------------------|-----------------|
| | Chicago. ¹ | St. Paul. | Denver. | Fort Worth. | Kansas City. | Omaha. | St. Joseph. | St. Louis National Stock Yards, Ill. | |
| 1900..... | 99,010 | 26,778 | 22,091 | | 103,308 | 59,645 | 13,497 | 144,021 | 469,850 |
| 1901..... | 109,353 | 15,123 | 16,545 | | 96,057 | 36,391 | 22,521 | 128,880 | 425,470 |
| 1902..... | 102,100 | 8,162 | 24,428 | 4,372 | 76,944 | 42,079 | 19,909 | 109,295 | 387,689 |
| 1903..... | 100,003 | 7,823 | 19,040 | 10,094 | 67,274 | 52,829 | 20,483 | 128,015 | 406,761 |
| 1904..... | 105,949 | 6,438 | 13,437 | 17,995 | 67,562 | 46,845 | 28,704 | 181,341 | 468,171 |
| 1905..... | 127,260 | 5,561 | 16,046 | 18,033 | 65,882 | 45,422 | 31,565 | 178,257 | 487,716 |
| 1906..... | 126,979 | 9,299 | 16,371 | 21,303 | 69,629 | 42,269 | 28,480 | 166,393 | 490,923 |
| 1907..... | 102,055 | 14,557 | 11,059 | 18,507 | 62,341 | 44,020 | 26,894 | 117,379 | 396,812 |
| 1908..... | 92,138 | 7,125 | 11,158 | 12,435 | 56,335 | 39,998 | 22,875 | 109,393 | 351,457 |
| 1909..... | 91,411 | 5,632 | 15,348 | 20,732 | 67,796 | 31,711 | 23,132 | 122,471 | 378,233 |
| 1910..... | 83,439 | 5,482 | 15,554 | 34,445 | 69,628 | 29,734 | 27,583 | 130,271 | 396,136 |
| 1911..... | 104,545 | 7,709 | 18,022 | 37,361 | 84,861 | 31,771 | 42,023 | 170,379 | 496,671 |
| 1912..... | 92,977 | 5,314 | 14,918 | 49,025 | 73,445 | 32,520 | 38,661 | 163,973 | 470,833 |
| 1913..... | 90,615 | 5,203 | 16,274 | 56,724 | 82,110 | 31,580 | 32,418 | 156,825 | 471,749 |
| 1914..... | 106,282 | 5,683 | 16,067 | 47,712 | 87,155 | 30,688 | 25,424 | 148,128 | 468,029 |
| 1915..... | 165,253 | 10,091 | 71,870 | 53,640 | 102,153 | 41,679 | 41,254 | 270,612 | 756,552 |
| 1916..... | 205,449 | 11,777 | 52,800 | 79,009 | 123,141 | 27,496 | 27,206 | 266,818 | 793,886 |
| 1917..... | 107,311 | 9,959 | 19,758 | 115,333 | 127,823 | 32,781 | 33,584 | 279,837 | 726,286 |
| 1918. | | | | | | | | | |
| January..... | 6,002 | 1,160 | 2,341 | 9,821 | 14,020 | 2,150 | 4,445 | 33,746 | 73,685 |
| February..... | 5,997 | 504 | 961 | 7,239 | 11,688 | 1,751 | 5,877 | 33,071 | 67,068 |
| March..... | 8,086 | 573 | 1,840 | 6,020 | 11,544 | 2,261 | 5,154 | 28,010 | 63,488 |
| April..... | 5,620 | 271 | 750 | 3,696 | 1,971 | 658 | 1,293 | 7,120 | 21,379 |
| May..... | 6,594 | 422 | 835 | 1,599 | 1,811 | 534 | 971 | 5,201 | 17,967 |
| June..... | 10,727 | 990 | 655 | 585 | 1,977 | 966 | 705 | 6,035 | 22,640 |
| July..... | 9,691 | 863 | 730 | 2,760 | 2,201 | 3,242 | 1,974 | 8,943 | 30,404 |
| August..... | 8,599 | 456 | 1,625 | 5,887 | 5,387 | 3,203 | 4,039 | 17,517 | 46,713 |
| September..... | 6,101 | 339 | 1,590 | 15,088 | 9,919 | 3,764 | 5,317 | 31,522 | 73,640 |
| October..... | 8,382 | 544 | 1,571 | 13,690 | 12,401 | 2,181 | 4,542 | 30,183 | 73,484 |
| November..... | 9,267 | 280 | 1,093 | 7,883 | 7,644 | 1,064 | 2,972 | 24,819 | 55,022 |
| December..... | 2,754 | 139 | 608 | 4,623 | 4,065 | 438 | 1,971 | 15,584 | 30,182 |
| Total, 1918..... | 87,820 | 6,541 | 14,599 | 78,881 | 84,628 | 22,212 | 39,260 | 241,751 | 575,692 |
| 1919. | | | | | | | | | |
| January..... | 3,855 | 194 | 1,379 | 6,329 | 7,585 | 719 | 4,611 | 25,471 | 50,416 |
| February..... | 3,738 | 257 | 1,396 | 5,367 | 7,274 | 700 | 3,944 | 20,316 | 42,992 |
| March..... | 5,174 | 449 | 1,459 | 3,897 | 5,727 | 948 | 2,673 | 15,395 | 35,722 |
| April..... | 4,246 | 281 | 850 | 3,031 | 4,854 | 619 | 1,407 | 11,066 | 26,354 |
| May..... | 3,720 | 147 | 932 | 1,930 | 3,261 | 393 | 342 | 6,697 | 17,422 |
| June..... | 3,636 | 878 | 604 | 1,916 | 2,686 | 2,485 | 1,984 | 11,328 | 25,517 |
| July..... | 3,048 | 1,071 | 1,420 | 1,208 | 4,062 | 3,828 | 4,030 | 15,535 | 34,202 |
| August..... | 2,787 | 1,539 | 1,399 | 4,575 | 7,923 | 4,354 | 3,958 | 22,487 | 49,022 |
| September..... | 4,504 | 2,822 | 1,996 | 6,283 | 11,323 | 6,087 | 5,940 | 38,418 | 77,373 |
| October..... | 2,949 | 1,300 | 3,570 | 7,916 | 9,349 | 2,811 | 6,649 | 33,433 | 67,977 |
| November..... | 4,732 | 1,728 | 4,370 | 11,144 | 11,656 | 1,497 | 4,620 | 31,204 | 70,951 |
| December..... | 45,762 | 11,228 | 22,936 | 60,363 | 82,852 | 25,201 | 43,380 | 250,211 | 542,033 |
| Total, 1919..... | 3,373 | 562 | 3,561 | 6,767 | 6,879 | 760 | 3,222 | 18,961 | 40,085 |

¹ From Reports of the Bureau of Markets for 1919.

HORSES AND MULES—Continued.

TABLE 228.—Horses and mules: Imports, exports, and prices, 1893-1919.

| Year ending June 30— | Imports of horses. | | | Exports of horses. | | | Exports of mules. | | |
|----------------------|--------------------|-------------|-----------------------|--------------------|------------|-----------------------|-------------------|------------|-----------------------|
| | Number. | Value. | Average import price. | Number. | Value. | Average export price. | Number. | Value. | Average export price. |
| 1893..... | 15,451 | \$2,388,267 | \$154.57 | 2,967 | \$718,607 | \$242.20 | 1,684 | \$210,278 | \$125.60 |
| 1894..... | 6,166 | 1,319,572 | 214.01 | 5,246 | 1,108,968 | 211.40 | 2,068 | 240,961 | 116.80 |
| 1895..... | 12,088 | 1,055,191 | 80.56 | 13,984 | 2,209,298 | 157.99 | 2,515 | 186,452 | 74.14 |
| 1896..... | 9,991 | 662,591 | 66.32 | 25,126 | 3,530,703 | 140.52 | 5,918 | 406,161 | 68.63 |
| 1897..... | 6,968 | 464,808 | 66.42 | 39,532 | 4,769,265 | 120.64 | 7,473 | 545,331 | 72.97 |
| 1898..... | 3,065 | 414,899 | 134.49 | 51,150 | 6,176,599 | 120.75 | 8,098 | 664,789 | 82.09 |
| 1899..... | 3,042 | 551,050 | 181.15 | 45,778 | 5,444,342 | 118.93 | 6,755 | 516,908 | 76.52 |
| 1900..... | 3,102 | 596,592 | 192.32 | 64,722 | 7,612,616 | 117.62 | 43,369 | 3,919,478 | 90.38 |
| 1901..... | 3,785 | 985,738 | 260.43 | 82,250 | 8,873,845 | 107.99 | 34,406 | 3,210,267 | 93.30 |
| 1902..... | 4,832 | 1,577,234 | 326.41 | 103,020 | 10,048,046 | 97.53 | 27,598 | 2,692,296 | 97.61 |
| 1903..... | 4,999 | 1,536,296 | 307.32 | 34,007 | 3,152,159 | 92.69 | 4,294 | 521,725 | 121.47 |
| 1904..... | 4,726 | 1,460,287 | 306.99 | 42,001 | 3,189,100 | 75.93 | 3,658 | 412,971 | 112.90 |
| 1905..... | 5,180 | 1,591,083 | 307.16 | 34,822 | 3,175,259 | 91.19 | 5,826 | 645,464 | 110.79 |
| 1906..... | 6,021 | 1,716,675 | 285.11 | 40,087 | 4,366,981 | 108.91 | 7,167 | 999,689 | 138.06 |
| 1907..... | 6,060 | 1,978,106 | 325.35 | 33,882 | 4,359,967 | 131.99 | 6,781 | 850,901 | 125.48 |
| 1908..... | 5,487 | 1,604,392 | 292.40 | 19,000 | 2,612,587 | 137.50 | 6,609 | 990,667 | 149.90 |
| 1909..... | 7,064 | 2,007,276 | 283.35 | 21,616 | 3,386,617 | 156.67 | 3,432 | 472,017 | 137.63 |
| 1910..... | 11,620 | 3,296,022 | 283.65 | 28,910 | 4,081,157 | 141.17 | 4,512 | 614,094 | 136.18 |
| 1911..... | 9,593 | 2,692,074 | 280.63 | 25,145 | 3,845,253 | 152.92 | 6,685 | 1,070,051 | 162.50 |
| 1912..... | 6,607 | 1,923,025 | 291.06 | 34,828 | 4,764,815 | 136.81 | 4,901 | 732,095 | 149.30 |
| 1913..... | 10,008 | 2,125,875 | 212.42 | 28,707 | 3,960,102 | 137.95 | 4,744 | 733,795 | 154.68 |
| 1914..... | 33,019 | 2,606,029 | 78.89 | 22,776 | 3,388,819 | 148.79 | 4,883 | 690,974 | 141.51 |
| 1915..... | 12,552 | 977,380 | 77.25 | 289,340 | 64,046,534 | 221.35 | 65,788 | 12,726,143 | 193.44 |
| 1916..... | 15,556 | 1,618,245 | 104.03 | 357,553 | 73,531,146 | 206.65 | 111,915 | 22,946,312 | 205.03 |
| 1917..... | 12,684 | 1,898,308 | 150.06 | 278,674 | 59,525,329 | 213.60 | 136,698 | 27,830,854 | 203.99 |
| 1918..... | 5,111 | 1,187,443 | 232.33 | 84,765 | 14,923,663 | 176.06 | 28,679 | 4,885,406 | 169.17 |
| 1919..... | 4,003 | 750,264 | 187.43 | 27,975 | 5,206,251 | 186.10 | 12,452 | 2,333,929 | 187.43 |

CATTLE.

TABLE 229.—Cattle (live): Imports, exports, and prices, 1893-1919.

| Year ending June 30— | Imports. | | | Exports. | | |
|----------------------|----------|------------|-----------------------|----------|--------------|-----------------------|
| | Number. | Value. | Average import price. | Number. | Value. | Average export price. |
| 1893..... | 3,293 | \$45,682 | \$13.87 | 287,094 | \$26,032,428 | \$90.68 |
| 1894..... | 1,592 | 18,704 | 11.75 | 359,278 | 33,461,922 | 93.14 |
| 1895..... | 140,781 | 765,853 | 5.11 | 331,722 | 30,603,796 | 92.26 |
| 1896..... | 217,826 | 1,509,856 | 6.93 | 372,461 | 34,560,672 | 92.79 |
| 1897..... | 328,977 | 2,599,857 | 7.87 | 392,190 | 36,357,451 | 92.70 |
| 1898..... | 291,599 | 2,913,223 | 9.99 | 439,255 | 37,827,500 | 86.12 |
| 1899..... | 199,752 | 2,320,362 | 11.62 | 399,490 | 30,516,833 | 78.35 |
| 1900..... | 181,006 | 2,257,694 | 12.47 | 397,286 | 30,635,163 | 77.11 |
| 1901..... | 146,022 | 1,931,433 | 13.23 | 459,218 | 37,566,980 | 81.81 |
| 1902..... | 96,027 | 1,608,722 | 16.75 | 392,884 | 29,902,212 | 76.11 |
| 1903..... | 66,175 | 1,161,548 | 17.55 | 402,178 | 29,848,936 | 74.22 |
| 1904..... | 16,056 | 310,737 | 19.35 | 593,409 | 42,256,291 | 71.21 |
| 1905..... | 27,855 | 458,572 | 16.46 | 567,806 | 40,568,048 | 71.50 |
| 1906..... | 29,019 | 548,430 | 18.90 | 584,239 | 42,081,170 | 72.03 |
| 1907..... | 32,402 | 565,122 | 17.44 | 423,061 | 34,577,392 | 81.73 |
| 1908..... | 92,356 | 1,507,310 | 16.32 | 349,210 | 29,339,134 | 84.02 |
| 1909..... | 139,184 | 1,999,422 | 14.37 | 207,542 | 18,046,976 | 86.96 |
| 1910..... | 195,938 | 2,999,824 | 15.37 | 139,430 | 12,200,164 | 87.50 |
| 1911..... | 182,923 | 2,953,077 | 16.14 | 150,100 | 13,163,920 | 87.70 |
| 1912..... | 318,372 | 4,805,574 | 15.09 | 106,506 | 8,870,075 | 84.07 |
| 1913..... | 421,649 | 6,640,668 | 15.75 | 24,714 | 1,177,199 | 47.63 |
| 1914..... | 868,368 | 18,696,718 | 21.53 | 18,376 | 647,288 | 35.22 |
| 1915..... | 538,167 | 17,513,175 | 32.54 | 5,484 | 702,847 | 128.16 |
| 1916..... | 439,185 | 15,187,593 | 34.58 | 21,666 | 2,383,765 | 110.02 |
| 1917..... | 374,828 | 13,021,259 | 34.74 | 13,387 | 949,503 | 70.93 |
| 1918..... | 293,719 | 17,852,176 | 60.78 | 18,213 | 1,247,800 | 68.51 |
| 1919..... | 440,399 | 36,995,921 | 84.01 | 42,345 | 2,092,816 | 49.42 |

CATTLE—Continued.

TABLE 230.—Cattle: Number and value on farms in the United States, 1867–1920.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

| Jan. 1— | Milk cows. | | | Other cattle. | | |
|-------------------------|-------------------|------------------------|--------------------|-------------------|------------------------|--------------------|
| | Number. | Price per head Jan. 1. | Farm value Jan. 1. | Number. | Price per head Jan. 1. | Farm value Jan. 1. |
| 1867..... | 8,349,000 | \$28.74 | \$239,947,000 | 11,731,000 | \$15.79 | \$185,254,000 |
| 1868..... | 8,692,000 | 26.56 | 230,817,000 | 11,942,000 | 15.06 | 179,888,000 |
| 1869..... | 9,248,000 | 29.15 | 269,610,000 | 12,185,000 | 18.73 | 228,183,000 |
| 1870..... | 10,096,000 | 32.70 | 330,175,000 | 15,388,000 | 18.87 | 290,401,000 |
| 1870, census June 1 | <i>8,836,332</i> | | | <i>13,666,006</i> | | |
| 1871..... | 10,023,000 | 33.89 | 339,701,000 | 16,212,000 | 20.78 | 336,860,000 |
| 1872..... | 10,304,000 | 29.45 | 303,438,000 | 16,390,000 | 18.12 | 296,932,000 |
| 1873..... | 10,576,000 | 26.72 | 282,559,000 | 16,414,000 | 18.06 | 296,448,000 |
| 1874..... | 10,705,000 | 25.63 | 274,326,000 | 16,218,000 | 17.55 | 284,706,000 |
| 1875..... | 10,907,000 | 26.74 | 290,701,000 | 16,313,000 | 16.91 | 275,872,000 |
| 1876..... | 11,085,000 | 25.61 | 283,879,000 | 16,785,000 | 17.00 | 285,387,000 |
| 1877..... | 11,261,000 | 26.47 | 298,778,000 | 17,956,000 | 15.99 | 287,156,000 |
| 1878..... | 11,300,000 | 25.74 | 290,898,000 | 19,223,000 | 16.72 | 321,846,000 |
| 1879..... | 11,526,000 | 21.71 | 250,721,000 | 21,408,000 | 15.38 | 329,254,000 |
| 1880..... | 12,027,000 | 23.27 | 279,899,000 | 21,231,000 | 16.10 | 341,761,000 |
| 1880, census June 1 | <i>12,443,180</i> | | | <i>22,488,680</i> | | |
| 1881..... | 12,369,000 | 23.95 | 296,277,000 | 20,939,000 | 17.33 | 362,862,000 |
| 1882..... | 12,612,000 | 25.89 | 326,489,000 | 23,290,000 | 19.89 | 463,070,000 |
| 1883..... | 13,126,000 | 30.21 | 396,576,000 | 28,046,000 | 21.61 | 611,649,000 |
| 1884..... | 13,501,000 | 31.37 | 423,487,000 | 29,046,000 | 23.52 | 683,229,000 |
| 1885..... | 13,905,000 | 29.70 | 412,903,000 | 29,867,000 | 23.25 | 694,383,000 |
| 1886..... | 14,235,000 | 27.40 | 389,988,000 | 31,275,000 | 21.17 | 661,956,000 |
| 1887..... | 14,522,000 | 26.08 | 378,790,000 | 33,512,000 | 19.79 | 663,138,000 |
| 1888..... | 14,856,000 | 24.65 | 366,253,000 | 34,378,000 | 17.79 | 611,751,000 |
| 1889..... | 15,299,000 | 23.94 | 366,226,000 | 35,032,000 | 17.05 | 597,237,000 |
| 1890..... | 15,953,000 | 22.14 | 353,152,000 | 36,849,000 | 15.21 | 560,625,000 |
| 1890, census June 1 | <i>16,611,860</i> | | | <i>33,734,128</i> | | |
| 1891..... | 16,020,000 | 21.62 | 346,398,000 | 36,876,000 | 14.76 | 544,128,000 |
| 1892..... | 16,416,000 | 21.40 | 351,378,000 | 37,051,000 | 15.16 | 570,749,000 |
| 1893..... | 16,424,000 | 21.76 | 357,800,000 | 35,064,000 | 15.24 | 547,882,000 |
| 1894..... | 16,487,000 | 21.77 | 358,999,000 | 36,608,000 | 14.66 | 536,790,000 |
| 1895..... | 16,506,000 | 21.97 | 362,602,000 | 34,364,000 | 14.06 | 482,999,000 |
| 1896..... | 16,138,000 | 22.55 | 363,956,000 | 32,085,000 | 15.86 | 508,928,000 |
| 1897..... | 15,942,000 | 23.16 | 369,240,000 | 30,508,000 | 16.65 | 507,929,000 |
| 1898..... | 15,841,000 | 27.45 | 434,814,000 | 29,264,000 | 20.92 | 612,297,000 |
| 1899..... | 15,990,000 | 29.66 | 474,234,000 | 27,994,000 | 22.79 | 637,931,000 |
| 1900..... | 16,292,000 | 31.60 | 514,812,000 | 27,610,000 | 24.97 | 689,486,000 |
| 1900, census June 1 | <i>17,136,633</i> | | | <i>50,636,777</i> | | |
| 1901 ¹ | 16,834,000 | 30.00 | 505,093,000 | 45,500,000 | 19.93 | 906,644,000 |
| 1902..... | 16,697,000 | 29.23 | 488,130,000 | 44,728,000 | 18.76 | 839,126,000 |
| 1903..... | 17,105,000 | 30.21 | 516,712,000 | 44,659,000 | 18.45 | 824,065,000 |
| 1904..... | 17,420,000 | 29.21 | 508,841,000 | 43,629,000 | 16.32 | 712,178,000 |
| 1905..... | 17,572,000 | 27.44 | 482,272,000 | 43,669,000 | 15.15 | 661,571,000 |
| 1906..... | 19,794,000 | 29.44 | 582,789,000 | 47,068,000 | 15.85 | 746,172,000 |
| 1907..... | 20,968,000 | 31.00 | 646,497,000 | 51,566,000 | 17.10 | 881,557,000 |
| 1908..... | 21,194,000 | 30.67 | 650,057,000 | 50,073,000 | 16.89 | 846,936,000 |
| 1909..... | 21,720,000 | 32.36 | 702,945,000 | 49,379,000 | 17.49 | 865,754,000 |
| 1910..... | 21,801,000 | | | 47,279,000 | | |
| 1910, census Apr. 16 | <i>20,626,432</i> | 35.29 | 727,802,000 | <i>41,178,434</i> | 19.07 | 786,261,000 |
| 1911 ¹ | 20,823,000 | 39.97 | 832,209,000 | 39,679,000 | 20.54 | 815,184,000 |
| 1912..... | 20,699,000 | 39.39 | 815,414,000 | 37,260,000 | 21.20 | 790,064,000 |
| 1913..... | 20,497,000 | 45.02 | 922,783,000 | 36,030,000 | 26.36 | 949,645,000 |
| 1914..... | 20,737,000 | 53.94 | 1,118,487,000 | 35,855,000 | 31.13 | 1,116,333,000 |
| 1915..... | 21,262,000 | 55.33 | 1,176,338,000 | 37,067,000 | 33.38 | 1,237,370,000 |
| 1916..... | 22,108,000 | 53.92 | 1,191,955,000 | 39,812,000 | 33.53 | 1,334,928,000 |
| 1917..... | 22,894,000 | 59.63 | 1,365,251,000 | 41,689,000 | 35.88 | 1,497,621,000 |
| 1918..... | 23,310,000 | 70.54 | 1,644,231,000 | 44,112,000 | 40.86 | 1,803,482,000 |
| 1919..... | 23,475,000 | 78.20 | 1,835,770,000 | 45,085,000 | 44.22 | 1,993,442,000 |
| 1920..... | 23,747,000 | 85.13 | 2,021,681,000 | 44,483,000 | 43.15 | 1,919,445,000 |

¹ Estimates of numbers revised, based on census data.

CATTLE—Continued.

TABLE 231.—Cattle: Number and value on farms Jan. 1, 1919 and 1920, by States.

| State. | Milk cows. | | | | | | Other cattle. | | | | | |
|---------------------|--------------------|--------|------------------------|---------|-----------------------------------|-----------|--------------------|--------|------------------------|---------|-----------------------------------|-----------|
| | Number (thousands) | | Average price per head | | Farm value (thousands of dollars) | | Number (thousands) | | Average price per head | | Farm value (thousands of dollars) | |
| | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 |
| Maine..... | 179 | 175 | \$79.00 | \$70.50 | \$14,141 | \$12,338 | 143 | 142 | \$35.90 | \$36.10 | \$5,134 | \$5,126 |
| New Hampshire.... | 103 | 106 | 86.00 | 80.00 | 8,858 | 8,400 | 70 | 70 | 41.70 | 39.80 | 2,919 | 2,788 |
| Vermont..... | 278 | 281 | 89.00 | 72.00 | 24,742 | 20,232 | 190 | 190 | 37.20 | 31.20 | 7,068 | 5,928 |
| Massachusetts..... | 159 | 160 | 105.00 | 94.00 | 16,695 | 15,040 | 102 | 100 | 44.80 | 38.30 | 4,570 | 3,630 |
| Rhode Island..... | 20 | 20 | 110.00 | 101.00 | 2,200 | 2,020 | 14 | 13 | 46.90 | 40.10 | 657 | 521 |
| Connecticut..... | 118 | 115 | 105.00 | 94.00 | 12,360 | 10,810 | 80 | 76 | 47.70 | 41.90 | 3,816 | 3,184 |
| New York..... | 1,493 | 1,478 | 107.00 | 89.00 | 159,751 | 131,542 | 909 | 900 | 48.30 | 41.00 | 43,906 | 36,900 |
| New Jersey..... | 153 | 150 | 128.00 | 100.00 | 19,584 | 15,000 | 74 | 74 | 57.00 | 51.30 | 4,399 | 3,796 |
| Pennsylvania..... | 970 | 980 | 96.00 | 85.00 | 95,060 | 81,600 | 727 | 720 | 46.00 | 40.70 | 33,442 | 29,304 |
| Delaware..... | 46 | 44 | 85.00 | 76.00 | 3,910 | 3,344 | 24 | 23 | 46.80 | 42.80 | 1,123 | 984 |
| Maryland..... | 180 | 177 | 89.00 | 80.00 | 16,020 | 14,160 | 138 | 135 | 50.40 | 45.60 | 6,955 | 6,156 |
| Virginia..... | 437 | 424 | 76.00 | 69.00 | 33,212 | 29,256 | 578 | 567 | 49.20 | 46.40 | 28,438 | 26,309 |
| West Virginia..... | 250 | 243 | 76.00 | 71.00 | 19,000 | 17,253 | 384 | 366 | 51.70 | 50.30 | 19,853 | 18,410 |
| North Carolina..... | 328 | 315 | 78.00 | 69.00 | 25,584 | 21,735 | 394 | 379 | 35.30 | 31.90 | 13,908 | 12,090 |
| South Carolina..... | 211 | 203 | 85.00 | 78.00 | 17,935 | 15,834 | 249 | 244 | 36.50 | 34.40 | 9,068 | 8,394 |
| Georgia..... | 461 | 452 | 65.00 | 66.00 | 29,965 | 29,380 | 771 | 763 | 27.20 | 27.30 | 20,971 | 20,830 |
| Florida..... | 156 | 149 | 72.00 | 61.00 | 11,232 | 9,089 | 945 | 936 | 27.30 | 24.80 | 25,798 | 23,213 |
| Ohio..... | 1,061 | 1,030 | 92.00 | 83.50 | 97,612 | 86,005 | 1,113 | 1,102 | 48.70 | 47.30 | 54,308 | 52,125 |
| Indiana..... | 724 | 712 | 88.00 | 85.00 | 63,712 | 60,605 | 764 | 750 | 51.60 | 52.40 | 39,422 | 40,872 |
| Illinois..... | 1,060 | 1,060 | 96.00 | 90.00 | 101,760 | 95,400 | 1,260 | 1,340 | 54.60 | 54.00 | 70,434 | 72,360 |
| Michigan..... | 873 | 848 | 96.00 | 83.00 | 83,808 | 70,384 | 773 | 750 | 42.80 | 38.90 | 33,064 | 29,175 |
| Wisconsin..... | 1,846 | 1,792 | 97.00 | 82.00 | 179,082 | 146,944 | 1,498 | 1,436 | 40.20 | 37.00 | 60,019 | 53,132 |
| Minnesota..... | 1,395 | 1,368 | 83.00 | 78.00 | 114,390 | 106,704 | 1,730 | 1,632 | 32.60 | 33.50 | 56,398 | 54,672 |
| Iowa..... | 1,353 | 1,381 | 88.00 | 86.00 | 119,064 | 118,766 | 2,775 | 2,861 | 49.00 | 52.60 | 135,975 | 150,489 |
| Missouri..... | 919 | 919 | 79.00 | 74.00 | 72,601 | 68,006 | 1,746 | 1,732 | 48.90 | 49.40 | 85,379 | 88,031 |
| North Dakota..... | 464 | 451 | 77.00 | 80.00 | 35,728 | 36,080 | 617 | 636 | 41.40 | 47.60 | 25,544 | 30,274 |
| South Dakota..... | 561 | 561 | 75.00 | 82.00 | 42,075 | 46,002 | 1,526 | 1,496 | 44.30 | 53.90 | 67,602 | 80,634 |
| Nebraska..... | 601 | 620 | 83.00 | 85.00 | 49,893 | 52,700 | 2,911 | 2,940 | 45.30 | 49.30 | 131,868 | 146,706 |
| Kansas..... | 935 | 964 | 81.00 | 81.00 | 75,735 | 78,084 | 2,161 | 2,401 | 48.00 | 52.70 | 108,728 | 126,533 |
| Kentucky..... | 457 | 452 | 73.00 | 72.00 | 33,361 | 32,544 | 580 | 610 | 41.20 | 42.50 | 23,896 | 25,925 |
| Tennessee..... | 384 | 380 | 70.00 | 66.00 | 26,880 | 25,080 | 563 | 587 | 32.80 | 34.30 | 19,450 | 20,134 |
| Alabama..... | 502 | 494 | 67.00 | 68.00 | 28,614 | 28,652 | 842 | 851 | 22.90 | 24.30 | 19,282 | 20,679 |
| Mississippi..... | 571 | 549 | 62.00 | 60.00 | 35,402 | 32,940 | 716 | 695 | 23.50 | 26.70 | 16,826 | 18,556 |
| Louisiana..... | 378 | 363 | 67.00 | 68.00 | 25,326 | 21,054 | 725 | 690 | 29.30 | 26.80 | 21,242 | 18,492 |
| Texas..... | 1,138 | 1,094 | 77.00 | 63.00 | 87,626 | 68,922 | 4,458 | 4,287 | 41.80 | 36.80 | 186,344 | 157,762 |
| Oklahoma..... | 550 | 561 | 68.00 | 68.00 | 37,400 | 38,148 | 1,300 | 1,444 | 41.70 | 44.20 | 54,210 | 63,825 |
| Arkansas..... | 452 | 443 | 56.00 | 59.00 | 25,312 | 26,137 | 691 | 678 | 24.40 | 24.70 | 16,860 | 16,747 |
| Montana..... | 180 | 197 | 83.00 | 87.00 | 14,940 | 17,139 | 936 | 1,170 | 50.60 | 58.90 | 47,362 | 68,913 |
| Wyoming..... | 82 | 80 | 93.00 | 95.00 | 7,626 | 7,600 | 787 | 1,100 | 50.50 | 61.80 | 39,744 | 67,980 |
| Colorado..... | 272 | 264 | 87.00 | 88.00 | 23,664 | 23,232 | 1,355 | 1,426 | 48.10 | 54.40 | 65,176 | 77,520 |
| New Mexico..... | 87 | 84 | 83.00 | 75.00 | 7,221 | 6,300 | 1,378 | 1,325 | 45.50 | 42.90 | 62,699 | 56,842 |
| Arizona..... | 57 | 72 | 95.00 | 90.00 | 5,415 | 6,480 | 1,200 | 1,100 | 44.00 | 43.40 | 52,800 | 47,740 |
| Utah..... | 109 | 106 | 78.00 | 82.00 | 8,502 | 8,692 | 518 | 503 | 39.30 | 48.10 | 20,357 | 24,194 |
| Nevada..... | 35 | 31 | 88.00 | 94.00 | 3,080 | 2,914 | 535 | 599 | 45.00 | 47.00 | 24,075 | 26,743 |
| Idaho..... | 136 | 136 | 85.00 | 82.00 | 11,560 | 11,152 | 537 | 537 | 44.10 | 48.90 | 23,682 | 26,269 |
| Washington..... | 228 | 228 | 88.00 | 75.00 | 20,064 | 17,109 | 298 | 307 | 43.80 | 37.60 | 13,052 | 11,543 |
| Oregon..... | 224 | 222 | 83.00 | 86.00 | 18,592 | 14,652 | 708 | 703 | 46.20 | 44.80 | 32,710 | 31,494 |
| California..... | 571 | 561 | 97.00 | 79.00 | 55,387 | 44,319 | 1,634 | 1,650 | 51.40 | 48.20 | 83,988 | 79,530 |
| United States..... | 23,747 | 23,475 | 85.13 | 78.20 | 2,021,681 | 1,835,770 | 44,485 | 45,085 | 43.15 | 44.22 | 1,919,445 | 1,993,442 |

CATTLE—Continued.

TABLE 232.—Cattle: Wholesale price per 100 pounds, 1913-1919.

| Date. | Chicago. | | | Cincinnati. | | | St. Louis. | | | Kansas City. | | | Omaha. | | |
|--------------------|--------------------|--------|----------|---------------------------------|--------|----------|-------------------------------|--------|----------|------------------|--------|----------|----------------|--------|----------|
| | Inferior to prime. | | | Heavy to medium butcher steers. | | | Good to choice native steers. | | | Common to prime. | | | Native heaves. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | | | | | | | | | | | | | | | |
| January-June..... | \$5.65 | \$9.85 | \$7.81 | \$4.65 | \$7.65 | \$5.92 | \$8.00 | \$9.25 | \$8.05 | \$4.75 | \$9.00 | | \$7.00 | \$9.50 | \$8.23 |
| July-December..... | 5.00 | 10.25 | 8.14 | 4.50 | 7.00 | 6.02 | 8.50 | 10.00 | 9.07 | 4.50 | 10.00 | | 7.70 | 9.25 | 8.64 |
| 1914. | | | | | | | | | | | | | | | |
| January-June..... | 6.60 | 9.75 | 8.24 | 5.35 | 7.25 | 6.16 | 8.65 | 9.50 | 9.02 | 5.20 | 9.40 | | 6.50 | 10.50 | 8.23 |
| July-December..... | 5.40 | 11.75 | 8.99 | 4.65 | 7.25 | 5.27 | 9.30 | 11.10 | 10.24 | 4.50 | 11.35 | | 6.00 | 10.75 | 9.04 |
| 1915. | | | | | | | | | | | | | | | |
| January-June..... | 5.30 | 10.15 | 7.96 | 4.85 | 7.00 | 5.90 | 7.00 | 10.00 | 8.06 | 6.00 | 9.75 | \$7.51 | 6.50 | 9.35 | 8.05 |
| July-December..... | 5.75 | 11.50 | 8.44 | 4.00 | 7.00 | 5.32 | 8.60 | 10.50 | 9.56 | 5.50 | 10.35 | 8.21 | 8.90 | 10.10 | 9.05 |
| 1916. | | | | | | | | | | | | | | | |
| January-June..... | 6.90 | 11.50 | 9.04 | 5.25 | 9.50 | 6.66 | 6.50 | 10.50 | 8.20 | 6.90 | 11.50 | 8.84 | 7.20 | 11.00 | 8.97 |
| July-December..... | 6.50 | 13.25 | 9.43 | 5.50 | 9.00 | 6.79 | 8.00 | 11.50 | 9.59 | 6.00 | 12.00 | 9.51 | 8.25 | 11.50 | 9.88 |
| 1917. | | | | | | | | | | | | | | | |
| January-June..... | 5.75 | 13.90 | 10.16 | 6.00 | 12.85 | 9.14 | 10.00 | 12.25 | 10.86 | 6.50 | 13.75 | 9.96 | 10.00 | 13.85 | 11.85 |
| July-December..... | 6.15 | 17.90 | 11.42 | 5.00 | 14.50 | 9.62 | 10.00 | 16.50 | 13.10 | 9.25 | 17.00 | 13.21 | 11.50 | 17.00 | 14.27 |
| 1918. | | | | | | | | | | | | | | | |
| January-June..... | 8.25 | 18.60 | 13.59 | 6.50 | 17.00 | 11.17 | 10.50 | 16.00 | 13.05 | 7.75 | 18.25 | 12.08 | 10.00 | 18.25 | 14.36 |
| July-December..... | 18.00 | 20.50 | 17.90 | 6.00 | 17.00 | 11.62 | 9.00 | 20.50 | 14.27 | 13.00 | 19.60 | 15.92 | 14.75 | 19.00 | 17.00 |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 10.00 | 20.35 | 15.08 | 6.50 | 17.00 | 11.80 | 13.50 | 15.00 | 14.38 | 10.25 | 19.50 | 15.09 | 9.00 | 18.50 | 15.05 |
| February..... | 10.00 | 20.25 | 15.45 | 7.00 | 17.25 | 12.03 | 14.00 | 15.00 | 14.50 | 13.00 | 18.50 | 15.75 | 12.75 | 18.25 | 15.75 |
| March..... | 11.25 | 20.40 | 16.49 | 7.00 | 16.50 | 11.94 | 14.00 | 15.00 | 14.50 | 11.00 | 18.50 | 14.96 | 13.50 | 18.75 | 16.24 |
| April..... | 14.25 | 20.40 | 17.47 | 7.50 | 16.25 | 11.94 | 14.00 | 15.00 | 14.50 | 11.00 | 19.50 | 15.10 | 13.00 | 18.50 | 15.82 |
| May..... | 13.50 | 20.25 | 16.89 | 7.50 | 16.25 | 11.75 | 13.75 | 15.00 | 14.50 | 10.50 | 19.00 | 14.60 | 10.50 | 18.35 | 14.37 |
| June..... | 12.75 | 17.50 | 14.73 | 7.00 | 14.00 | 10.50 | 13.75 | 17.75 | 14.78 | 10.50 | 17.50 | 13.40 | 10.50 | 15.75 | 12.76 |
| January-June..... | 10.00 | 20.40 | 16.02 | 6.50 | 17.25 | 11.66 | 13.50 | 17.75 | 14.53 | 10.25 | 19.50 | 14.82 | 9.00 | 18.75 | 15.00 |
| July..... | 11.75 | 18.40 | 15.43 | 6.50 | 17.00 | 11.80 | 13.50 | 17.00 | 15.51 | 10.00 | 18.50 | 13.33 | 10.50 | 18.00 | 14.56 |
| August..... | 11.50 | 19.25 | 15.84 | 7.00 | 17.25 | 12.03 | 15.50 | 16.50 | 15.75 | 8.50 | 19.00 | 14.40 | 10.50 | 18.85 | 13.31 |
| September..... | 12.25 | 18.00 | 15.29 | 5.50 | 14.00 | 9.91 | 14.75 | 16.00 | 15.31 | 8.00 | 18.75 | 13.43 | 11.00 | 18.00 | 13.83 |
| October..... | 13.00 | 19.40 | 16.46 | 6.00 | 14.00 | 9.85 | 14.75 | 16.00 | 15.46 | 9.00 | 18.40 | 13.62 | 10.00 | 17.50 | 12.94 |
| November..... | 11.50 | 20.50 | 16.96 | 6.00 | 14.65 | 10.08 | 15.75 | 19.25 | 14.46 | 8.75 | 18.25 | 13.46 | 10.00 | 17.50 | 12.24 |
| December..... | 11.25 | 21.50 | 15.86 | 6.00 | 16.00 | 10.85 | 15.75 | 19.25 | 14.46 | 8.75 | 18.00 | 12.65 | 8.00 | 16.30 | 12.28 |
| July-December..... | 11.25 | 21.50 | 15.97 | 5.50 | 17.25 | 10.75 | 13.50 | 19.25 | 15.16 | 8.00 | 19.00 | 13.48 | 8.00 | 18.85 | 12.56 |

TABLE 233.—Beef cattle: Farm price per 100 pounds, 15th of month, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| Jan. 15.... | \$9.65 | \$8.33 | \$6.86 | \$5.95 | \$5.99 | \$6.04 | \$5.40 | \$4.46 | \$4.58 | \$4.71 | \$6.19 |
| Feb. 15.... | 10.02 | 8.55 | 7.36 | 5.09 | 5.93 | 6.16 | 5.55 | 4.61 | 4.57 | 4.64 | 6.34 |
| Mar. 15.... | 10.34 | 8.85 | 7.91 | 6.37 | 5.92 | 6.28 | 5.88 | 4.75 | 4.66 | 4.67 | 6.58 |
| Apr. 15.... | 10.81 | 9.73 | 8.57 | 6.66 | 5.96 | 6.29 | 6.08 | 5.15 | 4.67 | 5.31 | 6.92 |
| May 15.... | 10.84 | 10.38 | 8.70 | 6.73 | 6.13 | 6.33 | 6.01 | 5.38 | 4.59 | 5.23 | 7.03 |
| June 15.... | 10.20 | 10.40 | 9.65 | 6.91 | 6.20 | 6.32 | 6.02 | 5.23 | 4.43 | 5.20 | 6.96 |
| July 15.... | 9.93 | 10.07 | 8.30 | 6.78 | 6.07 | 6.38 | 5.98 | 5.17 | 4.23 | 4.84 | 6.78 |
| Aug. 15.... | 9.82 | 9.71 | 8.17 | 6.51 | 6.18 | 6.47 | 5.91 | 5.37 | 4.39 | 4.64 | 6.72 |
| Sept. 15.... | 9.02 | 9.63 | 8.40 | 6.55 | 6.06 | 6.38 | 5.92 | 5.35 | 4.43 | 4.65 | 6.64 |
| Oct. 15.... | 8.65 | 9.33 | 8.35 | 6.37 | 6.04 | 6.23 | 6.05 | 5.30 | 4.32 | 4.64 | 6.53 |
| Nov. 15.... | 8.65 | 9.14 | 8.21 | 6.44 | 5.85 | 6.02 | 5.99 | 5.22 | 4.36 | 4.48 | 6.44 |
| Dec. 15.... | 8.63 | 9.28 | 8.24 | 6.56 | 5.75 | 6.01 | 5.96 | 5.33 | 4.37 | 4.45 | 6.46 |

CATTLE—Continued.

TABLE 234.—Milk cows: Farm price per head, 15th of month, 1910-1919.

| | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|
| Jan. 15.... | \$86.10 | \$76.54 | \$63.02 | \$57.79 | \$58.47 | \$57.99 | \$49.51 | \$42.89 | \$44.70 | \$41.18 | \$57.91 |
| Feb. 15.... | 86.15 | 78.36 | 65.93 | 57.99 | 57.99 | 59.00 | 51.42 | 43.40 | 44.48 | 40.35 | 58.52 |
| Mar. 15.... | 88.15 | 80.71 | 68.46 | 59.51 | 58.00 | 59.23 | 54.02 | 44.09 | 45.42 | 41.75 | 59.93 |
| Apr. 15.... | 90.91 | 82.45 | 72.09 | 60.68 | 57.78 | 59.60 | 55.34 | 45.14 | 44.81 | 42.22 | 61.10 |
| May 15.... | 96.43 | 84.11 | 72.78 | 60.98 | 58.29 | 59.35 | 54.80 | 45.63 | 44.54 | 42.38 | 61.68 |
| June 15.... | 93.84 | 84.74 | 72.87 | 61.63 | 58.59 | 59.82 | 55.20 | 45.84 | 43.96 | 43.46 | 61.98 |
| July 15.... | 94.51 | 84.97 | 72.81 | 62.04 | 60.31 | 59.67 | 54.80 | 45.41 | 42.44 | 42.86 | 61.98 |
| Aug. 15.... | 94.72 | 84.06 | 72.53 | 61.32 | 58.34 | 60.72 | 54.78 | 46.11 | 42.26 | 42.77 | 61.76 |
| Sept. 15.... | 93.42 | 85.21 | 73.93 | 61.41 | 58.28 | 59.58 | 55.78 | 46.79 | 42.23 | 42.68 | 61.94 |
| Oct. 15.... | 93.43 | 85.41 | 75.79 | 62.19 | 58.76 | 59.53 | 56.47 | 47.30 | 42.90 | 43.20 | 62.48 |
| Nov. 15.... | 93.27 | 84.51 | 75.00 | 62.67 | 57.35 | 58.77 | 57.71 | 47.38 | 42.70 | 43.34 | 62.27 |
| Dec. 15.... | 95.54 | 85.78 | 76.16 | 63.18 | 56.79 | 58.23 | 57.19 | 48.62 | 42.72 | 43.41 | 62.76 |

TABLE 235.—Veal calves: Farm price per 100 pounds, 15th of month, 1910-1919.

| | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| Jan. 15.... | \$12.39 | \$11.16 | \$9.15 | \$7.67 | \$7.66 | \$7.89 | \$7.06 | \$6.06 | \$6.60 | \$6.41 | \$8.19 |
| Feb. 15.... | 12.18 | 11.17 | 9.88 | 7.87 | 7.62 | 7.90 | 7.23 | 6.07 | 6.38 | 6.28 | 8.26 |
| Mar. 15.... | 12.65 | 11.33 | 9.94 | 8.11 | 7.50 | 7.92 | 7.49 | 6.11 | 6.48 | 6.59 | 8.41 |
| Apr. 15.... | 12.78 | 11.71 | 10.49 | 8.00 | 7.31 | 7.68 | 7.38 | 6.22 | 6.96 | 6.54 | 8.41 |
| May 15.... | 12.11 | 11.62 | 10.48 | 8.08 | 7.35 | 7.59 | 7.17 | 6.23 | 6.68 | 6.30 | 8.26 |
| June 15.... | 12.40 | 11.88 | 10.60 | 8.39 | 7.53 | 7.69 | 7.53 | 6.33 | 5.72 | 6.57 | 8.46 |
| July 15.... | 12.38 | 12.33 | 10.77 | 8.54 | 7.87 | 7.80 | 7.46 | 6.33 | 5.74 | 6.37 | 8.66 |
| Aug. 15.... | 12.43 | 12.22 | 10.56 | 8.59 | 7.75 | 8.05 | 7.53 | 6.62 | 5.93 | 6.29 | 8.70 |
| Sept. 15.... | 12.39 | 12.67 | 11.08 | 8.77 | 7.80 | 8.06 | 7.73 | 6.83 | 6.11 | 6.43 | 8.88 |
| Oct. 15.... | 12.37 | 12.35 | 11.10 | 8.59 | 7.91 | 7.97 | 7.72 | 6.90 | 6.15 | 6.41 | 8.80 |
| Nov. 15.... | 12.65 | 11.94 | 10.66 | 8.60 | 7.69 | 7.73 | 7.70 | 6.77 | 6.10 | 6.39 | 8.68 |
| Dec. 15.... | 12.67 | 12.31 | 10.98 | 8.79 | 7.61 | 7.61 | 7.74 | 6.88 | 5.98 | 6.28 | 8.70 |

BUTTER AND EGGS.

TABLE 236.—Butter: Wholesale price per pound, 1913-1919.

[Creamery, extra.]

| Date. | Chicago. ¹ | | | Cincinnati. | | | Milwaukee. | | | New York. | | | Boston. | | |
|--------------------|-----------------------|-------|----------|-------------|-------|----------|------------|-------|----------|-----------|-------|----------|---------|-------|----------|
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | | | | | | | | | | | | | | | |
| January-June..... | 25 | 36 | | 31 | 40 | | 27 | 35 | | 26½ | 42 | | 28 | 36½ | |
| July-December..... | 24 | 36 | | 30 | 39½ | | 26 | 35½ | | 26 | 37½ | | 27 | 35 | |
| 1914. | | | | | | | | | | | | | | | |
| January-June..... | 24 | 35½ | | 27½ | 39½ | | 23½ | 35½ | | 24½ | 50 | | 25 | 34½ | |
| July-December..... | 26 | 34 | | 30 | 38 | | 26½ | 34 | | 26½ | 37½ | | 27½ | 33½ | |
| 1915. | | | | | | | | | | | | | | | |
| January-June..... | 26 | 34 | | 29½ | 38 | | 25½ | 34 | | 24 | 36 | | 27 | 33½ | |
| July-December..... | 24 | 34 | | 28 | 38 | | 24 | 34 | | 25 | 36½ | | 26 | 32 | |
| 1916. | | | | | | | | | | | | | | | |
| January-June..... | 27½ | 36½ | | 32 | 40 | | 28 | 36 | | 29 | 38 | | 29½ | 35½ | |
| July-December..... | 27½ | 42 | | 31½ | 46 | | 27½ | 42 | | 28½ | 42½ | | 29 | 39 | |
| 1917. | | | | | | | | | | | | | | | |
| January-June..... | 36 | 46 | | 39 | 50 | | 36 | 46 | | 37½ | 46½ | | 38 | 47 | |
| July-December..... | 36½ | 49 | | 39 | 53 | | 38½ | 48 | | 37½ | 51½ | | 39½ | 46 | |
| 1918. | | | | | | | | | | | | | | | |
| January-June..... | 40 | 49½ | 44.4 | 44 | 54 | 49.0 | 40 | 49 | 44.3 | 40½ | 54½ | 47.1 | 42 | 49 | 44.3 |
| July-December..... | 42½ | 67½ | 54.0 | 46 | 71 | 57.2 | 42½ | 65½ | 53.6 | 44½ | 70 | 56.2 | 44½ | 67 | 55.4 |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 42½ | 68 | 60.2 | 56½ | 71 | 66.4 | 41 | 66 | 59.7 | 46 | 71 | 61.9 | 47 | 69 | 62.6 |
| February..... | 43½ | 65 | 49.2 | 47 | 56½ | 51.8 | 41 | 53½ | 47.7 | 47½ | 57 | 52.0 | 48 | 55 | 50.5 |
| March..... | 55 | 65½ | 59.7 | 59 | 70 | 63.5 | 53 | 63½ | 57.7 | 55½ | 69½ | 61.8 | 55 | 69 | 62.3 |
| April..... | 59 | 63½ | 61.7 | 64½ | 67½ | 66.5 | 57½ | 64 | 60.8 | 61 | 67½ | 64.6 | 63 | 69 | 65.4 |
| May..... | 54½ | 58½ | 56.7 | 59½ | 65½ | 60.2 | 52 | 60 | 55.3 | 55 | 60 | 55.3 | 56½ | 61½ | 59.1 |
| June..... | 49½ | 53 | 51.1 | 52½ | 55 | 54.0 | 48½ | 55 | 50.3 | 51 | 55 | 52.4 | 52 | 56 | 53.2 |
| Jan.-June..... | 42½ | 68 | 56.4 | 47 | 71 | 60.4 | 41 | 66 | 51.9 | 46 | 71 | 58.5 | 47 | 69 | 58.8 |
| July..... | 48 | 53½ | 51.4 | 51½ | 55½ | 54.4 | 48 | 53½ | 51.3 | 49½ | 56½ | 53.0 | 50½ | 56 | 53.3 |
| August..... | 52 | 54½ | 53.4 | 56 | 57 | 56.8 | 52 | 55½ | 53.7 | 57 | 58 | 55.3 | 54½ | 57½ | 56.0 |
| September..... | 54½ | 63½ | 56.9 | 57 | 59½ | 58.2 | 53½ | 63 | 55.9 | 57 | 63 | 58.9 | 57 | 61 | |
| October..... | 62½ | 66½ | 64.2 | 66 | 68½ | 67.0 | 59 | 66 | 63.4 | 64 | 70 | 67.5 | 62 | 67 | 64.5 |
| November..... | 65 | 71½ | 69.0 | 68½ | 75 | 71.8 | 66 | 72 | 68.7 | 69½ | 73½ | 71.2 | 67 | 71 | 68.6 |
| December..... | 63 | 72 | 67.7 | | | | | | | 70 | 74 | 72.5 | 70 | 73½ | 72.7 |
| July-Dec..... | 48 | 72 | 60.4 | | | | | | | 49½ | 74 | 63.1 | 50½ | 73½ | |

¹ From reports of the Bureau of Markets for 1919.

BUTTER AND EGGS—Continued.

TABLE 237.—Butter: Average price received by farmers on 1st of each month, by States 1919, and United States 1909-1918.

| State and year. | Butter, cents per pound. | | | | | | | | | | | |
|---------------------|--------------------------|------|------|------|------|-------|-------|-------|-------|------|------|------|
| | Jan. | Feb. | Mar. | Apr. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
| Maine..... | 58 | 58 | 51 | 52 | 52 | 53 | 52 | 52 | 60 | 59 | 61 | 65 |
| New Hampshire..... | 61 | 59 | 54 | 59 | 64 | 61 | 58 | 60 | 61 | 61 | 66 | 65 |
| Vermont..... | 65 | 62 | 54 | 60 | 64 | 63 | 58 | 60 | 62 | 62 | 67 | 70 |
| Massachusetts..... | 62 | 62 | 56 | 64 | 71 | 61 | 59 | 58 | 59 | 62 | 65 | 70 |
| Rhode Island..... | 67 | 60 | 52 | 70 | 66 | 70 | 60 | 62 | 65 | 62 | 67 | 68 |
| Connecticut..... | 61 | 64 | 56 | 59 | 61 | 61 | 59 | 62 | 57 | 65 | 65 | 65 |
| New York..... | 64 | 60 | 51 | 58 | 61 | 60 | 58 | 57 | 60 | 60 | 65 | 68 |
| New Jersey..... | 64 | 60 | 53 | 60 | 63 | 62 | 64 | 60 | 63 | 63 | 69 | 72 |
| Pennsylvania..... | 62 | 57 | 48 | 54 | 60 | 57 | 53 | 55 | 56 | 60 | 64 | 68 |
| Delaware..... | 60 | 55 | 50 | 60 | 60 | 40 | 50 | 50 | 50 | 56 | 60 | 61 |
| Maryland..... | 56 | 53 | 49 | 49 | 51 | 51 | 46 | 49 | 51 | 51 | 54 | 58 |
| Virginia..... | 49 | 48 | 44 | 47 | 47 | 44 | 42 | 42 | 46 | 48 | 48 | 54 |
| West Virginia..... | 49 | 47 | 45 | 43 | 44 | 45 | 41 | 45 | 46 | 47 | 48 | 54 |
| North Carolina..... | 45 | 42 | 41 | 40 | 36 | 40 | 42 | 42 | 44 | 46 | 49 | 51 |
| South Carolina..... | 53 | 49 | 44 | 47 | 50 | 48 | 50 | 51 | 52 | 53 | 52 | 56 |
| Georgia..... | 45 | 42 | 41 | 41 | 43 | 42 | 44 | 44 | 46 | 47 | 48 | 50 |
| Florida..... | 50 | 56 | 52 | 49 | 57 | 57 | 53 | 53 | 56 | 54 | 59 | 61 |
| Ohio..... | 56 | 48 | 43 | 47 | 50 | 47 | 45 | 47 | 49 | 52 | 58 | 63 |
| Indiana..... | 53 | 43 | 40 | 44 | 46 | 46 | 44 | 45 | 45 | 48 | 54 | 58 |
| Illinois..... | 54 | 48 | 41 | 47 | 49 | 48 | 47 | 48 | 49 | 51 | 54 | 59 |
| Michigan..... | 58 | 51 | 44 | 50 | 54 | 50 | 48 | 50 | 52 | 54 | 59 | 63 |
| Wisconsin..... | 65 | 54 | 50 | 56 | 59 | 56 | 54 | 53 | 54 | 57 | 63 | 67 |
| Minnesota..... | 62 | 51 | 45 | 52 | 57 | 54 | 51 | 52 | 52 | 54 | 61 | 66 |
| Iowa..... | 60 | 51 | 44 | 49 | 54 | 52 | 48 | 51 | 51 | 53 | 58 | 63 |
| Missouri..... | 48 | 43 | 38 | 41 | 44 | 42 | 42 | 42 | 44 | 44 | 48 | 52 |
| North Dakota..... | 54 | 47 | 39 | 44 | 47 | 51 | 45 | 48 | 52 | 50 | 57 | 60 |
| South Dakota..... | 59 | 51 | 44 | 49 | 53 | 53 | 50 | 51 | 51 | 54 | 62 | 65 |
| Nebraska..... | 56 | 46 | 41 | 46 | 51 | 49 | 45 | 47 | 49 | 51 | 58 | 60 |
| Kansas..... | 53 | 47 | 40 | 45 | 48 | 48 | 46 | 48 | 50 | 50 | 56 | 60 |
| Kentucky..... | 40 | 39 | 36 | 38 | 40 | 40 | 38 | 38 | 39 | 41 | 43 | 49 |
| Tennessee..... | 38 | 40 | 36 | 35 | 36 | 36 | 35 | 36 | 37 | 38 | 41 | 44 |
| Alabama..... | 39 | 40 | 35 | 34 | 36 | 37 | 35 | 37 | 37 | 39 | 39 | 45 |
| Mississippi..... | 43 | 44 | 37 | 39 | 38 | 39 | 39 | 41 | 40 | 42 | 47 | 48 |
| Louisiana..... | 55 | 49 | 46 | 46 | 51 | 51 | 42 | 42 | 45 | 43 | 48 | 56 |
| Texas..... | 45 | 43 | 40 | 37 | 37 | 39 | 28 | 39 | 40 | 41 | 45 | 49 |
| Oklahoma..... | 48 | 44 | 40 | 41 | 46 | 44 | 44 | 43 | 44 | 46 | 52 | 56 |
| Arkansas..... | 43 | 40 | 37 | 38 | 36 | 37 | 40 | 38 | 40 | 41 | 46 | 50 |
| Montana..... | 56 | 52 | 44 | 48 | 50 | 50 | 48 | 47 | 49 | 52 | 57 | 60 |
| Wyoming..... | 61 | 56 | 46 | 52 | 49 | 50 | 50 | 48 | 49 | 54 | 60 | 67 |
| Colorado..... | 60 | 56 | 43 | 50 | 53 | 49 | 48 | 51 | 53 | 54 | 60 | 65 |
| New Mexico..... | 64 | 62 | 57 | 55 | 58 | 60 | 55 | 52 | 51 | 59 | 60 | 65 |
| Arizona..... | 70 | 75 | 60 | 66 | 58 | 65 | 61 | 64 | 59 | 58 | 75 | 69 |
| Utah..... | 53 | 48 | 42 | 48 | 55 | 50 | 45 | 46 | 51 | 53 | 58 | 63 |
| Nevada..... | 67 | 64 | 45 | 45 | 50 | 50 | 55 | | 59 | 65 | 56 | 72 |
| Idaho..... | 59 | 56 | 47 | 53 | 53 | 54 | 48 | 54 | 53 | 59 | 64 | 65 |
| Washington..... | 63 | 65 | 53 | 57 | 58 | 56 | 56 | 59 | 59 | 65 | 65 | 68 |
| Oregon..... | 62 | 59 | 52 | 54 | 54 | 53 | 52 | 53 | 59 | 61 | 65 | 65 |
| California..... | 62 | 58 | 54 | 56 | 54 | 58 | 56 | 58 | 55 | 60 | 65 | 67 |
| United States..... | 54.9 | 49.6 | 43.8 | 47.6 | 50.3 | 49.1 | 47.2 | 48.2 | 49.7 | 51.5 | 56.0 | 60.0 |
| 1918..... | 43.1 | 43.7 | 43.4 | 40.7 | 39.9 | 38.6 | 38.2 | 39.7 | 41.4 | 47.2 | 49.7 | 52.7 |
| 1917..... | 34.0 | 33.5 | 34.1 | 33.5 | 36.1 | 35.0 | 33.5 | 34.0 | 36.1 | 38.9 | 40.9 | 41.9 |
| 1916..... | 28.3 | 27.6 | 27.1 | 27.6 | 27.9 | 26.5 | 25.7 | 26.1 | 27.4 | 29.0 | 31.1 | 34.4 |
| 1915..... | 28.7 | 27.9 | 26.8 | 25.8 | 25.7 | 24.8 | 24.2 | 24.2 | 24.5 | 25.3 | 26.4 | 27.6 |
| 1914..... | 29.2 | 27.4 | 26.0 | 24.9 | 23.8 | 22.9 | 23.7 | 23.7 | 25.3 | 26.0 | 26.3 | 28.4 |
| 1913..... | 28.4 | 27.6 | 27.5 | 27.6 | 27.0 | 25.5 | 24.7 | 24.9 | 25.9 | 27.5 | 28.2 | 29.2 |
| 1912..... | 28.1 | 29.0 | 27.2 | 26.1 | 26.0 | 24.8 | 23.4 | 23.7 | 24.2 | 25.6 | 26.9 | 28.8 |
| 1911..... | 27.8 | 24.1 | 22.7 | 22.6 | 21.4 | 20.3 | 20.4 | 21.7 | 23.1 | 23.8 | 25.2 | 27.4 |
| 1910..... | 28.7 | 27.9 | 26.3 | 25.8 | 25.5 | 24.1 | 23.3 | 23.8 | 25.2 | 26.2 | 27.1 | 27.8 |
| 1909..... | | 25.1 | 24.5 | 24.2 | 24.0 | 22.5 | 21.9 | 22.4 | 23.3 | 25.0 | 26.2 | 27.4 |

BUTTER AND EGGS—Continued.

TABLE 238.—*Butter: International trade, calendar years 1909–1913, 1917, and 1918.*

[Butter includes all butter made from milk, melted and renovated butter, but does not include margarine, coco butter, or ghee. See "General note," Table 220.]

EXPORTS.

[000 omitted.]

| Country. | Average, 1909–1913. | 1917 (prelim- inary). | 1918 (prelim- inary). | Country. | Average, 1909–1913. | 1919 (prelim- inary). | 1918 (prelim- inary). |
|----------------------|------------------------|-----------------------------|-----------------------------|----------------------|------------------------|-----------------------------|-----------------------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Argentina..... | 6,934 | 21,672 | 41,821 | Netherlands..... | 75,133 | 54,216 | 5,414 |
| Australia..... | 77,859 | 72,278 | | New Zealand..... | 38,761 | 28,492 | 48,275 |
| Austria-Hungary..... | 4,267 | | | Norway..... | 3,187 | (1) | |
| Belgium..... | 3,125 | | | Russia..... | 150,294 | 3 | |
| Canada..... | 3,973 | 4,345 | 10,919 | Sweden..... | 45,870 | | |
| Denmark..... | 195,530 | 135,502 | 32,126 | United States..... | 4,125 | 7,193 | 26,194 |
| Finland..... | 26,337 | | | Other countries..... | 4,811 | | |
| France..... | 40,769 | 7,514 | 2,620 | | | | |
| Germany..... | 498 | | | | | | |
| Italy..... | 7,870 | 172 | 109 | Total..... | 689,293 | | |

IMPORTS.

| <i>Into—</i> | | | | <i>Into—</i> | | | |
|---------------------------|--------|-------|-----|----------------------|---------|---------|---------|
| Austria-Hungary..... | 6,281 | | | Germany..... | 111,441 | | |
| Belgium..... | 14,024 | | | Netherlands..... | 4,987 | | |
| Brazil..... | 4,551 | 14 | | Russia..... | 2,202 | | |
| British South Africa..... | 4,224 | | | Sweden..... | 330 | 15,756 | |
| Canada..... | 3,388 | 466 | 864 | Switzerland..... | 11,106 | 369 | 54 |
| Denmark..... | 6,241 | 1 | | United Kingdom..... | 455,489 | 201,605 | 176,692 |
| Dutch East Indies..... | 4,152 | 4,308 | | Other countries..... | 27,364 | | |
| Egypt..... | 2,350 | 533 | 802 | | | | |
| Finland..... | 2,370 | | | Total..... | 674,223 | | |
| France..... | 13,713 | 742 | 984 | | | | |

¹ Less than 500 pounds.

TABLE 239.—*Butter: Receipts at seven leading markets in the United States, 1891–1919.*

[From Board of Trade, Chamber of Commerce, and Merchants' Exchange reports; for 1917 and subsequently from Bureau of Markets.]

[000 omitted.]

| Year. | Boston. | Chicago. | Mil- waukee. | St. Louis. | San Fran- cisco. | Total 5 cities. | Cincin- nati. | New York. |
|----------------|----------------|----------------|-----------------|----------------|---------------------|--------------------|------------------|------------------|
| | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Packages.</i> | <i>Packages.</i> |
| Averages: | | | | | | | | |
| 1891–1895..... | 40,955 | 145,225 | 3,996 | 13,944 | 15,240 | 219,360 | 88 | 1,741 |
| 1896–1900..... | 50,790 | 232,289 | 5,096 | 14,582 | 14,476 | 317,233 | 157 | 2,010 |
| 1901–1905..... | 57,716 | 245,203 | 7,164 | 14,685 | 15,026 | 339,794 | 177 | 2,122 |
| 1906–1910..... | 66,612 | 289,518 | 8,001 | 17,903 | 13,581 | 392,615 | 169 | 2,207 |
| 1901..... | 57,500 | 253,809 | 5,590 | 13,477 | 14,972 | 345,348 | 238 | 2,040 |
| 1902..... | 54,574 | 219,233 | 7,290 | 14,573 | 14,801 | 310,471 | 223 | 1,933 |
| 1903..... | 54,347 | 232,032 | 6,857 | 14,080 | 13,570 | 320,886 | 121 | 2,113 |
| 1904..... | 55,435 | 249,024 | 7,993 | 15,727 | 14,336 | 342,515 | 147 | 2,170 |
| 1905..... | 66,725 | 271,915 | 8,091 | 15,566 | 17,450 | 379,747 | 155 | 2,355 |
| 1906..... | 65,152 | 248,648 | 8,209 | 13,198 | 9,282 | 344,490 | 205 | 2,242 |
| 1907..... | 63,589 | 263,715 | 8,219 | 13,453 | 17,359 | 366,335 | 187 | 2,113 |
| 1908..... | 69,843 | 316,696 | 8,798 | 18,614 | 18,833 | 427,783 | 166 | 2,175 |
| 1909..... | 65,054 | 294,547 | 7,453 | 21,086 | 14,486 | 392,631 | 150 | 2,250 |
| 1910..... | 69,421 | 318,966 | 7,319 | 23,163 | 13,994 | 432,883 | 135 | 2,267 |
| 1911..... | 63,674 | 334,932 | 8,632 | 24,839 | 21,118 | 453,365 | 162 | 2,406 |
| 1912..... | 71,609 | 267,799 | 6,927 | 20,399 | 24,887 | 411,621 | 120 | 2,433 |
| 1913..... | 71,703 | 286,220 | 9,415 | 24,685 | 23,027 | 415,061 | 102 | 2,522 |
| 1914..... | 73,028 | 311,557 | 9,716 | 24,614 | 22,421 | 441,336 | 72 | 2,506 |
| 1915..... | 82,082 | 344,879 | 8,679 | 21,264 | 28,349 | 485,263 | 129 | 2,741 |
| 1916..... | 79,305 | 359,195 | 7,976 | 16,445 | 28,029 | 490,950 | 151 | 2,918 |
| 1917..... | 69,168 | 323,100 | 6,116 | 16,996 | 25,032 | 440,412 | 63 | 2,575 |
| 1918..... | 71,440 | 277,661 | 5,094 | 14,104 | 22,908 | 391,267 | 68 | 2,804 |
| 1919..... | 73,223 | 185,779 | 6,114 | 18,111 | 22,031 | 305,528 | 683 | 2,980 |

(Philadelphia.)

Digitized

BUTTER AND EGGS—Continued.

TABLE 239.—Butter: Receipts at seven leading markets in the United States, 1891–1919—Continued.

[000 omitted.]

| Year. | Boston. | Chicago. | Milwaukee. | St. Louis. | San Francisco. | Total 5 cities. | Philadelphia. | New York. |
|----------------|---------|----------|------------|------------|----------------|-----------------|---------------|-----------|
| | Pounds. | Pounds. | Pounds. | Pounds. | Pounds. | Pounds. | Packages. | Packages. |
| 1919. | | | | | | | | |
| January..... | 4 014 | 12,324 | 457 | 1,313 | 1,266 | 19,374 | 51 | 219 |
| February..... | 3,821 | 10,177 | 434 | 1,188 | 1,479 | 17,090 | 43 | 215 |
| March..... | 3,140 | 11,458 | 480 | 1,052 | 2,014 | 18,144 | 50 | 216 |
| April..... | 4,378 | 12,891 | 489 | 1,167 | 2,792 | 21,717 | 55 | 228 |
| May..... | 9,554 | 23,168 | 559 | 2,069 | 2,979 | 38,329 | 68 | 305 |
| June..... | 14,107 | 33,373 | 786 | 2,337 | 2,434 | 53,037 | 89 | 379 |
| July..... | 13,699 | 24,627 | 782 | 1,923 | 2,202 | 43,233 | 67 | 312 |
| August..... | 7,609 | 18,556 | 487 | 1,802 | 1,832 | 30,286 | 58 | 263 |
| September..... | 5,241 | 13,156 | 509 | 1,313 | 1,094 | 21,313 | 55 | 263 |
| October..... | 3,412 | 10,758 | 444 | 1,381 | 1,337 | 17,332 | 59 | 215 |
| November..... | 2,210 | 7,722 | 348 | 1,317 | 1,333 | 12,930 | 56 | 204 |
| December..... | 2,038 | 7,569 | 339 | 1,249 | 1,269 | 12,464 | 40 | 161 |

TABLE 240.—Eggs: Wholesale price per dozen, 1913–1919.

| Date. | Chicago, fresh firsts. | | | Cincinnati. ¹ | | | St. Louis, fresh firsts. | | | Milwaukee, fresh firsts. | | | New York, fresh firsts. | | |
|--------------------|------------------------|-------|----------|--------------------------|-------|----------|--------------------------|-------|----------|--------------------------|-------|----------|-------------------------|-------|----------|
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| January–June..... | 16½ | 27½ | | 15½ | 27½ | | 14½ | 25 | | 14 | 25 | | 20 | 40 | |
| July–December..... | 16 | 37 | | 15½ | 42 | | 12 | 35 | | 13 | 35 | | 25 | 65 | |
| 1914. | | | | | | | | | | | | | | | |
| January–June..... | 17 | 32½ | | 16½ | 36 | | 14 | 31 | | 15 | 30 | | 20 | 50 | |
| July–December..... | 18 | 36 | | 18½ | 38½ | | 13 | 35 | | 16 | 32 | | 24 | 62 | |
| 1915. | | | | | | | | | | | | | | | |
| January–June..... | 16 | 38 | | 12½ | 40½ | | 15½ | 37½ | | 15½ | 34 | | 18 | 44 | |
| July–December..... | 16 | 30½ | | 10 | 36 | | 14½ | 30 | | 15½ | 32 | | 18 | 40 | |
| 1916. | | | | | | | | | | | | | | | |
| January–June..... | 18½ | 32½ | | 17 | 34½ | | 17 | 31 | | 17 | 31 | | 20½ | 35 | |
| July–December..... | 21½ | 41 | | 17½ | 47 | | 22 | 39 | | 19 | 38 | | 23½ | 47 | |
| 1917. | | | | | | | | | | | | | | | |
| January–June..... | 26 | 49 | | 22 | 53 | | 25½ | 44 | | 25½ | 44 | | 28½ | 53 | |
| July–December..... | 30½ | 57 | | 20 | 57 | | 26 | 51 | | 30½ | 55 | | 34 | 62 | |
| 1918. | | | | | | | | | | | | | | | |
| January–June..... | 29 | 63 | 40.1 | 26 | 66 | 38.6 | 26 | 59 | 38.0 | 30 | 58 | 47.4 | 31½ | 70 | 44.5 |
| July–December..... | 34 | 65 | 48.3 | 33 | 65 | 46.4 | 30 | 63 | 45.6 | 34 | 63 | 46.5 | 36 | 72 | 52.7 |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 43½ | 63½ | 56.6 | 52 | 62 | 57.5 | 38 | 62 | 54.4 | 45 | 60 | 55.3 | 57½ | 68 | 62.5 |
| February..... | 35 | 44 | 38.9 | 32½ | 38 | 35.2 | 33 | 40½ | 37.0 | 35 | 43 | 37.0 | 40½ | 51½ | 43.9 |
| March..... | 37½ | 41 | 38.8 | 36 | 40 | 37.9 | 35½ | 40 | 38.0 | 38 | 39 | 38.2 | 39½ | 45½ | 42.1 |
| April..... | 38½ | 43½ | 39.9 | 38½ | 40½ | 39.5 | 37 | 41 | 38.8 | 37½ | 42 | 39.6 | 40½ | 45½ | 43.2 |
| May..... | 41½ | 45 | 43.0 | 40½ | 44 | 42.1 | 37½ | 43 | 40.6 | 42 | 43½ | 42.7 | 43½ | 49 | 46.1 |
| June..... | 37 | 41½ | 39.7 | 36 | 41 | 38.0 | 34 | 38½ | 35.7 | 38 | 42 | 39.3 | 36½ | 48 | 43.7 |
| January–June..... | 35 | 63½ | 42.8 | 32½ | 52 | 41.7 | 33 | 62 | 40.7 | 35 | 60 | 42.0 | 36½ | 68 | 46.9 |
| July..... | 39 | 43½ | 41.4 | 43 | 44 | 43.8 | 36½ | 38½ | 38.0 | 39 | 43 | 40.6 | 51 | 55 | 52.8 |
| August..... | 40 | 43 | 41.7 | 42 | 46 | 44.5 | 36½ | 41 | 39.5 | 40½ | 43 | 41.8 | 54 | 56 | 54.6 |
| September..... | 42½ | 52 | 44.7 | 47 | 50 | 48.5 | 41 | 47½ | 43.2 | 40 | 48 | 43.4 | 54 | 64 | 56.6 |
| October..... | 51 | 58½ | 55.7 | 55 | 58 | 57.0 | 47 | 56½ | 51.7 | 48 | 56 | 52.9 | 64 | 70 | 67.2 |
| November..... | 57½ | 75 | 64.6 | | | | 56½ | 69 | 62.4 | | | | 69 | 84 | 75.1 |
| December..... | 65 | 80 | 73.8 | 74 | 78 | 74.0 | 60 | 72 | 66.1 | 60 | 74 | 63.8 | 67 | 94 | 76.9 |
| July–December..... | 39 | 80 | 53.6 | 42 | 78 | 55.7 | 36½ | 72 | 50.2 | 39 | 74 | 50.9 | 51 | 94 | 64.4 |

¹ 1918, fresh firsts; previous years include seconds.

BUTTER AND EGGS—Continued.

TABLE 241.—Eggs: Average price received by farmers on 1st of each month, by States 1918, and United States 1909–1918.

| State and year. | Eggs, cents per dozen. | | | | | | | | | | | |
|---------------------|------------------------|------|------|------|------|-------|-------|-------|-------|------|------|------|
| | Jan. | Feb. | Mar. | Apr. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
| Maine..... | 72 | 63 | 45 | 42 | 41 | 49 | 51 | 52 | 62 | 63 | 70 | 76 |
| New Hampshire..... | 77 | 63 | 48 | 45 | 45 | 51 | 56 | 60 | 60 | 64 | 74 | 88 |
| Vermont..... | 70 | 59 | 44 | 41 | 43 | 46 | 48 | 57 | 59 | 61 | 67 | 77 |
| Massachusetts..... | 88 | 71 | 55 | 56 | 55 | 57 | 62 | 66 | 71 | 73 | 84 | 92 |
| Rhode Island..... | 82 | 62 | 55 | 43 | 54 | 62 | | 55 | 69 | 68 | 77 | 98 |
| Connecticut..... | 81 | 67 | 48 | 43 | 49 | 53 | 57 | 64 | 69 | 70 | 80 | 90 |
| New York..... | 71 | 61 | 43 | 41 | 43 | 47 | 49 | 53 | 57 | 60 | 68 | 80 |
| New Jersey..... | 78 | 68 | 47 | 42 | 48 | 52 | 55 | 60 | 68 | 65 | 75 | 84 |
| Pennsylvania..... | 63 | 58 | 39 | 38 | 40 | 42 | 43 | 48 | 50 | 55 | 64 | 72 |
| Delaware..... | 58 | 52 | 38 | 39 | 40 | 41 | 42 | 45 | 48 | 54 | 65 | 71 |
| Maryland..... | 62 | 55 | 38 | 36 | 38 | 40 | 41 | 43 | 46 | 48 | 60 | 67 |
| Virginia..... | 55 | 52 | 37 | 33 | 37 | 39 | 40 | 40 | 43 | 46 | 53 | 60 |
| West Virginia..... | 58 | 52 | 37 | 34 | 37 | 39 | 39 | 41 | 42 | 46 | 52 | 60 |
| North Carolina..... | 50 | 45 | 31 | 30 | 32 | 35 | 36 | 36 | 41 | 46 | 49 | 54 |
| South Carolina..... | 52 | 47 | 36 | 31 | 33 | 37 | 40 | 37 | 41 | 49 | 53 | 54 |
| Georgia..... | 54 | 44 | 31 | 30 | 32 | 35 | 35 | 36 | 40 | 45 | 48 | 54 |
| Florida..... | 56 | 53 | 35 | 33 | 38 | 36 | 38 | 39 | 47 | 48 | 54 | 61 |
| Ohio..... | 58 | 49 | 35 | 35 | 40 | 41 | 38 | 42 | 42 | 47 | 58 | 67 |
| Indiana..... | 52 | 45 | 33 | 34 | 38 | 39 | 36 | 40 | 40 | 44 | 56 | 63 |
| Illinois..... | 56 | 45 | 33 | 34 | 37 | 39 | 35 | 37 | 39 | 42 | 53 | 61 |
| Michigan..... | 58 | 49 | 36 | 37 | 38 | 41 | 38 | 44 | 43 | 44 | 56 | 61 |
| Wisconsin..... | 56 | 48 | 33 | 34 | 38 | 40 | 37 | 38 | 39 | 43 | 50 | 60 |
| Minnesota..... | 53 | 42 | 30 | 33 | 37 | 38 | 24 | 36 | 37 | 41 | 51 | 60 |
| Iowa..... | 56 | 45 | 30 | 34 | 37 | 38 | 34 | 37 | 37 | 41 | 51 | 57 |
| Missouri..... | 53 | 44 | 32 | 34 | 36 | 36 | 32 | 34 | 35 | 38 | 49 | 58 |
| North Dakota..... | 50 | 44 | 30 | 31 | 33 | 36 | 31 | 33 | 35 | 36 | 43 | 54 |
| South Dakota..... | 51 | 43 | 28 | 31 | 35 | 36 | 32 | 33 | 35 | 38 | 50 | 57 |
| Nebraska..... | 50 | 41 | 31 | 32 | 34 | 36 | 31 | 32 | 33 | 37 | 50 | 56 |
| Kansas..... | 55 | 43 | 30 | 33 | 35 | 35 | 32 | 33 | 34 | 38 | 50 | 59 |
| Kentucky..... | 49 | 45 | 32 | 32 | 35 | 36 | 33 | 35 | 36 | 41 | 48 | 56 |
| Tennessee..... | 51 | 44 | 30 | 31 | 33 | 35 | 32 | 33 | 35 | 39 | 46 | 55 |
| Alabama..... | 49 | 43 | 28 | 27 | 29 | 32 | 31 | 33 | 36 | 41 | 41 | 49 |
| Mississippi..... | 50 | 44 | 29 | 29 | 29 | 32 | 32 | 32 | 37 | 40 | 45 | 50 |
| Louisiana..... | 59 | 47 | 33 | 30 | 30 | 32 | 33 | 35 | 38 | 42 | 46 | 54 |
| Texas..... | 55 | 46 | 30 | 29 | 29 | 30 | 31 | 30 | 33 | 37 | 43 | 51 |
| Oklahoma..... | 58 | 45 | 30 | 30 | 33 | 34 | 32 | 31 | 32 | 35 | 45 | 56 |
| Arkansas..... | 49 | 42 | 27 | 29 | 29 | 30 | 30 | 30 | 34 | 39 | 46 | 51 |
| Montana..... | 64 | 50 | 33 | 33 | 31 | 34 | 37 | 39 | 41 | 43 | 58 | 65 |
| Wyoming..... | 61 | 56 | 40 | 36 | 37 | 34 | 39 | 41 | 46 | 47 | 60 | 66 |
| Colorado..... | 63 | 57 | 36 | 36 | 36 | 36 | 38 | 43 | 46 | 46 | 57 | 62 |
| New Mexico..... | 63 | 58 | 42 | 39 | 38 | 39 | 38 | 45 | 45 | 49 | 49 | 59 |
| Arizona..... | 67 | 82 | 54 | 50 | 45 | 50 | 51 | 51 | 61 | 55 | 60 | 77 |
| Utah..... | 56 | 46 | 34 | 32 | 34 | 34 | 32 | 33 | 35 | 39 | 47 | 60 |
| Nevada..... | 81 | 68 | 40 | 32 | 40 | 40 | 58 | | 60 | 66 | 4 | 72 |
| Idaho..... | 63 | 60 | 33 | 35 | 35 | 35 | 34 | 40 | 42 | 45 | 59 | 66 |
| Washington..... | 66 | 59 | 40 | 38 | 39 | 42 | 42 | 47 | 55 | 57 | 64 | 73 |
| Oregon..... | 65 | 56 | 39 | 37 | 39 | 40 | 41 | 44 | 50 | 53 | 60 | 71 |
| California..... | 69 | 55 | 40 | 34 | 37 | 43 | 44 | 46 | 47 | 54 | 67 | 68 |
| United States..... | 57.2 | 48.3 | 33.1 | 34.3 | 36.8 | 36.6 | 36.8 | 39.3 | 41.0 | 44.7 | 54.0 | 61.9 |
| 1918..... | 46.3 | 49.4 | 40.4 | 31.2 | 31.0 | 29.8 | 30.7 | 34.4 | 36.4 | 41.6 | 47.2 | 55.0 |
| 1917..... | 37.7 | 35.8 | 33.8 | 25.9 | 30.0 | 31.1 | 28.3 | 29.8 | 33.2 | 37.4 | 39.4 | 43.3 |
| 1916..... | 30.6 | 26.8 | 21.2 | 17.9 | 18.1 | 19.0 | 19.7 | 20.7 | 23.3 | 28.1 | 32.2 | 38.1 |
| 1915..... | 31.6 | 29.2 | 21.3 | 16.6 | 17.1 | 16.6 | 16.8 | 17.0 | 18.7 | 22.3 | 26.3 | 30.6 |
| 1914..... | 30.7 | 28.4 | 24.2 | 17.6 | 16.8 | 17.3 | 17.6 | 18.2 | 21.0 | 23.5 | 25.3 | 29.7 |
| 1913..... | 26.8 | 22.8 | 19.4 | 16.4 | 16.1 | 16.9 | 17.0 | 17.2 | 19.5 | 23.4 | 27.4 | 33.0 |
| 1912..... | 29.5 | 29.1 | 24.5 | 17.8 | 17.1 | 16.7 | 16.7 | 17.4 | 19.1 | 22.0 | 25.9 | 29.7 |
| 1911..... | 30.4 | 22.1 | 16.5 | 14.9 | 14.7 | 14.5 | 14.2 | 15.5 | 17.4 | 20.0 | 23.5 | 28.7 |
| 1910..... | 30.5 | 28.9 | 22.9 | 18.6 | 18.6 | 18.3 | 18.2 | 17.6 | 19.4 | 22.4 | 25.3 | 29.0 |
| 1909..... | | 25.8 | 20.1 | 16.8 | 17.8 | 18.4 | 18.5 | 19.2 | 20.2 | 22.1 | 24.8 | 28.4 |

BUTTER AND EGGS—Continued.

TABLE 242.—Eggs: Receipts at seven leading markets in the United States, 1891-1919.

[From Board of Trade, Chamber of Commerce, and Merchants' Exchange reports; for 1917 and subsequently from Bureau of Markets.]

| Year. | Boston. | Chicago. | Cincinnati. | Milwaukee. | New York. | St. Louis. | San Francisco. | Total. |
|------------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|
| Averages: | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> |
| 1891-1895..... | 722,363 | 1,879,065 | 288,548 | 90,943 | 2,113,946 | 557,320 | 166,059 | 5,818,244 |
| 1896-1900..... | 912,807 | 2,196,631 | 862,262 | 113,327 | 2,664,074 | 852,457 | 194,067 | 7,295,645 |
| 1901-1905..... | 1,155,340 | 2,990,675 | 418,842 | 139,718 | 3,057,298 | 1,000,935 | 304,933 | 9,067,741 |
| 1906-1910..... | 1,517,995 | 4,467,045 | 509,017 | 180,362 | 4,046,360 | 1,304,719 | 399,698 | 12,360,259 |
| 1901..... | 1,040,555 | 2,783,709 | 493,218 | 128,179 | 2,909,194 | 1,022,646 | 277,500 | 8,655,001 |
| 1902..... | 1,053,165 | 2,659,340 | 464,799 | 114,732 | 2,743,642 | 825,999 | 285,058 | 8,146,735 |
| 1903..... | 1,164,777 | 3,279,248 | 338,327 | 129,278 | 2,940,091 | 959,648 | 335,228 | 9,146,597 |
| 1904..... | 1,122,819 | 3,113,858 | 377,263 | 166,409 | 3,215,924 | 1,216,124 | 319,637 | 9,532,034 |
| 1905..... | 1,395,285 | 3,117,221 | 420,604 | 159,990 | 3,477,638 | 980,257 | 307,243 | 9,858,328 |
| 1905..... | 1,709,531 | 3,583,878 | 484,208 | 187,861 | 3,981,013 | 1,023,125 | 137,074 | 11,106,390 |
| 1907..... | 1,594,576 | 4,780,356 | 588,636 | 176,826 | 4,262,153 | 1,288,977 | 379,439 | 13,070,963 |
| 1908..... | 1,436,786 | 4,569,014 | 441,072 | 207,558 | 3,703,990 | 1,439,868 | 347,436 | 12,145,724 |
| 1909..... | 1,417,397 | 4,557,908 | 519,652 | 160,418 | 3,903,867 | 1,385,987 | 340,185 | 12,295,412 |
| 1910..... | 1,431,686 | 4,844,045 | 511,519 | 179,448 | 4,880,777 | 1,375,638 | 499,698 | 13,192,811 |
| 1911..... | 1,441,768 | 4,707,335 | 605,131 | 175,270 | 5,021,757 | 1,736,915 | 587,687 | 14,275,863 |
| 1912..... | 1,580,106 | 4,556,643 | 668,942 | 136,896 | 4,723,520 | 1,394,534 | 638,980 | 13,699,531 |
| 1913..... | 1,589,400 | 4,593,800 | 594,954 | 191,059 | 4,713,555 | 1,398,065 | 573,042 | 13,653,875 |
| 1914..... | 1,531,329 | 4,083,163 | 461,927 | 224,797 | 4,882,222 | 1,474,212 | 619,500 | 13,277,150 |
| 1915..... | 1,757,594 | 4,896,246 | 812,371 | 192,743 | 5,586,329 | 1,492,729 | 629,577 | 15,366,569 |
| 1916..... | 1,649,828 | 5,452,737 | 853,910 | 208,924 | 4,858,274 | 1,521,508 | 575,014 | 15,120,193 |
| 1917..... | 1,501,956 | 5,678,679 | 184,022 | 134,625 | 4,357,061 | 1,373,120 | 715,768 | 13,945,231 |
| 1918..... | 1,604,289 | 5,049,743 | 176,733 | 180,616 | 5,026,548 | 934,668 | 666,846 | 13,639,442 |
| 1919..... | 1,658,990 | 4,616,652 | 1,704,377 | 262,583 | 6,007,641 | 1,873,584 | 667,921 | 16,821,748 |

| Year. | Boston. | Chicago. | Philadelphia. | Milwaukee. | New York. | St. Louis. | San Francisco. | Total. |
|----------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|
| 1919. | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> | <i>Cases.</i> |
| January..... | 68,615 | 100,655 | 64,301 | 11,753 | 214,289 | 27,192 | 47,960 | 532,766 |
| February..... | 115,862 | 252,674 | 99,982 | 23,578 | 483,712 | 130,540 | 59,119 | 1,167,447 |
| March..... | 184,500 | 458,275 | 174,553 | 30,531 | 666,931 | 253,263 | 79,212 | 1,841,285 |
| April..... | 328,955 | 1,024,189 | 300,744 | 52,297 | 1,026,516 | 401,030 | 82,528 | 3,214,059 |
| May..... | 324,638 | 914,672 | 270,696 | 46,231 | 910,815 | 302,376 | 93,370 | 2,772,696 |
| June..... | 196,315 | 767,295 | 184,808 | 29,033 | 668,675 | 180,234 | 80,169 | 2,069,529 |
| July..... | 147,510 | 400,601 | 129,437 | 16,348 | 535,221 | 136,221 | 66,041 | 1,428,679 |
| August..... | 128,369 | 375,570 | 114,573 | 13,856 | 437,602 | 125,870 | 62,138 | 1,157,978 |
| September..... | 79,576 | 219,744 | 106,868 | 10,882 | 376,592 | 110,630 | 41,540 | 945,832 |
| October..... | 96,967 | 125,458 | 119,245 | 9,294 | 318,529 | 124,406 | 31,788 | 835,687 |
| November..... | 48,077 | 50,722 | 76,222 | 9,150 | 192,024 | 50,290 | 27,022 | 453,507 |
| December..... | 40,406 | 26,797 | 62,968 | 9,630 | 177,935 | 21,501 | 33,034 | 372,271 |

CHEESE.

TABLE 243.—Cheese: International trade, calendar years 1909-1913, 1917, and 1918.

[Cheese includes all cheese made from milk; "cottage cheese," of course, is included. See "General note," Table 220.]

EXPORTS.

[000 omitted.]

| Country. | Average, 1909-1913. | 1917 (prelim.). | 1918 (prelim.). | Country. | Average, 1909-1913. | 1917 (prelim.). | 1918 (prelim.). |
|------------------|---------------------|-----------------|-----------------|----------------------|---------------------|-----------------|-----------------|
| <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>From—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Bulgaria..... | 5,584 | | | Russia..... | 7,011 | | |
| Canada..... | 167,200 | 176,380 | 164,163 | Switzerland..... | 70,075 | 12,861 | 2,680 |
| France..... | 26,880 | 8,814 | 5,213 | United States..... | 5,142 | 53,372 | 48,405 |
| Germany..... | 1,967 | | | Other countries..... | 10,705 | | |
| Italy..... | 60,560 | 4,337 | 938 | | | | |
| Netherlands..... | 127,379 | 123,634 | 32,893 | | | | |
| New Zealand..... | 55,561 | | | | | | |
| | | | | Total..... | 538,124 | | |

CHEESE—Continued.

TABLE 243.—Cheese: International trade, calendar years 1909–1913, 1917, and 1918—Continued.

IMPORTS.
[000 omitted.]

| Country. | Average, 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). | Country. | Average, 1909–1913. | 1917 (pre- lim.). | 1918 (pre- lim.). |
|---------------------------|------------------------|-------------------------|-------------------------|----------------------|------------------------|-------------------------|-------------------------|
| <i>Into—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Into—</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Algeria..... | 6,592 | 2,821 | 2,470 | Germany..... | 48,687 | | |
| Argentina..... | 10,447 | 689 | 82 | Italy..... | 13,308 | 9 | 746 |
| Australia..... | 360 | 46 | | Russia..... | 3,911 | | |
| Austria-Hungary..... | 12,298 | | | Spain..... | 5,032 | 410 | 238 |
| Belgium..... | 31,771 | | | Switzerland..... | 7,150 | 214 | 87 |
| Brazil..... | 4,178 | 337 | | United Kingdom..... | 257,407 | 327,981 | 263,132 |
| British South Africa..... | 5,006 | | | United States..... | 46,346 | 6,333 | 7,563 |
| Cuba..... | 4,520 | 1,835 | 3,318 | Other countries..... | 19,590 | | |
| Denmark..... | 1,414 | 39 | | Total..... | 535,255 | | |
| Egypt..... | 8,182 | 533 | 302 | | | | |
| France..... | 49,056 | 12,047 | 11,206 | | | | |

CHICKENS.

TABLE 244.—Chickens: Average price received by farmers on 1st of each month, by States 1919, and United States 1909–1918.

| State. | Chickens, cents per pound. | | | | | | | | | | | |
|---------------------|----------------------------|------|------|------|------|-------|-------|-------|-------|------|------|------|
| | Jan. | Feb. | Mar. | Apr. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
| Maine..... | 29.9 | 31.5 | 30.4 | 29.8 | 30.0 | 34.1 | 35.4 | 34.2 | 32.4 | 32.0 | 29.0 | 30.6 |
| New Hampshire..... | 30.5 | 31.8 | 26.7 | 30.3 | 31.0 | 34.3 | 30.5 | 30.4 | 30.3 | 31.2 | 31.8 | 30.0 |
| Vermont..... | 28.3 | 29.1 | 26.8 | 29.4 | 30.0 | 29.4 | 29.7 | 34.4 | 32.6 | 31.4 | 29.1 | 30.0 |
| Massachusetts..... | 36.0 | 35.5 | 33.8 | 31.8 | 31.8 | 33.2 | 35.7 | 39.8 | 38.0 | 32.5 | 40.0 | 35.5 |
| Rhode Island..... | 32.5 | 33.5 | 32.0 | 30.0 | 33.8 | 35.0 | 30.0 | 36.5 | 40.0 | 39.0 | 35.0 | 39.0 |
| Connecticut..... | 34.0 | 31.6 | 31.4 | 33.6 | 34.1 | 35.0 | 36.0 | 38.4 | 39.3 | 35.3 | 37.2 | 35.5 |
| New York..... | 29.3 | 29.3 | 27.8 | 31.0 | 33.0 | 34.0 | 33.7 | 34.7 | 34.5 | 32.1 | 30.9 | 29.5 |
| New Jersey..... | 32.5 | 30.2 | 33.2 | 32.6 | 36.2 | 35.9 | 35.5 | 37.3 | 36.8 | 35.0 | 32.9 | 34.5 |
| Pennsylvania..... | 26.9 | 26.1 | 28.1 | 28.5 | 31.0 | 31.5 | 31.3 | 31.8 | 32.1 | 31.3 | 28.6 | 27.0 |
| Delaware..... | 26.0 | 26.5 | 27.0 | 36.7 | 30.0 | 30.0 | 37.5 | | 35.0 | 32.5 | 27.0 | 28.0 |
| Maryland..... | 28.1 | 28.5 | 29.7 | 30.0 | 32.5 | 29.8 | 34.3 | 32.3 | 33.2 | 30.4 | 29.1 | 28.0 |
| Virginia..... | 26.4 | 25.9 | 26.2 | 27.7 | 30.9 | 34.0 | 33.2 | 31.3 | 32.5 | 31.8 | 31.5 | 30.0 |
| West Virginia..... | 22.3 | 23.7 | 23.2 | 22.6 | 24.9 | 26.0 | 25.2 | 25.6 | 27.4 | 24.9 | 23.8 | 25.0 |
| North Carolina..... | 21.4 | 20.9 | 20.8 | 22.6 | 25.7 | 27.2 | 27.8 | 27.1 | 26.6 | 26.4 | 27.4 | 26.0 |
| South Carolina..... | 28.0 | 22.1 | 24.4 | 24.8 | 23.5 | 33.9 | 30.7 | 27.7 | 29.4 | 29.5 | 29.9 | 30.0 |
| Georgia..... | 24.5 | 22.4 | 20.8 | 21.8 | 22.9 | 23.6 | 23.6 | 26.5 | 26.2 | 25.8 | 27.4 | 27.4 |
| Florida..... | 27.5 | 26.0 | 25.0 | 25.4 | 27.2 | 29.4 | 29.5 | 26.2 | 31.2 | 29.6 | 32.1 | 30.0 |
| Ohio..... | 22.6 | 22.6 | 23.6 | 25.5 | 28.2 | 28.3 | 26.5 | 28.0 | 27.3 | 25.0 | 21.9 | 22.1 |
| Indiana..... | 20.5 | 21.1 | 22.2 | 24.1 | 27.0 | 27.5 | 26.0 | 26.0 | 25.7 | 23.8 | 21.0 | 20.6 |
| Illinois..... | 20.4 | 20.7 | 21.9 | 23.8 | 25.8 | 25.7 | 23.6 | 25.7 | 25.2 | 22.8 | 20.6 | 20.5 |
| Michigan..... | 21.8 | 21.1 | 22.9 | 23.9 | 25.0 | 25.3 | 24.6 | 25.9 | 26.2 | 24.8 | 21.0 | 20.3 |
| Wisconsin..... | 20.3 | 19.8 | 20.7 | 22.4 | 24.6 | 23.7 | 23.1 | 25.1 | 23.8 | 22.4 | 20.1 | 19.0 |
| Minnesota..... | 17.1 | 17.5 | 18.1 | 19.3 | 20.4 | 20.4 | 21.0 | 21.0 | 21.1 | 19.6 | 17.3 | 16.4 |
| Iowa..... | 19.7 | 19.8 | 20.3 | 20.9 | 22.8 | 22.9 | 21.5 | 22.5 | 22.3 | 21.1 | 18.5 | 18.2 |
| Missouri..... | 19.5 | 20.0 | 21.4 | 23.7 | 25.1 | 25.1 | 24.0 | 25.4 | 25.0 | 21.8 | 20.3 | 19.3 |
| North Dakota..... | 15.5 | 15.3 | 15.6 | 15.8 | 17.8 | 17.9 | 17.6 | 18.9 | 20.7 | 20.8 | 15.4 | 15.0 |
| South Dakota..... | 16.6 | 16.2 | 17.6 | 17.5 | 18.8 | 18.5 | 19.0 | 20.2 | 22.0 | 20.1 | 18.4 | 17.0 |
| Nebraska..... | 18.0 | 19.2 | 19.1 | 20.6 | 22.1 | 22.2 | 20.5 | 22.5 | 21.5 | 20.1 | 18.6 | 18.5 |
| Kansas..... | 19.0 | 18.9 | 20.3 | 21.3 | 22.1 | 23.0 | 23.1 | 23.4 | 22.3 | 21.1 | 20.0 | 19.1 |
| Kentucky..... | 19.5 | 19.7 | 20.8 | 23.3 | 24.9 | 26.1 | 25.6 | 26.4 | 24.5 | 22.7 | 21.1 | 20.3 |
| Tennessee..... | 19.1 | 19.2 | 20.8 | 23.3 | 24.6 | 25.6 | 25.1 | 25.1 | 23.6 | 21.9 | 22.3 | 21.0 |
| Alabama..... | 21.1 | 21.3 | 20.5 | 20.7 | 22.1 | 24.5 | 24.7 | 24.6 | 24.3 | 24.1 | 24.9 | 26.0 |
| Mississippi..... | 23.1 | 21.9 | 20.2 | 21.5 | 23.6 | 24.3 | 24.0 | 24.1 | 24.0 | 24.7 | 24.2 | 25.0 |
| Louisiana..... | 25.5 | 23.2 | 23.9 | 23.5 | 22.2 | 25.2 | 25.0 | 25.6 | 25.9 | 24.9 | 26.2 | 25.5 |
| Texas..... | 19.3 | 18.6 | 19.5 | 19.8 | 20.7 | 22.5 | 22.9 | 22.0 | 21.9 | 21.2 | 22.0 | 21.7 |
| Oklahoma..... | 17.9 | 18.0 | 19.6 | 21.4 | 22.2 | 22.1 | 22.1 | 21.5 | 21.6 | 20.9 | 20.3 | 19.0 |
| Arkansas..... | 16.7 | 16.4 | 17.2 | 19.1 | 20.2 | 19.3 | 20.4 | 20.9 | 20.8 | 19.0 | 21.7 | 19.2 |
| Montana..... | 17.8 | 20.3 | 20.3 | 19.7 | 22.1 | 21.6 | 21.5 | 24.5 | 19.0 | 21.6 | 17.2 | 16.5 |
| Wyoming..... | 19.3 | 18.6 | 22.5 | 21.5 | 21.3 | 21.5 | 23.8 | 23.1 | 25.8 | 22.6 | 27.1 | 24.0 |
| Colorado..... | 20.4 | 22.2 | 20.7 | 20.5 | 22.8 | 22.3 | 22.8 | 25.0 | 24.6 | 23.3 | 22.4 | 22.0 |
| New Mexico..... | 18.1 | 25.9 | 21.9 | 21.0 | 20.8 | 22.6 | 20.6 | 25.2 | 24.4 | 22.3 | 22.0 | 26.3 |
| Arizona..... | 28.3 | 33.8 | 33.5 | 30.0 | 31.0 | 27.3 | 31.0 | 30.0 | 35.0 | 26.8 | 40.0 | 35.0 |
| Utah..... | 18.5 | 19.5 | 17.2 | 19.8 | 21.6 | 21.9 | 19.7 | 18.3 | 30.6 | 20.9 | 20.1 | 19.3 |
| Nevada..... | 37.0 | 35.8 | 29.0 | 28.0 | 27.5 | 29.0 | 40.0 | | 35.0 | 36.2 | 36.2 | 29.8 |
| Idaho..... | 18.2 | 18.1 | 18.1 | 19.1 | 19.9 | 18.2 | 20.1 | 20.1 | 20.9 | 20.9 | 20.9 | 20.5 |
| Washington..... | 23.9 | 25.5 | 25.1 | 26.6 | 27.3 | 27.4 | 28.9 | 27.7 | 27.8 | 27.9 | 25.9 | 26.0 |
| Oregon..... | 23.5 | 24.4 | 25.1 | 26.1 | 29.8 | 27.2 | 25.6 | 26.8 | 25.2 | 25.4 | 25.0 | 24.5 |
| California..... | 29.5 | 28.4 | 29.0 | 27.9 | 31.1 | 30.0 | 26.8 | 29.8 | 28.4 | 30.2 | 30.8 | 29.0 |
| United States..... | 21.7 | 21.6 | 22.2 | 23.5 | 25.2 | 25.7 | 25.2 | 25.9 | 25.7 | 24.2 | 22.9 | 22.3 |

CHICKENS—Continued.

TABLE 244.—Chickens: Average price received by farmers on 1st of each month, by States 1919, and United States 1909-1918—Continued.

| Year. | Chickens, cents per pound. | | | | | | | | | | | |
|-------|----------------------------|------|------|------|------|-------|-------|------|-------|------|------|------|
| | Jan. | Feb. | Mar. | Apr. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
| 1919. | 17.9 | 18.8 | 19.9 | 19.8 | 19.8 | 20.0 | 21.2 | 22.6 | 22.8 | 23.1 | 22.4 | 21.8 |
| 1917. | 13.9 | 14.7 | 15.5 | 16.1 | 17.5 | 17.5 | 17.3 | 17.1 | 17.2 | 18.1 | 17.7 | 17.5 |
| 1916. | 11.4 | 11.9 | 12.2 | 12.6 | 13.2 | 13.5 | 13.8 | 13.8 | 13.9 | 14.3 | 14.3 | 14.2 |
| 1915. | 11.2 | 11.5 | 11.7 | 11.9 | 12.1 | 12.2 | 12.2 | 12.2 | 12.1 | 12.0 | 11.8 | 11.5 |
| 1914. | 11.5 | 11.7 | 12.1 | 12.3 | 12.5 | 12.5 | 12.7 | 12.8 | 12.7 | 12.5 | 11.9 | 11.3 |
| 1913. | 10.7 | 10.9 | 11.1 | 11.6 | 11.8 | 12.0 | 12.1 | 12.4 | 12.4 | 12.5 | 12.1 | 11.5 |
| 1912. | 9.8 | 10.3 | 10.5 | 10.8 | 11.1 | 11.1 | 11.0 | 11.3 | 11.3 | 11.5 | 11.2 | 10.8 |
| 1911. | 10.5 | 10.6 | 10.6 | 10.8 | 11.0 | 11.0 | 11.2 | 11.2 | 11.1 | 10.9 | 10.3 | 9.6 |
| 1910. | 10.9 | 11.1 | 11.6 | 11.9 | 12.4 | 12.4 | 12.3 | 12.2 | 11.9 | 11.6 | 11.3 | 11.6 |
| 1909. | 9.9 | 9.9 | 10.0 | 10.2 | 10.6 | 10.9 | 11.1 | 11.2 | 11.1 | 11.3 | 10.9 | 10.8 |

TABLE 245.—Turkeys and chickens: Farm price, cents per pound, 15th of month, 1915-1920.

| Date. | 1919-20 | | 1918-19 | | 1917-18 | | 1916-17 | | 1915-16 | |
|----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|
| | Turkeys. | Chickens. | Turkeys. | Chickens. | Turkeys. | Chickens. | Turkeys. | Chickens. | Turkeys. | Chickens. |
| Oct. 15. | 26.6 | 23.3 | 23.9 | 22.2 | 20.0 | 18.5 | 17.0 | 14.4 | 13.7 | 11.8 |
| Nov. 15. | 28.3 | 22.0 | 25.7 | 21.7 | 21.0 | 17.0 | 18.6 | 13.9 | 14.8 | 11.5 |
| Dec. 15. | 31.1 | 22.0 | 27.0 | 22.4 | 23.0 | 17.5 | 19.6 | 13.6 | 15.5 | 11.2 |
| Jan. 15. | 32.0 | 23.3 | 27.3 | 22.1 | 22.9 | 18.4 | 19.5 | 14.1 | 15.6 | 11.5 |

SHEEP AND WOOL.

TABLE 246.—Sheep: Number and value on farms in the United States, 1867-1920.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910 giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

| Jan. 1— | Number. | Price per head Jan. 1. | Farm value Jan. 1. | Jan. 1— | Number. | Price per head Jan. 1. | Farm value Jan. 1. |
|-----------------------|------------|------------------------|--------------------|------------------------|------------|------------------------|--------------------|
| 1867. | 39,385,000 | \$2.50 | \$98,644,000 | 1863. | 47,274,000 | \$2.66 | \$125,909,000 |
| 1868. | 38,992,000 | 1.82 | 71,053,000 | 1864. | 45,048,000 | 1.98 | 89,186,000 |
| 1869. | 37,724,000 | 1.64 | 62,037,000 | 1865. | 42,294,000 | 1.58 | 66,696,000 |
| 1870. | 40,853,000 | 1.96 | 79,876,000 | 1866. | 38,299,000 | 1.70 | 65,168,000 |
| 1870, census, June 1. | 38,477,361 | | | 1867. | 36,819,000 | 1.82 | 67,021,000 |
| 1871. | 31,851,000 | 2.14 | 68,310,000 | 1868. | 37,657,000 | 2.46 | 92,721,000 |
| 1872. | 31,679,000 | 2.61 | 82,768,000 | 1869. | 39,114,000 | 2.75 | 107,696,000 |
| 1873. | 33,002,000 | 2.71 | 89,427,000 | 1900. | 41,883,000 | 2.93 | 122,666,000 |
| 1874. | 33,938,000 | 2.43 | 82,353,000 | 1900, census, June 1. | 61,508,713 | | |
| 1875. | 33,794,000 | 2.55 | 86,278,000 | 1901 ¹ . | 59,757,000 | 2.98 | 178,072,000 |
| 1876. | 33,935,000 | 2.37 | 85,121,000 | 1902. | 62,039,000 | 2.65 | 164,446,000 |
| 1877. | 35,804,000 | 2.13 | 76,362,000 | 1903. | 63,965,000 | 2.63 | 168,318,000 |
| 1878. | 35,740,000 | 2.21 | 78,898,000 | 1904. | 51,630,000 | 2.59 | 133,530,000 |
| 1879. | 38,124,000 | 2.07 | 78,965,000 | 1905. | 45,170,000 | 2.32 | 127,332,000 |
| 1880. | 40,766,000 | 2.21 | 90,231,000 | 1906. | 50,632,000 | 3.54 | 179,056,000 |
| 1880, census, June 1. | 35,192,074 | | | 1907. | 53,240,000 | 3.84 | 204,210,000 |
| 1881. | 43,570,000 | 2.39 | 104,071,000 | 1908. | 54,631,000 | 3.88 | 211,735,000 |
| 1882. | 45,016,000 | 2.37 | 106,596,000 | 1909. | 56,084,000 | 3.43 | 192,632,000 |
| 1883. | 49,237,000 | 2.53 | 124,366,000 | 1910. | 57,216,000 | | |
| 1884. | 50,627,000 | 2.37 | 119,903,000 | 1910, census, Apr. 15. | 52,447,861 | 4.12 | 216,030,000 |
| 1885. | 50,360,000 | 2.14 | 107,961,000 | 1911 ¹ . | 53,633,000 | 3.91 | 209,535,000 |
| 1886. | 48,322,000 | 1.91 | 92,444,000 | 1912. | 52,362,000 | 3.46 | 181,170,000 |
| 1887. | 44,759,000 | 2.01 | 89,873,000 | 1913. | 51,482,000 | 3.94 | 202,779,000 |
| 1888. | 43,545,000 | 2.05 | 89,280,000 | 1914. | 49,719,000 | 4.02 | 200,045,000 |
| 1889. | 42,599,000 | 2.13 | 90,640,000 | 1915. | 49,956,000 | 4.50 | 224,687,000 |
| 1890. | 44,336,000 | 2.27 | 100,660,000 | 1916. | 48,625,000 | 5.17 | 251,594,000 |
| 1890, census, June 1. | 35,935,364 | | | 1917. | 47,616,000 | 7.13 | 339,539,000 |
| 1891. | 43,431,000 | 2.50 | 108,397,000 | 1918. | 48,603,000 | 11.82 | 574,575,000 |
| 1892. | 44,938,000 | 2.58 | 116,121,000 | 1919. | 48,886,000 | 11.63 | 568,265,000 |
| | | | | 1920. | 48,615,000 | 10.52 | 511,654,000 |

¹ Estimates of numbers revised, based on census data.

SHEEP AND WOOL—Continued.

TABLE 247.—*Sheep: Number and value on farms Jan. 1, 1919 and 1920, by States.*

| State. | Number (thousands), Jan. 1— | | Average price per head, Jan. 1— | | Farm value (thousands of dollars), Jan. 1— | |
|---------------------|-----------------------------|--------|---------------------------------|---------|--|---------|
| | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 |
| Maine | 480 | 173 | \$9.50 | \$11.10 | \$1,710 | \$1,920 |
| New Hampshire..... | 39 | 38 | 9.80 | 12.00 | 382 | 456 |
| Vermont..... | 106 | 107 | 11.50 | 12.70 | 1,208 | 1,359 |
| Massachusetts..... | 30 | 28 | 12.70 | 12.50 | 381 | 350 |
| Rhode Island..... | 6 | 7 | 12.20 | 12.50 | 73 | 88 |
| Connecticut..... | 29 | 24 | 12.80 | 13.30 | 371 | 319 |
| New York..... | 824 | 800 | 12.40 | 13.90 | 10,218 | 11,120 |
| New Jersey..... | 30 | 29 | 11.00 | 13.20 | 330 | 383 |
| Pennsylvania..... | 939 | 980 | 11.60 | 11.70 | 10,892 | 10,881 |
| Delaware..... | 10 | 10 | 10.40 | 10.30 | 104 | 103 |
| Maryland..... | 250 | 246 | 10.90 | 11.30 | 2,725 | 2,780 |
| Virginia..... | 714 | 700 | 11.50 | 12.50 | 8,211 | 8,750 |
| West Virginia..... | 772 | 766 | 10.60 | 11.70 | 8,188 | 8,862 |
| North Carolina..... | 144 | 138 | 9.50 | 8.70 | 1,368 | 1,201 |
| South Carolina..... | 27 | 29 | 7.10 | 6.50 | 192 | 188 |
| Georgia..... | 125 | 135 | 4.90 | 5.80 | 612 | 783 |
| Florida..... | 107 | 105 | 5.20 | 4.10 | 556 | 430 |
| Ohio..... | 3,010 | 2,980 | 10.10 | 11.00 | 30,401 | 32,780 |
| Indiana..... | 1,089 | 1,078 | 11.80 | 13.90 | 12,850 | 14,984 |
| Illinois..... | 1,010 | 1,000 | 12.60 | 14.20 | 12,726 | 14,200 |
| Michigan..... | 2,224 | 2,119 | 11.80 | 12.50 | 26,243 | 26,488 |
| Wisconsin..... | 687 | 680 | 10.80 | 12.40 | 7,420 | 8,432 |
| Minnesota..... | 668 | 642 | 11.00 | 13.20 | 7,348 | 8,474 |
| Iowa..... | 1,321 | 1,270 | 12.00 | 13.70 | 15,852 | 17,399 |
| Missouri..... | 1,525 | 1,495 | 11.90 | 13.20 | 18,148 | 19,734 |
| North Dakota..... | 286 | 265 | 11.00 | 12.60 | 3,146 | 3,339 |
| South Dakota..... | 850 | 810 | 10.00 | 12.20 | 8,500 | 9,882 |
| Nebraska..... | 323 | 294 | 11.10 | 11.90 | 3,585 | 3,499 |
| Kansas..... | 506 | 460 | 11.60 | 12.80 | 5,870 | 5,888 |
| Kentucky..... | 1,236 | 1,274 | 10.90 | 13.10 | 13,472 | 16,689 |
| Tennessee..... | 584 | 556 | 10.50 | 11.80 | 6,132 | 6,561 |
| Alabama..... | 187 | 140 | 5.60 | 6.40 | 767 | 896 |
| Mississippi..... | 175 | 180 | 6.80 | 6.60 | 1,102 | 1,188 |
| Louisiana..... | 230 | 230 | 5.40 | 5.20 | 1,242 | 1,196 |
| Texas..... | 2,790 | 2,232 | 9.90 | 9.40 | 27,621 | 20,981 |
| Oklahoma..... | 131 | 125 | 11.10 | 11.80 | 1,454 | 1,475 |
| Arkansas..... | 201 | 161 | 7.40 | 8.20 | 1,487 | 1,320 |
| Montana..... | 2,791 | 2,984 | 10.30 | 11.80 | 28,747 | 35,211 |
| Wyoming..... | 3,200 | 4,000 | 10.20 | 12.30 | 32,640 | 49,200 |
| Colorado..... | 2,121 | 2,209 | 9.90 | 10.90 | 20,786 | 24,078 |
| New Mexico..... | 2,538 | 2,820 | 9.30 | 8.50 | 23,603 | 23,970 |
| Arizona..... | 1,300 | 1,400 | 9.60 | 10.00 | 12,480 | 14,000 |
| Utah..... | 2,245 | 2,223 | 9.80 | 11.00 | 22,001 | 24,453 |
| Nevada..... | 1,596 | 1,520 | 10.30 | 11.80 | 16,439 | 17,936 |
| Idaho..... | 3,234 | 3,224 | 10.40 | 12.20 | 33,634 | 39,455 |
| Washington..... | 757 | 780 | 11.00 | 11.80 | 8,327 | 9,204 |
| Oregon..... | 2,547 | 2,497 | 11.00 | 12.00 | 28,017 | 29,964 |
| California..... | 2,972 | 2,943 | 10.80 | 12.00 | 32,098 | 35,316 |
| United States..... | 48,615 | 48,866 | 10.52 | 11.63 | 511,654 | 568,265 |

TABLE 248.—*Sheep: Farm price per 100 pounds, 15th of month, 1910-1919.*

| | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| Jan. 15.... | \$9.68 | \$10.55 | \$7.33 | \$5.52 | \$4.95 | \$4.67 | \$4.35 | \$3.89 | \$4.47 | \$5.63 | \$6.10 |
| Feb. 15.... | 9.95 | 10.75 | 8.17 | 5.90 | 5.14 | 4.67 | 4.63 | 4.01 | 4.34 | 5.09 | 6.26 |
| Mar. 15.... | 10.45 | 11.41 | 9.21 | 6.35 | 5.36 | 4.77 | 4.97 | 4.12 | 4.45 | 5.64 | 6.67 |
| Apr. 15.... | 11.33 | 11.98 | 9.69 | 6.61 | 5.60 | 4.96 | 5.16 | 4.57 | 4.55 | 6.10 | 7.06 |
| May 15.... | 10.93 | 12.32 | 10.15 | 6.66 | 5.54 | 4.87 | 4.91 | 4.74 | 4.51 | 5.79 | 7.04 |
| June 15.... | 10.34 | 11.56 | 9.84 | 6.54 | 5.43 | 4.70 | 4.84 | 4.52 | 4.24 | 5.44 | 6.74 |
| July 15.... | 9.25 | 11.04 | 9.32 | 6.33 | 5.35 | 4.75 | 4.20 | 4.21 | 4.19 | 5.47 | 6.41 |
| Aug. 15.... | 9.06 | 10.99 | 9.33 | 6.22 | 5.16 | 4.87 | 4.32 | 4.26 | 3.98 | 5.68 | 6.29 |
| Sept. 15.... | 8.69 | 10.79 | 10.05 | 6.25 | 5.06 | 4.80 | 4.23 | 4.11 | 3.91 | 4.81 | 6.27 |
| Oct. 15.... | 8.46 | 10.35 | 10.24 | 6.20 | 5.18 | 4.81 | 4.16 | 4.19 | 3.68 | 4.68 | 6.20 |
| Nov. 15.... | 8.35 | 10.11 | 10.20 | 6.41 | 5.18 | 4.68 | 4.27 | 4.05 | 3.65 | 4.63 | 6.15 |
| Dec. 15.... | 8.53 | 9.46 | 10.44 | 6.77 | 5.38 | 4.95 | 4.46 | 4.21 | 3.71 | 4.54 | 6.24 |

SHEEP AND WOOL—Continued.

TABLE 249.—*Lambs: Farm price per 100 pounds, 15th of month, 1910-1919.*

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|--------------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| Jan. 15.... | \$12.71 | \$13.83 | \$9.59 | \$7.29 | \$6.47 | \$6.16 | \$6.03 | \$5.22 | \$5.71 | \$5.82 | \$7.88 |
| Feb. 15.... | 13.17 | 13.77 | 10.51 | 7.78 | 6.67 | 6.18 | 6.34 | 5.15 | 5.44 | 6.62 | 8.16 |
| Mar. 15.... | 14.03 | 14.11 | 11.46 | 8.10 | 6.06 | 6.31 | 6.56 | 5.38 | 5.49 | 7.37 | 8.40 |
| Apr. 15.... | 14.61 | 15.34 | 12.03 | 8.58 | 7.35 | 6.47 | 6.59 | 5.98 | 5.77 | 7.47 | 9.02 |
| May 15.... | 14.34 | 15.39 | 12.51 | 8.49 | 7.32 | 6.49 | 6.66 | 6.16 | 5.74 | 7.26 | 9.04 |
| June 15.... | 13.80 | 14.98 | 12.64 | 8.36 | 7.26 | 6.47 | 6.36 | 6.02 | 5.51 | 7.13 | 8.86 |
| July 15.... | 13.09 | 14.20 | 11.19 | 8.16 | 7.21 | 6.55 | 6.05 | 5.74 | 5.42 | 6.71 | 8.43 |
| Aug. 15.... | 12.91 | 14.20 | 12.08 | 8.15 | 6.70 | 6.26 | 5.50 | 5.60 | 5.25 | 5.70 | 8.24 |
| Sept. 15.... | 12.25 | 13.73 | 13.06 | 8.22 | 6.71 | 6.27 | 5.51 | 5.49 | 5.02 | 5.85 | 8.21 |
| Oct. 15.... | 11.47 | 13.20 | 14.09 | 8.02 | 6.70 | 6.09 | 5.51 | 5.42 | 4.68 | 5.78 | 8.10 |
| Nov. 15.... | 11.45 | 12.54 | 13.79 | 8.41 | 6.76 | 6.14 | 5.64 | 5.37 | 4.68 | 5.54 | 8.03 |
| Dec. 15.... | 11.85 | 12.44 | 13.81 | 8.72 | 7.02 | 6.33 | 5.85 | 5.70 | 4.93 | 5.60 | 8.22 |

TABLE 250.—*Sheep: Imports, exports, and prices, 1893-1919.*

| Year ending June 30— | Imports. | | | Exports. | | |
|----------------------|----------|-------------|-----------------------|----------|-----------|-----------------------|
| | Number. | Value. | Average import price. | Number. | Value. | Average export price. |
| 1893..... | 459,484 | \$1,682,977 | \$3.66 | 37,260 | \$126,394 | \$3.39 |
| 1894..... | 242,568 | 788,181 | 3.25 | 132,370 | 832,763 | 6.29 |
| 1895..... | 291,461 | 682,618 | 2.34 | 406,748 | 2,630,686 | 6.48 |
| 1896..... | 322,992 | 853,530 | 2.65 | 491,565 | 3,076,384 | 6.26 |
| 1897..... | 406,633 | 1,019,668 | 2.51 | 244,120 | 1,531,645 | 6.27 |
| 1898..... | 392,314 | 1,106,322 | 2.82 | 199,690 | 1,213,886 | 6.08 |
| 1899..... | 345,911 | 1,200,081 | 3.47 | 143,286 | 853,555 | 5.96 |
| 1900..... | 381,792 | 1,365,026 | 3.58 | 126,772 | 733,477 | 5.83 |
| 1901..... | 331,488 | 1,236,277 | 3.73 | 297,925 | 1,933,000 | 6.49 |
| 1902..... | 266,953 | 956,710 | 3.58 | 358,720 | 1,940,060 | 5.41 |
| 1903..... | 301,623 | 1,036,934 | 3.44 | 176,961 | 1,067,860 | 6.08 |
| 1904..... | 238,094 | 815,289 | 3.42 | 301,313 | 1,954,604 | 6.49 |
| 1905..... | 186,942 | 704,721 | 3.77 | 268,365 | 1,687,321 | 6.29 |
| 1906..... | 240,747 | 1,020,359 | 4.24 | 142,690 | 804,090 | 5.64 |
| 1907..... | 224,798 | 1,120,425 | 4.98 | 135,244 | 750,242 | 5.54 |
| 1908..... | 224,765 | 1,062,606 | 4.82 | 101,000 | 589,285 | 5.82 |
| 1909..... | 102,663 | 502,640 | 4.90 | 67,656 | 365,155 | 5.40 |
| 1910..... | 126,152 | 696,879 | 5.52 | 44,517 | 209,000 | 4.69 |
| 1911..... | 53,455 | 377,625 | 7.06 | 121,491 | 636,272 | 5.24 |
| 1912..... | 23,588 | 157,257 | 6.67 | 157,263 | 626,965 | 3.99 |
| 1913..... | 15,428 | 90,021 | 5.83 | 187,132 | 606,725 | 3.24 |
| 1914..... | 223,719 | 532,404 | 2.38 | 152,600 | 534,543 | 3.50 |
| 1915..... | 153,317 | 533,967 | 3.48 | 47,213 | 182,278 | 3.86 |
| 1916..... | 235,659 | 917,502 | 3.89 | 52,278 | 231,535 | 4.43 |
| 1917..... | 160,422 | 866,645 | 5.34 | 58,811 | 367,935 | 6.26 |
| 1918..... | 177,681 | 1,979,746 | 11.14 | 7,959 | 97,028 | 12.19 |
| 1919..... | 163,283 | 1,914,473 | 11.72 | 16,117 | 187,347 | 11.62 |

SHEEP AND WOOL—Continued.

TABLE 251.—*Sheep: Wholesale price per 100 pounds, 1913-1919.*

| Date. | Chicago. | | | Cincinnati. | | | St. Louis. | | | Kansas City. | | | Omaha. | | |
|--------------------|----------|--------|----------|----------------|--------|----------|-------------------------|--------|----------|--------------|--------|----------|----------|--------|----------|
| | Native. | | | Good to extra. | | | Good to choice natives. | | | Natives. | | | Western. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | | | | | | | | | | | | | | | |
| January-June..... | \$3.00 | \$3.60 | \$6.28 | \$3.75 | \$7.00 | \$4.90 | \$4.75 | \$7.25 | \$5.87 | \$4.85 | \$7.85 | \$6.52 | \$3.75 | \$3.25 | \$6.05 |
| July-December..... | 2.25 | 7.25 | 4.94 | 3.25 | 4.65 | 4.06 | 4.00 | 5.00 | 4.42 | 3.50 | 6.65 | 4.79 | 2.75 | 7.00 | 4.50 |
| 1914. | | | | | | | | | | | | | | | |
| January-June..... | 4.00 | 7.75 | 5.96 | 4.10 | 6.15 | 5.03 | 5.00 | 6.50 | 5.82 | 4.25 | 7.25 | 6.00 | 4.25 | 7.50 | 6.41 |
| July-December..... | 4.25 | 8.10 | 6.08 | 4.00 | 5.25 | 4.81 | 4.50 | 5.75 | 5.20 | 3.40 | 7.00 | 5.52 | 4.25 | 8.00 | 5.65 |
| 1915. | | | | | | | | | | | | | | | |
| January-June..... | 2.50 | 10.65 | 6.08 | 4.00 | 8.75 | 5.70 | 5.00 | 8.50 | 6.78 | 4.50 | 10.00 | 7.04 | 4.00 | 9.75 | 7.09 |
| July-December..... | 2.00 | 8.75 | 5.18 | 4.50 | 8.75 | 5.38 | 5.25 | 6.00 | 5.55 | 4.00 | 8.25 | 6.09 | 4.00 | 8.00 | 5.71 |
| 1916. | | | | | | | | | | | | | | | |
| January-June..... | 4.25 | 10.90 | 7.71 | 3.75 | 8.75 | 6.90 | 6.50 | 8.85 | 7.96 | 5.09 | 11.50 | 8.40 | 4.59 | 11.00 | 8.13 |
| July-December..... | 3.00 | 10.25 | 5.80 | 5.25 | 8.50 | 5.33 | 7.25 | 9.00 | 7.44 | 6.00 | 11.75 | 7.96 | 5.50 | 11.75 | 7.46 |
| 1917. | | | | | | | | | | | | | | | |
| January-June..... | 7.00 | 19.00 | 11.96 | 7.50 | 12.00 | 9.36 | 9.00 | 14.00 | 11.49 | 7.75 | 18.00 | 11.71 | 7.50 | 16.00 | 11.76 |
| July-December..... | 7.75 | 14.75 | 11.26 | 6.50 | 10.50 | 9.19 | 8.50 | 12.00 | 10.44 | 8.00 | 15.50 | 11.14 | 8.00 | 14.25 | 11.53 |
| 1918. | | | | | | | | | | | | | | | |
| January-June..... | 6.00 | 19.75 | 12.91 | 9.00 | 15.50 | 11.46 | 10.00 | 18.00 | 13.40 | 10.50 | 19.00 | 14.21 | 10.00 | 18.75 | 13.94 |
| July-December..... | 6.00 | 16.60 | 10.61 | 6.00 | 12.50 | 9.67 | 7.00 | 13.50 | 9.74 | 7.00 | 17.00 | 11.23 | 7.00 | 14.50 | 11.00 |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 6.50 | 14.75 | 10.56 | 8.00 | 8.50 | 8.25 | 8.50 | 16.65 | 10.54 | 6.00 | 17.00 | 12.64 | 8.50 | 16.50 | 12.31 |
| February..... | 7.00 | 16.50 | 11.60 | 8.00 | 10.00 | 8.88 | 8.09 | 14.00 | 10.13 | 9.00 | 17.15 | 13.05 | 8.50 | 16.50 | 12.50 |
| March..... | 9.25 | 19.00 | 14.21 | 9.00 | 13.00 | 10.56 | 9.00 | 15.00 | 12.13 | 11.00 | 18.50 | 14.98 | 9.00 | 16.00 | 11.98 |
| April..... | 10.00 | 16.75 | 13.54 | 10.00 | 13.00 | 11.50 | 9.00 | 15.50 | 12.99 | 13.00 | 18.50 | 16.07 | 9.00 | 16.00 | 12.48 |
| May..... | 8.00 | 16.50 | 11.63 | 9.00 | 12.50 | 10.98 | 7.50 | 15.60 | 11.19 | 9.00 | 17.75 | 14.37 | 8.00 | 15.50 | 10.74 |
| June..... | 5.00 | 13.00 | 8.91 | 7.00 | 10.00 | 8.17 | 6.00 | 10.00 | 7.78 | 6.50 | 16.50 | 11.84 | 6.00 | 11.50 | 8.70 |
| January-June..... | 5.00 | 19.00 | 11.74 | 7.00 | 13.00 | 9.72 | 6.00 | 16.65 | 10.79 | 6.00 | 18.50 | 13.82 | 6.00 | 16.50 | 11.45 |
| July..... | 5.00 | 15.00 | 9.47 | 6.50 | 9.00 | 7.68 | 5.50 | 12.50 | 7.98 | 6.00 | 12.50 | 9.42 | 6.09 | 11.00 | 8.57 |
| August..... | 5.00 | 13.00 | 8.92 | 8.50 | 9.50 | 8.94 | 5.50 | 9.50 | 7.53 | 6.00 | 13.00 | 9.78 | 5.00 | 12.00 | 7.84 |
| September..... | 4.00 | 12.00 | 8.04 | 6.00 | 7.50 | 6.84 | 5.00 | 8.50 | 6.67 | 5.75 | 11.25 | 8.28 | 4.50 | 10.25 | 6.88 |
| October..... | 4.75 | 11.50 | 8.12 | 5.50 | 6.50 | 6.20 | 5.00 | 7.75 | 6.08 | 5.75 | 11.00 | 8.41 | 5.75 | 10.00 | 7.75 |
| November..... | 4.75 | 12.75 | 81.7 | 6.00 | 7.00 | 6.42 | 5.50 | 11.75 | 6.88 | 7.50 | 11.75 | 9.40 | 6.00 | 10.25 | 8.10 |
| December..... | 6.25 | 15.60 | 11.32 | 6.50 | 9.00 | 7.68 | 5.50 | 15.50 | 8.11 | 8.00 | 14.75 | 11.15 | 6.00 | 15.75 | 10.09 |
| July-December..... | 4.00 | 15.60 | 9.01 | 5.50 | 9.50 | 7.29 | 5.00 | 15.50 | 7.50 | 5.75 | 14.75 | 9.41 | 4.50 | 15.75 | 8.20 |

SHEEP AND WOOL—Continued.

TABLE 252.—Wool: Estimated production, 1918 and 1919.

| State. | Production (000 omitted). | | Weight per fleece. | | Number of fleeces (000 omitted). | |
|---------------------|------------------------------|---------|--------------------|---------|-------------------------------------|---------|
| | 1919 | 1918 | 1919 | 1918 | 1919 | 1918 |
| | Pounds. | Pounds. | Pounds. | Pounds. | Number. | Number. |
| Maine..... | 936 | 883 | 6.4 | 6.7 | 146 | 132 |
| New Hampshire..... | 202 | 192 | 6.6 | 7.0 | 31 | 27 |
| Vermont..... | 660 | 663 | 7.2 | 7.2 | 96 | 92 |
| Massachusetts..... | 125 | 119 | 6.6 | 6.0 | 19 | 20 |
| Rhode Island..... | 25 | 24 | 5.8 | 6.0 | 4 | 4 |
| Connecticut..... | 84 | 76 | 5.9 | 5.5 | 14 | 14 |
| New York..... | 4,022 | 3,830 | 7.0 | 7.0 | 575 | 547 |
| New Jersey..... | 92 | 88 | 7.0 | 5.5 | 13 | 16 |
| Pennsylvania..... | 5,013 | 4,774 | 7.0 | 6.7 | 716 | 713 |
| Delaware..... | 31 | 31 | 5.7 | 5.7 | 5 | 5 |
| Maryland..... | 812 | 773 | 6.0 | 5.8 | 135 | 133 |
| Virginia..... | 1,962 | 1,800 | 5.0 | 4.7 | 392 | 353 |
| West Virginia..... | 2,943 | 2,830 | 5.3 | 5.2 | 555 | 544 |
| North Carolina..... | 587 | 570 | 4.4 | 4.0 | 133 | 142 |
| South Carolina..... | 103 | 103 | 4.3 | 4.0 | 24 | 26 |
| Georgia..... | 422 | 418 | 3.1 | 2.9 | 136 | 144 |
| Florida..... | 460 | 426 | 3.5 | 3.2 | 131 | 133 |
| Ohio..... | 13,104 | 12,600 | 7.5 | 7.3 | 1,747 | 1,726 |
| Indiana..... | 5,337 | 4,765 | 7.4 | 7.1 | 721 | 671 |
| Illinois..... | 4,129 | 4,048 | 8.0 | 8.0 | 516 | 506 |
| Michigan..... | 9,554 | 8,765 | 7.4 | 7.4 | 1,291 | 1,184 |
| Wisconsin..... | 3,306 | 2,850 | 7.6 | 7.6 | 435 | 375 |
| Minnesota..... | 3,594 | 3,209 | 7.5 | 7.4 | 479 | 434 |
| Iowa..... | 5,060 | 4,600 | 8.0 | 7.5 | 632 | 612 |
| Missouri..... | 7,614 | 7,183 | 7.1 | 7.0 | 1,072 | 1,026 |
| North Dakota..... | 1,654 | 1,500 | 7.7 | 7.6 | 215 | 205 |
| South Dakota..... | 5,222 | 4,747 | 7.5 | 7.4 | 696 | 641 |
| Nebraska..... | 1,730 | 1,066 | 7.9 | 7.8 | 219 | 217 |
| Kansas..... | 1,754 | 1,624 | 7.6 | 7.6 | 231 | 214 |
| Kentucky..... | 3,211 | 3,058 | 5.2 | 4.9 | 618 | 624 |
| Tennessee..... | 2,052 | 1,954 | 4.8 | 4.6 | 428 | 425 |
| Alabama..... | 405 | 368 | 4.2 | 3.5 | 96 | 106 |
| Mississippi..... | 656 | 619 | 4.2 | 4.0 | 156 | 155 |
| Louisiana..... | 612 | 594 | 3.9 | 3.7 | 157 | 161 |
| Texas..... | 14,986 | 11,800 | 7.2 | 7.0 | 2,061 | 1,686 |
| Oklahoma..... | 526 | 511 | 7.0 | 6.8 | 75 | 75 |
| Arkansas..... | 422 | 402 | 4.9 | 4.9 | 96 | 82 |
| Montana..... | 17,751 | 18,685 | 8.4 | 8.2 | 2,112 | 2,279 |
| Wyoming..... | 33,415 | 32,760 | 8.5 | 8.4 | 3,981 | 3,900 |
| Colorado..... | 8,983 | 9,261 | 6.6 | 6.2 | 1,361 | 1,494 |
| New Mexico..... | 15,076 | 17,132 | 6.3 | 5.6 | 2,393 | 3,069 |
| Arizona..... | 5,236 | 5,630 | 6.3 | 6.1 | 831 | 923 |
| Utah..... | 15,800 | 15,800 | 7.4 | 7.7 | 2,135 | 2,052 |
| Nevada..... | 10,500 | 10,000 | 7.6 | 7.0 | 1,382 | 1,429 |
| Idaho..... | 22,145 | 21,500 | 8.4 | 7.9 | 2,636 | 2,722 |
| Washington..... | 5,779 | 5,504 | 8.6 | 8.6 | 672 | 640 |
| Oregon..... | 14,040 | 13,500 | 8.5 | 8.0 | 1,652 | 1,688 |
| California..... | 13,298 | 12,545 | 7.4 | 7.0 | 1,797 | 1,702 |
| United States..... | 265,460 | 256,870 | 7.4 | 7.1 | 35,979 | 36,178 |
| Pulled wool..... | 48,300 | 42,000 | | | | |

TABLE 253.—Wool (unwashed): Farm price per pound, 15th of month, 1910–1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. |
| Jan. 15..... | 55.2 | 58.1 | 31.8 | 23.3 | 18.6 | 15.7 | 18.6 | 16.2 | 17.3 | 24.5 | 27.9 |
| Feb. 15..... | 51.1 | 57.1 | 32.7 | 24.2 | 20.2 | 15.7 | 18.7 | 16.3 | 17.3 | 24.6 | 27.8 |
| Mar. 15..... | 51.3 | 60.0 | 36.7 | 25.9 | 22.8 | 16.4 | 18.4 | 16.9 | 16.8 | 24.9 | 29.0 |
| Apr. 15..... | 47.9 | 60.0 | 38.8 | 26.3 | 22.7 | 16.8 | 17.7 | 17.3 | 15.7 | 22.3 | 28.6 |
| May 15..... | 48.0 | 58.2 | 43.7 | 28.0 | 22.0 | 17.2 | 16.3 | 17.8 | 14.7 | 22.8 | 28.9 |
| June 15..... | 50.5 | 57.4 | 49.8 | 28.7 | 23.7 | 18.4 | 15.6 | 18.7 | 15.5 | 19.5 | 29.8 |
| July 15..... | 51.8 | 57.5 | 54.3 | 28.6 | 24.2 | 18.5 | 15.9 | 18.9 | 15.4 | 19.0 | 30.4 |
| Aug. 15..... | 52.2 | 57.4 | 54.8 | 29.0 | 23.8 | 18.7 | 15.8 | 18.8 | 16.0 | 19.5 | 30.6 |
| Sept. 15..... | 51.3 | 57.7 | 54.2 | 28.4 | 23.3 | 18.6 | 15.8 | 18.7 | 15.6 | 17.7 | 30.1 |
| Oct. 15..... | 50.6 | 57.7 | 55.5 | 28.7 | 22.7 | 18.0 | 15.5 | 18.5 | 15.5 | 18.1 | 30.1 |
| Nov. 15..... | 51.0 | 56.4 | 55.9 | 29.4 | 22.7 | 18.1 | 15.6 | 18.6 | 15.6 | 17.9 | 30.1 |
| Dec. 15..... | 51.6 | 56.2 | 58.2 | 30.8 | 23.3 | 18.6 | 16.1 | 18.6 | 15.5 | 17.8 | 30.7 |

SHEEP AND WOOL—Continued.

TABLE 254.—Wool: Wholesale price per pound in Boston, 1913-1919.

| Date. | Ohio fine, unwashed. | | | Kentucky quarter-blood, unwashed. | | | Ohio XX, washed. | | | Ohio half-blood combing, washed. | | | Ohio Delaine, washed. | | | Michigan fine, unwashed. | | |
|--------------------|----------------------|-------|----------|-----------------------------------|-------|----------|------------------|-------|----------|----------------------------------|-------|----------|-----------------------|-------|----------|--------------------------|-------|----------|
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| January-June..... | 23 | 24 | 22.4 | 24 | 32 | 28.6 | 27 | 32 | 29.4 | 23 | 29 | 26.6 | 27 | 34 | 30.8 | 19 | 23 | 21.1 |
| July-December..... | 21 | 21 | 20.5 | 23½ | 26 | 24.2 | 26 | 30 | 26.5 | 23 | 26 | 23.9 | 26 | 28 | 27.3 | 19 | 20 | 19.5 |
| 1914. | | | | | | | | | | | | | | | | | | |
| January-June..... | 20 | 25 | 22.3 | 23½ | 27 | 24.5 | 25½ | 29 | 27.0 | 23 | 28 | 25.0 | 26 | 32 | 28.2 | 19 | 23 | 21.0 |
| July-December..... | 23 | 26 | 24.3 | 26 | 29 | 27.0 | 27 | 31½ | 29.6 | 27 | 30 | 28.3 | 28 | 32 | 30.9 | 22 | 23 | 22.8 |
| 1915. | | | | | | | | | | | | | | | | | | |
| January-June..... | 23 | 29 | 26.7 | 29 | 39 | 35.5 | 29 | 34 | 32.0 | 29 | 38 | 34.0 | 30 | 37 | 33.4 | 22 | 26 | 23.8 |
| July-December..... | 25 | 27½ | 26.9 | 36 | 39½ | 38.0 | 32 | 32½ | 32.1 | 32½ | 36 | 34.4 | 33½ | 36 | 34.5 | 23 | 27½ | 25.8 |
| 1916. | | | | | | | | | | | | | | | | | | |
| January-June..... | 26 | 31 | 29.6 | 38 | 41 | 39.4 | 32½ | 35 | 33.7 | 32 | 38 | 36.1 | 35½ | 40 | 37.6 | 25 | 28 | 26.9 |
| July-December..... | 30 | 38 | 32.6 | 41 | 50 | 44.6 | 35 | 47 | 37.5 | 37 | 46 | 40.9 | 38 | 52 | 41.9 | 27 | 37 | 29.8 |
| 1917. | | | | | | | | | | | | | | | | | | |
| January-June..... | 38 | 68 | 46.5 | 50 | 76 | 59.0 | 46 | 68 | 55.0 | 45 | 71 | 5.54 | 52 | 82 | 60.8 | 37 | 57 | 44.0 |
| July-December..... | 57 | 67 | 63.5 | 75 | 77 | 76.7 | 67 | 80 | 75.0 | 71 | 78 | 75.3 | 80 | 85 | 82.6 | 56 | 64 | 60.3 |
| 1918. | | | | | | | | | | | | | | | | | | |
| January-June..... | 61 | 67 | 65.0 | 76 | 78 | 76.8 | 76 | 77 | 76.8 | 75 | 79 | 77.4 | 83 | 90 | 86.9 | 61 | 64 | 63.0 |
| July-December..... | 61 | 67 | 63.5 | 76 | 78 | 76.7 | 77 | 78 | 77.7 | 78 | 77 | 76.8 | 87 | 90 | 89.0 | 61 | 64 | 62.7 |
| 1919. | | | | | | | | | | | | | | | | | | |
| January..... | 53 | 60 | 56.5 | 61 | 80 | 70.2 | 67 | 70 | 69.0 | 65 | 75 | 70.0 | 67 | 70 | 69.0 | 55 | 55 | 55.0 |
| February..... | 53 | 57 | 55.4 | 61 | 70 | 67.1 | 67 | 68 | 67.5 | 65 | 67 | 66.0 | 67 | 68 | 67.5 | 55 | 55 | 55.0 |
| March..... | 52 | 55 | 53.5 | 68 | 70 | 69.0 | 67 | 68 | 67.5 | 65 | 67 | 66.0 | 67 | 70 | 67.9 | 55 | 55 | 55.0 |
| April..... | 52 | 55 | 53.4 | 55 | 62 | 57.2 | 67 | 68 | 67.5 | 65 | 69 | 67.5 | 68 | 80 | 76.5 | 52 | 53 | 52.5 |
| May..... | 52 | 55 | 53.5 | 55 | 57 | 56.0 | 67 | 68 | 67.5 | 67 | 69 | 68.0 | 78 | 80 | 79.0 | 52 | 53 | 52.5 |
| June..... | 57 | 62 | 60.2 | 67 | 68 | 60.6 | 67 | 71 | 68.8 | 67 | 75 | 70.6 | 78 | 88 | 81.8 | 56 | 60 | 58.4 |
| January-June..... | 52 | 62 | 55.4 | 55 | 80 | 63.4 | 67 | 71 | 68.0 | 65 | 75 | 68.0 | 67 | 88 | 73.6 | 52 | 60 | 54.7 |
| July..... | 61 | 62 | 61.5 | 67 | 68 | 67.5 | 70 | 71 | 70.5 | 73 | 75 | 74.0 | 85 | 90 | 87.1 | 59 | 60 | 59.5 |
| August..... | 62 | 70 | 65.1 | 64 | 72 | 69.8 | 71 | 72 | 71.5 | 80 | 81 | 80.5 | 88 | 90 | 89.0 | 59 | 64 | 61.5 |
| September..... | 68 | 70 | 69.0 | 70 | 72 | 70.2 | 71 | 72 | 71.5 | 80 | 81 | 80.5 | 88 | 90 | 89.0 | 63 | 64 | 63.0 |
| October..... | 68 | 70 | 69.0 | 68 | 68 | 66.8 | 71 | 72 | 71.5 | 80 | 81 | 80.5 | 88 | 98 | 91.5 | 63 | 64 | 63.5 |
| November..... | 68 | 72 | 70.2 | 66 | 68 | 66.9 | 74 | 75 | 72.5 | 80 | 85 | 82.0 | 95 | 102 | 98.3 | 63 | 67 | 64.7 |
| December..... | 70 | 72 | 71.0 | 67 | 68 | 67.5 | 71 | 76 | 75.2 | 83 | 85 | 84.3 | 100 | 102 | 101.0 | 66 | 68 | 67.2 |
| July-December..... | 61 | 72 | 65.1 | 66 | 72 | 68.2 | 70 | 76 | 72.1 | 73 | 85 | 80.3 | 85 | 102 | 92.6 | 59 | 68 | 63.3 |

| Date. | Fine territory staple, scoured. | | | Fine medium territory clothing, scoured. | | | Texas 12 months, scoured. | | | Fine fall Texas, scoured. | | | Pulled A, super-scoured. | | | Pulled B, super-scoured. | | |
|--------------------|---------------------------------|-------|----------|--|-------|----------|---------------------------|-------|----------|---------------------------|-------|----------|--------------------------|-------|----------|--------------------------|-------|----------|
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| January-June..... | 55 | 67 | 59.5 | 49 | 59 | 53.8 | 52 | 65 | 58.4 | 45 | 50 | 47.6 | 48 | 58 | 52.8 | 43 | 54 | 47.0 |
| July-December..... | 51 | 56 | 53.9 | 46 | 50 | 48.3 | 50 | 53 | 51.8 | 41 | 46 | 44.4 | 42 | 52 | 48.4 | 36 | 45 | 40.7 |
| 1914. | | | | | | | | | | | | | | | | | | |
| January-June..... | 51 | 63 | 57.2 | 46 | 55 | 51.2 | 50 | 62 | 55.5 | 41 | 50 | 45.0 | 43 | 53 | 49.3 | 36 | 43 | 40.7 |
| July-December..... | 60 | 65 | 62.7 | 55 | 57 | 56.0 | 55 | 62 | 59.1 | 42 | 50 | 47.2 | 50 | 55 | 51.6 | 40 | 56 | 45.9 |
| 1915. | | | | | | | | | | | | | | | | | | |
| January-June..... | 62 | 75 | 70.0 | 55 | 68 | 63.8 | 56 | 75 | 67.7 | 42 | 60 | 55.3 | 56 | 68 | 61.5 | 57 | 74 | 62.8 |
| July-December..... | 70 | 75 | 72.6 | 63 | 68 | 65.0 | 65 | 70 | 67.9 | 54 | 57 | 55.9 | 60 | 66 | 63.6 | 55 | 65 | 61.4 |
| 1916. | | | | | | | | | | | | | | | | | | |
| January-June..... | 73 | 85 | 79.8 | 65 | 75 | 71.7 | 67 | 77 | 72.6 | 53 | 55 | 54.5 | 63 | 68 | 66.2 | 59 | 66 | 62.4 |
| July-December..... | 82 | 112 | 93.0 | 75 | 87 | 78.8 | 77 | 100 | 84.9 | 56 | 78 | 60.8 | 65 | 85 | 70.0 | 60 | 80 | 67.5 |
| 1917. | | | | | | | | | | | | | | | | | | |
| January-June..... | 110 | 175 | 135.9 | 85 | 135 | 107.5 | 100 | 175 | 127.0 | 75 | 120 | 88.8 | 83 | 150 | 114.5 | 75 | 140 | 104.0 |
| July-December..... | 172 | 185 | 180.0 | 135 | 160 | 153.6 | 165 | 175 | 169.3 | 115 | 150 | 135.0 | 145 | 165 | 157.5 | 130 | 150 | 142.2 |
| 1918. | | | | | | | | | | | | | | | | | | |
| January-June..... | 180 | 190 | 183.5 | 155 | 160 | 157.5 | 168 | 175 | 171.6 | 140 | 155 | 147.9 | 145 | 165 | 160.9 | 140 | 155 | 148.6 |
| July-December..... | 180 | 185 | 181.7 | | | | 175 | 175 | 175.0 | 150 | 150 | 150.0 | 155 | 160 | 157.5 | 145 | 150 | 147.5 |

SHEEP AND WOOL—Continued.

TABLE 254.—Wool: Wholesale price per pound in Boston, 1913-1919—Continued.

| Date. | Fine territory staple, scoured. | | | Fine medium territory clothing, scoured. | | | Texas 12 months, scoured. | | | Fine fall Texas, scoured. | | | Pulled A, super-scoured. | | | Pulled B, super-scoured. | | |
|--------------------|---------------------------------|-------|----------|--|-------|----------|---------------------------|-------|----------|---------------------------|-------|----------|--------------------------|-------|----------|--------------------------|-------|----------|
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1919. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. | Cts. |
| January..... | 145 | 160 | 153.2 | 138 | 143 | 140.2 | 135 | 152 | 144.2 | 120 | 122 | 120.5 | 125 | 143 | 137.9 | 105 | 128 | 117.9 |
| February..... | 145 | 152 | 150.1 | 138 | 140 | 139.0 | 135 | 145 | 141.2 | 120 | 120 | 120.0 | 125 | 130 | 127.5 | 105 | 107 | 106.0 |
| March..... | 148 | 150 | 149.0 | 135 | 138 | 136.5 | 138 | 142 | 140.0 | 120 | 120 | 120.0 | 125 | 145 | 131.9 | 105 | 113 | 108.1 |
| April..... | 155 | 170 | 165.0 | 135 | 138 | 136.5 | 138 | 142 | 140.0 | 110 | 120 | 112.5 | 140 | 140 | 143.1 | 107 | 130 | 113.8 |
| May..... | 165 | 170 | 167.5 | 130 | 138 | 136.0 | 145 | 155 | 151.5 | 110 | 115 | 112.5 | 140 | 160 | 155.0 | 120 | 130 | 125.0 |
| June..... | 165 | 180 | 173.9 | 130 | 135 | 132.5 | 150 | 160 | 155.6 | 110 | 115 | 112.5 | 155 | 160 | 157.5 | 120 | 130 | 125.6 |
| January-June..... | 145 | 180 | 159.8 | 130 | 143 | 136.8 | 135 | 160 | 145.4 | 110 | 122 | 116.3 | 125 | 160 | 142.2 | 105 | 130 | 116.1 |
| July..... | 175 | 180 | 177.5 | 130 | 140 | 135.0 | 160 | 165 | 161.9 | 110 | 115 | 112.5 | 155 | 160 | 157.5 | 120 | 130 | 126.2 |
| August..... | 185 | 190 | 187.5 | 130 | 150 | 141.0 | 160 | 175 | 168.5 | 110 | 120 | 116.5 | 155 | 160 | 157.5 | 120 | 130 | 125.0 |
| September..... | 185 | 190 | 187.5 | 140 | 150 | 145.0 | 160 | 175 | 166.2 | 115 | 120 | 117.5 | 155 | 160 | 157.5 | 115 | 130 | 123.8 |
| October..... | 180 | 190 | 186.2 | 140 | 150 | 145.0 | 160 | 170 | 165.0 | 115 | 120 | 117.5 | 155 | 168 | 159.7 | 110 | 130 | 117.5 |
| November..... | 185 | 200 | 192.0 | 140 | 160 | 152.5 | 160 | 180 | 170.5 | 115 | 145 | 131.0 | 160 | 170 | 167.1 | 115 | 130 | 122.5 |
| December..... | 190 | 205 | 196.7 | 160 | 170 | 160.0 | 170 | 190 | 185.0 | 135 | 155 | 148.3 | 165 | 170 | 167.5 | 115 | 135 | 125.8 |
| July-December..... | 175 | 205 | 187.5 | 130 | 170 | 146.4 | 160 | 190 | 169.5 | 110 | 155 | 122.2 | 155 | 170 | 161.1 | 110 | 135 | 123.5 |

TABLE 255.—Wool: Wholesale price per pound, 1913-1919.

| Date. | Boston. | | | Philadelphia. | | | St. Louis. | | |
|--------------------|------------------|--------|----------|--------------------|--------|----------|-------------------|--------|----------|
| | Ohio XX, washed. | | | Delaine, unwashed. | | | Best tub, washed. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. | Cents. |
| January-June..... | 27 | 32 | 29.4 | | | | 28 | 37 | 32.5 |
| July-December..... | 25 | 30 | 23.5 | | | | 28 | 35 | 28.7 |
| 1914. | | | | | | | | | |
| January-June..... | 25½ | 29 | 27.0 | 22 | 27 | 23.6 | 28 | 33 | 29.6 |
| July-December..... | 27 | 31½ | 29.6 | 24 | 28 | 26.1 | 31 | 38 | 31.6 |
| 1915. | | | | | | | | | |
| January-June..... | 29 | 34 | 32.0 | 28 | 32 | 30.0 | 31 | 41 | 37.6 |
| July-December..... | 32 | 32½ | 33.2 | 29 | 31 | 29.8 | 40 | 44 | 40.6 |
| 1916. | | | | | | | | | |
| January-June..... | 32½ | 35 | 33.7 | 33 | 34 | 33.1 | 42 | 48 | 44.3 |
| July-December..... | 34 | 47 | 37.5 | 35 | 43 | 37.0 | 47 | 49 | 47.7 |
| 1917. | | | | | | | | | |
| January-June..... | 46 | 68 | 55.0 | 44 | 74 | | 48 | 75 | 56.5 |
| July-December..... | 67 | 80 | 75.0 | 73 | 78 | | 75 | 85 | 81.4 |
| 1918. | | | | | | | | | |
| January-June..... | 76 | 78 | 76.8 | 72 | 76 | | 83 | 90 | 86.0 |
| July-December..... | 77 | 78 | 77.7 | (1) | (1) | (1) | 90 | 91 | 90.9 |
| 1919. | | | | | | | | | |
| January..... | 67 | 70 | 69.5 | 61 | 63 | | 70 | 77 | 73.5 |
| February..... | 67 | 68 | 67.5 | 61 | 63 | | 70 | 77 | 72.6 |
| March..... | 67 | 68 | 67.5 | 62 | 64 | | 70 | 77 | 72.6 |
| April..... | 67 | 68 | 67.5 | 70 | 72 | | 60 | 75 | 67.1 |
| May..... | 67 | 68 | 67.5 | 73 | 75 | | 60 | 65 | 62.4 |
| June..... | 67 | 71 | 68.8 | 83 | 85 | | 65 | 75 | 73.4 |
| January-June..... | 67 | 71 | 68.0 | 61 | 85 | | 60 | 77 | 69.8 |
| July..... | 70 | 71 | 70.5 | 84 | 86 | | 75 | 80 | 76.2 |
| August..... | 71 | 72 | 71.5 | 84 | 86 | | 75 | 80 | 78.6 |
| September..... | 71 | 72 | 71.5 | 84 | 86 | | 75 | 75 | 75.0 |
| October..... | 71 | 72 | 71.5 | | | | 70 | 75 | 71.8 |
| November..... | 71 | 75 | 72.8 | | | | 70 | 70 | 70.5 |
| December..... | 74 | 76 | 75.0 | | | | 70 | 70 | 70.5 |
| July-December..... | 70 | 76 | 72.1 | | | | 70 | 80 | 73.8 |

1 No quotations.

SHEEP AND WOOL—Continued.

TABLE 256.—Wool: International trade, calendar years 1909–1913, 1917, and 1918.

["Wool" on this table includes: Washed, unwashed, scoured, and pulled wool; slips, sheep's wool on skins (total weight of wool and skin taken); and all other animal fibers included in United States classification of wool. The following items have been considered as not within this classification: Corded, combed and dyed wool; flecks, goatskins with hair on, mill waste, nolls, and tops. See "General note," Table 220.]

EXPORTS.

[000 omitted.]

| Country. | Average, 1909– 1913. | 1917 (prelim- inary). | 1918 (prelim- inary). | Country. | Average, 1909– 1913. | 1917 (prelim- inary). | 1918 (prelim- inary). |
|---------------------------|----------------------------|-----------------------------|-----------------------------|----------------------|----------------------------|-----------------------------|-----------------------------|
| From— | Pounds. | Pounds. | Pounds. | From— | Pounds. | Pounds. | Pounds. |
| Algeria..... | 19,871 | 4,764 | 10,269 | New Zealand..... | 194,801 | 178,289 | 108,725 |
| Argentina..... | 328,204 | 298,773 | 256,613 | Persia..... | 10,023 | | |
| Australia..... | 676,679 | 321,370 | | Peru..... | 9,333 | 15,248 | |
| Belgium..... | 196,440 | | | Russia..... | 32,406 | | |
| British India..... | 56,496 | 44,479 | 41,501 | Spain..... | 26,505 | 18,361 | 8,444 |
| British South Africa..... | 164,644 | | | United Kingdom..... | 42,027 | 6,996 | 2,347 |
| Chile..... | 28,223 | 29,734 | | Uruguay..... | 139,178 | | |
| China..... | 42,684 | 51,564 | 49,185 | Other countries..... | 67,233 | | |
| France..... | 84,973 | 10,524 | 907 | | | | |
| Germany..... | 42,817 | | | Total..... | 2,190,899 | | |
| Netherlands..... | 26,862 | | | | | | |

IMPORTS.

| Into— | | | | Into— | | | |
|----------------------|---------|--------|--------|----------------------|-----------|---------|---------|
| Austria-Hungary..... | 63,942 | | | Russia..... | 106,184 | | |
| Belgium..... | 300,387 | | | Sweden..... | 7,267 | 2,951 | |
| British India..... | 28,721 | 29,513 | 29,485 | Switzerland..... | 11,211 | 19,363 | 7,969 |
| Canada..... | 1,704 | 11,741 | 19,394 | United Kingdom..... | 550,931 | 636,195 | 444,687 |
| France..... | 601,626 | 13,426 | 89,661 | United States..... | 203,298 | 420,995 | 453,727 |
| Germany..... | 481,988 | | | Other countries..... | 58,275 | | |
| Japan..... | 10,223 | 47,806 | 49,690 | | | | |
| Netherlands..... | 81,991 | | | Total..... | 2,458,820 | | |

SWINE.

TABLE 257.—Swine: Number and value on farms in the United States, 1867–1920.

NOTE.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

| Jan. 1— | Number. | Price per head Jan. 1. | Farm value Jan. 1. | Jan. 1— | Number. | Price per head Jan. 1. | Farm value Jan. 1. |
|------------------------------|------------|------------------------------|-----------------------|-------------------------------|------------|------------------------------|-----------------------|
| 1867..... | 24,694,000 | \$4.03 | \$99,637,000 | 1893..... | 46,096,000 | \$6.41 | \$295,426,000 |
| 1868..... | 24,317,000 | 3.29 | 79,976,000 | 1894..... | 45,206,000 | 5.98 | 270,385,000 |
| 1869..... | 23,316,000 | 4.65 | 108,431,000 | 1895..... | 44,166,000 | 4.97 | 219,501,000 |
| 1870..... | 26,751,000 | 5.80 | 155,108,000 | 1896..... | 42,843,000 | 4.35 | 186,530,000 |
| 1870, census, June 1..... | 25,131,569 | | | 1897..... | 40,600,000 | 4.10 | 166,273,000 |
| 1871..... | 29,458,000 | 5.61 | 165,212,000 | 1898..... | 39,760,000 | 4.39 | 174,351,000 |
| 1872..... | 31,796,000 | 4.01 | 127,453,000 | 1899..... | 38,652,000 | 4.40 | 170,110,000 |
| 1873..... | 32,632,000 | 3.67 | 119,632,000 | 1900..... | 37,079,000 | 5.00 | 185,472,000 |
| 1874..... | 30,861,000 | 3.98 | 122,695,000 | 1900, census, June 1..... | 62,868,041 | | |
| 1875..... | 28,062,000 | 4.80 | 134,581,000 | 1901 ¹ | 56,982,000 | 6.20 | 353,012,000 |
| 1876..... | 25,727,000 | 6.00 | 154,251,000 | 1902..... | 48,699,000 | 7.03 | 342,121,000 |
| 1877..... | 28,077,000 | 5.66 | 158,573,000 | 1903..... | 46,923,000 | 7.78 | 364,974,000 |
| 1878..... | 32,282,000 | 4.85 | 156,577,000 | 1904..... | 47,009,000 | 6.15 | 289,225,000 |
| 1879..... | 34,766,000 | 3.18 | 110,508,000 | 1905..... | 47,321,000 | 5.99 | 283,255,000 |
| 1880..... | 34,034,000 | 4.28 | 145,782,000 | 1906..... | 52,103,000 | 6.18 | 321,803,000 |
| 1880, census, June 1..... | 47,681,700 | | | 1907..... | 54,794,000 | 7.62 | 417,791,000 |
| 1881..... | 36,248,000 | 4.70 | 170,535,000 | 1908..... | 56,084,000 | 6.05 | 339,030,000 |
| 1882..... | 44,122,000 | 5.97 | 263,543,000 | 1909..... | 54,147,000 | 6.55 | 354,794,000 |
| 1883..... | 43,270,000 | 6.75 | 291,951,000 | 1910..... | 47,782,000 | | |
| 1884..... | 44,201,000 | 5.57 | 246,301,000 | 1910, census, Apr. 15..... | 58,185,676 | 9.17 | 533,309,000 |
| 1885..... | 45,143,000 | 5.02 | 226,402,000 | 1911 ¹ | 65,620,000 | 9.37 | 615,170,000 |
| 1886..... | 46,092,000 | 4.26 | 196,570,000 | 1912..... | 65,410,000 | 8.00 | 523,328,000 |
| 1887..... | 44,613,000 | 4.48 | 200,043,000 | 1913..... | 61,178,000 | 9.86 | 603,109,000 |
| 1888..... | 44,347,000 | 4.98 | 220,811,000 | 1914..... | 58,933,000 | 10.40 | 612,951,000 |
| 1889..... | 50,302,000 | 5.79 | 291,307,000 | 1915..... | 64,618,000 | 9.87 | 637,479,000 |
| 1890..... | 51,603,000 | 4.72 | 243,418,000 | 1916..... | 67,766,000 | 8.40 | 569,573,000 |
| 1890, census, June 1..... | 57,409,583 | | | 1917..... | 67,503,000 | 11.75 | 792,898,000 |
| 1891..... | 50,625,000 | 4.15 | 210,194,000 | 1918..... | 70,978,000 | 19.54 | 1,387,261,000 |
| 1892..... | 52,398,000 | 4.60 | 241,031,000 | 1919..... | 74,584,000 | 22.02 | 1,642,598,000 |
| | | | | 1920..... | 72,909,000 | 19.01 | 1,386,212,000 |

¹ Estimates of numbers revised, based on census data.

SWINE—Continued.

TABLE 258.—Swine: Number and value on farms Jan. 1, 1919 and 1920, by States.

| State. | Number (thous- sands) Jan. 1— | | Average price per head Jan. 1— | | Farm value (thousands of dol- lars) Jan. 1— | |
|---------------------|----------------------------------|--------|-----------------------------------|---------|---|-----------|
| | 1920 | 1919 | 1920 | 1919 | 1920 | 1919 |
| Maine..... | 116 | 110 | \$24.50 | \$24.00 | \$2,842 | \$2,640 |
| New Hampshire..... | 67 | 66 | 24.00 | 25.00 | 1,608 | 1,650 |
| Vermont..... | 120 | 120 | 22.50 | 23.00 | 2,700 | 2,760 |
| Massachusetts..... | 176 | 147 | 27.00 | 26.00 | 4,752 | 3,822 |
| Rhode Island..... | 16 | 15 | 30.00 | 28.00 | 480 | 420 |
| Connecticut..... | 100 | 83 | 27.50 | 27.00 | 2,750 | 2,241 |
| New York..... | 920 | 800 | 22.50 | 26.00 | 20,700 | 20,800 |
| New Jersey..... | 210 | 200 | 25.20 | 30.30 | 5,292 | 6,000 |
| Pennsylvania..... | 1,420 | 1,390 | 23.70 | 26.00 | 33,654 | 35,890 |
| Delaware..... | 73 | 71 | 19.00 | 19.50 | 1,387 | 1,384 |
| Maryland..... | 461 | 427 | 19.00 | 21.00 | 8,750 | 8,967 |
| Virginia..... | 1,127 | 1,094 | 15.00 | 18.00 | 16,905 | 19,692 |
| West Virginia..... | 443 | 439 | 18.00 | 18.50 | 7,974 | 8,122 |
| North Carolina..... | 1,592 | 1,546 | 20.00 | 21.00 | 31,840 | 32,466 |
| South Carolina..... | 1,088 | 1,056 | 21.50 | 21.00 | 23,392 | 22,176 |
| Georgia..... | 3,165 | 3,043 | 16.90 | 17.50 | 53,488 | 53,252 |
| Florida..... | 1,588 | 1,512 | 13.00 | 13.00 | 20,644 | 19,656 |
| Ohio..... | 4,351 | 4,266 | 19.20 | 21.80 | 83,539 | 92,999 |
| Indiana..... | 4,760 | 4,668 | 19.00 | 23.30 | 90,440 | 108,764 |
| Illinois..... | 5,323 | 5,724 | 20.50 | 25.00 | 109,122 | 143,100 |
| Michigan..... | 1,450 | 1,355 | 22.00 | 23.60 | 31,900 | 31,978 |
| Wisconsin..... | 2,226 | 2,070 | 23.50 | 26.50 | 52,546 | 54,855 |
| Minnesota..... | 2,951 | 2,784 | 24.00 | 28.50 | 70,824 | 79,344 |
| Iowa..... | 10,389 | 10,822 | 21.80 | 27.50 | 226,480 | 297,605 |
| Missouri..... | 4,305 | 4,629 | 16.50 | 18.50 | 71,032 | 85,696 |
| North Dakota..... | 428 | 475 | 21.00 | 24.70 | 8,988 | 11,732 |
| South Dakota..... | 1,730 | 1,730 | 21.50 | 27.50 | 37,195 | 47,675 |
| Nebraska..... | 3,366 | 3,525 | 20.90 | 26.50 | 70,349 | 101,362 |
| Kansas..... | 1,667 | 2,381 | 17.50 | 21.50 | 29,172 | 51,192 |
| Kentucky..... | 1,681 | 1,768 | 13.00 | 16.00 | 21,853 | 28,288 |
| Tennessee..... | 1,946 | 1,965 | 15.00 | 16.50 | 29,190 | 32,422 |
| Alabama..... | 2,201 | 2,223 | 12.80 | 17.00 | 28,173 | 37,791 |
| Mississippi..... | 2,396 | 2,282 | 14.50 | 16.00 | 34,742 | 36,512 |
| Louisiana..... | 1,512 | 1,575 | 14.30 | 15.20 | 21,622 | 23,940 |
| Texas..... | 2,356 | 2,320 | 19.50 | 17.00 | 45,942 | 39,440 |
| Oklahoma..... | 943 | 1,036 | 15.10 | 16.70 | 14,239 | 17,301 |
| Arkansas..... | 1,586 | 1,725 | 12.50 | 13.00 | 19,825 | 22,425 |
| Montana..... | 160 | 200 | 20.00 | 22.00 | 3,200 | 4,400 |
| Wyoming..... | 63 | 70 | 18.40 | 21.50 | 1,159 | 1,505 |
| Colorado..... | 382 | 406 | 18.00 | 22.00 | 6,876 | 8,932 |
| New Mexico..... | 83 | 87 | 21.80 | 19.00 | 1,809 | 1,653 |
| Arizona..... | 50 | 58 | 18.00 | 18.00 | 900 | 1,044 |
| Utah..... | 114 | 133 | 15.00 | 20.20 | 1,710 | 2,687 |
| Nevada..... | 32 | 40 | 14.00 | 18.00 | 448 | 720 |
| Idaho..... | 187 | 208 | 17.80 | 19.60 | 3,329 | 4,077 |
| Washington..... | 292 | 317 | 23.30 | 22.00 | 6,804 | 6,974 |
| Oregon..... | 314 | 330 | 19.50 | 19.10 | 6,123 | 6,308 |
| California..... | 973 | 1,003 | 18.00 | 18.00 | 17,514 | 18,064 |
| United States..... | 72,909 | 74,584 | 19.01 | 22.02 | 1,386,212 | 1,642,598 |

TABLE 259.—Hogs: Farm price per 100 pounds, 1910-1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|---------------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| Jan. 15..... | \$15.69 | \$15.26 | \$9.16 | \$6.32 | \$6.67 | \$7.45 | \$6.77 | \$5.74 | \$7.44 | \$7.76 | \$8.82 |
| Feb. 15..... | 15.53 | 15.03 | 10.33 | 7.07 | 6.34 | 7.75 | 7.17 | 5.79 | 7.04 | 7.87 | 8.99 |
| Mar. 15..... | 16.13 | 15.58 | 12.32 | 7.86 | 6.33 | 7.80 | 7.62 | 5.94 | 6.74 | 8.93 | 9.52 |
| Apr. 15..... | 17.39 | 15.76 | 13.61 | 8.21 | 6.48 | 7.80 | 7.94 | 6.78 | 6.17 | 9.26 | 9.94 |
| May 15..... | 18.00 | 15.84 | 13.72 | 8.37 | 6.77 | 7.60 | 7.45 | 6.79 | 5.72 | 8.59 | 9.88 |
| June 15..... | 17.80 | 15.37 | 13.50 | 8.21 | 6.80 | 7.43 | 7.61 | 6.65 | 5.66 | 8.46 | 9.75 |
| July 15..... | 19.22 | 15.58 | 13.35 | 8.40 | 6.84 | 7.72 | 7.81 | 6.64 | 5.92 | 8.15 | 9.96 |
| Aug. 15..... | 19.30 | 16.80 | 14.24 | 8.61 | 6.61 | 8.11 | 7.79 | 7.11 | 6.54 | 7.78 | 10.30 |
| Sept. 15..... | 15.81 | 17.50 | 15.69 | 9.22 | 6.79 | 8.11 | 7.68 | 7.47 | 6.53 | 8.27 | 10.31 |
| Oct. 15..... | 13.88 | 16.50 | 16.15 | 8.67 | 7.18 | 7.43 | 7.60 | 7.70 | 6.09 | 8.08 | 9.92 |
| Nov. 15..... | 13.36 | 15.92 | 15.31 | 8.74 | 6.35 | 7.00 | 7.33 | 7.05 | 5.86 | 7.61 | 9.46 |
| Dec. 15..... | 12.66 | 15.82 | 15.73 | 8.76 | 6.02 | 6.67 | 7.16 | 6.89 | 5.72 | 7.16 | 9.26 |

SWINE—Continued.

TABLE 260.—Hogs (live): Wholesale price per 100 pounds, 1913-1919.

| Date. | Cincinnati. | | | St. Louis. | | | Chicago. | | | Kansas City. | | | Omaha. | | |
|--------------------|------------------------|-------|----------|----------------|-------|----------|--------------------|-------|----------|------------------|-------|----------|-----------------|-------|----------|
| | Packing, fair to good. | | | Mixed packers. | | | Mixed and packers. | | | Light to choice. | | | Heavy to light. | | |
| | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. | Low. | High. | Average. |
| 1913. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. | Dols. |
| January-June..... | 7.45 | 10.00 | 8.64 | 7.20 | 9.50 | 8.44 | 6.95 | 9.60 | 8.31 | 6.95 | 9.25 | | 6.70 | 9.05 | 8.16 |
| July-December..... | 7.60 | 9.60 | 8.58 | 7.25 | 9.50 | 8.46 | 7.15 | 9.65 | 8.20 | 7.20 | 9.25 | | 7.34 | 9.15 | 7.96 |
| 1914. | | | | | | | | | | | | | | | |
| January-June..... | 8.00 | 9.15 | 8.61 | 7.75 | 8.95 | 8.49 | 7.60 | 9.00 | 8.37 | 7.55 | 8.80 | | 7.35 | 8.73 | 8.20 |
| July-December..... | 6.40 | 9.90 | 8.32 | 6.80 | 9.85 | 8.31 | 6.50 | 10.20 | 8.06 | 6.65 | 9.75 | | 6.50 | 9.35 | 7.89 |
| 1915. | | | | | | | | | | | | | | | |
| January-June..... | 6.50 | 8.00 | 7.35 | 6.00 | 7.97 | 7.25 | 6.15 | 7.95 | 7.01 | 6.35 | 7.90 | 7.07 | 6.00 | 7.95 | 6.98 |
| July-December..... | 6.25 | 8.70 | 7.41 | 6.15 | 8.75 | 7.36 | 5.80 | 8.95 | 7.07 | 6.00 | 8.65 | 7.19 | 4.00 | 8.95 | 6.79 |
| 1916. | | | | | | | | | | | | | | | |
| January-June..... | 6.40 | 10.25 | 8.84 | 6.00 | 10.25 | 9.01 | 6.45 | 10.30 | 8.97 | 6.25 | 10.05 | 8.84 | 6.00 | 9.90 | 8.65 |
| July-December..... | 7.35 | 11.40 | 10.06 | 8.90 | 11.50 | 10.17 | 8.50 | 11.60 | 9.94 | 7.75 | 11.00 | 9.71 | 8.50 | 11.10 | 9.74 |
| 1917. | | | | | | | | | | | | | | | |
| January-June..... | 10.60 | 16.25 | 14.17 | 9.90 | 16.55 | 14.23 | 9.75 | 16.60 | 14.10 | 9.80 | 16.45 | 13.93 | 9.40 | 16.20 | 13.74 |
| July-December..... | 15.40 | 19.15 | 17.00 | 15.00 | 19.80 | 17.32 | 14.00 | 20.00 | 16.78 | 14.50 | 19.65 | 16.78 | 14.00 | 19.60 | 16.85 |
| 1918. | | | | | | | | | | | | | | | |
| January-June..... | 16.25 | 18.25 | 17.22 | 14.00 | 18.20 | 16.64 | 15.00 | 18.25 | 16.99 | 15.00 | 17.75 | 16.61 | 15.00 | 17.50 | 16.51 |
| July-December..... | 14.50 | 20.25 | 17.90 | 14.00 | 20.75 | 18.39 | 14.00 | 20.40 | 17.79 | 14.50 | 20.65 | 18.12 | 15.25 | 20.40 | 17.87 |
| 1919. | | | | | | | | | | | | | | | |
| January..... | 14.50 | 18.00 | 16.58 | 12.50 | 18.05 | 17.16 | 15.75 | 17.85 | 17.06 | 16.25 | 17.75 | 16.94 | 16.00 | 17.65 | 17.26 |
| February..... | 14.00 | 18.50 | 16.84 | 12.25 | 18.50 | 17.45 | 16.25 | 18.00 | 17.18 | 16.25 | 18.00 | 17.14 | 16.00 | 17.75 | 17.06 |
| March..... | 15.00 | 19.75 | 17.47 | 16.00 | 20.00 | 18.90 | 16.65 | 19.90 | 18.86 | 16.25 | 19.75 | 17.98 | 16.50 | 19.50 | 18.28 |
| April..... | 17.00 | 20.75 | 19.16 | 18.50 | 21.05 | 20.31 | 19.80 | 21.15 | 20.49 | 17.50 | 21.00 | 19.43 | 19.00 | 20.85 | 20.04 |
| May..... | 18.00 | 21.00 | 19.45 | 18.50 | 21.20 | 20.45 | 20.00 | 21.55 | 20.69 | 20.00 | 21.55 | 20.69 | 19.15 | 20.80 | 20.21 |
| June..... | 18.50 | 21.25 | 20.06 | 19.25 | 21.85 | 20.56 | 19.65 | 21.50 | 20.52 | 19.65 | 21.50 | 20.52 | 19.80 | 21.10 | 20.46 |
| January-June.... | 14.00 | 21.25 | 18.26 | 12.25 | 21.85 | 19.14 | 15.75 | 21.55 | 19.13 | 16.25 | 21.55 | 18.78 | 16.00 | 21.10 | 18.88 |
| July..... | 20.50 | 23.25 | 21.68 | 20.25 | 23.50 | 22.37 | 21.00 | 23.50 | 21.72 | 19.80 | 23.10 | 21.48 | 20.35 | 22.85 | 21.62 |
| August..... | 20.00 | 23.25 | 21.47 | 19.25 | 23.55 | 21.73 | 16.25 | 23.50 | 20.65 | 15.00 | 23.20 | 20.37 | 15.50 | 22.50 | 19.97 |
| September..... | 14.50 | 20.00 | 17.72 | 16.00 | 20.50 | 17.76 | 12.25 | 18.00 | 15.29 | 14.00 | 19.75 | 16.63 | 14.00 | 19.75 | 16.82 |
| October..... | 11.50 | 17.25 | 14.12 | 12.50 | 17.35 | 14.77 | 13.00 | 19.40 | 16.46 | 11.00 | 16.85 | 13.94 | 11.75 | 15.35 | 14.23 |
| November..... | 12.50 | 15.00 | 13.69 | 12.25 | 15.60 | 14.51 | 11.50 | 20.50 | 14.34 | 12.00 | 15.45 | 13.72 | 11.75 | 15.35 | 14.23 |
| December..... | 12.00 | 14.25 | 13.64 | 12.50 | 15.10 | 13.91 | 11.75 | 14.60 | 13.50 | 11.00 | 15.00 | 13.30 | 12.25 | 14.75 | 13.33 |
| July-December.. | 11.50 | 23.25 | 17.05 | 12.25 | 23.55 | 18.89 | 11.50 | 23.50 | 16.93 | 11.00 | 23.20 | 16.56 | 11.75 | 22.85 | 14.33 |

LIVE STOCK VALUES.

TABLE 261.—Aggregate live-stock value comparisons, 1919, 1920, and average 1914-1918.

[Farm values Jan. 1, in millions of dollars, i. e., 000,000 omitted; States arranged according to 1920 rank in value of meat animals.]

| States. | Cattle, hogs, and sheep. | | | Horses and mules. | | | Total (cattle, hogs, sheep, horses, and mules). | | | Rank in aggregate value. | |
|---------------------|--------------------------|-------|-----------------|-------------------|-------|-----------------|---|-------|-----------------|--------------------------|-------|
| | 1920 | 1919 | Av., 1914-1918. | 1920 | 1919 | Av., 1914-1918. | 1920 | 1919 | Av., 1914-1918. | 1920 | 1919 |
| Iowa..... | 497 | 584 | 342 | 143 | 154 | 178 | 640 | 738 | 520 | 1 | 1 |
| Texas..... | 348 | 287 | 259 | 225 | 182 | 174 | 572 | 468 | 434 | 2 | 3 |
| Illinois..... | 294 | 325 | 187 | 152 | 165 | 173 | 446 | 490 | 360 | 3 | 2 |
| Missouri..... | 247 | 261 | 169 | 132 | 139 | 135 | 379 | 400 | 304 | 4 | 5 |
| Wisconsin..... | 299 | 263 | 177 | 74 | 76 | 89 | 374 | 339 | 266 | 5 | 9 |
| Ohio..... | 266 | 264 | 159 | 99 | 99 | 112 | 364 | 363 | 271 | 6 | 7 |
| Nebraska..... | 256 | 304 | 202 | 88 | 103 | 109 | 344 | 407 | 312 | 7 | 4 |
| Kansas..... | 215 | 262 | 175 | 122 | 138 | 136 | 336 | 400 | 311 | 8 | 6 |
| Minnesota..... | 249 | 249 | 139 | 96 | 94 | 102 | 335 | 343 | 241 | 9 | 8 |
| New York..... | 235 | 200 | 145 | 80 | 80 | 87 | 315 | 280 | 232 | 10 | 11 |
| Indiana..... | 206 | 225 | 124 | 95 | 97 | 104 | 301 | 322 | 228 | 11 | 10 |
| Pennsylvania..... | 173 | 158 | 104 | 75 | 77 | 84 | 248 | 234 | 188 | 12 | 13 |
| Michigan..... | 175 | 158 | 105 | 61 | 70 | 86 | 236 | 228 | 192 | 13 | 14 |
| California..... | 189 | 177 | 124 | 45 | 47 | 56 | 224 | 225 | 180 | 14 | 15 |
| South Dakota..... | 155 | 184 | 103 | 60 | 68 | 73 | 215 | 252 | 176 | 15 | 12 |
| Oklahoma..... | 107 | 121 | 91 | 95 | 93 | 93 | 202 | 214 | 184 | 16 | 16 |
| Georgia..... | 105 | 104 | 49 | 97 | 89 | 68 | 202 | 193 | 117 | 17 | 17 |
| Mississippi..... | 88 | 89 | 42 | 78 | 73 | 56 | 167 | 162 | 97 | 18 | 22 |
| Kentucky..... | 93 | 103 | 60 | 72 | 75 | 68 | 165 | 178 | 128 | 19 | 18 |
| Tennessee..... | 82 | 84 | 46 | 79 | 80 | 70 | 160 | 165 | 116 | 20 | 21 |
| Colorado..... | 117 | 134 | 83 | 37 | 41 | 35 | 153 | 175 | 118 | 21 | 19 |
| Alabama..... | 77 | 88 | 41 | 74 | 68 | 51 | 151 | 156 | 92 | 22 | 24 |
| North Carolina..... | 73 | 67 | 35 | 73 | 66 | 55 | 146 | 134 | 89 | 23 | 26 |
| North Dakota..... | 73 | 81 | 54 | 68 | 80 | 87 | 141 | 161 | 141 | 24 | 23 |
| Virginia..... | 87 | 84 | 45 | 48 | 49 | 46 | 135 | 133 | 91 | 25 | 27 |
| Arkansas..... | 63 | 67 | 41 | 69 | 64 | 52 | 132 | 130 | 92 | 26 | 28 |
| Montana..... | 94 | 126 | 83 | 31 | 49 | 41 | 126 | 174 | 124 | 27 | 20 |
| Louisiana..... | 69 | 65 | 35 | 50 | 45 | 34 | 120 | 109 | 70 | 28 | 30 |
| New Mexico..... | 95 | 89 | 64 | 18 | 17 | 15 | 113 | 106 | 80 | 29 | 31 |
| South Carolina..... | 51 | 47 | 21 | 62 | 56 | 41 | 113 | 102 | 61 | 30 | 33 |
| Oregon..... | 85 | 82 | 54 | 25 | 28 | 29 | 110 | 110 | 83 | 31 | 29 |
| Wyoming..... | 81 | 126 | 75 | 12 | 19 | 15 | 93 | 145 | 90 | 32 | 25 |
| Idaho..... | 72 | 81 | 52 | 21 | 25 | 24 | 93 | 106 | 75 | 33 | 32 |
| Arizona..... | 72 | 69 | 46 | 10 | 11 | 10 | 82 | 80 | 56 | 34 | 34 |
| Washington..... | 48 | 45 | 33 | 30 | 30 | 32 | 78 | 75 | 65 | 35 | 35 |
| West Virginia..... | 55 | 53 | 35 | 21 | 21 | 23 | 76 | 74 | 58 | 36 | 36 |
| Florida..... | 58 | 52 | 27 | 16 | 15 | 12 | 74 | 67 | 39 | 37 | 38 |
| Utah..... | 53 | 60 | 37 | 11 | 12 | 13 | 64 | 72 | 50 | 38 | 37 |
| Maryland..... | 34 | 32 | 20 | 20 | 21 | 22 | 55 | 53 | 41 | 39 | 39 |
| Nevada..... | 44 | 48 | 33 | 5 | 5 | 6 | 49 | 53 | 39 | 40 | 40 |
| Vermont..... | 36 | 30 | 23 | 12 | 12 | 12 | 48 | 42 | 35 | 41 | 41 |
| New Jersey..... | 30 | 25 | 17 | 14 | 13 | 14 | 43 | 39 | 32 | 42 | 42 |
| Maine..... | 24 | 22 | 15 | 16 | 17 | 17 | 40 | 39 | 31 | 43 | 43 |
| Massachusetts..... | 26 | 23 | 16 | 8 | 8 | 10 | 34 | 31 | 25 | 44 | 44 |
| Connecticut..... | 19 | 17 | 12 | 7 | 7 | 7 | 26 | 24 | 19 | 45 | 45 |
| New Hampshire..... | 14 | 13 | 10 | 6 | 6 | 6 | 20 | 19 | 16 | 46 | 46 |
| Delaware..... | 7 | 6 | 4 | 3 | 4 | 4 | 10 | 10 | 8 | 47 | 47 |
| Rhode Island..... | 3 | 3 | 2 | 1 | 1 | 1 | 5 | 4 | 4 | 48 | 48 |
| United States .. | 5,839 | 6,040 | 3,815 | 2,727 | 2,788 | 2,765 | 8,566 | 8,828 | 6,580 | | |

LIVE STOCK PRICES.

TABLE 262.—Prices of live stock by ages or classes, United States, 1914–1920.

| Cattle. | 1920 | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 |
|----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| Horses: | | | | | | | |
| Under 1 year old..... | \$39.06 | \$42.62 | \$45.20 | \$45.17 | \$44.30 | \$45.36 | \$47.95 |
| 1 and under 2 years..... | 61.39 | 65.94 | 70.21 | 70.21 | 69.02 | 70.62 | 74.87 |
| 2 years and over..... | 104.04 | 108.17 | 114.30 | 112.64 | 111.28 | 113.10 | 119.77 |
| Mules: | | | | | | | |
| Under 1 year old..... | 60.52 | 59.14 | 57.61 | 53.98 | 51.47 | 51.80 | 57.45 |
| 1 and under 2 years..... | 91.92 | 89.14 | 86.32 | 80.28 | 76.69 | 76.46 | 83.87 |
| 2 years and over..... | 160.52 | 147.65 | 139.88 | 128.17 | 123.59 | 121.46 | 133.76 |
| Other cattle (than milk): | | | | | | | |
| Under 1 year..... | 24.41 | 24.97 | 23.44 | 20.71 | 19.08 | 19.06 | 17.84 |
| 1 and under 2 years..... | 40.99 | 41.74 | 38.63 | 33.93 | 31.48 | 31.21 | 29.77 |
| 2 years and over..... | 59.01 | 60.41 | 55.62 | 48.63 | 45.81 | 45.92 | 42.77 |
| Sheep: | | | | | | | |
| Under 1 year..... | 8.09 | 8.82 | 9.06 | 5.63 | 4.13 | 3.62 | 3.22 |
| Ewes 1 year and over..... | 11.10 | 12.44 | 12.70 | 7.48 | 5.35 | 4.59 | 4.09 |
| Wethers 1 year and over..... | 9.81 | 11.02 | 11.26 | 6.78 | 5.02 | 4.48 | 4.06 |
| Rams..... | 21.52 | 21.90 | 20.84 | 13.62 | 10.32 | 9.01 | 8.49 |

LIVE STOCK MARKETINGS.

TABLE 263.—Yearly marketings of live stock at principal markets, 1900–1919.

The combined receipts and shipments of cattle, hogs, and sheep, at Chicago, Kansas City, Omaha, St. Louis, Sioux City, St. Joseph, and St. Paul yearly since 1900 were as follows:

| Year. | Cattle. | | Hogs. | | Sheep. | |
|-----------|------------|------------|------------|------------|------------|------------|
| | Receipts. | Shipments. | Receipts. | Shipments. | Receipts. | Shipments. |
| 1900..... | 7,179,344 | 3,793,308 | 18,573,177 | 5,336,826 | 7,061,466 | 2,500,666 |
| 1901..... | 7,708,839 | 3,888,460 | 20,339,884 | 5,772,717 | 7,798,359 | 2,712,866 |
| 1902..... | 8,375,408 | 4,292,705 | 17,289,427 | 4,130,675 | 9,177,060 | 3,561,060 |
| 1903..... | 8,878,789 | 4,490,748 | 16,780,250 | 4,233,572 | 9,680,692 | 3,983,310 |
| 1904..... | 8,690,699 | 4,552,554 | 17,778,827 | 5,254,545 | 9,604,812 | 4,203,834 |
| 1905..... | 9,202,033 | 4,964,753 | 18,988,933 | 5,614,306 | 10,572,259 | 4,725,872 |
| 1906..... | 9,373,825 | 5,026,689 | 19,223,792 | 5,440,333 | 10,864,337 | 5,046,366 |
| 1907..... | 9,590,710 | 5,360,790 | 19,544,617 | 5,993,069 | 9,857,477 | 4,549,000 |
| 1908..... | 8,827,360 | 4,936,731 | 22,863,701 | 7,288,403 | 9,833,440 | 4,489,296 |
| 1909..... | 9,189,312 | 5,181,446 | 18,420,012 | 6,381,667 | 10,284,558 | 4,172,388 |
| 1910..... | 9,116,637 | 5,122,984 | 14,853,472 | 4,628,780 | 12,366,375 | 6,013,215 |
| 1911..... | 8,629,109 | 4,805,766 | 19,926,547 | 6,418,246 | 13,521,492 | 5,891,034 |
| 1912..... | 8,061,434 | 4,318,648 | 19,771,825 | 6,096,906 | 13,733,880 | 5,369,402 |
| 1913..... | 7,904,652 | 4,596,885 | 19,924,331 | 6,414,815 | 14,037,330 | 6,046,260 |
| 1914..... | 7,182,239 | 3,933,663 | 18,272,691 | 5,816,069 | 13,272,491 | 5,331,449 |
| 1915..... | 7,963,691 | 3,944,152 | 21,031,405 | 6,823,983 | 11,160,246 | 4,370,504 |
| 1916..... | 9,319,851 | 4,713,700 | 25,345,802 | 8,264,752 | 11,639,622 | 4,640,615 |
| 1917..... | 11,241,038 | 5,676,015 | 20,945,301 | 7,151,995 | 10,017,353 | 4,534,489 |
| 1918..... | 12,936,668 | 5,388,838 | 25,461,514 | 7,111,935 | 12,064,416 | 5,749,835 |
| 1919..... | 12,151,920 | 5,316,761 | 25,280,245 | 5,941,663 | 14,307,603 | 5,714,471 |

Figures for 1900–1909, inclusive, were taken from the Monthly Summary of Commerce and Finance of the United States; 1910 and subsequently from official reports of the stockyards in the cities mentioned.

The receipts of calves (not included in "Cattle") at the stockyards of Chicago, Kansas City, St. Joseph, St. Paul, and Sioux City, combined, were about 1,589,491 in 1919, 1,361,787 in 1918, 1,180,063 in 1917, 918,776 in 1916, 728,145 in 1915, 664,000 in 1914, 741,000 in 1913, about 910,000 in 1912, 975,000 in 1911, 981,000 in 1910, and 869,000 in 1909.

THE FEDERAL MEAT INSPECTION.

Some of the principal facts connected with the Federal meat inspection as administered by the Bureau of Animal Industry are shown in the following tables. The figures cover the annual totals beginning with the fiscal year 1907, which was the first year of operations under the meat-inspection law now in force. The data given comprise the number of establishments at which inspection is conducted; the number of animals of each species inspected at slaughter; the number of each species condemned, both wholly and in part, and the percentage condemned of each species and of all animals; the quantity of meat products prepared or processed under Federal supervision, and the quantity and percentage of the latter condemned.

THE FEDERAL MEAT INSPECTION—Continued.

Further details of the Federal meat inspection are published each year in the Annual Report of the Chief of the Bureau of Animal Industry.

TABLE 264.—Number of establishments inspected and total number of animals slaughtered under Federal inspection annually, 1907 to 1919.

| Yearended June 30— | Estab- lish- ments. | Cattle. | Calves. | Swine. | Sheep. | Goats. | All animals. |
|--------------------|---------------------------|------------|-----------|------------|------------|---------|-----------------|
| 1907..... | 708 | 7,621,717 | 1,763,574 | 31,815,900 | 9,681,376 | 52,149 | 50,935,216 |
| 1908..... | 787 | 7,116,275 | 1,995,487 | 35,113,977 | 9,702,545 | 45,953 | 53,973,337 |
| 1909..... | 876 | 7,325,337 | 2,046,711 | 35,427,931 | 10,802,903 | 69,193 | 58,672,075 |
| 1910..... | 919 | 7,962,189 | 2,295,990 | 37,656,021 | 11,149,937 | 115,811 | 49,179,057 |
| 1911..... | 936 | 7,781,030 | 2,219,908 | 36,916,363 | 13,008,502 | 54,145 | 52,976,948 |
| 1912..... | 940 | 7,532,005 | 2,242,029 | 34,966,378 | 14,208,724 | 63,983 | 56,014,019 |
| 1913..... | 910 | 7,155,316 | 2,098,484 | 32,287,538 | 14,724,465 | 56,556 | 54,322,859 |
| 1914..... | 893 | 6,724,117 | 1,814,904 | 33,289,705 | 14,958,324 | 121,827 | 54,909,387 |
| 1915..... | 896 | 6,964,402 | 1,735,902 | 36,247,958 | 12,909,969 | 165,533 | 58,022,884 |
| 1916..... | 875 | 7,404,288 | 2,048,022 | 40,482,799 | 11,985,926 | 180,356 | 62,101,391 |
| 1917..... | 833 | 9,299,489 | 2,679,745 | 40,210,847 | 11,343,418 | 174,649 | 63,708,148 |
| 1918..... | 884 | 10,938,287 | 3,323,077 | 35,449,247 | 8,769,496 | 149,503 | 58,629,612 |
| 1919..... | 895 | 11,241,991 | 3,674,227 | 44,398,389 | 11,268,370 | 125,660 | 70,708,637 |

TABLE 265.—Condemnations of animals at slaughter, 1907-1919.

| Year ended June 30— | Cattle. | | | Calves. | | | Swine. | | |
|---------------------|---------|---------|------------------------|---------|-------|------------------------|---------|---------|------------------------|
| | Whole. | Part. | Per cent. ¹ | Whole. | Part. | Per cent. ¹ | Whole. | Part. | Per cent. ¹ |
| 1907..... | 27,933 | 93,174 | 1.58 | 6,414 | 245 | 0.38 | 106,879 | 436,161 | 1.70 |
| 1908..... | 33,216 | 67,482 | 1.41 | 5,854 | 396 | .31 | 127,933 | 636,589 | 2.18 |
| 1909..... | 35,103 | 90,739 | 1.84 | 8,213 | 409 | .42 | 86,912 | 799,300 | 2.50 |
| 1910..... | 42,426 | 122,167 | 2.07 | 7,524 | 500 | .35 | 52,439 | 726,829 | 2.82 |
| 1911..... | 39,402 | 123,969 | 2.10 | 7,654 | 781 | .38 | 59,477 | 877,528 | 3.13 |
| 1912..... | 50,363 | 134,783 | 2.46 | 8,927 | 1,212 | .45 | 129,002 | 323,992 | 1.30 |
| 1913..... | 50,775 | 130,139 | 2.53 | 9,216 | 1,377 | .50 | 173,937 | 373,993 | 1.70 |
| 1914..... | 48,356 | 138,085 | 2.77 | 6,696 | 1,234 | .44 | 204,942 | 422,275 | 1.88 |
| 1915..... | 52,496 | 178,409 | 3.32 | 5,941 | 1,750 | .44 | 213,005 | 464,217 | 1.87 |
| 1916..... | 57,579 | 188,915 | 3.33 | 6,681 | 1,968 | .42 | 196,107 | 546,200 | 1.83 |
| 1917..... | 78,706 | 249,637 | 3.53 | 10,112 | 2,927 | .49 | 158,490 | 528,288 | 1.71 |
| 1918..... | 68,156 | 178,940 | 2.26 | 8,109 | 2,308 | .31 | 113,079 | 347,006 | 1.30 |
| 1919..... | 59,549 | 166,791 | 2.01 | 9,202 | 2,479 | .32 | 128,805 | 433,433 | 1.27 |

| Year ended June 30— | Sheep. | | | Goats. | | | All animals. | | |
|---------------------|--------|--------|------------------------|--------|-------|------------------------|--------------|-----------|------------------------|
| | Whole. | Part. | Per cent. ¹ | Whole. | Part. | Per cent. ¹ | Whole. | Part. | Per cent. ¹ |
| 1907..... | 9,524 | 296 | 0.10 | 42 | | 0.08 | 149,792 | 529,876 | 1.33 |
| 1908..... | 8,090 | 198 | .09 | 33 | 1 | .07 | 175,126 | 704,666 | 1.63 |
| 1909..... | 10,747 | 179 | .10 | 82 | 1 | .12 | 141,057 | 899,628 | 1.87 |
| 1910..... | 11,127 | 24,714 | .32 | 226 | 1 | .19 | 113,742 | 874,211 | 2.01 |
| 1911..... | 10,789 | 7,394 | .14 | 61 | | .11 | 117,383 | 1,009,672 | 2.13 |
| 1912..... | 15,402 | 3,871 | .13 | 84 | 1 | .13 | 203,778 | 463,859 | 1.13 |
| 1913..... | 16,657 | 939 | .12 | 76 | 1 | .14 | 250,661 | 506,449 | 1.34 |
| 1914..... | 20,563 | 1,564 | .15 | 746 | 8 | .62 | 281,303 | 563,166 | 1.48 |
| 1915..... | 17,611 | 298 | .14 | 653 | 14 | .40 | 290,606 | 644,688 | 1.61 |
| 1916..... | 15,057 | 1,007 | .13 | 663 | 161 | .46 | 275,087 | 738,361 | 1.63 |
| 1917..... | 16,749 | 437 | .15 | 1,349 | 42 | .80 | 265,396 | 781,331 | 1.64 |
| 1918..... | 12,564 | 227 | .15 | 419 | 1 | .28 | 202,327 | 528,482 | 1.25 |
| 1919..... | 14,371 | 330 | .13 | 318 | 17 | .27 | 212,245 | 603,060 | 1.15 |

¹ Includes both whole and parts. It should be understood that the parts here recorded are primal parts; a much larger number of less important parts, especially in swine, are condemned in addition.

THE FEDERAL MEAT INSPECTION—Continued.

TABLE 266.—Quantity of meat and meat food products prepared, and quantity and percentage condemned, under Federal supervision annually, 1907 to 1919.

| Year ended June 30— | Prepared or processed. | Condemned. | Percentage condemned. | Year ended June 30— | Prepared or processed. | Condemned. | Percentage condemned. |
|---------------------|------------------------|----------------|-----------------------|---------------------|------------------------|----------------|-----------------------|
| | <i>Pounds.</i> | <i>Pounds.</i> | <i>Per cent.</i> | | <i>Pounds.</i> | <i>Pounds.</i> | <i>Per cent.</i> |
| 1907..... | 4,464,213,208 | 14,874,587 | 0.33 | 1914..... | 7,033,295,975 | 19,135,469 | 0.27 |
| 1908..... | 5,958,298,364 | 43,344,306 | .73 | 1915..... | 7,533,070,002 | 18,730,122 | .25 |
| 1909..... | 6,791,437,032 | 24,379,754 | .36 | 1916..... | 7,474,242,192 | 17,897,367 | .24 |
| 1910..... | 6,223,964,593 | 19,031,908 | .31 | 1917..... | 7,663,633,957 | 19,857,270 | .26 |
| 1911..... | 6,934,233,214 | 21,073,577 | .31 | 1918..... | 7,905,184,924 | 17,543,184 | .22 |
| 1912..... | 7,279,558,956 | 18,096,587 | .25 | 1919..... | 9,169,042,049 | 30,323,320 | .33 |
| 1913..... | 7,094,809,809 | 18,851,930 | .27 | | | | |

The principal items in Table 266, in the order of magnitude, are: Cured pork, lard sausage, canned beef, lard substitutes, and oleo products. The list includes a large number of less important items.

It should be understood that the above products are entirely separate and additional to the carcass inspection at time of slaughter. They are, in fact, reinspections of such portions of the carcass as have subsequently undergone some process of manufacture

TABLE 267.—Quantity of meat and meat food products imported, and quantity and percentage condemned or refused entry, 1914 to 1919.

| Year ended June 30— | Total imported. | Condemned. | Refused entry. | Percentage condemned or refused. |
|----------------------|-----------------|----------------|----------------|----------------------------------|
| | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Per cent.</i> |
| 1914 (9 months)..... | 197,399,348 | 551,859 | | 0.28 |
| 1915..... | 245,023,437 | 2,020,291 | 70,454 | .85 |
| 1916..... | 110,514,476 | 298,276 | 113,907 | .37 |
| 1917..... | 29,138,996 | 382,160 | 14,611 | 1.36 |
| 1918..... | 59,025,484 | 989,916 | 414,453 | 2.38 |
| 1919..... | 179,911,142 | 340,358 | 501,802 | .47 |

IMPORTS AND EXPORTS OF AGRICULTURAL PRODUCTS.¹

[Compiled in the Bureau of Crop Estimates from reports of the foreign commerce and navigation of the United States, U. S. Department of Commerce.]

TABLE 268.—*Agricultural imports of the United States during the 3 years ending June 30, 1919.*

| Article imported. | Year ending June 30— | | | | | |
|---|----------------------|------------------|------------------|------------------|---------------------|--------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| ANIMAL MATTER. | | | | | | |
| Animals, live: | | | | | | |
| Cattle— | | | | | | |
| For breeding purposes, number ² | 374,826 | \$13,021,259 | 293,719 | \$17,852,176 | 440,399 | \$36,995,921 |
| Horses— | | | | | | |
| For breeding purposes, number ² | 2,684 | 1,056,033 | 879 | 706,744 | 793 | 308,759 |
| Other.....do..... | 9,900 | 832,270 | 4,232 | 480,699 | 3,210 | 441,505 |
| Total horses.....do..... | 12,584 | 1,888,303 | 5,111 | 1,187,443 | 4,003 | 750,264 |
| Sheep— | | | | | | |
| For breeding purposes, number ² | 160,422 | 856,645 | 177,681 | 1,979,746 | 163,283 | 1,914,473 |
| Swine.....number..... | 5,669 | 113,457 | 12,696 | 324,182 | 24,236 | 821,614 |
| All other, including fowls..... | | 723,195 | | 614,831 | | 442,494 |
| Total live animals..... | | 16,602,859 | | 21,958,378 | | 40,924,766 |
| Beeswax.....pounds..... | 2,685,982 | 894,318 | 1,826,618 | 632,356 | 2,126,942 | 791,662 |
| Dairy products: | | | | | | |
| Butter.....do..... | 523,573 | 192,767 | 1,805,925 | 619,303 | 4,131,469 | 1,899,132 |
| Cheese.....do..... | 14,481,514 | 4,465,633 | 9,839,305 | 4,089,027 | 2,442,306 | 1,099,284 |
| Milk and cream— | | | | | | |
| Fresh.....gallons..... | | | | | 2,591,553 | 1,318,885 |
| Condensed.....pounds..... | | 2,412,713 | | 3,672,063 | 20,183,723 | 2,042,528 |
| Total dairy products..... | | 7,071,113 | | 8,380,393 | | 6,329,829 |
| Eggs.....dozen..... | 1,110,322 | 268,286 | 1,619,069 | 483,636 | 847,671 | 233,008 |
| Egg albumen.....pounds..... | (³) | (³) | (³) | (³) | 2,952,911 | 1,475,384 |
| Egg yolks or frozen eggs, pounds..... | 10,317,774 | 1,732,948 | 14,597,503 | 4,057,417 | 9,085,449 | 3,143,190 |
| Feathers and downs, crude: | | | | | | |
| Ostrich.....pounds..... | (³) | 534,921 | (³) | 746,709 | 165,506 | 1,007,732 |
| Other.....do..... | (³) | 944,295 | (³) | 1,212,471 | 1,418,704 | 427,771 |
| Fibers, animal: | | | | | | |
| Silk— | | | | | | |
| Cocoons.....pounds..... | 62,056 | 54,995 | 251,447 | 319,349 | 734,710 | 307,155 |
| Raw, or as reeled from the cocoon.....pounds..... | 33,868,885 | 156,085,649 | 34,846,197 | 183,076,241 | 34,321,030 | 202,643,259 |
| Waste.....do..... | 6,420,482 | 4,431,164 | 8,583,344 | 7,229,176 | 15,012,903 | 14,567,070 |
| Total silk.....do..... | 40,351,423 | 160,571,808 | 43,680,988 | 190,624,766 | 50,068,643 | 217,517,484 |
| Wool, and hair of the camel, goat, alpaca, and like animals— | | | | | | |
| Class 1, clothing, pounds..... | 279,481,501 | 101,502,941 | 303,868,940 | 165,026,343 | 327,944,568 | 182,532,037 |
| Class 2, combing pounds..... | 17,055,953 | 6,723,737 | 13,953,957 | 8,583,978 | 2,383,551 | 1,443,002 |
| Class 3, carpet pounds..... | 67,672,671 | 19,814,386 | 58,994,662 | 23,867,365 | 84,178,453 | 36,387,702 |
| Hair of the Angora goat, alpaca, etc.....pounds..... | 8,162,093 | 3,096,106 | 2,312,375 | 1,068,225 | 7,908,092 | 4,047,321 |
| Total wool..... | 372,372,218 | 131,137,170 | 379,129,934 | 198,545,911 | 422,414,664 | 224,410,062 |
| Total animal fibers, pounds..... | 412,723,641 | 291,708,978 | 422,810,922 | 389,170,677 | 472,483,307 | 441,927,546 |

¹ Forest products come within the scope of the Department of Agriculture and are therefore included in alphabetical order in these tables.

² Including all imported free of duty.

³ Not stated.

TABLE 268.—Agricultural imports of the United States during the 3 years ending June 30, 1919—Continued.

| Article Imported. | Year ending June 30— | | | | | |
|--|----------------------|---------------|---------------|---------------|---------------------|---------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| ANIMAL MATTER—contd. | | | | | | |
| Gelatin.....pounds.. | 1, 114, 667 | \$359, 076 | 365, 586 | \$133, 057 | 74, 933 | \$44, 811 |
| Glue and glue size....do.... | 6, 265, 597 | 928, 000 | 2, 048, 543 | 348, 241 | 554, 217 | 195, 919 |
| Honey.....gallons.. | 427, 650 | 289, 317 | 591, 683 | 845, 082 | 321, 823 | 427, 683 |
| Packing-house products: | | | | | | |
| Blood, dried....pounds.. | (1) | 389, 455 | (1) | 462, 703 | 13, 880, 876 | 518, 630 |
| Bones, hoofs, and horns, pounds..... | (1) | 987, 544 | (1) | 1, 374, 546 | 28, 113, 123 | 475, 202 |
| Bristles— | | | | | | |
| Crude, unsorted, pounds..... | 129, 460 | 52, 536 | 33, 483 | 79, 131 | 45, 950 | 64, 974 |
| Sorted, bunched, or prepared....pounds.. | 4, 026, 539 | 4, 381, 411 | 3, 936, 667 | 4, 894, 046 | 4, 177, 019 | 5, 649, 025 |
| Total bristles.do.... | 4, 155, 999 | 4, 433, 947 | 3, 970, 150 | 4, 973, 177 | 4, 222, 969 | 5, 713, 999 |
| Grease..... | | 861, 973 | 26, 128, 588 | 3, 161, 233 | 28, 459, 875 | 2, 863, 910 |
| Hair— | | | | | | |
| Horse.....pounds.. | 6, 337, 754 | 2, 224, 576 | 3, 955, 109 | 1, 284, 174 | 3, 295, 863 | 1, 166, 306 |
| Other animal....do.... | 6, 771, 033 | 818, 298 | 4, 028, 839 | 550, 306 | 3, 988, 273 | 326, 387 |
| Hide cuttings and other glue stock....pounds.. | 33, 639, 707 | 1, 452, 273 | 21, 710, 206 | 936, 393 | 8, 833, 386 | 518, 266 |
| Hides and skins, other than furs— | | | | | | |
| Buffalo hides, dry, pounds..... | 27, 095, 228 | 6, 125, 219 | 10, 497, 860 | 2, 808, 995 | 9, 514, 989 | 2, 175, 007 |
| Cabretta, or kid skins, pounds..... | (1) | (1) | (1) | (1) | 4, 028 | 949 |
| Calfskins— | | | | | | |
| Dry.....pounds.. | 33, 936, 381 | 11, 062, 856 | 8, 893, 766 | 3, 699, 479 | 11, 602, 385 | 5, 967, 424 |
| Green or pickled, pounds..... | 12, 399, 814 | 4, 530, 193 | 4, 267, 549 | 1, 577, 122 | 9, 046, 040 | 4, 174, 541 |
| Cattle hides— | | | | | | |
| Dry.....pounds.. | 161, 236, 620 | 48, 714, 500 | 76, 655, 271 | 23, 929, 479 | 33, 181, 575 | 9, 585, 052 |
| Green or pickled, pounds..... | 225, 363, 408 | 51, 236, 153 | 190, 844, 499 | 43, 820, 645 | 220, 665, 155 | 50, 739, 610 |
| Goatskins— | | | | | | |
| Dry.....pounds.. | 92, 425, 345 | 51, 777, 399 | 56, 735, 829 | 29, 741, 959 | 78, 159, 320 | 48, 015, 567 |
| Green or pickled, pounds..... | 13, 214, 962 | 3, 642, 410 | 10, 197, 108 | 1, 989, 466 | 10, 845, 208 | 3, 210, 822 |
| Horse and ass skins— | | | | | | |
| Dry.....pounds.. | 12, 185, 138 | 3, 731, 858 | 2, 698, 857 | 637, 286 | 2, 762, 086 | 598, 205 |
| Green or pickled, pounds..... | 15, 485, 233 | 2, 459, 969 | 6, 360, 178 | 931, 353 | 3, 550, 613 | 484, 437 |
| Kangaroo.....pounds.. | 958, 629 | 721, 754 | 670, 685 | 709, 263 | 1, 053, 490 | 986, 137 |
| Sheepskins ² — | | | | | | |
| Dry.....pounds.. | 55, 283, 868 | 17, 954, 483 | 32, 238, 584 | 11, 833, 646 | 26, 464, 459 | 10, 183, 506 |
| Green or pickled, pounds..... | 40, 446, 730 | 11, 626, 832 | 23, 230, 331 | 7, 272, 342 | 35, 431, 056 | 11, 297, 085 |
| Other.....pounds.. | 10, 176, 141 | 2, 779, 983 | 9, 226, 176 | 2, 677, 317 | 5, 831, 324 | 1, 870, 202 |
| Total hides and skins, pounds..... | 700, 207, 497 | 216, 363, 609 | 432, 516, 663 | 131, 628, 352 | 448, 141, 726 | 149, 288, 544 |
| Meat— | | | | | | |
| Cured— | | | | | | |
| Bacon and hams, pounds..... | 190, 293 | 46, 394 | 260, 031 | 79, 162 | 4, 056, 812 | 1, 187, 419 |
| Meat prepared or preserved....pounds.. | (1) | 981, 212 | (1) | 7, 320, 101 | 135, 878, 504 | 37, 779, 982 |
| Sausage, bologna, pounds..... | 682 | 274 | 15, 066 | 5, 664 | 16, 166 | 6, 450 |
| Fresh— | | | | | | |
| Beef and veal, pounds..... | 15, 217, 118 | 1, 613, 090 | 25, 451, 655 | 3, 651, 860 | 36, 670, 374 | 6, 626, 517 |
| Mutton and lamb, pounds..... | 4, 684, 131 | 555, 646 | 2, 007, 601 | 267, 948 | 4, 542, 317 | 938, 628 |
| Pork.....pounds.. | 1, 651, 227 | 280, 795 | 1, 847, 733 | 373, 301 | 2, 744, 412 | 645, 599 |
| Other, including meat extracts....pounds.. | (1) | 3, 773, 062 | (1) | 15, 157, 317 | 6, 813, 532 | 1, 423, 938 |
| Total meat..... | (1) | 7, 250, 493 | (1) | 26, 855, 353 | 190, 722, 117 | 48, 608, 533 |

¹Not stated.²Except sheepskins with the wool on.

TABLE 268.—Agricultural imports of the United States during the 3 years ending June 30, 1919—Continued.

| Article imported. | Year ending June 30— | | | | | |
|---|----------------------|------------------|------------------|------------------|---------------------|-------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| ANIMAL MATTER—contd. | | | | | | |
| Packing-house products— | | | | | | |
| Continued. | | | | | | |
| Oleo stearin.....pounds.. | 1,113,277 | \$114,640 | 6,575,379 | \$1,118,422 | 1,601,814 | \$314,308 |
| Rennets.....do..... | | 13,154 | (¹) | 62,173 | 40,905 | 97,994 |
| Sausage casings.....do..... | | 4,219,235 | (¹) | 3,631,025 | 8,353,018 | 4,008,714 |
| Tallow.....do..... | (¹) | (¹) | (¹) | (¹) | 10,808,742 | 1,408,007 |
| Total packing-house products..... | (¹) | 239,129,197 | (¹) | 176,037,857 | 750,462,687 | 215,398,770 |
| Total animal matter.. | | 560,463,308 | | 604,006,274 | | 712,328,066 |
| VEGETABLE MATTER. | | | | | | |
| Argols or wine lees,pounds.. | 23,925,808 | 3,824,882 | 30,267,382 | 5,443,628 | 32,228,216 | 5,281,794 |
| Breadstuffs. (See Grain and grain products.) | | | | | | |
| Broom corn.....long tons.. | 30 | 4,743 | 2,482 | 474,225 | 142 | 42,501 |
| Cocoa and chocolate: | | | | | | |
| Cocoa— | | | | | | |
| Crude, leaves and shells of.....pounds..... | 338,653,876 | 39,834,279 | 399,040,401 | 41,277,479 | 313,087,419 | 35,953,990 |
| Chocolate.....do..... | 1,829,521 | 553,139 | 271,877 | 94,899 | 157,309 | 55,950 |
| Total cocoa and chocolate.....pounds.. | 340,483,397 | 40,387,418 | 399,312,278 | 41,372,378 | 313,194,728 | 36,009,940 |
| Coffee.....do..... | 1,319,870,802 | 133,184,000 | 1,143,890,449 | 103,059,536 | 1,046,029,274 | 143,089,619 |
| Coffee substitutes: | | | | | | |
| Chicory root— | | | | | | |
| Roasted, ground, or otherwise prepared, pounds..... | 353,271 | 37,383 | 5,381 | 598 | 25 | 8 |
| Fibers, vegetable: | | | | | | |
| Cotton.....pounds..... | 147,061,635 | 40,429,526 | 103,325,647 | 36,020,483 | 103,592,194 | 37,633,612 |
| Flax.....long tons..... | 7,918 | 4,236,232 | 5,607 | 5,818,473 | 8,659 | 7,715,520 |
| Hemp.....do..... | 9,635 | 2,487,477 | 6,813 | 2,748,376 | 2,410 | 1,605,664 |
| Isle, or Tampico fiber, long tons..... | 32,680 | 2,913,414 | 30,810 | 2,972,891 | 25,118 | 3,020,174 |
| Jute and jute butts, long tons..... | 112,695 | 9,855,196 | 78,312 | 7,213,641 | 53,218 | 6,295,690 |
| Kapoc.....long tons..... | 6,861 | 1,671,245 | 4,680 | 1,239,475 | 9,904 | 3,090,946 |
| Manila.....do..... | 76,765 | 17,274,455 | 86,220 | 30,434,824 | 67,844 | 25,331,365 |
| New Zealand flax.....do..... | 7,910 | 1,718,740 | 10,478 | 3,620,959 | 11,235 | 3,447,749 |
| Sisal grass.....do..... | 143,407 | 25,931,525 | 150,164 | 51,532,666 | 153,455 | 51,621,653 |
| Other.....do..... | 10,747 | 1,621,474 | 16,769 | 3,461,165 | 8,160 | 1,753,319 |
| Total vegetable fibers.. | | 108,139,284 | | 145,062,953 | | 141,505,692 |
| Forest products: | | | | | | |
| Cinnamon bark.....pounds.. | 2,531,397 | 685,936 | 3,273,628 | 810,775 | 3,866,158 | 808,081 |
| Cork wood or cork bark, pounds..... | | 3,870,389 | (¹) | 3,061,827 | 26,505,971 | 1,736,102 |
| Dyewoods, and extracts of— | | | | | | |
| Dyewoods— | | | | | | |
| Logwood.....long tons.. | 122,794 | 4,137,400 | 52,027 | 1,066,455 | 20,871 | 412,952 |
| Other.....do..... | 8,895 | 189,176 | 35,449 | 951,667 | 6,639 | 137,292 |
| Total dyewoods,do.... | 131,689 | 4,326,576 | 87,476 | 2,018,122 | 27,510 | 550,244 |
| Extracts and decoctions of.....pounds.. | 2,500,854 | 152,619 | 4,573,925 | 219,993 | 8,268,184 | 422,289 |
| Total dyewoods, and extracts of..... | | 4,479,195 | | 2,238,115 | | 972,533 |

¹ Not stated.

TABLE 268.—Agricultural imports of the United States during the 3 years ending June 30, 1919—Continued.

| Article imported. | Year ending June 30— | | | | | |
|---|----------------------|-------------|-------------|-------------|---------------------|-------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—CON. | | | | | | |
| Forest products—Contd. | | | | | | |
| Gums— | | | | | | |
| Arabic or Senegal, pounds..... | (1) | (1) | (1) | (1) | 8,555,674 | \$1,359,838 |
| Camphor— | | | | | | |
| Crude.....pounds.. | 6,884,960 | \$2,101,239 | 3,638,384 | \$1,451,060 | 2,622,792 | 1,389,768 |
| Refined.....do.... | 4,263,815 | 1,972,351 | 1,189,932 | 819,431 | 1,500,357 | 2,072,082 |
| Chicle.....do.... | 7,440,022 | 3,538,353 | 6,408,093 | 3,454,193 | 8,344,657 | 5,046,494 |
| Copal, kauri, and damar.....pounds.. | 41,443,760 | 3,402,403 | 30,003,549 | 2,868,863 | 27,895,777 | 2,752,481 |
| Gambier, or terra japonica.....pounds.. | 10,133,625 | 859,873 | 8,964,832 | 955,352 | 5,909,382 | 654,211 |
| India rubber, gutta-percha, etc.— | | | | | | |
| Balata.....pounds.. | 3,287,445 | 1,649,452 | 2,449,881 | 1,278,610 | 1,238,852 | 583,633 |
| Guayule gum.....do.... | 2,854,372 | 764,484 | 4,307,539 | 1,341,095 | 2,990,253 | 761,060 |
| Gutta-joolatong, or East Indian gum, pounds..... | 23,376,399 | 1,044,022 | 17,475,963 | 975,816 | 11,363,283 | 1,199,216 |
| Gutta-percha, pounds | 2,021,794 | 332,223 | 1,151,312 | 147,323 | 4,161,065 | 710,510 |
| India rubber.....do.... | 333,373,711 | 189,328,674 | 389,599,015 | 202,800,392 | 402,471,531 | 157,928,132 |
| Total India rubber, etc.....pounds.. | 364,913,711 | 193,118,855 | 414,963,610 | 206,543,236 | 422,215,004 | 161,192,551 |
| Shallac.....do.... | 32,539,522 | 7,623,647 | 22,913,256 | 9,514,651 | 14,268,653 | 6,462,754 |
| Other.....do.... | (1) | 2,012,417 | (1) | 2,622,098 | 7,571,827 | 2,049,369 |
| Total gums.....do.... | (1) | 214,629,138 | (1) | 228,228,874 | 498,884,123 | 182,979,548 |
| Ivory, vegetable, pounds.. | 51,699,719 | 1,427,780 | 42,873,018 | 1,255,719 | 30,785,593 | 1,013,146 |
| Naval stores— | | | | | | |
| Turpentine, spirits of, gallons..... | 18,661 | 8,691 | 1,670 | 636 | | |
| Tanning materials— | | | | | | |
| Mangrove bark, long tons..... | 10,565 | 299,897 | 3,529 | 72,956 | 2,817 | 125,608 |
| Quebracho, extract of, pounds..... | 59,808,734 | 5,198,904 | 101,523,282 | 4,917,212 | 136,995,903 | 5,856,803 |
| Quebracho wood, long tons..... | 73,367 | 1,274,660 | 45,440 | 718,567 | 1,505 | 15,050 |
| Sumac, ground, pounds..... | 11,637,023 | 365,173 | 14,046,662 | 467,663 | 9,311,055 | 307,843 |
| Other.....do.... | | 792,064 | | 496,070 | | 547,124 |
| Total tanning materials..... | | 7,930,698 | | 6,672,468 | | 6,852,423 |
| Wood, not elsewhere specified— | | | | | | |
| Brier root or brierwood and ivy or laurel root..... | | 589,607 | | 555,201 | | 876,433 |
| Chair cane or reed..... | | 235,498 | | 203,037 | | 223,894 |
| Cabinet woods, unsawed— | | | | | | |
| Cedar.....M feet.. | 12,582 | 693,675 | 12,354 | 840,323 | 8,456 | 643,208 |
| Mahogany.....do.... | 42,780 | 2,888,615 | 51,681 | 3,731,389 | 48,261 | 4,300,116 |
| Other.....do.... | (1) | 684,562 | (1) | 473,751 | 10,910 | 882,957 |
| Total cabinet woods.....M feet.. | (1) | 4,266,852 | (1) | 5,045,463 | 67,627 | 5,826,276 |
| Logs and round timber.....M feet.. | 134,841 | 1,270,348 | 65,394 | 815,247 | 39,888 | 765,369 |

1 Not stated.

TABLE 268.—*Agricultural imports of the United States during the 3 years ending June 30, 1919—Continued.*

| Article imported. | Year ending June 30— | | | | | |
|--|----------------------|------------------|------------------|------------------|---------------------|--------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—CON. | | | | | | |
| Forest products—Contd. | | | | | | |
| Wood, not elsewhere specified—Continued. | | | | | | |
| Lumber | | | | | | |
| Boards, deals, planks, and other sawed lumber.....M feet.. | 1,175,319 | \$24,514,751 | 1,282,701 | \$32,694,374 | 990,010 | \$29,135,881 |
| Laths.....M..... | 766,296 | 2,280,656 | 410,626 | 1,376,273 | 401,846 | 1,357,244 |
| Shingles.....M..... | 1,924,139 | 4,568,340 | 1,878,465 | 5,453,951 | 1,757,170 | 5,863,927 |
| Other..... | | 730,158 | | 881,122 | | 1,111,143 |
| Total lumber..... | | 32,093,905 | | 40,406,720 | | 37,468,196 |
| Pulp wood— | | | | | | |
| Peeled.....cords.. | 639,816 | 4,285,282 | 822,816 | 7,821,335 | 956,894 | 9,265,900 |
| Rosined.....do..... | 162,818 | 1,296,957 | 138,690 | 1,621,306 | 131,606 | 1,626,102 |
| Rough.....do..... | 214,180 | 1,307,884 | 210,527 | 1,645,781 | 301,844 | 2,796,445 |
| Rattan and reeds..... | | 1,171,052 | | 1,781,239 | | 867,340 |
| Timber, ship and other..... | | (¹) | | (¹) | | 459,922 |
| All other..... | | 689,234 | | 1,281,626 | | 550,631 |
| Total wood, n. e. s.... | | 47,205,609 | | 61,175,955 | | 60,746,506 |
| Wood pulp— | | | | | | |
| Chemical— | | | | | | |
| Bleached, long tons.. | 47,767 | 4,728,371 | 18,044 | 2,135,884 | 21,228 | 2,299,266 |
| Unbleached.....do.... | 381,601 | 30,720,219 | 296,509 | 23,314,875 | 289,432 | 22,829,804 |
| Mechanical.....do.... | 270,107 | 7,018,404 | 189,599 | 6,138,831 | 165,031 | 4,482,033 |
| Total wood pulp, long tons..... | 699,475 | 42,461,994 | 504,152 | 31,589,090 | 475,691 | 29,581,108 |
| Total forest products..... | | 322,699,430 | | 335,033,459 | | 294,664,442 |
| Fruits: | | | | | | |
| Fresh or dried— | | | | | | |
| Bananas.....bunches.. | 34,661,179 | 12,724,198 | 34,549,913 | 15,147,643 | 35,382,306 | 15,772,277 |
| Currents.....pounds.. | 10,476,534 | 1,056,525 | 5,168,070 | 561,904 | 841,721 | 114,624 |
| Dates.....do..... | 26,485,361 | 622,934 | 5,572,908 | 249,621 | 20,192,160 | 891,088 |
| Figs.....do..... | 16,479,733 | 704,164 | 10,473,239 | 715,423 | 9,239,070 | 960,596 |
| Grapefruit..... | | (¹) | | (¹) | | 447,257 |
| Grapes.....cubic feet.. | 1,402,446 | 1,656,609 | 556,556 | 648,093 | 695,833 | 1,037,557 |
| Lemons.....pounds.. | 2,163,583 | 2,163,583 | | 2,179,211 | | 1,438,884 |
| Olives.....gallons..... | 5,641,759 | 2,338,615 | 2,385,059 | 1,062,487 | 3,501,371 | 1,786,609 |
| Oranges.....pounds.. | | 160,710 | | 62,906 | | 85,859 |
| Pineapples..... | | 935,906 | | 801,298 | | 1,011,099 |
| Raisins.....pounds.. | 1,850,219 | 234,560 | 843,533 | 153,319 | 119,969 | 34,827 |
| Other..... | | 1,936,561 | | 2,114,444 | | 1,657,070 |
| Total fresh or dried.... | | 24,534,365 | | 23,696,349 | | 25,237,757 |
| Prepared or preserved.... | | 781,586 | | 712,461 | | 578,946 |
| Total fruits..... | | 25,315,951 | | 24,408,810 | | 25,816,703 |
| Grain and grain products: | | | | | | |
| Grain— | | | | | | |
| Corn.....bushels.. | 2,267,299 | 1,488,529 | 3,196,420 | 3,483,101 | 3,311,211 | 3,271,623 |
| Oats.....do..... | 761,644 | 473,476 | 2,591,077 | 1,963,447 | 551,355 | 441,269 |
| Wheat.....do..... | 24,138,817 | 41,900,498 | 28,177,281 | 56,873,063 | 11,121,461 | 19,132,902 |
| Total grain.....do.... | 27,167,760 | 43,862,503 | 33,964,778 | 62,319,611 | 14,984,027 | 22,845,794 |
| Grain products— | | | | | | |
| Bread and biscuit, pounds..... | (¹) | 148,401 | (¹) | 100,141 | 558,779 | 89,439 |
| Macaroni, vermicelli, etc.....pounds.. | 3,472,503 | 262,909 | 669,524 | 54,713 | 591,804 | 58,899 |
| Meal and flour— | | | | | | |
| Wheat flour, barrels.. | 174,704 | 1,458,279 | 675,096 | 6,372,333 | 38,040 | 385,816 |
| Other..... | | 3,664,279 | | 7,445,828 | | 3,864,345 |
| Total grain products..... | | 5,533,868 | | 13,973,015 | | 4,398,499 |
| Total grain and grain products..... | | 49,396,371 | | 76,292,626 | | 27,244,293 |

¹ Not stated.

TABLE 268.—Agricultural imports of the United States during the 3 years ending June 30, 1919—Continued.

| Article imported. | Year ending June 30— | | | | | |
|--|----------------------|------------|-------------|-------------|---------------------|-------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—CON. | | | | | | |
| Hay.....long tons.. | 58,147 | \$628,021 | 410,738 | \$4,618,764 | 277,448 | \$3,677,025 |
| Hops.....pounds.. | 236,849 | 59,291 | 121,288 | 72,450 | 6 | 14 |
| Indigo.....do..... | 2,812,739 | 4,108,910 | 3,126,497 | 3,895,114 | 1,590,176 | 1,551,467 |
| Licorice root.....do..... | 59,400,224 | 2,190,822 | 26,962,932 | 1,853,927 | 42,684,025 | 3,445,022 |
| Liquors, alcoholic: | | | | | | |
| Distilled spirits— | | | | | | |
| Brandy.....proof galls.. | 420,567 | 1,502,845 | 234,912 | 1,149,969 | 326 | 1,008 |
| Cordials, liqueurs, etc., | | | | | | |
| proof galls..... | 357,311 | 902,696 | 76,120 | 215,803 | 13,018 | 48,580 |
| Gin.....proof galls.. | 263,520 | 439,244 | 112,649 | 256,158 | 292 | 355 |
| Whisky.....do..... | 1,676,151 | 4,404,496 | 796,267 | 2,487,831 | 315 | 892 |
| Other.....do..... | 397,934 | 543,620 | 157,148 | 221,722 | 573 | 482 |
| Total distilled spirits, | | | | | | |
| proof galls..... | 3,115,483 | 7,792,891 | 1,377,096 | 4,331,483 | 14,524 | 51,317 |
| Malt liquors— | | | | | | |
| Bottled.....gallons.. | 632,064 | 717,653 | 296,390 | 416,576 | 24,670 | 27,387 |
| Unbottled.....do..... | 1,606,113 | 682,843 | 463,676 | 292,331 | 2,472 | 1,524 |
| Total malt liquors, | | | | | | |
| gallons..... | 2,240,177 | 1,400,496 | 760,066 | 708,907 | 27,142 | 28,911 |
| Wines— | | | | | | |
| Champagne and other | | | | | | |
| sparkling...doz. qts.. | 195,714 | 3,442,645 | 124,230 | 2,167,627 | 31,624 | 647,668 |
| Still wines— | | | | | | |
| Bottled.....doz. qts.. | 534,402 | 2,485,014 | 415,491 | 2,237,116 | 64,154 | 413,959 |
| Unbottled.....gallons.. | 3,167,400 | 2,558,086 | 2,357,862 | 2,209,960 | 910,692 | 977,567 |
| Total still wines..... | | 5,043,100 | | 4,447,076 | | 1,391,526 |
| Total wines..... | | 8,485,745 | | 6,614,703 | | 2,039,194 |
| Total alcoholic liquors..... | | 17,679,132 | | 11,655,068 | | 2,119,422 |
| Malt, barley. (See Grain and grain products.) | | | | | | |
| Malt liquors. (See Liquors, alcoholic.) | | | | | | |
| Nursery stock: | | | | | | |
| Plants, trees, shrubs, and vines— | | | | | | |
| Bulbs, bulbous roots or corms, cultivated for their flowers or foliage.....M.. | 233,318 | 2,886,189 | 233,219 | 2,804,057 | 95,169 | 1,421,273 |
| Stocks, cuttings, and seedlings.....M.. | (1) | (1) | (1) | (1) | 16,713 | 699,730 |
| Other..... | | 1,078,324 | | 524,643 | | 242,550 |
| Total nursery stock..... | | 3,964,513 | | 3,328,700 | | 2,363,553 |
| Nuts: | | | | | | |
| Almonds— | | | | | | |
| Shelled.....pounds.. | 18,413,225 | 4,621,100 | 19,561,155 | 4,956,419 | 23,594,915 | 7,467,545 |
| Unshelled.....do..... | 5,010,833 | 548,826 | 4,278,990 | 497,989 | 6,733,512 | 1,040,077 |
| Coconuts, unshelled..... | | 2,587,535 | | 2,788,635 | 73,609,712 | 2,743,796 |
| Coconut meat, broken, or copra— | | | | | | |
| Not shredded, desiccated, or prepared, pounds..... | 247,057,739 | 12,517,982 | 488,996,112 | 26,945,569 | 302,560,488 | 19,853,182 |
| Shredded, desiccated, or prepared, pounds..... | 9,743,024 | 727,424 | 20,579,973 | 2,396,104 | 13,784,032 | 1,726,982 |
| Cream and Brazil, pounds..... | 14,627,742 | 712,433 | 30,439,095 | 1,470,089 | 31,418,342 | 1,860,673 |
| Filberts— | | | | | | |
| Shelled.....pounds.. | 2,068,732 | 487,021 | 3,279,807 | 615,226 | 3,201,297 | 783,156 |
| Unshelled.....do..... | 11,181,301 | 1,354,257 | 17,366,979 | 1,869,430 | 6,442,643 | 891,683 |

1 Not stated.

TABLE 268.—Agricultural imports of the United States during the 3 years ending June 30, 1919.

| Article imported. | Year ending June 30— | | | | | |
|---|----------------------|------------------|------------------|------------------|---------------------|-------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—con. | | | | | | |
| Nuts—Continued. | | | | | | |
| Marrons, crude.. pounds.. | (¹) | (¹) | (¹) | (¹) | 746,956 | \$38,837 |
| Palm and palm-nut kernels..... pounds.. | (¹) | (¹) | (¹) | (¹) | 19,590,551 | 339,708 |
| Peanuts— | | | | | | |
| Shelled..... do..... | 27,180,748 | \$1,198,364 | 73,362,215 | \$4,617,560 | 19,462,080 | 1,108,734 |
| Unshelled..... do..... | 7,806,012 | 339,811 | 3,150,747 | 153,054 | 1,444,221 | 99,490 |
| Walnuts— | | | | | | |
| Shelled..... do..... | 13,058,518 | 3,713,340 | 11,155,660 | 4,251,567 | 7,695,651 | 3,534,408 |
| Unshelled..... do..... | 25,666,844 | 2,497,454 | 12,133,510 | 1,438,944 | 3,240,979 | 468,844 |
| Other..... do..... | | 1,575,139 | | 850,202 | | 558,545 |
| Total nuts..... | | 32,875,686 | | 52,850,788 | | 42,515,661 |
| Oil cake..... pounds.. | 52,671,866 | 554,871 | 35,149,142 | 574,082 | 71,366,840 | 2,579,526 |
| Oils, vegetable: | | | | | | |
| Fixed or expressed— | | | | | | |
| Cocoa butter or butterine..... pounds.. | 166,172 | 55,564 | 405 | 74 | 566,923 | 60,067 |
| Cocunut oil..... pounds.. | 79,223,398 | 9,132,096 | 259,194,853 | 30,919,783 | 324,270,366 | 43,496,543 |
| Cottonseed..... do..... | 13,708,126 | 1,039,080 | 14,291,313 | 1,629,111 | 20,410,022 | 2,625,255 |
| Flaxseed or linseed, gallons..... | 110,808 | 76,530 | 50,827 | 32,203 | 989,812 | 1,239,597 |
| Nut oil, or oil of nuts, n. e. s.— | | | | | | |
| Chinese nut..... gallons.. | 6,864,110 | 4,046,132 | 4,815,740 | 4,038,072 | 6,216,645 | 7,245,915 |
| Peanut..... do..... | 3,026,188 | 2,036,592 | 8,288,756 | 7,311,824 | 11,392,724 | 11,496,849 |
| Olive for mechanical purposes..... gallons.. | 651,018 | 615,350 | 114,324 | 94,629 | 114,642 | 177,757 |
| Olive, edible..... do..... | 7,533,149 | 10,502,671 | 2,537,512 | 3,873,211 | 4,283,136 | 8,010,626 |
| Palm oil..... pounds.. | 36,074,069 | 3,316,417 | 27,406,231 | 2,527,301 | 19,280,762 | 1,651,230 |
| Palm kernel..... do..... | 1,857,038 | 197,237 | 18,618 | 2,583 | 1,945,345 | 144,826 |
| Rapeseed..... gallons.. | 1,084,095 | 645,090 | 3,056,438 | 2,702,920 | 2,091,052 | 2,264,594 |
| Soya bean..... pounds.. | 162,690,235 | 11,410,606 | 333,824,646 | 32,827,460 | 236,805,005 | 28,032,683 |
| Other..... do..... | | 496,191 | | 2,027,142 | | 1,849,473 |
| Total fixed or expressed..... | | 43,568,555 | | 87,986,313 | | 108,294,435 |
| Volatile or essential— | | | | | | |
| Birch and cajuput, pounds..... | (¹) | 33,302 | (¹) | 25,981 | 18,853 | 11,239 |
| Lemon..... do..... | 449,735 | 373,933 | 628,067 | 427,318 | 490,241 | 470,501 |
| Other..... do..... | | 3,038,177 | | 3,917,710 | | 3,855,490 |
| Total volatile or essential..... | | 3,445,412 | | 4,371,006 | | 4,337,230 |
| Total vegetable oils..... | | 47,013,967 | | 92,357,322 | | 112,631,665 |
| Opium, crude..... pounds.. | 86,812 | 843,418 | 157,834 | 2,443,228 | 345,514 | 5,166,058 |
| Rice, rice meal, etc.: | | | | | | |
| Rice— | | | | | | |
| Cleaned..... pounds.. | 97,453,036 | 2,735,702 | 345,676,204 | 12,224,984 | 280,205,782 | 13,527,101 |
| Uncleaned, including paddy..... pounds.. | 80,865,798 | 2,290,173 | 62,817,754 | 2,558,034 | 49,688,672 | 3,141,665 |
| Rice flour, rice meal, and broken rice, pounds..... | 37,730,024 | 747,922 | 48,064,650 | 1,528,687 | 33,831,809 | 1,217,223 |
| Total rice, etc., pounds..... | 216,048,858 | 5,773,797 | 456,658,608 | 16,311,705 | 363,726,263 | 17,885,989 |
| Sago, tapioca, etc. pounds.. | (¹) | 3,712,956 | (¹) | 5,530,889 | 56,507,281 | 2,730,278 |

¹ Not stated.

TABLE 268.—Agricultural imports of the United States during the 3 years ending June 30, 1919—Continued.

| Article imported. | Year ending June 30— | | | | | |
|---|----------------------|---------------|------------------|---------------|---------------------|---------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—CON. | | | | | | |
| Seeds: | | | | | | |
| Castor beans or seeds, bushels..... | 763, 857 | \$1, 184, 985 | 1, 044, 014 | \$2, 273, 882 | 628, 312 | \$2, 188, 939 |
| Clover— | | | | | | |
| Red.....pounds..... | 5, 971, 267 | 936, 092 | 905, 709 | 162, 418 | 1, 157, 960 | 354, 081 |
| Other.....do..... | 12, 200, 892 | 1, 569, 782 | 7, 072, 386 | 1, 322, 027 | 10, 153, 961 | 2, 472, 298 |
| Flaxseed or linseed, bushels..... | 12, 393, 988 | 25, 149, 669 | 13, 366, 529 | 34, 217, 074 | 8, 426, 896 | 22, 620, 762 |
| Grass seed, n. e. s. pounds..... | 9, 187, 613 | 349, 630 | 5, 974, 944 | 504, 240 | 5, 040, 359 | 606, 404 |
| Mustard.....do..... | (1) | (1) | (1) | (1) | 11, 272, 769 | 842, 033 |
| Sugar beet.....do..... | 14, 469, 774 | 1, 684, 867 | 15, 635, 542 | 4, 541, 226 | 986, 676 | 247, 798 |
| Other.....do..... | | 4, 504, 640 | | 7, 820, 756 | | 5, 878, 349 |
| Total seeds..... | | 35, 879, 665 | | 50, 841, 623 | | 35, 212, 664 |
| Spices: | | | | | | |
| Unground— | | | | | | |
| Capsicum.....pounds..... | (1) | (1) | (1) | (1) | 2, 089, 509 | 244, 055 |
| Cassia, or cassia vera, pounds..... | 8, 744, 044 | 740, 846 | 8, 220, 023 | 856, 035 | 8, 944, 316 | 728, 792 |
| Cloves.....pounds..... | (1) | (1) | (1) | (1) | 6, 479, 738 | 1, 719, 984 |
| Ginger root, not preserved.....pounds..... | 2, 590, 279 | 243, 962 | 6, 544, 069 | 601, 392 | 1, 410, 236 | 105, 034 |
| Nutmegs.....do..... | | (1) | | (1) | 4, 501, 656 | 812, 659 |
| Pepper, black or white, pounds..... | 23, 961, 966 | 3, 636, 049 | 38, 545, 653 | 6, 043, 483 | 39, 734, 797 | 6, 441, 713 |
| Other.....pounds..... | 13, 785 | 879 | 1, 564 | 99 | | |
| Total unground, pounds..... | 35, 310, 074 | 4, 621, 736 | 53, 311, 309 | 7, 501, 009 | 63, 160, 252 | 10, 062, 237 |
| Ground— | | | | | | |
| Capsicum.....pounds..... | (1) | (1) | (1) | (1) | 2, 276, 418 | 682, 111 |
| Mustard.....do..... | 23, 220, 288 | 3, 123, 286 | 24, 751, 425 | 4, 018, 304 | 1, 184, 390 | 584, 382 |
| Other.....do..... | | | | | 5, 736, 515 | 871, 830 |
| Total ground.....do..... | 23, 220, 288 | 3, 123, 286 | 24, 751, 425 | 4, 018, 304 | 9, 197, 313 | 2, 138, 323 |
| Total spices.....do..... | 58, 530, 362 | 7, 745, 022 | 78, 062, 734 | 11, 519, 313 | 72, 357, 565 | 12, 190, 560 |
| Spirits, distilled. (See Liquors, alcoholic.) | | | | | | |
| Starch.....pounds..... | 20, 647, 893 | 973, 530 | 23, 852, 145 | 1, 673, 477 | 12, 011, 177 | 1, 042, 469 |
| Sugar and molasses: | | | | | | |
| Molasses.....gallons..... | 110, 237, 888 | 10, 946, 571 | 130, 730, 861 | 9, 177, 833 | 130, 074, 717 | 7, 471, 060 |
| Sugar— | | | | | | |
| Raw— | | | | | | |
| Beet.....pounds..... | 28, 847 | 1, 443 | 750 | 73 | 1, 180 | 108 |
| Cane.....do..... | 5, 329, 587, 360 | 230, 574, 221 | 4, 898, 277, 025 | 236, 105, 886 | 5, 831, 982, 457 | 308, 346, 936 |
| Maple sugar and sirup.....pounds..... | 3, 129, 647 | 370, 030 | 5, 049, 474 | 909, 412 | 4, 064, 085 | 1, 056, 220 |
| Total raw.....do..... | 5, 332, 745, 854 | 230, 945, 694 | 4, 903, 327, 249 | 237, 015, 371 | 5, 836, 047, 722 | 309, 403, 314 |
| Total sugar and molasses..... | | 241, 892, 265 | | 246, 193, 204 | | 316, 874, 374 |
| Tea.....pounds..... | 103, 364, 410 | 19, 265, 264 | 151, 314, 932 | 30, 889, 030 | 108, 172, 102 | 24, 390, 722 |
| Tea, waste, etc., for manufacturing.....pounds..... | 7, 975, 343 | 494, 280 | 10, 869, 765 | 780, 495 | | |
| Tobacco: | | | | | | |
| Leaf— | | | | | | |
| Wrapper.....pounds..... | 3, 957, 489 | 5, 304, 687 | 4, 815, 207 | 5, 507, 647 | 12, 324, 482 | 13, 306, 602 |
| Filler and other leaf, pounds..... | 45, 147, 630 | 20, 617, 968 | 82, 175, 334 | 41, 478, 218 | 71, 626, 621 | 53, 023, 087 |
| Total tobacco, pounds..... | 49, 105, 119 | 25, 922, 655 | 86, 990, 541 | 46, 985, 865 | 83, 951, 103 | 66, 329, 689 |

¹ Not stated.

TABLE 268.—*Agricultural imports of the United States during the 3 years ending June 30, 1919—Continued.*

| Article imported. | Year ending June 30— | | | | | |
|--|----------------------|------------------|------------------|------------------|---------------------|------------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—CON. | | | | | | |
| Vanilla beans.....pounds.. | 799, 993 | \$1, 662, 578 | 914, 668 | \$1, 475, 676 | 942, 369 | \$1, 677, 316 |
| Vegetables: | | | | | | |
| Fresh and dried— | | | | | | |
| Beans.....bushels.. | 3, 747, 993 | 12, 137, 048 | 4, 145, 625 | 17, 274, 504 | 4, 015, 860 | 15, 957, 655 |
| Garlic.....pounds.. | (¹) | (¹) | (¹) | (¹) | 4, 296, 317 | 377, 220 |
| Onions.....bushels.. | 1, 757, 948 | 1, 820, 396 | 1, 313, 402 | 1, 032, 834 | 152, 323 | 260, 596 |
| Peas, dried.....do.... | 1, 163, 021 | 3, 035, 052 | 2, 068, 054 | 5, 885, 072 | 2, 253, 392 | 9, 041, 081 |
| Potatoes— | | | | | | |
| Irish.....do..... | 3, 079, 025 | 4, 705, 812 | 1, 180, 490 | 1, 456, 136 | 3, 534, 076 | 3, 635, 555 |
| Sweet and desiccated prepared..... | (¹) | (¹) | (¹) | (¹) | | 479, 754 |
| Other..... | | 2, 668, 321 | | 2, 150, 537 | | 1, 927, 167 |
| Total fresh and dried..... | | 24, 366, 629 | | 27, 799, 063 | | 31, 679, 028 |
| Prepared or preserved— | | | | | | |
| Mushrooms.....pounds.. | 4, 384, 788 | 1, 463, 164 | 2, 050, 803 | 798, 697 | 834, 917 | 414, 914 |
| Pickles and sauces..... | | 1, 179, 959 | | 309, 124 | | 619, 960 |
| Other..... | | 2, 141, 137 | | 1, 268, 865 | | 973, 403 |
| Total prepared or preserved..... | | 4, 784, 260 | | 2, 376, 686 | | 2, 008, 277 |
| Total vegetables..... | | 29, 150, 889 | | 30, 175, 769 | | 33, 687, 305 |
| Vinegar.....gallons.. | 203, 504 | 88, 037 | 68, 772 | 34, 228 | 63, 170 | 34, 834 |
| Wax, vegetable.....pounds.. | 7, 216, 103 | 1, 739, 199 | 8, 707, 396 | 2, 663, 258 | 8, 321, 515 | 3, 011, 550 |
| Wines. (<i>See</i> Liquor, alcoholic.) | | | | | | |
| Total vegetable matter, including forest products..... | | 1, 167, 208, 230 | | 1, 349, 901, 163 | | 1, 354, 792, 164 |
| Total vegetable matter, excluding forest products..... | | 8, 444, 508, 800 | | 1, 014, 867, 704 | | 1, 070, 107, 722 |
| Total agricultural imports, including forest products..... | | 1, 727, 671, 538 | | 1, 953, 907, 437 | | 2, 067, 120, 230 |
| Total agricultural imports, excluding forest products..... | | 1, 404, 972, 108 | | 1, 618, 873, 978 | | 1, 782, 435, 788 |

¹ Not stated.

TABLE 269.—*Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1919.*

| Article exported. | Year ending June 30— | | | | | |
|--|----------------------|-------------------|--------------------|--------------------|---------------------|--------------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| ANIMAL MATTER. | | | | | | |
| Animals, alive: | | | | | | |
| Cattle.....number.. | 13,387 | \$949,503 | 18,213 | \$1,247,800 | 42,345 | \$2,092,816 |
| Horses.....do..... | 278,674 | 59,525,329 | 84,765 | 14,923,663 | 27,975 | 5,206,251 |
| Mules.....do..... | 136,689 | 27,800,854 | 28,879 | 4,885,406 | 12,452 | 2,333,929 |
| Sheep.....do..... | 58,811 | 367,935 | 7,959 | 97,028 | 16,117 | 187,347 |
| Swine.....do..... | 21,926 | 347,852 | 9,280 | 256,629 | 17,390 | 520,910 |
| Other (including fowls)..... | | 391,380 | | 323,068 | | 377,598 |
| Total animals..... | | 89,382,853 | | 21,733,594 | | 10,718,851 |
| Beeswax.....pounds.. | 383,667 | 131,691 | 189,871 | 68,117 | 134,508 | 67,237 |
| Dairy products: | | | | | | |
| Butter.....do..... | 26,835,092 | 8,749,170 | 17,735,966 | 6,852,727 | 33,789,060 | 15,843,522 |
| Cheese.....do..... | 66,050,013 | 15,240,083 | 44,303,076 | 10,785,153 | 18,794,853 | 5,733,029 |
| Milk— | | | | | | |
| Condensed.....do..... | 259,141,231 | 25,136,641 | 528,759,232 | 68,045,944 | 728,740,509 | 99,970,760 |
| Other, including cream..... | | 253,629 | | 227,042 | | 613,623 |
| Total dairy products, pounds..... | | 49,379,473 | | 85,910,866 | | 122,160,943 |
| Eggs.....dozen..... | 24,926,424 | 7,568,911 | 18,969,167 | 7,167,134 | 28,384,783 | 12,449,345 |
| Egg yolks.....do..... | | 72,491 | | 525,880 | | 341,304 |
| Feathers.....do..... | | 368,862 | | 302,236 | | 521,747 |
| Fibers, animal: | | | | | | |
| Silk waste.....pounds.. | 21,782 | 13,418 | | | | |
| Wool.....do..... | 2,148,350 | 1,230,296 | 993,143 | 916,506 | 545,717 | 550,772 |
| Total animal fibers..... | 2,170,132 | 1,243,714 | 993,143 | 916,506 | 545,717 | 550,772 |
| Glue.....pounds.. | 4,064,231 | 513,775 | 4,901,764 | 837,679 | 7,283,683 | 1,432,589 |
| Honey.....do..... | (¹) | 736,139 | 16,090,672 | 2,509,570 | 10,368,342 | 2,422,454 |
| Packing-house products: | | | | | | |
| Beef— | | | | | | |
| Canned.....pounds.. | 67,536,125 | 16,946,030 | 97,343,283 | 30,034,707 | 108,489,472 | 44,320,197 |
| Cured or pickled.....do... | 58,053,667 | 6,728,359 | 54,467,911 | 7,702,524 | 45,067,861 | 9,087,262 |
| Fresh.....do..... | 197,177,101 | 26,277,271 | 370,032,900 | 67,383,426 | 332,206,176 | 79,227,540 |
| Oils—oleo oil.....do..... | 67,110,111 | 11,065,019 | 56,803,388 | 12,152,787 | 59,092,322 | 15,720,944 |
| Oleomargarine.....do..... | 5,651,267 | 901,659 | 6,309,896 | 1,631,267 | 18,570,200 | 5,179,339 |
| Stearin.....do..... | 12,936,357 | 1,798,317 | 10,360,030 | 2,181,317 | 11,537,284 | 2,309,979 |
| Tallow.....do..... | 15,209,369 | 1,800,909 | 5,014,964 | 931,941 | 16,210,997 | 2,327,705 |
| Total beef.....do..... | 423,673,997 | 65,517,564 | 600,132,371 | 122,017,969 | 591,173,312 | 158,172,966 |
| Bones and manufactures of..... | | | | | | |
| | | 103,477 | | | | |
| Grease, grease scraps, and all soap stock— | | | | | | |
| Lubricating.....do..... | | 2,816,958 | | 2,986,815 | | 4,878,115 |
| Soap stock.....do..... | | 3,405,227 | | 2,612,488 | | 2,811,338 |
| Hair.....do..... | | 1,451,354 | | 1,080,624 | | 1,223,628 |
| Hides and skins, other than furs— | | | | | | |
| Calfskins.....pounds.. | 1,374,038 | 549,459 | 3,458,001 | 1,462,456 | 2,778,393 | 1,597,141 |
| Cattle hides.....do..... | 7,365,461 | 2,041,357 | 7,023,761 | 1,953,700 | 10,205,357 | 3,238,151 |
| Horse.....do..... | 179,704 | 32,900 | 43,113 | 11,832 | 69,597 | 14,140 |
| Other.....do..... | 1,052,046 | 347,115 | 1,619,942 | 661,505 | 1,737,326 | 729,671 |
| Total.....do..... | 9,971,249 | 2,970,831 | 12,144,817 | 4,089,493 | 14,790,673 | 5,579,108 |
| Hoofs, horns, and horn tips, strips, and waste..... | | | | | | |
| | | 39,804 | | 338,642 | | 330,677 |
| Lard compounds, pounds..... | | | | | | |
| | 56,359,493 | 8,269,844 | 31,278,382 | 6,633,640 | 131,750,503 | 32,036,092 |
| Meat, canned, n. e. s..... | | 4,320,652 | | 5,700,738 | | 15,003,168 |
| Mutton.....pounds.. | 3,196,576 | 481,528 | 2,068,423 | 453,232 | 2,173,994 | 511,065 |
| Oils, animal, n. e. s., gallons..... | 416,213 | 378,294 | 329,576 | 409,466 | 1,422,344 | 2,023,190 |

¹ Not stated.

TABLE 269.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1919—Continued.

| Article exported. | Year ending June 30— | | | | | |
|---|----------------------|-------------|---------------|-------------|---------------------|---------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| ANIMAL MATTER—contd. | | | | | | |
| Packing-house products— | | | | | | |
| Continued. | | | | | | |
| Pork— | | | | | | |
| Canned.....pounds.. | 5,896,126 | \$1,645,605 | 5,194,468 | \$1,731,835 | 5,273,508 | \$1,997,386 |
| Cured— | | | | | | |
| Bacon.....pounds.. | 667,151,972 | 117,221,668 | 815,294,424 | 221,473,957 | 1,239,540,973 | 378,729,046 |
| Hams and shoulders, pounds..... | 266,656,581 | 49,574,041 | 419,571,869 | 108,106,862 | 667,848,019 | 204,667,606 |
| Salted or pickled, pounds..... | 46,992,721 | 6,941,306 | 33,221,502 | 7,545,011 | 31,504,497 | 7,444,532 |
| Total cured, pounds..... | 980,801,274 | 173,737,015 | 1,268,087,795 | 337,125,830 | 1,938,893,489 | 590,841,274 |
| Fresh.....pounds.. | 50,435,615 | 8,875,889 | 21,390,288 | 5,225,982 | 19,644,388 | 6,065,267 |
| Lard.....do..... | 444,769,540 | 77,008,913 | 392,506,355 | 98,216,856 | 725,577,868 | 210,417,859 |
| Lard, neutral.....do..... | 17,576,240 | 3,168,089 | 4,258,529 | 1,074,603 | 17,395,888 | 5,392,710 |
| Oils—lard oil/pounds.. | 2,469,330 | 321,721 | 686,888 | 126,672 | 618,525 | 124,887 |
| (gallons..) | 329,244 | | 91,585 | | 82,470 | |
| Total pork..pounds.. | 1,501,948,125 | 264,757,232 | 1,662,124,223 | 443,501,778 | 2,707,403,666 | 814,839,353 |
| Sausage and sausage meats— | | | | | | |
| Canned.....pounds.. | 6,294,950 | 1,316,320 | 5,787,108 | 1,487,874 | 8,503,580 | 2,782,551 |
| Other.....do..... | 9,134,471 | 2,441,510 | 9,239,341 | 3,232,681 | 9,721,925 | 3,882,751 |
| Sausage casings.....do..... | 6,118,060 | 1,741,959 | 6,173,578 | 3,014,537 | 13,524,093 | 4,938,202 |
| All other..... | | 3,960,572 | | 6,768,007 | | 9,848,394 |
| Total packing-house products..... | | 363,973,124 | | 604,327,984 | | 1,058,861,223 |
| Poultry and game..... | | 1,327,348 | | 1,241,144 | | 3,799,348 |
| Wool. (See Fibers, animal.) | | | | | | |
| Total animal matter..... | | 514,698,381 | | 725,540,710 | | 1,213,325,813 |
| VEGETABLE MATTER. | | | | | | |
| Breadstuffs. (See Grain and grain products.) | | | | | | |
| Broom corn.....long tons.. | 3,218 | 684,682 | 3,972 | 1,293,042 | 3,737 | 1,030,397 |
| Cocoa, ground or prepared, and chocolate..... | | 3,451,519 | | 5,898,431 | | 10,835,409 |
| Coffee: | | | | | | |
| Green or raw.....pounds.. | 42,916,479 | 6,405,837 | 40,718,088 | 5,899,661 | 37,224,166 | 7,252,294 |
| Roasted or prepared, pounds..... | 2,167,508 | 439,026 | 1,986,712 | 386,519 | 5,566,809 | 1,199,298 |
| Total coffee.pounds.. | 45,083,987 | 6,844,863 | 42,704,800 | 6,286,180 | 42,790,975 | 8,451,592 |
| Cotton: | | | | | | |
| Sea Island.....bales..... | 2,311 | 458,728 | 2,236 | 633,867 | 4,746 | 1,217,246 |
| (pounds..) | 943,864 | | 892,369 | | 1,935,770 | |
| Upland.....bales..... | 5,470,150 | 518,505,147 | 4,336,530 | 653,731,647 | 5,204,508 | 856,524,391 |
| (pounds..) | 2,850,152,770 | | 2,226,556,494 | | 2,689,783,753 | |
| Linters.....bales..... | 474,704 | 24,110,815 | 190,078 | 10,659,141 | 86,457 | 5,419,772 |
| (pounds..) | 236,974,152 | | 93,062,802 | | 41,963,602 | |
| Total cotton...do..... | 3,088,080,786 | 543,074,690 | 2,320,511,665 | 665,024,655 | 2,733,683,125 | 863,161,409 |
| Flavoring extracts and fruit juices..... | | 581,550 | | 1,018,102 | | 949,726 |
| Flowers, cut..... | | 105,615 | | 156,559 | | 177,467 |
| Forest products: | | | | | | |
| Bark, and extract of, for tanning— | | | | | | |
| Bark.....long tons.. | 1,851 | 49,807 | 194 | 5,857 | 726 | 40,151 |
| Bark, extracts of..... | | 3,908,573 | | 3,804,563 | | 3,254,947 |
| Total bark, etc..... | | 3,958,380 | | 3,810,420 | | 3,295,098 |

1 One gallon equals 7.5 pounds.

Digitized by Google

TABLE 269.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1919—Continued.

| Article exported. | Year ending June 30— | | | | | |
|---|----------------------|------------------|------------------|------------------|---------------------|------------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—CON. | | | | | | |
| Forest products—Contd. | | | | | | |
| Logwood extract..... | | (¹) | | \$2,339,480 | | \$1,556,023 |
| Charcoal..... | | \$155,470 | | | | |
| Moss..... | | 82,881 | | 99,793 | | 56,916 |
| Naval stores— | | | | | | |
| Rosin..... barrels | 1,638,590 | 10,705,972 | 1,070,929 | 7,878,718 | 881,777 | 11,323,381 |
| Tar, turpentine, and pitch..... barrels | 103,387 | 561,566 | 82,030 | 598,211 | 48,030 | 385,142 |
| Turpentine, spirits of, gallons..... | 8,841,875 | 4,313,670 | 5,095,124 | 2,695,935 | 8,063,578 | 6,068,974 |
| Total naval stores..... | | 15,581,208 | | 11,172,864 | | 17,777,497 |
| Wood— | | | | | | |
| Logs— | | | | | | |
| Hickory..... M feet..... | 251 | 13,273 | (¹) | (¹) | (¹) | (¹) |
| Oak..... do..... | 842 | 27,817 | | | | |
| Walnut..... do..... | 1,604 | 167,350 | | | | |
| Other..... do..... | 48,537 | 784,687 | | | | |
| Total..... do..... | 51,234 | 993,127 | (¹) | (¹) | (¹) | (¹) |
| Logs and round timber— | | | | | | |
| Fir..... M feet..... | (¹) | (¹) | 8,281 | 124,550 | 4,403 | 94,536 |
| Pine, yellow..... do..... | | | 6,895 | 197,816 | 4,620 | 129,126 |
| Other logs— | | | | | | |
| Hardwood..... do..... | | | 1,240 | 62,600 | 3,452 | 154,598 |
| Softwood..... do..... | | | 17,564 | 318,843 | 11,910 | 253,685 |
| Total..... do..... | (¹) | (¹) | 33,980 | 703,809 | 24,385 | 631,945 |
| Lumber— | | | | | | |
| Boards, deals, and planks— | | | | | | |
| Cypress..... M feet..... | 8,715 | 286,882 | 22,097 | 1,262,220 | 14,520 | 877,321 |
| Fir..... do..... | 290,980 | 3,763,049 | 274,263 | 6,677,124 | 272,498 | 9,213,553 |
| Gum..... do..... | 19,389 | 545,762 | 31,027 | 1,306,829 | 43,303 | 2,174,438 |
| Oak..... do..... | 54,030 | 2,332,789 | 67,216 | 8,374,823 | 70,849 | 2,212,529 |
| Pine— | | | | | | |
| White..... do..... | 24,523 | 957,902 | 22,625 | 1,071,112 | 3,043 | 1,273,896 |
| Yellow— | | | | | | |
| Pitch pine, M feet..... | 402,704 | 8,332,957 | 346,117 | 9,874,981 | 300,004 | 10,772,254 |
| Short-leaf pine, M feet..... | 3,042 | 66,028 | 5,657 | 183,367 | 19,581 | 703,448 |
| Other pine, M feet..... | 64,915 | 1,539,664 | 97,132 | 2,813,887 | 90,262 | 3,942,160 |
| Poplar..... M feet..... | 7,369 | 324,666 | 19,199 | 1,179,859 | 28,103 | 977,372 |
| Redwood..... do..... | 23,289 | 732,672 | 20,904 | 733,176 | 42,623 | 1,499,836 |
| Spruce..... do..... | 57,497 | 3,150,822 | 72,743 | 6,758,438 | 45,648 | 5,505,682 |
| Other..... do..... | 86,392 | 5,054,797 | 88,669 | 9,072,061 | 97,539 | 8,990,844 |
| Total..... do..... | 1,041,845 | 27,087,740 | 1,067,709 | 44,307,977 | 1,077,973 | 52,046,333 |
| Railroad ties, number..... | 3,934,107 | 2,369,834 | 3,435,297 | 2,801,256 | 3,301,299 | 2,782,831 |
| Shingles..... M..... | 26,242 | 94,456 | 20,606 | 96,142 | 16,119 | 85,590 |
| Shooks— | | | | | | |
| Box..... | | 2,029,683 | | 2,511,223 | | 2,680,811 |
| Cooperage, number..... | (¹) | (¹) | 1,365,027 | 3,278,180 | 2,500,281 | 6,398,719 |
| Other..... do..... | 1,079,510 | 2,356,492 | 398,640 | 792,999 | 527,420 | 534,576 |
| Total shoeks..... | | 4,386,175 | | 6,582,402 | | 9,614,106 |
| Staves and heading— | | | | | | |
| Heading..... | | 287,174 | | 440,525 | | 589,314 |
| Staves..... number..... | 61,469,225 | 3,921,882 | 63,207,351 | 3,724,895 | 62,538,922 | 7,856,119 |
| Total staves and heading..... | | 4,209,056 | | 4,165,420 | | 8,445,433 |
| Other..... | | 2,923,712 | | 1,960,737 | | 3,536,543 |
| Total lumber..... | | 41,070,973 | | 59,919,934 | | 76,510,836 |

¹ Not stated.² Included in Logs and round timber.³ Included in Logs.

TABLE 269.—*Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1919—Continued.*

| Article exported. | Year ending June 30— | | | | | |
|------------------------------------|----------------------|-------------|-------------|-------------|---------------------|-------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—CON. | | | | | | |
| Forest products—Contd. | | | | | | |
| Timber— | | | | | | |
| Hewn— | | | | | | |
| Hardwood, M feet... } | 7,293 | \$211,384 | 1,965 | \$98,440 | 1,828 | \$101,632 |
| Softwood, M feet... } | | | 5,461 | 163,893 | 3,193 | 79,151 |
| Sawed— | | | | | | |
| Pitch pine...do.... | 149,527 | 3,368,977 | 65,233 | 1,948,636 | 62,928 | 2,533,247 |
| Other...do.... | 27,545 | 628,762 | 33,558 | 1,044,576 | 23,842 | 797,547 |
| Total timber, M feet..... | 184,365 | 4,209,123 | 106,217 | 3,255,545 | 91,791 | 3,511,577 |
| All other, including firewood..... | | 203,596 | | 277,593 | | 220,007 |
| Total wood..... | | 46,476,819 | | 64,156,881 | | 80,874,365 |
| Wood alcohol...gallons.. | 823,694 | 645,439 | 2,538,001 | 2,070,026 | 1,339,204 | 1,299,340 |
| Wood pulp...long tons.. | 26,019 | 2,018,639 | 34,786 | 3,531,304 | 26,397 | 2,193,133 |
| Total forest products..... | | 68,918,636 | | 87,180,768 | | 107,052,372 |
| Fruits: | | | | | | |
| Fresh or dried— | | | | | | |
| Apples, dried, pounds.. | 10,357,791 | 797,487 | 2,602,590 | 330,170 | 19,313,882 | 2,954,090 |
| Apples, fresh, barrels.. | 1,739,997 | 7,979,236 | 635,409 | 2,813,091 | 1,576,748 | 12,084,302 |
| Apricots, dried, pounds..... | 9,841,119 | 1,298,176 | 5,229,618 | 767,780 | 20,975,214 | 3,775,218 |
| Berries..... | | 822,977 | | 838,813 | | 1,029,426 |
| Lemons.....boxes..... | 174,938 | 626,270 | 138,063 | 728,791 | 304,351 | 1,404,446 |
| Oranges.....do..... | 1,850,372 | 4,397,067 | 1,240,477 | 4,608,048 | 1,402,180 | 6,347,264 |
| Peaches, dried, pounds..... | 8,187,588 | 605,620 | 5,862,605 | 627,841 | 4,834,738 | 662,080 |
| Pears, fresh..... | | 1,356,259 | | 978,298 | | 1,105,181 |
| Prunes.....pounds..... | 59,645,141 | 4,934,329 | 32,926,546 | 3,060,691 | 59,072,436 | 7,946,241 |
| Raisins.....do..... | 51,992,514 | 4,409,639 | 54,987,793 | 4,981,270 | 84,150,060 | 8,066,001 |
| Other..... | | 3,619,266 | | 4,192,914 | | 5,085,233 |
| Total fresh or dried..... | | 30,846,326 | | 23,927,707 | | 50,459,482 |
| Preserved— | | | | | | |
| Canned..... | | 6,138,692 | | 7,024,466 | | 14,595,703 |
| Other..... | | 413,291 | | 1,255,191 | | 4,089,002 |
| Total preserved..... | | 6,551,983 | | 8,279,657 | | 18,684,705 |
| Total fruits..... | | 37,398,309 | | 32,207,364 | | 69,144,187 |
| Ginseng.....pounds..... | 198,480 | 1,396,203 | 259,892 | 1,717,548 | 281,943 | 2,067,232 |
| Glucose and grape sugar: | | | | | | |
| Glucose.....pounds..... | 170,025,606 | 5,960,586 | 80,970,744 | 4,949,159 | 118,835,491 | 6,588,697 |
| Grape sugar.....do..... | 44,947,709 | 1,398,145 | 16,887,557 | 1,045,512 | 17,394,882 | 875,355 |
| Grain and grain products: | | | | | | |
| Grain— | | | | | | |
| Barley.....bushels..... | 16,381,077 | 19,027,082 | 26,285,378 | 41,650,886 | 20,457,781 | 27,687,047 |
| Buckwheat.....do..... | 260,102 | 350,606 | 5,567 | 10,347 | 119,516 | 183,624 |
| Corn.....do..... | 64,720,842 | 72,497,204 | 40,997,827 | 75,305,692 | 16,687,538 | 26,706,819 |
| Oats.....do..... | 88,944,401 | 55,034,981 | 105,837,309 | 86,125,093 | 96,360,974 | 79,492,663 |
| Rye.....do..... | 13,260,015 | 21,599,631 | 11,990,123 | 23,902,188 | 27,540,188 | 53,653,629 |
| Wheat.....do..... | 149,831,427 | 298,179,705 | 34,118,853 | 80,802,542 | 178,582,673 | 424,543,010 |
| Total grain.....do..... | 333,397,864 | 466,689,209 | 219,235,057 | 307,797,408 | 339,748,670 | 612,265,792 |
| Grain products— | | | | | | |
| Bran and middlings, long tons..... | 7,428 | 279,650 | 6,833 | 296,545 | 6,213 | 311,701 |
| Breadstuff preparations— | | | | | | |
| Bread and biscuit, pounds..... | 11,766,580 | 1,115,405 | 14,917,301 | 1,973,388 | 8,602,953 | 1,549,432 |
| Other..... | | 7,721,856 | | 10,454,399 | | 5,220,215 |
| Total breadstuff preparations..... | | 8,837,261 | | 12,427,787 | | 6,769,647 |

TABLE 269.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1919—Continued.

| Article exported. | Year ending June 30— | | | | | |
|--|----------------------|-------------|-------------|-------------|---------------------|-------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—con. | | | | | | |
| Grain and grain products—Continued. | | | | | | |
| Grain products—Contd. | | | | | | |
| Distillers' and brewers' grains and malt sprouts.....long tons.. | 1,506 | \$47,809 | 675 | \$26,512 | 1,122 | \$73,406 |
| Malt.....bushels.. | 4,331,297 | 5,881,287 | 2,674,845 | 4,842,203 | 3,993,067 | 6,587,017 |
| Meal and flour— | | | | | | |
| Barley flour, barrels.. | (1) | (1) | (1) | (1) | 584,800 | 6,142,157 |
| Corn meal.....do.... | 508,113 | 2,757,324 | 2,018,859 | 20,358,644 | 1,583,327 | 14,722,336 |
| Oatmeal.....pounds.. | 110,903,344 | 4,491,164 | 346,559,435 | 17,666,846 | 227,587,679 | 13,217,974 |
| Rye flour.....barrels.. | 73,914 | 525,347 | 866,049 | 9,298,496 | 1,488,077 | 15,218,913 |
| Wheat flour.....do.... | 11,942,778 | 93,198,474 | 21,879,961 | 244,861,140 | 24,190,092 | 268,062,907 |
| Total meal and flour..... | | 100,972,299 | | 292,085,126 | | 317,364,287 |
| Mill feed.....long tons.. | 46,112 | 1,693,752 | 12,517 | 601,196 | 6,902 | 362,892 |
| All other..... | | 1,133,583 | | 5,840,769 | | 2,396,407 |
| Total grain products..... | | 118,845,641 | | 316,110,138 | | 333,865,357 |
| Total grain and grain products..... | | 585,534,850 | | 623,907,546 | | 946,131,149 |
| Hay.....long tons.. | 85,529 | 1,685,836 | 30,145 | 907,401 | 29,013 | 864,922 |
| Hops.....pounds.. | 4,824,876 | 773,926 | 3,494,579 | 993,773 | 7,466,962 | 2,333,850 |
| Lard compounds. (See Meat and meat products.) | | | | | | |
| Liquors, alcoholic: | | | | | | |
| Distilled spirits— | | | | | | |
| Alcohol, including cologne spirits, proof gallons..... | 51,941,634 | 16,027,867 | 8,351,142 | 4,619,878 | 11,884,383 | 6,145,115 |
| Rum.....proof gallons.. | 1,394,796 | 1,529,113 | 461,571 | 473,016 | 92,609 | 131,817 |
| Whisky— | | | | | | |
| Bourbon.....do.... | 59,611 | 73,942 | 65,955 | 150,208 | 58,451 | 190,460 |
| Rye.....do.... | 139,619 | 249,572 | 89,925 | 229,016 | 81,543 | 344,281 |
| Total whisky...do.... | 199,230 | 323,514 | 155,880 | 379,224 | 139,994 | 534,741 |
| Other.....do.... | 515,113 | 627,575 | 110,646 | 246,522 | 149,603 | 581,967 |
| Total distilled spirits, proof gallons..... | 54,050,773 | 18,508,069 | 9,079,239 | 5,718,640 | 12,266,589 | 7,393,640 |
| Malt liquors— | | | | | | |
| Bottled, dozen quarts.. | 966,146 | 1,379,921 | 1,012,698 | 1,680,745 | 1,235,765 | 2,541,771 |
| Unbottled.....gallons.. | 249,237 | 62,104 | 187,834 | 48,654 | 70,796 | 31,581 |
| Total malt liquors..... | | 1,442,025 | | 1,729,399 | | 2,573,362 |
| Wines.....gallons.. | 2,245,013 | 933,133 | 2,765,344 | 1,388,639 | 3,447,862 | 2,944,976 |
| Total alcoholic liquors..... | | 20,883,227 | | 8,836,678 | | 12,911,968 |
| Malt. (See Grain and grain products.) | | | | | | |
| Malt liquors. (See Liquors, alcoholic.) | | | | | | |
| Malt sprouts. (See Grain and grain products.) | | | | | | |
| Nursery stock..... | | 220,341 | | 260,763 | | 333,356 |
| Nuts: | | | | | | |
| Peanuts.....pounds.. | 22,413,297 | 1,336,638 | 12,488,209 | 1,517,831 | 13,696,660 | 1,475,195 |
| Other..... | | 403,870 | | 745,483 | | 673,431 |
| Total nuts..... | | 1,740,508 | | 2,263,314 | | 2,148,626 |

1 Not stated.

TABLE 269.—Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1919—Continued.

| Article exported. | Year ending June 30— | | | | | |
|---|----------------------|------------|-------------|------------|---------------------|------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—CON. | | | | | | |
| Oil cake and oil-cake meal: | | | | | | |
| Corn.....pounds.. | 15,757,612 | \$289,547 | 457,584 | \$10,246 | 562,300 | \$16,198 |
| Cottonseed— | | | | | | |
| Cake.....do..... | 864,862,375 | 15,059,920 | 11,045,263 | 213,542 | 179,148,955 | 5,236,428 |
| Meal.....do..... | 285,297,316 | 5,221,091 | 33,635,530 | 770,192 | 132,477,150 | 3,628,074 |
| Flaxseed or linseed— | | | | | | |
| Cake.....do..... | 536,984,394 | 10,252,510 | 126,184,029 | 3,210,734 | 161,088,337 | 4,753,170 |
| Meal.....do..... | | | 25,215,948 | 684,614 | 41,699,936 | 1,164,434 |
| Other.....do..... | 21,558,676 | 398,681 | 4,865,602 | 104,865 | 60,444,481 | 1,820,674 |
| Total.....do..... | 1,724,460,373 | 31,221,749 | 201,403,956 | 4,994,193 | 575,421,159 | 16,668,973 |
| Oils, vegetable: | | | | | | |
| Fixed or expressed— | | | | | | |
| Corn.....pounds.. | 8,779,760 | 998,105 | 1,831,114 | 308,219 | 1,095,414 | 227,727 |
| Cottonseed.....do.. | 158,911,767 | 19,878,325 | 100,779,981 | 18,309,854 | 178,709,833 | 36,820,545 |
| Linseed.....gallons. | 1,201,564 | 1,117,895 | 1,187,850 | 1,532,307 | 1,096,304 | 1,805,291 |
| Other.....do..... | | 3,004,288 | | 3,951,650 | | 18,496,001 |
| Total fixed or ex- pressed.....do..... | | 24,998,608 | | 24,100,039 | | 57,349,564 |
| Volatile, or essential— | | | | | | |
| Peppermint.....pounds.. | 100,032 | 218,627 | 76,247 | 233,899 | 65,548 | 325,070 |
| Other.....do..... | | 1,062,899 | | 867,044 | | 1,216,870 |
| Total volatile, or es- sential.....do..... | | 1,281,526 | | 1,090,943 | | 1,541,940 |
| Total vegetable oils..... | | 26,280,134 | | 25,190,982 | | 58,891,504 |
| Rice, rice meal, etc.: | | | | | | |
| Rice.....pounds..... | 181,371,560 | 9,329,877 | 196,363,268 | 14,174,513 | 193,128,025 | 15,235,762 |
| Rice bran, meal, and polish.....pounds..... | 750 | 14 | | | | |
| Rice hulls.....do..... | | 804 | | | | |
| Total.....do..... | | 9,330,695 | | 14,174,513 | | 15,235,762 |
| Roots, herbs, and barks, n. e. s.....do..... | | 852,266 | | 784,514 | | 1,133,856 |
| Seeds: | | | | | | |
| Cotton seed.....pounds.. | 1,001,369 | 35,434 | 1,565,062 | 57,693 | 1,603,795 | 65,937 |
| Flaxseed, or linseed, bushels.....do..... | 1,017 | 3,671 | 21,481 | 98,165 | 15,574 | 110,142 |
| Grass and clover seed: | | | | | | |
| Clover.....pounds..... | 5,886,893 | 1,092,515 | 9,439,314 | 2,423,776 | 7,770,582 | 2,858,262 |
| Timothy.....do..... | 15,139,913 | 937,820 | 8,520,173 | 748,164 | 11,678,229 | 1,325,602 |
| Other.....do..... | 5,666,047 | 701,101 | 3,563,556 | 594,053 | 3,464,084 | 641,324 |
| Total grass and clo- ver seed.....pounds.. | 26,692,853 | 2,731,436 | 21,523,043 | 3,765,993 | 22,907,845 | 4,820,188 |
| All other seeds.....do..... | | 1,231,159 | | 1,734,312 | | 2,666,706 |
| Total seeds.....do..... | | 4,001,700 | | 5,656,163 | | 7,702,973 |
| Spices.....do..... | | 287,484 | | 507,712 | | 539,313 |
| Spirits, distilled. (See | | | | | | |
| Liquors, alcoholic.) | | | | | | |
| Starch: | | | | | | |
| Corn.....pounds..... | 146,423,822 | 4,721,533 | 38,659,323 | 2,220,377 | 105,726,970 | 5,333,490 |
| Other.....do..... | | | 35,223,390 | 2,282,015 | 38,081,260 | 2,197,518 |
| Stearin, vegetable.....do.. | 1,321,773 | 179,092 | 1,226,127 | 248,585 | 782,467 | 166,423 |
| Straw.....long tons..... | 1,097 | 12,948 | | | | |
| Sugar, molasses, and sirup: | | | | | | |
| Molasses.....gallons..... | 2,899,991 | 442,967 | 3,811,341 | 847,692 | 6,123,765 | 1,277,980 |
| Sirup.....do..... | 10,327,503 | 4,090,150 | 7,699,938 | 4,823,912 | 10,842,832 | 6,117,329 |
| Sugar, refined.....pounds.. | 1,248,908,286 | 77,093,685 | 576,483,050 | 38,761,686 | 1,115,965,524 | 81,569,972 |
| Total sugar, molasses, and sirup.....do..... | | 81,626,802 | | 44,433,290 | | 88,965,281 |

TABLE 269.—*Agricultural exports (domestic) of the United States during the 3 years ending June 30, 1919—Continued.*

| Article exported. | Year ending June 30— | | | | | |
|--|----------------------|------------------|-------------|---------------|---------------------|---------------|
| | 1917 | | 1918 | | 1919 (preliminary). | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| VEGETABLE MATTER—CON. | | | | | | |
| Tobacco: | | | | | | |
| Leaf.....pounds.. | 406,431,021 | \$50,788,154 | 288,781,511 | \$60,674,731 | 625,304,513 | \$180,806,797 |
| Stems and trimmings, pounds..... | 5,167,839 | 166,153 | 399,175 | 24,964 | 4,215,070 | 395,889 |
| Total.....pounds.. | 411,598,860 | 59,954,307 | 289,170,686 | 69,699,695 | 629,519,583 | 190,292,686 |
| Vegetables: | | | | | | |
| Fresh or dried— | | | | | | |
| Beans.....bushels.. | 1 2,164,943 | 10,427,742 | 1,517,458 | 9,096,559 | 4,484,220 | 25,175,154 |
| Onions.....do..... | 409,301 | 749,959 | 534,192 | 788,584 | 842,225 | 1,767,180 |
| Peas.....do..... | (¹) | (¹) | 266,824 | 1,436,816 | 498,405 | 2,811,818 |
| Potatoes.....do..... | 2,489,001 | 3,514,379 | 3,453,307 | 4,946,467 | 3,688,840 | 6,094,663 |
| Total fresh or dried, bushels..... | 5,063,245 | 14,692,080 | 5,771,781 | 16,268,426 | 9,513,690 | 35,838,815 |
| Prepared or preserved— | | | | | | |
| Canned— | | | | | | |
| Corn..... | | | | 479,370 | | 229,887 |
| Soups..... | | 4,765,136 | | 1,189,129 | | 1,518,646 |
| Tomatoes..... | | | | 963,354 | | 1,146,999 |
| Other..... | | | | 4,580,820 | | 10,613,080 |
| Total canned..... | | 4,765,136 | | 7,192,673 | | 13,508,562 |
| Pickles and sauces..... | | 821,151 | | 1,084,330 | | 1,269,793 |
| Other..... | | 2,012,343 | | 2,429,272 | | 2,896,634 |
| Total prepared or preserved..... | | 7,598,630 | | 10,706,275 | | 17,674,979 |
| Total vegetables..... | | 22,290,710 | | 26,974,701 | | 53,513,794 |
| Vinegar, gallons..... | 284,817 | 47,996 | 292,413 | 73,451 | 286,903 | 90,261 |
| Wines, (See Liquors, alcoholic.) | | | | | | |
| Yeast..... | | 1,021,651 | | 918,842 | | 1,116,690 |
| Total vegetable matter, including forest products..... | | 1,522,472,743 | | 1,642,105,828 | | 2,476,896,227 |
| Total vegetable matter, excluding forest products..... | | 1,453,553,907 | | 1,554,925,060 | | 2,369,843,855 |
| Total agricultural exports, including forest products..... | | 2,037,171,124 | | 2,368,646,538 | | 3,690,222,040 |
| Total agricultural exports, excluding forest products..... | | 1,968,252,288 | | 2,290,465,770 | | 3,583,169,668 |

¹ Including peas.² Included in beans.

TABLE 270.—*Foreign trade of the United States in agricultural products, 1852-1919.*

[Compiled from reports of Foreign Commerce and Navigation of the United States. All values are gold.]

| Year ending June 30— | Agricultural exports. ¹ | | Agricultural imports. ¹ | | | Excess of agricultural exports (+). |
|-------------------------|------------------------------------|------------------------------------|------------------------------------|---------------|------------------------------------|---|
| | Domestic. | | Foreign. | Total. | Percent- age of all imports. | |
| | Total. | Percent- age of all exports. | | | | |
| Average: | | | | | | |
| 1852-1856..... | \$164,895,146 | 80.9 | \$8,059,875 | \$77,847,153 | 29.1 | + \$96,107,863 |
| 1857-1861..... | 215,708,845 | 81.1 | 10,173,833 | 121,018,143 | 38.2 | +104,864,535 |
| 1862-1866..... | 148,885,540 | 75.7 | 9,287,669 | 122,221,547 | 43.0 | + 35,931,662 |
| 1867-1871..... | 250,713,058 | 76.9 | 8,538,101 | 179,774,000 | 42.3 | + 79,477,159 |
| 1872-1876..... | 396,666,397 | 78.5 | 8,853,247 | 263,155,573 | 46.5 | +142,364,071 |
| 1877-1881..... | 591,350,518 | 80.4 | 8,631,780 | 266,383,702 | 50.4 | +333,598,596 |
| 1882-1886..... | 557,472,922 | 76.3 | 9,340,463 | 311,707,564 | 46.8 | +255,105,821 |
| 1887-1891..... | 573,286,616 | 74.7 | 6,982,328 | 366,960,109 | 43.3 | +213,318,835 |
| 1892-1896..... | 638,748,318 | 73.0 | 8,446,491 | 398,332,043 | 51.6 | +248,862,766 |
| 1897-1901..... | 827,566,147 | 65.9 | 10,961,539 | 376,549,697 | 50.2 | +461,977,989 |
| 1902-1906..... | 879,541,247 | 59.5 | 11,922,292 | 487,881,038 | 46.3 | +403,582,501 |
| 1907-1911..... | 975,398,554 | 53.9 | 12,126,228 | 634,570,734 | 45.2 | +352,954,048 |
| 1901..... | 951,628,331 | 65.2 | 11,293,045 | 391,931,051 | 47.6 | +570,990,325 |
| 1902..... | 857,113,533 | 63.2 | 10,308,306 | 413,744,557 | 45.8 | +453,677,282 |
| 1903..... | 878,480,557 | 63.1 | 13,505,343 | 456,199,325 | 44.5 | +435,786,575 |
| 1904..... | 859,160,264 | 59.5 | 12,625,036 | 461,434,851 | 46.6 | +410,350,439 |
| 1905..... | 826,904,777 | 55.4 | 12,316,525 | 553,861,214 | 49.6 | +285,370,088 |
| 1906..... | 976,047,104 | 56.8 | 10,856,259 | 554,175,242 | 45.2 | +432,728,121 |
| 1907..... | 1,054,405,416 | 56.9 | 11,613,519 | 626,836,808 | 43.7 | +439,182,127 |
| 1908..... | 1,017,396,404 | 55.5 | 10,298,514 | 539,690,121 | 45.2 | +488,004,797 |
| 1909..... | 903,238,122 | 55.1 | 9,584,934 | 638,612,692 | 48.7 | +274,210,364 |
| 1910..... | 871,158,425 | 50.9 | 14,469,627 | 687,509,115 | 44.2 | +198,118,937 |
| 1911..... | 1,030,794,402 | 51.2 | 14,664,548 | 680,204,932 | 44.5 | +365,254,018 |
| 1912..... | 1,050,627,131 | 48.4 | 12,107,656 | 783,457,471 | 47.4 | +279,277,316 |
| 1913..... | 1,123,651,985 | 46.3 | 15,029,444 | 815,300,510 | 45.0 | +323,380,919 |
| 1914..... | 1,113,973,635 | 47.8 | 17,729,462 | 924,247,116 | 48.8 | +207,456,481 |
| 1915..... | 1,475,937,607 | 54.3 | 34,420,077 | 910,786,289 | 54.4 | +599,571,395 |
| 1916..... | 1,518,071,450 | 35.5 | 42,087,535 | 1,189,704,830 | 54.1 | +370,454,155 |
| 1917..... | 1,968,253,288 | 31.6 | 37,640,245 | 1,404,972,108 | 52.8 | +600,921,425 |
| 1918..... | 2,280,465,770 | 38.5 | 39,552,557 | 1,618,873,978 | 55.0 | +701,144,349 |
| 1919 (preliminary)..... | 3,583,169,668 | 50.7 | 103,558,126 | 1,782,435,788 | 57.6 | +1,904,292,006 |

¹ Not including forest products.

TABLE 271.—Value of principal groups of farm and forest products exported from and imported into the United States, 1917-1919.

[Compiled from reports on the Foreign Commerce of the United States.]

| Article. | Exports (domestic merchandise). | | | Imports. | | |
|--|---------------------------------|---------------|---------------|---------------|---------------|---------------|
| | Year ending June 30— | | | | | |
| | 1917 | 1918 | 1919 (prel.) | 1917 | 1918 | 1919 (prel.) |
| FARM PRODUCTS. | | | | | | |
| ANIMAL MATTER. | | | | | | |
| Animals, live..... | \$89,382,853 | \$21,733,594 | \$10,718,851 | \$16,602,859 | \$21,958,378 | \$40,924,766 |
| Dairy products..... | 49,379,473 | 85,910,866 | 122,160,943 | 7,071,113 | 8,380,393 | 6,329,829 |
| Eggs..... | 7,568,911 | 7,167,134 | 12,449,345 | 268,286 | 453,636 | 233,003 |
| Feathers and downs, crude..... | 368,862 | 302,236 | 521,747 | 1,479,216 | 1,959,180 | 1,435,508 |
| Fibers, animal: | | | | | | |
| Silk..... | 13,418 | | | 160,571,808 | 190,624,766 | 217,517,494 |
| Wool..... | 1,230,296 | 916,506 | 550,772 | 131,137,170 | 198,545,911 | 224,410,062 |
| Packing-house products..... | 363,973,124 | 634,327,984 | 1,058,861,223 | 239,129,197 | 176,037,867 | 215,398,770 |
| Other animal matter..... | 2,781,444 | 5,182,390 | 8,062,932 | 4,213,659 | 6,016,153 | 6,078,649 |
| Total animal matter..... | 514,698,381 | 725,540,710 | 1,213,925,813 | 560,463,808 | 604,006,274 | 712,328,066 |
| VEGETABLE MATTER. | | | | | | |
| Argols or wine lees..... | | | | 3,824,882 | 5,443,628 | 5,281,794 |
| Cocoa and chocolate..... | 3,451,519 | 5,898,431 | 10,835,409 | 40,387,418 | 41,372,378 | 36,039,940 |
| Coffee..... | 6,844,863 | 6,286,180 | 8,451,592 | 133,184,000 | 103,058,536 | 143,089,619 |
| Cotton..... | 543,074,690 | 665,024,655 | 863,161,409 | 40,429,526 | 36,020,483 | 37,633,612 |
| Fibers, vegetable, other..... | | | | 67,709,758 | 109,042,470 | 103,872,080 |
| Fruits..... | 37,399,309 | 32,207,364 | 69,144,187 | 25,315,951 | 24,408,810 | 25,816,703 |
| Ginseng..... | 1,386,203 | 1,717,548 | 2,057,232 | | | |
| Glucose and grape sugar..... | 7,358,731 | 5,994,671 | 7,464,052 | | | |
| Grain and grain products..... | 585,534,850 | 623,907,546 | 946,131,149 | 49,396,371 | 76,292,626 | 27,244,293 |
| Hay..... | 1,685,836 | 907,401 | 864,922 | 628,021 | 4,618,764 | 3,677,025 |
| Hops..... | 773,926 | 993,773 | 2,333,850 | 59,291 | 72,450 | 14 |
| Indigo..... | | | | 4,108,910 | 3,895,114 | 1,551,467 |
| Licorice root..... | | | | 2,190,822 | 1,853,927 | 3,445,022 |
| Liquors, alcoholic..... | 20,883,227 | 8,836,678 | 12,911,968 | 17,679,132 | 11,656,093 | 2,119,422 |
| Nursery stock (plants, trees, etc.)..... | 221,341 | 260,763 | 333,356 | 3,964,513 | 3,328,700 | 2,363,553 |
| Nuts..... | 1,740,508 | 2,263,314 | 2,148,626 | 32,875,686 | 52,850,788 | 42,515,661 |
| Oil cake and oil cake meal..... | 31,221,749 | 4,994,193 | 16,668,973 | 554,871 | 574,032 | 2,579,526 |
| Oil, vegetable..... | 26,280,134 | 25,190,982 | 58,891,504 | 47,013,967 | 92,357,322 | 112,631,665 |
| Opium, crude..... | | | | 843,418 | 2,443,228 | 5,166,058 |
| Rice, rice flour, meal, and broken rice..... | 9,330,695 | 14,174,513 | 15,235,762 | 5,773,797 | 16,311,705 | 17,885,989 |
| Sago, tapioca, etc..... | | | | 3,712,556 | 5,530,889 | 2,730,278 |
| Seeds..... | 4,001,700 | 5,656,163 | 7,702,973 | 35,879,065 | 50,841,023 | 35,212,664 |
| Spices..... | 287,494 | 507,712 | 539,313 | 7,745,022 | 11,519,313 | 12,190,560 |
| Starch..... | 4,721,532 | 4,502,392 | 7,530,998 | 1,973,330 | 1,673,477 | 1,042,469 |
| Sugar, molasses, and sirup..... | 81,626,802 | 44,433,290 | 88,965,281 | 241,892,365 | 246,193,304 | 316,874,374 |
| Tea..... | | | | 19,265,364 | 30,889,030 | 24,390,722 |
| Tobacco..... | 59,954,307 | 69,699,695 | 190,292,686 | 25,922,655 | 46,985,865 | 66,329,689 |
| Vanilla beans..... | | | | 1,662,378 | 1,475,076 | 1,677,316 |
| Vegetables..... | 22,290,710 | 26,974,701 | 53,513,794 | 29,150,889 | 30,175,769 | 33,687,305 |
| Wax, vegetable..... | | | | 1,739,199 | 2,693,258 | 3,011,559 |
| Other vegetable matter..... | 3,485,790 | 4,493,095 | 4,664,819 | 624,443 | 1,289,446 | 77,343 |
| Total vegetable matter..... | 1,453,554,907 | 1,554,925,060 | 2,369,843,855 | 844,508,800 | 1,014,867,704 | 1,070,107,722 |
| Total farm products..... | 1,968,253,288 | 2,280,465,770 | 3,583,169,668 | 1,404,972,108 | 1,618,873,978 | 1,782,435,788 |
| FOREST PRODUCTS. | | | | | | |
| Cork wood or cork bark..... | | | | 3,870,389 | 3,061,827 | 1,736,102 |
| Dyewoods, and extracts of..... | (1) | 2,339,480 | 1,556,023 | 4,479,195 | 2,238,115 | 972,533 |
| Gums, rubber..... | | | | 193,118,855 | 206,543,236 | 161,192,551 |
| Gums, other than rubber..... | | | | 21,510,283 | 21,685,638 | 21,786,997 |
| Naval stores..... | 15,581,208 | 11,172,864 | 17,777,479 | 8,691 | 636 | |
| Tanning materials, n. e. s..... | 3,958,380 | 3,810,420 | 3,285,098 | 7,930,698 | 6,672,468 | 6,852,423 |

1 Not stated.

TABLE 271.—*Value of principal groups of farm and forest products exported from and imported into the United States, 1917-1919—Continued.*

| Article. | Exports (domestic merchandise). | | | Imports. | | |
|-------------------------------------|---------------------------------|---------------|---------------|---------------|---------------|--------------|
| | Year ending June 30— | | | | | |
| | 1917 | 1918 | 1919 (prel.) | 1917 | 1918 | 1919 (prel.) |
| FOREST PRODUCTS—CON. | | | | | | |
| Wood: | | | | | | |
| Cabinet, unsawed..... | | | | \$4,266,852 | \$5,045,463 | \$5,826,276 |
| Lumber..... | \$41,070,973 | \$59,919,934 | \$76,510,836 | 32,093,905 | 40,405,720 | 37,468,195 |
| Pulp wood..... | | | | 6,889,123 | 11,088,422 | 13,708,447 |
| Timber and logs..... | 5,202,250 | 3,959,354 | 4,143,522 | 1,270,348 | 815,247 | 765,368 |
| Rattan and reeds..... | | | | 1,171,052 | 1,781,239 | 867,340 |
| Wood pulp..... | 2,018,639 | 3,531,304 | 2,193,133 | 42,461,994 | 31,599,090 | 29,581,103 |
| Other forest products..... | 1,087,386 | 2,447,412 | 1,576,263 | 3,628,045 | 4,106,358 | 3,927,107 |
| Total forest products. | 68,918,836 | 87,180,768 | 107,052,372 | 322,699,430 | 335,033,459 | 284,684,442 |
| Total farm and forest products..... | 2,037,172,124 | 2,367,646,538 | 3,600,222,040 | 1,727,671,538 | 1,953,907,437 | 2,067,120,23 |

TABLE 272.—*Exports of selected domestic agricultural products, 1852-1919.*

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no exports or they were not separately classified for publication. "Beef, salted or pickled," and "Pork, salted or pickled," barrels, 1851-1865, were reduced to pounds at the rate of 200 pounds per barrel, and tierces, 1855-1865, at the rate of 300 pounds per tierce; cottonseed oil, 1910, pounds reduced to gallons at the rate of 7.5 pounds per gallon. It is assumed that 1 barrel of corn meal is the product of 4 bushels of corn, and 1 barrel of wheat flour the product of 5 bushels of wheat prior to 1880 and 4½ bushels of wheat in 1880 and subsequently.]

| Year ending June 30— | Cattle. | Cheese. | Packing-house products. | | | | |
|----------------------|----------------|----------------|--------------------------------|----------------|---------------------|----------------|--|
| | | | Beef, cured—salted or pickled. | Beef, fresh. | Beef oils—oleo oil. | Beef tallow. | Beef and its products—total, as far as ascertainable. ¹ |
| Average: | <i>Number.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| 1852-1856.. | 1,431 | 6,200,385 | 25,980,520 | | | 7,468,910 | 33,449,430 |
| 1857-1861.. | 20,294 | 13,906,430 | 29,985,880 | | | 13,214,614 | 40,200,494 |
| 1862-1866.. | 6,581 | 42,683,073 | 27,662,720 | | | 43,202,724 | 70,865,444 |
| 1867-1871.. | | 52,880,978 | 26,954,656 | | | 27,577,269 | 54,531,925 |
| 1872-1876.. | 45,672 | 87,173,752 | 35,826,646 | | | 78,994,360 | 114,821,006 |
| 1877-1881.. | 127,045 | 129,670,479 | 40,174,643 | 69,601,120 | | 96,832,695 | 218,709,987 |
| 1882-1886.. | 131,605 | 108,790,010 | 47,401,470 | 97,327,819 | 30,276,133 | 48,745,416 | 225,625,631 |
| 1887-1891.. | 244,394 | 86,354,842 | 65,613,851 | 136,447,554 | 50,482,249 | 91,608,126 | 411,797,859 |
| 1892-1896.. | 349,032 | 66,905,796 | 64,898,780 | 207,372,575 | 102,038,519 | 56,976,840 | 507,177,430 |
| 1897-1901.. | 415,488 | 46,108,704 | 52,242,288 | 305,626,184 | 139,373,402 | 86,082,497 | 637,268,235 |
| 1902-1906.. | 508,103 | 19,244,482 | 59,208,292 | 272,148,180 | 156,925,317 | 59,892,601 | 622,643,280 |
| 1907-1911.. | 253,867 | 9,152,083 | 46,187,175 | 144,799,735 | 170,530,432 | 66,356,232 | 448,024,017 |
| 1901..... | 459,218 | 39,813,517 | 55,312,632 | 351,748,333 | 161,651,413 | 77,166,889 | 705,104,772 |
| 1902..... | 392,884 | 27,203,184 | 48,632,727 | 301,824,473 | 138,546,068 | 34,065,758 | 596,254,520 |
| 1903..... | 402,178 | 18,987,178 | 52,801,220 | 254,795,963 | 126,010,339 | 27,368,924 | 546,056,244 |
| 1904..... | 593,409 | 23,335,172 | 57,684,710 | 299,579,671 | 165,183,839 | 76,924,174 | 663,147,095 |
| 1905..... | 567,806 | 10,134,424 | 55,934,705 | 236,486,568 | 145,228,245 | 63,536,992 | 575,874,718 |
| 1906..... | 584,239 | 16,562,451 | 81,088,098 | 268,054,227 | 209,658,075 | 97,567,156 | 732,884,572 |
| 1907..... | 423,051 | 17,285,230 | 62,645,281 | 281,651,502 | 195,337,176 | 127,857,739 | 689,752,420 |
| 1908..... | 349,210 | 8,439,031 | 46,958,367 | 201,154,105 | 212,541,157 | 91,397,507 | 579,303,478 |
| 1909..... | 207,542 | 6,822,842 | 44,494,210 | 122,952,671 | 179,985,246 | 58,332,767 | 418,844,332 |
| 1910..... | 139,430 | 2,846,709 | 36,554,266 | 75,729,666 | 126,091,675 | 29,379,992 | 286,295,874 |
| 1911..... | 150,100 | 10,366,605 | 40,283,749 | 42,510,731 | 138,696,906 | 29,813,154 | 265,923,963 |
| 1912..... | 105,506 | 6,337,559 | 38,087,907 | 15,264,320 | 126,467,124 | 39,451,419 | 233,924,626 |
| 1913..... | 24,714 | 2,599,058 | 25,856,919 | 7,362,388 | 92,849,765 | 30,586,350 | 170,208,320 |
| 1914..... | 18,376 | 2,427,577 | 23,265,974 | 6,394,404 | 97,017,067 | 15,812,831 | 151,212,000 |
| 1915..... | 5,484 | 55,362,917 | 31,874,743 | 170,440,934 | 80,481,946 | 20,239,968 | 394,980,962 |
| 1916..... | 21,287 | 44,394,301 | 38,114,682 | 231,214,000 | 102,646,914 | 16,288,743 | 457,555,572 |
| 1917..... | 13,387 | 66,050,013 | 58,053,667 | 197,177,101 | 67,110,111 | 15,206,369 | 428,673,997 |
| 1918..... | 18,213 | 44,303,076 | 54,467,910 | 370,032,900 | 56,608,388 | 5,014,964 | 600,132,371 |
| 1919 (prel.).. | 42,345 | 18,794,853 | 45,067,861 | 332,205,176 | 59,092,322 | 16,210,997 | 591,173,312 |

¹ Includes canned, cured, and fresh beef, oleo oil, oleomargarine, tallow and stearin from animal fats.

TABLE 272.—Exports of selected domestic agricultural products, 1852-1919—Continued.

| Year ending June 30— | Packing-house products. | | | | | Apples, fresh. | Corn and corn meal (in terms of grain). |
|-------------------------|---------------------------|---|--|----------------|---|-------------------|--|
| | Pork, cured— bacon. | Pork, cured— hams and shoulders. | Pork, cured— salted or pickled. | Pork— lard. | Pork and its products— total, as far as ascertain- able. ¹ | | |
| Average: | Pounds. | Pounds. | Pounds. | Pounds. | Pounds. | Barrels. | Bushels. |
| 1852-1856.. | 30,005,479 | | 40,542,600 | 33,351,976 | 103,003,056 | 37,412 | 7,123,286 |
| 1857-1861.. | 30,583,297 | | 34,854,400 | 37,965,993 | 103,403,690 | 57,045 | 6,557,610 |
| 1862-1866.. | 10,796,961 | | 52,550,758 | 89,138,251 | 252,485,970 | 119,433 | 12,059,794 |
| 1867-1871.. | 45,790,113 | | 28,879,085 | 53,579,373 | 128,248,571 | 9,921 | 9,921,235 |
| 1872-1876.. | 313,402,401 | | 60,429,361 | 194,197,714 | 568,029,477 | 132,756 | 38,560,557 |
| 1877-1881.. | 643,633,709 | | 85,968,138 | 331,457,591 | 1,075,793,475 | 509,735 | 88,190,030 |
| 1882-1886.. | 355,905,444 | | 72,354,682 | 263,425,058 | 739,455,913 | 401,886 | 49,992,203 |
| 1887-1891.. | 419,935,416 | | 73,984,682 | 381,388,854 | 936,247,906 | 522,511 | 54,606,273 |
| 1892-1896.. | 438,847,549 | | 64,827,470 | 451,547,135 | 1,052,133,700 | 520,810 | 63,979,898 |
| 1897-1901.. | 543,287,266 | | 112,788,498 | 652,418,143 | 1,528,138,779 | 779,980 | 102,531,378 |
| 1902-1906.. | 292,721,953 | | 116,823,284 | 592,130,894 | 1,242,136,649 | 1,368,608 | 74,615,465 |
| 1907-1911.. | 209,005,144 | | 90,809,879 | 519,746,378 | 1,028,996,659 | 1,225,655 | 56,568,080 |
| 1901..... | 456,122,741 | | 126,571,803 | 611,357,514 | 1,462,369,849 | 883,673 | 181,405,473 |
| 1902..... | 383,150,624 | | 115,896,275 | 556,840,222 | 1,337,315,909 | 459,719 | 28,028,688 |
| 1903..... | 207,336,000 | | 95,287,374 | 490,755,821 | 1,042,119,570 | 1,866,120 | 76,639,261 |
| 1904..... | 249,665,941 | | 112,224,861 | 561,302,643 | 1,146,255,441 | 2,018,262 | 58,222,061 |
| 1905..... | 262,246,635 | | 118,887,189 | 610,238,899 | 1,220,081,970 | 1,499,942 | 90,293,453 |
| 1906..... | 361,210,533 | | 141,820,720 | 721,518,898 | 1,464,960,356 | 1,208,969 | 119,893,823 |
| 1907..... | 250,418,999 | | 166,427,409 | 627,559,600 | 1,268,065,412 | 1,539,267 | 86,368,228 |
| 1908..... | 241,189,929 | | 148,508,987 | 603,418,707 | 1,237,210,760 | 1,049,545 | 55,003,860 |
| 1909..... | 244,578,074 | | 52,854,980 | 528,722,933 | 1,053,142,056 | 896,279 | 37,665,040 |
| 1910..... | 152,163,107 | | 40,081,599 | 362,927,671 | 707,110,062 | 922,078 | 38,128,498 |
| 1911..... | 156,675,310 | | 45,729,471 | 476,107,857 | 1,026,455,006 | 1,721,106 | 65,614,522 |
| 1912..... | 208,574,208 | | 56,321,699 | 532,265,865 | 1,071,951,724 | 1,456,381 | 41,797,291 |
| 1913..... | 200,993,584 | | 53,749,623 | 519,026,384 | 984,696,710 | 2,150,132 | 50,780,143 |
| 1914..... | 193,964,252 | | 45,543,085 | 481,457,792 | 921,913,029 | 1,506,569 | 10,725,819 |
| 1915..... | 346,718,227 | | 45,655,574 | 475,581,908 | 1,106,188,688 | 2,351,561 | 50,668,303 |
| 1916..... | 579,808,786 | | 63,460,713 | 427,011,338 | 1,462,697,062 | 1,466,321 | 39,896,928 |
| 1917..... | 667,151,972 | | 46,992,721 | 444,769,540 | 1,501,948,125 | 1,739,997 | 66,753,294 |
| 1918..... | 815,294,424 | | 33,221,002 | 392,506,355 | 1,692,124,323 | 635,409 | 49,073,263 |
| 1919 (prel.).. | 1,239,540,973 | | 31,504,497 | 725,577,868 | 2,707,403,666 | 1,576,748 | 23,020,846 |

| Year ending June 30— | Lard com- pounds. | Cotton. | Glucose and grape sugar. | Corn-oil cake and oil-cake meal. | Cottonseed- oil cake and oil-cake meal. | Prunes. | Tobacco. |
|-------------------------|----------------------|---------------|--------------------------------|---|--|-------------|-------------|
| Average: | Pounds. | Pounds. | Pounds. | Pounds. | Pounds. | Pounds. | Pounds. |
| 1852-1856.. | | 1,110,496,083 | | | | | 140,183,800 |
| 1857-1861.. | | 1,125,715,497 | | | | | 167,710,800 |
| 1862-1866.. | | 137,582,133 | | | | | 140,207,850 |
| 1867-1871.. | | 902,410,338 | | | | | 194,753,537 |
| 1872-1876.. | | 1,248,805,497 | | | | | 241,848,410 |
| 1877-1881.. | | 1,738,892,268 | | | | | 266,315,190 |
| 1882-1886.. | | 1,968,178,266 | 4,473,550 | | | | 237,941,913 |
| 1887-1891.. | | 2,439,650,456 | 27,698,298 | | | | 259,248,361 |
| 1892-1896.. | | 2,736,655,351 | 125,574,007 | | | | 281,746,279 |
| 1897-1901.. | 21,792,477 | 3,447,909,578 | 209,279,772 | | 1,005,099,895 | | 304,401,701 |
| 1902-1906.. | 52,543,353 | 3,632,287,952 | 158,686,980 | 21,888,135 | 1,066,790,196 | 48,550,774 | 325,538,515 |
| 1907-1911.. | 75,765,254 | 4,004,770,051 | 145,064,738 | 61,732,907 | 959,738,130 | 47,039,287 | 334,395,923 |
| 1901..... | 23,359,966 | 3,359,062,360 | 204,209,974 | 12,703,209 | 1,258,687,317 | 10,021,564 | 315,787,782 |
| 1902..... | 36,201,744 | 3,528,974,636 | 130,419,611 | 14,740,498 | 1,050,466,246 | 23,358,849 | 301,007,365 |
| 1903..... | 46,130,004 | 3,599,141,969 | 125,239,981 | 8,093,222 | 1,100,392,988 | 66,383,215 | 368,184,084 |
| 1904..... | 53,603,545 | 3,089,855,906 | 152,768,716 | 14,014,885 | 820,349,073 | 73,146,214 | 311,971,831 |
| 1905..... | 61,215,187 | 4,399,322,077 | 175,250,880 | 24,171,127 | 1,251,907,996 | 54,935,849 | 334,302,061 |
| 1906..... | 67,621,310 | 3,634,045,170 | 189,656,011 | 48,420,942 | 1,110,834,678 | 24,899,744 | 312,227,202 |
| 1907..... | 80,148,861 | 4,518,217,220 | 151,629,441 | 56,808,972 | 1,340,967,136 | 44,400,104 | 340,742,864 |
| 1908..... | 75,183,210 | 3,816,998,693 | 129,686,834 | 66,127,704 | 929,287,467 | 28,148,450 | 330,812,658 |
| 1909..... | 75,183,196 | 4,447,985,202 | 112,224,504 | 53,233,890 | 1,233,750,327 | 22,602,288 | 287,900,946 |
| 1910..... | 74,556,603 | 3,206,708,226 | 149,020,088 | 49,108,586 | 640,088,766 | 59,014,880 | 357,196,074 |
| 1911..... | 73,754,400 | 4,032,940,915 | 181,963,046 | 83,384,870 | 804,596,955 | 51,030,711 | 355,327,072 |
| 1912..... | 62,522,858 | 5,535,125,429 | 171,156,259 | 72,490,021 | 1,293,690,138 | 74,328,073 | 379,845,320 |
| 1913..... | 67,456,832 | 4,582,295,675 | 200,149,246 | 76,262,845 | 1,128,092,367 | 117,850,875 | 418,796,908 |
| 1914..... | 58,303,564 | 4,700,940,538 | 199,530,874 | 59,030,623 | 799,974,252 | 69,813,711 | 449,749,982 |
| 1915..... | 99,980,614 | 4,403,578,499 | 158,462,508 | 45,026,125 | 1,479,065,015 | 43,479,892 | 348,346,061 |
| 1916..... | 52,843,311 | 3,064,070,125 | 186,406,182 | 18,996,490 | 1,067,221,569 | 57,422,827 | 443,233,158 |
| 1917..... | 56,359,493 | 3,088,098,798 | 214,973,315 | 15,757,612 | 1,150,159,691 | 59,445,141 | 411,586,880 |
| 1918..... | 31,278,332 | 2,820,511,695 | 97,838,301 | 467,584 | 44,680,793 | 32,928,546 | 289,170,688 |
| 1919 (prel.).. | 131,750,503 | 2,733,683,125 | 136,230,373 | 562,300 | 311,626,105 | 52,702,436 | 629,519,553 |

¹ Includes canned, fresh, salted, or pickled pork, lard, neutral lard, lard oil, bacon, and hams.

TABLE 272—Exports of selected domestic agricultural products, 1852-1919—Continued.

| Year ending June 30— | Hops. | Oils, vegetable—cottonseed oil. | Rice and rice bran, meal, and polish. | Sugar, raw and refined. | Wheat. | Wheat flour. | Wheat and wheat flour (in terms of grain). |
|----------------------|------------|---------------------------------|---------------------------------------|-------------------------|-------------|--------------|--|
| | Pounds. | Gallons. | Pounds. | Pounds. | Bushels. | Barrels. | Bushels. |
| Average: | | | | | | | |
| 1852-1856.. | 1,162,802 | | 56,514,840 | 7,730,322 | 4,715,021 | 2,891,562 | 19,172,830 |
| 1857-1861.. | 2,216,095 | | 65,732,080 | 6,015,058 | 12,378,351 | 3,318,280 | 28,966,749 |
| 1862-1866.. | 4,719,330 | | 2,257,860 | 3,007,777 | 22,529,735 | 3,530,757 | 40,183,518 |
| 1867-1871.. | 6,486,616 | | 1,856,948 | 4,356,900 | 22,106,833 | 2,565,115 | 35,032,409 |
| 1872-1876.. | 3,446,668 | 547,450 | 391,344 | 20,142,169 | 48,957,518 | 3,415,871 | 66,036,873 |
| 1877-1881.. | 10,445,654 | 4,496,436 | 602,442 | 41,718,443 | 107,780,536 | 5,375,583 | 133,262,753 |
| 1882-1886.. | 9,594,437 | 3,467,905 | 561,406 | 107,129,770 | 82,883,913 | 8,620,199 | 121,674,809 |
| 1887-1891.. | 7,184,147 | 7,120,796 | 3,208,653 | 75,073,838 | 64,739,011 | 11,286,568 | 115,528,568 |
| 1892-1896.. | 15,146,667 | 15,782,647 | 10,277,947 | 13,999,349 | 99,913,895 | 15,713,279 | 170,623,652 |
| 1897-1901.. | 15,467,314 | 42,863,203 | 18,407,139 | 11,213,664 | 120,247,430 | 17,151,070 | 197,427,246 |
| 1902-1906.. | 11,476,272 | 38,605,377 | 45,977,670 | 14,807,014 | 70,527,077 | 15,444,100 | 140,025,529 |
| 1907-1911.. | 14,774,185 | 38,783,550 | 27,194,549 | 61,429,802 | 62,854,580 | 11,840,699 | 116,137,728 |
| 1901..... | 14,963,676 | 49,356,741 | 25,527,846 | 8,874,860 | 132,060,667 | 18,650,979 | 215,990,073 |
| 1902..... | 10,715,151 | 33,042,848 | 29,591,274 | 7,572,452 | 154,856,102 | 17,759,203 | 224,772,516 |
| 1903..... | 7,794,705 | 35,642,994 | 19,750,448 | 10,520,156 | 114,181,420 | 19,716,434 | 202,905,598 |
| 1904..... | 10,965,988 | 29,013,743 | 29,121,763 | 15,418,537 | 44,230,169 | 16,999,432 | 120,727,613 |
| 1905..... | 14,858,612 | 51,535,580 | 113,282,760 | 18,348,077 | 4,394,402 | 8,826,335 | 44,112,910 |
| 1906..... | 13,026,904 | 43,793,519 | 38,142,103 | 22,175,846 | 34,973,291 | 13,919,048 | 97,609,007 |
| 1907..... | 16,809,534 | 41,880,504 | 30,174,371 | 21,237,603 | 76,569,423 | 15,584,667 | 146,700,425 |
| 1908..... | 22,920,480 | 41,019,991 | 28,444,415 | 25,510,643 | 100,371,057 | 13,927,247 | 163,043,669 |
| 1909..... | 10,446,884 | 51,087,329 | 20,511,429 | 79,946,297 | 66,923,244 | 10,521,161 | 114,268,468 |
| 1910..... | 10,589,254 | 29,860,667 | 26,779,928 | 125,507,022 | 46,679,876 | 9,040,987 | 87,864,318 |
| 1911..... | 13,104,774 | 30,069,459 | 30,063,341 | 54,947,444 | 23,729,302 | 10,129,435 | 69,311,760 |
| 1912..... | 12,190,663 | 53,262,796 | 39,446,571 | 79,594,034 | 20,180,212 | 11,006,487 | 79,689,404 |
| 1913..... | 17,591,195 | 42,031,052 | 38,908,057 | 43,994,761 | 91,602,974 | 11,394,805 | 141,132,166 |
| 1914..... | 24,262,896 | 25,728,411 | 22,414,326 | 50,895,726 | 92,333,775 | 11,821,461 | 145,590,549 |
| 1915..... | 16,210,443 | 42,448,870 | 77,480,065 | 549,007,411 | 259,642,533 | 16,182,765 | 332,464,975 |
| 1916..... | 22,409,818 | 35,534,941 | 121,967,465 | 1,630,150,863 | 173,274,015 | 15,520,669 | 243,117,025 |
| 1917..... | 4,824,876 | 21,188,236 | 181,372,312 | 1,248,908,296 | 149,831,427 | 11,942,778 | 203,573,228 |
| 1918..... | 3,494,579 | 13,437,331 | 196,363,268 | 576,483,050 | 34,118,853 | 21,879,951 | 132,578,633 |
| 1919 (prel.).. | 7,466,952 | 23,827,978 | 193,128,025 | 1,115,865,524 | 178,332,673 | 24,190,062 | 287,438,067 |

TABLE 273.—Imports of selected agricultural products, 1852-1919.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no imports or they were not separately classified for publication. "Silk" includes, prior to 1881, only "Silk, raw or as reeled from the cocoon." In 1881 and 1882 are included this item and "Silk waste;" after 1882, both these items and "Silk cocoons." From "Cocoa and chocolate" are omitted in 1860, 1861, and 1872 to 1881, small quantities of chocolate, the official returns for which were given only in value. "Jute and jute butts" includes in 1858 and 1859 an unknown quantity of "Sisal grass, coir, etc.," and in 1865-1868 an unknown quantity of "Hemp." Cattle hides are included in "Hides and skins other than cattle and goat" in 1895-1897. Olive oil for table use includes in 1862-1864 and 1885-1905 all olive oil. Sisal grass includes in 1884-1890 "Other vegetable substances." Hemp includes in 1885-1888 all substitutes for hemp.]

| Year ending June 30— | Cheese. | Silk. | Wool. | Almonds. | Argols or wine lees. | Cocoa and chocolate, total. | Coffee. |
|----------------------|------------|------------|-------------|------------|----------------------|-----------------------------|---------------|
| | Pounds. | Pounds. | Pounds. | Pounds. | Pounds. | Pounds. | Pounds. |
| Average: | | | | | | | |
| 1852-1856.. | 1,053,983 | | 19,067,447 | 3,480,807 | | 2,486,572 | 196,582,863 |
| 1857-1861.. | 1,378,147 | | | 3,251,091 | | 3,063,893 | 126,235,060 |
| 1862-1866.. | | | | 2,482,063 | | | 214,551,992 |
| 1867-1871.. | | 681,669 | | | 1,354,947 | 2,453,141 | 248,726,019 |
| 1872-1876.. | | 1,094,948 | | | 2,390,529 | 3,502,614 | 307,006,928 |
| 1877-1881.. | | 1,922,269 | 62,744,282 | | 4,951,473 | 4,857,364 | 384,282,199 |
| 1882-1886.. | | 4,672,846 | 83,293,800 | | 17,551,967 | 11,568,173 | 529,578,782 |
| 1887-1891.. | 8,335,323 | 6,564,121 | 117,783,889 | 5,860,728 | 21,433,570 | 18,322,049 | 509,367,994 |
| 1892-1896.. | 9,619,752 | 8,382,892 | 162,640,491 | 7,487,676 | 26,469,900 | 25,475,234 | 597,484,217 |
| 1897-1901.. | 12,588,515 | 10,962,210 | 163,979,079 | 7,361,198 | 24,379,847 | 38,209,423 | 916,570,062 |
| 1902-1906.. | 22,165,754 | 17,187,344 | 193,656,402 | 10,920,881 | 27,647,440 | 70,901,254 | 980,119,167 |
| 1907-1911.. | 37,662,812 | 22,143,661 | 199,562,649 | 15,297,414 | 29,350,692 | 113,673,368 | 934,533,322 |
| 1901..... | 15,329,090 | 10,405,555 | 103,583,505 | 5,140,232 | 28,506,781 | 47,620,204 | 854,871,310 |
| 1902..... | 17,067,714 | 14,224,826 | 166,576,966 | 9,868,982 | 20,276,148 | 52,878,587 | 1,091,004,252 |
| 1903..... | 20,671,384 | 15,270,859 | 177,137,796 | 8,142,164 | 29,966,557 | 65,046,884 | 915,086,380 |
| 1904..... | 22,707,103 | 16,722,709 | 173,742,834 | 9,838,852 | 24,571,730 | 75,070,746 | 995,043,284 |
| 1905..... | 23,066,705 | 22,357,307 | 249,135,746 | 11,745,081 | 26,281,931 | 77,383,024 | 1,047,792,964 |
| 1906..... | 27,286,866 | 17,352,021 | 201,688,668 | 15,009,326 | 28,140,835 | 84,127,027 | 851,668,933 |
| 1907..... | 33,848,766 | 18,743,194 | 203,847,545 | 14,233,613 | 30,540,893 | 97,059,513 | 925,321,473 |
| 1908..... | 32,530,830 | 16,632,932 | 125,980,524 | 17,144,968 | 26,738,834 | 86,004,684 | 890,640,057 |
| 1909..... | 35,548,143 | 25,187,957 | 266,409,304 | 11,029,421 | 32,115,646 | 132,660,931 | 1,049,968,768 |
| 1910..... | 40,817,524 | 23,457,223 | 263,928,232 | 18,556,356 | 28,182,956 | 111,070,834 | 871,460,516 |

TABLE 273.—Imports of selected agricultural products, 1852-1919—Continued.

| Year ending June 30— | Cheese. | Silk. | Wool. | Almonds. | Argols or wine lees. | Cocoa and chocolate, total. | Coffee. |
|-------------------------|----------------|----------------|----------------|----------------|-------------------------|-----------------------------------|----------------|
| | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| 1911..... | 45,598,797 | 26,666,991 | 137,647,441 | 15,522,712 | 29,175,133 | 140,970,877 | 875,366,797 |
| 1912..... | 46,542,007 | 26,584,962 | 195,400,713 | 17,231,458 | 23,661,078 | 148,785,846 | 885,261,247 |
| 1913..... | 49,387,944 | 32,101,555 | 195,293,255 | 15,670,558 | 29,479,119 | 143,509,852 | 863,130,757 |
| 1914..... | 63,784,313 | 34,545,329 | 247,648,806 | 19,038,405 | 29,793,011 | 179,364,091 | 1,001,528,317 |
| 1915..... | 50,138,320 | 31,052,674 | 308,083,329 | 17,111,364 | 28,624,454 | 184,734,185 | 1,118,690,524 |
| 1916..... | 30,087,999 | 41,925,297 | 534,328,022 | 16,596,921 | 34,721,943 | 245,579,101 | 1,201,104,485 |
| 1917..... | 14,481,314 | 46,351,423 | 372,372,318 | 23,424,058 | 23,925,808 | 340,483,397 | 1,319,870,892 |
| 1918..... | 9,839,305 | 43,880,188 | 379,129,184 | 23,840,145 | 30,267,382 | 369,312,278 | 1,143,880,869 |
| 1919 (prel.).. | 2,442,306 | 50,068,643 | 422,414,664 | 30,328,427 | 32,228,216 | 313,037,419 | 1,046,029,274 |

| Year ending June 30— | Flax. | Hemp. | Hops. | Jute and jute butts. | Licorice root. | Manila. | Molasses. |
|-------------------------|-------------------|-------------------|----------------|-------------------------|-------------------|-------------------|-----------------|
| | <i>Long tons.</i> | <i>Long tons.</i> | <i>Pounds.</i> | <i>Long tons.</i> | <i>Pounds.</i> | <i>Long tons.</i> | <i>Gallons.</i> |
| Average: | 1,143 | 1,574 | | 3,244 | | 12,064 | 28,488,888 |
| 1852-1856.. | 1,143 | 1,574 | | 17,239 | 1,372,573 | | 30,190,875 |
| 1857-1861.. | | 2,652 | | 3,213 | 1,887,892 | 15,566 | 34,262,933 |
| 1862-1866.. | | | | 14,909 | | | 53,322,088 |
| 1867-1871.. | | | | 49,188 | | | 44,815,321 |
| 1872-1876.. | 4,170 | 22,711 | | 62,496 | | | 32,638,963 |
| 1877-1881.. | 4,260 | 22,458 | | | | | 35,019,689 |
| 1882-1886.. | 5,678 | 30,557 | 1,618,879 | 91,058 | | | 30,543,299 |
| 1887-1891.. | 7,021 | 36,919 | 7,771,672 | 104,887 | 59,275,373 | | 17,240,399 |
| 1892-1896.. | 6,785 | 5,409 | 2,386,240 | 84,111 | 89,444,974 | 47,354 | 15,474,619 |
| 1897-1901.. | 7,008 | 4,107 | 2,381,899 | 93,970 | 87,475,620 | 47,217 | 6,321,160 |
| 1902-1906.. | 8,574 | 5,230 | 5,205,867 | 101,512 | 99,543,395 | 60,813 | 17,191,821 |
| 1907-1911.. | 9,721 | 6,368 | 6,769,965 | 100,420 | 96,111,469 | 67,289 | 24,147,348 |

| Year ending June 30— | Flax. | Hemp. | Hops. | Jute and jute butts. | Licorice root. | Manila. | Molasses. |
|-------------------------|-------------------|-------------------|----------------|-------------------------|-------------------|-------------------|-----------------|
| | <i>Long tons.</i> | <i>Long tons.</i> | <i>Pounds.</i> | <i>Long tons.</i> | <i>Pounds.</i> | <i>Long tons.</i> | <i>Gallons.</i> |
| 1901..... | 6,878 | 4,057 | 2,606,708 | 103,140 | 100,105,654 | 43,735 | 11,453,156 |
| 1902..... | 7,772 | 6,054 | 2,805,293 | 128,963 | 109,077,323 | 56,453 | 14,391,215 |
| 1903..... | 8,155 | 4,919 | 6,012,510 | 79,703 | 88,580,611 | 61,648 | 17,240,399 |
| 1904..... | 10,123 | 5,871 | 2,758,163 | 96,735 | 89,463,182 | 65,666 | 18,828,530 |
| 1905..... | 8,089 | 3,967 | 4,339,379 | 98,158 | 108,443,892 | 61,562 | 19,477,885 |
| 1906..... | 8,729 | 5,317 | 10,113,989 | 103,945 | 102,151,969 | 58,738 | 16,021,076 |
| 1907..... | 8,656 | 8,718 | 6,211,893 | 104,489 | 66,115,863 | 54,513 | 24,630,935 |
| 1908..... | 9,528 | 6,213 | 8,493,265 | 107,533 | 109,355,720 | 52,467 | 18,828,530 |
| 1909..... | 9,870 | 5,208 | 7,386,574 | 156,685 | 97,742,776 | 61,902 | 22,092,696 |
| 1910..... | 12,761 | 6,423 | 3,200,560 | 68,155 | 82,207,496 | 93,253 | 31,292,165 |
| 1911..... | 7,792 | 5,278 | 8,557,531 | 65,238 | 125,135,490 | 47,308 | 23,838,190 |
| 1912..... | 10,900 | 5,077 | 2,991,125 | 101,001 | 74,582,225 | 68,536 | 28,826,213 |
| 1913..... | 12,421 | 7,663 | 8,494,144 | 125,389 | 105,116,227 | 73,823 | 33,926,521 |
| 1914..... | 9,885 | 8,822 | 5,382,025 | 106,033 | 115,636,131 | 49,688 | 51,410,271 |
| 1915..... | 4,694 | 6,310 | 11,651,332 | 83,140 | 65,958,501 | 51,081 | 70,839,623 |
| 1916..... | 6,939 | 6,506 | 6,775,704 | 108,322 | 41,003,395 | 78,892 | 85,716,673 |
| 1917..... | 7,918 | 9,635 | 236,849 | 112,695 | 59,400,224 | 76,765 | 110,237,888 |
| 1918..... | 5,607 | 6,813 | 121,288 | 78,312 | 26,982,382 | 86,220 | 130,730,861 |
| 1919 (prel.).. | 8,659 | 2,410 | 6 | 53,218 | 42,684,025 | 67,844 | 130,074,717 |

| Year ending June 30— | Olive oil, for table use. | Opium, crude. | Potatoes. | Rice, and rice flour, rice meal, and broken rice. | Sisal grass. | Sugar, raw and refined. | Tea. |
|-------------------------|------------------------------|------------------|-----------------|--|-------------------|----------------------------|----------------|
| | <i>Gallons.</i> | <i>Pounds.</i> | <i>Bushels.</i> | <i>Pounds.</i> | <i>Long tons.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Average: | | 110,143 | 406,611 | | | 479,373,648 | 24,959,922 |
| 1852-1856.. | | 113,594 | | | | 691,323,833 | 28,149,643 |
| 1857-1861.. | | 128,590 | 251,637 | 70,893,331 | 615 | 672,637,141 | 30,869,450 |
| 1862-1866.. | 177,947 | 209,096 | 216,077 | 52,953,577 | | 1,138,464,815 | 44,052,805 |
| 1867-1871.. | 152,827 | 365,071 | 254,015 | 72,536,435 | | 1,614,055,119 | 62,436,359 |
| 1872-1876.. | 174,555 | 407,656 | 1,850,106 | 62,614,706 | | 1,760,508,290 | 67,583,083 |
| 1877-1881.. | 218,507 | | | | | 2,458,190,409 | 74,781,418 |
| 1882-1886.. | | 391,946 | 2,834,736 | 99,870,675 | | 3,003,283,854 | 84,275,049 |
| 1887-1891.. | 758,352 | 475,299 | 3,878,580 | 156,858,635 | 40,274 | 3,827,799,481 | 92,782,175 |
| 1892-1896.. | 773,692 | 528,785 | 1,801,649 | 160,807,652 | 50,129 | 3,916,133,945 | 86,809,270 |
| 1897-1901.. | 909,249 | 567,681 | 165,231,669 | 150,913,684 | 70,297 | 3,721,782,404 | 96,677,584 |
| 1902-1906.. | 1,793,425 | 537,576 | 2,662,121 | 215,892,467 | 96,832 | 3,997,156,461 | 98,742,977 |
| 1907-1911.. | 3,897,224 | 489,513 | 1,907,405 | | 102,440 | | |

| Year ending June 30— | Olive oil, for table use. | Opium, crude. | Potatoes. | Rice, and rice flour, rice meal, and broken rice. | Sisal grass. | Sugar, raw and refined. | Tea. |
|-------------------------|------------------------------|------------------|-----------------|--|-------------------|----------------------------|----------------|
| | <i>Gallons.</i> | <i>Pounds.</i> | <i>Bushels.</i> | <i>Pounds.</i> | <i>Long tons.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| 1901..... | 983,059 | 583,208 | 371,911 | 117,199,710 | 70,076 | 3,975,005,840 | 89,806,453 |
| 1902..... | 1,339,097 | 534,189 | 7,656,162 | 157,658,894 | 89,583 | 3,031,915,875 | 75,579,125 |
| 1903..... | 1,494,132 | 516,570 | 358,505 | 169,656,284 | 87,025 | 4,216,108,106 | 108,574,905 |
| 1904..... | 1,713,590 | 573,055 | 3,166,581 | 154,221,772 | 109,214 | 3,700,623,613 | 112,905,541 |
| 1905..... | 1,923,174 | 584,680 | 1,811,199 | 106,483,515 | 100,301 | 3,680,932,998 | 102,706,590 |
| 1906..... | 2,447,131 | 469,387 | 1,948,160 | 166,547,957 | 98,037 | 3,979,331,430 | 93,621,750 |
| 1907..... | 3,449,517 | 565,252 | 170,917 | 209,603,180 | 99,061 | 4,391,839,975 | 86,368,490 |
| 1908..... | 3,798,112 | 285,845 | 403,952 | 212,783,392 | 103,994 | 3,671,997,112 | 94,149,584 |
| 1909..... | 4,128,454 | 517,588 | 8,383,966 | 222,900,422 | 91,451 | 4,189,421,018 | 114,916,520 |
| 1910..... | 3,702,210 | 449,239 | 353,208 | 225,400,545 | 99,966 | 4,094,545,936 | 85,626,370 |

TABLE 273.—Imports of selected agricultural products, 1852-1919—Continued.

| Year ending June 30— | Olive oil, for table use. | Opium, crude. | Potatoes. | Rice, and rice flour, rice meal, and broken rice. | Sisal grass. | Sugar, raw and refined. | Tea. |
|-------------------------|------------------------------|------------------|-----------------|--|------------------|----------------------------|----------------|
| | <i>Gallons.</i> | <i>Pounds.</i> | <i>Bushels.</i> | <i>Pounds.</i> | <i>Longtons.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| 1911..... | 4,408,827 | 629,842 | 218,984 | 208,774,795 | 117,727 | 3,937,978,265 | 102,563,942 |
| 1912..... | 4,830,615 | 399,837 | 13,734,695 | 190,063,331 | 114,467 | 4,104,618,393 | 101,406,816 |
| 1913..... | 5,221,001 | 508,433 | 327,230 | 222,103,547 | 153,869 | 4,740,041,488 | 91,812,800 |
| 1914..... | 6,217,560 | 455,200 | 3,645,993 | 300,194,917 | 215,547 | 5,066,821,873 | 91,130,815 |
| 1915..... | 6,710,967 | 484,027 | 270,942 | 277,191,472 | 185,764 | 5,420,981,867 | 96,987,942 |
| 1916..... | 7,224,431 | 146,658 | 209,532 | 264,324,005 | 228,610 | 5,633,161,749 | 109,865,935 |
| 1917..... | 7,533,149 | 86,812 | 3,079,025 | 216,048,858 | 143,407 | 5,332,745,854 | 103,364,410 |
| 1918..... | 2,537,512 | 157,834 | 1,180,480 | 456,058,608 | 150,164 | 4,903,327,249 | 151,314,922 |
| 1919 (prel.).. | 4,238,136 | 345,514 | 3,534,076 | 363,726,263 | 153,455 | 5,836,047,722 | 108,172,102 |

| Year ending June 30— | Beeswax. | Onions. | Plums and prunes. | Raisins. | Currants. | Dates. | Figs. |
|-------------------------|----------------|-----------------|----------------------|----------------|----------------|----------------|----------------|
| | <i>Pounds.</i> | <i>Bushels.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Average: | | | | | | | |
| 1897-1901.. | 128,790 | | 60,237,642 | 38,545,635 | | | 9,783,650 |
| 1902-1906.. | 279,839 | | 12,406,549 | 17,745,925 | 34,397,754 | 14,914,349 | 10,117,049 |
| 1897-1901.. | 263,143 | 628,358 | 560,782 | 7,669,582 | 27,520,440 | 15,653,612 | 8,919,821 |
| 1902-1906.. | 456,727 | 924,418 | 563,900 | 7,344,076 | 35,457,213 | 25,649,432 | 14,334,760 |
| 1907-1911.. | 845,720 | 1,103,034 | | 5,283,145 | 35,258,628 | 26,069,353 | 19,848,037 |
| 1901..... | 213,773 | 774,042 | 745,974 | 3,860,836 | 16,049,198 | 20,013,681 | 9,933,871 |
| 1902..... | 408,706 | 796,316 | 522,478 | 6,083,546 | 36,238,976 | 21,681,159 | 11,067,131 |
| 1903..... | 488,576 | 925,590 | 633,819 | 6,715,675 | 32,878,209 | 43,814,917 | 16,482,142 |
| 1904..... | 425,168 | 1,171,242 | 494,105 | 6,867,617 | 38,347,049 | 21,058,164 | 13,178,061 |
| 1905..... | 373,569 | 856,366 | 671,604 | 4,041,689 | 31,742,919 | 19,267,250 | 13,364,107 |
| 1906..... | 587,617 | 872,566 | 497,494 | 12,414,855 | 37,078,311 | 22,435,672 | 17,562,358 |
| 1907..... | 917,088 | 1,126,114 | 323,377 | 3,967,151 | 38,362,779 | 31,270,999 | 24,346,178 |
| 1908..... | 671,526 | 1,275,333 | 335,089 | 9,132,353 | 38,652,656 | 24,058,343 | 18,886,874 |
| 1909..... | 764,937 | 574,530 | 296,123 | 5,794,320 | 32,482,111 | 21,869,218 | 15,235,513 |
| 1910..... | 972,145 | 1,024,226 | | 5,042,683 | 33,326,030 | 22,695,713 | 17,362,197 |
| 1911..... | 902,904 | 1,514,967 | | 2,479,220 | 33,439,565 | 29,504,592 | 23,459,728 |
| 1912..... | 1,076,741 | 1,436,037 | | 3,255,861 | 33,151,396 | 25,208,248 | 18,765,408 |
| 1913..... | 828,738 | 799,458 | | 2,579,705 | 30,843,735 | 34,304,951 | 16,637,819 |
| 1914..... | 1,412,200 | 1,114,811 | | 4,554,549 | 32,033,177 | 34,073,608 | 19,284,868 |
| 1915..... | 1,564,506 | 829,177 | | 2,808,806 | 30,350,527 | 24,949,374 | 20,779,730 |
| 1916..... | 2,146,380 | 815,872 | | 1,024,296 | 25,373,029 | 31,075,424 | 7,153,250 |
| 1917..... | 2,685,982 | 1,757,948 | | 1,850,219 | 10,476,534 | 25,485,361 | 16,479,733 |
| 1918..... | 1,826,618 | 1,313,402 | | 843,533 | 5,168,070 | 5,572,908 | 10,473,239 |
| 1919 (prel.).. | 2,126,942 | 152,323 | | 119,969 | 811,721 | 20,192,160 | 9,239,070 |

| Year ending June 30— | Hides and skins, other than furs. | | | Macaroni, vermicelli, and all similar prepara- tions. | Lemons. | Oranges. | Walnuts. |
|-------------------------|-----------------------------------|----------------|--|--|----------------|----------------|----------------|
| | <i>Cattle.</i> | <i>Goat.</i> | <i>Other than cattle and goat.</i> | | | | |
| | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Average: | | | | | | | |
| 1897-1901.. | | 68,052,973 | 91,173,311 | | | | |
| 1902-1906.. | 126,965,011 | 98,674,819 | 115,952,418 | | 153,160,863 | 41,104,544 | |
| 1907-1911.. | 178,681,537 | 94,329,840 | 143,351,321 | 99,724,072 | 153,343,434 | 12,343,790 | 30,980,661 |
| 1901..... | 129,174,624 | 73,745,596 | 77,989,617 | | 148,514,614 | 50,332,914 | |
| 1902..... | 148,627,907 | 88,038,516 | 89,457,680 | | 164,075,309 | 52,742,476 | |
| 1903..... | 131,644,325 | 85,114,070 | 102,340,303 | 28,787,821 | 152,004,213 | 56,872,070 | 12,362,567 |
| 1904..... | 85,370,168 | 86,338,542 | 103,024,752 | 40,224,202 | 171,923,221 | 35,893,260 | 23,670,761 |
| 1905..... | 113,177,357 | 97,803,571 | 126,893,934 | 53,441,080 | 139,084,321 | 28,880,575 | 21,684,104 |
| 1906..... | 156,155,300 | 111,097,391 | 158,045,419 | 77,926,029 | 138,717,252 | 31,134,341 | 24,917,028 |
| 1907..... | 134,671,020 | 101,201,596 | 135,111,199 | 87,720,730 | 157,859,906 | 21,267,346 | 32,597,592 |
| 1908..... | 98,353,249 | 63,640,758 | 120,770,918 | 97,233,708 | 178,490,003 | 18,397,429 | 26,887,110 |
| 1909..... | 192,252,063 | 104,048,244 | 148,253,998 | 85,114,033 | 135,183,550 | 8,435,873 | 28,157,703 |
| 1910..... | 318,003,538 | 115,844,768 | 174,770,732 | 113,772,801 | 160,214,785 | 4,676,118 | 33,641,466 |
| 1911..... | 150,127,796 | 86,913,842 | 137,649,757 | 114,779,116 | 134,968,924 | 7,672,186 | 33,619,434 |
| 1912..... | 251,012,513 | 95,340,703 | 191,414,882 | 108,231,028 | 145,639,396 | 7,628,662 | 37,213,674 |
| 1913..... | 268,042,390 | 96,250,305 | 207,903,995 | 106,500,752 | 151,416,412 | 12,252,960 | 26,662,441 |
| 1914..... | 279,363,488 | 84,769,428 | 196,347,770 | 126,128,621 | | | 37,195,728 |
| 1915..... | 334,341,417 | 66,547,163 | 137,439,153 | 56,542,490 | | | 33,445,838 |
| 1916..... | 434,177,771 | 100,657,021 | 208,835,068 | 21,789,602 | | | 36,858,934 |
| 1917..... | 386,600,028 | 105,640,307 | 207,967,162 | 3,472,503 | | | 38,725,362 |
| 1918..... | 267,499,770 | 66,932,937 | 98,083,986 | 669,524 | | | 23,299,170 |
| 1919 (prel.).. | 253,876,730 | 89,004,528 | 105,260,468 | 591,804 | | | 10,936,680 |

TABLE 274.—Foreign trade of the United States in forest products, 1852-1919.

[Compiled from reports of Foreign Commerce and Navigation of the United States. All values are gold.]

| Year ending June 30— | Exports. | | Imports. | Excess of exports (+) or of imports (-). |
|-------------------------|-------------|------------|-------------|--|
| | Domestic. | Foreign. | | |
| Average: | | | | |
| 1852-1856..... | \$6,819,079 | \$694,037 | \$3,256,302 | + \$4,256,814 |
| 1857-1861..... | 9,994,808 | 962,142 | 6,942,211 | + 4,014,739 |
| 1862-1866..... | 7,366,103 | 798,076 | 8,511,370 | - 247,191 |
| 1867-1871..... | 11,775,297 | 690,748 | 14,812,576 | - 2,346,531 |
| 1872-1876..... | 17,906,771 | 959,892 | 19,728,468 | - 861,825 |
| 1877-1881..... | 17,579,313 | 552,514 | 22,006,227 | - 3,874,400 |
| 1882-1886..... | 24,704,992 | 1,417,226 | 34,263,753 | - 8,130,535 |
| 1887-1891..... | 26,060,729 | 1,442,760 | 39,647,287 | - 12,143,798 |
| 1892-1896..... | 29,276,428 | 1,707,307 | 45,091,081 | - 14,107,346 |
| 1897-1901..... | 45,960,863 | 3,263,274 | 52,326,879 | - 3,082,742 |
| 1902-1906..... | 63,584,670 | 3,860,221 | 79,885,457 | - 12,450,566 |
| 1907-1911..... | 88,764,471 | 6,488,455 | 137,051,471 | - 41,798,545 |
| 1901..... | 55,369,161 | 3,899,192 | 57,143,650 | + 1,824,703 |
| 1902..... | 48,928,764 | 3,809,071 | 59,187,049 | - 6,049,214 |
| 1903..... | 58,734,016 | 2,865,325 | 71,478,022 | - 9,878,681 |
| 1904..... | 70,085,789 | 4,177,352 | 79,619,296 | - 5,356,155 |
| 1905..... | 63,199,348 | 3,790,097 | 92,680,555 | - 25,691,110 |
| 1906..... | 76,975,431 | 4,809,261 | 96,462,364 | - 14,677,672 |
| 1907..... | 92,948,705 | 5,500,331 | 122,420,776 | - 23,971,740 |
| 1908..... | 90,362,073 | 4,570,397 | 97,733,092 | - 2,800,622 |
| 1909..... | 72,442,454 | 4,982,810 | 123,920,126 | - 46,494,862 |
| 1910..... | 85,030,230 | 9,801,881 | 178,871,797 | - 84,039,686 |
| 1911..... | 103,038,892 | 7,586,854 | 162,311,365 | - 51,685,819 |
| 1912..... | 108,122,254 | 6,413,343 | 172,523,465 | - 57,867,868 |
| 1913..... | 124,835,784 | 7,431,851 | 189,302,444 | - 45,234,809 |
| 1914..... | 106,978,554 | 4,517,766 | 155,261,300 | - 43,764,980 |
| 1915..... | 52,553,586 | 5,089,399 | 165,849,493 | - 108,206,658 |
| 1916..... | 68,155,479 | 4,364,335 | 252,851,305 | - 180,331,491 |
| 1917..... | 68,918,336 | 11,171,320 | 322,699,430 | - 242,609,074 |
| 1918..... | 87,180,768 | 6,095,140 | 335,033,459 | - 241,786,551 |
| 1919 (preliminary)..... | 107,052,372 | 5,362,309 | 284,684,442 | - 172,069,761 |

TABLE 275.—Exports of selected domestic forest products, 1858-1919.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no exports or they were not separately classified for publication.]

| Year ending June 30— | Lumber. | | | Rosin. | Spirits of turpentine. | Timber. | |
|-------------------------|---|-------------------------|----------------|-----------------|------------------------|--------------------|----------------|
| | Boards, deals, and planks. ¹ | Shooks, other than box. | Staves. | | | Hewn. | Sawn. |
| Average: | <i>M feet.</i> | <i>Number.</i> | <i>Number.</i> | <i>Barrels.</i> | <i>Gallons.</i> | <i>Cubic feet.</i> | <i>M feet.</i> |
| 1851-1856..... | 129,499 | | | 552,210 | 1,369,250 | | |
| 1857-1861..... | 206,476 | | | 664,206 | 2,735,104 | | |
| 1862-1866..... | 138,020 | | | 69,314 | 102,162 | | |
| 1867-1871..... | 138,720 | | | 491,774 | 2,693,412 | | |
| 1872-1876..... | 221,658 | | | 845,803 | | 17,459,632 | |
| 1877-1881..... | 303,114 | | | | 7,138,566 | 18,316,876 | |
| 1882-1886..... | 433,963 | | | 1,289,869 | 9,301,894 | 13,701,663 | |
| 1887-1891..... | 531,755 | 593,054 | | 1,533,834 | 10,794,025 | 6,401,543 | 218,796 |
| 1892-1896..... | 66,090 | 435,581 | | 2,006,427 | 14,258,928 | 6,062,418 | 263,641 |
| 1897-1901..... | 967,218 | 668,797 | | 2,477,696 | 18,349,386 | 5,146,927 | 428,756 |
| 1902-1906..... | 212,476 | 765,215 | 5,1234,066 | 2,453,280 | 16,927,090 | 3,968,469 | 508,212 |
| 1907-1911..... | 1,649,203 | 925,828 | 5,6181,900 | 2,355,560 | 16,658,955 | 3,406,245 | 479,776 |
| 1901..... | 1,101,815 | 714,651 | 47,363,262 | 2,820,815 | 20,240,851 | 4,642,698 | 533,920 |
| 1902..... | 942,814 | 788,241 | 46,998,512 | 2,535,962 | 19,177,788 | 5,398,439 | 412,750 |
| 1903..... | 1,065,771 | 566,205 | 55,879,010 | 2,396,498 | 16,378,787 | 3,291,498 | 530,659 |
| 1904..... | 1,426,784 | 533,182 | 47,420,095 | 2,585,108 | 17,202,908 | 3,788,740 | 558,690 |
| 1905..... | 1,283,406 | 872,192 | 48,286,285 | 2,310,275 | 15,894,813 | 3,856,623 | 486,411 |
| 1906..... | 1,343,607 | 1,066,253 | 57,596,378 | 2,438,556 | 15,961,253 | 3,517,046 | 552,548 |
| 1907..... | 1,623,964 | 803,346 | 51,120,171 | 2,560,966 | 15,854,676 | 3,278,110 | 600,985 |
| 1908..... | 1,548,130 | 900,812 | 61,696,949 | 2,712,732 | 19,532,583 | 4,883,506 | 463,440 |
| 1909..... | 1,357,822 | 977,376 | 52,583,016 | 2,170,177 | 17,502,028 | 2,950,523 | 383,309 |
| 1910..... | 1,684,489 | 928,197 | 49,783,771 | 2,444,318 | 15,587,377 | 3,245,196 | 451,721 |
| 1911..... | 2,031,608 | 1,019,411 | 65,726,595 | 2,189,607 | 14,817,751 | 2,673,887 | 499,547 |
| 1912..... | 2,306,680 | 1,161,591 | 64,162,590 | 2,474,460 | 19,599,241 | <i>M feet.</i> | 406,954 |
| 1913..... | 2,550,308 | 1,710,095 | 89,005,624 | 2,806,464 | 21,083,597 | 31,067 | 477,135 |
| 1914..... | 2,405,296 | 867,805 | 77,150,535 | 2,417,950 | 18,900,704 | 24,502 | 411,307 |
| 1915..... | 1,129,205 | 620,043 | 39,297,268 | 1,372,316 | 9,464,120 | 29,869 | 167,671 |
| 1916..... | 1,177,331 | 611,566 | 57,537,610 | 1,571,279 | 9,310,268 | 6,118 | 191,577 |
| 1917..... | 1,041,845 | 1,079,510 | 61,469,225 | 1,638,590 | 8,841,875 | 9,628 | 177,072 |
| 1918..... | 1,067,709 | 1,758,667 | 63,207,351 | 1,070,929 | 5,085,124 | 7,293 | 98,791 |
| 1919 (preliminary)..... | 1,077,973 | 3,027,701 | 62,538,922 | 881,777 | 8,063,678 | 7,426 | 86,770 |

¹ Including "Joists and scantling" prior to 1884.

TABLE 276.—Imports of selected forest products, 1852-1919.

| Year ending June 30— | Camphor, crude. | India rubber. | Rubber gums, total. | Lumber. | | Shellac. | Wood pulp. |
|------------------------------|--------------------|------------------|------------------------|---|-------------|--------------|---------------|
| | | | | Boards, deals, planks, and other sawed. | Shingles. | | |
| | Pounds. | Pounds. | Pounds. | M feet. | M. | Pounds. | Long tons. |
| Average: | | | | | | | |
| 1852-1856..... | 213, 720 | | | | | | |
| 1857-1861..... | 360, 522 | | | | | | |
| 1862-1866..... | 386, 731 | | | | | 634, 276 | |
| 1867-1871..... | | | 17, 380, 980 | | | | |
| 1872-1876..... | | | 12, 631, 388 | 564, 642 | 88, 197 | | |
| 1877-1881..... | 1, 515, 614 | | 15, 610, 634 | 417, 907 | 55, 394 | | |
| 1882-1886..... | 1, 958, 608 | | 24, 480, 997 | 577, 728 | 87, 760 | | |
| 1887-1891..... | 2, 273, 883 | | 33, 226, 520 | 646, 745 | 184, 050 | 5, 086, 421 | 37, 251 |
| 1892-1896..... | 1, 491, 902 | 38, 359, 547 | 39, 671, 553 | 661, 496 | | 5, 848, 339 | 42, 771 |
| 1897-1901..... | 1, 858, 018 | 47, 469, 136 | 52, 974, 744 | 566, 394 | | 8, 839, 232 | 46, 827 |
| 1902-1906..... | 2, 139, 183 | 57, 903, 641 | 75, 908, 633 | 727, 205 | 772, 340 | 11, 613, 967 | 120, 764 |
| 1907-1911..... | 2, 939, 167 | 80, 129, 567 | 121, 504, 098 | 899, 659 | 866, 565 | 19, 046, 030 | 319, 007 |
| 1901..... | 2, 175, 784 | 55, 275, 529 | 64, 927, 176 | 490, 820 | 555, 853 | 9, 608, 745 | 46, 757 |
| 1902..... | 1, 831, 058 | 50, 413, 491 | 67, 790, 069 | 665, 603 | 707, 614 | 9, 064, 789 | 67, 416 |
| 1903..... | 2, 472, 440 | 55, 010, 571 | 69, 311, 678 | 720, 937 | 724, 131 | 11, 590, 725 | 116, 881 |
| 1904..... | 2, 819, 673 | 59, 015, 551 | 74, 327, 594 | 589, 232 | 770, 373 | 10, 933, 413 | 144, 796 |
| 1905..... | 1, 904, 002 | 67, 234, 256 | 87, 004, 384 | 710, 588 | 758, 725 | 10, 700, 817 | 167, 504 |
| 1906..... | 1, 668, 744 | 157, 844, 345 | 81, 100, 451 | 949, 717 | 900, 856 | 15, 780, 090 | 157, 224 |
| 1907..... | 3, 138, 070 | 176, 963, 838 | 106, 747, 589 | 934, 195 | 881, 003 | 17, 785, 960 | 213, 110 |
| 1908..... | 2, 814, 299 | 162, 233, 160 | 85, 909, 625 | 791, 288 | 988, 081 | 13, 361, 932 | 237, 514 |
| 1909..... | 1, 996, 499 | 185, 359, 896 | 114, 598, 768 | 846, 094 | 1, 058, 363 | 19, 185, 137 | 274, 217 |
| 1910..... | 3, 006, 648 | 1101, 044, 681 | 154, 620, 629 | 1, 054, 416 | 762, 798 | 29, 402, 182 | 378, 322 |
| 1911..... | 3, 726, 319 | 72, 046, 260 | 145, 743, 980 | 872, 374 | 642, 582 | 15, 494, 940 | 491, 873 |
| 1912..... | 2, 154, 646 | 110, 210, 173 | 175, 965, 538 | 905, 275 | 514, 657 | 18, 745, 771 | 477, 508 |
| 1913..... | 3, 709, 264 | 113, 384, 359 | 170, 747, 339 | 1, 090, 628 | 560, 297 | 21, 912, 015 | 502, 913 |
| 1914..... | 3, 476, 908 | 131, 995, 742 | 161, 777, 250 | 928, 873 | 895, 038 | 16, 719, 756 | 508, 360 |
| 1915..... | 3, 729, 207 | 172, 068, 428 | 196, 121, 979 | 939, 322 | 1, 487, 116 | 24, 153, 363 | 587, 922 |
| 1916..... | 4, 574, 430 | 267, 775, 557 | 304, 182, 814 | 1, 218, 068 | 1, 769, 333 | 25, 817, 509 | 507, 048 |
| 1917..... | 6, 884, 950 | 333, 373, 711 | 364, 913, 711 | 1, 175, 319 | 1, 924, 139 | 32, 539, 522 | 699, 475 |
| 1918..... | 3, 638, 384 | 389, 599, 015 | 414, 983, 610 | 1, 282, 701 | 1, 873, 465 | 22, 913, 256 | 504, 152 |
| 1919 (prelimi- nary)..... | 2, 622, 792 | 402, 471, 531 | 422, 215, 004 | 980, 010 | 1, 757, 170 | 14, 268, 653 | 165, 081 |

¹ Includes "Gutta-percha" only, for 1867.

TABLE 277.—Principal farm products imported from specified countries into the United States, 1917-1919.

| Country of origin and article. | Year ending June 30— | | | | | |
|---|----------------------|-------------|---------------|-------------|---------------|-------------|
| | 1917 | | 1918 | | 1919 | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| Brazil: | | | | | | |
| Cocoa (crude).....pounds.. | 51,461,624 | \$4,959,064 | 91,351,529 | \$8,383,383 | 52,038,036 | \$5,182,614 |
| Coffee.....pounds.. | 907,197,662 | 85,761,395 | 743,968,456 | 60,890,926 | 571,921,573 | 76,425,701 |
| British West Indies: | | | | | | |
| Bananas.....bunches.. | 2,191,516 | 677,129 | 2,064,274 | 727,747 | 5,441,461 | 1,886,894 |
| Cocoa.....pounds.. | 60,139,918 | 7,323,005 | 51,438,970 | 6,296,562 | 21,625,543 | 3,715,014 |
| Canada: Tea.....do..... | 3,160,459 | 1,064,134 | 1,914,169 | 647,712 | 2,375,497 | 851,244 |
| China: Tea.....do..... | 19,810,428 | 3,109,912 | 21,082,866 | 4,361,557 | 10,322,467 | 2,475,221 |
| Colombia: Coffee.....do..... | 150,591,659 | 17,971,874 | 112,159,390 | 13,108,462 | 121,416,418 | 18,644,355 |
| Cuba: | | | | | | |
| Bananas.....bunches.. | 2,184,110 | 837,251 | 1,151,165 | 492,046 | 1,267,440 | 506,253 |
| Sugar (raw).....pounds.. | 4,669,097,398 | 204,521,160 | 4,560,749,643 | 219,461,319 | 5,488,711,032 | 290,732,477 |
| Dominican Republic: Cocoa,.....pounds.. | 61,443,869 | 7,202,747 | 39,851,184 | 3,660,091 | 39,406,460 | 5,014,098 |
| Ecuador: Cocoa.....do..... | 67,227,698 | 8,178,778 | 76,786,657 | 7,975,868 | 57,123,389 | 6,362,240 |
| France: | | | | | | |
| Cheese.....do..... | 1,937,341 | 754,012 | 1,026,117 | 528,926 | 452,452 | 394,337 |
| Olive oil (salad).....gallons.. | 726,771 | 1,211,731 | 227,617 | 576,602 | 60,533 | 214,650 |
| Italy: | | | | | | |
| Cheese.....pounds.. | 8,482,280 | 2,545,296 | 16,044 | 7,883 | 57 | 23 |
| Macaroni.....do..... | 2,431,910 | 191,845 | 484 | 40 | | |
| Olive oil (salad).....gallons.. | 2,882,535 | 4,770,315 | 200,403 | 467,692 | 628 | 920 |
| Japan: Tea.....pounds.. | 52,418,963 | 8,825,089 | 52,996,471 | 9,511,283 | 57,600,251 | 13,420,067 |
| Mexico: Coffee.....do..... | 54,908,223 | 6,382,845 | 31,118,513 | 3,336,131 | 21,963,490 | 3,417,612 |
| Netherlands: | | | | | | |
| Cheese.....do..... | 249,371 | 68,645 | | | | |
| Coffee.....do..... | 150,000 | 18,090 | | | | |
| Philippine Islands: Sugar,.....pounds.. | 267,891,954 | 8,382,562 | 173,600,941 | 7,913,247 | 210,950,670 | 9,359,192 |
| Portugal: Cocoa.....do..... | 16,551,624 | 2,148,191 | 134,904 | 20,912 | | |
| Spain: | | | | | | |
| Olive oil (salad).....gallons.. | 3,776,581 | 4,350,747 | 2,091,400 | 2,783,691 | 4,203,827 | 7,735,703 |
| Goat skins.....pounds.. | 1,869,360 | 1,621,021 | 806,152 | 845,714 | 884,480 | 1,090,668 |
| Switzerland: Cheese.....do..... | 1,640,656 | 341,063 | | | | |
| United Kingdom: | | | | | | |
| Cocoa.....do..... | 11,650,811 | 1,460,314 | 1,038,142 | 113,304 | 695,082 | 84,703 |
| Tea.....do..... | 13,857,721 | 3,309,507 | 487,063 | 248,678 | 13,738 | 4,754 |

TABLE 278.—Principal farm products exported to specified countries from the United States, 1917–1919.

| Country to which consigned, and article. | Year ending June 30— | | | | | |
|---|----------------------|-------------|-------------|-------------|-------------|-------------|
| | 1917 | | 1918 | | 1919 | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| Belgium: | | | | | | |
| Corn.....bushels.. | 581,371 | \$590,771 | 3,714,223 | \$7,277,381 | 1,567,631 | \$2,358,829 |
| Wheat.....do..... | 2,698,044 | 4,887,416 | 6,007,986 | 13,674,261 | 25,972,439 | 63,244,159 |
| Bacon.....pounds.. | 65,219,598 | 8,508,658 | 68,670,327 | 17,200,008 | 109,580,712 | 33,041,028 |
| Hams and shoulders.....do..... | | | | | 32,563,389 | 9,350,246 |
| Lard.....do..... | 96,761,185 | 13,815,450 | 116,154,496 | 28,105,585 | 190,769,671 | 55,465,477 |
| Brazil: Wheat flour.....barrels.. | 301,614 | 2,743,818 | 101,927 | 1,149,284 | 31,659 | 373,956 |
| Canada: | | | | | | |
| Corn.....bushels.. | 15,724,838 | 16,158,065 | 7,895,999 | 13,127,564 | 8,939,735 | 12,678,373 |
| Wheat.....do..... | 4,714,886 | 9,850,529 | 262,540 | 577,965 | 26,484,027 | 61,442,170 |
| Wheat flour.....barrels.. | 77,115 | 580,326 | 55,354 | 894,042 | 193,025 | 2,083,737 |
| Bacon.....pounds.. | 118,709,847 | 21,366,115 | 42,637,136 | 11,744,199 | 26,186,013 | 8,289,705 |
| Hams and shoulders.....do..... | 5,617,090 | 1,021,892 | 14,286,038 | 3,787,253 | 6,973,844 | 2,085,168 |
| Lard.....do..... | 5,375,768 | 984,880 | 13,688,977 | 208,131 | 8,565,064 | 1,080,982 |
| Pork, pickled.....do..... | 16,929,411 | 2,501,880 | 13,689,896 | 3,065,724 | 8,186,862 | 1,906,645 |
| China: Wheat flour.....barrels.. | 9,806 | 44,532 | 275 | 2,791 | | |
| Cuba: | | | | | | |
| Corn.....bushels.. | 2,819,278 | 2,948,100 | 1,142,293 | 2,094,937 | 1,453,801 | 2,457,377 |
| Wheat flour.....barrels.. | 1,016,675 | 8,661,925 | 679,689 | 7,733,557 | 1,058,028 | 11,652,081 |
| Bacon.....pounds.. | 14,914,902 | 2,533,943 | 20,295,559 | 5,521,432 | 9,154,147 | 2,511,016 |
| Hams and shoulders.....do..... | 9,867,826 | 1,890,230 | 9,990,141 | 2,669,458 | 7,641,206 | 2,446,745 |
| Lard.....do..... | 43,752,924 | 8,819,512 | 52,574,278 | 14,337,227 | 25,672,327 | 7,851,053 |
| Pork, pickled.....do..... | 7,700,421 | 1,145,958 | 8,935,072 | 2,148,796 | 6,084,491 | 1,706,558 |
| Denmark: Corn.....bushels.. | 7,075,264 | 9,206,072 | | | 333,910 | 601,038 |
| France: | | | | | | |
| Wheat.....bushels.. | 16,253,262 | 31,698,762 | 3,837,927 | 9,428,203 | 13,297,243 | 31,413,113 |
| Bacon.....pounds.. | 77,053,622 | 12,062,410 | 73,531,892 | 19,301,977 | 230,350,525 | 62,001,176 |
| Lard.....do..... | 54,967,832 | 10,712,463 | 33,427,329 | 8,603,286 | 89,806,249 | 26,751,901 |
| Hongkong: Wheat flour.....barrels.. | 61,800 | 306,756 | 1,250 | 13,825 | 1,506 | 15,822 |
| Italy: | | | | | | |
| Wheat.....bushels.. | 13,746,512 | 26,743,498 | 6,756,191 | 15,579,424 | 32,689,845 | 77,427,165 |
| Lard.....pounds.. | 4,981,846 | 1,058,998 | 2,136,645 | 506,717 | 1,270 | 426 |
| Japan: Wheat flour.....barrels.. | 4,063 | 35,652 | 69 | 794 | | |
| Mexico: | | | | | | |
| Corn.....bushels.. | 2,530,699 | 3,133,896 | 3,272,754 | 6,871,144 | 1,214,717 | 2,626,249 |
| Wheat.....do..... | 54,597 | 85,535 | 2,126 | 3,849 | | |
| Lard.....pounds.. | 13,261,559 | 2,270,025 | 6,957,993 | 1,625,892 | 16,630,794 | 4,838,200 |
| Netherlands: | | | | | | |
| Corn.....bushels.. | 7,923,706 | 8,237,912 | 246,004 | 456,009 | 100,168 | 167,192 |
| Wheat.....do..... | 19,127,675 | 37,946,031 | 155,550 | 380,224 | 3,904,617 | 9,905,251 |
| Wheat flour.....barrels.. | 561,182 | 4,087,784 | 69,263 | 680,141 | 1,117,018 | 13,269,744 |
| Bacon.....pounds.. | 10,625,101 | 1,501,376 | | | 22,476,528 | 6,985,756 |
| Lard.....do..... | 20,446,110 | 2,838,480 | | | 17,688,062 | 5,623,065 |
| Lard, neutral.....do..... | 2,657,914 | 432,566 | | | 5,480,968 | 1,795,071 |
| Oleo oil.....do..... | 8,061,795 | 1,201,373 | | | 29,694 | 8,411 |
| Norway: Oleo oil.....do..... | 15,907,144 | 2,745,117 | 774,004 | 175,106 | 3,353,719 | 951,300 |
| Philippine Islands: Wheat flour.....barrels.. | 76,089 | 420,480 | 549 | 5,442 | 6,039 | 65,403 |
| United Kingdom: | | | | | | |
| Corn.....bushels.. | 24,493,817 | 27,860,538 | 21,197,784 | 39,118,255 | 2,522,397 | 4,754,427 |
| Wheat.....do..... | 67,976,120 | 139,428,196 | 15,129,803 | 36,470,014 | 66,147,422 | 156,153,006 |
| Wheat flour.....barrels.. | 3,015,525 | 21,947,731 | 10,055,827 | 112,064,938 | 10,745,508 | 119,094,414 |
| Bacon.....pounds.. | 346,758,407 | 68,192,174 | 533,135,385 | 147,983,735 | 658,341,849 | 207,507,365 |
| Hams and shoulders.....do..... | 217,434,561 | 40,800,138 | 372,722,508 | 95,792,492 | 416,227,806 | 128,077,781 |
| Lard.....do..... | 178,110,633 | 32,816,184 | 159,959,165 | 38,855,685 | 287,277,312 | 79,607,649 |
| Lard.....do..... | 31,761,124 | 5,316,644 | 48,244,317 | 10,184,472 | 27,919,586 | 7,048,370 |
| Pork, pickled.....do..... | 6,068,672 | 929,881 | 1,908,144 | 447,141 | 2,981,272 | 880,498 |

TABLE 279.—Shipments of principal domestic farm and forest products from the United States to Hawaii and Porto Rico, 1917-1919.

[These shipments are not included in the domestic exports from or imports into the United States.]

| Possession and article. | Year ending June 30— | | | | | |
|-----------------------------------|----------------------|-----------|-------------|-----------|-------------|------------|
| | 1917 | | 1918 | | 1919 | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| HAWAII. | | | | | | |
| Dairy products..... pounds.. | 5,537,968 | \$878,816 | 4,067,847 | \$878,447 | 3,837,032 | \$980,732 |
| Meat products..... | | 1,165,817 | | 740,107 | | 910,320 |
| Grain and grain products..... | | 3,142,022 | | 3,039,729 | | 3,056,998 |
| Rice..... pounds. | 5,918,689 | 267,423 | 8,651,147 | 594,698 | 9,918,602 | 717,228 |
| Lumber..... | | 1,638,887 | | 1,494,241 | | 2,294,309 |
| PORTO RICO. | | | | | | |
| Dairy products..... pounds.. | 4,346,394 | 652,888 | 5,092,110 | 1,062,646 | 6,582,822 | 1,215,430 |
| Meat products..... | | 4,311,385 | | 5,011,866 | | 4,789,947 |
| Beans and dried peas bushels..... | 211,542 | 964,072 | 218,606 | 1,259,334 | 205,724 | 1,061,289 |
| Grain and grain products..... | | 4,086,369 | | 4,310,180 | | 5,221,972 |
| Rice..... pounds. | 154,806,589 | 6,587,122 | 125,131,832 | 9,144,940 | 155,069,940 | 11,668,992 |
| Sugar..... do. | 9,331,896 | 670,530 | 3,017,215 | 245,074 | 276,172 | 24,450 |
| Tobacco..... do. | 2,376,479 | 432,453 | 2,008,224 | 637,872 | | |
| Lumber..... | | 1,294,561 | | 1,074,992 | | 914,247 |

TABLE 280.—Shipments of principal domestic farm products from Hawaii and Porto Rico to the United States, 1917-1919.

| Possession and article. | Year ending June 30— | | | | | |
|-----------------------------------|----------------------|------------|---------------|------------|---------------|------------|
| | 1917 | | 1918 | | 1919 | |
| | Quantity. | Value. | Quantity. | Value. | Quantity. | Value. |
| HAWAII. | | | | | | |
| Coffee..... pounds.. | 1,987,035 | \$297,972 | 1,968,080 | \$275,733 | 5,623,145 | \$925,104 |
| Pineapples, canned..... | | 7,970,522 | | 8,394,307 | | 11,989,611 |
| Sugar..... pounds.. | 1,162,606,066 | 62,741,164 | 1,080,908,797 | 64,108,540 | 1,215,594,766 | 75,511,738 |
| PORTO RICO. | | | | | | |
| Grapefruit..... boxes.. | 435,890 | 939,677 | 549,825 | 1,120,330 | 367,369 | 739,106 |
| Oranges..... do. | 502,313 | 1,008,465 | 602,987 | 1,230,984 | 373,679 | 769,226 |
| Pineapples..... | | 916,415 | | 617,496 | | 458,675 |
| Molasses and sirup..... gallons.. | 18,751,212 | 1,332,538 | 14,495,752 | 1,213,382 | 15,118,678 | 1,507,101 |
| Sugar..... pounds.. | 977,377,996 | 53,987,767 | 672,937,334 | 41,310,845 | 703,286,023 | 48,091,799 |
| Tobacco, leaf..... do. | 7,968,439 | 3,583,062 | 13,124,315 | 7,913,675 | 12,460,316 | 7,259,709 |

TABLE 281.—*Destination of principal farm products exported from the United States, 1910-1919.*

| Article, and country to which consigned. | Quantity. | | | | Per cent of total. | | | |
|---|----------------------|----------------|----------------|----------------|---------------------|-------|------------------|--------------|
| | Year ending June 30— | | | | | | | |
| | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| ANIMAL MATTER. | | | | | | | | |
| Cattle: | <i>Number.</i> | <i>Number.</i> | <i>Number.</i> | <i>Number.</i> | | | | |
| Canada..... | 9,105 | 6,382 | 7,286 | | 10.4 | 47.7 | 40.0 | |
| Mexico..... | 7,341 | 4,324 | 7,777 | | 8.4 | 32.3 | 42.7 | |
| United Kingdom..... | 66,422 | | 19 | | 75.8 | | 1 | |
| Other countries..... | 4,757 | 2,681 | 3,131 | | 5.4 | 20.0 | 17.2 | |
| Total..... | 87,625 | 13,387 | 18,213 | 42,345 | 100.0 | 100.0 | 100.0 | 100.0 |
| Horses: | | | | | | | | |
| Canada..... | 24,486 | 28,546 | 18,064 | 9,684 | 87.2 | 10.2 | 21.3 | 34.6 |
| Cuba..... | 1,212 | 1,000 | 4,468 | 1,538 | 4.3 | .4 | 5.3 | 5.5 |
| Mexico..... | 1,197 | 2,659 | 4,775 | 2,028 | 4.3 | 1.0 | 5.6 | 7.2 |
| United Kingdom..... | 522 | 100,110 | 56,215 | 12,973 | 1.9 | 35.9 | 66.3 | 46.4 |
| Other countries..... | 656 | 146,359 | 1,243 | 1,752 | 2.3 | 52.5 | 1.5 | 6.3 |
| Total..... | 28,073 | 278,674 | 84,765 | 27,975 | 100.0 | 100.0 | 100.0 | 100.0 |
| Butter: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Canada..... | 499,942 | 1,323,653 | 44,749 | 40,693 | 11.7 | 4.9 | .3 | .1 |
| Central American States and British Honduras..... | 694,345 | 814,396 | 633,753 | 439,950 | 16.2 | 3.0 | 3.6 | 1.3 |
| Mexico..... | 369,271 | 558,369 | 223,091 | 430,156 | 8.6 | 2.1 | 1.3 | 1.3 |
| United Kingdom..... | 601,095 | 20,839,583 | 13,982,559 | 26,530,106 | 14.1 | 77.7 | 78.8 | 78.6 |
| Venezuela..... | 599,600 | 79,785 | 6,402 | 664,419 | 14.0 | .3 | (¹) | 2.0 |
| West Indies and Bermuda..... | 1,361,406 | 1,829,040 | 1,380,404 | 1,846,358 | 31.8 | 6.8 | 7.8 | 5.5 |
| Other countries..... | 152,296 | 1,390,266 | 1,465,008 | 3,788,278 | 3.6 | 5.2 | 8.2 | 11.2 |
| Total..... | 4,277,955 | 26,835,092 | 17,735,966 | 33,739,960 | 100.0 | 100.0 | 100.0 | 100.0 |
| Meat products: | | | | | | | | |
| Beef products— | | | | | | | | |
| Beef, canned— | | | | | | | | |
| United Kingdom..... | 5,129,188 | 40,218,190 | 46,375,149 | 25,318,966 | 54.6 | 59.6 | 47.6 | 23.3 |
| Other countries..... | 4,262,934 | 27,317,935 | 50,968,134 | 83,170,506 | 45.4 | 40.4 | 52.4 | 76.7 |
| Total..... | 9,392,122 | 67,536,125 | 97,343,283 | 108,489,472 | 100.0 | 100.0 | 100.0 | 100.0 |
| Beef, fresh— | | | | | | | | |
| Panama..... | 5,026,662 | 235,034 | 144,442 | 257,400 | 17.1 | .1 | (¹) | .1 |
| United Kingdom..... | 23,410,437 | 125,687,523 | 285,789,315 | 272,128,738 | 79.5 | 63.7 | 77.2 | 81.9 |
| Other countries..... | 1,015,203 | 71,254,544 | 84,099,143 | 59,819,038 | 3.4 | 36.2 | 22.8 | 18.0 |
| Total..... | 29,452,302 | 197,177,101 | 370,032,900 | 832,205,176 | 100.0 | 100.0 | 100.0 | 100.0 |
| Beef, pickled and other cured— | | | | | | | | |
| Canada..... | 1,386,090 | 9,394,712 | 2,623,317 | 1,603,519 | 4.2 | 16.2 | 4.8 | 3.6 |
| Germany..... | 3,617,862 | | | | 11.0 | | | |
| Newfoundland and Labrador..... | 4,941,896 | 6,802,524 | 5,505,008 | 4,250,721 | 15.1 | 11.7 | 10.1 | 9.4 |
| United Kingdom..... | 7,902,166 | 7,489,665 | 4,205,294 | 3,995,416 | 24.1 | 12.9 | 7.7 | 8.9 |
| West Indies and Bermuda..... | 4,548,476 | 1,868,094 | 2,245,472 | 1,093,359 | 13.9 | 3.2 | 4.1 | 2.4 |
| Other countries..... | 10,413,273 | 32,498,672 | 39,888,819 | 34,124,846 | 31.7 | 56.0 | 73.3 | 75.7 |
| Total..... | 32,809,763 | 58,053,667 | 54,467,910 | 45,067,861 | 100.0 | 100.0 | 100.0 | 100.0 |
| Oleo oil ²— | | | | | | | | |
| Denmark..... | 5,714,442 | 2,764,095 | 30,000 | 5,441,183 | 5.0 | 4.1 | .1 | 9.2 |
| Germany..... | 20,068,668 | | | | 17.6 | | | |
| Netherlands..... | 57,084,122 | 8,081,795 | | 29,694 | 50.2 | 12.0 | | .1 |
| Norway..... | 8,335,573 | 15,907,144 | 774,004 | 3,353,719 | 7.3 | 23.7 | 1.4 | 5.7 |
| Sweden..... | 2,350,272 | 2,247,553 | 13,313 | 3,859,970 | 2.1 | 3.3 | (¹) | 6.5 |
| Turkey in Europe..... | 3,869,784 | | | | 3.4 | | | |
| United Kingdom..... | 9,117,005 | 31,761,124 | 48,244,317 | 27,919,586 | 8.0 | 47.3 | 85.2 | 47.2 |
| Other countries..... | 7,217,847 | 6,348,400 | 7,541,754 | 18,488,170 | 6.4 | 9.6 | 13.3 | 31.3 |
| Total..... | 113,757,713 | 67,110,111 | 56,603,388 | 59,092,322 | 100.0 | 100.0 | 100.0 | 100.0 |

¹ Less than 0.05 of 1 per cent.² For "Oleo oil" the average is for 4 years, 1911-1914.

TABLE 281.—Destination of principal farm products exported from the United States, 1910-1919—Continued.

| Article, and country to which consigned. | Quantity. | | | | Per cent of total. | | | |
|--|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------|-------|-------|-----------------|
| | Year ending June 30— | | | | | | | |
| | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| ANIMAL MATTER—con. | | | | | | | | |
| Beef, fresh—Con. | | | | | | | | |
| Lard compounds— | | | | | | | | |
| Cuba..... | <i>Pounds.</i> 19,793,565 | <i>Pounds.</i> 14,164,676 | <i>Pounds.</i> 7,735,338 | <i>Pounds.</i> 7,377,716 | 29.4 | 25.1 | 24.7 | 5.6 |
| Mexico..... | 5,399,201 | 6,863,487 | 4,441,734 | 7,318,879 | 8.0 | 12.2 | 14.2 | 5.6 |
| United Kingdom..... | 20,830,150 | 13,807,936 | 4,416,476 | 58,676,804 | 30.9 | 24.0 | 14.1 | 44.5 |
| Other countries..... | 21,295,941 | 21,823,394 | 14,684,834 | 58,377,104 | 31.7 | 38.7 | 47.0 | 41.3 |
| Total..... | 67,318,857 | 56,359,493 | 31,278,382 | 131,750,503 | 100.0 | 100.0 | 100.0 | 100.0 |
| Pork products— | | | | | | | | |
| Bacon— | | | | | | | | |
| Belgium..... | 4,901,373 | 65,219,598 | 68,670,327 | 109,590,712 | 2.7 | 9.8 | 8.4 | 8.8 |
| Canada..... | 4,964,662 | 118,709,847 | 42,837,136 | 26,186,013 | 2.7 | 17.8 | 5.3 | 2.1 |
| Cuba..... | 7,696,815 | 14,914,902 | 20,293,559 | 9,154,147 | 4.2 | 2.2 | 2.5 | 7.7 |
| France..... | 2,696,203 | 77,035,622 | 73,531,892 | 220,390,525 | 1.5 | 11.5 | 9.0 | 17.8 |
| Italy..... | 7,560,557 | 19,378,346 | 74,459,980 | 80,552,049 | 4.1 | 2.9 | 9.1 | 6.5 |
| Netherlands..... | 4,408,989 | 10,625,101 | | 22,476,538 | 2.4 | 1.6 | | 1.5 |
| Norway..... | 3,637,518 | 8,296,500 | 25,243 | 18,182,066 | 2.0 | 1.2 | (1) | 1.8 |
| Sweden..... | 1,909,280 | 1,065,440 | 48 | 33,460,542 | 1.0 | 2 | (1) | 2.7 |
| United Kingdom..... | 133,760,286 | 346,758,407 | 533,135,385 | 658,341,849 | 73.3 | 52.0 | 65.4 | 53.1 |
| Other countries..... | 10,945,409 | 5,148,209 | 2,340,854 | 61,206,532 | 6.1 | .8 | .3 | 5.0 |
| Total..... | 182,474,092 | 667,151,972 | 815,294,424 | 1,239,540,973 | 100.0 | 100.0 | 100.0 | 100.0 |
| Hams and shoulders, cured— | | | | | | | | |
| Belgium..... | 7,863,470 | | | 32,583,389 | 4.7 | | | 4.9 |
| Canada..... | 4,509,867 | 5,617,090 | 14,286,628 | 6,973,844 | 2.7 | 2.1 | 3.4 | 1.0 |
| Cuba..... | 4,696,184 | 9,867,826 | 9,990,171 | 7,641,206 | 2.8 | 3.7 | 2.4 | 1.1 |
| United Kingdom..... | 143,087,022 | 217,434,561 | 372,722,508 | 416,227,806 | 85.8 | 81.5 | 88.8 | 62.3 |
| Other countries..... | 6,656,591 | 33,737,104 | 22,572,522 | 204,421,774 | 4.0 | 12.7 | 5.4 | 30.7 |
| Total..... | 166,813,134 | 266,656,581 | 419,571,869 | 667,848,019 | 100.0 | 100.0 | 100.0 | 100.0 |
| Lard— | | | | | | | | |
| Belgium..... | 17,076,171 | 96,761,185 | 116,154,490 | 190,769,671 | 3.6 | 21.8 | 29.6 | 26.3 |
| Canada..... | 10,181,941 | 5,375,768 | 893,977 | 3,565,064 | 2.1 | 1.2 | .2 | .5 |
| Cuba..... | 41,378,503 | 48,732,924 | 52,574,278 | 25,572,370 | 8.7 | 11.0 | 13.4 | 3.5 |
| Denmark..... | 2,480,647 | 841,110 | 75,000 | 22,555,763 | .5 | .2 | (1) | 3.1 |
| Ecuador..... | 3,369,460 | 3,842,692 | 1,810,527 | 1,307,588 | .7 | .9 | .5 | .2 |
| France..... | 12,089,618 | 54,967,832 | 33,427,329 | 89,806,249 | 2.5 | 12.4 | 8.5 | 12.4 |
| Germany..... | 142,311,431 | | | | 30.0 | | | |
| Italy..... | 4,655,944 | 4,981,846 | 2,136,645 | 1,270 | 1.0 | 1.1 | .5 | (1) |
| Mexico..... | 7,000,932 | 13,261,559 | 6,957,993 | 16,630,794 | 1.5 | 3.0 | 1.8 | 2.3 |
| Netherlands..... | 36,501,329 | 20,446,110 | | 17,683,062 | 7.7 | 4.6 | | 2.4 |
| Peru..... | 2,784,573 | 2,082,555 | 1,400,455 | 561,815 | .6 | .5 | .4 | .8 |
| United Kingdom..... | 169,176,230 | 178,110,633 | 159,959,165 | 287,257,312 | 35.7 | 40.0 | 40.8 | 39.6 |
| Other countries..... | 25,348,135 | 15,365,326 | 17,116,496 | 70,166,940 | 5.4 | 3.3 | 4.3 | 8.9 |
| Total..... | 474,354,914 | 444,769,540 | 392,506,355 | 725,577,868 | 100.0 | 100.0 | 100.0 | 100.0 |
| Lard, neutral ¹— | | | | | | | | |
| Denmark..... | 2,250,893 | 1,022,499 | | 4,026,247 | 5.2 | 5.8 | | 23.1 |
| Germany..... | 9,228,140 | | | | 21.2 | | | |
| Netherlands..... | 25,078,158 | 2,637,914 | | 5,490,968 | 57.6 | 15.1 | | 31.6 |
| Norway..... | 2,679,054 | 3,234,094 | 322,932 | 1,072,748 | 6.1 | 18.4 | 7.6 | 6.2 |
| United Kingdom..... | 1,871,448 | 8,627,647 | 3,495,665 | 3,092,009 | 4.3 | 49.1 | 82.1 | 17.8 |
| Other countries..... | 2,463,857 | 2,034,186 | 439,932 | 3,713,916 | 5.6 | 11.6 | 10.3 | 21.3 |
| Total..... | 43,571,550 | 17,576,240 | 4,258,529 | 17,395,888 | 100.0 | 100.0 | 100.0 | 100.0 |
| Pork, pickled— | | | | | | | | |
| British Guiana..... | 1,539,772 | 1,083,300 | 863,280 | 779,550 | 3.2 | 2.3 | 2.6 | 2.5 |
| Canada..... | 10,117,759 | 16,929,411 | 13,689,396 | 8,186,882 | 21.0 | 36.0 | 41.2 | 26.0 |
| Cuba..... | 7,286,791 | 7,700,421 | 8,935,072 | 6,694,491 | 15.1 | 16.4 | 26.9 | 21.2 |
| Haiti..... | 1,818,119 | 772,310 | 481,190 | | 3.8 | 1.6 | 1.4 | |
| Newfoundland and Labrador..... | 5,920,365 | 6,262,085 | 3,220,600 | 5,705,596 | 12.3 | 13.3 | 9.7 | 18.1 |
| Panama..... | 1,426,085 | 618,416 | 276,782 | 105,100 | 3.0 | 1.3 | .8 | 3.3 |
| United Kingdom..... | 10,225,205 | 6,058,672 | 1,903,144 | 2,981,272 | 21.2 | 12.9 | 5.7 | 9.5 |
| Other countries..... | 9,939,933 | 7,568,106 | 3,852,038 | 7,051,626 | 20.4 | 16.2 | 11.7 | 22.4 |
| Total..... | 48,274,929 | 46,992,721 | 33,221,502 | 31,504,497 | 100.0 | 100.0 | 100.0 | 100.0 |

¹ Less than 0.05 of 1 per cent.² For "Lard, neutral," the average is for 4 years, 1911-1914.

TABLE 281.—Destination of principal farm products exported from the United States, 1910-1919—Continued.

| Article, and country to which consigned. | Quantity. | | | | Per cent of total. | | | |
|--|----------------------|-----------------|-----------------|-----------------|---------------------|-------|------------------|------------------|
| | Year ending June 30— | | | | | | | |
| | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| VEGETABLE MATTER. | | | | | | | | |
| Cotton: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Austria-Hungary..... | 48,200,615 | | | 27,692,987 | 1.1 | | | 1.0 |
| Belgium..... | 91,891,387 | | | 36,326,977 | 2.1 | | | 1.3 |
| Canada..... | 76,708,788 | 93,600,456 | 124,986,426 | 101,507,722 | 1.7 | 3.0 | 5.4 | 3.7 |
| France..... | 543,310,082 | 527,874,622 | 529,276,533 | 382,786,580 | 12.3 | 17.1 | 14.2 | 14.0 |
| Germany..... | 1,267,474,563 | | | | 28.5 | | | |
| Italy..... | 250,388,023 | 343,578,824 | 184,606,646 | 261,139,624 | 5.7 | 11.1 | 8.0 | 9.6 |
| Japan..... | 148,287,700 | 266,445,968 | 291,772,827 | 404,656,654 | 3.4 | 8.6 | 12.6 | 14.8 |
| Mexico..... | 10,601,091 | 2,648,967 | 5,353,162 | 853,483 | .2 | .1 | .2 | (¹) |
| Netherlands..... | 12,177,984 | 31,080,490 | 5,049,224 | 28,974,704 | .3 | 1.0 | .2 | 1.1 |
| Russia, European..... | 43,788,355 | 24,594,296 | 7,972,533 | 155,015 | 1.0 | .8 | .3 | (¹) |
| Spain..... | 134,932,066 | 197,046,594 | 129,596,749 | 140,671,300 | 3.1 | 6.4 | 5.6 | 5.1 |
| Sweden..... | 18,142,436 | 53,040,674 | 517,863 | 44,196,386 | .4 | 1.7 | (¹) | 1.6 |
| United Kingdom..... | 1,754,711,933 | 1,447,711,674 | 1,193,550,402 | 1,239,461,596 | 39.7 | 46.9 | 51.4 | 45.4 |
| Other countries..... | 29,187,164 | 101,458,241 | 47,829,297 | 65,261,097 | .5 | 3.3 | 2.1 | 2.4 |
| Total..... | 4,419,902,157 | 3,088,080,786 | 2,320,511,665 | 2,733,683,125 | 100.0 | 100.0 | 100.0 | 100.0 |
| Fruits: | | | | | | | | |
| Apples, dried— | | | | | | | | |
| Germany..... | 17,473,832 | | | | 49.7 | | | |
| Netherlands..... | 9,612,942 | 187,286 | | | 27.4 | 1.8 | | |
| Other countries..... | 8,060,439 | 10,170,505 | 2,602,590 | | 22.9 | 98.2 | 100.0 | |
| Total..... | 35,137,213 | 10,357,791 | 2,602,590 | 19,313,882 | 100.0 | 100.0 | 100.0 | 100.0 |
| Apples, fresh— | <i>Barrels.</i> | <i>Barrels.</i> | <i>Barrels.</i> | <i>Barrels.</i> | | | | |
| Canada..... | 221,431 | 314,955 | 457,948 | 265,065 | 14.3 | 18.1 | 72.1 | 16.8 |
| Germany..... | 157,020 | | | | 10.1 | | | |
| United Kingdom..... | 1,020,968 | 1,147,412 | 1,766 | 1,016,945 | 65.8 | 65.9 | .3 | 64.5 |
| Other countries..... | 151,834 | 277,630 | 175,696 | 294,738 | 9.8 | 16.0 | 27.6 | 18.7 |
| Total..... | 1,551,263 | 1,739,997 | 635,409 | 1,576,748 | 100.0 | 100.0 | 100.0 | 100.0 |
| Apricots, dried— | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Belgium..... | 966,675 | | | | 4.9 | | | |
| Canada..... | 1,117,625 | 751,012 | 1,388,275 | 1,529,328 | 5.7 | 7.6 | 26.5 | 7.3 |
| France..... | 2,558,966 | 5,754,643 | 466,525 | 3,720,208 | 13.2 | 58.5 | 8.9 | 17.8 |
| Germany..... | 5,208,071 | | | | 26.8 | | | |
| Netherlands..... | 2,204,930 | 345,031 | | 208,230 | 11.3 | 3.5 | | 1.0 |
| United Kingdom..... | 5,552,246 | 614,139 | 797,913 | 4,925,910 | 28.6 | 6.2 | 15.1 | 23.5 |
| Other countries..... | 1,839,506 | 2,376,294 | 2,587,906 | 10,593,538 | 9.5 | 24.2 | 49.5 | 50.4 |
| Total..... | 19,438,009 | 9,841,119 | 5,229,618 | 20,975,214 | 100.0 | 100.0 | 100.0 | 100.0 |
| Oranges— | <i>Boxes.</i> | <i>Boxes.</i> | <i>Boxes.</i> | <i>Boxes.</i> | | | | |
| Canada..... | 1,135,194 | 1,726,394 | 1,190,629 | 1,315,207 | 95.7 | 93.3 | 96.0 | 93.8 |
| Other countries..... | 50,988 | 123,978 | 49,848 | 86,973 | 4.3 | 6.7 | 4.0 | 6.2 |
| Total..... | 1,186,182 | 1,850,372 | 1,240,477 | 1,402,180 | 100.0 | 100.0 | 100.0 | 100.0 |
| Prunes— | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Belgium..... | 5,065,565 | | | | 6.2 | | | |
| Canada..... | 11,327,559 | 11,112,227 | 18,025,903 | 7,873,557 | 14.1 | 18.6 | 54.7 | 13.3 |
| France..... | 10,226,468 | 23,852,707 | 2,490,874 | 8,891,717 | 12.7 | 40.0 | 7.6 | 14.9 |
| Germany..... | 29,420,239 | | | | 36.6 | | | |
| Netherlands..... | 7,238,048 | 330,580 | | 187,423 | 9.0 | .6 | | .3 |
| United Kingdom..... | 8,847,965 | 10,765,070 | 4,827,806 | 18,530,926 | 11.0 | 18.0 | 14.7 | 31.9 |
| Other countries..... | 8,361,906 | 13,584,567 | 7,581,963 | 23,268,813 | 10.4 | 22.8 | 23.0 | 39.6 |
| Total..... | 80,427,650 | 59,645,141 | 32,926,546 | 59,072,436 | 100.0 | 100.0 | 100.0 | 100.0 |
| Fruits canned— | <i>Dollars.</i> | <i>Dollars.</i> | <i>Dollars.</i> | <i>Dollars.</i> | | | | |
| United Kingdom..... | 2,715,863 | 3,627,823 | 3,029,606 | 9,909,951 | 68.5 | 59.1 | 43.1 | 67.9 |
| Other countries..... | 1,247,786 | 2,510,869 | 3,994,806 | 4,685,752 | 31.5 | 40.9 | 56.9 | 32.1 |
| Total..... | 3,963,649 | 6,138,692 | 7,024,466 | 14,595,703 | 100.0 | 100.0 | 100.00 | 100.0 |

¹ Less than 0.05 of 1 per cent.

TABLE 281.—Destination of principal farm products exported from the United States, 1910-1919—Continued.

| Article, and country to which consigned. | Quantity. | | | | Per cent of total. | | | |
|--|----------------------|-----------------|-----------------|-----------------|---------------------|-------|------------------|------------------|
| | Year ending June 30— | | | | | | | |
| | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| VEGETABLE MATTER—continued. | | | | | | | | |
| Glucose and grape sugar: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Argentina..... | 5,571,728 | 2,751,150 | 1,950,255 | 1,205,320 | 3.1 | 1.3 | 2.0 | 1.0 |
| British Oceania..... | 8,631,878 | 1,729,816 | 445,019 | | 4.8 | .8 | .5 | |
| United Kingdom..... | 145,950,270 | 160,716,035 | 55,825,847 | 62,687,250 | 80.8 | 74.8 | 57.0 | 52.7 |
| Other countries..... | 20,370,027 | 49,776,314 | 39,637,180 | 54,942,921 | 11.3 | 23.1 | 40.5 | 46.3 |
| Total..... | 180,523,903 | 214,973,315 | 97,858,301 | 118,835,491 | 100.0 | 100.0 | 100.0 | 100.0 |
| Grain and grain products: | | | | | | | | |
| Corn— | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | | | |
| Belgium..... | 1,387,953 | 581,371 | 3,714,233 | 1,567,631 | 3.5 | .9 | 9.1 | 9.4 |
| Canada..... | 8,379,334 | 15,724,838 | 7,895,892 | 8,939,735 | 21.0 | 24.3 | 19.3 | 53.3 |
| Cuba..... | 2,300,521 | 2,819,278 | 1,142,283 | 1,453,801 | 5.8 | 4.4 | 2.8 | 8.7 |
| Denmark..... | 2,493,820 | 7,075,254 | | 333,910 | 6.3 | 10.9 | | 2.0 |
| Germany..... | 5,231,554 | | | | 13.1 | | | |
| Mexico..... | 2,500,803 | 2,530,699 | 3,272,754 | 1,214,717 | 6.3 | 3.9 | 8.0 | 7.3 |
| Netherlands..... | 5,111,282 | 7,923,706 | 246,004 | 100,168 | 12.8 | 12.2 | .6 | .6 |
| United Kingdom..... | 10,906,171 | 24,493,817 | 21,197,784 | 2,522,397 | 27.4 | 37.8 | 51.7 | 15.1 |
| Other countries..... | 4,498,252 | 3,571,879 | 3,528,867 | 555,179 | 3.8 | 5.6 | 8.5 | 3.6 |
| Total..... | 39,809,690 | 64,720,842 | 40,997,827 | 16,687,538 | 100.0 | 100.0 | 100.0 | 100.0 |
| Wheat— | | | | | | | | |
| Belgium..... | 7,195,138 | 2,698,044 | 6,007,986 | 25,972,439 | 12.6 | 1.8 | 17.6 | 14.5 |
| Canada..... | 4,776,247 | 4,714,836 | 252,540 | 26,484,027 | 3.1 | 3.1 | .7 | 14.8 |
| France..... | 3,001,098 | 16,253,262 | 3,837,927 | 13,297,243 | 5.3 | 10.8 | 11.2 | 7.4 |
| Germany..... | 6,154,503 | | | | 10.8 | | | |
| Italy..... | 2,367,307 | 13,746,512 | 6,756,191 | 32,689,845 | 4.2 | 9.2 | 19.8 | 18.3 |
| Japan..... | 2,338,152 | | | | 4.1 | | | |
| Mexico..... | 1,178,964 | 54,597 | 2,126 | | 2.1 | | (¹) | |
| Netherlands..... | 8,350,709 | 19,127,675 | 155,550 | 3,904,617 | 14.7 | 12.8 | .5 | 2.2 |
| United Kingdom..... | 21,806,112 | 67,976,120 | 15,129,803 | 66,147,422 | 38.3 | 45.4 | 44.3 | 37.0 |
| Other countries..... | 2,744,498 | 25,260,381 | 1,976,730 | 10,087,080 | 4.8 | 16.9 | 5.9 | 5.8 |
| Total..... | 56,913,228 | 149,831,427 | 34,118,853 | 178,582,673 | 100.0 | 100.0 | 100.0 | 100.0 |
| Wheat flour— | <i>Barrels.</i> | <i>Barrels.</i> | <i>Barrels.</i> | <i>Barrels.</i> | | | | |
| Brazil..... | 567,444 | 301,614 | 101,927 | 31,639 | 5.3 | 2.5 | .5 | .1 |
| British West Indies..... | 472,953 | 372,242 | 196,507 | | 4.4 | 3.1 | .9 | |
| Canada..... | 82,821 | 77,115 | 83,334 | 193,025 | .8 | .6 | .4 | .8 |
| China..... | 263,882 | 9,806 | 275 | | 2.5 | .1 | (¹) | |
| Cuba..... | 856,239 | 1,016,675 | 679,689 | 1,068,028 | 8.0 | 8.5 | 3.1 | 4.4 |
| Finland..... | 243,856 | | | | 2.3 | | | |
| Germany..... | 187,457 | | | | 1.8 | | | |
| Hatti..... | 233,932 | 127,458 | 10,924 | 138,564 | 2.2 | 1.1 | (¹) | .6 |
| Hongkong..... | 1,121,139 | 61,800 | 1,250 | 1,506 | 10.5 | .5 | (¹) | |
| Japan..... | 612,879 | 4,083 | 69 | | 5.7 | | (¹) | (¹) |
| Netherlands..... | 818,637 | 591,182 | 69,253 | 1,117,018 | 7.7 | 5.0 | .3 | 4.6 |
| Norway..... | 212,713 | 715,077 | 214,810 | 185,345 | 2.0 | 6.0 | 1.0 | .8 |
| Philippine Islands..... | 278,717 | 76,089 | 549 | 6,039 | 2.6 | .6 | (¹) | (¹) |
| United Kingdom..... | 2,712,639 | 3,015,525 | 10,055,827 | 10,745,508 | 25.4 | 25.2 | 46.0 | 44.4 |
| Other countries..... | 2,013,327 | 5,574,112 | 10,465,537 | 10,713,420 | 18.8 | 46.8 | 47.8 | 44.3 |
| Total..... | 10,678,635 | 11,942,778 | 21,879,951 | 24,190,092 | 100.0 | 100.0 | 100.0 | 100.0 |
| Hops: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| British Oceania..... | 518,882 | 451,189 | 31,780 | | 3.3 | 9.4 | .9 | |
| Canada..... | 968,680 | 801,162 | 660,779 | | 6.2 | 16.6 | 18.9 | |
| United Kingdom..... | 13,880,669 | 823,654 | 102,896 | | 89.3 | 17.1 | 2.9 | |
| Other countries..... | 181,525 | 2,748,871 | 2,699,144 | | 1.2 | 56.9 | 77.3 | |
| Total..... | 15,547,756 | 4,824,876 | 3,494,579 | 7,466,952 | 100.0 | 100.0 | 100.0 | 100.0 |

¹ Less than 0.05 of 1 per cent.

TABLE 281.—*Destination of principal farm products exported from the United States, 1910-1919—Continued.*

| Article, and country to which consigned. | Quantity. | | | | Per cent of total. | | | |
|---|----------------------|----------------|----------------|----------------|---------------------|-------|-------|--------------|
| | Year ending June 30— | | | | | | | |
| | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| VEGETABLE MATTER—continued. | | | | | | | | |
| Oil cake and oil-cake meal: | | | | | | | | |
| Cottonseed— | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Belgium..... | 30,009,935 | | | | 3.2 | | | |
| Denmark..... | 335,176,189 | 673,151,482 | 4,704,000 | 83,839,215 | 35.9 | 58.5 | 10.5 | 26.9 |
| Germany..... | 316,183,442 | | | | 33.9 | | | |
| Netherlands..... | 55,879,799 | 23,231,880 | | | 6.0 | 2.0 | | |
| Norway..... | 28,019,121 | 71,814,963 | | | 3.0 | 6.2 | | |
| United Kingdom..... | 146,111,558 | 219,530,899 | 19,751,335 | 117,695,310 | 15.7 | 19.1 | 44.2 | 37.8 |
| Other countries..... | 21,908,452 | 162,430,467 | 20,225,458 | 110,091,580 | 2.3 | 14.2 | 45.3 | 35.3 |
| Total..... | 933,285,436 | 1,150,159,691 | 44,680,793 | 311,626,105 | 100.0 | 100.0 | 100.0 | 100.0 |
| Linseed or flaxseed— | | | | | | | | |
| Belgium..... | 288,955,020 | | | | 43.7 | | | |
| France..... | 34,587,191 | 4,408,251 | | 150,640 | 5.2 | .8 | | .1 |
| Netherlands..... | 280,782,728 | 292,984,477 | 448,656 | 18,198,743 | 42.4 | 54.6 | .3 | 9.0 |
| United Kingdom..... | 42,781,016 | 86,400,787 | 98,785,060 | 34,868,513 | 6.5 | 16.1 | 65.2 | 17.2 |
| Other countries..... | 14,712,925 | 153,190,870 | 52,166,261 | 149,570,377 | 2.2 | 28.5 | 34.5 | 73.7 |
| Total..... | 661,818,880 | 536,984,394 | 151,399,977 | 202,788,273 | 100.0 | 100.0 | 100.0 | 100.0 |
| Oils, vegetable: | | | | | | | | |
| Cottonseed— | | | | | | | | |
| Argentina..... | 9,300,144 | 2,863,997 | 1,971,552 | 944,835 | 3.4 | 1.8 | 2.0 | .5 |
| Austria-Hungary..... | 4,951,218 | | | | 1.8 | | | |
| Belgium..... | 4,053,400 | | | 1,018,920 | 1.5 | | | .6 |
| Canada..... | 20,345,315 | 40,902,325 | 40,859,087 | 33,473,443 | 7.5 | 26.7 | 40.5 | 18.7 |
| Chile..... | 4,320,337 | 1,787,089 | 1,912,903 | 1,882,852 | 1.6 | 1.1 | 1.9 | 1.1 |
| Cuba..... | 3,522,882 | 8,710,957 | 11,077,844 | 4,444,633 | 1.3 | 5.5 | 11.0 | 2.5 |
| France..... | 14,510,409 | 3,187,870 | 7,021,545 | 3,538,879 | 5.3 | 2.0 | 7.0 | 2.0 |
| Germany..... | 13,184,324 | | | | 4.9 | | | |
| Italy..... | 27,558,963 | 363,127 | | 11,213,437 | 10.2 | .2 | | 6.3 |
| Mexico..... | 21,994,380 | 918,959 | 229,847 | 799,439 | 8.1 | .6 | .2 | .4 |
| Netherlands..... | 58,258,887 | 28,034,879 | | 25,529,200 | 21.5 | 17.6 | | 14.3 |
| Norway..... | 7,512,668 | 33,591,436 | 572,765 | 8,486,421 | 2.8 | 21.1 | .6 | 4.7 |
| Roumania..... | 3,010,354 | | | | 1.1 | | | |
| Turkey, European..... | 9,129,661 | | | | 3.4 | | | |
| United Kingdom..... | 39,832,347 | 14,172,497 | 27,888,581 | 47,736,329 | 14.7 | 8.9 | 27.7 | 26.7 |
| Uruguay..... | 3,666,681 | 1,066,275 | 755,270 | 63,450 | 1.4 | .7 | .8 | (1) |
| Other countries..... | 26,277,418 | 23,312,356 | 8,490,587 | 39,577,995 | 9.5 | 14.8 | 8.3 | 22.2 |
| Total..... | 271,428,578 | 158,911,767 | 100,779,981 | 178,709,833 | 100.0 | 100.0 | 100.0 | 100.0 |
| Tobacco, leaf, stems, and trimmings:¹ | | | | | | | | |
| Belgium..... | 11,722,421 | | 75,523 | 13,615,413 | 3.0 | | (2) | 2.2 |
| British Africa..... | 6,233,693 | 10,410,254 | 8,611,717 | 10,422,711 | 1.6 | 2.5 | 3.0 | 1.7 |
| British Oceania..... | 13,984,064 | 15,927,720 | 6,786,008 | 17,793,685 | 3.6 | 3.9 | 2.3 | 2.8 |
| Canada..... | 15,149,901 | 15,275,422 | 17,577,987 | 23,282,916 | 3.9 | 3.7 | 6.1 | 3.7 |
| China..... | 7,061,404 | 9,887,842 | 7,959,312 | 14,699,427 | 1.8 | 2.4 | 2.8 | 2.4 |
| France..... | 42,503,455 | 70,514,607 | 73,372,601 | 97,088,976 | 10.8 | 17.1 | 25.4 | 15.5 |
| French Africa..... | 4,167,210 | 3,742,479 | 2,511,968 | 7,492,134 | 1.1 | .9 | .9 | 1.2 |
| Germany..... | 37,803,645 | | | | 9.6 | | | |
| Italy..... | 41,706,176 | 45,587,226 | 38,540,529 | 61,082,204 | 10.6 | 11.1 | 13.3 | 9.8 |
| Japan..... | 2,997,113 | 3,449,974 | 2,346,479 | 4,932,996 | .8 | .8 | .8 | .8 |
| Netherlands..... | 26,971,486 | 55,123,517 | 1,359,367 | 14,101,512 | 6.9 | 13.4 | .5 | 2.3 |
| Spain..... | 20,111,895 | 10,692,009 | 17,890,064 | 25,510,069 | 5.1 | 2.6 | 6.2 | 4.1 |
| United Kingdom..... | 139,862,251 | 122,725,357 | 89,453,465 | 276,853,745 | 35.7 | 29.8 | 30.9 | 44.3 |
| Other countries..... | 21,908,357 | 48,262,453 | 22,685,666 | 58,428,725 | 5.5 | 11.8 | 7.8 | 9.2 |
| Total..... | 392,183,071 | 411,598,860 | 289,170,686 | 625,304,513 | 100.0 | 100.0 | 100.0 | 100.0 |

¹ Leaf only for 1918.² Less than 0.05 of 1 per cent.

TABLE 281.—*Destination of principal farm products exported from the United States, 1910-1919—Continued.*

| Article, and country to which consigned. | Quantity. | | | | Per cent of total. | | | |
|---|------------------------|-----------------|-----------------|-----------------|------------------------|-------|-------|-----------------|
| | Year ending June 30— | | | | | | | |
| | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| FOREST PRODUCTS. | | | | | | | | |
| Naval stores: | | | | | | | | |
| Rosin— | <i>Barrels.</i> | <i>Barrels.</i> | <i>Barrels.</i> | <i>Barrels.</i> | | | | |
| Argentina..... | 110,085 | 120,287 | 149,536 | 78,990 | 4.6 | 7.3 | 14.0 | 9.0 |
| Austria-Hungary..... | 76,883 | | | | 3.2 | | | |
| Belgium..... | 140,413 | | | | 5.8 | | | |
| Brazil..... | 155,226 | 147,462 | 158,824 | 89,266 | 6.5 | 9.0 | 14.8 | 10.1 |
| Canada..... | 80,882 | 172,578 | 129,070 | 90,915 | 3.4 | 10.5 | 12.1 | 10.3 |
| Germany..... | 727,521 | | | | 30.2 | | | |
| Italy..... | 98,964 | 54,927 | 10,056 | 16,626 | 4.1 | 3.4 | 1.0 | 1.9 |
| Netherlands..... | 208,596 | 720 | | 11,380 | 8.7 | | | 1.3 |
| Russia, European..... | 104,657 | 74,060 | | | 4.3 | 4.5 | | |
| United Kingdom..... | 501,572 | 673,268 | 274,976 | 377,836 | 20.8 | 41.1 | 25.7 | 42.8 |
| Other countries..... | 201,675 | 395,268 | 348,467 | 216,765 | 8.4 | 24.2 | 32.4 | 24.6 |
| Total..... | 2,406,476 | 1,638,590 | 1,070,929 | 881,777 | 100.0 | 100.0 | 100.0 | 100.0 |
| Turpentine, spirits of— | <i>Gallons.</i> | <i>Gallons.</i> | <i>Gallons.</i> | <i>Gallons.</i> | | | | |
| Argentina..... | 524,265 | 350,953 | 321,797 | 332,498 | 2.9 | 4.0 | 6.3 | 4.1 |
| Belgium..... | 1,748,419 | | | | 9.7 | | | |
| British Oceania..... | 639,300 | 638,631 | 942,751 | 273,212 | 3.6 | 9.5 | 18.5 | 3.4 |
| Canada..... | 1,027,501 | 1,109,029 | 978,125 | 1,016,062 | 5.7 | 12.5 | 19.2 | 12.6 |
| Germany..... | 2,868,253 | | | | 15.9 | | | |
| Netherlands..... | 3,106,749 | 66,892 | | 492,163 | 17.6 | 8 | | 6.1 |
| United Kingdom..... | 6,774,171 | 5,327,100 | 1,413,732 | 4,175,590 | 37.7 | 60.2 | 27.7 | 51.8 |
| Other countries..... | 1,240,348 | 1,143,270 | 1,438,719 | 1,774,053 | 6.9 | 13.0 | 28.3 | 22.0 |
| Total..... | 17,989,006 | 8,841,875 | 5,095,124 | 8,063,578 | 100.0 | 100.0 | 100.0 | 100.0 |
| Lumber— | | | | | | | | |
| Fir— | <i>M feet.</i> | <i>M feet.</i> | <i>M feet.</i> | <i>M feet.</i> | | | | |
| Australia..... | | 79,785 | 63,865 | 43,115 | | 27.5 | 23.3 | 15.8 |
| Canada..... | | 27,463 | 20,562 | 31,016 | | 9.5 | 7.5 | 11.6 |
| Chile..... | | 34,561 | 45,416 | 12,187 | | 11.9 | 16.6 | 4.5 |
| China..... | | 21,348 | 8,121 | 26,147 | | 7.4 | 3.0 | 9.6 |
| Japan..... | | 20,002 | 29,044 | 22,124 | | 6.9 | 10.6 | 8.1 |
| Mexico..... | (1) | 6,083 | 8,091 | 7,381 | (1) | 2.1 | 3.0 | 2.7 |
| New Zealand..... | | 4,017 | 3,283 | 5,337 | | 1.4 | 1.2 | 1.9 |
| Panama..... | | 17,919 | 4,709 | 10,336 | | 6.2 | 1.7 | 3.9 |
| Peru..... | | 38,539 | 51,053 | 39,543 | | 13.3 | 18.6 | 14.5 |
| United Kingdom..... | | 10,372 | 13,646 | 33,133 | | 3.6 | 5.0 | 12.3 |
| Other countries..... | | 29,941 | 26,413 | 40,180 | | 10.2 | 9.5 | 15.1 |
| Total..... | (1) | 289,980 | 274,263 | 272,498 | (1) | 100.0 | 100.0 | 100.0 |
| Oak— | | | | | | | | |
| Argentina..... | | 4,535 | 3,444 | 5,066 | | 8.4 | 5.1 | 5.0 |
| Canada..... | | 36,908 | 47,183 | 42,217 | | 68.3 | 70.2 | 41.9 |
| France..... | (1) | 455 | 474 | 1,701 | (1) | .8 | .7 | 1.7 |
| United Kingdom..... | | 2,648 | 9,753 | 31,123 | | 4.9 | 14.5 | 30.9 |
| Other countries..... | | 9,484 | 6,362 | 20,742 | | 17.6 | 9.5 | 20.5 |
| Total..... | (1) | 54,030 | 67,216 | 100,849 | (1) | 100.0 | 100.0 | 100.0 |
| Pine, yellow, long leaf— | | | | | | | | |
| Argentina..... | | 37,329 | 33,317 | 20,606 | | 9.3 | 9.6 | 6.9 |
| Brazil..... | | 3,266 | 2,050 | 255 | | .8 | .6 | .1 |
| Canada..... | | 804 | 2,170 | 1,603 | | .2 | .6 | .5 |
| Cuba..... | | 158,106 | 192,680 | 137,929 | | 39.3 | 55.7 | 46.0 |
| France..... | | 9,430 | 8,635 | 6,824 | | 2.3 | 2.5 | 2.3 |
| Italy..... | | 9,030 | 1,293 | 3,292 | | 2.2 | .4 | 1.1 |
| Mexico..... | (1) | 14,954 | 35,346 | 26,679 | (1) | 3.7 | 10.2 | 8.9 |
| Panama..... | | 28,771 | 11,884 | 7,065 | | 7.1 | 3.4 | 2.4 |
| Spain..... | | 10,074 | 2,792 | 1,262 | | 2.5 | .8 | .4 |
| United Kingdom..... | | 59,011 | 10,220 | 39,724 | | 14.7 | 3.0 | 13.2 |
| Uruguay..... | | 4,841 | 3,961 | 5,552 | | 1.2 | 1.1 | 1.9 |
| Other countries..... | | 67,088 | 41,759 | 49,213 | | 10.7 | 12.1 | 16.3 |
| Total..... | (1) | 402,704 | 346,117 | 300,004 | (1) | 100.0 | 100.0 | 100.0 |

(1) Not separately stated.

TABLE 281.—*Destination of principal farm products exported from the United States, 1910-1919—Continued.*

| Article, and country to which consigned. | Quantity. | | | | Per cent of total. | | | |
|--|------------------------|------------------------------|------------------------------|------------------------------|------------------------|-------|-------|-----------------|
| | Year ending June 30— | | | | | | | |
| | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| FOREST PRODUCTS—CON. | | | | | | | | |
| Naval stores—Con. | | | | | | | | |
| Lumber—Con. | | | | | | | | |
| Railroad ties— | | | | | | | | |
| Canada..... | } (1) | <i>Barrels.</i> 1,152,707 | <i>Barrels.</i> 1,487,415 | <i>Barrels.</i> 1,978,425 | } (1) | 20.3 | 43.3 | 50.9 |
| Cuba..... | | 502,050 | 804,718 | 280,583 | | 12.8 | 23.4 | 7.0 |
| France..... | | 281,612 | 97,187 | 49,305 | | 7.2 | 2.8 | 1.5 |
| Honduras..... | | 79,906 | 70,379 | 25,431 | | 2.0 | 2.0 | .7 |
| Mexico..... | | 692,923 | 611,698 | 245,606 | | 17.6 | 17.8 | 7.4 |
| United Kingdom..... | | 685,718 | 18,069 | 646,021 | | 17.4 | .5 | 19.6 |
| Other countries... | | 539,182 | 345,831 | 125,928 | | 13.7 | 10.2 | 3.9 |
| Total..... | (1) | 3,934,107 | 3,435,207 | 3,301,209 | (1) | 100.0 | 100.0 | 100.0 |
| Timber, sawed— | | | | | | | | |
| Pitch pine, long leaf— | | | | | | | | |
| Canada..... | } (1) | 1,584 | 1,830 | 227 | } (1) | 1.1 | 2.8 | .4 |
| France..... | | 12,477 | 2,020 | 3,694 | | 8.3 | 3.1 | 5.9 |
| Italy..... | | 17,684 | 963 | 1,182 | | 11.8 | 1.5 | 1.9 |
| United Kingdom..... | | 88,465 | 32,750 | 40,588 | | 59.2 | 50.2 | 64.5 |
| Other countries..... | | 20,317 | 27,650 | 17,237 | | 19.6 | 42.4 | 27.3 |
| Total..... | (1) | 149,527 | 65,233 | 62,928 | (1) | 100.0 | 100.0 | 100.0 |

¹ Not separately stated.TABLE 282.—*Origin of principal farm products imported into the United States, 1910-1919.*

| Article and country of origin. | Quantity. | | | | Per cent of total. | | | |
|-------------------------------------|-----------------------|----------------|----------------|-----------------|---------------------------|-------|-------|-----------------|
| | Year ending June 30— | | | | | | | |
| | Average 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average 1910- 1914. | 1917 | 1918 | 1919 (prel.) |
| ANIMAL MATTER. | | | | | | | | |
| Cattle: | <i>Number.</i> | <i>Number.</i> | <i>Number.</i> | <i>Number.</i> | | | | |
| Canada..... | 56,097 | 189,285 | 185,082 | 356,834 | 14.1 | 50.5 | 63.0 | 81.0 |
| Mexico..... | 339,618 | 183,827 | 105,470 | 82,340 | 85.4 | 49.0 | 35.9 | 18.7 |
| Other countries..... | 1,737 | 1,714 | 3,160 | 1,225 | .5 | .5 | 1.1 | .3 |
| Total..... | 397,450 | 374,826 | 293,719 | 440,399 | 100.0 | 100.0 | 100.0 | 100.0 |
| Horses: | | | | | | | | |
| Canada..... | 3,199 | 6,348 | 3,736 | | 22.6 | 50.4 | 73.2 | |
| France..... | 1,933 | 170 | 263 | | 13.6 | 1.4 | 5.1 | |
| Mexico..... | 6,846 | 5,331 | 795 | | 48.3 | 42.4 | 15.5 | |
| Other countries..... | 2,191 | 735 | 317 | | 15.5 | 5.8 | 6.2 | |
| Total..... | 14,169 | 12,584 | 5,111 | 4,003 | 100.0 | 100.0 | 100.0 | 100.0 |
| Dairy products: | | | | | | | | |
| Cheese, including sub- stitutes— | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Argentina..... | 4,142,716 | 1,841,288 | 8,252,446 | 1,231,006 | | 12.7 | 83.9 | 50.4 |
| France..... | 1,937,341 | 1,937,341 | 1,026,117 | 452,462 | 8.4 | 13.4 | 16.4 | 18.5 |
| Netherlands..... | 3,365,038 | 249,371 | | | 6.8 | 1.7 | | |
| Italy..... | 20,834,962 | 8,482,280 | 16,044 | 57 | 42.3 | 58.6 | .2 | (1) |
| Switzerland..... | 16,924,388 | 1,640,656 | | | 34.4 | 11.3 | | |
| Other countries..... | 3,953,013 | 330,578 | 544,698 | 758,789 | 8.1 | 2.3 | 5.5 | 31.1 |
| Total..... | 49,220,117 | 14,481,514 | 9,839,305 | 2,442,306 | 100.0 | 100.0 | 100.0 | 100.0 |

¹ Less than 0.05 of 1 per cent.

TABLE 282.—Origin of principal farm products imported into the United States, 1910-1919—Continued.

| Article and country of origin. | Quantity. | | | | Per cent of total. | | | |
|------------------------------------|----------------------|----------------|----------------|----------------|--------------------|-------|-------|--------------|
| | Year ending June 30— | | | | | | | |
| | Average, 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| ANIMAL MATTER—contd. | | | | | | | | |
| Fibers, animal: | | | | | | | | |
| Silk, raw— | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| China..... | 5,133,658 | 7,006,700 | 6,180,480 | 5,755,311 | 21.6 | 20.7 | 17.7 | 16.8 |
| Italy..... | 2,605,466 | 467,405 | 7,309 | 26,169 | 10.9 | 1.4 | (1) | .1 |
| Japan..... | 15,591,700 | 26,341,833 | 28,645,529 | 28,440,400 | 65.5 | 77.8 | 82.2 | 82.8 |
| Other countries..... | 468,574 | 52,947 | 12,879 | 99,150 | 2.0 | .1 | .1 | .3 |
| Total..... | 22,799,398 | 33,868,885 | 34,846,197 | 34,321,030 | 100.0 | 100.0 | 100.0 | 100.0 |
| Wool, class 1: | | | | | | | | |
| Argentina..... | 22,406,577 | 187,078,443 | 161,981,865 | 121,579,497 | 27.0 | 66.9 | 53.3 | 37.1 |
| Australia, Commonwealth of..... | 17,221,074 | 802,618 | 29,956,449 | 77,600,344 | 20.7 | .3 | 9.9 | 23.7 |
| Belgium..... | 1,442,467 | | | | 1.7 | | | |
| British South Africa..... | 140,462 | 23,473,031 | 55,757,397 | 47,878,642 | .1 | 8.4 | 18.3 | 14.6 |
| Chile..... | 122,918 | 12,134,230 | 12,069,231 | 6,888,162 | (1) | 4.4 | 4.0 | 2.1 |
| China..... | 21,820 | 14,781,995 | 13,226,755 | 9,419,649 | (1) | 5.3 | 4.3 | 2.9 |
| New Zealand..... | 4,452,965 | 262,312 | 4,117,146 | 14,904,938 | 5.4 | .0 | 1.3 | 4.5 |
| United Kingdom..... | 31,159,170 | 1,555,182 | 161,498 | 1,516,252 | 37.5 | .6 | .1 | .4 |
| Uruguay..... | 4,204,432 | 33,304,462 | 17,785,170 | 34,386,870 | 5.1 | 11.9 | 5.9 | 10.5 |
| Other countries..... | 1,873,841 | 6,089,228 | 8,813,429 | 13,770,214 | 2.5 | 2.2 | 2.9 | 4.2 |
| Total..... | 83,045,726 | 279,481,501 | 303,868,940 | 327,944,568 | 100.0 | 100.0 | 100.0 | 100.0 |
| Wool, class 2: | | | | | | | | |
| Argentina..... | 933,432 | 7,743,645 | 3,838,542 | 1,181,355 | 1.0 | 45.4 | 27.5 | 49.6 |
| Canada..... | 1,619,390 | 7,893,007 | 8,419,647 | 412,414 | 8.5 | 46.2 | 60.3 | 17.3 |
| United Kingdom..... | 14,328,023 | 56,400 | | 53,122 | 75.1 | .3 | | 2.2 |
| Other countries..... | 2,190,057 | 1,372,901 | 1,695,768 | 736,660 | 15.4 | 8.1 | 12.2 | 30.9 |
| Total..... | 19,070,902 | 17,055,963 | 13,953,957 | 2,383,551 | 100.0 | 100.0 | 100.0 | 100.0 |
| Wool, class 3: | | | | | | | | |
| Argentina..... | 3,834,849 | 15,075,173 | 15,258,176 | 16,690,943 | 3.7 | 22.3 | 25.9 | 19.8 |
| British East Indies..... | 3,924,193 | 423,661 | 41,309 | 47,040 | 3.7 | .6 | .1 | .1 |
| British South Africa..... | 165,941 | 2,985,699 | 4,521,876 | 3,230,505 | .1 | 4.4 | 7.6 | 3.8 |
| Chile..... | 51,960 | 3,250,229 | 5,231,980 | 16,125,000 | (1) | 4.8 | 8.9 | 19.2 |
| China..... | 32,806,474 | 25,448,769 | 24,432,434 | 28,747,295 | 31.2 | 37.6 | 41.4 | 34.2 |
| Russia (Asiatic and European)..... | 21,015,422 | | 2,699,379 | 115,008 | 20.0 | | 4.6 | .1 |
| Turkey (Asiatic)..... | 6,939,783 | 9,889 | | | 6.6 | | | |
| United Kingdom..... | 23,114,951 | 2,795,512 | 138,367 | 5,985,785 | 22.0 | 4.1 | .2 | 7.1 |
| Other countries..... | 13,270,122 | 17,678,739 | 6,671,141 | 13,236,877 | 12.7 | 26.2 | 11.3 | 15.7 |
| Total..... | 105,123,695 | 67,672,671 | 58,994,662 | 84,178,453 | 100.0 | 100.0 | 100.0 | 100.0 |
| Packing-house products: | | | | | | | | |
| Hides and skins, other than furs— | | | | | | | | |
| Calf skins— | | | | | | | | |
| Argentina..... | 2,929,755 | 6,803,959 | 2,074,781 | 1,001,062 | 3.5 | 14.7 | 15.8 | 4.8 |
| Belgium..... | 4,238,187 | | | | 5.1 | | | |
| Canada..... | 6,267,359 | 2,752,316 | 2,382,544 | 2,398,851 | 7.5 | 5.9 | 18.1 | 11.6 |
| Denmark..... | 4,182,108 | 571,108 | | 2,270,861 | 5.0 | 1.2 | | 11.0 |
| East Indies..... | 2,132,857 | 18,687,201 | 3,442,034 | 6,088,806 | 2.6 | 40.3 | 26.2 | 29.5 |
| France..... | 4,874,183 | 2,437,902 | 70,236 | | 5.8 | 6.3 | .5 | |
| Germany..... | 16,567,590 | | | | 19.8 | | | |
| Netherlands..... | 7,839,510 | 1,995,942 | 492,427 | 4,519,861 | 9.4 | 4.3 | 3.7 | 21.9 |
| Norway..... | 1,787,801 | 457,278 | 1,052,485 | 1,573,599 | 2.2 | 1.0 | 8.0 | 7.6 |
| Russia (European)..... | 22,419,150 | 1,515,426 | 663,341 | | 26.8 | 3.3 | 5.0 | |
| United Kingdom..... | 4,501,812 | 5,259,324 | 234,854 | 20,000 | 5.4 | 11.4 | 1.8 | .1 |
| Other countries..... | 5,778,631 | 5,855,729 | 2,748,613 | 2,775,323 | 6.9 | 12.6 | 20.9 | 13.5 |
| Total..... | 83,518,403 | 46,336,195 | 13,161,315 | 20,648,425 | 100.0 | 100.0 | 100.0 | 100.0 |

1 Less than 0.05 of 1 per cent.

TABLE 282.—Origin of principal farm products imported into the United States, 1910-1919—Continued.

| Article and country of origin. | Quantity. | | | | Per cent of total. | | |
|--|----------------------|--------------------|--------------------|--------------------|--------------------|--------------|--------------|
| | Year ending June 30— | | | | | | |
| | Average 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average 1910-1914. | 1917 | 1918 (prel.) |
| ANIMAL MATTER—contd. | | | | | | | |
| Packing-house products—Continued. | | | | | | | |
| Hides and skins, other than furs—Contd. | | | | | | | |
| Cattle hides— | Pounds. | Pounds. | Pounds. | Pounds. | | | |
| Argentina..... | 71,324,202 | 118,987,435 | 103,468,863 | 93,884,903 | 28.1 | 30.8 | 38.7 |
| Belgium..... | 9,235,690 | | | | 3.6 | | |
| Brazil..... | 1,745,003 | 49,918,402 | 19,213,317 | 12,768,526 | 7 | 12.9 | 7.2 |
| Canada..... | 35,445,887 | 23,240,504 | 29,353,473 | 29,235,448 | 14.0 | 6.0 | 11.0 |
| China..... | 4,957,384 | 25,084,323 | 12,451,439 | 3,066,663 | 2.0 | 6.5 | 4.6 |
| Colombia..... | 5,634,740 | 15,340,041 | 13,837,098 | 8,609,586 | 2.2 | 4.0 | 5.2 |
| Cuba..... | 4,516,558 | 13,487,275 | 12,065,247 | 11,949,928 | 1.8 | 3.5 | 4.5 |
| East Indies..... | 4,965,227 | 17,175,504 | 1,286,286 | 2,096,708 | 2.0 | 4.4 | .5 |
| France..... | 17,583,731 | 520,894 | 54,379 | 12,280 | 6.9 | .1 | (1) |
| Germany..... | 8,288,419 | | | | 3.3 | | |
| Italy..... | 3,452,654 | 219,402 | | | 1.4 | .1 | |
| Mexico..... | 29,277,132 | 36,137,722 | 23,851,700 | 26,223,766 | 11.6 | 9.3 | 8.9 |
| Netherlands..... | 6,142,184 | 5,029,906 | 623,220 | 835,992 | 2.4 | 1.3 | .2 |
| Russia (European)..... | 9,492,094 | | | | 3.7 | | |
| United Kingdom..... | 9,167,076 | 3,529,490 | 205,830 | 92,313 | 3.6 | .9 | .1 |
| Uruguay..... | 12,911,444 | 88,138,800 | 26,693,227 | 42,311,615 | 5.1 | 9.9 | 16.7 |
| Venezuela..... | 5,065,336 | 8,653,116 | 4,772,413 | 4,152,442 | 2.0 | 2.1 | 1.8 |
| Other countries..... | 14,220,334 | 31,738,225 | 20,626,278 | 18,636,560 | 5.6 | 8.2 | 7.7 |
| Total..... | 253,429,945 | 386,600,028 | 267,499,770 | 253,876,730 | 100.0 | 100.0 | 100.0 |
| Goatskins— | | | | | | | |
| Aden..... | 3,656,513 | 3,499,925 | 2,031,272 | 2,967,155 | 3.8 | 3.3 | 3.0 |
| Africa, n. e. s..... | 1,530,418 | 1,185,170 | 777,700 | | 1.6 | 1.1 | 1.2 |
| Argentina..... | 3,944,343 | 5,566,223 | 2,739,243 | 3,805,582 | 4.1 | 5.3 | 4.1 |
| Brazil..... | 3,621,530 | 4,601,845 | 3,324,871 | 3,866,685 | 3.8 | 4.4 | 5.0 |
| British Africa..... | 2,241,731 | 5,812,957 | 3,523,177 | 3,778,134 | 2.3 | 5.5 | 5.3 |
| China..... | 9,394,904 | 21,340,353 | 12,105,273 | 16,438,008 | 9.8 | 20.2 | 18.1 |
| East Indies..... | 41,906,364 | 46,196,646 | 33,493,842 | 43,550,752 | 43.7 | 43.7 | 50.0 |
| France..... | 2,543,276 | 1,046,413 | 190,967 | 406,940 | 2.7 | 1.0 | .8 |
| Mexico..... | 5,534,421 | 4,642,396 | 2,629,706 | 2,934,511 | 5.8 | 4.4 | 3.9 |
| Russia (European)..... | 5,425,651 | | | | 5.7 | | |
| United Kingdom..... | 5,180,243 | 2,181,609 | 852,567 | 843,136 | 5.4 | 2.1 | .5 |
| Venezuela..... | 1,561,559 | 1,817,928 | 1,266,543 | 1,620,252 | 1.6 | 1.7 | 1.9 |
| Other countries..... | 9,281,854 | 7,745,848 | 4,497,776 | 8,813,373 | 9.7 | 7.8 | 6.7 |
| Total..... | 95,821,807 | 105,640,307 | 66,932,937 | 89,004,528 | 100.0 | 100.0 | 100.0 |
| Sheepskins— | | | | | | | |
| Aden..... | 779,218 | 1,689,783 | 909,040 | 2,019,451 | 1.2 | 1.8 | 1.7 |
| Argentina..... | 5,270,655 | 22,698,332 | 14,644,079 | 12,263,964 | 8.1 | 23.7 | 26.4 |
| Brazil..... | 1,244,866 | 2,336,475 | 1,346,169 | 1,546,357 | 1.9 | 2.4 | 2.4 |
| British India..... | 2,887,044 | 5,091,787 | 2,480,392 | 4,217,285 | 4.4 | 5.3 | 4.5 |
| British Oceania..... | 7,716,354 | 10,879,386 | 10,364,512 | 23,153,461 | 11.9 | 11.4 | 18.7 |
| British S. Africa..... | 1,498,222 | 6,816,419 | 9,725,641 | 5,399,187 | 2.2 | 7.1 | 17.5 |
| Canada..... | 2,109,558 | 2,669,373 | 1,819,375 | 2,840,003 | 3.2 | 2.5 | 3.3 |
| China..... | 712,463 | 4,801,449 | 1,983,359 | 2,150,391 | 1.1 | 5.1 | 3.6 |
| France..... | 2,637,085 | 1,362,049 | 413,334 | 26,084 | 1.1 | 1.4 | .7 |
| Russia (European)..... | 6,334,359 | | | 1,769 | 9.7 | | (1) |
| United Kingdom..... | 28,434,831 | 17,622,773 | 3,543,102 | 1,261,675 | 43.7 | 18.4 | 6.4 |
| Uruguay..... | 243,222 | 5,101,569 | 1,564,089 | 1,343,269 | 4.4 | 5.3 | 2.8 |
| Other countries..... | 5,297,708 | 14,579,643 | 6,664,523 | 5,471,619 | 8.1 | 15.3 | 12.0 |
| Total..... | 65,077,905 | 95,730,598 | 55,468,915 | 61,895,515 | 100.0 | 100.0 | 100.0 |
| VEGETABLE MATTER. | | | | | | | |
| Cocoa, crude: | | | | | | | |
| Brazil..... | 17,123,176 | 51,461,624 | 91,351,529 | 52,038,036 | 12.1 | 15.2 | 22.9 |
| British West Africa..... | 9,288 | 40,424,917 | 99,397,070 | 112,790,884 | (1) | 12.0 | 24.9 |
| British West Indies..... | 36,119,338 | 60,139,918 | 51,438,970 | 21,625,543 | 25.5 | 17.7 | 12.9 |
| Dominican Republic..... | 24,818,840 | 61,443,869 | 39,851,184 | 39,406,460 | 17.5 | 18.1 | 10.0 |
| Ecuador..... | 19,120,725 | 67,227,698 | 76,786,657 | 57,123,399 | 13.5 | 19.9 | 19.2 |
| Portugal..... | 18,751,436 | 16,551,624 | 134,904 | | 13.2 | 4.9 | (1) |
| United Kingdom..... | 8,534,723 | 11,650,811 | 1,038,142 | 665,082 | 6.0 | 3.4 | .3 |
| Venezuela..... | 4,719,067 | 16,493,654 | 20,829,600 | 12,988,814 | 3.3 | 4.9 | 5.2 |
| Other countries..... | 12,598,842 | 13,269,761 | 18,212,345 | 16,369,211 | 8.9 | 3.9 | 4.6 |
| Total..... | 141,800,435 | 338,653,876 | 399,040,401 | 313,037,419 | 100.0 | 100.0 | 100.0 |

1 Less than 0.05 of 1 per cent.

TABLE 282.—Origin of principal farm products imported into the United States, 1910-1919—Continued.

| Article and country of origin. | Quantity. | | | | Per cent of total. | | | |
|---|----------------------|----------------------|----------------------|----------------------|--------------------|--------------|--------------|--------------|
| | Year ending June 30— | | | | | | | |
| | Average 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| VEGETABLE MATTER—continued. | | | | | | | | |
| Coffee: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Brazil..... | 673,058,602 | 907,197,662 | 743,958,456 | 571,921,573 | 74.8 | 68.7 | 65.0 | 54.7 |
| Central American States and British Honduras..... | 38,789,033 | 133,299,460 | 166,292,751 | 158,343,135 | 4.3 | 19.1 | 14.5 | 15.1 |
| Colombia..... | 70,516,164 | 150,591,659 | 112,159,890 | 121,416,418 | 7.8 | 11.4 | 9.8 | 11.6 |
| East Indies..... | 9,893,785 | 4,024,243 | 4,773,288 | 13,583,963 | 1.1 | .8 | .4 | 1.3 |
| Mexico..... | 31,220,324 | 54,908,223 | 31,118,513 | 21,963,490 | 3.5 | 4.2 | 2.7 | 2.1 |
| Netherlands..... | 2,565,776 | 1,150,000 | | | .3 | | | |
| Venezuela..... | 45,806,538 | 58,050,584 | 50,122,484 | 85,007,646 | 5.1 | 4.4 | 4.4 | 8.1 |
| West Indies and Bermuda..... | 5,614,876 | 9,661,212 | 30,240,917 | 57,024,026 | .6 | .7 | 2.6 | 5.5 |
| Other countries..... | 21,874,219 | 1,997,559 | 5,225,090 | 16,799,023 | 2.5 | .2 | .6 | 1.6 |
| Total..... | 899,339,327 | 1,319,870,802 | 1,143,890,889 | 1,046,029,274 | 100.0 | 100.0 | 100.0 | 100.0 |
| Fibers, vegetable: | | | | | | | | |
| Cotton— | | | | | | | | |
| Egypt..... | 77,876,826 | 88,772,585 | 47,532,526 | 51,689,818 | 70.2 | 60.4 | 46.0 | 49.9 |
| Peru..... | 5,544,333 | 5,885,836 | 9,417,672 | 12,514,772 | 5.0 | 4.0 | 9.1 | 12.1 |
| United Kingdom..... | 7,687,013 | 13,817,744 | 14 | 649,423 | 6.9 | 9.4 | (1) | .6 |
| British India..... | 2,533,063 | 1,957,332 | 3,147,235 | 1,617,976 | 2.3 | 1.3 | 3.0 | 1.6 |
| Mexico..... | 7,761,757 | 16,428,482 | 17,862,209 | 27,217,580 | 7.0 | 11.2 | 17.3 | 26.3 |
| Other countries..... | 9,554,004 | 20,199,656 | 26,365,991 | 9,902,625 | 8.6 | 13.7 | 24.6 | 9.5 |
| Total..... | 110,956,998 | 147,061,635 | 103,325,647 | 103,592,194 | 100.0 | 100.0 | 100.0 | 100.0 |
| Flax— | <i>Long tons.</i> | <i>Long tons.</i> | <i>Long tons.</i> | <i>Long tons.</i> | | | | |
| Belgium..... | 2,100 | 909 | 762 | 4,277 | 19.5 | | | |
| Canada..... | 550 | | | | 5.1 | 11.5 | 13.6 | 49.4 |
| Russia (European)..... | 2,862 | 2,872 | 2,955 | 1,953 | 26.6 | 36.3 | 52.7 | 22.5 |
| United Kingdom..... | 4,808 | 3,814 | 1,129 | 1,201 | 40.1 | 48.2 | 20.1 | 13.9 |
| Other countries..... | 932 | 323 | 761 | 1,228 | 8.7 | 4.0 | 13.6 | 14.2 |
| Total..... | 10,752 | 7,918 | 5,607 | 8,659 | 0.0 | 100.0 | 100.0 | 100.0 |
| Jute and jute butts— | | | | | | | | |
| British East Indies..... | 89,320 | 109,685 | 77,573 | | 95.9 | 97.3 | 99.1 | |
| Other countries..... | 3,843 | 3,010 | 739 | | 4.1 | 2.7 | .9 | |
| Total..... | 93,163 | 112,695 | 78,312 | 53,218 | 100.0 | 100.0 | 100.0 | 100.0 |
| Manila fiber— | | | | | | | | |
| Philippine Islands..... | 70,513 | 76,300 | 86,065 | | 98.0 | 99.4 | 99.8 | |
| Other countries..... | 1,409 | 465 | 155 | | 2.0 | .6 | .2 | |
| Total..... | 71,922 | 76,765 | 86,220 | 67,844 | 100.0 | 100.0 | 100.0 | 100.0 |
| Sisal grass— | | | | | | | | |
| Mexico..... | 128,314 | 130,861 | 137,343 | | 91.4 | 91.3 | 91.5 | |
| Other countries..... | 12,001 | 12,546 | 12,821 | | 8.6 | 8.7 | 8.5 | |
| Total..... | 140,315 | 143,407 | 150,164 | 153,455 | 100.0 | 100.0 | 100.0 | 100.0 |
| Fruit: | | | | | | | | |
| Bananas— | <i>Bunches.</i> | <i>Bunches.</i> | <i>Bunches.</i> | <i>Bunches.</i> | | | | |
| British West Indies..... | 14,404,120 | 2,191,516 | 2,064,274 | 5,441,461 | 33.0 | 6.3 | 6.0 | 15.4 |
| Central American States and British Honduras..... | 23,010,323 | 26,323,639 | 25,895,734 | 24,101,286 | 52.7 | 70.0 | 75.0 | 68.1 |
| Cuba..... | 2,388,024 | 2,184,110 | 1,151,165 | 1,267,440 | 5.5 | 6.3 | 3.3 | 3.6 |
| South America..... | 2,344,511 | 3,578,500 | 5,214,500 | 4,235,944 | 5.4 | 10.3 | 15.1 | 12.0 |
| Other countries..... | 1,536,446 | 383,414 | 224,240 | 336,175 | 3.4 | 1.1 | .6 | .9 |
| Total..... | 43,683,424 | 34,661,179 | 34,549,913 | 35,382,306 | 100.0 | 100.0 | 100.0 | 100.0 |

¹ Less than 0.05 of 1 per cent.

TABLE 282.—Origin of principal farm products imported into the United States, 1910-1919—Continued.

| Article and country of origin. | Quantity. | | | | Per cent of total. | | | |
|------------------------------------|----------------------|-----------------|-----------------|-----------------|--------------------|-------|-------|--------------|
| | Year ending June 30— | | | | | | | |
| | Average 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| VEGETABLE MATTER—continued. | | | | | | | | |
| Nuts: | | | | | | | | |
| Walnuts— | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Austria-Hungary..... | 842,698 | | | | 2.5 | | | |
| China..... | 2,155,291 | 7,612,023 | 2,084,108 | 3,220,646 | 6.4 | 19.6 | 8.9 | 29.4 |
| France..... | 21,026,019 | 18,302,907 | 9,099,952 | 2,480,527 | 62.5 | 47.3 | 39.1 | 22.7 |
| Italy..... | 5,754,825 | 7,822,612 | 6,260,317 | 422,234 | 17.1 | 20.2 | 26.9 | 3.9 |
| Turkey (Asiatic)..... | 1,249,497 | | | | 3.7 | | | |
| Other countries..... | 2,638,219 | 4,987,820 | 5,844,793 | 4,813,223 | 7.8 | 12.9 | 25.1 | 44.0 |
| Total..... | 33,666,549 | 38,725,362 | 23,289,170 | 10,936,630 | 100.0 | 100.0 | 100.0 | 100.0 |
| Oils, vegetable: | | | | | | | | |
| Olive, edible— | <i>Gallons.</i> | <i>Gallons.</i> | <i>Gallons.</i> | <i>Gallons.</i> | | | | |
| France..... | 864,796 | 726,771 | 227,617 | 60,533 | 17.7 | 9.6 | 9.0 | 1.4 |
| Italy..... | 3,293,220 | 2,892,535 | 200,408 | 628 | 67.5 | 38.3 | 7.9 | (1) |
| Spain..... | 292,434 | 3,776,581 | 2,091,400 | 4,208,827 | 6.0 | 50.1 | 82.4 | 8.2 |
| Other countries..... | 426,173 | 147,262 | 18,092 | 18,148 | 8.8 | 2.0 | .7 | .4 |
| Total..... | 4,876,623 | 7,533,149 | 2,537,512 | 4,283,136 | 100.0 | 100.0 | 100.0 | 100.0 |
| Soya-bean oil— | | | | | | | | |
| China..... | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Japan..... | 1,327,548 | 12,911,549 | 12,470,720 | 9,773,315 | 7.0 | 7.9 | 3.7 | 4.1 |
| United Kingdom..... | 1,195,714 | 82,320,382 | 237,442,917 | 151,172,444 | 11.6 | 50.6 | 70.5 | 63.8 |
| Other countries..... | 9,253,941 | 67,169,454 | 86,830,583 | 74,883,510 | 48.9 | 41.3 | 25.8 | 31.6 |
| Total..... | 18,907,206 | 162,660,235 | 336,824,646 | 236,805,006 | 100.0 | 100.0 | 100.0 | 100.0 |
| Opium: | | | | | | | | |
| Turkey (Asiatic and European)..... | 380,536 | 599 | | | 77.9 | .7 | | |
| United Kingdom..... | 68,587 | 65,356 | 126,173 | | 14.0 | 75.3 | 79.9 | |
| Other countries..... | 39,287 | 20,857 | 31,661 | | 8.1 | 24.0 | 20.1 | |
| Total..... | 488,510 | 86,812 | 157,834 | 345,514 | 100.0 | 100.0 | 100.0 | 100.0 |
| Seeds: | | | | | | | | |
| Flaxseed or linseed— | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | <i>Bushels.</i> | | | | |
| Argentina..... | 1,974,021 | 5,009,441 | 7,432,421 | 6,976,518 | 27.2 | 40.4 | 55.6 | 82.8 |
| Belgium..... | 147,273 | | | | 2.0 | | | |
| British India..... | 836,366 | 122,596 | | | 11.5 | 1.6 | | |
| Canada..... | 4,110,370 | 7,014,573 | 5,501,391 | 1,304,337 | 56.6 | 56.6 | 41.2 | 15.5 |
| United Kingdom..... | 178,859 | | | | 2.5 | | | |
| Other countries..... | 11,323 | 247,378 | 432,717 | 146,031 | .2 | 2.0 | 3.2 | 1.7 |
| Total..... | 7,258,212 | 12,393,988 | 13,366,529 | 8,426,886 | 100.0 | 100.0 | 100.0 | 100.0 |
| Grassseed: | | | | | | | | |
| Clover— | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Canada..... | 5,128,518 | 5,654,366 | 4,697,881 | 9,280,368 | 20.0 | 31.1 | 58.9 | 82.1 |
| France..... | 7,979,406 | 10,047,945 | 1,317,004 | 1,420,677 | 31.1 | 55.3 | 16.5 | 12.6 |
| Germany..... | 6,556,388 | | | | 25.5 | | | |
| Italy..... | 2,297,896 | 660 | 1,285,064 | 316,898 | 9.0 | | 16.1 | 2.8 |
| Other countries..... | 3,699,993 | 2,469,188 | 678,146 | 283,968 | 14.4 | 13.6 | 8.5 | 2.5 |
| Total..... | 25,662,200 | 18,172,159 | 7,978,095 | 11,311,911 | 100.0 | 100.0 | 100.0 | 100.0 |
| Sugar, raw cane: | | | | | | | | |
| Cuba..... | 3,856,447,356 | 4,669,097,398 | 4,560,749,643 | 5,488,711,032 | 88.8 | 87.6 | 93.1 | 94.1 |
| Dominican Republic..... | 10,302,955 | 114,367,301 | 14,395,335 | 4,390,594 | .2 | 2.1 | .3 | .1 |
| Dutch East Indies..... | 179,217,222 | 21,813 | | | 4.1 | | | |
| Philippine Islands..... | 232,340,306 | 267,891,954 | 173,600,941 | 210,930,670 | 5.4 | 5.6 | 3.5 | 3.6 |
| South America..... | 39,733,149 | 158,107,460 | 75,980,455 | 31,228,275 | .9 | 3.1 | 1.6 | .5 |
| Other countries..... | 23,016,602 | 120,101,434 | 73,550,651 | 96,701,886 | .6 | 2.1 | 1.6 | 1.7 |
| Total..... | 4,341,057,590 | 5,329,587,360 | 4,898,277,025 | 5,831,982,457 | 100.0 | 100.0 | 100.0 | 100.0 |

¹ Less than 0.05 of 1 per cent.² Average 3 years only, 1912-1914.

TABLE 282.—Origin of principal farm products imported into the United States, 1910-1919—Continued.

| Article and country of origin. | Quantity. | | | | Per cent of total. | | | |
|---|-----------------------|-------------------|-------------------|-------------------|-----------------------|-------|-------|-----------------|
| | Year ending June 30— | | | | | | | |
| | Average 1910-1914. | 1917 | 1918 | 1919 (prel.) | Average 1910-1914. | 1917 | 1918 | 1919 (prel.) |
| VEGETABLE MATTER—continued. | | | | | | | | |
| Tea: | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | | | | |
| Canada..... | 2,787,373 | 3,160,459 | 1,914,169 | 2,375,497 | 2.9 | 3.1 | 1.3 | 2.2 |
| China..... | 22,932,930 | 19,810,428 | 21,082,866 | 10,322,467 | 24.1 | 19.2 | 13.9 | 9.5 |
| East Indies..... | 10,500,188 | 13,139,514 | 74,164,326 | 37,126,368 | 11.0 | 12.7 | 49.0 | 34.3 |
| Japan..... | 46,245,473 | 52,418,963 | 52,996,471 | 57,600,251 | 48.6 | 50.7 | 35.0 | 53.3 |
| United Kingdom..... | 11,620,183 | 13,857,721 | 487,063 | 13,738 | 12.2 | 13.4 | .3 | (1) |
| Other countries..... | 1,040,002 | 977,325 | 670,037 | 733,781 | 1.2 | .9 | .5 | .7 |
| Total..... | 95,126,149 | 103,364,410 | 151,314,932 | 108,172,102 | 100.0 | 100.0 | 100.0 | 100.0 |
| Tobacco leaf: | | | | | | | | |
| Wrapper— | | | | | | | | |
| Dutch East Indies... | 46 | 1,191,560 | 3,890,236 | 7,553,460 | (1) | 30.2 | 86.2 | 94.8 |
| Netherlands..... | 6,087,084 | 2,426,322 | 353,172 | 486 | 96.4 | 61.6 | 7.8 | (1) |
| Other countries..... | 227,105 | 324,054 | 271,836 | 453,776 | 3.6 | 8.2 | 6.0 | 5.7 |
| Total..... | 6,314,235 | 3,941,936 | 4,515,344 | 8,007,722 | 100.0 | 100.0 | 100.0 | 100.0 |
| Other leaf— | | | | | | | | |
| Cuba..... | 25,147,491 | 23,417,539 | 20,366,787 | 20,356,332 | 52.0 | 55.5 | 27.2 | 28.4 |
| Dominican Republic..... | 26,285 | 2,829,100 | 15,242,017 | 16,008,083 | .1 | 6.7 | 20.4 | 22.4 |
| Germany..... | 1,410,469 | | | | 2.9 | (1) | | |
| Greece..... | 1,079,079 | 6,700,925 | 18,626,083 | 19,639,777 | 2.2 | 15.9 | 24.9 | 27.4 |
| Turkey (Asiatic)..... | 11,564,036 | 18,450 | | | 23.9 | (1) | | |
| Turkey (European)..... | 8,110,601 | 10,051 | | | 16.8 | (1) | | |
| Other countries..... | 1,042,024 | 9,218,346 | 20,617,332 | 15,622,429 | 2.1 | 21.9 | 27.5 | 21.8 |
| Total..... | 48,379,985 | 42,194,411 | 74,852,219 | 71,626,621 | 100.0 | 100.0 | 100.0 | 100.0 |
| FOREST PRODUCTS. | | | | | | | | |
| India rubber, crude: | | | | | | | | |
| Belgium..... | 6,262,187 | | | | 5.9 | | | |
| Brazil..... | 40,290,919 | 56,818,966 | 41,277,914 | 46,407,924 | 38.1 | 17.0 | 10.6 | 11.5 |
| Canada..... | 92,028 | 2,229,868 | 4,247,287 | 7,004,959 | .1 | .7 | 1.1 | 1.7 |
| Central American States and British Honduras..... | | | | | | | | |
| Honduras..... | 1,142,324 | 1,347,931 | 736,014 | 360,390 | 1.1 | .4 | .2 | .1 |
| East Indies..... | 8,447,379 | 181,431,778 | 311,909,581 | 311,587,641 | 8.0 | 54.4 | 80.1 | 77.4 |
| France..... | 3,320,383 | 616,772 | 508,017 | 547,003 | 3.1 | .2 | .1 | .1 |
| Germany..... | 7,266,443 | | | | 6.9 | | | |
| Mexico..... | 5,848,310 | 1,488,636 | 1,033,087 | 2,312,423 | 5.5 | .4 | .3 | .6 |
| Other South America..... | 2,395,691 | 6,273,506 | 6,747,699 | 5,205,886 | 2.3 | 1.9 | 1.7 | 1.3 |
| Portugal..... | 1,325,719 | 3,719,703 | 538,076 | 87,422 | 1.3 | 1.1 | .1 | (1) |
| United Kingdom..... | 28,736,758 | 78,742,217 | 21,926,945 | 21,498,871 | 27.2 | 23.6 | 5.6 | 5.4 |
| Other countries..... | 607,902 | 704,334 | 674,395 | 7,659,012 | .5 | .3 | .2 | 1.9 |
| Total..... | 105,736,243 | 333,373,711 | 389,599,015 | 402,471,531 | 100.0 | 100.0 | 100.0 | 100.0 |
| Wood: | | | | | | | | |
| Cabinet woods, mahogany— | <i>M feet.</i> | <i>M feet.</i> | <i>M feet.</i> | <i>M feet.</i> | | | | |
| British Africa..... | 6,197 | 13,345 | 7,667 | 12,161 | 11.5 | 31.2 | 14.8 | 25.2 |
| Central American States and British Honduras..... | | | | | | | | |
| Honduras..... | 14,237 | 12,701 | 27,098 | 24,704 | 26.5 | 29.7 | 52.4 | 51.2 |
| Mexico..... | 11,204 | 8,229 | 11,230 | 7,224 | 20.9 | 19.2 | 21.7 | 15.0 |
| United Kingdom..... | 15,050 | 1,360 | 78 | 130 | 28.0 | 3.2 | .2 | .3 |
| Other countries..... | 6,996 | 7,145 | 5,608 | 4,042 | 13.1 | 16.7 | 10.9 | 8.3 |
| Total..... | 53,684 | 42,780 | 51,681 | 48,261 | 100.0 | 100.0 | 100.0 | 100.0 |
| Boards, planks, deals, and other sawed lumber— | | | | | | | | |
| Canada..... | 937,069 | 1,155,916 | 1,253,507 | | 96.5 | 98.3 | 97.7 | |
| Other countries..... | 33,955 | 19,403 | 29,194 | | 3.5 | 1.7 | 2.3 | |
| Total..... | 971,024 | 1,175,319 | 1,282,701 | 980,010 | 100.0 | 100.0 | 100.0 | 100.0 |
| Wood pulp: | | | | | | | | |
| | <i>Long tons.</i> | <i>Long tons.</i> | <i>Long tons.</i> | <i>Long tons.</i> | | | | |
| Canada..... | 218,423 | 443,133 | 440,859 | 454,604 | 46.3 | 63.4 | 87.5 | 95.6 |
| Germany..... | 68,133 | | | | 14.4 | | | |
| Norway..... | 72,899 | 44,624 | 10,573 | 6,259 | 15.5 | 6.4 | 2.1 | 1.3 |
| Sweden..... | 93,584 | 209,254 | 41,791 | 9,844 | 19.8 | 29.9 | 8.3 | 2.1 |
| Other countries..... | 18,756 | 2,464 | 10,929 | 4,984 | 4.0 | .3 | 2.1 | 1.0 |
| Total..... | 471,795 | 699,475 | 504,152 | 475,691 | 100.0 | 100.0 | 100.0 | 100.0 |

1 Less than 0.05 of 1 per cent.

Digitized by Google

MISCELLANEOUS AGRICULTURAL STATISTICS.

CROP SUMMARY.

The December estimates of the Crop Reporting Board of the Bureau of Crop Estimates of the acreage, production, and value (based on prices paid to farmers on December 1) of important farm crops of the United States in 1919 and 1918, with the average for the five years 1913-1917, based on the reports of the correspondents and agents of the Bureau, are as follows (1918 figures revised).

TABLE 283.—Crop summary, 1919, 1918, and average 1913-1917.

| Crop. | Acreage. | Production. | | | Farm value Dec. 1. | |
|------------------------|-------------|-------------|---------------|-----------|--------------------|-----------------|
| | | Per acre. | Total. | Unit. | Per unit. | Total. |
| Corn: | | | | | <i>Cents.</i> | <i>Dollars.</i> |
| 1919..... | 102,075,000 | 28.6 | 2,917,450,000 | Bu..... | 134.9 | 3,934,234,000 |
| 1918..... | 104,467,000 | 24.0 | 2,502,665,000 | do..... | 136.5 | 3,416,240,000 |
| A. v. 1913-17..... | 107,496,000 | 25.6 | 2,749,349,000 | do..... | 82.5 | 2,267,560,000 |
| Winter wheat: | | | | | | |
| 1919..... | 49,905,000 | 14.7 | 731,636,000 | do..... | 211.0 | 1,543,452,000 |
| 1918..... | 37,130,000 | 15.2 | 565,099,000 | do..... | 206.3 | 1,165,995,000 |
| A. v. 1913-17..... | 34,196,000 | 16.2 | 555,190,000 | do..... | 121.3 | 673,382,000 |
| Spring wheat: | | | | | | |
| 1919..... | 23,338,000 | 9.0 | 209,351,000 | do..... | 229.5 | 480,556,000 |
| 1918..... | 22,051,000 | 16.2 | 356,339,000 | do..... | 200.9 | 715,831,000 |
| A. v. 1913-17..... | 18,124,000 | 13.0 | 235,444,000 | do..... | 115.7 | 272,455,000 |
| All wheat: | | | | | | |
| 1919..... | 73,243,000 | 12.8 | 940,987,000 | do..... | 215.1 | 2,024,008,000 |
| 1918..... | 59,181,000 | 15.6 | 921,438,000 | do..... | 204.2 | 1,881,826,000 |
| A. v. 1913-17..... | 52,320,000 | 15.1 | 790,634,000 | do..... | 119.6 | 945,837,000 |
| Oats: | | | | | | |
| 1919..... | 42,400,000 | 29.4 | 1,248,310,000 | do..... | 71.7 | 895,603,000 |
| 1918..... | 44,349,000 | 34.7 | 1,538,124,000 | do..... | 70.9 | 1,090,322,000 |
| A. v. 1913-17..... | 40,583,000 | 32.8 | 1,331,287,000 | do..... | 48.3 | 643,187,000 |
| Barley: | | | | | | |
| 1919..... | 7,420,000 | 22.3 | 165,719,000 | do..... | 120.9 | 200,419,000 |
| 1918..... | 9,740,000 | 26.3 | 256,225,000 | do..... | 91.7 | 234,942,000 |
| A. v. 1913-17..... | 7,790,000 | 25.6 | 199,212,000 | do..... | 72.4 | 144,242,000 |
| Rye: | | | | | | |
| 1919..... | 7,063,000 | 12.5 | 88,478,000 | do..... | 134.5 | 119,041,000 |
| 1918..... | 6,391,000 | 14.2 | 91,041,000 | do..... | 151.6 | 138,038,000 |
| A. v. 1913-17..... | 3,151,000 | 15.9 | 50,001,000 | do..... | 109.0 | 54,489,000 |
| Buckwheat: | | | | | | |
| 1919..... | 790,000 | 20.6 | 16,301,000 | do..... | 147.4 | 24,026,000 |
| 1918..... | 1,027,000 | 16.5 | 16,905,000 | do..... | 166.5 | 28,142,000 |
| A. v. 1913-17..... | 824,000 | 17.8 | 14,691,000 | do..... | 100.7 | 14,792,000 |
| Flaxseed: | | | | | | |
| 1919..... | 1,683,000 | 5.3 | 8,919,000 | do..... | 438.9 | 39,145,000 |
| 1918..... | 1,910,000 | 7.0 | 13,369,000 | do..... | 340.1 | 45,470,000 |
| A. v. 1913-17..... | 1,756,000 | 7.9 | 13,818,000 | do..... | 182.2 | 25,170,000 |
| Rice: | | | | | | |
| 1919..... | 1,089,800 | 37.7 | 41,059,000 | do..... | 267.0 | 109,613,000 |
| 1918..... | 1,118,550 | 34.5 | 38,606,000 | do..... | 191.8 | 74,042,000 |
| A. v. 1913-17..... | 835,000 | 36.9 | 30,788,000 | do..... | 112.0 | 34,468,000 |
| Potatoes: | | | | | | |
| 1919..... | 4,013,000 | 89.2 | 357,901,000 | do..... | 161.4 | 577,581,000 |
| 1918..... | 4,295,000 | 95.9 | 411,860,000 | do..... | 119.3 | 491,527,000 |
| A. v. 1913-17..... | 3,812,000 | 96.0 | 366,046,000 | do..... | 88.0 | 322,292,000 |
| Sweet potatoes: | | | | | | |
| 1919..... | 1,029,000 | 100.7 | 103,579,000 | do..... | 133.3 | 138,085,000 |
| 1918..... | 940,000 | 93.5 | 87,924,000 | do..... | 135.2 | 118,863,000 |
| A. v. 1913-17..... | 730,000 | 94.8 | 69,209,000 | do..... | 82.1 | 56,843,000 |
| Hay, tame: | | | | | | |
| 1919..... | 56,348,000 | 1.62 | 91,326,000 | Ton..... | \$20.15 | 1,839,967,000 |
| 1918..... | 53,755,000 | 1.37 | 76,660,000 | do..... | \$20.13 | 1,543,494,000 |
| A. v. 1913-17..... | 52,026,000 | 1.52 | 78,921,000 | do..... | \$12.51 | 987,297,000 |
| Hay, wild: | | | | | | |
| 1919..... | 15,686,000 | 1.11 | 17,340,000 | do..... | \$16.67 | 289,120,000 |
| 1918..... | 15,365,000 | .94 | 11,479,000 | do..... | \$15.23 | 220,487,000 |
| A. v. 1913-17..... | 16,547,000 | 1.09 | 17,990,000 | do..... | \$8.70 | 156,597,000 |
| All hay: | | | | | | |
| 1919..... | 72,034,000 | 1.51 | 108,666,000 | do..... | \$19.59 | 2,129,087,000 |
| 1918..... | 71,120,000 | 1.28 | 91,139,000 | do..... | \$19.35 | 1,763,981,000 |
| A. v. 1913-17..... | 68,573,000 | 1.41 | 96,911,000 | do..... | \$11.80 | 1,143,894,000 |
| Tobacco: | | | | | | |
| 1919..... | 1,901,200 | 730.8 | 1,389,458,000 | Lb..... | 39.0 | 542,547,000 |
| 1918..... | 1,647,100 | 873.7 | 1,439,071,000 | do..... | 28.0 | 402,264,000 |
| A. v. 1913-17..... | 1,348,000 | 809.1 | 1,090,641,000 | do..... | 14.5 | 158,059,000 |
| Cotton: | | | | | | |
| 1919..... | 33,344,000 | 158.2 | 11,030,000 | Bale..... | 135.7 | 1,967,143,000 |
| 1918..... | 36,008,000 | 159.6 | 12,040,532 | do..... | 127.6 | 1,663,633,000 |
| A. v. 1913-17..... | 34,832,000 | 176.5 | 12,847,108 | do..... | 15.4 | 946,339,000 |
| Cottonseed: | | | | | | |
| 1919..... | | | 4,929,000 | Ton..... | \$68.32 | 336,751,000 |
| 1918..... | | | 5,380,000 | do..... | \$65.20 | 349,490,000 |
| A. v. 1913-17..... | | | 5,727,000 | do..... | \$37.23 | 213,198,000 |

¹ Pounds per acre and cents per pound.

CROP SUMMARY—Continued.

TABLE 283.—Crop summary, 1919, 1918, and average 1913-1917—Continued.

| Crop. | Acreage. | Production. | | | Farm value Dec. 1. | |
|-----------------------------------|-------------|-------------|---------------|-----------|--------------------|-----------------|
| | | Per acre. | Total. | Unit. | Per unit. | Total. |
| Clover seed: | | | | | <i>Cents.</i> | <i>Dollars.</i> |
| 1919..... | 686,000 | 1.6 | 1,099,000 | Bu..... | \$26.45 | 29,067,000 |
| 1918..... | 820,000 | 1.5 | 1,197,000 | do..... | \$19.80 | 23,705,000 |
| Sugar beets: | | | | | | |
| 1919..... | 696,503 | 9.18 | 6,396,860 | Ton..... | \$10.75 | 68,750,000 |
| 1918..... | 594,010 | 10.01 | 5,948,798 | do..... | \$10.00 | 59,494,000 |
| Av. 1913-17..... | 600,962 | 10.05 | 6,038,181 | do..... | \$6.07 | 36,642,000 |
| Beet sugar: | | | | | | |
| 1919..... | 696,503 | 2,193 | 1,527,686,000 | Lb..... | | |
| 1918..... | 594,010 | 2,562 | 1,521,900,000 | do..... | | |
| Av. 1913-17..... | 600,962 | 2,606 | 1,566,216,000 | do..... | | |
| Cane sugar (La.): | | | | | | |
| 1919..... | 176,500 | 1,310 | 231,179,000 | do..... | | |
| 1918..... | 231,200 | 2,430 | 561,800,000 | do..... | | |
| Av. 1913-17..... | 221,800 | 2,201 | 488,159,000 | do..... | | |
| Maple sugar and sirup (as sugar): | | | | | | |
| 1919..... | 19,002,700 | 2.18 | 41,506,800 | do..... | 26.9 | 11,172,000 |
| 1918..... | 19,312,200 | 2.72 | 52,513,000 | do..... | 23.1 | 12,122,000 |
| Sugar-beet seed: | | | | | | |
| 1919..... | 11,100 | 604 | 6,700,000 | do..... | | |
| 1918..... | 5,872 | 757 | 4,443,000 | do..... | | |
| Sorghum sirup: | | | | | | |
| 1919..... | 386,200 | 86.3 | 33,312,000 | Gall..... | 107.5 | 35,826,000 |
| 1918..... | 374,800 | 79.1 | 29,643,000 | do..... | 96.3 | 28,532,000 |
| Av. 1913-17..... | 208,965 | 88.7 | 18,539,000 | do..... | | |
| Peanuts: | | | | | | |
| 1919..... | 1,251,400 | 26.6 | 33,263,000 | Bush..... | 240.0 | 79,839,000 |
| 1918..... | 1,865,400 | 24.7 | 46,010,000 | do..... | 173.7 | 79,929,000 |
| Beans (6 States): | | | | | | |
| 1919..... | 1,018,000 | 11.3 | 11,488,000 | do..... | \$4.28 | 49,181,900 |
| 1918..... | 1,744,000 | 10.0 | 17,397,000 | do..... | \$5.28 | 91,863,000 |
| Kaffirs (7 States): | | | | | | |
| 1919..... | 4,693,000 | 25.8 | 126,058,000 | do..... | 129.7 | 163,452,000 |
| 1918..... | 6,036,000 | 12.1 | 73,241,000 | do..... | 150.0 | 109,881,000 |
| Broom corn (7 States): | | | | | | |
| 1919..... | 271,600 | .196 | 53,100 | Ton..... | \$152.58 | 8,102,000 |
| 1918..... | 366,000 | .158 | 57,800 | do..... | \$220.93 | 12,770,000 |
| Onions (22 States): | | | | | | |
| 1919..... | 47,635 | 269.4 | 12,833,500 | Bush..... | 212.8 | 27,307,000 |
| 1918..... | 64,715 | 298.8 | 19,336,000 | do..... | 139.4 | 26,957,000 |
| Cabbage (29 States): | | | | | | |
| 1919..... | 68,135 | 6.5 | 443,400 | Ton..... | \$56.28 | 24,955,000 |
| 1918..... | 92,715 | 7.4 | 684,812 | do..... | \$37.01 | 25,344,000 |
| Hops (4 States): | | | | | | |
| 1919..... | 23,900 | 1,227.9 | 29,346,000 | Lb..... | 77.2 | 22,656,000 |
| 1918..... | 25,900 | 829.4 | 21,481,000 | do..... | 19.3 | 4,150,000 |
| Cranberries 3 States): | | | | | | |
| 1919..... | 26,100 | 20.7 | 541,000 | Bbl..... | \$8.36 | 4,520,000 |
| 1918..... | 25,400 | 13.9 | 352,000 | do..... | \$10.77 | 3,791,000 |
| Apples, total: | | | | | | |
| 1919..... | | | 147,457,000 | Bush..... | 186.8 | 275,463,000 |
| 1918..... | | | 169,625,000 | do..... | 132.8 | 225,190,000 |
| Av. 1913-17..... | | | 197,855,000 | do..... | 84.0 | 166,140,000 |
| Apples, commercial: | | | | | | |
| 1919..... | | | 26,174,000 | Bbl..... | \$5.92 | 154,950,000 |
| 1918..... | | | 24,743,000 | do..... | \$5.12 | 126,684,000 |
| Peaches: | | | | | | |
| 1919..... | | | 50,434,000 | Bush..... | 190.7 | 96,169,000 |
| 1918..... | | | 33,094,000 | do..... | 162.1 | 53,637,000 |
| Av. 1913-17..... | | | 48,837,000 | do..... | 108.0 | 52,721,000 |
| Pears: | | | | | | |
| 1919..... | | | 13,902,000 | do..... | 183.9 | 25,560,000 |
| 1918..... | | | 13,362,000 | do..... | 137.8 | 18,419,000 |
| Av. 1913-17..... | | | 11,713,000 | do..... | 94.6 | 11,075,000 |
| Oranges (2 States): | | | | | | |
| 1919..... | | | 23,916,000 | Box..... | \$2.68 | 64,169,000 |
| 1918..... | | | 24,200,000 | do..... | \$3.49 | 84,490,000 |
| Soy beans: | | | | | | |
| 1919..... | 168,000 | 14.3 | 2,402,000 | Bush..... | \$3.46 | 8,304,000 |
| 1918..... | 169,000 | 17.7 | 2,997,000 | do..... | \$3.20 | 9,590,000 |
| Cowpeas: | | | | | | |
| 1919..... | 1,478,000 | 7.1 | 10,426,000 | do..... | 273.6 | 28,524,000 |
| 1918..... | 2,003,000 | 6.2 | 12,427,000 | do..... | 231.4 | 28,756,000 |
| Total: | | | | | | |
| 1919..... | 350,287,073 | | | | | 14,060,299,000 |
| 1918..... | 356,611,662 | | | | | 12,597,390,000 |

¹ Trees tapped.² Per tree.³ May 15.

STATES LEADING IN STAPLE CROPS.

TABLE 284.—*Production of staple crops in leading States, millions of bushels, 1917-1919.*

| Crop. | 1919 | 1918 | 1917 |
|------------------------------|-------------------------|-------------------------|-------------------------|
| | <i>Million bushels.</i> | <i>Million bushels.</i> | <i>Million bushels.</i> |
| Corn..... | Iowa..... 416 | Iowa..... 353 | Illinois..... 418 |
| Wheat..... | Kansas..... 151 | North Dakota..... 106 | North Dakota..... 56 |
| Oats..... | Iowa..... 196 | Iowa..... 245 | Iowa..... 254 |
| Barley..... | California..... 30 | Minnesota..... 40 | California..... 39 |
| Rye..... | North Dakota..... 16 | North Dakota..... 20 | North Dakota..... 10 |
| Rice..... | Louisiana..... 20 | Louisiana..... 17 | Louisiana..... 16 |
| Buckwheat..... | Pennsylvania..... 6 | Pennsylvania..... 6 | New York..... 6 |
| Kafirs (sorghum grains)..... | Texas..... 59 | Texas..... 24 | Oklahoma..... 22 |
| Potatoes..... | New York..... 40 | New York..... 37 | New York..... 38 |
| Sweet potatoes..... | Alabama..... 14 | Alabama..... 14 | Alabama..... 14 |
| Flaxseed..... | North Dakota..... 4 | North Dakota..... 6 | North Dakota..... 4 |
| Beans (dry)..... | California..... 4 | California..... 9 | California..... 8 |
| Peanuts..... | Alabama..... 7 | Alabama..... 12 | Alabama..... 14 |
| Apples (commercial)..... | Washington..... 19 | New York..... 18 | Washington..... 14 |
| Peaches..... | California..... 19 | California..... 13 | California..... 16 |
| | <i>Thousand tons.</i> | <i>Thousand tons.</i> | <i>Thousand tons.</i> |
| Hay (all)..... | Nebraska..... 7,125 | New York..... 5,430 | New York..... 6,413 |
| Broom corn..... | Oklahoma..... 27 | Texas..... 19 | Oklahoma..... 26 |
| Sugar beets..... | Colorado..... 1,790 | Colorado..... 1,363 | Colorado..... 1,750 |
| | <i>Thousand bales.</i> | <i>Thousand bales.</i> | <i>Thousand bales.</i> |
| Cotton..... | Texas..... 2,700 | Texas..... 2,697 | Texas..... 23,125 |
| | <i>Million pounds.</i> | <i>Million pounds.</i> | <i>Million pounds.</i> |
| Tobacco..... | Kentucky..... 456 | Kentucky..... 470 | Kentucky..... 441 |

VALUE OF FARM PRODUCTS.

TABLE 285.—*Estimated value of farm products, 1879-1919, based on prices at the farm.*

| Year. | Total, gross (to be read as index numbers). | Crops. | | Animals and animal products. | |
|-------------------------|--|-----------------|-------------------------------|---------------------------------|------------------------------|
| | | Value. | Per cent- age of total. | Value. | Percent- age of total. |
| 1879 (census)..... | \$2,212,540,987 | | | | |
| 1880 (census)..... | 2,480,107,454 | | | | |
| 1897..... | 3,961,000,000 | \$2,519,000,000 | 63.6 | \$1,442,000,000 | 36.4 |
| 1898..... | 4,339,000,000 | 2,760,000,000 | 63.6 | 1,579,000,000 | 36.4 |
| 1899 (census)..... | 4,717,069,973 | 2,998,704,412 | 63.6 | 1,718,000,000 | 36.4 |
| 1900..... | 5,010,000,000 | 3,192,000,000 | 63.7 | 1,818,000,000 | 36.3 |
| 1901..... | 5,302,000,000 | 3,385,000,000 | 63.8 | 1,917,000,000 | 36.2 |
| 1902..... | 5,595,000,000 | 3,578,000,000 | 64.0 | 2,016,000,000 | 36.0 |
| 1903..... | 5,887,000,000 | 3,772,000,000 | 64.1 | 2,116,000,000 | 35.9 |
| 1904..... | 6,122,000,000 | 3,982,000,000 | 65.0 | 2,140,000,000 | 35.0 |
| 1905..... | 6,274,000,000 | 4,013,000,000 | 64.0 | 2,261,000,000 | 36.0 |
| 1906..... | 6,764,000,000 | 4,263,000,000 | 63.0 | 2,501,000,000 | 37.0 |
| 1907..... | 7,488,000,000 | 4,761,000,000 | 63.6 | 2,727,000,000 | 36.4 |
| 1908..... | 7,891,000,000 | 5,098,000,000 | 64.6 | 2,792,000,000 | 35.4 |
| 1909 (census)..... | 8,668,161,223 | 5,487,161,223 | 64.1 | 3,071,000,000 | 35.9 |
| 1910..... | 9,037,000,000 | 5,486,000,000 | 60.7 | 3,551,000,000 | 39.3 |
| 1911..... | 8,819,000,000 | 5,562,000,000 | 63.1 | 3,257,000,000 | 36.9 |
| 1912..... | 9,343,000,000 | 5,842,000,000 | 62.5 | 3,501,000,000 | 37.5 |
| 1913..... | 9,850,000,000 | 6,133,000,000 | 62.3 | 3,717,000,000 | 37.7 |
| 1914..... | 9,895,000,000 | 6,112,000,000 | 61.8 | 3,783,000,000 | 38.2 |
| 1915..... | 10,775,000,000 | 6,907,000,000 | 64.1 | 3,868,000,000 | 35.9 |
| 1916..... | 13,406,000,000 | 9,064,000,000 | 67.5 | 4,352,000,000 | 32.5 |
| 1917..... | 19,331,000,000 | 13,479,000,000 | 69.7 | 5,852,000,000 | 30.3 |
| 1918..... | 22,480,000,000 | 14,331,000,000 | 63.8 | 8,149,000,000 | 36.2 |
| 1919 (preliminary)..... | 24,982,000,000 | 16,025,000,000 | 64.1 | 8,957,000,000 | 35.9 |

CROP VALUE PER ACRE.

TABLE 286.—*Yearly value per acre of 10 crops combined.*

[Corn, wheat, oats, barley, rye, buckwheat, potatoes, hay, tobacco, and cotton, which comprise nearly 90 per cent of the area in all field crops, the average value of which closely approximates the value per acre of the aggregate of all crops.]

| | | | | | | | |
|-----------|---------|-----------|---------|-----------|---------|-----------|---------|
| 1919..... | \$36.90 | 1905..... | \$13.28 | 1891..... | \$11.76 | 1877..... | \$12.00 |
| 1918..... | 33.73 | 1904..... | 13.26 | 1890..... | 11.03 | 1876..... | 10.80 |
| 1917..... | 33.27 | 1903..... | 12.62 | 1889..... | 8.99 | 1875..... | 12.20 |
| 1916..... | 22.58 | 1902..... | 12.07 | 1888..... | 10.30 | 1874..... | 13.25 |
| 1915..... | 17.18 | 1901..... | 11.43 | 1887..... | 10.14 | 1873..... | 14.19 |
| 1914..... | 16.44 | 1900..... | 10.31 | 1886..... | 9.41 | 1872..... | 14.86 |
| 1913..... | 16.49 | 1899..... | 9.13 | 1885..... | 9.72 | 1871..... | 15.74 |
| 1912..... | 16.09 | 1898..... | 9.00 | 1884..... | 9.95 | 1870..... | 15.40 |
| 1911..... | 15.36 | 1897..... | 9.07 | 1883..... | 10.93 | 1869..... | 14.67 |
| 1910..... | 15.53 | 1896..... | 7.94 | 1882..... | 12.93 | 1868..... | 14.17 |
| 1909..... | 16.00 | 1895..... | 8.12 | 1881..... | 13.10 | 1867..... | 15.09 |
| 1908..... | 15.32 | 1894..... | 9.06 | 1880..... | 13.01 | 1866..... | 14.17 |
| 1907..... | 14.74 | 1893..... | 9.50 | 1879..... | 13.26 | | |
| 1906..... | 13.46 | 1892..... | 10.10 | 1878..... | 10.37 | | |

AGGREGATE CROP-VALUE COMPARISONS.

TABLE 287.—*Value of 13 crops and hypothetical value of all crops, with rank, 1909-1919.*

The following tabulation gives the estimated total value of 13 crops—corn, wheat, oats, barley, rye, buckwheat, flaxseed, rice, potatoes, sweet potatoes, tame hay, tobacco, and lint cotton—in the United States, by States, in 1919, 1918, 1913-1917, and 1909; the value of all crops in 1909 (census); and the hypothetical value of a l crops in other years, based upon ratio of the 13 crops to all crops in census year; also rank of States. The slight differences in the total value of crops in the United States between Tables 287 and 285 are due to different methods of estimating. In Table 287, where each State is shown separately, a more detailed method is used than is practicable in Table 285.

| State. | Value of 13 crops (000 omitted). | | | Value all crops 1909 (census) (000 omitted). | Ratio value 13 crops to all crops in census 1909. | Hypothetical values of all crops (000 omitted). | | | Rank. | |
|---------------------|----------------------------------|----------|----------|--|---|---|----------|---------------------------|-----------|------------|
| | 1919 | 1918 | 1909 | | | 1919 | 1918 | 1913-1917 5-year average. | 1919 | |
| | | | | | | | | | 13 crops. | All crops. |
| Maine..... | \$70,432 | \$54,282 | \$27,836 | \$39,318 | 71 | \$99,200 | \$76,454 | \$63,475 | 31 | 35 |
| New Hampshire..... | 23,351 | 16,504 | 9,233 | 15,976 | 58 | 40,260 | 28,455 | 22,648 | 45 | 45 |
| Vermont..... | 43,066 | 32,789 | 18,577 | 27,447 | 68 | 63,318 | 48,219 | 39,359 | 38 | 40 |
| Massachusetts..... | 35,810 | 31,184 | 14,916 | 31,948 | 47 | 76,191 | 66,349 | 49,421 | 44 | 38 |
| Rhode Island..... | 4,508 | 4,142 | 2,080 | 3,937 | 52 | 8,660 | 7,965 | 5,658 | 48 | 48 |
| Connecticut..... | 44,888 | 37,592 | 14,872 | 22,488 | 66 | 68,012 | 56,958 | 37,656 | 37 | 39 |
| New York..... | 313,853 | 282,818 | 132,620 | 209,168 | 63 | 498,179 | 448,917 | 294,689 | 17 | 13 |
| New Jersey..... | 61,076 | 59,637 | 23,396 | 40,341 | 58 | 105,303 | 102,822 | 68,862 | 36 | 34 |
| Pennsylvania..... | 364,534 | 341,761 | 130,010 | 166,740 | 78 | 467,351 | 438,155 | 275,753 | 15 | 17 |
| Delaware..... | 18,964 | 18,907 | 6,543 | 9,122 | 72 | 26,339 | 26,260 | 16,374 | 46 | 46 |
| Maryland..... | 95,575 | 92,132 | 31,454 | 43,920 | 72 | 132,743 | 127,961 | 74,371 | 32 | 32 |
| Virginia..... | 242,147 | 209,147 | 71,153 | 100,531 | 71 | 341,052 | 294,573 | 183,589 | 25 | 24 |
| West Virginia..... | 104,929 | 94,946 | 27,749 | 40,375 | 69 | 152,071 | 137,603 | 80,094 | 30 | 30 |
| North Carolina..... | 491,881 | 407,238 | 102,783 | 142,890 | 72 | 683,168 | 565,608 | 258,940 | 5 | 4 |
| South Carolina..... | 400,802 | 351,508 | 109,699 | 141,983 | 77 | 520,522 | 456,504 | 212,168 | 13 | 11 |
| Georgia..... | 478,327 | 466,592 | 176,959 | 226,595 | 78 | 613,240 | 598,195 | 329,945 | 7 | 6 |
| Florida..... | 37,676 | 41,472 | 14,932 | 36,142 | 41 | 91,893 | 101,151 | 59,439 | 42 | 36 |
| Ohio..... | 488,173 | 449,962 | 197,288 | 230,338 | 86 | 567,643 | 523,212 | 315,724 | 6 | 7 |
| Indiana..... | 448,507 | 449,194 | 181,234 | 204,210 | 89 | 503,940 | 504,712 | 288,920 | 10 | 12 |
| Illinois..... | 748,111 | 807,027 | 342,861 | 372,270 | 92 | 813,164 | 877,203 | 480,858 | 3 | 3 |
| Michigan..... | 295,087 | 240,916 | 114,808 | 162,005 | 71 | 415,615 | 339,318 | 232,376 | 19 | 20 |
| Wisconsin..... | 355,092 | 340,968 | 121,048 | 148,359 | 82 | 433,039 | 415,815 | 234,507 | 16 | 18 |
| Minnesota..... | 433,030 | 483,811 | 168,706 | 193,451 | 87 | 497,736 | 556,105 | 281,121 | 12 | 14 |
| Iowa..... | 783,818 | 740,554 | 287,065 | 314,666 | 91 | 861,338 | 813,796 | 476,956 | 2 | 2 |
| Missouri..... | 466,739 | 409,354 | 188,524 | 220,664 | 85 | 549,105 | 481,593 | 294,125 | 9 | 8 |
| North Dakota..... | 259,012 | 356,534 | 168,292 | 180,636 | 93 | 270,981 | 383,370 | 176,262 | 24 | 27 |
| South Dakota..... | 279,524 | 357,522 | 109,353 | 125,507 | 87 | 321,292 | 410,945 | 188,957 | 22 | 25 |
| Nebraska..... | 478,264 | 310,233 | 173,512 | 196,126 | 88 | 543,482 | 386,628 | 316,120 | 8 | 9 |
| Kansas..... | 555,970 | 385,452 | 189,091 | 214,860 | 88 | 631,784 | 438,014 | 292,075 | 4 | 5 |
| Kentucky..... | 391,628 | 337,642 | 114,202 | 138,973 | 82 | 476,863 | 411,759 | 200,287 | 14 | 15 |
| Tennessee..... | 271,009 | 245,637 | 93,341 | 120,706 | 77 | 355,856 | 319,009 | 187,821 | 23 | 23 |
| Alabama..... | 289,204 | 260,878 | 108,065 | 144,287 | 75 | 385,605 | 347,837 | 197,196 | 20 | 22 |
| Mississippi..... | 307,522 | 297,896 | 107,054 | 147,316 | 73 | 421,263 | 408,077 | 205,114 | 18 | 19 |
| Louisiana..... | 177,360 | 180,762 | 47,577 | 77,339 | 62 | 286,065 | 291,552 | 162,887 | 27 | 26 |
| Texas..... | 902,048 | 580,001 | 244,721 | 298,133 | 82 | 1,100,059 | 707,318 | 553,935 | 1 | 1 |

AGGREGATE CROP-VALUE COMPARISONS—Continued.

TABLE 287.—Value of 13 crops and hypothetical value of all crops, with rank, 1909–1919—Continued.

| State. | Value of 13 crops (000 omitted). | | | Value all crops 1909 (census) (000 omitted). | Ratio value 13 crops to all crops in census 1909. | Hypothetical values of all crops (000 omitted). | | | Rank. | |
|-------------------|----------------------------------|------------|-----------|--|---|---|------------|---------------------------|-----------|------------|
| | 1919 | 1918 | 1909 | | | 1919 | 1918 | 1913-1917 5-year average. | 1919 | |
| | | | | | | | | | 13 crops. | All crops. |
| Oklahoma..... | \$438,955 | \$224,496 | \$112,344 | \$133,454 | 84 | \$522,565 | \$267,257 | \$209,929 | 11 | 10 |
| Arkansas..... | 248,515 | 248,164 | 86,611 | 119,419 | 73 | 395,226 | 331,951 | 208,344 | 21 | 21 |
| Montana..... | 61,493 | 114,621 | 22,394 | 29,715 | 75 | 81,991 | 152,828 | 86,349 | 35 | 37 |
| Wyoming..... | 42,178 | 48,399 | 7,508 | 10,023 | 75 | 56,237 | 64,532 | 31,020 | 39 | 43 |
| Colorado..... | 126,837 | 107,245 | 21,416 | 50,975 | 62 | 204,576 | 172,976 | 98,035 | 29 | 28 |
| New Mexico..... | 39,752 | 25,404 | 5,591 | 8,922 | 63 | 63,098 | 40,324 | 21,460 | 41 | 41 |
| Arizona..... | 41,061 | 82,281 | 3,993 | 5,497 | 73 | 56,248 | 44,221 | 16,321 | 40 | 42 |
| Utah..... | 35,872 | 40,172 | 13,682 | 18,485 | 74 | 48,476 | 54,283 | 34,639 | 43 | 44 |
| Nevada..... | 14,229 | 16,930 | 4,082 | 5,924 | 69 | 20,622 | 24,536 | 16,665 | 47 | 47 |
| Idaho..... | 96,121 | 96,222 | 28,816 | 34,358 | 84 | 114,430 | 114,550 | 61,398 | 31 | 33 |
| Washington..... | 161,098 | 116,760 | 64,340 | 78,927 | 82 | 196,461 | 142,390 | 109,428 | 28 | 29 |
| Oregon..... | 94,561 | 82,727 | 33,140 | 49,041 | 68 | 139,060 | 121,657 | 81,690 | 33 | 31 |
| California..... | 223,368 | 167,538 | 71,994 | 153,111 | 47 | 475,251 | 356,464 | 259,289 | 26 | 16 |
| United States.... | 12,421,342 | 11,127,953 | 4,357,445 | 5,486,615 | 79.4 | 15,796,573 | 14,094,384 | 8,392,249 | | |

AGGREGATE CROP ACREAGES, BY STATES.

TABLE 288.—Acreage of 19 crops and theoretical acreage of all crops, 1909–1919.

[Crops included: Corn, wheat, oats, barley, rye, buckwheat, potatoes, sweet potatoes, tobacco, flax, rice, hay, cotton, peanuts, kafirs, beans, broom corn, hops, cranberries.]

| State. | Acreage of given crops. | | | | Acreage of all crops, 1909. | Per cent of given crops to all crops, 1909. | Theoretical acreage of all crops (in thousands; i. e., 000 omitted.) | | |
|---------------------|-------------------------|------------|------------|------------|-----------------------------|---|--|--------|--------|
| | 1919 | 1918 | 1917 | 1909 | | | 1919 | 1918 | 1917 |
| Maine..... | 1,471,000 | 1,481,000 | 1,597,000 | 1,539,000 | 1,588,065 | 97 | 1,516 | 1,527 | 1,646 |
| New Hampshire..... | 547,000 | 538,000 | 589,000 | 568,000 | 593,093 | 96 | 570 | 560 | 614 |
| Vermont..... | 1,134,000 | 1,139,000 | 1,194,000 | 1,138,000 | 1,203,795 | 94 | 1,206 | 1,212 | 1,270 |
| Massachusetts..... | 554,000 | 552,000 | 605,000 | 590,000 | 654,844 | 90 | 616 | 613 | 672 |
| Rhode Island..... | 76,000 | 79,000 | 79,000 | 76,000 | 84,207 | 90 | 84 | 88 | 88 |
| Connecticut..... | 496,000 | 509,000 | 552,000 | 501,000 | 534,846 | 91 | 528 | 541 | 587 |
| New York..... | 7,879,000 | 7,983,800 | 8,049,000 | 7,911,000 | 8,387,731 | 91 | 8,382 | 8,493 | 8,563 |
| New Jersey..... | 1,051,200 | 1,019,700 | 1,063,000 | 999,000 | 1,114,903 | 93 | 1,168 | 1,133 | 1,181 |
| Pennsylvania..... | 8,177,000 | 8,052,600 | 8,133,500 | 7,637,000 | 7,821,562 | 98 | 8,344 | 8,217 | 8,299 |
| Delaware..... | 496,000 | 477,000 | 475,000 | 404,000 | 438,522 | 92 | 539 | 518 | 516 |
| Maryland..... | 2,150,000 | 2,088,000 | 2,008,600 | 1,788,000 | 1,934,954 | 93 | 2,312 | 2,245 | 2,160 |
| Virginia..... | 4,707,000 | 4,639,000 | 5,241,000 | 4,073,000 | 4,256,226 | 96 | 4,903 | 4,832 | 5,462 |
| West Virginia..... | 2,278,000 | 2,205,600 | 2,169,300 | 1,799,000 | 1,874,382 | 96 | 2,373 | 2,296 | 2,260 |
| North Carolina..... | 7,415,400 | 7,387,500 | 6,849,300 | 5,419,000 | 5,737,037 | 94 | 7,889 | 7,859 | 7,308 |
| South Carolina..... | 6,499,700 | 6,381,900 | 6,020,000 | 4,810,000 | 5,152,845 | 93 | 6,999 | 6,862 | 6,473 |
| Georgia..... | 11,890,200 | 11,972,700 | 11,513,500 | 9,276,000 | 9,662,383 | 96 | 12,386 | 12,472 | 11,993 |
| Florida..... | 1,330,200 | 1,370,800 | 1,268,900 | 1,122,000 | 1,223,078 | 92 | 1,452 | 1,490 | 1,379 |
| Ohio..... | 11,496,000 | 11,134,000 | 10,969,200 | 11,153,000 | 11,431,610 | 98 | 11,731 | 11,361 | 11,193 |
| Indiana..... | 12,280,900 | 12,360,300 | 11,940,500 | 10,977,000 | 11,331,395 | 97 | 12,661 | 12,681 | 12,310 |
| Illinois..... | 20,823,900 | 21,235,800 | 20,725,700 | 19,938,000 | 20,273,916 | 98 | 21,249 | 21,069 | 21,149 |
| Michigan..... | 8,719,000 | 8,441,000 | 8,212,000 | 7,802,000 | 8,198,578 | 95 | 9,178 | 8,888 | 8,644 |
| Wisconsin..... | 9,147,900 | 9,036,700 | 8,824,700 | 8,233,000 | 8,553,080 | 96 | 9,529 | 9,413 | 9,192 |
| Minnesota..... | 15,932,000 | 15,738,000 | 15,126,000 | 14,515,000 | 14,731,464 | 99 | 16,093 | 15,897 | 15,279 |
| Iowa..... | 21,515,000 | 21,357,000 | 21,376,000 | 20,090,000 | 20,374,925 | 99 | 21,732 | 21,571 | 21,592 |
| Missouri..... | 14,733,900 | 14,787,250 | 13,916,800 | 13,925,000 | 14,335,588 | 97 | 15,190 | 15,245 | 14,347 |

AGGREGATE CROP ACREAGES, BY STATES—Continued.

TABLE 288.—Acreage of 19 crops and theoretical acreage of all crops, 1909–1919—Contd.

| State. | Acreage of given crops. | | | | Acreage of all crops, 1909. | Per cent of given crops to all crops, 1909. | Theoretical acreage of all crops (in thousands; i. e., '000 omitted.) | | |
|-------------------------------|-------------------------|-------------|-------------|-------------|-----------------------------|---|---|---------|---------|
| | 1919 | 1918 | 1917 | 1909 | | | 1919 | 1918 | 1917 |
| North Dakota..... | 17,472,000 | 18,020,000 | 16,815,000 | 15,728,000 | 15,888,756 | 99 | 17,648 | 18,202 | 16,985 |
| South Dakota..... | 14,835,000 | 14,735,000 | 14,499,000 | 11,916,000 | 12,226,772 | 97 | 15,284 | 15,191 | 14,916 |
| Nebraska..... | 18,831,000 | 18,286,000 | 18,519,000 | 16,984,000 | 17,231,205 | 99 | 19,021 | 18,483 | 18,706 |
| Kansas..... | 22,499,000 | 21,689,000 | 21,257,000 | 19,080,000 | 19,900,760 | 96 | 23,436 | 22,593 | 22,143 |
| Kentucky..... | 6,615,000 | 6,566,000 | 6,309,000 | 5,783,000 | 6,046,819 | 96 | 6,891 | 6,840 | 6,572 |
| Tennessee..... | 6,808,000 | 6,725,800 | 6,578,000 | 6,125,000 | 6,365,143 | 96 | 7,092 | 7,006 | 6,852 |
| Alabama..... | 9,449,600 | 9,573,100 | 9,533,600 | 6,977,000 | 7,205,239 | 97 | 9,742 | 9,899 | 9,828 |
| Mississippi..... | 7,821,300 | 7,994,000 | 7,338,100 | 5,968,000 | 6,153,719 | 97 | 8,063 | 8,138 | 7,565 |
| Louisiana..... | 4,405,400 | 4,530,300 | 4,160,600 | 3,182,000 | 3,586,348 | 89 | 4,950 | 5,090 | 4,675 |
| Texas..... | 24,607,000 | 23,509,000 | 23,818,200 | 17,414,000 | 18,399,092 | 95 | 25,902 | 24,746 | 25,072 |
| Oklahoma..... | 13,768,000 | 13,254,000 | 13,767,000 | 11,501,000 | 11,921,670 | 96 | 14,342 | 13,806 | 14,341 |
| Arkansas..... | 6,984,800 | 7,218,400 | 6,737,300 | 5,187,000 | 5,376,484 | 96 | 7,276 | 7,519 | 7,018 |
| Montana..... | 4,778,000 | 5,124,000 | 4,522,000 | 1,827,600 | 1,848,113 | 99 | 4,826 | 5,176 | 4,568 |
| Wyoming..... | 1,662,000 | 1,634,000 | 1,449,000 | 777,000 | 786,660 | 99 | 1,669 | 1,651 | 1,464 |
| Colorado..... | 4,474,000 | 4,369,000 | 3,491,000 | 2,323,000 | 2,614,312 | 89 | 5,027 | 4,909 | 3,922 |
| New Mexico..... | 1,288,000 | 960,000 | 1,080,000 | 422,000 | 632,769 | 67 | 1,922 | 1,433 | 1,612 |
| Arizona..... | 506,000 | 451,000 | 403,000 | 177,000 | 190,982 | 93 | 544 | 485 | 433 |
| Utah..... | 1,000,000 | 1,032,000 | 1,023,000 | 714,000 | 756,370 | 95 | 1,053 | 1,086 | 1,077 |
| Nevada..... | 432,000 | 444,000 | 496,000 | 391,000 | 392,387 | 99 | 436 | 448 | 503 |
| Idaho..... | 2,214,000 | 2,223,000 | 2,082,000 | 1,606,000 | 1,638,479 | 98 | 2,259 | 2,268 | 2,124 |
| Washington..... | 3,851,600 | 3,664,100 | 3,284,500 | 3,382,000 | 3,431,273 | 99 | 3,891 | 3,701 | 3,318 |
| Oregon..... | 2,793,000 | 2,706,000 | 2,606,000 | 2,236,000 | 2,281,288 | 98 | 2,850 | 2,761 | 2,659 |
| California ¹ | 5,762,000 | 5,805,000 | 5,520,900 | 4,650,000 | 4,924,733 | 95 | 6,065 | 6,111 | 5,811 |
| United States..... | 355,643,000 | 352,332,350 | 343,782,200 | 300,622,000 | 311,293,382 | 96.6 | 368,809 | 365,197 | 356,341 |

¹ Includes cotton acreage in lower California (85,000 acres in 1919 and 88,000 acres in 1918).

WHEN CROPS ARE HARVESTED.

The tabulation below shows when crops are harvested in the United States by showing what proportion of the crop is usually harvested each month. Two factors tend to modify these percentages in any given year. In some years harvests come somewhat earlier or later than normal. Also, if the crop is larger than usual in its northern section and smaller than usual in its southern section, or vice versa, the effect is to modify the percentage of the total crop which is harvested in a particular month. However, it is not likely that such changes from normal are often so marked throughout the United States as to alter greatly the averages here given.

TABLE 289.—Percentage of crops of United States harvested monthly.

| Crop. | Jan- uary- April. | May. | June. | July. | Aug- ust. | Sep- tem- ber. | Octo- ber. | Nov- em- ber. | Dec- em- ber. |
|-------------------|-------------------------|---------------|---------------|---------------|---------------|----------------------|---------------|---------------------|---------------------|
| | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> | <i>P. ct.</i> |
| Barley..... | | 1.2 | 8.2 | 51.6 | 33.9 | 4.9 | 0.2 | | |
| Buckwheat..... | | | | .8 | 6.7 | 64.9 | 26.7 | 0.9 | |
| Corn..... | | | .1 | .1 | 1.5 | 15.8 | 28.3 | 43.3 | 10.9 |
| Oats..... | | 1.0 | 7.9 | 52.9 | 34.2 | 3.8 | .2 | | |
| Rice..... | | | | .9 | 15.3 | 33.0 | 33.8 | 14.6 | 2.4 |
| Rye..... | | .2 | 11.3 | 71.5 | 16.3 | .7 | | | |
| Wheat..... | | .5 | 22.0 | 42.3 | 28.4 | 6.5 | .3 | | |
| Apples..... | | .1 | 2.5 | 7.2 | 12.5 | 27.7 | 45.5 | 4.5 | |
| Blackberries..... | 0.1 | 1.8 | 15.4 | 47.6 | 27.1 | 6.2 | 1.7 | .1 | |
| Cantaloupes..... | .3 | 1.8 | 8.7 | 20.9 | 36.7 | 28.6 | 3.0 | | |
| Cranberries..... | | | | | 7.3 | 67.1 | 25.6 | | |
| Grapes..... | | | .1 | 3.5 | 15.2 | 48.0 | 29.8 | 3.4 | |
| Peaches..... | | 1.6 | 7.9 | 23.4 | 34.3 | 26.9 | 5.9 | | |
| Pears..... | | .1 | .4 | 7.5 | 25.1 | 44.4 | 21.5 | 1.0 | |
| Raspberries..... | | .5 | 16.5 | 58.4 | 21.7 | 2.8 | .1 | | |

WHEN CROPS ARE HARVESTED—Continued.

TABLE 289.—Percentage of crops of United States harvested monthly—Continued.

| Crop. | Jan- uary- April. | May. | June. | July. | Aug- ust. | Sep- tem- ber. | Octo- ber. | Nov- em- ber. | De- cem- ber. |
|----------------------|-------------------------|-------|-------|-------|--------------|----------------------|---------------|---------------------|---------------------|
| Strawberries..... | 4.8 | 23.6 | 49.4 | 18.3 | 3.1 | .6 | .1 | .1 | |
| Watermelons..... | | .4 | 5.2 | 27.3 | 39.8 | 24.1 | 3.2 | | |
| Beans (dry)..... | | | | .8 | 13.8 | 54.9 | 26.9 | 3.6 | |
| Beans (lima)..... | .1 | .7 | 3.4 | 8.4 | 22.1 | 43.4 | 20.4 | 1.5 | |
| Cabbage..... | 4.2 | 2.3 | 4.7 | 6.8 | 9.1 | 18.1 | 40.4 | 14.0 | .4 |
| Onions..... | 1.7 | 4.4 | 8.7 | 12.6 | 17.2 | 32.5 | 21.9 | 1.0 | |
| Potatoes..... | .2 | 1.3 | 3.3 | 6.8 | 12.1 | 33.7 | 39.2 | 3.3 | .1 |
| Sweet potatoes..... | .1 | | .1 | 1.7 | 6.2 | 21.5 | 49.1 | 20.6 | .7 |
| Tomatoes..... | 3.1 | 1.3 | 3.8 | 11.4 | 29.2 | 39.7 | 9.7 | 1.5 | .3 |
| Hay, all..... | .2 | 2.2 | 15.3 | 47.6 | 21.8 | 10.7 | 1.9 | .1 | |
| Alfalfa..... | .9 | 5.3 | 24.1 | 28.0 | 21.5 | 16.4 | 3.7 | .1 | |
| Alfalfa seed..... | | | .6 | 10.7 | 30.5 | 45.1 | 13.0 | .1 | |
| Bluegrass seed..... | | 5.1 | 43.0 | 23.6 | 16.4 | 11.4 | .5 | | |
| Clover seed..... | | | .2 | 3.4 | 21.2 | 54.4 | 20.0 | .8 | |
| Millet..... | | .2 | 1.7 | 16.4 | 40.5 | 37.2 | 4.0 | | |
| Timothy hay..... | | | 7.1 | 73.6 | 17.8 | 1.5 | | | |
| Timothy seed..... | | | .8 | 36.1 | 54.0 | 9.1 | | | |
| Wild hay..... | .2 | .6 | 4.1 | 28.9 | 36.5 | 26.4 | 3.3 | | |
| Broom corn..... | | | 2.8 | 9.7 | 29.0 | 43.1 | 14.4 | 1.0 | |
| Cotton..... | .4 | | | 1.4 | 11.5 | 31.6 | 34.4 | 16.0 | 4.7 |
| Flaxseed..... | | | .1 | 3.0 | 31.5 | 56.5 | 8.9 | | |
| Hops..... | | | | 1.1 | 27.6 | 63.6 | 7.7 | | |
| Peanuts..... | | | .1 | 2.1 | 12.5 | 39.3 | 37.7 | 8.0 | .3 |
| Sorghum (syrup)..... | | | .1 | 1.4 | 13.3 | 51.9 | 30.9 | 2.4 | |
| Sugar beets..... | | | | 1.0 | 3.8 | 18.5 | 56.3 | 20.2 | .2 |
| Tobacco..... | | | .6 | 7.5 | 27.1 | 52.7 | 12.1 | | |

COMPOSITE CROP YIELDS.

TABLE 290.—Composite numbers of all crop yields.

The figures below are obtained in the following manner: For each State the average yield per acre of each crop (as corn, wheat, cotton, etc.) is reduced to its 10-year average yield per acre; these percentages are combined into a composite or general average, viz., the figures shown. The relative importance of each crop is taken into consideration in making the composite averages.

| State and division. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| Maine..... | 106 | 100 | 100 | 116 | 87 | 118 | 102 | 102 | 98 | 107 |
| New Hampshire..... | 105 | 106 | 110 | 122 | 85 | 114 | 89 | 119 | 93 | 109 |
| Vermont..... | 104 | 97 | 110 | 119 | 98 | 103 | 98 | 118 | 100 | 109 |
| Massachusetts..... | 103 | 98 | 105 | 110 | 96 | 116 | 96 | 107 | 90 | 102 |
| Rhode Island..... | 101 | 103 | 114 | 92 | 92 | 113 | 101 | 98 | 94 | 103 |
| Connecticut..... | 100 | 98 | 107 | 110 | 102 | 112 | 96 | 103 | 94 | 112 |
| New York..... | 107 | 102 | 108 | 108 | 100 | 111 | 91 | 105 | 90 | 107 |
| New Jersey..... | 97 | 100 | 102 | 107 | 107 | 105 | 101 | 106 | 89 | 107 |
| Pennsylvania..... | 105 | 102 | 101 | 106 | 101 | 106 | 98 | 110 | 91 | 103 |
| North Atlantic..... | 104.8 | 101.2 | 104.6 | 108.9 | 98.9 | 109.3 | 95.5 | 106.8 | 91.6 | 106.1 |
| Delaware..... | 91 | 91 | 104 | 101 | 99 | 109 | 97 | 112 | 96 | 106 |
| Maryland..... | 98 | 100 | 106 | 106 | 100 | 113 | 93 | 108 | 90 | 102 |
| Virginia..... | 102 | 105 | 108 | 113 | 114 | 90 | 107 | 101 | 91 | 108 |
| West Virginia..... | 102 | 99 | 103 | 110 | 113 | 95 | 93 | 123 | 78 | 97 |
| North Carolina..... | 92 | 106 | 97 | 95 | 103 | 108 | 104 | 102 | 100 | 104 |
| South Carolina..... | 94 | 98 | 102 | 83 | 92 | 104 | 106 | 102 | 103 | 102 |
| Georgia..... | 85 | 97 | 97 | 92 | 92 | 111 | 104 | 98 | 108 | 97 |
| Florida..... | 92 | 99 | 94 | 95 | 100 | 112 | 111 | 106 | 102 | 94 |
| South Atlantic..... | 93.1 | 100.3 | 100.7 | 102.9 | 99.6 | 105.1 | 103.5 | 103.6 | 99.6 | 101.3 |
| Ohio..... | 105 | 102 | 111 | 89 | 112 | 100 | 97 | 105 | 95 | 99 |
| Indiana..... | 96 | 110 | 109 | 92 | 113 | 93 | 95 | 102 | 95 | 106 |
| Illinois..... | 97 | 111 | 120 | 96 | 118 | 85 | 80 | 110 | 95 | 111 |
| Michigan..... | 100 | 90 | 98 | 93 | 100 | 111 | 94 | 101 | 98 | 101 |
| Wisconsin..... | 107 | 114 | 103 | 104 | 103 | 106 | 110 | 108 | 97 | 86 |
| North Central east of Mis- sissippi River..... | 100.6 | 106.0 | 110.0 | 94.7 | 110.6 | 96.9 | 92.8 | 106.1 | 95.5 | 101.7 |

COMPOSITE CROP YIELDS—Continued

TABLE 290.—Composite numbers of all crop yields—Continued.

| State and division. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 |
|---|-------|-------|-------|------|-------|-------|------|-------|------|-------|
| Minnesota..... | 89 | 123 | 111 | 79 | 116 | 95 | 115 | 123 | 82 | 95 |
| Iowa..... | 107 | 104 | 111 | 107 | 103 | 105 | 102 | 128 | 82 | 102 |
| Missouri..... | 106 | 84 | 124 | 78 | 109 | 85 | 71 | 105 | 88 | 115 |
| North Dakota..... | 69 | 108 | 65 | 72 | 137 | 99 | 98 | 142 | 84 | 43 |
| South Dakota..... | 89 | 139 | 115 | 89 | 137 | 94 | 82 | 115 | 48 | 90 |
| Nebraska..... | 114 | 78 | 103 | 114 | 125 | 103 | 78 | 92 | 74 | 98 |
| Kansas..... | 111 | 82 | 92 | 82 | 125 | 124 | 61 | 117 | 72 | 101 |
| North Central west of Mississippi River..... | 100.2 | 101.1 | 104.6 | 90.6 | 118.2 | 101.9 | 88.6 | 117.3 | 78.1 | 94.5 |
| Kentucky..... | 95 | 100 | 109 | 102 | 108 | 102 | 83 | 104 | 96 | 101 |
| Tennessee..... | 98 | 96 | 105 | 101 | 104 | 98 | 88 | 102 | 98 | 102 |
| Alabama..... | 82 | 101 | 90 | 64 | 92 | 110 | 101 | 106 | 106 | 100 |
| Mississippi..... | 92 | 102 | 103 | 67 | 98 | 103 | 99 | 98 | 98 | 101 |
| Louisiana..... | 87 | 85 | 95 | 102 | 96 | 104 | 102 | 100 | 103 | 107 |
| Texas..... | 124 | 65 | 74 | 96 | 103 | 104 | 103 | 122 | 83 | 98 |
| Oklahoma..... | 139 | 66 | 87 | 79 | 122 | 106 | 62 | 99 | 64 | 108 |
| Arkansas..... | 98 | 76 | 110 | 92 | 104 | 97 | 94 | 99 | 101 | 107 |
| South Central..... | 105.5 | 83.6 | 93.0 | 88.0 | 103.8 | 103.1 | 92.3 | 105.8 | 91.2 | 101.6 |
| Montana..... | 40 | 69 | 55 | 86 | 107 | 90 | 94 | 98 | 106 | 79 |
| Wyoming..... | 65 | 105 | 88 | 87 | 99 | 98 | 92 | 103 | 85 | 99 |
| Colorado..... | 90 | 96 | 103 | 92 | 99 | 107 | 89 | 98 | 78 | 89 |
| New Mexico..... | 104 | 96 | 85 | 86 | 100 | 110 | 84 | 91 | 104 | 88 |
| Arizona..... | 112 | 94 | 100 | 109 | 94 | 98 | 116 | 112 | 86 | 75 |
| Utah..... | 78 | 94 | 109 | 88 | 94 | 100 | 92 | 105 | 93 | 99 |
| Nevada..... | 88 | 92 | 106 | 94 | 97 | 119 | 105 | 126 | 125 | 123 |
| Idaho..... | 82 | 89 | 91 | 89 | 98 | 95 | 102 | 108 | 106 | 91 |
| Washington..... | 94 | 75 | 83 | 105 | 104 | 101 | 101 | 105 | 102 | 87 |
| Oregon..... | 98 | 80 | 82 | 107 | 100 | 95 | 104 | 117 | 96 | 101 |
| California..... | 99 | 88 | 103 | 102 | 104 | 110 | 88 | 106 | 102 | 96 |
| Far Western..... | 88.5 | 85.3 | 91.2 | 97.7 | 102.1 | 102.6 | 95.1 | 102.9 | 99.4 | 92.8 |
| United States..... | 99.8 | 97.6 | 102.0 | 95.1 | 108.0 | 102.3 | 93.3 | 107.7 | 90.6 | 90.3 |

COMPOSITE CROP CONDITIONS MONTHLY.

The character of seasons in past years for crops in the United States is indicated in the accompanying table of the composite condition of all important crops, monthly, during the growing period, 100 representing an average condition:

TABLE 291.—Composite condition of growing crops, monthly, 1910–1919.

| Year. | June 1. | July 1. | Aug. 1. | Sept. 1. | Oct. 1. | Nov. 1. |
|-----------|---------|---------|---------|----------|---------|---------|
| 1919..... | 104.7 | 102.4 | 97.8 | 98.8 | 98.7 | 99.8 |
| 1918..... | 102.9 | 101.6 | 98.9 | 94.1 | 96.6 | 97.6 |
| 1917..... | 94.2 | 97.8 | 99.8 | 102.5 | 102.4 | 102.0 |
| 1916..... | 97.7 | 101.6 | 97.4 | 94.6 | 94.5 | 95.1 |
| 1915..... | 102.3 | 102.3 | 103.9 | 105.5 | 106.9 | 108.0 |
| 1914..... | 102.2 | 101.5 | 98.0 | 97.9 | 99.4 | 102.3 |
| 1913..... | 98.9 | 98.2 | 95.5 | 89.9 | 90.3 | 93.3 |
| 1912..... | 99.1 | 98.8 | 100.3 | 104.1 | 110.0 | 107.7 |
| 1911..... | 97.2 | 89.3 | 85.4 | 84.8 | 86.7 | 90.6 |
| 1910..... | | | 93.5 | 97.2 | 99.6 | 99.3 |

DISPOSITION OF FEED CROPS ON FARMS.

The following percentages of farm consumption in the United States of feed crops by the several kinds of live stock are based upon estimates made in 1918 by several thousand voluntary crop reporters of the actual amount fed to each class of stock:

TABLE 292.—Farm consumption of feed crops by each class of stock.

| To— | Corn. | Oats. | Barley. | Rye. | Wheat. | Hay. | Silage. | Mill feed. |
|--------------|-------|-------|---------|-------|--------|-------|---------|------------|
| Horses..... | 24.5 | 67.8 | 17.7 | 28.5 | 5.4 | 44.6 | 1.7 | 5.6 |
| Cattle..... | 19.2 | 13.2 | 11.9 | 5.5 | 6.4 | 51.4 | 96.9 | 44.2 |
| Swine..... | 50.3 | 10.8 | 59.9 | 53.4 | 29.1 | .2 | 2.2 | 41.5 |
| Sheep..... | .9 | 2.3 | | | | 3.8 | 1.1 | 3.7 |
| Poultry..... | 5.1 | 5.9 | 10.5 | 14.6 | 59.1 | | .1 | 5.0 |
| | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

WHEN FEED IS CONSUMED ON FARMS.

The following tabulation shows what proportion of each important feedstuff is consumed in each month, 100 per cent being the year's consumption for each product. The percentages are derived from reports of about 30,000 crop reporters of the actual quantities usually fed monthly on their farms. Pasture, which is not shown here, is the important source of feed in the summer months.

TABLE 293.—*Monthly consumption of feedstuffs.*

| Month. | Corn. | Oats. | Barley. | Rye. | Wheat. | Hay. | Silage. | Mill feed. |
|----------------|-------|-------|---------|-------|--------|-------|---------|------------|
| Year..... | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| January..... | 11.0 | 7.1 | 8.9 | 7.6 | 10.0 | 14.1 | 16.5 | 10.9 |
| February..... | 10.7 | 7.3 | 9.0 | 7.2 | 9.2 | 14.2 | 16.8 | 11.5 |
| March..... | 10.2 | 8.4 | 9.1 | 7.5 | 9.2 | 14.2 | 16.2 | 11.5 |
| April..... | 9.0 | 9.8 | 8.5 | 9.1 | 8.3 | 12.0 | 13.7 | 10.6 |
| May..... | 6.8 | 9.3 | 6.9 | 8.1 | 7.2 | 6.7 | 5.3 | 7.7 |
| June..... | 5.5 | 8.9 | 6.0 | 7.8 | 6.5 | 3.7 | 1.1 | 5.8 |
| July..... | 4.8 | 9.0 | 6.0 | 7.1 | 5.8 | 3.3 | 1.0 | 4.8 |
| August..... | 4.6 | 9.3 | 6.8 | 8.4 | 5.9 | 3.2 | 1.0 | 5.4 |
| September..... | 6.2 | 9.1 | 8.6 | 10.2 | 7.3 | 3.6 | 1.5 | 5.7 |
| October..... | 8.8 | 8.1 | 9.8 | 10.3 | 8.9 | 5.2 | 4.1 | 6.3 |
| November..... | 10.9 | 6.9 | 10.9 | 9.4 | 11.4 | 8.5 | 9.5 | 9.2 |
| December..... | 11.5 | 6.8 | 9.5 | 7.3 | 10.3 | 11.3 | 13.3 | 10.6 |

MONTHLY SALES FROM FARMS.

For every \$100 worth of product sold from the farm, about \$12.60 are sold in October, the month of heaviest total sales; \$11.70 in November, \$10.50 in December, and \$10.10 in September—in the four months, \$44.90. Smallest sales are in May and June, when the amount in each month is \$6.10 of the year's \$100.

Sales of crops alone are more concentrated in the fall months; for every \$100 worth of crops sold in a year, \$15.50 worth are sold in October, \$15.70 in November, \$12.60 in December, and \$12.40 in September; in the four months, \$56.20. Smallest sales (\$3.10) are in June.

Sales of live-stock products are fairly evenly distributed through the year. For every \$100 worth of live-stock products sold in a year \$9.60 are sold in June, the highest proportion in any month, and \$7.50 in January, the lowest.

These estimates are based upon reports made by crop correspondents of the Bureau of Crop Estimates of their actual sales in 1914, modified when necessary to make the figures typical of sales in recent years. More than 5,000 reports were tabulated. As the correspondents are representative farmers, the averages of their reports in the United States and in the larger States are probably nearly the same as the averages for all the farmers in the States. Details of monthly sales are given in tabulation below.

TABLE 294.—*Monthly percentages of year's receipts from sales by farmers.*

[Monthly rate of sales from farms, averages for recent years, estimates based upon reports of actual monthly sales made by crop correspondents of Bureau of Crop Estimates.]

FROM SALES OF ALL KINDS.

| State and division. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Year. |
|---------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------|
| Maine..... | 9.1 | 7.2 | 8.1 | 8.3 | 5.8 | 5.1 | 4.2 | 6.0 | 9.8 | 11.6 | 10.2 | 14.0 | 100.0 |
| New Hampshire..... | 9.3 | 9.4 | 7.6 | 10.3 | 6.1 | 5.8 | 8.4 | 8.2 | 7.9 | 10.2 | 8.4 | 8.4 | 100.0 |
| Vermont..... | 5.8 | 6.2 | 5.9 | 12.5 | 10.0 | 8.9 | 7.9 | 6.8 | 8.9 | 11.5 | 9.0 | 6.6 | 100.0 |
| Massachusetts..... | 5.6 | 5.2 | 6.1 | 7.9 | 5.9 | 6.9 | 9.6 | 10.8 | 10.3 | 12.2 | 10.3 | 9.2 | 100.0 |
| Rhode Island..... | 4.7 | 4.3 | 4.7 | 7.5 | 7.6 | 9.7 | 12.2 | 11.0 | 12.7 | 10.2 | 9.9 | 5.5 | 100.0 |
| Connecticut..... | 6.0 | 7.3 | 8.7 | 7.9 | 6.2 | 6.3 | 5.9 | 5.4 | 7.2 | 9.1 | 13.3 | 16.7 | 100.0 |
| New York..... | 7.1 | 6.4 | 7.1 | 7.9 | 7.4 | 7.9 | 7.5 | 7.1 | 9.2 | 12.3 | 12.4 | 7.7 | 100.0 |
| New Jersey..... | 3.5 | 3.0 | 4.7 | 3.4 | 5.0 | 5.9 | 11.5 | 20.9 | 21.8 | 8.9 | 5.3 | 6.1 | 100.0 |
| Pennsylvania..... | 7.5 | 6.8 | 9.5 | 8.3 | 10.1 | 6.0 | 6.0 | 8.3 | 9.4 | 9.8 | 10.1 | 8.2 | 100.0 |
| North Atlantic..... | 7.0 | 6.3 | 7.6 | 7.9 | 7.8 | 6.9 | 7.4 | 8.6 | 10.1 | 11.1 | 10.8 | 8.5 | 100.0 |
| Delaware..... | 11.2 | 7.0 | 6.9 | 5.8 | 11.3 | 10.6 | 9.3 | 8.4 | 5.7 | 8.7 | 8.6 | 6.5 | 100.0 |
| Maryland..... | 9.2 | 5.0 | 7.7 | 8.3 | 7.4 | 8.4 | 10.1 | 8.4 | 10.1 | 7.8 | 8.9 | 8.7 | 100.0 |
| Virginia..... | 8.3 | 7.4 | 7.0 | 6.2 | 6.2 | 6.8 | 8.8 | 7.4 | 8.1 | 16.3 | 9.1 | 8.4 | 100.0 |
| West Virginia..... | 4.8 | 5.6 | 6.9 | 4.6 | 4.8 | 7.0 | 7.4 | 8.6 | 13.1 | 23.2 | 6.3 | 7.2 | 100.0 |
| North Carolina..... | 9.2 | 5.2 | 4.3 | 6.6 | 3.4 | 3.4 | 4.2 | 4.2 | 6.7 | 12.3 | 18.4 | 22.1 | 100.0 |
| South Carolina..... | 11.5 | 5.7 | 7.1 | 5.1 | 2.9 | 3.1 | 3.4 | 4.9 | 11.1 | 14.4 | 16.3 | 14.5 | 100.0 |
| Georgia..... | 6.5 | 4.7 | 3.5 | 3.0 | 3.9 | 2.4 | 3.9 | 3.1 | 9.9 | 19.3 | 20.6 | 19.2 | 100.0 |
| Florida..... | 11.4 | 6.5 | 7.3 | 13.3 | 6.6 | 4.9 | 4.4 | 3.9 | 5.7 | 7.8 | 10.2 | 18.0 | 100.0 |
| South Atlantic..... | 8.4 | 5.8 | 5.8 | 5.8 | 4.7 | 4.8 | 5.9 | 5.6 | 9.0 | 15.6 | 14.1 | 14.5 | 100.0 |

MONTHLY SALES FROM FARMS—Continued.

TABLE 294.—Monthly percentages of year's receipts from sales by farmers—Continued.

FROM SALES OF ALL KINDS—Continued.

| State and division. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Year. |
|--|----------|-----------|--------|--------|-------|-------|-------|---------|------------|----------|-----------|-----------|-------|
| Ohio..... | 10.1 | 6.8 | 8.2 | 7.0 | 6.2 | 9.0 | 8.4 | 8.8 | 9.3 | 8.5 | 7.6 | 10.0 | 100.0 |
| Indiana..... | 8.4 | 6.3 | 8.9 | 6.3 | 5.8 | 8.3 | 9.7 | 10.2 | 8.9 | 8.3 | 8.9 | 10.9 | 100.0 |
| Illinois..... | 7.1 | 7.3 | 10.3 | 7.8 | 9.2 | 8.6 | 7.1 | 7.8 | 9.7 | 6.4 | 9.2 | 9.5 | 100.0 |
| Michigan..... | 8.3 | 7.5 | 9.4 | 10.8 | 9.3 | 6.1 | 5.9 | 6.2 | 7.0 | 10.0 | 11.2 | 8.7 | 100.0 |
| Wisconsin..... | 9.2 | 7.9 | 8.2 | 8.4 | 7.7 | 8.4 | 6.8 | 6.4 | 8.4 | 10.1 | 9.7 | 8.8 | 100.0 |
| North Central east of Mississippi River..... | 8.4 | 7.0 | 9.2 | 7.7 | 7.6 | 8.3 | 7.7 | 8.3 | 9.0 | 8.1 | 8.9 | 9.8 | 100.0 |
| Minnesota..... | 9.6 | 7.6 | 9.4 | 7.4 | 6.7 | 5.4 | 4.4 | 3.7 | 10.1 | 12.9 | 12.2 | 10.6 | 100.0 |
| Iowa..... | 14.8 | 8.7 | 11.3 | 6.4 | 6.6 | 6.3 | 6.4 | 7.6 | 7.5 | 6.5 | 6.4 | 11.5 | 100.0 |
| Missouri..... | 7.8 | 8.5 | 6.1 | 7.8 | 6.6 | 6.4 | 8.3 | 9.8 | 8.9 | 8.3 | 9.9 | 11.6 | 100.0 |
| North Dakota..... | 7.2 | 5.2 | 6.2 | 5.6 | 5.9 | 7.2 | 3.9 | 6.9 | 12.2 | 18.0 | 12.6 | 9.1 | 100.0 |
| South Dakota..... | 6.9 | 4.7 | 5.5 | 4.5 | 3.2 | 2.7 | 4.2 | 3.7 | 16.5 | 20.0 | 16.9 | 10.2 | 100.0 |
| Nebraska..... | 10.6 | 9.7 | 8.4 | 8.2 | 7.0 | 7.4 | 7.3 | 6.5 | 10.9 | 8.0 | 8.2 | 7.7 | 100.0 |
| Kansas..... | 8.8 | 12.3 | 7.9 | 8.3 | 5.3 | 3.9 | 6.9 | 8.3 | 11.1 | 8.5 | 9.0 | 9.7 | 100.0 |
| North Central west of Mississippi River..... | 10.0 | 8.5 | 8.1 | 7.0 | 6.0 | 5.7 | 6.2 | 6.8 | 10.7 | 10.7 | 10.1 | 10.2 | 100.0 |
| Kentucky..... | 10.9 | 8.8 | 8.1 | 7.4 | 6.4 | 5.1 | 7.9 | 8.2 | 11.5 | 9.7 | 7.7 | 8.3 | 100.0 |
| Tennessee..... | 10.4 | 8.5 | 6.4 | 5.4 | 5.1 | 7.2 | 7.1 | 5.5 | 8.5 | 13.6 | 11.2 | 11.1 | 100.0 |
| Alabama..... | 8.1 | 6.8 | 9.3 | 5.5 | 3.0 | 3.3 | 3.1 | 5.2 | 7.7 | 15.0 | 17.1 | 15.9 | 100.0 |
| Mississippi..... | 10.1 | 2.7 | 3.9 | 3.4 | 2.8 | 2.4 | 2.6 | 2.2 | 6.9 | 19.8 | 23.6 | 19.6 | 100.0 |
| Louisiana..... | 8.0 | 6.9 | 4.9 | 3.7 | 3.3 | 3.0 | 5.4 | 4.2 | 14.8 | 19.9 | 16.1 | 9.8 | 100.0 |
| Texas..... | 5.9 | 3.6 | 4.0 | 4.4 | 5.5 | 1.9 | 3.5 | 4.1 | 16.1 | 21.2 | 16.9 | 12.9 | 100.0 |
| Oklahoma..... | 6.5 | 6.0 | 5.7 | 3.6 | 3.2 | 5.1 | 10.5 | 5.4 | 12.6 | 12.0 | 18.1 | 11.3 | 100.0 |
| Arkansas..... | 11.7 | 6.2 | 6.8 | 4.5 | 4.3 | 4.3 | 3.9 | 3.4 | 11.0 | 17.1 | 14.0 | 12.8 | 100.0 |
| South Central..... | 8.6 | 6.0 | 5.9 | 5.0 | 4.8 | 4.0 | 5.6 | 5.1 | 11.9 | 16.0 | 14.9 | 12.2 | 100.0 |
| Montana..... | 4.9 | 2.4 | 6.4 | 6.1 | 3.2 | 3.0 | 2.0 | 6.5 | 13.2 | 22.7 | 18.8 | 10.8 | 100.0 |
| Wyoming..... | 2.0 | 1.1 | 6.2 | 4.1 | 3.2 | 2.9 | 2.5 | 4.0 | 24.7 | 22.4 | 18.4 | 8.5 | 100.0 |
| Colorado..... | 9.8 | 8.0 | 4.9 | 9.6 | 4.4 | 4.3 | 3.6 | 3.1 | 6.2 | 16.4 | 21.9 | 7.8 | 100.0 |
| New Mexico..... | 3.9 | 2.8 | 4.6 | 15.0 | 4.1 | 2.2 | 1.5 | 1.7 | 9.7 | 35.9 | 11.5 | 7.1 | 100.0 |
| Arizona..... | 0.3 | 0.4 | 0.3 | 0.6 | 0.6 | 68.6 | 0.4 | 0.9 | 1.1 | 23.8 | 1.4 | 1.6 | 100.0 |
| Utah..... | 9.5 | 4.7 | 7.3 | 6.2 | 5.4 | 12.3 | 6.9 | 7.0 | 5.7 | 9.0 | 10.2 | 15.8 | 100.0 |
| Nevada..... | 6.5 | 7.2 | 4.2 | 17.4 | 15.7 | 2.9 | 8.4 | 16.9 | 3.6 | 3.7 | 6.3 | 7.2 | 100.0 |
| Idaho..... | | | | | | | | | | | | | 100.0 |
| Washington..... | 6.8 | 4.4 | 5.4 | 4.8 | 5.6 | 5.3 | 6.6 | 7.1 | 10.5 | 12.9 | 22.6 | 8.0 | 100.0 |
| Oregon..... | 5.1 | 4.7 | 4.8 | 10.8 | 8.1 | 7.7 | 6.4 | 7.0 | 7.6 | 17.7 | 12.0 | 8.1 | 100.0 |
| California..... | 3.2 | 2.5 | 3.7 | 4.3 | 4.4 | 8.1 | 7.4 | 10.6 | 6.5 | 25.4 | 14.3 | 9.6 | 100.0 |
| Far Western..... | 6.4 | 4.2 | 5.5 | 7.4 | 5.0 | 6.8 | 4.9 | 6.1 | 9.3 | 20.0 | 16.0 | 8.4 | 100.0 |
| United States..... | 8.5 | 6.8 | 7.4 | 6.9 | 6.1 | 6.1 | 6.4 | 6.9 | 10.1 | 12.6 | 11.7 | 10.5 | 100.0 |

FROM SALES OF CROPS.

| | | | | | | | | | | | | | |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Maine..... | 11.9 | 5.5 | 9.7 | 6.8 | 2.2 | 1.8 | 1.1 | 2.5 | 12.0 | 18.6 | 14.3 | 13.6 | 100.0 |
| New Hampshire..... | 12.0 | 13.2 | 7.2 | 6.7 | 8.8 | 2.0 | 11.4 | 13.2 | 7.1 | 12.1 | 6.5 | 7.5 | 100.0 |
| Vermont..... | 1.8 | 4.9 | 1.1 | 19.6 | 11.3 | 6.4 | 2.7 | 6.0 | 9.0 | 24.2 | 10.9 | 2.1 | 100.0 |
| Massachusetts..... | 1.7 | 1.9 | 3.6 | 5.8 | 2.1 | 5.9 | 7.1 | 11.4 | 16.4 | 20.2 | 13.7 | 10.2 | 100.0 |
| Rhode Island..... | 1.4 | 1.2 | 6.1 | 11.3 | 3.2 | 3.9 | 16.7 | 9.2 | 17.8 | 13.6 | 13.0 | 2.6 | 100.0 |
| Connecticut..... | 1.6 | 2.5 | 4.8 | 3.8 | 1.2 | 4.1 | 1.9 | 2.7 | 3.8 | 9.4 | 31.6 | 36.3 | 100.0 |
| New York..... | 4.6 | 5.2 | 4.7 | 5.6 | 4.3 | 2.6 | 5.3 | 6.1 | 11.3 | 20.5 | 20.1 | 9.7 | 100.0 |
| New Jersey..... | 1.4 | 1.3 | 3.2 | 1.3 | 1.9 | 4.9 | 13.0 | 27.7 | 28.2 | 8.8 | 4.4 | 3.9 | 100.0 |
| Pennsylvania..... | 7.5 | 5.3 | 7.0 | 4.9 | 8.2 | 3.7 | 3.7 | 10.6 | 12.4 | 10.8 | 15.0 | 10.9 | 100.0 |
| North Atlantic..... | 5.3 | 4.5 | 5.5 | 5.1 | 4.8 | 3.3 | 5.8 | 10.4 | 13.9 | 15.4 | 15.7 | 10.3 | 100.0 |
| Delaware..... | | | | | | | | | | | | | 100.0 |
| Maryland..... | 8.4 | 2.9 | 6.0 | 7.8 | 5.5 | 5.8 | 12.8 | 12.9 | 12.9 | 4.7 | 10.6 | 9.7 | 100.0 |
| Virginia..... | 11.0 | 8.9 | 5.7 | 4.4 | 3.5 | 3.8 | 13.9 | 12.3 | 7.3 | 8.4 | 12.3 | 8.5 | 100.0 |
| West Virginia..... | 14.5 | 15.2 | 4.0 | 3.9 | 3.0 | 2.6 | 5.1 | 9.5 | 8.7 | 13.8 | 9.7 | 10.0 | 100.0 |
| North Carolina..... | 8.8 | 3.2 | 3.5 | 7.1 | 1.7 | 2.3 | 2.7 | 2.1 | 4.5 | 14.6 | 22.3 | 27.2 | 100.0 |
| South Carolina..... | 11.0 | 4.6 | 6.2 | 2.3 | 1.3 | 1.9 | 2.0 | 4.7 | 11.7 | 16.9 | 20.1 | 17.3 | 100.0 |
| Georgia..... | 4.9 | 3.6 | 1.8 | 1.6 | 2.7 | 1.9 | 2.9 | 1.9 | 10.6 | 22.4 | 23.6 | 22.1 | 100.0 |
| Florida..... | 9.6 | 6.0 | 7.6 | 14.7 | 7.6 | 4.9 | 1.8 | 1.2 | 5.5 | 8.8 | 9.3 | 23.0 | 100.0 |
| South Atlantic..... | 8.7 | 5.0 | 4.3 | 4.5 | 2.7 | 2.7 | 5.1 | 5.0 | 8.5 | 15.3 | 19.0 | 19.2 | 100.0 |

MONTHLY SALES FROM FARMS—Continued.

TABLE 294—Monthly percentages of year's receipts from sales by farmers—Continued.

FROM SALES OF CROPS—Continued.

| State and division. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Year. |
|--|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------|
| Ohio..... | 6.2 | 10.6 | 9.4 | 3.5 | 3.4 | 6.5 | 10.6 | 13.7 | 10.0 | 10.9 | 7.0 | 8.2 | 100.0 |
| Indiana..... | 8.9 | 6.1 | 5.8 | 4.5 | 4.2 | 3.4 | 17.0 | 17.2 | 11.1 | 8.8 | 6.7 | 6.3 | 100.0 |
| Illinois..... | 4.7 | 4.8 | 7.9 | 8.8 | 9.8 | 8.0 | 6.9 | 13.5 | 15.3 | 3.8 | 9.4 | 7.1 | 100.0 |
| Michigan..... | 8.6 | 7.6 | 6.6 | 8.9 | 5.2 | 3.5 | 4.3 | 6.8 | 9.3 | 14.6 | 14.6 | 10.0 | 100.0 |
| Wisconsin..... | 7.6 | 7.1 | 7.4 | 9.6 | 8.5 | 4.4 | 1.1 | 3.5 | 12.9 | 12.5 | 16.7 | 8.7 | 100.0 |
| North Central east of Mississippi River..... | 6.6 | 6.9 | 7.6 | 6.7 | 6.5 | 5.9 | 9.3 | 12.9 | 12.3 | 8.3 | 9.3 | 7.7 | 100.0 |
| Minnesota..... | 9.3 | 8.2 | 7.5 | 3.5 | 4.9 | 3.3 | 2.2 | 2.2 | 14.0 | 16.6 | 15.6 | 12.7 | 100.0 |
| Iowa..... | 11.2 | 5.5 | 6.8 | 4.5 | 8.2 | 3.1 | 8.1 | 7.4 | 16.1 | 8.7 | 6.9 | 13.5 | 100.0 |
| Missouri..... | 5.7 | 4.7 | 2.1 | 3.0 | 1.5 | 2.5 | 20.9 | 22.1 | 9.2 | 8.5 | 9.0 | 10.8 | 100.0 |
| North Dakota..... | 7.5 | 5.3 | 4.3 | 2.2 | 2.8 | 1.7 | 1.0 | 1.9 | 18.6 | 22.3 | 21.0 | 11.4 | 100.0 |
| South Dakota..... | 3.3 | 5.3 | 4.7 | 2.8 | 3.7 | 2.0 | 2.2 | 8.7 | 18.2 | 18.0 | 17.8 | 13.3 | 100.0 |
| Nebraska..... | 10.4 | 4.7 | 3.7 | 9.6 | 7.8 | 4.7 | 11.6 | 7.9 | 13.1 | 7.8 | 7.8 | 10.9 | 100.0 |
| Kansas..... | 6.6 | 9.7 | 10.4 | 6.5 | 2.6 | 1.2 | 9.8 | 10.8 | 12.8 | 7.5 | 9.6 | 12.5 | 100.0 |
| North Central west of Mississippi River..... | 8.1 | 6.3 | 5.8 | 4.6 | 4.4 | 2.6 | 7.1 | 7.3 | 15.0 | 13.6 | 13.2 | 12.0 | 100.0 |
| Kentucky..... | 15.5 | 11.8 | 10.5 | 5.9 | 4.5 | 2.1 | 9.2 | 9.8 | 8.3 | 3.4 | 7.0 | 12.0 | 100.0 |
| Tennessee..... | 10.6 | 6.7 | 5.9 | 5.2 | 5.4 | 7.9 | 11.8 | 6.7 | 4.0 | 8.7 | 14.1 | 13.0 | 100.0 |
| Alabama..... | 7.1 | 5.4 | 8.8 | 3.2 | 2.3 | 1.6 | 1.7 | 7.4 | 8.2 | 18.4 | 20.6 | 18.9 | 100.0 |
| Mississippi..... | 9.6 | 1.6 | 2.3 | 2.3 | 1.6 | 1.2 | 1.2 | 8 | 6.4 | 22.1 | 28.3 | 22.6 | 100.0 |
| Louisiana..... | 7.0 | 3.3 | 4.2 | 2.0 | 1.6 | 2.0 | 5.4 | 4.2 | 18.6 | 22.9 | 18.8 | 10.0 | 100.0 |
| Texas..... | 3.9 | 2.1 | 2.4 | 2.6 | 7 | 1.2 | 2.9 | 3.8 | 17.7 | 25.8 | 21.4 | 15.5 | 100.0 |
| Oklahoma..... | 5.4 | 4.3 | 2.2 | 2.0 | 2.2 | 2.6 | 15.0 | 7.4 | 16.8 | 15.0 | 16.7 | 10.4 | 100.0 |
| Arkansas..... | 7.9 | 2.2 | 3.7 | 2.2 | 9 | 1.1 | 2.6 | 2.8 | 6.1 | 31.0 | 21.3 | 18.2 | 100.0 |
| South Central..... | 7.4 | 4.2 | 4.4 | 3.1 | 2.1 | 2.3 | 5.8 | 4.8 | 12.3 | 19.3 | 19.1 | 15.2 | 100.0 |
| Montana..... | 3.7 | 2.0 | 1.3 | 2.6 | 2.6 | 1 | 2 | 8.6 | 16.4 | 27.5 | 22.1 | 12.9 | 100.0 |
| Wyoming..... | 2.5 | 1.3 | 9.0 | 4.0 | 5.5 | 4 | 3 | 7 | 2.5 | 16.9 | 42.0 | 14.9 | 100.0 |
| Colorado..... | 12.2 | 7.1 | 6.1 | 3.4 | 3.6 | 2.5 | 4.0 | 4.9 | 9.8 | 14.1 | 20.5 | 11.8 | 100.0 |
| New Mexico..... | 8.5 | 5.4 | 8.2 | 4.8 | 2.7 | 1.8 | 3.6 | 4.0 | 9.6 | 11.0 | 18.7 | 21.1 | 100.0 |
| Arizona..... | 7.7 | 3.0 | 2.3 | 2.9 | 2.5 | 1.5 | 6.4 | 9.5 | 7.0 | 7.0 | 18.7 | 31.5 | 100.0 |
| Utah..... | 7.7 | 3.0 | 2.3 | 2.9 | 2.5 | 1.5 | 6.4 | 9.5 | 7.0 | 7.0 | 18.7 | 31.5 | 100.0 |
| Nevada..... | 7.7 | 3.0 | 2.3 | 2.9 | 2.5 | 1.5 | 6.4 | 9.5 | 7.0 | 7.0 | 18.7 | 31.5 | 100.0 |
| Idaho..... | 7.7 | 3.0 | 2.3 | 2.9 | 2.5 | 1.5 | 6.4 | 9.5 | 7.0 | 7.0 | 18.7 | 31.5 | 100.0 |
| Washington..... | 10.2 | 2.3 | 2.5 | 2.2 | 1.7 | 9 | 1.7 | 3.9 | 14.9 | 15.8 | 38.0 | 5.9 | 100.0 |
| Oregon..... | 5.6 | 5.0 | 3.9 | 7.7 | 1.3 | 3.6 | 5.6 | 7.0 | 7.7 | 32.2 | 14.1 | 6.3 | 100.0 |
| California..... | 1.6 | 1.9 | 3.0 | 3.3 | 3.7 | 3.6 | 7.8 | 12.9 | 7.6 | 29.6 | 16.1 | 8.9 | 100.0 |
| Far Western..... | 7.1 | 3.2 | 4.0 | 4.0 | 3.0 | 2.6 | 5.0 | 8.2 | 10.2 | 22.8 | 19.7 | 10.2 | 100.0 |
| United States..... | 7.4 | 5.2 | 5.3 | 4.6 | 3.9 | 3.1 | 6.5 | 7.8 | 12.4 | 15.5 | 15.7 | 12.6 | 100.0 |

FROM SALES OF LIVE STOCK.

| | | | | | | | | | | | | | |
|------------------------------------|------|------|------|------|------|-----|-----|-----|------|------|------|------|-------|
| North Atlantic..... | 7.5 | 6.4 | 9.6 | 10.8 | 10.6 | 5.2 | 5.8 | 5.6 | 8.8 | 9.6 | 12.7 | 7.4 | 100.0 |
| South Atlantic..... | 8.0 | 5.6 | 7.7 | 5.1 | 5.9 | 6.3 | 5.9 | 5.4 | 10.4 | 21.4 | 8.4 | 8.9 | 100.0 |
| North Central east of Miss. R..... | 9.8 | 6.8 | 10.9 | 7.9 | 7.0 | 9.5 | 6.1 | 5.0 | 7.5 | 7.9 | 9.4 | 12.2 | 100.0 |
| North Central west of Miss. R..... | 12.6 | 10.3 | 10.1 | 7.9 | 6.0 | 6.9 | 4.9 | 6.5 | 7.7 | 9.3 | 8.3 | 9.5 | 100.0 |
| South Central..... | 9.9 | 8.6 | 8.0 | 7.1 | 4.2 | 5.2 | 5.0 | 5.4 | 12.5 | 13.6 | 11.1 | 9.4 | 100.0 |
| Far Western..... | 5.9 | 4.5 | 5.0 | 11.3 | 5.3 | 9.2 | 4.5 | 2.4 | 9.4 | 21.9 | 14.6 | 6.0 | 100.0 |
| United States..... | 10.3 | 8.1 | 9.2 | 8.2 | 6.2 | 7.4 | 5.3 | 5.5 | 8.7 | 11.8 | 9.8 | 9.5 | 100.0 |

FROM SALES OF LIVE-STOCK PRODUCTS.

| | | | | | | | | | | | | | |
|------------------------------------|-----|-----|-----|-----|------|------|-----|-----|-----|------|------|------|-------|
| North Atlantic..... | 7.8 | 7.6 | 8.3 | 8.7 | 9.2 | 9.1 | 8.7 | 8.4 | 8.0 | 8.7 | 7.7 | 7.8 | 100.0 |
| South Atlantic..... | 7.9 | 8.0 | 7.5 | 8.4 | 8.1 | 9.2 | 7.5 | 7.9 | 8.9 | 8.9 | 8.7 | 9.0 | 100.0 |
| North Central east of Miss. R..... | 8.0 | 7.4 | 8.4 | 9.1 | 10.0 | 9.5 | 8.6 | 7.7 | 7.7 | 7.9 | 7.8 | 7.9 | 100.0 |
| North Central west of Miss. R..... | 6.1 | 8.0 | 7.8 | 9.4 | 9.9 | 10.7 | 8.9 | 7.9 | 8.3 | 7.3 | 8.0 | 7.4 | 100.0 |
| South Central..... | 8.7 | 8.6 | 9.1 | 9.3 | 8.4 | 8.1 | 7.4 | 6.6 | 7.0 | 7.7 | 9.1 | 10.0 | 100.0 |
| Far Western..... | 6.3 | 5.9 | 7.0 | 8.0 | 8.5 | 10.7 | 8.7 | 8.6 | 7.4 | 10.4 | 10.6 | 7.9 | 100.0 |
| United States..... | 7.5 | 7.6 | 8.1 | 8.9 | 9.3 | 9.6 | 8.5 | 8.0 | 7.9 | 8.3 | 8.3 | 8.0 | 100.0 |

RECEIPTS FROM FARM SALES.

About 10,000 crop correspondents of the Bureau of Crop Estimates have reported their year's total value of all sales of farm products, divided into four classes, viz, (1) live animals, (2) animal products, (3) crops, (4) miscellaneous. Correspondents were requested to give their 1914 sales if that year was representative; if 1914 sales were not normal, they were to give figures which would be typical of sales in recent years.

Of every \$100 worth of product sold by all who reported, approximately \$36 were for live animals, \$20 were for the products of live stock, \$40 were for crops, and \$4 represented miscellaneous items. As the correspondents are representative farmers, the averages of their reports in the United States and in the larger States are probably nearly the same as the averages for all the farmers in the States.

The character of farmers' sales varies widely in different sections of the country. In the cotton States, as would be expected, by far the greater part of the sales are as crops. Thus, in Georgia, for every \$100 worth of products sold, \$75 represents crops, \$14 live animals, \$3 animal products, and \$3 miscellany. Even in Texas, regarded as a cattle as well as a cotton State, cotton so far predominates that \$72 represents crops, \$16 live animals, and \$9 animal products, out of every \$100 of sales. It may be that the cattle section of the State is not so fully represented in the returns as the cotton section; but complete returns from all farmers probably would not materially modify these figures.

TABLE 295.—Receipts from the sale of (1) live stock, (2) live-stock products, (3) crops, (4) miscellaneous, out of every \$100 received from all sales; average of recent years.

[From tabulation of reports from crop correspondents of the Bureau of Crop Estimates.]

| State. | Live stock. | Live-stock products. | Crops. | Miscellaneous. | State. | Live stock. | Live-stock products. | Crops. | Miscellaneous. |
|----------------------------|-------------|----------------------|--------|----------------|------------------------------------|-------------|----------------------|--------|----------------|
| Maine..... | \$15 | \$42 | \$35 | \$8 | Minnesota..... | \$33 | \$20 | \$43 | \$4 |
| New Hampshire..... | 20 | 51 | 25 | 4 | Iowa..... | 63 | 12 | 22 | 3 |
| Vermont..... | 18 | 64 | 10 | 8 | Missouri..... | 62 | 13 | 21 | 4 |
| Massachusetts..... | 19 | 50 | 27 | 5 | North Dakota..... | 25 | 6 | 66 | 3 |
| Rhode Island..... | 13 | 62 | 22 | 1 | South Dakota..... | 41 | 18 | 36 | 5 |
| Connecticut..... | 12 | 62 | 24 | 2 | Nebraska..... | 56 | 9 | 32 | 3 |
| New York..... | 14 | 53 | 27 | 6 | Kansas..... | 39 | 16 | 42 | 3 |
| New Jersey..... | 6 | 26 | 62 | 6 | Kentucky..... | 45 | 19 | 31 | 5 |
| Pennsylvania..... | 21 | 42 | 32 | 5 | Tennessee..... | 42 | 12 | 40 | 6 |
| Maryland and Delaware..... | 23 | 32 | 42 | 3 | Alabama..... | 17 | 14 | 66 | 3 |
| Virginia..... | 46 | 15 | 35 | 4 | Mississippi..... | 12 | 8 | 76 | 4 |
| West Virginia..... | 58 | 23 | 13 | 6 | Louisiana..... | 13 | 9 | 72 | 6 |
| North Carolina..... | 18 | 15 | 60 | 7 | Texas..... | 16 | 9 | 72 | 3 |
| South Carolina..... | 8 | 12 | 72 | 8 | Oklahoma..... | 32 | 11 | 53 | 4 |
| Georgia..... | 14 | 8 | 75 | 3 | Arkansas..... | 34 | 11 | 48 | 7 |
| Florida..... | 16 | 16 | 64 | 4 | Mountain States ¹ | 49 | 13 | 34 | 4 |
| Ohio..... | 41 | 22 | 31 | 6 | Washington..... | 16 | 46 | 36 | 2 |
| Indiana..... | 50 | 16 | 30 | 4 | Oregon..... | 33 | 32 | 30 | 5 |
| Illinois..... | 42 | 20 | 35 | 3 | California..... | 15 | 12 | 72 | 14 |
| Michigan..... | 34 | 30 | 31 | 5 | | | | | |
| Wisconsin..... | 31 | 47 | 17 | 5 | United States..... | 36 | 20 | 40 | 4 |

¹ Including Montana, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, and Idaho.

PRODUCTION OF VEGETABLE SEEDS.

[Contributed by Bureau of Markets.]

The figures given for 1919 in the following table represent in the main a compilation of reports received from commercial growers giving the estimated (actual wherever possible) average yield per acre and total production of each vegetable seed crop grown by them. Those given for 1918 and 1917 were compiled from reports submitted in vegetable seed acreage and production surveys.

TABLE 296.—Acreage, yield per acre, and production of vegetable seeds, 1917–1919.

| Kind of seed. | Commercial acreage planted. | | | Average yield per acre, based on acreage planted. | | | Commercial production. | | |
|---|-----------------------------|---------------|---------------|---|----------------|----------------|------------------------|----------------|----------------|
| | 1919 | 1918 | 1917 | 1919, estimated. | 1918 | 1917 | 1919, estimated. | 1918 | 1917 |
| | <i>Acres.</i> | <i>Acres.</i> | <i>Acres.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| Beans, dwarf snap... | 48,658 | 72,831 | 63,524 | 515 | 401 | 234 | 25,093,000 | 29,215,515 | 14,809,000 |
| Beans, garden pole (not including lima) | 7,957 | 7,482 | 4,029 | 540 | 691 | 315 | 4,395,000 | 5,166,159 | 1,268,000 |
| Beet, garden | 2,666 | 2,801 | 826 | 697 | 896 | 562 | 1,858,000 | 2,509,391 | 464,000 |
| Beet, mangel | 619 | 424 | 20 | 1,003 | 677 | 1,504 | 621,000 | 286,974 | 30,000 |
| Beet, sugar | 11,139 | 6,014 | 4,638 | 600 | 980 | 1,094 | 6,700,000 | 5,900,000 | 5,076,000 |
| Cabbage | 1,978 | 1,383 | 737 | 700 | 117 | 393 | 1,383,000 | 161,629 | 292,000 |
| Carrot | 3,465 | 4,894 | 1,965 | 450 | 471 | 574 | 1,562,000 | 2,125,060 | 1,129,000 |
| Celery | 135 | 176 | 84 | 400 | 228 | 335 | 54,000 | 40,201 | 28,100 |
| Cucumber | 3,582 | 3,177 | 4,694 | 214 | 173 | 218 | 766,300 | 548,044 | 1,026,000 |
| Kale | 106 | 49 | 18 | 406 | 342 | 250 | 43,000 | 16,744 | 4,500 |
| Lettuce | 2,283 | 2,291 | 1,979 | 298 | 326 | 457 | 679,800 | 746,993 | 903,000 |
| Muskmelon | 1,467 | 1,671 | 1,827 | 102 | 117 | 161 | 149,900 | 196,142 | 293,000 |
| Watermelon | 5,508 | 10,423 | 8,929 | 90 | 92 | 71 | 500,000 | 959,549 | 633,000 |
| Onion seed | 6,730 | 7,260 | 3,782 | 389 | 232 | 259 | 2,618,000 | 1,685,258 | 980,000 |
| Onion sets | 3,708 | 3,818 | 2,637 | 5,900 | 12,066 | 11,861 | 21,900,000 | 46,068,711 | 31,249,000 |
| Parsley | 146 | 155 | 109 | 764 | 468 | 772 | 111,500 | 72,553 | 84,000 |
| Parsnip | 303 | 267 | 137 | 732 | 626 | 499 | 222,000 | 167,199 | 68,000 |
| Peas, garden | 104,172 | 102,095 | 110,129 | 460 | 569 | 444 | 47,968,000 | 58,127,258 | 48,868,000 |
| Pepper | 160 | 657 | 686 | 75 | 86 | 31 | 12,000 | 56,195 | 21,000 |
| Pumpkin | 1,156 | 1,380 | 1,512 | 95 | 96 | 72 | 110,300 | 132,612 | 108,000 |
| Radish | 10,870 | 8,760 | 3,521 | 233 | 221 | 176 | 2,537,000 | 1,935,047 | 621,000 |
| Salsify | 205 | 124 | 131 | 452 | 247 | 431 | 92,600 | 30,647 | 56,000 |
| Spinach | 1,139 | 4,259 | 1,415 | 317 | 387 | 220 | 361,000 | 1,660,008 | 300,000 |
| Squash, summer | 1,153 | 1,004 | 836 | 195 | 99 | 145 | 223,000 | 99,404 | 121,000 |
| Squash, winter | 2,912 | 2,534 | 1,328 | 152 | 51 | 70 | 443,400 | 128,385 | 93,000 |
| Sweet corn | 14,565 | 14,759 | 12,975 | 900 | 807 | 640 | 13,143,000 | 11,916,892 | 8,303,000 |
| Tomato | 3,604 | 3,832 | 3,204 | 67 | 80 | 92 | 243,000 | 307,815 | 227,000 |
| Turnip, English | 1,207 | 936 | 24 | 380 | 215 | 127 | 456,000 | 200,783 | 3,000 |
| Turnip, Swede | 205 | 279 | 21 | 602 | 98 | 418 | 123,300 | 27,312 | 8,700 |

WAR-TIME WHEAT PRICES.

Prices per 60 pounds of wheat, for calendar years 1913 to 1918, in countries and markets indicated, computed from data in Bulletin 2 of the War Industries Board. Foreign prices translated to dollars on basis of par value.

TABLE 297.—Prices of wheat, by countries, 1913–1918.

| Country and market. | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 |
|--------------------------------|-------|------|------|-------|-------|-------|
| United States: Chicago | 0.91 | 1.04 | 1.34 | 1.42 | 2.32 | 2.24 |
| England: Manchester and London | .93 | 1.01 | 1.54 | 1.69 | 2.23 | 2.15 |
| France: Paris | 1.46 | 1.44 | 1.59 | 1.52 | 1.99 | |
| Italy: Milan | 1.49 | 1.50 | 2.16 | 1.97 | 2.29 | 2.85 |
| Russia: Saratov | .71 | .74 | 1.08 | | | |
| Japan: Yokohama | 1.13 | 1.08 | 1.11 | 1.10 | 1.35 | |
| India: Calcutta | | 1.18 | 1.22 | 1.05 | 1.12 | |
| Australia: Brisbane | .87 | .96 | 1.80 | 1.33 | .90 | |
| Germany: Berlin | 1.29 | 1.43 | 1.75 | | | |
| Argentina: Buenos Aires | 1.00 | 1.05 | 1.33 | 1.12 | 1.85 | |

PRODUCTIVITY OF VARIOUS COUNTRIES.

Index figures are usually applied to price comparisons, but they can as readily be used to compare the relative productivity of different countries. Six crops—wheat, oats, rye, barley, corn, and potatoes—comprise the bulk of crop production in most countries of the world. Of the total area in cultivated crops, (before the war), excluding hay and grass crops, they comprised in Germany approximately 82 per cent; in France, 75 per cent; United Kingdom, 72; Denmark, 79; Holland, 70; Belgium, 75; Austria, 84; Hungary, 87; Italy, 45; Spain, 65; Roumania, 92; European Russia, 87; Asiatic Russia, 91; Bulgaria, 85; Algeria, 85; Japan, 31; Australia, 91; Canada, 91; Argentina, 88; United States, 82 per cent. Although these figures are only approximations, they are sufficiently accurate to indicate that index numbers of the relative yields per acre of these six products combined would fairly represent the relative per acre productivity of the various countries. For each country the average yield per acre for a series of years was obtained (except in a few countries where data for only one or two years were obtainable), and these average yields were reduced to their percentage of the average yield of all countries. The percentages for each country were combined, weighted in proportion to the relative acreage of the various crops in the country, to obtain the index number of production. Following is the result obtained, 100 representing the weighted average of all countries:

TABLE 298.—Index numbers of productivity of countries named.

| | | | | | |
|---------------------|-----|--------------------|-----|-----------------------|----|
| Belgium..... | 221 | Sweden..... | 136 | Australia..... | 76 |
| Switzerland..... | 202 | Norway..... | 128 | Serbia..... | 76 |
| Netherlands..... | 190 | France..... | 123 | Argentina..... | 75 |
| United Kingdom..... | 177 | Austria..... | 120 | Portugal..... | 73 |
| Germany..... | 169 | Hungary..... | 113 | Russia, European..... | 72 |
| Denmark..... | 168 | United States..... | 108 | Russia, Asiatic..... | 71 |
| New Zealand..... | 167 | Italy..... | 96 | Uruguay..... | 70 |
| Egypt..... | 161 | Roumania..... | 94 | Algeria..... | 65 |
| Japan..... | 137 | Spain..... | 93 | Mexico..... | 52 |
| Canada..... | 136 | Bulgaria..... | 87 | Tunis..... | 37 |
| Chile..... | 136 | India..... | 84 | | |

WORLD PRODUCTION AND EXPORT TRADE.

TABLE 299.—Production and export trade of the world in important crops, average, 1909-1913, in millions, i. e., 000,000 omitted.

[Substantially the total production and exports for the world. However, China's probably large cotton production, also some minor items of production and exports for other countries, are omitted owing to lack of trustworthy information. One short ton = 2,000 pounds.]

| Crop. | Production. | | Exports. | | | |
|------------------------------|-------------|---------------------------|----------|-------------------------------|----------------------|------------------------------|
| | World. | United States production. | World. | Contributed by United States. | World crop exported. | United States crop exported. |
| | | Per cent. | | Per cent. | Per cent. | Per cent. |
| Wheat.....bushels.. | 3,726 | 18 | 745 | 13 | 20 | 15 |
| Corn.....do..... | 3,807 | 71 | 745 | 17 | 7 | 2 |
| Oats.....do..... | 4,324 | 26 | 1,234 | 15 | 15 | 11 |
| Barley.....do..... | 1,468 | 12 | 1,300 | 13 | 120 | 14 |
| Rye.....do..... | 1,788 | 2 | 1,108 | 10.8 | 16 | 12 |
| Potatoes.....do..... | 5,471 | 6 | 175 | 12 | 11 | 10.5 |
| Tobacco.....pounds.. | 2,712 | 37 | 929 | 41 | 34 | 38 |
| Rice.....do..... | 110,780 | 0.6 | 12,721 | 0.1 | 11 | 2 |
| Cotton.....500-pound bales.. | 21.1 | 62 | 14.0 | 64 | 66 | 69 |
| Sugar.....short tons.. | 18.7 | 5 | 7.5 | 0.5 | 40 | 4 |

¹ Three-year average, 1911-1913.

FOREIGN TRADE IN FOODSTUFFS.

TABLE 300.—*Values of exports and imports of foodstuffs, in millions of dollars, 1913–1919.*

| Item. | Year ending Dec. 31— | | | | | | |
|---|----------------------|-------|-------|-------|-------|------|------|
| | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 |
| Exports of domestic foodstuffs: | | | | | | | |
| In crude condition, and food animals..... | 678 | 547 | 509 | 421 | 462 | 275 | 170 |
| Partly or wholly manufactured..... | 1,963 | 1,406 | 807 | 648 | 551 | 309 | 325 |
| Total..... | 2,641 | 1,953 | 1,316 | 1,069 | 1,013 | 584 | |
| Imports of foodstuffs: | | | | | | | |
| In crude condition, and food animals..... | 545 | 346 | 386 | 260 | 243 | 235 | 221 |
| Partly or wholly manufactured..... | 556 | 397 | 351 | 339 | 273 | 250 | 198 |
| Total..... | 1,101 | 743 | 737 | 599 | 516 | 491 | 419 |
| Net exports..... | 1,540 | 1,211 | 579 | 470 | 497 | 93 | 76 |

INDEX NUMBERS.

TABLE 301.—*Index numbers of crop prices, monthly and average, 1910–1919.*

The trend of prices to farmers for important crops is indicated in the following figures; the base 100 is the average price December 1 in the 43 years 1866–1908 of wheat, corn, oats, barley, rye, buckwheat, potatoes, hay, flax, and cotton.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| Jan. 1..... | 272.4 | 264.1 | 183.6 | 129.0 | 126.7 | 132.5 | 110.9 | 133.9 | 118.6 | 134.1 | 160.6 |
| Feb. 1..... | 259.9 | 271.6 | 195.6 | 139.9 | 140.5 | 132.1 | 112.6 | 140.2 | 119.8 | 138.5 | 165.1 |
| Mar. 1..... | 257.1 | 288.8 | 206.5 | 138.6 | 144.0 | 133.8 | 113.3 | 144.7 | 117.9 | 139.9 | 168.5 |
| Apr. 1..... | 271.2 | 288.6 | 225.2 | 140.2 | 144.5 | 134.2 | 113.6 | 153.4 | 118.0 | 138.8 | 172.8 |
| May 1..... | 293.7 | 281.8 | 280.6 | 143.3 | 150.0 | 135.9 | 116.2 | 166.3 | 122.2 | 133.5 | 182.4 |
| June 1..... | 307.2 | 271.9 | 291.3 | 145.8 | 147.3 | 138.8 | 121.2 | 168.3 | 127.7 | 133.5 | 185.3 |
| July 1..... | 310.2 | 272.9 | 289.9 | 144.8 | 139.1 | 137.7 | 122.9 | 160.1 | 136.3 | 133.1 | 184.7 |
| Aug. 1..... | 329.0 | 280.6 | 307.8 | 147.7 | 138.9 | 137.6 | 125.4 | 148.0 | 148.2 | 137.1 | 190.0 |
| Sept. 1..... | 317.7 | 293.3 | 279.6 | 161.5 | 132.5 | 141.3 | 136.3 | 137.6 | 141.6 | 137.0 | 187.8 |
| Oct. 1..... | 290.0 | 289.3 | 277.0 | 163.6 | 128.2 | 136.4 | 139.1 | 128.6 | 138.0 | 129.8 | 182.0 |
| Nov. 1..... | 279.4 | 269.5 | 261.3 | 178.8 | 124.4 | 127.4 | 133.9 | 118.3 | 135.6 | 122.2 | 175.1 |
| Dec. 1..... | 283.8 | 265.2 | 252.3 | 187.9 | 120.4 | 122.8 | 132.7 | 110.3 | 133.1 | 118.4 | 172.7 |
| Average ¹ | 290.0 | 277.7 | 259.5 | 162.1 | 132.1 | 132.4 | 128.1 | 132.8 | 132.8 | 129.5 | 177.7 |

¹ Weighted average.

PRICES OF ARTICLES BOUGHT BY FARMERS.

TABLE 302.—*Prices of articles bought by farmers, 1909–1919, and amount purchasable with an acre of crop production.*

| Item. | 1919 | 1918 | 1914 | 1909 | 1919 per cent of— | | | Amount purchasable with average value of 1 acre of crop production. | | |
|-----------------------|--------|--------|--------|--------|-------------------|------|------|---|------|------|
| | | | | | 1918 | 1914 | 1909 | 1919 | 1914 | 1909 |
| Axes.....each | \$2.06 | \$1.79 | \$0.96 | \$0.89 | 115 | 215 | 231 | 18 | 18 | 19 |
| Barb wire.....100 lbs | 5.73 | 5.09 | 3.08 | 2.98 | 101 | 186 | 188 | 6.4 | 5.6 | 5.6 |
| Barrels.....each | .47 | .45 | .25 | | 104 | 188 | | 79 | 62 | |
| Bone meal.....ton | 59.00 | 55.10 | 31.90 | | 107 | 185 | | .03 | .54 | |
| Brooms.....each | 1.00 | .98 | .38 | .34 | 102 | 263 | 294 | 37 | 46 | 49 |
| Buggies.....do | 122.00 | 107.00 | 70.10 | 64.90 | 114 | 174 | 188 | .30 | .25 | .26 |
| Buggy whips.....do | .72 | .67 | .426 | .404 | 107 | 160 | 178 | 51 | 41 | 41 |
| Calico.....yard | .226 | .207 | .063 | .06 | 109 | 359 | 377 | 163 | 275 | 277 |
| Carbolic acid.....lb | .369 | .360 | | | 102 | | | 100 | | |
| Churns.....each | 2.94 | 2.62 | 2.30 | 2.19 | 112 | 128 | 134 | 13 | 7.5 | 7.6 |

PRICES OF ARTICLES BOUGHT BY FARMERS—Continued.

TABLE 302.—Prices of articles bought by farmers, 1909–1919, and amount purchasable with an acre of crop production—Continued.

| Item. | 1919 | 1918 | 1914 | 1909 | 1919 per cent of— | | | Amount purchasable with average value of 1 acre of crop production. | | |
|----------------------------------|--------|--------|--------|--------|-------------------|------|------|---|------|------|
| | | | | | 1918 | 1914 | 1909 | 1919 | 1914 | 1909 |
| Coal..... ton. | \$9.00 | \$8.11 | \$5.80 | \$5.50 | 111 | 155 | 164 | 4.1 | 3.0 | 3.0 |
| Coal oil..... gall. | .216 | .184 | .139 | .157 | 117 | 155 | 138 | 171 | 125 | 106 |
| Coffee..... lb. | .467 | .310 | .245 | .211 | 151 | 191 | 221 | 79 | 71 | 79 |
| Coppers..... do. | .129 | .121 | | | 104 | | | 26 | | |
| Corn knives..... each. | .58 | .52 | .29 | .27 | 112 | 200 | 215 | 64 | 60 | 62 |
| Cream separators..... do. | 95.00 | 87.00 | 59.30 | 63.10 | 100 | 160 | 151 | .39 | .29 | .26 |
| Dinner plates..... doz. | 1.36 | 1.18 | .57 | .55 | 115 | 239 | 247 | 27 | 30 | 30 |
| Dish pans, tin..... do. | .84 | .74 | .34 | .32 | 114 | 247 | 262 | 44 | 51 | 52 |
| Dung forks..... do. | 1.40 | 1.21 | .76 | .70 | 114 | 184 | 200 | 26 | 23 | 24 |
| Fertilizer, commercial..... ton. | 42.35 | 38.80 | 23.20 | 22.15 | 109 | 183 | 191 | .87 | .75 | .75 |
| Flour..... bbl. | 13.41 | 12.45 | 6.40 | 6.30 | 108 | 210 | 213 | 2.8 | 2.7 | 2.6 |
| Fruit jars..... doz. | 1.15 | 1.06 | .74 | .73 | 108 | 155 | 158 | 32 | 23 | 23 |
| Gasoline..... gall. | .283 | .278 | .179 | .202 | 102 | 158 | 140 | 130 | 97 | 82 |
| Gloves, cotton..... pair. | .262 | .238 | | | 110 | | | 141 | | |
| Gloves, leather..... do. | 1.79 | 1.51 | | | 119 | | | 21 | | |
| Grindstones..... lb. | .048 | .045 | | | 107 | | | 769 | | |
| Halters..... each. | 1.88 | 1.62 | .95 | .85 | 116 | 199 | 221 | 20 | 18 | 20 |
| Harness, single..... do. | 28.60 | 24.10 | 15.25 | 13.50 | 119 | 188 | 212 | 1.3 | 1.1 | 1.2 |
| Hatchets..... do. | 1.29 | 1.09 | .62 | .59 | 118 | 208 | 219 | 29 | 28 | 28 |
| Hats, felt..... do. | 4.27 | 3.35 | 2.03 | 1.94 | 127 | 210 | 220 | 8.6 | 8.5 | 8.6 |
| Hoes..... do. | .85 | .75 | .45 | .41 | 113 | 189 | 207 | 43 | 38 | 41 |
| Horse blankets..... do. | 5.10 | 4.43 | 2.40 | 2.25 | 118 | 212 | 227 | 7.2 | 7.2 | 7.4 |
| Jumpers..... do. | 2.46 | 2.20 | .83 | .77 | 112 | 206 | 319 | 15 | 21 | 22 |
| Kitchen chairs..... do. | 1.65 | 1.42 | .80 | .72 | 116 | 206 | 229 | 22 | 22 | 23 |
| Lamps..... do. | .98 | .86 | .52 | .50 | 114 | 188 | 196 | 38 | 30 | 30 |
| Lanterns..... do. | 1.33 | 1.20 | .80 | .77 | 111 | 166 | 173 | 28 | 22 | 22 |
| Lard..... lb. | .347 | .323 | .141 | .132 | 107 | 246 | 263 | 106 | 123 | 126 |
| Line..... bbl. | 2.64 | 2.30 | 1.36 | 1.29 | 115 | 194 | 205 | 14 | 13 | 13 |
| Linseed oil..... gall. | 2.54 | 2.08 | .82 | .79 | 122 | 310 | 322 | 15 | 21 | 21 |
| Lumber, 1-inch..... 100 ft. | 4.57 | 3.50 | 2.10 | 1.95 | 131 | 218 | 234 | 8.1 | 8.2 | 8.5 |
| Manure spreaders..... each. | 179.70 | 169.40 | 106.70 | 111.60 | 106 | 168 | 161 | .21 | .16 | .15 |
| Men's suits..... do. | 38.10 | 27.60 | 14.00 | 13.15 | 138 | 272 | 290 | .97 | 1.2 | 1.5 |
| Milk cans, 10-gallon..... do. | 6.04 | 5.50 | 2.45 | 2.40 | 110 | 247 | 252 | 6.1 | 7.1 | 6.9 |
| Milk pails..... do. | .88 | .79 | .45 | .43 | 111 | 196 | 205 | 42 | 38 | 39 |
| Mowers..... do. | 84.50 | 79.20 | 46.50 | 44.30 | 107 | 182 | 191 | .44 | .37 | .38 |
| Muslin..... yard. | .31 | .272 | .093 | .09 | 114 | 333 | 344 | 119 | 186 | 185 |
| Nails..... 100 lbs. | 6.25 | 5.97 | 3.40 | 3.34 | 105 | 184 | 187 | 5.9 | 5.1 | 5.0 |
| Overalls..... pair. | 2.55 | 2.26 | .89 | .82 | 113 | 287 | 311 | 14 | 19 | 20 |
| Padlocks..... each. | .49 | .44 | .275 | .27 | 111 | 178 | 181 | 75 | 63 | 62 |
| Paint brushes..... do. | 1.14 | .97 | .54 | .49 | 118 | 211 | 233 | 32 | 32 | 34 |
| Paint, mixed..... gall. | 4.07 | 3.40 | 1.74 | 1.62 | 120 | 234 | 251 | 9.1 | 9.9 | 10.0 |
| Paris green..... lb. | .62 | .62 | .30 | .29 | 100 | 207 | 214 | 60 | 58 | 57 |
| Picks..... each. | 1.42 | 1.22 | .72 | .71 | 116 | 197 | 200 | 26 | 24 | 23 |
| Pincers..... do. | .93 | .87 | .51 | .49 | 107 | 182 | 190 | 40 | 34 | 34 |
| Pitchforks..... do. | 1.30 | 1.14 | .66 | .62 | 114 | 197 | 210 | 28 | 26 | 27 |
| Plows..... do. | 21.00 | 20.00 | 12.10 | 11.50 | 105 | 174 | 183 | 1.8 | 1.4 | 1.4 |
| Portland cement..... 100 lbs. | 1.01 | .96 | .69 | .70 | 105 | 146 | 144 | 37 | 25 | 24 |
| Raincoats..... each. | 9.16 | 7.73 | 4.40 | 4.25 | 118 | 208 | 216 | 4.0 | 3.9 | 3.9 |
| Rope, hemp..... lb. | .368 | .349 | .149 | .135 | 105 | 247 | 273 | 100 | 116 | 123 |
| Rubber boots..... pair. | 5.10 | 5.00 | 3.75 | 3.55 | 102 | 136 | 144 | 7.2 | 4.6 | 4.7 |
| Sacks, grain..... each. | .46 | .43 | .163 | .15 | 107 | 282 | 307 | 80 | 106 | 111 |
| Saddles..... do. | 42.40 | 35.80 | 20.35 | 17.45 | 118 | 208 | 243 | .87 | .85 | .95 |
| Salt, for stock..... bbl. | 3.01 | 2.71 | 1.65 | 1.50 | 111 | 182 | 201 | 12.3 | 10.0 | 11.0 |
| Saws, buck..... each. | 1.77 | 1.54 | .92 | .89 | 115 | 192 | 199 | 21 | 19 | 19 |
| Scythes..... do. | 1.82 | 1.60 | 1.06 | 1.02 | 114 | 172 | 178 | 20 | 16 | 16 |
| Sheeting..... yard. | .57 | .48 | .18 | .17 | 119 | 317 | 335 | 65 | 96 | 98 |
| Shingles..... 1,000 | 7.96 | 5.65 | 3.70 | 3.50 | 141 | 215 | 227 | 4.6 | 4.7 | 4.8 |
| Shirts, flannel..... each. | 3.81 | 3.13 | 1.41 | 1.34 | 122 | 270 | 284 | 9.7 | 12 | 12 |
| Shoes..... pair. | 4.73 | 3.81 | 2.30 | 2.00 | 124 | 206 | 236 | 7.8 | 7.5 | 8.3 |
| Shotguns..... each. | 27.70 | 23.70 | 12.85 | 12.45 | 117 | 216 | 222 | 1.3 | 1.3 | 1.3 |

PRICES OF ARTICLES BOUGHT BY FARMERS—Continued.

TABLE 302.—Prices of articles bought by farmers, 1909–1919, and amount purchasable with an acre of crop production—Continued.

| Item. | 1919 | 1918 | 1914 | 1909 | 1919 per cent of— | | | Amount purchasable with average value of 1 acre of crop production. | | |
|---------------------------------|--------|--------|--------|--------|-------------------|-------|-------|---|-------|-------|
| | | | | | 1918 | 1914 | 1909 | 1919 | 1914 | 1909 |
| Shovels.....do..... | \$1.62 | \$1.42 | \$0.78 | \$0.74 | 114 | 208 | 219 | 23 | 22 | 22 |
| Staples.....100 lbs..... | 6.78 | 6.41 | 3.75 | 3.69 | 106 | 181 | 184 | 5.4 | 4.6 | 4.5 |
| Starch.....lb..... | .118 | .105 | .07 | .07 | 112 | 169 | 169 | 313 | 247 | 241 |
| Steel wire.....100 lbs..... | 6.82 | 6.45 | 3.55 | 3.43 | 106 | 192 | 199 | 5.4 | 4.9 | 4.8 |
| Stoves.....each..... | 47.20 | 44.00 | 24.00 | 22.50 | 107 | 197 | 210 | .78 | .72 | .74 |
| Sugar.....lb..... | .158 | .115 | .069 | .058 | 137 | 229 | 272 | 234 | 251 | 287 |
| Sulphur.....do..... | .119 | .116 | .08 | .075 | 103 | 149 | 159 | 310 | 216 | 222 |
| Tenders.....each..... | 74.30 | 69.40 | 39.50 | 39.00 | 107 | 188 | 191 | .50 | .44 | .43 |
| Tin pails.....do..... | .59 | .53 | .27 | .25 | 111 | 219 | 236 | 63 | 64 | 67 |
| Tobacco, plug.....lb..... | .93 | .75 | .45 | .45 | 124 | 207 | 207 | 40 | 38 | 37 |
| Twine, binder.....do..... | .258 | .265 | .112 | .103 | 97 | 230 | 250 | 143 | 155 | 162 |
| Wagons, double.....each..... | 138.00 | 120.00 | 73.25 | 66.00 | 115 | 188 | 209 | .27 | .24 | .26 |
| Wagons, single.....do..... | 82.50 | 75.00 | 48.00 | 45.50 | 110 | 172 | 181 | .45 | .36 | .37 |
| Walking cultivators.....do..... | 35.20 | 32.90 | | | 107 | | | 1.0 | | |
| Wheelbarrows.....do..... | 5.45 | 4.75 | 2.97 | 2.80 | 115 | 184 | 195 | 6.8 | 5.8 | 5.9 |
| Wire fence.....rod..... | .59 | .57 | .317 | .311 | 104 | 186 | 190 | 63 | 55 | 54 |
| Wooden buckets.....each..... | .99 | .85 | .35 | .31 | 116 | 283 | 319 | 37 | 49 | 54 |
| Wooden washtubs.....do..... | 1.73 | 1.56 | .83 | .77 | 111 | 208 | 225 | 21 | 21 | 22 |

FARM LABOR.

TABLE 303.—Wages of male farm labor by classes and States, 1910 and 1919.

| State and division. | Per month. | | | | Per day at harvest. | | | | Per day other than harvest. | | | |
|------------------------------|----------------|----------------|----------------|----------------|---------------------|---------------|----------------|---------------|-----------------------------|---------------|----------------|---------------|
| | With board. | | Without board. | | With board. | | Without board. | | With board. | | Without board. | |
| | 1919 | 1910 | 1919 | 1910 | 1919 | 1910 | 1919 | 1910 | 1919 | 1910 | 1919 | 1910 |
| Maine..... | \$49.40 | \$23.50 | \$70.00 | \$34.50 | \$3.10 | \$1.50 | \$3.85 | \$1.95 | \$2.70 | \$1.23 | \$3.43 | \$1.60 |
| New Hampshire..... | 44.90 | 23.50 | 69.70 | 35.50 | 2.95 | 1.35 | 3.80 | 1.84 | 2.50 | 1.18 | 3.37 | 1.65 |
| Vermont..... | 45.00 | 25.00 | 65.00 | 35.50 | 3.00 | 1.75 | 3.82 | 2.25 | 2.60 | 1.21 | 3.15 | 1.60 |
| Massachusetts..... | 45.00 | 22.75 | 71.00 | 37.20 | 2.93 | 1.42 | 3.75 | 1.92 | 2.60 | 1.22 | 3.40 | 1.65 |
| Rhode Island..... | 48.00 | 21.00 | 73.00 | 34.00 | 2.60 | 1.35 | 3.50 | 2.05 | 2.40 | 1.12 | 3.20 | 1.56 |
| Connecticut..... | 45.00 | 21.00 | 71.00 | 36.00 | 2.89 | 1.55 | 3.75 | 2.00 | 2.60 | 1.07 | 3.36 | 1.55 |
| New York..... | 43.30 | 23.50 | 62.50 | 35.00 | 3.30 | 1.80 | 4.02 | 2.22 | 2.70 | 1.28 | 3.38 | 1.66 |
| New Jersey..... | 44.00 | 19.50 | 67.00 | 31.50 | 3.20 | 1.70 | 4.10 | 2.15 | 2.58 | 1.11 | 3.32 | 1.46 |
| Pennsylvania..... | 37.80 | 18.75 | 59.00 | 29.00 | 2.95 | 1.50 | 3.71 | 1.96 | 2.45 | 1.04 | 3.20 | 1.49 |
| N. Atlantic..... | 42.18 | 21.65 | 63.39 | 33.19 | 3.09 | 1.63 | 3.86 | 2.08 | 2.59 | 1.17 | 3.30 | 1.58 |
| Delaware..... | 31.00 | 16.00 | 50.50 | 24.75 | 3.50 | 1.35 | 4.00 | 1.55 | 2.50 | .98 | 3.20 | 1.22 |
| Maryland..... | 32.00 | 13.50 | 49.00 | 21.50 | 3.05 | 1.26 | 3.71 | 1.64 | 2.25 | .88 | 2.96 | 1.18 |
| Virginia..... | 31.00 | 14.00 | 45.00 | 19.50 | 2.51 | 1.15 | 3.10 | 1.44 | 1.85 | .78 | 2.42 | 1.01 |
| West Virginia..... | 40.00 | 19.40 | 58.00 | 29.00 | 2.71 | 1.28 | 3.40 | 1.65 | 2.15 | .94 | 2.82 | 1.27 |
| North Carolina..... | 32.40 | 13.60 | 45.00 | 19.50 | 2.41 | 1.03 | 3.01 | 1.28 | 2.00 | .73 | 2.50 | .97 |
| South Carolina..... | 27.00 | 12.00 | 38.40 | 16.50 | 1.94 | .96 | 2.40 | 1.12 | 1.60 | .70 | 2.10 | .90 |
| Georgia..... | 26.70 | 13.00 | 38.50 | 18.00 | 1.90 | .98 | 2.30 | 1.23 | 1.67 | .73 | 2.15 | .95 |
| Florida..... | 28.00 | 15.00 | 45.00 | 25.00 | 1.72 | 1.10 | 2.30 | 1.46 | 1.62 | .96 | 2.22 | 1.32 |
| S. Atlantic..... | 30.54 | 13.77 | 44.03 | 19.75 | 2.28 | 1.07 | 2.82 | 1.33 | 1.85 | .77 | 2.39 | 1.01 |
| Ohio..... | 39.40 | 21.00 | 56.20 | 29.00 | 3.47 | 1.67 | 4.22 | 2.07 | 2.66 | 1.20 | 3.38 | 1.57 |
| Indiana..... | 38.15 | 20.50 | 53.30 | 28.40 | 3.50 | 1.70 | 4.30 | 2.07 | 2.53 | 1.14 | 3.21 | 1.45 |
| Illinois..... | 43.50 | 24.50 | 58.50 | 32.90 | 3.88 | 1.90 | 4.63 | 2.30 | 2.72 | 1.31 | 3.42 | 1.68 |
| Michigan..... | 42.00 | 23.00 | 60.00 | 33.00 | 3.50 | 1.64 | 4.30 | 2.10 | 2.80 | 1.22 | 3.60 | 1.66 |
| Wisconsin..... | 48.70 | 26.00 | 69.00 | 37.25 | 3.30 | 1.76 | 4.02 | 2.20 | 2.90 | 1.35 | 3.63 | 1.78 |
| N. C. E. Miss. R..... | 42.12 | 22.94 | 58.90 | 31.81 | 3.56 | 1.75 | 4.32 | 2.16 | 2.71 | 1.24 | 3.44 | 1.61 |

FARM LABOR—Continued.

TABLE 303.—Wages of male farm labor by classes and States, 1910 and 1919—Continued.

| State and division. | Per month. | | | | Per day at harvest. | | | | Per day other than harvest. | | | |
|-----------------------|-------------|---------|----------------|---------|---------------------|--------|----------------|--------|-----------------------------|--------|----------------|--------|
| | With board. | | Without board. | | With board. | | Without board. | | With board. | | Without board. | |
| | 1919 | 1910 | 1919 | 1910 | 1919 | 1910 | 1919 | 1910 | 1919 | 1910 | 1919 | 1910 |
| Minnesota..... | \$53.70 | \$26.00 | \$75.00 | \$38.00 | \$4.30 | \$2.23 | \$5.15 | \$2.65 | \$3.32 | \$1.48 | \$4.25 | \$1.90 |
| Iowa..... | 55.00 | 28.00 | 71.43 | 39.00 | 4.46 | 2.12 | 5.20 | 2.51 | 3.46 | 1.57 | 4.24 | 1.98 |
| Missouri..... | 37.00 | 21.50 | 50.90 | 29.50 | 3.45 | 1.55 | 4.35 | 1.93 | 2.15 | 1.02 | 2.75 | 1.32 |
| North Dakota..... | 56.00 | 29.00 | 79.30 | 42.00 | 4.85 | 2.40 | 5.85 | 3.03 | 3.50 | 1.60 | 4.50 | 2.20 |
| South Dakota..... | 65.00 | 27.00 | 88.00 | 39.00 | 4.95 | 2.35 | 6.00 | 2.95 | 3.90 | 1.54 | 5.00 | 2.00 |
| Nebraska..... | 56.80 | 26.50 | 77.50 | 38.00 | 5.25 | 2.14 | 6.25 | 2.60 | 3.85 | 1.57 | 4.75 | 1.96 |
| Kansas..... | 49.50 | 24.00 | 65.50 | 34.00 | 5.42 | 2.18 | 6.05 | 2.57 | 3.71 | 1.42 | 4.47 | 1.84 |
| N. C. W. Miss. R..... | 50.29 | 25.10 | 68.10 | 35.45 | 4.48 | 2.01 | 5.33 | 2.43 | 3.22 | 1.38 | 4.03 | 1.77 |
| Kentucky..... | 33.00 | 16.00 | 46.00 | 23.10 | 2.70 | 1.36 | 3.35 | 1.71 | 1.84 | .85 | 2.34 | 1.12 |
| Tennessee..... | 29.00 | 14.00 | 41.40 | 20.00 | 2.20 | 1.14 | 2.70 | 1.44 | 1.63 | .77 | 2.12 | 1.02 |
| Alabama..... | 25.50 | 13.00 | 36.50 | 18.50 | 1.80 | .98 | 2.30 | 1.26 | 1.65 | .85 | 2.10 | 1.05 |
| Mississippi..... | 26.50 | 13.30 | 38.00 | 19.50 | 1.77 | .93 | 2.30 | 1.22 | 1.81 | .83 | 2.32 | 1.10 |
| Louisiana..... | 30.20 | 13.50 | 43.10 | 20.25 | 2.10 | .90 | 2.56 | 1.25 | 2.00 | .77 | 2.42 | 1.02 |
| Texas..... | 38.80 | 18.00 | 55.20 | 24.50 | 3.10 | 1.22 | 3.68 | 1.57 | 2.50 | 1.04 | 3.15 | 1.32 |
| Oklahoma..... | 40.50 | 19.10 | 60.60 | 28.10 | 4.00 | 1.60 | 4.80 | 1.97 | 2.95 | 1.11 | 3.68 | 1.47 |
| Arkansas..... | 31.70 | 16.25 | 45.60 | 24.00 | 2.50 | 1.20 | 3.10 | 1.55 | 1.90 | .90 | 2.45 | 1.20 |
| S. Central..... | 32.42 | 15.28 | 46.47 | 21.90 | 2.56 | 1.14 | 3.14 | 1.47 | 2.06 | .89 | 2.61 | 1.15 |
| Montana..... | 62.20 | 38.00 | 89.00 | 50.00 | 4.00 | 2.05 | 4.95 | 2.80 | 3.25 | 1.77 | 4.35 | 2.36 |
| Wyoming..... | 60.50 | 35.00 | 86.10 | 49.00 | 3.65 | 1.90 | 4.70 | 2.50 | 3.13 | 1.73 | 4.25 | 2.29 |
| Colorado..... | 55.50 | 29.50 | 81.00 | 44.50 | 3.60 | 1.95 | 4.60 | 2.47 | 3.00 | 1.47 | 3.95 | 2.00 |
| New Mexico..... | 40.50 | 24.50 | 59.20 | 34.25 | 2.50 | 1.46 | 3.20 | 1.88 | 2.20 | 1.12 | 2.80 | 1.58 |
| Arizona..... | 60.00 | 30.00 | 83.00 | 40.00 | 2.90 | 1.72 | 3.65 | 2.24 | 2.60 | 1.34 | 3.30 | 2.04 |
| Utah..... | 70.00 | 35.00 | 92.00 | 47.50 | 3.40 | 1.78 | 4.10 | 2.20 | 3.10 | 1.55 | 3.90 | 2.00 |
| Nevada..... | 68.00 | 37.00 | 93.00 | 54.00 | 3.65 | 1.82 | 4.45 | 2.38 | 2.85 | 1.39 | 3.90 | 1.96 |
| Idaho..... | 69.00 | 35.00 | 93.60 | 49.50 | 4.00 | 2.20 | 4.95 | 2.80 | 3.45 | 1.70 | 4.50 | 2.27 |
| Washington..... | 66.30 | 33.00 | 91.00 | 50.00 | 4.50 | 2.42 | 5.40 | 2.78 | 3.55 | 1.72 | 4.60 | 2.26 |
| Oregon..... | 64.00 | 32.00 | 87.00 | 44.50 | 4.00 | 2.12 | 4.85 | 2.60 | 3.10 | 1.51 | 4.10 | 2.07 |
| California..... | 66.30 | 33.00 | 91.20 | 47.00 | 3.84 | 1.98 | 4.69 | 2.48 | 2.99 | 1.44 | 3.90 | 2.02 |
| Far Western..... | 62.96 | 32.69 | 87.12 | 46.48 | 3.80 | 2.02 | 4.67 | 2.52 | 3.08 | 1.51 | 4.02 | 2.06 |
| United States..... | 39.82 | 19.21 | 56.29 | 27.50 | 3.15 | 1.45 | 3.83 | 1.82 | 2.45 | 1.06 | 3.12 | 1.83 |

TABLE 304.—Wages of classes of male farm labor, yearly, in United States, 1866-1919.

| Year. | By the month. | | Day labor at harvest. | | Day labor not harvest. | |
|-----------|---------------|----------------|-----------------------|----------------|------------------------|----------------|
| | With board. | Without board. | With board. | Without board. | With board. | Without board. |
| 1919..... | \$39.82 | \$56.29 | \$3.15 | \$3.83 | \$2.45 | \$3.12 |
| 1918..... | 34.92 | 48.80 | 2.65 | 3.22 | 2.07 | 2.63 |
| 1917..... | 28.87 | 40.43 | 2.08 | 2.54 | 1.56 | 2.02 |
| 1916..... | 23.25 | 32.83 | 1.69 | 2.07 | 1.26 | 1.62 |
| 1915..... | 21.26 | 30.15 | 1.56 | 1.92 | 1.13 | 1.47 |
| 1914..... | 21.05 | 29.88 | 1.55 | 1.91 | 1.13 | 1.45 |
| 1913..... | 21.38 | 30.31 | 1.57 | 1.94 | 1.16 | 1.50 |
| 1912..... | 20.81 | 29.58 | 1.54 | 1.87 | 1.14 | 1.47 |
| 1911..... | 20.18 | 28.77 | 1.49 | 1.85 | 1.09 | 1.42 |
| 1910..... | 19.21 | 27.50 | 1.34 | 1.82 | 1.06 | 1.38 |
| 1902..... | 16.40 | 22.14 | 1.12 | 1.53 | .80 | 1.13 |
| 1899..... | 14.07 | 20.22 | 1.05 | 1.37 | .77 | 1.01 |
| 1898..... | 13.43 | 19.38 | .92 | 1.30 | .72 | .96 |
| 1905..... | 12.02 | 17.69 | .93 | 1.14 | .62 | .81 |
| 1894..... | 12.16 | 17.74 | .93 | 1.13 | .63 | .81 |
| 1893..... | 13.29 | 19.10 | 1.02 | 1.30 | .67 | .89 |
| 1892..... | 12.54 | 18.60 | 1.02 | 1.30 | .68 | .92 |
| 1900..... | 12.45 | 18.33 | 1.02 | 1.30 | .67 | .92 |
| 1888..... | 12.36 | 18.24 | 1.02 | 1.31 | .67 | .91 |
| 1885..... | 12.34 | 17.97 | 1.10 | 1.40 | .67 | .91 |
| 1882..... | 12.41 | 18.94 | 1.15 | 1.48 | .67 | .93 |
| 1879..... | 10.43 | 16.42 | 1.00 | 1.30 | .59 | .81 |
| 1875..... | 12.72 | 19.87 | 1.35 | 1.70 | .78 | 1.08 |
| 1869..... | 16.55 | 25.92 | 1.74 | 2.20 | 1.02 | 1.41 |
| 1866..... | 17.45 | 26.87 | 1.74 | 2.20 | 1.08 | 1.49 |

HOW FARM LABOR IS HIRED.

Of the total labor hired on farms of the United States, the percentage which is hired by the month, by the day, with board and without board, is estimated as follows, based upon reports of crop reporters of the Bureau of Crop Estimates:

TABLE 305.—Percentage of total hired labor, by divisions.

| Item. | United States. | North Atlantic. ¹ | North Central, east. ² | North Central, west. ³ | South Atlantic. ⁴ | South Central. ⁵ | West. ⁶ |
|-------------------------------|-----------------|------------------------------|-----------------------------------|-----------------------------------|------------------------------|-----------------------------|--------------------|
| Hired by the— | | | | | | | |
| Month— | <i>Percent.</i> | <i>Percent.</i> | <i>Percent.</i> | <i>Percent.</i> | <i>Percent.</i> | <i>Percent.</i> | <i>Percent.</i> |
| With board..... | 36.1 | 39.3 | 44.8 | 52.7 | 33.7 | 29.0 | 37.4 |
| Without board..... | 15.5 | 16.5 | 15.1 | 9.4 | 17.2 | 17.0 | 9.5 |
| Day, excluding extra harvest— | | | | | | | |
| With board..... | 15.3 | 14.2 | 15.5 | 13.8 | 17.4 | 14.8 | 13.7 |
| Without board..... | 15.7 | 13.7 | 9.2 | 4.8 | 16.6 | 21.0 | 14.9 |
| Day, harvest labor— | | | | | | | |
| With board..... | 10.5 | 9.9 | 10.8 | 15.9 | 8.3 | 9.7 | 16.9 |
| Without board..... | 6.9 | 7.3 | 4.6 | 3.4 | 6.8 | 8.5 | 7.6 |
| | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Hired with board..... | 61.9 | 62.5 | 71.1 | 82.4 | 59.4 | 53.5 | 68.0 |
| Hired without board..... | 38.1 | 37.5 | 28.9 | 17.6 | 40.6 | 46.5 | 32.0 |

¹ Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania.

² Ohio, Indiana, Illinois, Michigan, Wisconsin.

³ Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas.

⁴ Delaware, Maryland, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida.

⁵ Kentucky, Tennessee, Alabama, Mississippi, Louisiana, Texas, Oklahoma, Arkansas.

⁶ Montana, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Idaho, Washington, Oregon, California.

FARM AND LABOR INCOME.

TABLE 306.—Average farm income and labor income on farms in the various areas studied by the Office of Farm Management.

Farm income: The difference between receipts and expenses. It represents the amount of money available for the farmer's living above the value of family labor, provided he has no interest to pay on mortgages or other debts.

Labor income: The amount that the farmer has left for his labor after 5 per cent interest on the farm investment is deducted from the farm income. It represents what he earned as a result of his year's labor after the earning power of his investment has been deducted. In addition to the labor income the farmer received a house to live in, fuel (when cut from the farm), garden products, milk, butter, eggs, etc.

| Areas. | Year. | Number of farms. | Average farm income. | Average labor income. |
|---|-----------------|------------------|----------------------|-----------------------|
| Cass and Menard Counties, Ill..... | 1910 | 73 | \$3,176 | \$622 |
| Guthrie and Green Counties, Iowa..... | 1910 | 77 | 1,450 | 291 |
| Chester County, Pa..... | 1911 | 378 | 1,313 | 789 |
| Lenawee County, Mich..... | 1911 | 300 | 1,068 | 481 |
| Muck-land farms of northern Indiana and southern Michigan..... | 1914 | 100 | 1,917 | 1,072 |
| Cut-over lands of Michigan, Wisconsin, and Minnesota. | 1914 | 801 | 391 | 49 |
| Barry and Lawrence Counties, Mo..... | 1914 | 244 | 822 | 370 |
| Anderson County, S. C..... | 1914 | 112 | 557 | 110 |
| Brooks County, Ga..... | 1914 | 106 | 952 | 502 |
| New England: | | | | |
| Southern New England..... | 1914 | 719 | 837 | 392 |
| Northern New England..... | 1914 | 441 | 864 | 436 |
| Southern Maine..... | 1914 | 415 | 491 | 202 |
| Frederick County, Md..... | 1915 | 150 | 1,380 | 368 |
| Mercer County, Pa..... | 1916 | 349 | 668 | 235 |
| Small farms around Washington, D. C..... | 1916 | 152 | 700 | 408 |
| Irrigated farms in southern Arizona..... | 1913-1915 | 446 | 2,370 | 713 |
| Utah Lake Valley, Utah..... | 1913 | 69 | 867 | 417 |
| Do..... | 1914 | 75 | 1,312 | 728 |
| Sumter County, Ga..... | 1913 | 268 | 1,662 | 471 |
| Do..... | 1918 | 280 | 3,710 | 1,817 |
| Washington County, Ohio (average of 7 years) ¹ | 1912-1918 | 175 | 606 | 272 |
| Clinton County, Ind. (average of 7 years)..... | 1910, 1913-1918 | 700 | 1,824 | 533 |
| Dane County, Wis. (average of 5 years) ² | 1913-1917 | 300 | 1,293 | 408 |
| Gloucester County, N. J. (average of 3 years)..... | 1914-1916 | 375 | 1,536 | 1,013 |
| Polk County, Fla. (average of 2 years) ² | 1917-1918 | 105 | 1,916 | 843 |
| Hillsboro County, Fla. (average of 2 years) ² | 1917-1918 | 232 | 849 | 562 |
| Frederick County, Va. (average of 2 years) ² | 1916-1917 | 302 | 2,776 | 1,478 |
| Salt Lake Valley, Utah..... | 1915 | 428 | 778 | 162 |
| Total..... | | 8,172 | | |

¹ Same area repeated after a lapse of 5 years.

² Surveys being continued over a period of years.

VALUE OF PLOW LANDS.

TABLE 307.—Value of plow lands, by States, 1917-1920.

| State. | Average of poor plow lands. | | | Average of good plow lands. | | | Average of all plow lands. | | | |
|---------------------|-----------------------------|---------|---------|-----------------------------|---------|---------|----------------------------|---------|---------|---------|
| | 1920 | 1919 | 1918 | 1920 | 1919 | 1918 | 1920 | 1919 | 1918 | 1917 |
| Maine..... | \$30.00 | \$24.00 | \$24.00 | \$56.00 | \$50.00 | \$48.00 | \$42.00 | \$37.00 | \$35.00 | \$34.00 |
| New Hampshire..... | 24.00 | 23.00 | 21.00 | 64.00 | 54.00 | 52.00 | 42.00 | 39.00 | 39.00 | 37.00 |
| Vermont..... | 30.00 | 30.00 | 28.00 | 69.00 | 64.00 | 64.00 | 48.00 | 44.00 | 44.00 | 42.00 |
| Massachusetts..... | 40.00 | 41.00 | 41.00 | 103.00 | 92.00 | 92.00 | 72.00 | 68.00 | 68.00 | 64.00 |
| Rhode Island..... | 50.00 | 47.00 | 46.00 | 105.00 | 92.00 | 90.00 | 85.00 | 73.00 | 70.00 | 62.00 |
| Connecticut..... | 35.00 | 37.00 | 37.00 | 100.00 | 80.00 | 75.00 | 60.00 | 55.00 | 52.00 | 53.00 |
| New York..... | 39.00 | 38.00 | 33.00 | 84.00 | 80.00 | 75.00 | 64.00 | 60.00 | 58.00 | 55.00 |
| New Jersey..... | 50.00 | 50.00 | 58.00 | 104.00 | 103.00 | 108.00 | 80.00 | 76.00 | 78.00 | 69.00 |
| Pennsylvania..... | 40.00 | 38.00 | 37.00 | 86.00 | 79.00 | 79.00 | 66.00 | 60.00 | 58.00 | 57.00 |
| Delaware..... | 44.00 | 36.00 | 35.00 | 86.00 | 70.00 | 68.00 | 66.00 | 55.00 | 59.00 | 55.00 |
| Maryland..... | 46.00 | 39.00 | 33.00 | 82.00 | 66.00 | 61.00 | 60.00 | 53.00 | 47.00 | 48.00 |
| Virginia..... | 34.00 | 31.00 | 29.00 | 73.00 | 62.00 | 61.00 | 53.00 | 47.00 | 43.00 | 36.50 |
| West Virginia..... | 32.00 | 29.00 | 28.00 | 75.00 | 64.00 | 64.00 | 51.00 | 44.00 | 43.00 | 38.50 |
| North Carolina..... | 42.00 | 31.00 | 29.00 | 87.00 | 67.00 | 58.00 | 63.00 | 50.00 | 42.00 | 35.00 |
| South Carolina..... | 41.00 | 27.00 | 23.00 | 82.00 | 56.00 | 45.00 | 61.00 | 45.00 | 36.00 | 33.00 |
| Georgia..... | 30.00 | 24.50 | 20.00 | 63.00 | 49.30 | 40.00 | 46.00 | 37.50 | 28.00 | 27.50 |
| Florida..... | 23.00 | 21.00 | 21.00 | 53.00 | 48.00 | 42.00 | 36.00 | 33.00 | 32.00 | 27.50 |
| Ohio..... | 69.00 | 63.00 | 61.00 | 132.00 | 113.00 | 107.00 | 105.00 | 91.00 | 86.00 | 80.00 |
| Indiana..... | 80.00 | 68.00 | 67.00 | 150.00 | 126.00 | 120.00 | 119.00 | 100.00 | 96.00 | 87.00 |
| Illinois..... | 115.00 | 100.00 | 94.00 | 213.00 | 170.00 | 160.00 | 170.00 | 144.00 | 132.00 | 120.00 |
| Michigan..... | 41.00 | 40.00 | 38.00 | 80.00 | 76.00 | 75.00 | 64.00 | 61.00 | 60.00 | 55.00 |
| Wisconsin..... | 66.00 | 60.00 | 56.00 | 125.00 | 110.00 | 100.00 | 100.00 | 99.00 | 82.00 | 80.00 |
| Minnesota..... | 73.00 | 59.00 | 54.00 | 120.00 | 88.00 | 85.00 | 100.00 | 78.00 | 75.00 | 68.00 |
| Iowa..... | 157.00 | 129.00 | 119.00 | 257.00 | 196.00 | 180.00 | 219.00 | 169.00 | 154.00 | 140.00 |
| Missouri..... | 60.00 | 51.00 | 47.00 | 110.00 | 91.00 | 83.00 | 87.00 | 72.00 | 66.00 | 60.00 |
| North Dakota..... | 31.00 | 27.50 | 26.00 | 49.00 | 43.00 | 41.00 | 43.00 | 37.00 | 35.00 | 33.00 |
| South Dakota..... | 67.00 | 50.00 | 41.00 | 108.00 | 77.00 | 63.00 | 90.00 | 67.00 | 56.00 | 54.00 |
| Nebraska..... | 85.00 | 67.00 | 60.00 | 150.00 | 115.00 | 100.00 | 125.00 | 95.00 | 80.00 | 74.00 |
| Kansas..... | 50.00 | 44.00 | 42.00 | 90.00 | 77.00 | 74.00 | 70.00 | 61.00 | 58.00 | 53.00 |
| Kentucky..... | 42.00 | 37.00 | 31.00 | 95.00 | 80.00 | 65.00 | 70.00 | 61.00 | 50.00 | 41.00 |
| Tennessee..... | 40.00 | 31.00 | 30.00 | 90.00 | 75.00 | 67.00 | 60.00 | 53.00 | 48.00 | 41.00 |
| Alabama..... | 20.00 | 17.00 | 15.00 | 43.00 | 33.00 | 30.00 | 30.00 | 24.00 | 21.00 | 17.00 |
| Mississippi..... | 23.00 | 16.00 | 15.00 | 49.00 | 33.50 | 31.00 | 35.00 | 25.50 | 23.00 | 20.00 |
| Louisiana..... | 34.00 | 25.00 | 26.00 | 65.00 | 44.00 | 45.00 | 50.00 | 33.00 | 33.00 | 25.00 |
| Texas..... | 36.00 | 27.00 | 30.00 | 72.00 | 58.00 | 57.00 | 56.00 | 46.00 | 45.00 | 38.00 |
| Oklahoma..... | 30.00 | 24.00 | 23.00 | 63.00 | 51.00 | 48.00 | 47.00 | 38.00 | 35.00 | 30.00 |
| Arkansas..... | 26.00 | 22.00 | 20.00 | 65.00 | 50.00 | 45.00 | 45.00 | 38.00 | 31.00 | 27.00 |
| Montana..... | 21.00 | 21.00 | 22.00 | 48.00 | 45.00 | 45.00 | 36.00 | 34.00 | 35.00 | 31.50 |
| Wyoming..... | 34.00 | 26.00 | 25.00 | 70.00 | 53.00 | 49.00 | 53.00 | 43.00 | 41.00 | 30.00 |
| Colorado..... | 40.00 | 36.00 | 35.00 | 88.00 | 80.00 | 74.00 | 66.00 | 60.00 | 55.00 | 55.00 |
| New Mexico..... | 30.00 | 30.00 | 25.00 | 60.00 | 60.00 | 60.00 | 45.00 | 45.00 | 42.00 | 36.00 |
| Arizona..... | 90.00 | 60.00 | 52.00 | 180.00 | 125.00 | 116.00 | 130.00 | 100.00 | 98.00 | 85.00 |
| Utah..... | 60.00 | 55.00 | 48.00 | 135.00 | 125.00 | 113.00 | 103.00 | 95.00 | 86.00 | 70.00 |
| Nevada..... | 46.00 | 50.00 | 42.00 | 110.00 | 110.00 | 110.00 | 80.00 | 85.00 | 80.00 | 60.00 |
| Idaho..... | 60.00 | 50.00 | 43.00 | 135.00 | 98.00 | 89.00 | 105.00 | 76.00 | 70.00 | 58.00 |
| Washington..... | 68.00 | 60.00 | 56.00 | 150.00 | 121.00 | 122.00 | 115.00 | 95.00 | 94.00 | 80.00 |
| Oregon..... | 60.00 | 53.00 | 53.00 | 130.00 | 108.00 | 111.00 | 100.00 | 81.00 | 84.00 | 70.00 |
| California..... | 70.00 | 69.00 | 66.00 | 175.00 | 165.00 | 168.00 | 130.00 | 121.00 | 120.00 | 110.00 |
| United States..... | 60.76 | 51.26 | 47.86 | 113.34 | 91.83 | 85.48 | 90.01 | 74.31 | 68.38 | 62.17 |

INDEX NUMBERS.

TABLE 308.—Index numbers of prices of meat animals, monthly and average, 1910–1919.

| Date. | 1919 | 1918 | 1917 | 1916 | 1915 | 1914 | 1913 | 1912 | 1911 | 1910 | Average. |
|----------------------------|-------|-------|-------|------|------|------|------|------|------|------|----------|
| Jan. 15..... | 13.46 | 12.59 | 8.53 | 6.46 | 6.57 | 7.05 | 6.40 | 5.44 | 6.40 | 6.68 | 7.96 |
| Feb. 15..... | 13.51 | 12.65 | 9.42 | 6.94 | 6.46 | 7.27 | 6.70 | 5.54 | 6.19 | 6.71 | 8.14 |
| Mar. 15..... | 14.06 | 13.08 | 10.70 | 7.53 | 6.46 | 7.37 | 7.08 | 5.69 | 6.09 | 7.39 | 8.54 |
| Apr. 15..... | 15.01 | 13.55 | 11.71 | 7.85 | 6.59 | 7.40 | 7.35 | 6.30 | 5.80 | 7.74 | 8.93 |
| May 15..... | 15.34 | 13.83 | 11.84 | 7.98 | 6.80 | 7.29 | 7.08 | 6.39 | 5.54 | 7.37 | 8.95 |
| June 15..... | 14.98 | 13.62 | 11.72 | 8.00 | 6.85 | 7.22 | 7.19 | 6.27 | 5.45 | 7.29 | 8.86 |
| July 15..... | 15.61 | 13.68 | 11.47 | 8.04 | 6.83 | 7.41 | 7.25 | 6.23 | 5.52 | 6.98 | 8.90 |
| Aug. 15..... | 13.44 | 14.21 | 11.84 | 8.05 | 6.74 | 7.63 | 7.20 | 6.56 | 5.87 | 6.67 | 9.03 |
| Sept. 15..... | 15.56 | 14.50 | 12.79 | 8.38 | 6.77 | 7.58 | 7.15 | 6.74 | 5.87 | 6.92 | 9.01 |
| Oct. 15..... | 12.22 | 13.79 | 13.04 | 8.04 | 6.96 | 7.14 | 7.14 | 6.86 | 5.58 | 6.80 | 8.76 |
| Nov. 15..... | 11.88 | 13.37 | 12.47 | 8.09 | 6.45 | 6.80 | 6.94 | 6.45 | 5.44 | 6.47 | 8.44 |
| Dec. 15..... | 11.54 | 13.40 | 12.74 | 8.15 | 6.25 | 6.61 | 6.85 | 6.42 | 5.37 | 6.21 | 8.35 |
| Average ¹ | 13.59 | 13.49 | 11.56 | 7.77 | 6.63 | 7.19 | 7.00 | 6.25 | 5.77 | 6.90 | 8.62 |

¹ Weighted average.

MEAT PRODUCTION, IMPORTS, EXPORTS, AND CONSUMPTION.

Production of dressed-weight meat in calendar years estimated by the Bureau of Crop Estimates for 1900, ascertained by the Bureau of the Census for 1909, estimated by the Bureau of Animal Industry for 1914–1918; edible offal estimated by the Bureau of Crop Estimates for all years from these percentages of dressed weight: Beef, including veal, 17.78 per cent; mutton, including lamb, 5 per cent; pork, including lard, 15.66 per cent. Some of the foreign trade numbers are approximate averages, and the small numbers of meat animals in this trade are not included. Beef statistics include veal; mutton includes lamb and goat; pork includes lard.

TABLE 309.—Meat production, imports, exports, and consumption, 1900–1918.

| Class of meat. | 1900 | 1909 | 1914 | 1916 | 1917 | 1918 |
|--|------------|------------|------------|------------|------------|------------|
| Production, dressed weight, and edible offal, in pounds (000 omitted): | | | | | | |
| Beef..... | 8,962,805 | 9,545,343 | 7,159,738 | 7,857,031 | 8,528,929 | 9,796,929 |
| Mutton..... | 616,385 | 646,277 | 776,371 | 665,667 | 508,468 | 558,318 |
| Pork..... | 9,286,245 | 9,532,453 | 10,141,684 | 12,245,809 | 9,773,386 | 13,010,577 |
| Total..... | 18,865,435 | 19,724,073 | 18,077,793 | 20,768,507 | 18,810,783 | 23,365,824 |
| Trend of production since 1900 (1900=100): | | | | | | |
| Beef..... | 100.0 | 106.5 | 79.9 | 87.7 | 95.2 | 109.3 |
| Mutton..... | 100.0 | 104.9 | 126.0 | 108.0 | 82.5 | 90.6 |
| Pork..... | 100.0 | 102.7 | 109.2 | 131.9 | 105.2 | 140.1 |
| Total..... | 100.0 | 104.6 | 95.8 | 110.1 | 99.7 | 123.9 |
| Per capita production, in pounds: | | | | | | |
| Beef..... | 117.9 | 105.4 | 72.6 | 77.1 | 82.4 | 93.2 |
| Mutton..... | 8.1 | 7.1 | 7.9 | 6.5 | 4.9 | 5.3 |
| Pork..... | 122.2 | 105.3 | 102.8 | 120.2 | 94.4 | 123.8 |
| Total..... | 248.2 | 217.8 | 183.3 | 203.8 | 181.8 | 222.3 |
| Each class of meat as a percentage of total in production, in percentages: | | | | | | |
| Beef..... | 47.5 | 48.4 | 39.6 | 37.8 | 45.3 | 41.9 |
| Mutton..... | 3.3 | 3.3 | 4.3 | 3.2 | 2.7 | 2.4 |
| Pork..... | 49.2 | 48.3 | 56.1 | 59.0 | 52.0 | 55.7 |
| Total..... | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Imports, in pounds (000 omitted): | | | | | | |
| Beef..... | 2,530 | 4,500 | 258,848 | 40,425 | 27,641 | 30,296 |
| Mutton..... | | | 19,876 | 17,235 | 5,624 | 608 |
| Pork..... | | 500 | 26,835 | 1,171 | 2,821 | 3,585 |
| Total..... | 2,500 | 5,000 | 305,559 | 58,831 | 36,086 | 34,489 |

MEAT PRODUCTION, IMPORTS, EXPORTS, AND CONSUMPTION—Con.

TABLE 309.—Meat production, imports, exports, and consumption, 1900–1918—Con.

| Class of meat. | 1900 | 1909 | 1914 | 1916 | 1917 | 1918 |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Domestic exports, in pounds (000 omitted): | | | | | | |
| Beef..... | 857,542 | 499,828 | 165,756 | 396,442 | 408,430 | 796,785 |
| Mutton..... | 600 | 1,600 | 3,847 | 5,258 | 2,862 | 1,031 |
| Pork..... | 1,602,662 | 1,003,223 | 853,816 | 1,468,457 | 1,319,309 | 2,263,465 |
| Total..... | 2,460,804 | 1,504,651 | 1,023,419 | 1,870,157 | 1,730,601 | 3,061,881 |
| Excess of domestic exports over imports, in pounds (000 omitted): | | | | | | |
| Beef..... | 855,042 | 495,328 | 193,092 | 356,017 | 380,789 | 766,458 |
| Mutton..... | 600 | 1,600 | 116,029 | 111,977 | 12,762 | 1,023 |
| Pork..... | 1,602,662 | 1,002,723 | 826,981 | 1,467,286 | 1,316,488 | 2,259,880 |
| Total..... | 2,458,304 | 1,499,651 | 717,860 | 1,811,326 | 1,694,515 | 3,027,392 |
| Excess of domestic exports over imports as a percentage of production, in percentages: | | | | | | |
| Beef..... | 9.5 | 5.2 | 11.3 | 4.5 | 4.5 | 7.8 |
| Mutton..... | .1 | .2 | 12.1 | 11.8 | 1.5 | .2 |
| Pork..... | 17.3 | 10.5 | 8.2 | 12.0 | 18.5 | 17.4 |
| Total..... | 13.0 | 7.6 | 4.0 | 8.7 | 9.0 | 13.0 |
| Domestic exports of animal fats and oils, in pounds (000 omitted): | | | | | | |
| Beef..... | 245,000 | 200,000 | 100,657 | 118,756 | 52,810 | 92,788 |
| Pork..... | 655,000 | 450,000 | 460,580 | 456,603 | 384,655 | 556,474 |
| Total..... | 900,000 | 650,000 | 561,237 | 575,359 | 437,465 | 649,262 |
| Domestic exports of animal fats and oils as a percentage of domestic exports of total meat, in percentages: | | | | | | |
| Beef..... | 28.6 | 40.0 | 60.7 | 30.0 | 12.9 | 11.6 |
| Pork..... | 40.9 | 44.9 | 83.9 | 31.1 | 29.2 | 24.6 |
| Total..... | 36.6 | 43.2 | 54.8 | 30.8 | 25.3 | 21.2 |
| Consumption, dressed weight and edible offal, in pounds (000 omitted): | | | | | | |
| Beef..... | 8,107,783 | 9,050,015 | 7,252,830 | 7,501,014 | 8,148,140 | 9,030,440 |
| Mutton..... | 615,785 | 644,677 | 792,400 | 677,644 | 511,230 | 557,295 |
| Pork..... | 7,683,683 | 8,529,730 | 9,314,703 | 10,778,523 | 8,456,898 | 10,750,697 |
| Total..... | 16,407,151 | 18,224,422 | 17,359,933 | 18,957,181 | 17,116,268 | 20,338,432 |
| Trend of consumption since 1900 (1900=100): | | | | | | |
| Beef..... | 100.0 | 111.6 | 89.5 | 92.5 | 100.5 | 111.4 |
| Mutton..... | 100.0 | 104.7 | 128.7 | 110.0 | 83.0 | 90.5 |
| Pork..... | 100.0 | 111.0 | 121.2 | 140.3 | 110.1 | 139.9 |
| Total..... | 100.0 | 111.1 | 105.8 | 115.5 | 104.3 | 124.0 |
| Per capita consumption, in pounds: | | | | | | |
| Beef..... | 106.7 | 99.9 | 73.5 | 73.6 | 78.7 | 85.9 |
| Mutton..... | 8.1 | 7.1 | 8.0 | 6.7 | 4.9 | 5.3 |
| Pork..... | 101.1 | 94.2 | 94.4 | 105.8 | 81.7 | 102.3 |
| Total..... | 215.9 | 201.1 | 176.0 | 186.1 | 165.4 | 193.5 |

¹ Excess of imports over domestic exports.

SECTIONAL MEAT CONSUMPTION IN THE UNITED STATES.

By the processes of arriving at the meat consumption of this country, followed by the census method and by the estimates made in the Department of Agriculture, it has been impossible to determine what it is in any part of the Nation. Only a national average could be obtained. To provide information for each of the divisions into which the country is customarily divided, the Bureau of Crop Estimates has appealed to many of its local crop correspondents to make careful estimates of per capita consumption, with subdivision of the people of their districts into urban and rural, and estimates for each class. The request was for "pounds of dressed weight as would be sold by the butcher." The resulting averages for the United States, urban and rural combined, are approximately the same as those secured by national statistics and estimates of slaughter, reduced by the exported national surplus—lower for beef and higher for the other classes of meat. The interest of the investigation is chiefly in the geographic differences, and in the comparison between farm and town consumption; these can be observed in the accompanying table. Estimates were made for poultry as well as for "meat."

TABLE 310.—Estimated per capita meat consumption.

| Class. | Total. | Beef. | Veal. | Mutton. | Pork. | Poultry. |
|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> | <i>Pounds.</i> |
| URBAN. | | | | | | |
| North Atlantic..... | 166.8 | 64.0 | 13.5 | 10.9 | 61.5 | 16.9 |
| North Central, east..... | 176.8 | 75.6 | 11.6 | 7.3 | 69.3 | 13.0 |
| North Central, west..... | 181.4 | 77.5 | 11.7 | 6.8 | 67.2 | 18.2 |
| South Atlantic..... | 158.4 | 55.1 | 5.7 | 5.4 | 76.3 | 16.0 |
| South Central..... | 178.4 | 66.1 | 4.4 | 8.7 | 79.7 | 19.5 |
| Western..... | 177.8 | 76.2 | 16.3 | 13.6 | 60.5 | 11.2 |
| Total..... | 171.6 | 68.3 | 11.8 | 9.3 | 66.3 | 15.8 |
| RURAL. | | | | | | |
| North Atlantic..... | 174.7 | 47.1 | 10.7 | 7.6 | 85.5 | 23.9 |
| North Central, east..... | 196.2 | 48.3 | 7.2 | 5.8 | 109.9 | 25.1 |
| North Central, west..... | 212.7 | 57.4 | 6.3 | 3.8 | 113.1 | 32.0 |
| South Atlantic..... | 172.4 | 28.5 | 3.2 | 4.4 | 117.6 | 18.7 |
| South Central..... | 182.4 | 28.6 | 1.7 | 6.9 | 121.3 | 23.9 |
| Western..... | 188.2 | 64.7 | 9.3 | 15.8 | 81.5 | 16.9 |
| Total..... | 187.1 | 41.6 | 5.4 | 6.5 | 109.7 | 23.9 |
| TOTAL POPULATION. | | | | | | |
| North Atlantic..... | 168.8 | 59.6 | 12.8 | 10.0 | 67.7 | 18.7 |
| North Central, east..... | 186.0 | 62.7 | 9.5 | 6.6 | 88.5 | 13.7 |
| North Central, west..... | 202.3 | 64.1 | 8.1 | 4.8 | 97.8 | 27.4 |
| South Atlantic..... | 168.9 | 35.2 | 3.8 | 4.7 | 107.1 | 18.0 |
| South Central..... | 181.6 | 30.3 | 2.3 | 7.3 | 112.8 | 23.0 |
| Western..... | 183.1 | 70.3 | 12.7 | 14.7 | 71.3 | 14.1 |
| Total..... | 179.9 | 54.0 | 8.4 | 7.8 | 89.6 | 20.2 |

States included in the different divisions are: North Atlantic—Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania; North Central, east—Ohio, Indiana, Illinois, Michigan, Wisconsin; North Central, west—Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas; South Atlantic—Delaware, Maryland, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida; South Central—Kentucky, Tennessee, Alabama, Mississippi, Louisiana, Texas, Oklahoma, Arkansas; Western—Montana, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Idaho, Washington, Oregon, California.

TABLE 311.—United States foreign trade in meat animals and meat products, 1904-1919.

The following tabulation gives in round numbers the domestic exports and imports of meat animals, meats, and meat products yearly since 1904. Numbers of animals are given in thousands, i. e., 000 omitted. Quantities of meats and fats are given in millions of pounds, i. e., 000,000 omitted.

[United States Bureau of Foreign and Domestic Commerce.]

| Year ending June 30— | Cattle. | | Sheep. | | Swine. | Meats. | | Fats and oils. | |
|----------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|-----------|
| | Ex-ports. | Im-ports. | Ex-ports. | Im-ports. | Ex-ports. | Ex-ports. | Im-ports. | Ex-ports. | Im-ports. |
| 1904..... | 593 | 16 | 301 | 238 | 6 | 1,815 | 1 | 810 | 1 |
| 1905..... | 568 | 28 | 268 | 187 | 44 | 1,802 | 3 | 827 | 3 |
| 1906..... | 584 | 29 | 113 | 241 | 59 | 2,206 | 2 | 1,061 | 2 |
| 1907..... | 423 | 32 | 135 | 225 | 24 | 1,968 | 2 | 958 | 1 |
| 1908..... | 319 | 92 | 101 | 225 | 31 | 1,828 | 2 | 912 | 1 |
| 1909..... | 208 | 139 | 68 | 103 | 19 | 1,484 | 4 | 767 | 4 |
| 1910..... | 139 | 196 | 45 | 126 | 4 | 1,037 | 11 | 523 | 8 |
| 1911..... | 150 | 183 | 121 | 53 | 9 | 1,193 | 9 | 687 | 6 |
| 1912..... | 106 | 318 | 157 | 22 | 19 | 1,356 | 11 | 766 | 5 |
| 1913..... | 25 | 425 | 187 | 15 | 15 | 1,196 | 15 | 695 | 10 |
| 1914..... | 18 | 872 | 153 | 224 | 10 | 1,115 | 205 | 630 | 5 |
| 1915..... | 5 | 539 | 47 | 153 | 8 | 1,544 | 226 | 620 | 2 |
| 1916..... | 21 | 439 | 52 | 236 | 22 | 1,956 | 101 | 602 | 1 |
| 1917..... | 13 | 375 | 59 | 160 | 22 | 1,950 | 22 | 566 | 1 |
| 1918..... | 18 | 204 | 8 | 178 | 9 | 1,840 | 30 | 476 | 7 |
| 1919..... | 42 | 440 | 16 | 163 | 17 | 2,476 | 199 | 848 | 12 |

RAILWAY FREIGHT TONNAGE.

TABLE 312.—*Tonnage carried on railways in the United States, 1915-1918.*¹

| Product. | Year ending June 30— | | Year ending Dec. 31— | | |
|--|-----------------------|--------------------|----------------------|--------------------|--------------------|
| | Class I and II roads. | | Class I roads. | | |
| | 1915 | 1916 | 1916 | 1917 | 1918 |
| FARM PRODUCTS. | | | | | |
| Animal matter: | <i>Short tons.</i> | <i>Short tons.</i> | <i>Short tons.</i> | <i>Short tons.</i> | <i>Short tons.</i> |
| Animals, live..... | 15,021,432 | 16,963,922 | 17,294,304 | 17,905,829 | 17,257,034 |
| Packing-house products— | | | | | |
| Dressed meats..... | 2,503,317 | 2,656,235 | 2,807,571 | 2,965,709 | 3,713,766 |
| Hides and leather..... | 1,149,930 | 1,400,858 | 1,396,132 | 1,357,265 | 1,302,754 |
| Other packing-house products. | 2,540,376 | 2,774,708 | 2,633,043 | 2,566,603 | 3,510,231 |
| Total packing-house products..... | 6,193,623 | 6,831,801 | 6,836,746 | 6,889,577 | 8,526,751 |
| Poultry (including game and fish)..... | 861,670 | 1,016,484 | 1,096,624 | 1,022,472 | 1,154,040 |
| Wool..... | 370,426 | 503,248 | 504,927 | 499,054 | 493,651 |
| Other animal matter..... | 4,212,584 | 4,629,143 | 4,740,560 | 5,541,214 | 6,338,483 |
| Total animal matter..... | 26,659,735 | 29,944,598 | 30,473,161 | 31,858,146 | 35,769,959 |
| Vegetable matter: | | | | | |
| Cotton..... | 5,012,705 | 4,052,241 | 4,212,062 | 3,552,222 | 3,550,117 |
| Fruit and vegetable..... | 17,898,288 | 18,192,083 | 17,621,285 | 17,678,958 | 18,735,809 |
| Grain and grain products— | | | | | |
| Grain..... | 53,446,686 | 57,686,165 | 55,684,841 | 46,372,019 | 55,866,640 |
| Grain products— | | | | | |
| Flour..... | 9,596,763 | 10,472,225 | 10,318,960 | 10,065,219 | 10,587,769 |
| Other grain products..... | 8,036,745 | 7,992,496 | 8,234,081 | 8,413,089 | 8,630,062 |
| Total grain and grain products..... | 71,080,194 | 76,150,886 | 74,237,872 | 64,850,327 | 75,094,471 |
| Hay..... | 7,649,093 | 7,312,879 | 7,243,164 | 8,314,485 | 8,239,412 |
| Sugar..... | 3,727,194 | 3,917,381 | 3,762,495 | 4,235,353 | 4,204,165 |
| Tobacco..... | 1,051,648 | 1,085,843 | 1,016,198 | 1,028,771 | 1,159,572 |
| Other vegetable matter..... | 10,347,913 | 8,988,002 | 9,304,818 | 9,204,495 | 9,256,889 |
| Total vegetable matter..... | 116,767,035 | 119,699,295 | 117,397,894 | 108,864,611 | 120,230,435 |
| Total farm products..... | 143,426,770 | 149,643,893 | 147,871,055 | 140,722,757 | 156,000,394 |
| OTHER FREIGHT. | | | | | |
| Products of mines..... | 556,581,950 | 706,029,210 | 680,122,775 | 732,655,519 | 734,790,653 |
| Products of forests..... | 93,971,282 | 106,856,873 | 93,819,387 | 100,838,196 | 97,042,938 |
| Manufactures..... | 132,410,447 | 182,916,449 | 185,024,643 | 188,795,813 | 176,197,263 |
| All other (including all freight in less than carload lots)..... | 76,013,494 | 92,776,482 | 95,162,207 | 101,006,438 | 99,031,942 |
| Total tonnage..... | 1,002,403,943 | 1,238,222,907 | 1,202,000,037 | 1,264,018,723 | 1,263,063,190 |

¹ Compiled from reports of the Interstate Commerce Commission. Original shipments only, excluding freight received by each railway from connecting railways and other carriers. Figures exclude the relatively small tonnage originating on railroads of Class III (roads having operating revenues of less than \$1,000,000 a year), except that for the calendar years 1916 and 1917 only Class I roads are included (roads having annual operating revenues in excess of \$1,000,000).

FARM TRACTORS.

[Manufacturers' estimate, furnished by the Bureau of Public Roads.]

TABLE 313.—*Farm tractors in the United States.*

| | <i>Number.</i> |
|--|----------------|
| On hand Dec. 31, 1917..... | 15,525 |
| Manufactured during 1918..... | 132,697 |
| Sold in United States during 1918..... | 96,470 |
| Sold for export during 1918..... | 36,351 |
| On hand Dec. 31, 1918..... | 314,896 |

FARM TRACTORS—Continued.

TABLE 313.—Tractors of different (belt-rated) horsepower manufactured 1918 and 1919.

| Makers rating belt— | 1918 | 1919 ¹ | Makers rating belt— | 1918 | 1919 ¹ |
|--------------------------------|---------|-------------------|------------------------------------|---------|-------------------|
| | Number. | Number. | | Number. | Number. |
| 9, 10, 12 horsepower..... | 1, 141 | 8, 220 | 35 and 36 horsepower..... | | 5, 435 |
| 16 and 18 horsepower..... | 20, 629 | 48, 545 | 40 and 50 horsepower..... | 1, 331 | |
| 20 and 22 horsepower..... | 72, 238 | 157, 671 | 40, 45, 50 horsepower..... | | 1, 780 |
| 24 and 25 horsepower..... | | 40, 875 | 60, 65, 70, 80 horsepower..... | 913 | |
| 24, 25, 26 horsepower..... | 20, 616 | | 60, 65, 70, 75, 80 horsepower..... | | 1, 536 |
| 27, 28, 30, 32 horsepower..... | 2, 212 | 27, 465 | Not given..... | 6, 658 | 23, 409 |

¹ Estimated.

WAGON AND MOTOR-TRUCK HAULS.

TABLE 314.—Wagon and motor-truck hauls from farms to shipping points, 1906 and 1918.

| Item. | Distance. | Round trips per day. | Load. | | | Cost of hauling per ton per mile. | | |
|---|-----------|----------------------|--------------------|----------|---------|-----------------------------------|--------|---------|
| | | | Corn. ¹ | Wheat. | Cotton. | Corn. | Wheat. | Cotton. |
| United States: | Miles. | Number. | Bushels. | Bushels. | Bales. | Cents. | Cents. | Cents. |
| Motor trucks, 1918..... | 11.3 | 3.4 | 58 | 84 | 6.6 | 15 | 15 | 18 |
| Wagons, 1918..... | 9.0 | 1.2 | 39 | 56 | 3.6 | 33 | 30 | 48 |
| Wagons, 1906..... | 9.7 | 1.2 | 39 | 55 | 3.4 | 19 | 19 | 27 |
| <i>Geographic division.²</i> | | | | | | | | |
| New England: | | | | | | | | |
| Motor trucks, 1918..... | 10.0 | 4.5 | 62 | 60 | | 11 | 14 | |
| Wagons, 1918..... | 7.2 | 1.8 | 38 | 45 | | 39 | 38 | |
| Wagons, 1906..... | 7.2 | 1.7 | | | | | | |
| Middle Atlantic: | | | | | | | | |
| Motor trucks, 1918..... | 12.2 | 3.4 | 69 | 78 | | 14 | 14 | |
| Wagons, 1918..... | 7.6 | 1.6 | 39 | 47 | | 39 | 38 | |
| Wagons, 1906..... | 6.5 | 1.7 | 41 | 48 | | 24 | 26 | |
| South Atlantic: | | | | | | | | |
| Motor trucks, 1918..... | 9.8 | 4.0 | 45 | 57 | 6.0 | 19 | 18 | 20 |
| Wagons, 1918..... | 8.4 | 1.4 | 29 | 36 | 3.5 | 41 | 39 | 48 |
| Wagons, 1906..... | 9.9 | 1.2 | 35 | 42 | 3.1 | 28 | 24 | 27 |
| North Central, east: | | | | | | | | |
| Motor trucks, 1918..... | 9.3 | 4.8 | 64 | 90 | | 11 | 9 | |
| Wagons, 1918..... | 6.3 | 2.0 | 41 | 54 | | 29 | 26 | |
| Wagons, 1906..... | 7.0 | 1.8 | 40 | 48 | | 16 | 18 | |
| North Central, west: | | | | | | | | |
| Motor trucks, 1918..... | 10.1 | 3.8 | 54 | 84 | | 18 | 14 | |
| Wagons, 1918..... | 7.9 | 1.5 | 42 | 57 | | 33 | 29 | |
| Wagons, 1906..... | 8.7 | 1.4 | 39 | 52 | | 17 | 16 | |
| South Central, east: | | | | | | | | |
| Motor trucks, 1918..... | 12.9 | 3.2 | 58 | 86 | 7.6 | 12 | 10 | 13 |
| Wagons, 1918..... | 10.4 | 1.0 | 26 | 38 | 3.2 | 45 | 36 | 52 |
| Wagons, 1906..... | 11.1 | 1.0 | 29 | 37 | 3.0 | 24 | 23 | 31 |
| South Central, west: | | | | | | | | |
| Motor trucks, 1918..... | 13.0 | 2.9 | 57 | 72 | 6.7 | 17 | 15 | 20 |
| Wagons, 1918..... | 10.9 | 1.0 | 26 | 46 | 3.8 | 49 | 32 | 47 |
| Wagons, 1906..... | 12.6 | .9 | 29 | 38 | 3.8 | 22 | 21 | 26 |
| Rocky Mountain: | | | | | | | | |
| Motor trucks, 1918..... | 21.0 | 1.2 | 48 | 70 | | 36 | 29 | |
| Wagons, 1918..... | 20.2 | .4 | 46 | 66 | | 52 | 42 | |
| Wagons, 1906..... | 16.8 | .7 | 49 | 60 | | 16 | 20 | |
| Pacific: | | | | | | | | |
| Motor trucks, 1918..... | 12.3 | 2.9 | 74 | 105 | | 20 | 17 | |
| Wagons, 1918..... | 11.2 | 1.4 | 71 | 67 | | 23 | 22 | |
| Wagons, 1906..... | 11.5 | 1.1 | 45 | 76 | | 28 | 21 | |

¹ Not shelled.

² The geographic divisions are—New England: Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut; Middle Atlantic: New York, New Jersey, Pennsylvania; South Atlantic: Delaware, Maryland, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida; North Central east of the Mississippi River: Ohio, Indiana, Illinois, Michigan, Wisconsin; North Central west of the Mississippi River: Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas; South Central east of the Mississippi River: Kentucky, Tennessee, Alabama, Mississippi; South Central west of the Mississippi River: Louisiana, Texas, Oklahoma, Arkansas; Rocky Mountain: Montana, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Idaho; Pacific: Washington, Oregon, California.

RURAL AND AGRICULTURAL POPULATION.

TABLE 315.—*Rural and agricultural population in various countries.*

| Country. | Rural population. | | | Population dependent upon agriculture. | | |
|----------------------------|-------------------|------------|-------------------------------|--|-------------|-------------------------------|
| | Year. | Number. | Per cent of total population. | Year. | Number. | Per cent of total population. |
| United States..... | 1910 | 49,348,883 | 53.7 | | | |
| Austria-Hungary: | | | | | | |
| Austria..... | | | | 1900 | 13,447,362 | 51.4 |
| Hungary..... | | | | 1900 | 13,061,118 | 67.8 |
| Total Austria-Hungary..... | | | | 1900 | 26,508,480 | 58.4 |
| Belgium..... | 1910 | 1,654,277 | 22.3 | | | |
| British India..... | | | | 1901 | 191,691,731 | 65.1 |
| Bulgaria..... | | | | 1905 | 3,089,301 | 76.6 |
| Denmark..... | 1911 | 1,647,350 | 59.7 | 1911 | 1,023,962 | 37.1 |
| Finland..... | | | | 1900 | 1,555,357 | 57.3 |
| France..... | 1906 | 22,715,011 | 57.9 | 1891 | 17,435,888 | 45.7 |
| Germany..... | | | | 1907 | 17,089,496 | 27.7 |
| Norway..... | | | | 1900 | 854,787 | 38.5 |
| Portugal..... | 1890 | 3,458,996 | 68.5 | 1900 | 3,367,199 | 62.1 |
| Roumania..... | 1900 | 4,836,904 | 81.2 | | | |
| Russia: | | | | | | |
| Caucasus..... | | | | 1897 | 7,266,428 | 78.2 |
| Central Asia..... | | | | 1897 | 6,361,466 | 82.1 |
| Poland..... | | | | 1897 | 5,302,850 | 56.4 |
| Russia proper..... | | | | 1897 | 69,470,360 | 74.3 |
| Siberia..... | | | | 1897 | 4,448,456 | 77.2 |
| Total Russia..... | | | | 1897 | 92,849,560 | 73.9 |
| Serbia..... | | | | 1900 | 2,097,988 | 84.2 |
| Sweden..... | | | | 1900 | 2,344,612 | 45.6 |
| Switzerland..... | 1900 | 1,047,795 | 31.6 | 1900 | 1,067,905 | 32.2 |
| United Kingdom: | | | | | | |
| England and Wales..... | 1911 | 7,907,556 | 21.9 | | | |

TABLE 316.—*Number of persons engaged in agriculture in various countries.*

| Country. | Year. | Males. | | Females. | | Total persons engaged in agriculture. | |
|-----------------------------|-------|------------|---------------------------------------|------------|---|---------------------------------------|---|
| | | Number. | Per cent of males in all occupations. | Number. | Per cent of females in all occupations. | Number. | Per cent of persons in all occupations. |
| United States..... | 1910 | 10,582,039 | 35.2 | 1,806,584 | 22.4 | 12,388,623 | 32.5 |
| Algeria..... | 1881 | 636,078 | 74.8 | 91,602 | 53.7 | 727,680 | 71.3 |
| Argentina..... | 1895 | 318,149 | 28.0 | 67,174 | 13.4 | 385,323 | 23.6 |
| Australia..... | 1901 | 377,626 | 29.5 | 39,029 | 11.1 | 416,655 | 25.6 |
| Austria-Hungary..... | 1900 | 8,185,250 | 58.5 | 5,935,805 | 70.3 | 14,121,055 | 63.0 |
| Belgium..... | 1900 | 533,665 | 23.6 | 163,707 | 17.6 | 697,372 | 21.9 |
| Bolivia..... | 1900 | | | | | 564,09 | 43.5 |
| British India..... | 1901 | 63,026,365 | 67.3 | 27,867,210 | 66.5 | 90,893,575 | 67.1 |
| British North Borneo..... | 1901 | | | | | 32,492 | 64.2 |
| Bulgaria..... | 1905 | 895,206 | 73.3 | 837,406 | 94.9 | 1,732,612 | 82.4 |
| Canada..... | 1901 | 707,997 | 45.4 | 8,940 | 3.7 | 716,937 | 39.9 |
| Ceylon..... | 1901 | 745,074 | 65.0 | 318,551 | 65.4 | 1,063,625 | 65.1 |
| Chile..... | 1907 | 448,546 | 50.3 | 21,877 | 6.2 | 470,423 | 37.7 |
| Cuba..... | 1907 | 364,821 | 52.2 | 3,110 | 4.2 | 367,931 | 47.6 |
| Cyprus..... | 1901 | 33,611 | 62.8 | 2,757 | 20.8 | 36,368 | 54.5 |
| Denmark..... | 1911 | 386,016 | 45.7 | 110,169 | 28.5 | 496,185 | 40.3 |
| Egypt..... | 1907 | 2,258,005 | 67.2 | 57,144 | 33.3 | 2,315,149 | 65.6 |
| Federated Malay States..... | 1901 | 115,027 | 28.2 | 52,324 | 82.7 | 167,351 | 35.5 |
| Finland..... | 1900 | 321,538 | 51.4 | 102,008 | 39.6 | 423,546 | 48.0 |
| Formosa..... | 1905 | 763,456 | 70.6 | 263,664 | 82.4 | 1,027,120 | 73.3 |
| France..... | 1906 | 5,452,392 | 41.9 | 3,324,661 | 43.2 | 8,777,053 | 42.4 |
| Germany..... | 1907 | 5,146,723 | 27.7 | 4,585,749 | 48.3 | 9,732,472 | 34.6 |

RURAL AND AGRICULTURAL POPULATION—Continued.

TABLE 316.—Number of persons engaged in agriculture in various countries—Contd.

| Country. | Year. | Males. | | Females. | | Total persons engaged in agriculture. | |
|----------------------------|-------|------------|---------------------------------------|-----------|---|---------------------------------------|---|
| | | Number. | Per cent of males in all occupations. | Number. | Per cent of females in all occupations. | Number. | Per cent of persons in all occupations. |
| Greece..... | 1907 | 321,120 | 47.3 | 6,572 | 12.2 | 328,092 | 44.6 |
| Grenada..... | 1901 | 8,816 | 57.1 | 7,722 | 49.7 | 16,538 | 53.4 |
| Italy..... | 1901 | 6,370,277 | 57.9 | 3,196,063 | 60.5 | 9,566,340 | 58.8 |
| Jamaica..... | 1911 | | | | | 271,493 | 66.1 |
| Malta and Gozo..... | 1901 | 10,235 | 13.3 | 3,613 | 15.8 | 13,848 | 13.9 |
| Mauritius..... | 1901 | 72,463 | 57.1 | 5,989 | 38.0 | 78,482 | 55.0 |
| Netherlands..... | 1899 | 490,694 | 32.9 | 79,584 | 18.4 | 570,278 | 29.6 |
| New Zealand..... | 1911 | 103,644 | 28.5 | 7,472 | 8.3 | 111,116 | 24.5 |
| Norway..... | 1910 | | | | | 307,528 | 33.4 |
| Philippine Islands..... | 1903 | 1,163,777 | 57.8 | 90,286 | 8.8 | 1,254,063 | 41.3 |
| Porto Rico..... | 1899 | 196,893 | 73.3 | 1,868 | 3.9 | 198,761 | 62.8 |
| Portugal..... | 1900 | 1,127,268 | 65.3 | 380,293 | 52.0 | 1,507,561 | 61.4 |
| Russia: | | | | | | | |
| In Europe..... | 1897 | 13,808,505 | 59.6 | 1,974,164 | 38.0 | 15,782,669 | 55.6 |
| In Asia..... | 1897 | 2,092,965 | 69.2 | 105,137 | 30.5 | 2,198,102 | 65.3 |
| Total..... | 1897 | 15,901,470 | 60.7 | 2,079,301 | 37.5 | 17,980,771 | 56.7 |
| St. Lucia..... | 1901 | | | | | 15,716 | 54.1 |
| Serbia..... | 1900 | 311,700 | 65.5 | 13,524 | 50.5 | 325,224 | 64.7 |
| Sierra Leone..... | 1901 | 8,705 | 28.7 | 4,544 | 21.7 | 13,249 | 26.9 |
| Spain..... | 1900 | 3,741,730 | 58.1 | 775,270 | 51.8 | 4,517,000 | 56.9 |
| Sweden..... | 1900 | 761,016 | 52.4 | 333,264 | 53.8 | 1,094,280 | 52.8 |
| Switzerland..... | 1900 | 392,971 | 37.1 | 80,326 | 16.1 | 473,297 | 30.4 |
| Trinidad and Tobago..... | 1901 | 51,744 | 54.7 | 25,765 | 39.3 | 77,509 | 48.4 |
| Union of South Africa..... | 1904 | 863,223 | 56.3 | 847,057 | 77.5 | 1,710,280 | 65.1 |
| United Kingdom..... | 1901 | 2,109,812 | 16.3 | 152,642 | 2.9 | 2,262,454 | 12.4 |

AGRICULTURAL LAND.

TABLE 317.—Total area and agricultural land in various countries.

(As classified and reported by the International Institute of Agriculture.)

| Country. | Year. | Total area. | Productive land. ¹ | | Cultivated land. ² | |
|----------------------------|---------|--------------------------------|-------------------------------|--------------------------|-------------------------------|--------------------------|
| | | | Amount. | Per cent of total area. | Amount. | Per cent of total area. |
| NORTH AMERICA. | | | | | | |
| United States..... | 1910 | <i>Acres.</i> 1,903,269,000 | <i>Acres.</i> 878,789,000 | <i>Per cent.</i> 46.2 | <i>Acres.</i> 293,794,000 | <i>Per cent.</i> 15.4 |
| Canada..... | 1901 | 2,397,082,000 | 63,420,000 | 2.6 | 19,880,000 | .8 |
| Costa Rica..... | 1909-10 | 13,343,000 | 3,090,000 | 23.2 | 442,000 | 3.3 |
| Cuba..... | 1899 | 28,299,000 | 8,717,000 | 30.8 | 778,000 | 2.7 |
| SOUTH AMERICA. | | | | | | |
| Argentina..... | 1909-10 | 729,575,000 | 537,805,000 | 73.7 | 44,446,000 | 6.1 |
| Chile..... | 1910-11 | 187,145,000 | 15,144,000 | 8.1 | 2,557,000 | 1.4 |
| Uruguay..... | 1908 | 46,189,000 | 40,875,000 | 88.5 | 1,962,000 | 4.2 |
| EUROPE. | | | | | | |
| Austria-Hungary: | | | | | | |
| Austria..... | 1911 | 74,132,000 | 69,939,000 | 94.3 | 26,272,000 | 35.4 |
| Hungary..... | 1910 | 89,272,000 | 77,225,000 | 96.2 | 35,178,000 | 43.8 |
| Total Austria-Hungary..... | | 154,404,000 | 147,164,000 | 95.3 | 61,450,000 | 39.8 |

¹ Includes, besides cultivated land, also natural meadows and pastures, forests, wood lots, and lands devoted to cultivated trees and shrubs.² Includes fallow lands; also artificial grasslands.³ The figure for "productive land" in Chile excludes marshes, heaths, and productive but uncared-for lands.

AGRICULTURAL LAND—Continued.

TABLE 317.—Total area and agricultural land in various countries—Continued.

| Country. | Year. | Total area. | Productive land. | | Cultivated land. | | |
|----------------------------|-----------|----------------|------------------|-------------------------|------------------|-------------------------|--|
| | | | Amount. | Per cent of total area. | Amount. | Per cent of total area. | |
| EUROPE—continued. | | | | | | | |
| Belgium..... | 1895 | 7,278,000 | 6,443,000 | 88.5 | 3,582,000 | 49.2 | |
| Bulgaria..... | 1910 | 23,807,000 | 18,959,000 | 79.6 | 8,574,000 | 36.0 | |
| Denmark..... | 1907 | 9,629,000 | 9,078,000 | 94.3 | 6,376,000 | 66.2 | |
| Finland..... | 1901 | 82,113,000 | | | 3,875,000 | 4.7 | |
| France..... | 1910 | 139,854,000 | 123,642,000 | 94.5 | 59,124,000 | 45.2 | |
| Germany..... | 1900 | 133,594,000 | 126,401,000 | 94.6 | 63,689,000 | 47.7 | |
| Italy..... | 1911 | 79,839,000 | 65,164,000 | 92.0 | 33,815,000 | 47.7 | |
| Luxemburg..... | 1911 | 639,000 | 616,000 | 96.4 | 300,000 | 46.9 | |
| Netherlands..... | 1911 | 8,057,000 | 7,258,000 | 90.1 | 2,210,000 | 27.4 | |
| Norway..... | 1907 | 79,810,000 | 22,942,000 | 28.7 | 1,830,000 | 2.3 | |
| Portugal..... | 1912 | 22,018,000 | 17,281,000 | 78.5 | 5,777,000 | 26.2 | |
| Roumania..... | 1905 | 32,167,000 | 24,645,000 | 76.6 | 14,829,000 | 46.1 | |
| Russia, European..... | 1911 | 1,278,203,000 | 698,902,000 | 54.7 | 245,755,000 | 19.2 | |
| Serbia..... | 1897 | 11,936,000 | 6,246,000 | 52.3 | 2,534,000 | 21.2 | |
| Spain..... | 1908-1911 | 124,666,000 | 112,665,000 | 90.4 | 41,264,000 | 33.1 | |
| Sweden..... | 1911 | 110,667,000 | 65,196,000 | 58.9 | 9,144,000 | 5.9 | |
| Switzerland..... | 1905 | 10,211,000 | 7,635,000 | 74.8 | 605,000 | 8.3 | |
| United Kingdom: | | | | | | | |
| Great Britain..... | 1911 | 56,802,000 | 47,737,000 | 84.0 | 14,587,000 | 25.7 | |
| Ireland..... | 1911 | 20,350,000 | 18,789,000 | 92.3 | 3,275,000 | 16.1 | |
| Total United Kingdom..... | | 77,152,000 | 66,526,000 | 86.2 | 17,862,000 | 23.2 | |
| ASIA. | | | | | | | |
| British India..... | 1910-11 | 615,695,000 | 465,706,000 | 75.6 | 264,858,000 | 43.0 | |
| Formosa..... | 1911 | 8,858,000 | 1,972,000 | 22.3 | 1,884,000 | 21.3 | |
| Japan..... | 1911 | 94,495,000 | 74,180,000 | 78.5 | 17,639,000 | 18.7 | |
| Russia, Asiatic..... | 1911 | 4,028,001,000 | 715,838,000 | 17.8 | 33,860,000 | .8 | |
| AFRICA. | | | | | | | |
| Algeria..... | 1910 | 124,976,000 | 50,846,000 | 40.7 | 11,434,000 | 9.1 | |
| Egypt..... | 1912 | 222,390,000 | 5,486,000 | 2.5 | 5,457,000 | 2.5 | |
| Tunis..... | 1912 | 30,888,000 | 22,239,000 | 72.0 | 6,919,000 | 22.4 | |
| Union of South Africa..... | 1909-10 | 302,827,000 | 3,569,000 | 1.2 | 3,385,000 | 1.1 | |
| OCEANIA. | | | | | | | |
| Australia..... | 1910-11 | 1,903,664,000 | 119,942,000 | 6.3 | 14,987,000 | .8 | |
| New Zealand..... | 1910 | 66,469,000 | 57,310,000 | 86.2 | 6,955,000 | 10.5 | |
| Total, 36 countries..... | | 15,071,209,000 | 4,591,691,000 | 30.5 | 1,313,832,000 | 8.7 | |

¹ The figure for "cultivated land" in Switzerland excludes artificial meadows and pastures.

NATIONAL FORESTS.

TABLE 318.—National Forests: Timber disposed of, quantity, price, and number of users, revenue under specified heads, and details of grazing privileges, years ended June 30, 1915 to 1919.

[Reported by the Forest Service.]

| Item. | Year ended June 30— | | | | |
|---|---------------------|---------|-----------|-----------|---------|
| | 1915 | 1916 | 1917 | 1918 | 1919 |
| Free timber given: | | | | | |
| Number of users..... | 40,040 | 42,055 | 41,427 | 38,073 | 34,617 |
| Timber cut..... M ft. | 123,259 | 119,483 | 113,073 | 98,376 | 90,798 |
| Value..... dolls. | 206,597 | 184,715 | 149,802 | 128,866 | 113,117 |
| Timber sales: | | | | | |
| Number..... | 10,905 | 10,840 | 11,608 | 13,037 | 12,592 |
| Quantity..... M ft. | 1,093,589 | 906,906 | 2,008,087 | 1,453,299 | 799,476 |
| Price per thousand board feet (average)..... dolls. | 2.44 | 1.98 | 1.85 | 2.28 | 2.30 |

NATIONAL FORESTS—Continued.

TABLE 318.—*National Forests: Timber disposed of, quantity, price, and number of users, revenue under specified heads, and details of grazing privileges, years ended June 30, 1915, to 1919—Continued.*

| Item. | Year ended June 30— | | | | |
|--|----------------------|--------------------|--------------------|---------------------|---------------------|
| | 1915 | 1916 | 1917 | 1918 | 1919 |
| Grazing: | | | | | |
| Number of permits..... | 30, 610 | 33, 328 | 36, 638 | 39, 113 | 39, 152 |
| Kinds of stock— | | | | | |
| Cattle..... | 1, 627, 321 | 1, 758, 764 | 1, 953, 198 | 2, 137, 854 | 2, 135, 527 |
| Goats..... | 51, 409 | 43, 268 | 49, 939 | 57, 968 | 60, 789 |
| Hogs..... | 2, 792 | 2, 968 | 2, 306 | 3, 371 | 5, 154 |
| Horses..... | 96, 933 | 96, 903 | 98, 880 | 102, 156 | 93, 251 |
| Sheep..... | 7, 232, 276 | 7, 843, 205 | 7, 586, 034 | 8, 454, 240 | 7, 935, 174 |
| Total..... | 9, 010, 731 | 9, 747, 108 | 9, 690, 357 | 10, 755, 589 | 10, 229, 896 |
| Special use and water-power permits | | | | | |
| | 5, 657 | 5, 251 | 6, 056 | 5, 819 | 5, 191 |
| Revenue: | | | | | |
| From— | | | | | |
| Timber sales..... | 1, 211, 985 | 1, 367, 111 | 1, 595, 873 | 1, 519, 867 | 1, 503, 367 |
| Timber settlements ¹ | 3, 181 | 2, 299 | 17, 102 | 99, 502 | 8, 939 |
| Timber trespass..... | 7, 284 | 37, 712 | 18, 870 | 2, 330 | 8, 623 |
| Turpentine sales..... | 8, 915 | 14, 402 | 8, 156 | 8, 334 | 13, 220 |
| Turpentine trespass..... | | | | | 692 |
| Fire trespass..... | 661 | 5, 471 | 52, 514 | 3, 618 | 5, 259 |
| Occupancy trespass..... | | | | 1, 207 | 689 |
| Special uses..... | 78, 691 | 85, 235 | 108, 329 | 119, 979 | 136, 134 |
| Grazing fees..... | 1, 130, 175 | 1, 202, 405 | 1, 544, 714 | * 1, 702, 585 | 2, 556, 962 |
| Grazing trespass..... | 5, 818 | 7, 810 | 5, 061 | 23, 532 | 52, 206 |
| Water power..... | 89, 104 | 101, 096 | 106, 389 | 93, 976 | 72, 322 |
| Total revenue, dollars..... | * 2, 535, 814 | 2, 823, 541 | 3, 457, 028 | 3, 574, 930 | 4, 358, 415 |

¹ Includes timber taken in the exercise of permits for rights of way, development of power, etc.

* Includes \$296 from sale of live stock.

* Refunds during year, \$54,575.

TABLE 319.—*Area of National Forest lands, June 30, 1919.*

[Reported by the Forest Service.]

| State and forest. | Net area. | State and forest. | Net area. |
|-----------------------------|---------------------|-----------------------------|---------------------|
| Alabama: | Acres. | California: | Acres. |
| Alabama..... | 36, 418 | Angeles..... | 817, 441 |
| Alaska: | | California..... | 807, 408 |
| Chugach..... | 5, 124, 826 | Cleveland..... | 547, 851 |
| Tongass..... | 15, 449, 717 | Crater ¹ | 47, 097 |
| Total..... | 20, 574, 543 | Eldorado ¹ | 549, 060 |
| Arizona: | | Inyo ¹ | 1, 191, 209 |
| Apache..... | 1, 182, 179 | Klamath ¹ | 1, 498, 824 |
| Coconino..... | 1, 650, 095 | Lassen..... | 936, 957 |
| Coronado ¹ | 1, 305, 698 | Modoc..... | 1, 186, 273 |
| Crook..... | 870, 106 | Mono ¹ | 785, 701 |
| Dixie ¹ | 17, 680 | Monterey..... | 320, 281 |
| Kaibab..... | 752, 339 | Plumas..... | 1, 144, 418 |
| Prescott..... | 1, 432, 600 | Santa Barbara..... | 1, 689, 251 |
| Sitgreaves..... | 650, 877 | Sequoia..... | 1, 875, 900 |
| Tonto..... | 1, 903, 395 | Shasta..... | 890, 014 |
| Tusayan..... | 1, 299, 954 | Sierra..... | 1, 488, 655 |
| Total..... | 11, 154, 923 | Siskiyou ¹ | 348, 919 |
| Arkansas: | | Stanislaus..... | 810, 802 |
| Arkansas ² | 627, 149 | Tahoe ¹ | 531, 210 |
| Ozark ³ | 274, 672 | Trinity..... | 1, 428, 388 |
| Total..... | 901, 821 | Total..... | 18, 814, 659 |
| | | Colorado: | |
| | | Arapahoe..... | 634, 452 |
| | | Battlement..... | 646, 918 |
| | | Cochetopa..... | 916, 975 |
| | | Colorado..... | 850, 240 |

¹ For total area, see Table 320, "National Forests extending into two States."² Includes 1,240 acres acquired under the Weeks law.³ Includes 158 acres acquired under the Weeks law.

NATIONAL FORESTS—Continued.

TABLE 319.—Area of National Forest lands, June 30, 1919—Continued.

| State and forest. | Net area. | State and forest. | Net area. |
|-----------------------------------|---------------|-----------------------------------|---------------|
| Colorado—Continued. | <i>Acres.</i> | Nevada: | <i>Acres.</i> |
| Durango..... | 620,365 | Dixie ¹ | 56,483 |
| Gunnison..... | 905,798 | Eldorado ¹ | 400 |
| Hayden ¹ | 65,598 | Humboldt..... | 1,313,730 |
| Holy Cross..... | 575,511 | Inyo ¹ | 56,391 |
| La Sal ¹ | 27,444 | Mono ¹ | 464,316 |
| Leadville..... | 929,451 | Nevada..... | 1,158,177 |
| Montezuma..... | 701,084 | Tahoe ¹ | 13,853 |
| Pike..... | 1,077,645 | Toiyabe..... | 1,907,985 |
| Rio Grande..... | 1,136,219 | Total..... | 4,971,335 |
| Routt..... | 743,481 | | |
| San Isabel..... | 598,912 | New Hampshire: | |
| San Juan..... | 618,983 | White Mountain ¹ | 332,778 |
| Sopris..... | 598,578 | | |
| Uncompaghe..... | 789,556 | New Mexico: | |
| White River..... | 845,595 | Carson..... | 860,974 |
| Total..... | 13,280,832 | Coronado ¹ | 126,318 |
| | | Datil..... | 2,652,316 |
| Florida: | | Gila..... | 1,466,564 |
| Florida..... | 308,268 | Lincoln..... | 1,123,693 |
| | | Manzano..... | 697,488 |
| Idaho: | | Santa Fe..... | 1,366,860 |
| Boise..... | 1,058,941 | Total..... | 8,294,222 |
| Cache ¹ | 493,430 | | |
| Caribou ¹ | 678,207 | North Carolina: | |
| Challis..... | 1,258,214 | Pisgah..... | 79,461 |
| Clearwater..... | 785,062 | | |
| Coeur d'Alene..... | 662,592 | Oklahoma: | |
| Idaho..... | 1,170,774 | Wichita..... | 61,480 |
| Kaniksus ¹ | 197,476 | | |
| Lemhi..... | 1,095,924 | Oregon: | |
| Minidoka ¹ | 509,226 | Cascade..... | 1,020,695 |
| Nes Perce..... | 1,625,024 | Crater ¹ | 799,102 |
| Payette..... | 831,926 | Deschutes..... | 1,282,552 |
| Pend Oreille..... | 675,293 | Fremont..... | 861,210 |
| St. Joe..... | 556,438 | Klamath ¹ | 4,401 |
| Salmon..... | 1,621,250 | Malheur..... | 1,067,682 |
| Sawtooth..... | 1,159,987 | Minam..... | 433,192 |
| Selway..... | 1,688,287 | Ochoco..... | 716,004 |
| Targhee ¹ | 977,181 | Oregon..... | 1,043,527 |
| Weiser..... | 561,560 | Santiam..... | 607,067 |
| Total..... | 17,606,792 | Siskiyou ¹ | 997,798 |
| | | Siuslaw..... | 543,237 |
| Maine: | | Umatilla..... | 485,786 |
| White Mountain ¹ | 27,860 | Umpqua..... | 1,010,824 |
| | | Wallowa..... | 957,379 |
| Michigan: | | Wenaha ¹ | 425,278 |
| Michigan..... | 89,466 | Whitman..... | 882,316 |
| | | Total..... | 13,118,680 |
| Minnesota: | | | |
| Minnesota..... | 190,602 | Porto Rico: | |
| Superior..... | 853,631 | Luquillo..... | 12,443 |
| Total..... | 1,044,233 | | |
| | | South Dakota: | |
| Montana: | | Black Hills ¹ | 477,593 |
| Absaroka..... | 841,085 | Harney..... | 544,273 |
| Beartooth..... | 662,136 | Sioux ¹ | 75,209 |
| Beaverhead..... | 1,334,849 | Total..... | 1,097,075 |
| Bitterroot..... | 1,047,289 | | |
| Blackfeet..... | 902,695 | Utah: | |
| Cabinet..... | 833,229 | Ashley ¹ | 975,058 |
| Custer..... | 429,936 | Cache ¹ | 268,501 |
| Deerlodge..... | 831,153 | Dixie ¹ | 434,280 |
| Flathead..... | 1,717,118 | Fillmore..... | 700,744 |
| Gallatin..... | 567,614 | Fishlake..... | 657,482 |
| Helena..... | 680,257 | La Sal ¹ | 508,887 |
| Jefferson..... | 1,043,004 | Manti..... | 783,107 |
| Kootenai..... | 1,333,264 | Minidoka ¹ | 72,123 |
| Lewis and Clark..... | 810,990 | Powell..... | 688,412 |
| Lolo..... | 850,677 | Sevier..... | 722,180 |
| Madison..... | 944,283 | Uinta..... | 1,001,168 |
| Missoula..... | 1,031,418 | Wasatch..... | 603,168 |
| Sioux ¹ | 96,199 | Total..... | 7,415,510 |
| Total..... | 15,957,196 | | |
| | | Nebraska: | |
| Nebraska: | | Nebraska..... | 205,944 |
| Nebraska..... | 205,944 | | |

¹ For total area, see Table 320, "National Forests extending into two States."

NATIONAL FORESTS—Continued.

TABLE 319.—Area of National Forest lands, June 30, 1919—Continued.

| State and forest. | Net area. | State and forest. | Net area. |
|-------------------------------|---------------|-------------------------------------|---------------|
| Virginia: | <i>Acres.</i> | Wyoming: | <i>Acres.</i> |
| Natural Bridge..... | 77,401 | Ashley ¹ | 5,987 |
| Shenandoah ¹ | 132,256 | Bighorn..... | 1,122,277 |
| Total..... | 209,657 | Black Hills ¹ | 144,497 |
| Washington: | | Bridge..... | 712,709 |
| Chelan..... | 677,590 | Caribou ¹ | 6,311 |
| Columbia..... | 785,389 | Hayden ¹ | 324,656 |
| Colville..... | 754,514 | Medicine Bow..... | 477,038 |
| Kaniku ¹ | 257,603 | Shoshone..... | 1,576,502 |
| Okanogan..... | 1,488,352 | Targhee ¹ | 335,481 |
| Olympic..... | 1,534,583 | Teton..... | 1,920,671 |
| Ranier..... | 1,314,302 | Washakie..... | 852,315 |
| Snoqualmie..... | 697,535 | Wyoming..... | 905,730 |
| Washington..... | 1,459,576 | Total..... | 8,384,174 |
| Wenaha ¹ | 313,434 | Total, National Forests..... | 153,933,460 |
| Wenatchie..... | 657,194 | Appalachian area ² | 646,776 |
| Total..... | 9,940,372 | Grand total..... | 174,580,236 |
| West Virginia: | | | |
| Shenandoah ¹ | 13,318 | | |

¹ For total area, see Table 320: "National Forests extending into two or more States."² Acquired under the Weeks law.

TABLE 320.—National Forests extending into two or more States.

| Forest. | States. | Net area. |
|---------------------|-----------------------------|---------------|
| Coronado..... | Arizona-New Mexico..... | <i>Acres.</i> |
| Dixie..... | Arizona-Nevada-Utah..... | 1,432,016 |
| Crater..... | California-Oregon..... | 508,443 |
| Eldorado..... | California-Nevada..... | 846,199 |
| Inyo..... | do..... | 549,460 |
| Klamath..... | California-Oregon..... | 1,247,600 |
| Mono..... | California-Nevada..... | 1,503,225 |
| Siskiyou..... | California-Oregon..... | 1,250,017 |
| Tahoe..... | California-Nevada..... | 1,346,717 |
| Hayden..... | Colorado-Wyoming..... | 545,063 |
| La Sal..... | Colorado-Utah..... | 390,254 |
| Cache..... | Idaho-Utah..... | 536,331 |
| Caribou..... | Idaho-Wyoming..... | 761,931 |
| Kaniku..... | Idaho-Washington..... | 694,518 |
| Minidoka..... | Idaho-Utah..... | 455,079 |
| Targhee..... | Idaho-Wyoming..... | 581,349 |
| Sioux..... | Montana-South Dakota..... | 1,312,662 |
| Wenaha..... | Oregon-Washington..... | 171,408 |
| Black Hills..... | South Dakota-Wyoming..... | 738,712 |
| Ashley..... | Utah-Wyoming..... | 622,090 |
| White Mountain..... | Maine-New Hampshire..... | 981,045 |
| Shenandoah..... | Virginia-West Virginia..... | 360,638 |
| | | 145,574 |

NATIONAL FORESTS—Continued.

TABLE 321.—Grazing allowances for National Forests, 1919.

[Reported by the Forest Service. The symbols (+) or (—) indicate, respectively, that there was an increase or decrease in 1919 compared with 1918. The figures themselves refer to actual numbers of stock authorized in 1919.]

| Forest. | Number of stock authorized. | | | Yearlong rates (cents). | | | |
|---------------------------------|-----------------------------|--------|------------------|-------------------------|---------|--------|------------------|
| | Cattle and horses. | Swine. | Sheep and goats. | Cattle. | Horses. | Swine. | Sheep and goats. |
| District 1: | | | | | | | |
| Absaroka..... | + 7,510 | | — 82,600 | 100 | 125 | 75 | 25 |
| Beartooth ¹ | 5,200 | 300 | 47,000 | 100 | 125 | 75 | 25 |
| Beaverhead ¹ | + 29,250 | | + 142,000 | 100 | 125 | 75 | 25 |
| Bitterroot..... | 4,500 | | — 67,000 | 100 | 125 | 75 | 25 |
| Blackfoot..... | 1,500 | | + 25,000 | 80 | 100 | 60 | 20 |
| Cabinet..... | 2,400 | | 25,000 | 80 | 100 | 60 | 20 |
| Clearwater..... | 2,400 | | 25,000 | 80 | 100 | 60 | 20 |
| Coeur d'Alene..... | 1,000 | | 20,000 | 80 | 100 | 60 | 20 |
| Custer ² | 21,500 | | 6,000 | 120 | 150 | 90 | 30 |
| Deerlodge ¹ | + 17,500 | | — 58,800 | 100 | 125 | 75 | 25 |
| Flathead..... | — 1,200 | | 80 | 80 | 100 | 60 | 20 |
| Gallatin..... | — 5,910 | | — 46,600 | 120 | 150 | 90 | 30 |
| Helena..... | — 18,960 | | — 67,000 | 100 | 125 | 75 | 25 |
| Jefferson ¹ | — 22,650 | | — 117,600 | 100 | 125 | 75 | 25 |
| Kaniksu..... | — 650 | | 12,000 | 80 | 100 | 60 | 20 |
| Kootenai..... | 2,850 | | 30,000 | 80 | 100 | 60 | 20 |
| Lewis and Clark..... | + 9,950 | | 43,500 | 100 | 125 | 75 | 25 |
| Lois..... | + 1,000 | | 50,000 | 80 | 100 | 60 | 20 |
| Madison ¹ | 31,000 | | 141,800 | 120 | 150 | 90 | 30 |
| Missoula..... | — 10,800 | | 10,500 | 100 | 125 | 75 | 25 |
| Nespece..... | — 14,300 | | + 115,500 | 120 | 150 | 90 | 30 |
| Pend Oreille..... | 1,400 | | 31,500 | 80 | 100 | 60 | 20 |
| Selway..... | — 5,250 | | + 36,000 | 80 | 100 | 60 | 20 |
| Sioux ² | — 7,750 | | 2,800 | 100 | 125 | 75 | 25 |
| St. Joe..... | 400 | | 32,000 | 80 | 100 | 60 | 20 |
| | —226,820 | 300 | +1,235,200 | | | | |
| District 2: | | | | | | | |
| Arapaho ¹ | — 12,650 | | + 28,500 | 100 | 125 | 75 | 25 |
| Battlement ¹ | + 48,750 | | + 10,000 | 100 | 125 | 75 | 25 |
| Bighorn ¹ | 47,485 | | + 128,900 | 120 | 150 | 90 | 30 |
| Black Hill ² | + 30,000 | | + 7,450 | 100 | 125 | 75 | 25 |
| Cochetopa ¹ | + 20,200 | | — 74,500 | 100 | 125 | 75 | 25 |
| Colorado..... | — 25,100 | | — 11,360 | 100 | 125 | 75 | 25 |
| Durango ¹ | + 13,225 | | + 96,500 | 100 | 125 | 75 | 25 |
| Gunnison ¹ | + 36,875 | | — 50,900 | 100 | 125 | 75 | 25 |
| Harney ¹ | + 14,850 | | 100 | 100 | 125 | 75 | 25 |
| Hayden ² | — 7,400 | | + 144,100 | 100 | 125 | 75 | 25 |
| Holy Cross ¹ | + 16,175 | | + 48,875 | 100 | 125 | 75 | 25 |
| Leadville ¹ | — 12,800 | | 105,000 | 100 | 125 | 75 | 25 |
| Medicine Bow ¹ | + 12,300 | | 57,100 | 100 | 125 | 75 | 25 |
| Michigan..... | 1,250 | | 3,300 | 100 | 125 | 75 | 25 |
| Minnesota..... | 2,000 | | 100 | 100 | 125 | 75 | 25 |
| Monteruma ¹ | + 37,000 | | + 52,500 | 100 | 125 | 75 | 25 |
| Nebraska..... | — 15,000 | | 150 | 150 | 187 | 112½ | 37½ |
| Pike ¹ | + 20,000 | | + 23,100 | 100 | 125 | 75 | 25 |
| Rio Grande ¹ | + 25,350 | | — 284,000 | 100 | 125 | 75 | 25 |
| Routt ² | — 28,600 | | — 89,620 | 100 | 125 | 75 | 25 |
| San Isabel ¹ | 16,000 | | + 19,600 | 100 | 125 | 75 | 25 |
| San Juan ¹ | — 13,320 | | 102,900 | 100 | 125 | 75 | 25 |
| Shoshone ¹ | + 14,420 | | + 74,750 | 100 | 125 | 75 | 25 |
| Sopris ¹ | — 13,500 | | — 52,000 | 100 | 125 | 75 | 25 |
| Uncompahgre ¹ | + 34,200 | | + 62,500 | 100 | 125 | 75 | 25 |
| Washakie ¹ | 12,500 | | + 51,000 | 100 | 125 | 75 | 25 |
| White River ¹ | — 40,250 | | — 35,250 | 100 | 125 | 75 | 25 |
| | +571,200 | | +1,613,705 | | | | |
| District 3: | | | | | | | |
| Apache ¹ | + 48,000 | 180 | — 60,000 | 100 | 125 | 75 | 25 |
| Carson ² | + 11,300 | 200 | — 155,300 | 100 | 125 | 75 | 25 |
| Coconino ¹ | + 51,000 | — 100 | 94,000 | 100 | 125 | 75 | 25 |
| Coronado ² | + 54,000 | 200 | + 9,300 | 100 | 125 | 75 | 25 |
| Crook ² | + 29,760 | 100 | 1,350 | 100 | 125 | 75 | 25 |
| Datil ¹ | + 56,000 | 225 | 147,000 | 100 | 125 | 75 | 25 |
| Gila ¹ | 56,000 | 440 | 13,100 | 100 | 125 | 75 | 25 |

¹ 5-year permits authorized for cattle and horses and sheep and goats.

² 5-year permits authorized for cattle.

³ 5-year permits authorized for sheep.

NATIONAL FORESTS—Continued.

TABLE 321.—*Grazing allowances for National Forests, 1919—Continued.*

| Forest. | Number of stock authorized. | | | Yearlong rates (cents). | | | |
|----------------------------------|-----------------------------|---------|------------------|-------------------------|---------|--------|------------------|
| | Cattle and horses. | Swine. | Sheep and goats. | Cattle. | Horses. | Swine. | Sheep and goats. |
| District 3—Continued. | | | | | | | |
| Lincoln ¹ | + 30,600 | 1,200 | + 26,600 | 100 | 125 | 75 | 25 |
| Manzano ¹ | 9,800 | | 85,000 | 100 | 125 | 75 | 25 |
| Prescott ¹ | + 64,000 | 100 | 68,500 | 100 | 125 | 75 | 25 |
| Santa Fe ¹ | — 18,000 | — 400 | — 121,000 | 100 | 125 | 75 | 25 |
| Sitgreaves ² | + 10,395 | | 68,500 | 100 | 125 | 75 | 25 |
| Tonto ³ | — 66,000 | 500 | 100 | 100 | 125 | 75 | 25 |
| Tusayan ¹ | — 28,900 | 160 | — 75,200 | 100 | 125 | 75 | 25 |
| | + 536,755 | — 3,805 | — 924,950 | | | | |
| District 4: | | | | | | | |
| Ashley ¹ | — 11,000 | | — 100,000 | 100 | 125 | 75 | 25 |
| Boise ¹ | + 5,200 | 100 | 148,000 | 120 | 150 | 90 | 30 |
| Bridger ¹ | + 30,400 | | — 66,000 | 120 | 150 | 90 | 30 |
| Cache ¹ | — 30,200 | | — 131,000 | 120 | 150 | 90 | 30 |
| Caribou ¹ | + 23,500 | | 281,000 | 120 | 150 | 90 | 30 |
| Challis ¹ | + 9,300 | | — 90,000 | 100 | 125 | 75 | 25 |
| Dixie ² | + 9,000 | 400 | 1,000 | 100 | 125 | 75 | 25 |
| Fillmore ¹ | — 20,400 | 500 | — 32,600 | 120 | 150 | 90 | 30 |
| Fishlake ² | 18,500 | | — 67,000 | 120 | 150 | 90 | 30 |
| Humboldt ¹ | — 54,850 | | — 339,000 | 120 | 150 | 90 | 30 |
| Idaho ¹ | — 2,000 | | + 107,000 | 120 | 150 | 90 | 30 |
| Kalbar ¹ | — 9,200 | | 5,000 | 100 | 125 | 75 | 25 |
| La Sal ¹ | — 25,900 | + 150 | — 37,800 | 100 | 125 | 75 | 25 |
| Lemhi ¹ | + 18,700 | | — 69,000 | 120 | 150 | 90 | 30 |
| Manti ¹ | — 22,600 | | — 139,000 | 120 | 150 | 90 | 30 |
| Minidoka ¹ | — 25,000 | | 77,000 | 120 | 150 | 90 | 30 |
| Nevada ¹ | + 6,100 | | + 52,000 | 100 | 125 | 75 | 25 |
| Payette ¹ | — 7,700 | | — 85,000 | 120 | 150 | 90 | 30 |
| Powell ¹ | + 13,800 | | 75,000 | 100 | 125 | 75 | 25 |
| Salmon ¹ | — 15,750 | | — 110,000 | 100 | 125 | 75 | 25 |
| Sawtooth ¹ | + 11,200 | | — 285,000 | 120 | 150 | 90 | 30 |
| Sevier ¹ | + 11,800 | 50 | 113,000 | 100 | 125 | 75 | 25 |
| Targhee ¹ | + 36,100 | | 234,000 | 120 | 150 | 90 | 30 |
| Teton ¹ | — 12,500 | | 20,000 | 120 | 150 | 90 | 30 |
| Toiyabe ¹ | + 23,300 | | 24,000 | 100 | 125 | 75 | 25 |
| Uinta ¹ | + 39,200 | | — 194,000 | 120 | 150 | 90 | 30 |
| Wasatch ¹ | + 14,000 | | — 60,000 | 120 | 150 | 90 | 30 |
| Weiser ¹ | — 13,300 | | — 63,000 | 120 | 150 | 90 | 30 |
| Wyoming ¹ | + 13,500 | | 197,000 | 120 | 150 | 90 | 30 |
| | — 534,000 | — 1,200 | — 3,202,400 | | | | |
| District 5: | | | | | | | |
| Angeles ¹ | 4,100 | | | 120 | 150 | 90 | 30 |
| California ¹ | — 7,900 | + 500 | — 50,000 | 120 | 150 | 90 | 30 |
| Cleveland ¹ | 1,800 | | + 4,800 | 120 | 150 | 90 | 30 |
| Eldorado ¹ | 11,725 | | 21,200 | 140 | 175 | 105 | 35 |
| Inyo ¹ | + 8,500 | | + 50,100 | 140 | 175 | 105 | 35 |
| Klamath ¹ | + 10,250 | + 1,150 | 32,000 | 100 | 125 | 75 | 25 |
| Lassen ¹ | 13,550 | 300 | 42,000 | 120 | 150 | 90 | 30 |
| Modoc ¹ | — 45,500 | | + 65,000 | 120 | 150 | 90 | 30 |
| Mono ¹ | 5,800 | | + 81,000 | 140 | 175 | 105 | 35 |
| Plumas ¹ | + 17,100 | | + 91,450 | 140 | 175 | 105 | 35 |
| Santa Barbara ¹ | — 10,625 | — 300 | + 11,500 | 120 | 150 | 90 | 30 |
| Sequoia ² | 29,900 | 600 | 19,800 | 140 | 175 | 105 | 35 |
| Shasta ¹ | + 12,500 | 200 | + 36,800 | 120 | 150 | 90 | 30 |
| Sierra ¹ | — 18,500 | + 1,300 | — 76,750 | 140 | 175 | 105 | 35 |
| Stanislaus ¹ | 20,625 | + 400 | + 13,000 | 140 | 175 | 105 | 35 |
| Tahoe ¹ | 9,050 | 50 | 55,000 | 140 | 175 | 105 | 35 |
| Trinity ¹ | 13,050 | 415 | 24,100 | 100 | 125 | 75 | 25 |
| | — 240,475 | + 5,215 | + 674,500 | | | | |
| District 6: | | | | | | | |
| Cascade ¹ | 1,100 | | 27,000 | 120 | 150 | 90 | 30 |
| Chelan ² | 550 | | 35,000 | 120 | 150 | 90 | 30 |
| Columbia ¹ | 1,300 | | 15,600 | 120 | 150 | 90 | 30 |
| Colville ¹ | + 8,000 | | — 50,000 | 120 | 150 | 90 | 30 |
| Crater ¹ | + 18,000 | | + 24,700 | 120 | 150 | 90 | 30 |
| Deschutes ¹ | + 8,200 | | — 25,300 | 120 | 150 | 90 | 30 |

¹ 5-year permits authorized for cattle and horses and sheep and goats.² 5-year permits authorized for sheep.³ 5-year permits authorized for cattle.

NATIONAL FORESTS—Continued.

TABLE 321.—*Grazing allowances for National Forests, 1919—Continued.*

| Forest. | Number of stock authorized. | | | Yearlong rates (cents). | | | |
|--|-----------------------------|---------|------------------|-------------------------|---------|--------|------------------|
| | Cattle and horses. | Swine. | Sheep and goats. | Cattle. | Horses. | Swine. | Sheep and goats. |
| District 6—Continued. | | | | | | | |
| Fremont ¹ | 15,000 | | 95,000 | 120 | 150 | 90 | 30 |
| Malheur ¹ | + 32,000 | + 50 | 121,000 | 120 | 150 | 90 | 30 |
| Minam ¹ | - 15,050 | | 72,000 | 120 | 150 | 90 | 30 |
| Ochoco ¹ | + 19,500 | | + 85,000 | 120 | 150 | 90 | 30 |
| Okanogan ¹ | 15,500 | | 100,000 | 120 | 150 | 90 | 30 |
| Olympic..... | 2,500 | | | 100 | 125 | 75 | 25 |
| Oregon ¹ | + 4,100 | | 23,000 | 120 | 150 | 90 | 30 |
| Rainier ¹ | - 7,700 | | 58,000 | 120 | 150 | 90 | 30 |
| Santiam ¹ | 350 | | 20,000 | 120 | 150 | 90 | 30 |
| Siskiyou..... | 4,100 | 1,000 | 4,200 | 100 | 125 | 75 | 25 |
| Siustaw..... | 1,500 | | 7,000 | 100 | 125 | 75 | 25 |
| Snoqualmie..... | | | 7,200 | 120 | 150 | 90 | 30 |
| Umatilla ¹ | + 10,300 | | 55,500 | 120 | 150 | 90 | 30 |
| Umpqua ¹ | 1,400 | | 10,500 | 120 | 150 | 90 | 30 |
| Wallowa ¹ | + 28,500 | | 66,000 | 120 | 150 | 90 | 30 |
| Washington..... | 250 | | 5,000 | 100 | 125 | 75 | 25 |
| Wenaha ¹ | 13,100 | | 102,700 | 120 | 150 | 90 | 30 |
| Wenatchee ¹ | 950 | | 66,000 | 120 | 150 | 90 | 30 |
| Whitman ¹ | + 11,975 | | 105,000 | 120 | 150 | 90 | 30 |
| | +220,925 | +1,050 | -1,180,700 | | | | |
| District 7: | | | | | | | |
| Arkansas..... | 30,000 | 22,000 | 2,000 | 80 | 100 | 60 | 20 |
| Florida..... | 6,000 | 3,000 | 7,000 | 80 | 100 | 60 | 20 |
| Ozark..... | 7,800 | 9,865 | 1,972 | 80 | 100 | 60 | 20 |
| Wichita..... | 4,710 | | | 150 | 187 | 112½ | 37½ |
| | 48,600 | 34,865 | 10,972 | | | | |
| Purchase areas: | | | | | | | |
| Alabama..... | + 200 | | | 150 | 200 | 90 | 45 |
| Cherokee—Georgia..... | 3,800 | 1,200 | 1,000 | 150 | 200 | 90 | 45 |
| Monongahela..... | 400 | 40 | 100 | 150 | 200 | 90 | 45 |
| Natural Bridge..... | 400 | | | 150 | 200 | 90 | 45 |
| Piscatah..... | 1,000 | 100 | 550 | 150 | 200 | 90 | 45 |
| Savannah..... | 710 | 560 | 430 | 150 | 200 | 90 | 45 |
| Shenandoah..... | 2,580 | 100 | 750 | 150 | 200 | 90 | 45 |
| White Mountain..... | 110 | | | 150 | 200 | 90 | 45 |
| White Top..... | 1,000 | 450 | 350 | 150 | 200 | 90 | 45 |
| | +10,200 | 2,450 | 3,180 | | | | |
| Totals, 1913. | 1,852,999 | 59,535 | 8,521,308 | | | | |
| Totals, 1914. | 1,891,119 | 65,645 | 8,867,906 | | | | |
| Totals, 1915. | 1,983,775 | 64,040 | 8,747,025 | | | | |
| Totals, 1916. | 2,008,675 | 58,990 | 8,597,689 | | | | |
| Totals, 1917. | 2,120,145 | 54,680 | 8,400,155 | | | | |
| Totals, 1918. | 2,359,402 | 51,685 | 8,937,837 | | | | |
| Totals, 1919. | 2,388,975 | 48,885 | 8,845,607 | | | | |
| Increase or decrease in 1919 over 1918. | + 29,573 | - 2,800 | - 92,230 | | | | |

¹ 5-year permits authorized for cattle and horses and sheep and goats.² 5-year permits authorized for sheep.

INDEX.

| | Page. |
|---|---------------|
| Abbreviations, use in market reports, definitions..... | 98 |
| Abortion, contagious, of cattle, note..... | 78 |
| Absentee landlordism, discussion on limiting..... | 31-32 |
| Accounting systems, farm projects, preparation and installation..... | 44 |
| Accredited herd, use in eradication of tuberculosis, advantages..... | 279 |
| African horse sickness, symptoms, occurrence and fatality..... | 72 |
| Agent, purchasing association, duties and powers..... | 388, 389 |
| Agents, county, relation to marketing demonstrations, discussion..... | 206-208 |
| Agrarians, stimulation of agriculture in Germany, purpose and methods..... | 61-62 |
| Agricultural— | |
| colleges, location, and officials..... | 497-499 |
| experiment stations, location and directors..... | 499 |
| extension work, cooperative, State officers..... | 500-501 |
| production, influence of depreciation of exchange, article by Alonzo Englebert Taylor..... | 189-196 |
| products— | |
| imports and exports..... | 682-721 |
| price fixing in Europe, difficulties..... | 191-194 |
| statistics, miscellaneous..... | 722-755 |
| Agriculture— | |
| American progress, discussion by Secretary..... | 17-23 |
| Department— | |
| number of employees and funds expended..... | 55 |
| organization, March 1, 1920..... | 3 |
| history and geography, project of Farm Management Office work..... | 37, 38 |
| State officials in charge..... | 500 |
| study in country schools, requirements..... | 295-297 |
| Alabama— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| marketing, cooperative, work of county agents and results..... | 214-217 |
| nitrate plants, building and possible output..... | 120 |
| Alfalfa— | |
| hay price, 1915-1919..... | 584 |
| seed, labeling with origin..... | 344 |
| Algeria, farm animals, number and kinds, 1888-1912..... | 644 |
| Almonds, imports statistics..... | 687, 702 |
| Ammonium— | |
| nitrate, production, Muscle Shoals plant, Alabama..... | 120 |
| sulphate, recovery from coke ovens..... | 116, 121 |
| Animals— | |
| and animal products, international trade, by countries..... | 648-652 |
| contagious diseases, progress in eradication, article by John R. Mohler..... | 69-78 |
| fur-bearing— | |
| skinning directions..... | 477 |
| trapping directions..... | 457-476 |
| live— | |
| exports statistics..... | 691, 699, 710 |
| imports statistics..... | 682, 699, 716 |
| meat, prices, index numbers, 1910-1919..... | 742 |
| wild, destruction by bad practices, and reduced fur supply..... | 482 |
| <i>See also Live stock.</i> | |

| | Page. |
|--|---------------|
| Anthrax, prevention, note..... | 77 |
| Appendix..... | 497-755 |
| Apples— | |
| exports statistics..... | 694, 701, 712 |
| growers, benefit of market-news reports..... | 111-112 |
| market reports, study..... | 107 |
| prices— | |
| by States, 1918, 1919..... | 601-602 |
| in market season, 1918-1919..... | 110 |
| on farm..... | 602 |
| production, estimates, 1916-1919..... | 603 |
| statistics, production and prices, by States..... | 601-604 |
| varieties, production, United States and by States..... | 604 |
| Appropriations, farm management, remarks..... | 38 |
| Apricots, exports statistics..... | 712 |
| Arc process, nitrogen fixation..... | 117-118 |
| Argentina— | |
| demand for breeding stock..... | 379-380 |
| farm animals, number and kinds..... | 644 |
| live stock— | |
| industry, conditions and outlook..... | 377-380 |
| prewar and postwar estimates, and per cent change..... | 423-424 |
| market for American live stock, outlook, considerations, etc..... | 377-380 |
| Argentine Rural Society, relation to live-stock industry, work and importance..... | 377-379 |
| Argols, imports statistics..... | 684, 699, 702 |
| Arithmetic, study in country schools, requirements..... | 294 |
| Arkansas, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| ARNOLD, J. H., and R. R. SPAFFORD, article on "Farm practices in growing wheat"..... | 123-150 |
| Asparagus, acreage and production, 1917, 1918..... | 621 |
| Asses, numbers, by countries..... | 644-648 |
| Associations— | |
| cooperative purchasing, organization and plan of operation..... | 385-390 |
| incorporated, operation..... | 385, 386 |
| live stock, with officials..... | 502-508 |
| Australia— | |
| farm animals, number and kinds, 1890-1919..... | 644 |
| live stock, prewar and postwar estimates and per cent change..... | 423-424 |
| Austria-Hungary— | |
| farm animals, number and kinds, 1880-1910..... | 644 |
| tobacco production, percentage of world crop..... | 156 |
| Bait, preparation for trapping animals..... | 467, 468 |
| Bakken prairie-dog set, use for trapping wolves..... | 468, 469 |
| Baltimore, market station, lines of work..... | 96, 101, 111 |
| Bananas, imports statistics..... | 686, 719 |
| Bank, order and payment forms for purchasing associations..... | 389 |
| Banks, cooperation in live-stock drought relief work..... | 404 |
| Barley— | |
| acreage— | |
| and production, by countries, 1909-1919..... | 539-541 |
| and production, by States..... | 543 |
| consumption, total and per capita, by countries, 1914-1918..... | 566 |
| exports— | |
| 1867-1919..... | 542 |
| statistics..... | 694 |
| imports, 1866-1908..... | 542 |
| prices, by States and by months, 1910-1919..... | 544-545 |
| production, by countries, 1909-1918..... | 564, 566 |
| statistics, acreage, yield, prices, etc..... | 539-546, 642 |
| trade, international..... | 546 |
| yield per acre, by States..... | 544 |
| yields, changes since 1876..... | 20, 23 |
| Barn, thrashing of wheat..... | 147 |
| Basement. See Cellar. | |

| Beans— | Page. |
|---|-------------------|
| acreage— | |
| and production, 1917, 1918 | 621 |
| production, prices, and value | 613-616 |
| dry, acreage, production, etc., 1914-1919 | 614 |
| exports statistics | 697 |
| imports statistics | 690 |
| prices, farm and wholesale | 615 |
| seed, labeling with origin | 344 |
| statistics, acreage, yield, value, etc. | 613-616, 690, 697 |
| world crop, statistics | 613-616 |
| Beaver, skins, drying directions | 476, 477 |
| Beavers— | |
| numbers, distribution, and habits | 452, 476 |
| trapping directions | 476 |
| Beef— | |
| cattle, limited prewar supply, and cause | 341 |
| exports statistics | 691, 700, 710 |
| Beeswax— | |
| exports statistics | 691 |
| imports statistics | 682, 704 |
| Beet sugar. <i>See</i> Sugar. | |
| Beetles, larder, injuries to skins, and control | 481 |
| Beets— | |
| acreage, yield and sucrose content, by States | 627 |
| price per ton, by States, 1913-1919 | 626 |
| sugar, seed imports statistics | 689 |
| Belgium— | |
| crop yields, comparison with United States | 24, 25 |
| farm animals, numbers and kinds, 1880-1913 | 644 |
| live stock— | |
| condition of industry and outlook | 411-412 |
| prewar and postwar estimates and per cent change | 423-424 |
| BELL, GEORGE A., and TURNER WRIGHT, bulletin on "Live stock conditions in Europe" | 407-424 |
| "Better Sires" campaign— | |
| enrollment of first three months | 353-354 |
| object, origin, and progress, article by D. S. Burch | 347-354 |
| Big Bend, Tex., pink bollworm infestation and control work | 364, 365 |
| Billings, Mont., live-stock emergency office, establishment | 394 |
| Binders, use in wheat harvesting | 143-144 |
| Binding, Yearbook, law authorization | 2 |
| Blackleg, preventive measures | 77 |
| Bobcats, trapping directions | 463-464 |
| Boll weevil, introduction, spread, and damages to cotton crop | 355 |
| Bollworm, pink— | |
| control— | |
| future work | 368 |
| in United States, article by W. D. Hunter | 355-368 |
| inspection work— | |
| and scouting, 1919, results | 365-367 |
| Mexican border ports | 359 |
| longevity and injuries to cotton | 356, 367 |
| Texas control work, methods | 362, 367-368 |
| Bonds, road, State issues, remarks by Secretary | 50 |
| Bosnia-Herzegovina, farm animals, number and kinds, 1895-1910 | 644 |
| Boston, market station, lines of work | 96, 107, 111 |
| Bovine tuberculosis, eradication in District of Columbia | 73 |
| Box trap— | |
| use for catching muskrats | 475 |
| use for catching small animals | 454-455, 458-459 |
| Boys, country, educational needs | 291-293 |
| Brazil— | |
| aid to importers of pure-bred live stock | 371-372 |
| farm animals, numbers and kinds, 1912-1916 | 644 |
| live-stock industry, conditions | 371-372 |
| market for American pure-bred live stock, studies | 371-374 |
| tobacco production, percentage of world crop and trade | 156, 160 |

| | Page. |
|--|----------|
| Bread grains, Germany, production 1911-1919..... | 62 |
| Broadcasting wheat, practices..... | 141-143 |
| Broom corn— | |
| acreage, production, and value, by States, 1915-1919..... | 618 |
| exports, statistics..... | 692 |
| prices on farm, 1910-1919..... | 618 |
| statistics, acreage, production, and value, 1915-1919..... | 618 |
| BROWN, EDGAR, article on "What the farmer should expect from the seedsman."..... | 343-346 |
| Buckwheat— | |
| acreage and production, by States, 1919..... | 555 |
| price per bushel, by States and by months, 1910-1919..... | 556 |
| statistics, acreage, production, prices, etc..... | 554-556 |
| yield per acre, by States, 1910-1919..... | 556 |
| Bud— | |
| selection— | |
| citrus fruits, results and economic value..... | 271-273 |
| value in control of fruit variation..... | 259-260 |
| effect on citrus yield and quality in California..... | 250-261 |
| variation occurrence in California citrus groves, investigations..... | 250-261 |
| Bud wood— | |
| citrus— | |
| fruit-bearing, selection..... | 267-268 |
| handling, cost, and uses..... | 268-271 |
| selection and distribution, methods..... | 265-275 |
| Buds, citrus, distribution and use..... | 270-271 |
| Buffaloes, numbers by countries..... | 644-648 |
| Building sites, selection..... | 425-427 |
| Buildings, rural school, equipment..... | 299-301 |
| Bulgaria, farm animals, numbers and kinds 1892-1910..... | 644 |
| Bund der Landwirte, organization, and influence on crop estimates in Germany..... | 61-62 |
| BURCH, D. S., article on "Harnessing heredity to improve nation's live stock."..... | 347-354 |
| BUSCK, AUGUST, pink bollworm investigations, note..... | 367 |
| Butter— | |
| exports statistics..... | 691, 710 |
| international trade, by countries, 1909-1913, 1917, 1918..... | 663 |
| market receipts, 1891-1919..... | 663 |
| prices— | |
| at principal markets, by months, 1913-1919..... | 661 |
| on farm, by States..... | 662 |
| statistics..... | 661-664 |
| Cabbage— | |
| acreage, yield, and production 1915-1919, by States..... | 621 |
| prices— | |
| by months, 1910-1919..... | 622 |
| in market season, 1918-1919..... | 110 |
| California— | |
| citrus— | |
| industry, development, importance, and causes..... | 250 |
| yield and quality studies..... | 250-261 |
| Fruit Growers' Exchange, value to citrus industry..... | 275 |
| Calves— | |
| lymphangitis, symptoms and mortality..... | 72 |
| prices by months, 1910-1919..... | 661 |
| Camphor, crude, imports statistics..... | 685, 706 |
| Canada— | |
| farm animals, numbers and kinds, 1881-1918..... | 645 |
| live stock, prewar and postwar estimates, and per cent change..... | 423-424 |
| Cane, acreage, and production, by States..... | 628 |
| Canned vegetables, exports statistics..... | 697 |
| Cantaloupes, acreage and production, 1917, 1918..... | 621 |
| CARNEY, MABEL, statement on advantages of consolidation of country schools..... | 305-306 |
| Casing, skins of small animals..... | 477-479 |

| Castor— | Page. |
|---|---|
| beans, imports statistics..... | 689 |
| beaver, uses by trappers and perfume makers..... | 476 |
| Cat trap, for catching vagrant cats, details of construction..... | 456, 458, 459 |
| Cats, catching in box traps..... | 456, 458-459 |
| Cattle— | |
| Argentina, prewar and postwar estimates and per cent change..... | 423 |
| Australia, prewar and postwar estimates and per cent change..... | 423 |
| Canada, prewar and postwar estimates and per cent change..... | 423 |
| carcasses condemned as tuberculous, 1917-1919..... | 279 |
| European countries, prewar and postwar estimates and per cent change..... | 423 |
| exhibits at live-stock shows in Uruguay, practices and prices..... | 375 |
| exports statistics..... | 691, 700, 710 |
| farcy, occurrence and fatality..... | 72-75 |
| France, effect of war and outlook..... | 409-411 |
| hides, imports statistics..... | 683, 704, 718 |
| imports— | |
| exports and prices, 1893-1919..... | 657 |
| statistics..... | 682, 716 |
| loss from tuberculosis..... | 277-288 |
| market prices, by months, 1913-1919..... | 660 |
| marketings, 1900-1919..... | 679 |
| New Zealand, prewar and postwar estimates and per cent change..... | 423 |
| number— | |
| and farm value, 1867-1920..... | 658 |
| and farm value, by States, 1919, 1920..... | 659 |
| numbers by countries..... | 644-648 |
| plague, nature, occurrence and fatality..... | 76-77 |
| pleuropneumonia, extent and eradication..... | 70, 76 |
| prewar and postwar estimates and per cent change in United States..... | 423 |
| pure-bred, selling to South America, considerations and outlook..... | 869-880 |
| rinderpest, nature, occurrence, and fatality..... | 76-77 |
| scabies, eradication work..... | 71, 77-78 |
| statistics..... | 658-661, 678-679, 682, 691, 700, 710, 716 |
| Switzerland, effect of war on industry..... | 413-414 |
| ticks, suppression, chart..... | 74 |
| tuberculosis— | |
| eradication cooperative work chart..... | 74 |
| eradication in District of Columbia..... | 73 |
| inspection, number under Federal supervision, by States..... | 286-287 |
| tuberculosis-free, premiums in trade, practices..... | 284-285 |
| Cauliflower, acreage and production, 1917, 1918..... | 621 |
| Celery, acreage and production, 1917, 1918..... | 621 |
| Cellar— | |
| damp— | |
| causes and remedies..... | 427-449 |
| harmful effects..... | 425 |
| damp-proofing, treatment of walls and floor..... | 428-449 |
| drain zone around building, construction and advantages..... | 428-430 |
| drainage, types and management..... | 439-446 |
| dry— | |
| advantages..... | 425 |
| securing, article by George M. Warren..... | 425-449 |
| Census, reports on tobacco, 1839-1909, increase of crop..... | 152 |
| Cereals— | |
| consumption, total and per capita, by countries..... | 564-567 |
| exports in 1910-1919..... | 11-12, 15 |
| production by countries, 1914-1918..... | 566-567 |
| See also Grain. | |
| Charolais cattle, breeding work in France, note..... | 411 |
| Cheese— | |
| exports statistics..... | 691, 700 |
| imports statistics..... | 682, 702-703, 716 |
| statistics..... | 666-667 |
| Switzerland, effect of war on industry..... | 413 |
| trade, international, by countries, 1909-1913, 1917, 1918..... | 666-667 |

| | Page. |
|---|-------------------------|
| Cheroots, import duties, and internal revenue tax..... | 170, 171 |
| Chicago— | |
| market station, lines of work..... | 96, 104-105, 107 |
| meat-packing interests, control of trade..... | 340-341 |
| Chickens— | |
| keeping, article..... | 307-317 |
| prices on farm, by States, 1909-1917..... | 667-668 |
| statistics..... | 667-668 |
| Chicks— | |
| brooding and feeding methods..... | 315 |
| hatching, timeliness..... | 314-315 |
| management and care..... | 315-316 |
| protection against lice and mites, methods..... | 316 |
| Chile, nitrate beds as source of nitrogen fertilizer..... | 116 |
| Cholera, hog— | |
| control work..... | 198-199 |
| fake remedies..... | 202-204 |
| practical points in control, article by T. P. White..... | 197-204 |
| sources of infection..... | 199-202 |
| Cigarettes— | |
| import duties and internal revenue tax..... | 170, 171 |
| use, increase, and number made..... | 165-166, 174 |
| Cigars— | |
| import duties and internal revenue tax..... | 170, 171 |
| manufacture, output, exports, etc..... | 173-174 |
| tobacco types, locations where grown..... | 152-153 |
| Cinchona bark, imports statistics..... | 684 |
| Cincinnati, market station, lines of work..... | 96 |
| Cities, market possibilities in various lines..... | 110-111 |
| Citrus— | |
| fruits, importance of California varieties, article by A. D. Shamel..... | 249-275 |
| industry, California, development, importance, and cause..... | 250 |
| stock, cooperation in securing reliable trees..... | 271 |
| strains— | |
| comparative value..... | 260-261 |
| origin and definition of term..... | 253 |
| trees, record-kept, picking methods..... | 262-264 |
| varieties— | |
| cooperative improvement..... | 275 |
| variation investigations in California, note..... | 253 |
| <i>See also</i> Fruits, citrus. | |
| Civet cat. <i>See</i> Skunk. | |
| Civics, study in country schools, requirements..... | 294 |
| Cleaner, electric vacuum, types and value in home..... | 329 |
| Cleveland, market station, lines of work..... | 96, 101 |
| Clover seed— | |
| acreage, production, price, and farm value..... | 586-588 |
| exports statistics..... | 696 |
| imports statistics..... | 689, 720 |
| labeling with origin..... | 344 |
| Clubs, buying, operation..... | 386 |
| Coal, source of ammonia for fertilizers..... | 116 |
| Cobbs, JOHN L. JR., article on "The open road through the National Forest"..... | 177-188 |
| Cocoa— | |
| exports statistics..... | 692, 699 |
| imports statistics..... | 684, 699, 702, 718 |
| Coconut meat, imports statistics..... | 687 |
| Coffee— | |
| exports statistics..... | 639, 692, 699 |
| imports statistics..... | 639, 684, 699, 702, 719 |
| prices, New York and New Orleans, by months, 1913-1919..... | 640 |
| trade, international..... | 639 |
| Coke ovens, ammonium sulphate recovery..... | 116, 121 |

| | |
|---|--------------------|
| Colleges— | |
| agricultural— | Page. |
| buildings, incomes, students, etc., 1918 | 55 |
| cooperation in live-stock drought relief work | 404 |
| list, location, and presidents | 497-499 |
| scope, tuition charges, etc. | 497 |
| Colorado, cattle, Federal inspection for tuberculosis, number, and address of inspector | 286 |
| Concrete— | |
| formula and preparation for waterproofing cellar | 443-446 |
| reinforcement for cellar floors | 445 |
| use for— | |
| cellar floor, requirements | 431-432 |
| damp-proofing cellars | 429-434, 435 |
| Connecticut— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector | 286 |
| tobacco production, rank, 1914-1918 | 154 |
| Cooking, electric, advantages and practices | 234-238 |
| Cooperation— | |
| farmers' associations encouragement | 44-45 |
| importance to citrus growers | 275 |
| market stations with State marketing agents | 97 |
| purchasing, possibilities and limitations | 382-385 |
| States, in reports on crops and live stock | 41 |
| value in live-stock drought relief work | 403-405 |
| Cork wood, imports statistics | 684, 699 |
| Corn— | |
| acreage and production, by countries, 1909-1919 | 509-510 |
| consumption, total and per capita, by countries | 565, 566 |
| crop estimate for 1919 | 11 |
| exports— | |
| 1849-1919 | 510-511 |
| statistics | 694, 701, 713 |
| imports statistics | 686 |
| market price per bushel, 1913-1919 | 515 |
| marketing, cooperative profits, instance | 211 |
| marketings, by months, 1914-1919 | 516 |
| prices by States, 1866-1919 | 510-522, 514-516 |
| production by countries, 1909-1918 | 565, 566 |
| statistics, acreage, yield, prices, etc. | 509-517 |
| supplies, old stock, production and quality | 513 |
| sweet, acreage and production, 1917, 1918 | 621 |
| trade, international | 517 |
| yield and farm price by States, 1910-1919 | 514, 516 |
| yields, changes since 1876 | 19, 22, 23 |
| Cotton— | |
| acreage, production, value, exports, etc. | 589-594 |
| baled, disinfection at ports of entry | 356-357 |
| destruction, compensation to owners | 360-361 |
| exports— | |
| 1866-1919 | 590 |
| and imports | 594 |
| statistics | 692, 699, 701, 712 |
| fields, clean-up work in pink bollworm campaign | 362, 367-368 |
| growing restrictions, Trinity Bay section and Pecos Valley, Tex. | 363-367 |
| imports— | |
| and exports | 594 |
| statistics | 684, 699, 719 |
| injuries by pink bollworm | 356 |
| lint production, 1910-1919 | 591 |
| Mexican, spread of pink bollworm in Texas | 359 |
| outlaw crop, disposal of | 363 |
| pests, successive introduction | 355 |
| prices, farm and wholesale, 1909-1919 | 592-593 |
| quarantine on account of pink bollworm | 357 |

| | |
|---|--------------------|
| Cotton—Continued. | Page. |
| statistics, acreage, production, yield, prices, value, etc. | 589-594 |
| Texas, inspection in fields in 1918, results | 364 |
| world crop, statistics | 589-594 |
| yield per acre, 1910-1919 | 592 |
| yields, changes since 1876 | 21, 22, 23 |
| zones, restricted growing, management | 363-367 |
| Cottonseed— | |
| cake and meal, exports statistics | 696, 701, 714 |
| exports statistics | 696 |
| infested with pink bollworm, disposal of | 359, 362 |
| meal, freight rates to Montana and Wyoming | 396 |
| Mexico, admission restrictions | 357-359 |
| oil— | |
| exports statistics | 595, 696, 702, 714 |
| imports statistics | 595, 688 |
| production, value, and farm prices, by States, 1910-1919 | 594-595 |
| quarantine on account of pink bollworm | 357 |
| County estimates, value to extension workers | 40, 41 |
| Cowpeas— | |
| acreage, production, and value, 1917-1919 | 616-617 |
| prices, farm value, etc. | 616-617 |
| statistics, acreage, production, and value | 616-617 |
| Cows— | |
| milk, prices on farm by months, 1910-1919 | 661 |
| prices— | |
| in Belgium | 412 |
| in France | 410 |
| in Netherlands | 417 |
| in Switzerland | 414 |
| Coyotes, trapping directions | 468-470 |
| Cradle, use in harvesting wheat | 146 |
| Cranberries— | |
| acreage, production, prices, etc. | 609 |
| prices, farm value, etc. | 609 |
| statistics, production, and value | 609 |
| Croatia-Slavonia, farm animals, number and kind 1895, 1911 | 644 |
| Crop— | |
| Estimates Bureau, work review | 39-43 |
| estimates, prewar, in Germany, article by Alonzo Englebert Taylor | 61-68 |
| prices, index numbers, monthly and average, 1910-1919 | 736 |
| reporting, Germany, communal system | 61-62, 64-65 |
| summary, 1918, 1919, and average, 1913-1917 | 722-723 |
| yields— | |
| per acre and per man, American and foreign, comparison | 24-25 |
| per acre, increase since 1876 | 17-24 |
| Crops— | |
| acreage— | |
| and production, discussion and tables, 1914-1919 | 10-11, 12, 13 |
| by States, 1909-1919 | 726-727 |
| increase during war | 10, 28 |
| average yield, by States, 1910-1919 | 728-729 |
| composite conditions, monthly, 1910-1919 | 729 |
| feed— | |
| consumption on farms, monthly | 730 |
| disposition on farms | 729 |
| Germany, prewar estimates, article by Alonzo Englebert Taylor | 61-68 |
| harvesting time, by months | 727-728 |
| productivity of various countries, index figures | 735 |
| reporting service enlargement, importance | 40 |
| sales time of farmers for principal staples, by months and States | 730-732 |
| staple, leading States, 1917-1919 | 724 |
| statistics— | |
| acreage, production, and exports, 1914-1919 | 12, 13, 15 |
| miscellaneous | 722-723 |
| other than grain | 568-643 |
| value, per acre | 725 |

| | |
|--|-----------------------------|
| Crops—Continued. | Page. |
| values, 1910-1919..... | 17 |
| values, comparison by States, 1909-1913..... | 725-728 |
| world production, and export trade, 1909-1913..... | 735 |
| yields, by States, 1910-1919..... | 728-729 |
| yields in foreign countries, increase..... | 24 |
| Crossbred stock, definition..... | 349 |
| Crows, trapping directions..... | 456 |
| Cuba, tobacco exports to United States..... | 161 |
| Cucumbers, acreage and production, 1917, 1918..... | 621 |
| Cultivators, use in wheat growing..... | 132 |
| Currants, imports statistics..... | 686, 704 |
| Customs— | |
| duties on tobacco..... | 169-171, 172, 173 |
| receipts from tobacco..... | 172 |
| Cyanamid— | |
| process, nitrogen fixation..... | 119 |
| use as fertilizer, or conversion into other fertilizers..... | 119, 121 |
| Cyanide process, nitrogen fixation..... | 118-119 |
| Dairy— | |
| cows, improvement by use of pure-bred sires..... | 352 |
| products— | |
| exports statistics..... | 691, 699 |
| imports statistics..... | 682, 699, 716 |
| production and exports, 1910-1919..... | 11-12, 14-15, 28 |
| Damp-proofing, cellar, management..... | 431-432 |
| DANIELS, A. M., article on "Electric light and power in the farm home"..... | 223-238 |
| Dates, imports statistics..... | 686, 704 |
| DAVIS, R. O. E., article on "Atmospheric nitrogen for fertilizers"..... | 115-121 |
| DEARBORN, NED, article on "Trapping on the farm"..... | 451-484 |
| Delaware, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Demonstration activities, project of Farm Management Office work..... | 37, 38 |
| Demonstrations, marketing and purchasing, in the South, article by Bradford Knapp..... | 205-222 |
| Denmark— | |
| farm animals, numbers and kinds, 1898-1919..... | 645 |
| live stock, prewar and postwar estimates and per cent change..... | 423-424 |
| Denver, market station, lines of work..... | 96, 107 |
| Department of Agriculture. <i>See</i> Agriculture. | |
| DILLE, ALVIN, article on "The reorganization of the country school"..... | 289-306 |
| Diseases, contagious animal, progress in eradication, article by John R. Mohler..... | 69-78 |
| Disinfection, cotton at ports of entry..... | 357 |
| Disk plow, use in wheat growing..... | 128, 129, 131, 135-136, 143 |
| Distribution, farm products, problems..... | 43-45 |
| Ditches, drainage, cost of cutting with community-owned machinery..... | 86-87 |
| Ditching companies, community drainage work, prices, etc..... | 80-86 |
| Dourine, nature and occurrence..... | 77 |
| Drag, plank, use in wheat growing..... | 129-130, 134, 135 |
| Drainage— | |
| cellar, types and management..... | 439-446 |
| crew, work in community tile drainage construction..... | 91-92 |
| tile— | |
| community construction, article by John R. Haswell..... | 79-93 |
| cost of construction by machinery..... | 86-88 |
| value, profits from, etc..... | 92-93 |
| Drains, cellar, location and construction..... | 434-437 |
| Drilling, wheat— | |
| in standing corn..... | 138-139 |
| into stubble..... | 128, 135-137, 138, 148 |
| practices..... | 141-143 |
| Drought— | |
| live-stock relief work in 1919, article by George M. Rommel..... | 391-405 |
| Northwest, area and States affected..... | 398 |
| Drying, skins of fur animals..... | 460, |

| | Page. |
|--|------------------------|
| Dutch East Indies, tobacco production, percentage of world crop and trade | 156, 159 |
| Duties, import, on tobacco, laws and changes | 169-170 |
| Dyewoods, imports statistics | 684, 699 |
| Eastern area, wheat growing, climate and conditions | 126, 143, 147 |
| Economics, home, study in country schools, requirements | 297-298 |
| Education— | |
| redirection in country schools, discussion | 293-299 |
| reorganization of country schools, article by Alvin Dille | 289-306 |
| Eggs— | |
| exports statistics | 691, 699 |
| imports statistics | 682, 699 |
| infertile, desirability and profits | 316-317 |
| marketing— | |
| management | 218-219 |
| time and methods | 316-317 |
| prices— | |
| at principal markets, by months, 1913-1919 | 664 |
| on farm, by States, 1909-1918 | 665 |
| production in 1919, forecast and statistics | 11, 14, 28 |
| statistics | 664-666, 682, 691, 699 |
| Egypt, farm animals, numbers and kinds, 1890-1916 | 645 |
| Electric— | |
| light and power, farm home, article by A. M. Daniels | 223-238 |
| motor, portable utility, description and uses in the home | 225-227 |
| Electricity— | |
| use and value in the farm home | 223-238 |
| use in nitrogen fixation | 117-118 |
| value in the home | 223-224 |
| Electric-lighting appliances for the home | 235-238 |
| Engineering, electrical, for farm home | 223-238 |
| Ermine furs, making from white weasels | 461 |
| ERNEST, L. B., and J. A. KIERNAN, article on "The toll of tuberculosis in live stock" | 277-288 |
| Europe— | |
| agricultural production, regulative influences | 189-190 |
| food shortage at close of war | 9-10 |
| live stock— | |
| conditions, article by Turner Wright and George A. Bell | 407-424 |
| shortage | 9 |
| European countries, crop yields increase | 24-25 |
| Exchange— | |
| depreciation, influence on agricultural production, article by Alonzo Englebert Taylor | 189-196 |
| marketing lists | 44 |
| Experiment station workers, Southern, resolutions on lime production, use, and value | 340-341 |
| Experiment stations, agricultural, list, location, and directors | 499-500 |
| Exports— | |
| agricultural products, 1910-1919 | 11-12, 14-16 |
| agricultural products, statistics | 510-511, 520, |
| 533, 542, 549, 576, 590, 594, 595, 601, 613, 620, 630, | |
| 637, 639, 641, 642, 643, 691-702, 705, 708, 710-715 | |
| cattle, 1893-1919 | 657 |
| farm products, 1852-1919 | 700-702 |
| foodstuffs, 1913-1919 | 736 |
| horses and mules, 1893-1919 | 657 |
| sheep, 1893-1919 | 670 |
| tobacco— | |
| colonial history | 152 |
| countries of consignment, and world's trade | 158-160 |
| world crops, 1909-1913 | 735 |
| Exposition, Palermo, Argentina, live-stock show | 373, 377-379 |

| | |
|---|--------------|
| Extension— | Page. |
| Act, object and funds expended..... | 56 |
| work— | |
| cooperative agricultural, State officials..... | 500-501 |
| marketing and purchasing demonstrations in the South..... | 205-222 |
| workers, assistance of market specialists..... | 45, 57 |
| Farcy, cattle, occurrence, symptoms, and fatality..... | 73-75 |
| Farm— | |
| animals, number, value, classes, and losses from poor breeding..... | 348, 353 |
| <i>See also</i> Live stock. | |
| area, expansion of, discussion by Secretary..... | 25-27 |
| crops— | |
| productivity, index figures, by countries..... | 735 |
| selling time, by months and by States..... | 730-732 |
| value per acre..... | 725 |
| world production, and export trade, 1909-1913..... | 735 |
| financial relations, project of Farm Management Office work..... | 37, 38 |
| home, electric light and power, article by A. M. Daniels..... | 223-238 |
| income, average, 1910-1918..... | 740 |
| labor— | |
| hiring methods..... | 740 |
| income, 1910-1918..... | 740 |
| wages by classes and States, 1910-1919..... | 738-739 |
| lands, problems, increased area, settlement, and tenancy..... | 25-32 |
| life— | |
| improved conditions, schools, roads, etc., importance..... | 28 |
| studies, project of Farm Management Office work..... | 37, 38 |
| Loan Act, object and results, remarks by Secretary..... | 57 |
| loans, Federal system, benefit to purchasers of farms..... | 82 |
| Management Bureau, proposed organization and estimates..... | 35-38 |
| management— | |
| study committee, personnel and report..... | 35 |
| with farm economics, studies and work..... | 35-39 |
| produce— | |
| carload shipments, receivers' complaints, and causes..... | 319-320 |
| inspection certificate, scope and value..... | 320-321 |
| inspection, why it pays, article by H. E. Kramer and G. B. Fiske..... | 319-334 |
| kinds and amount inspected, 1918-1919..... | 323-324 |
| products— | |
| exports— | |
| selected list, 1852-1919..... | 700-702 |
| to specified countries, 1917-1919, statistics..... | 709 |
| foreign trade, 1852-1919..... | 698 |
| groups, exports and imports, values, 1917-1919..... | 699-700 |
| imports from specified countries, 1917-1919, statistics..... | 707 |
| imports, selected list, 1852-1919..... | 702-704 |
| marketing and distribution, problems..... | 43-45 |
| marketing demonstrations in the South..... | 206-220 |
| surplus, reports, importance..... | 40, 44 |
| values estimated on farm prices, 1879-1919..... | 724 |
| sales, receipts from..... | 733 |
| tenancy, need of improved methods of leasing, etc..... | 30-32 |
| tractors in United States, statistics..... | 745-746 |
| trapping fur animals and preparing skins..... | 451-484 |
| Farmers— | |
| American, food supply to Europe..... | 9-10 |
| cooperative— | |
| associations, encouragement..... | 44-45 |
| marketing and purchasing, demonstrations in the South..... | 205-222 |
| harvesting time for crops, by months..... | 727-728 |
| interest in protection of private forests..... | 33, 34 |
| marketing— | |
| associations, cooperative, in the South, work and value..... | 211-220 |
| work, aid of market specialists..... | 45 |

| Farmers—Continued. | Page. |
|--|--------------------|
| prices for articles bought, 1909-1919..... | 736-738 |
| purchasing organizations, article by J. M. Mehl..... | 381-390 |
| rights in relation to the seedsman, article by Edgar Brown..... | 343-346 |
| selling time for crops, by months and States..... | 730-732 |
| Farms, practices in growing wheat..... | 123-150 |
| Federal— | |
| Government, income from tobacco..... | 172-173 |
| Highway Commission, discussion..... | 50-54 |
| Inspection Service, establishment, scope, and value..... | 320 |
| Meat Inspection, establishments, condemnations of animals, etc..... | 679-681 |
| Reserve Act, objects..... | 57 |
| Feed— | |
| crops— | |
| consumption on farms monthly..... | 730 |
| disposition on farms..... | 729 |
| emergency purchase, cooperative work in Texas..... | 220-221 |
| oil cake and oil-cake meal, trade, international..... | 641 |
| shortage in European countries..... | 410, 412, 413, 417 |
| supply reports, importance to live-stock interests..... | 43 |
| Feeding hens, feed and method..... | 313-314 |
| Feeds— | |
| emergency rates for drought sufferers..... | 396, 403 |
| purchasing, advantages of cooperative associations..... | 382, 384 |
| Feedstuffs, consumption on farms, monthly..... | 730 |
| Fertilizers— | |
| atmospheric nitrogen, article by R. O. E. Davis..... | 115-121 |
| purchasing advantages of cooperative associations..... | 382, 384 |
| Fibers— | |
| animal— | |
| exports statistics..... | 691, 699 |
| imports statistics..... | 682, 699, 717 |
| vegetable, imports, statistics..... | 684, 699, 719 |
| figs, imports, statistics..... | 686, 704 |
| Filing, market news reports and special articles..... | 112-113 |
| Filler tobacco, import duty..... | 169 |
| Finland, farm animals, numbers and kinds, 1890-1910..... | 645 |
| Fire, protection of private forests, importance to farmers..... | 33, 34 |
| FISKE, G. B.— | |
| and H. E. KRAMER, article on "Why produce inspection pays"..... | 319-334 |
| article on "How to use market stations"..... | 94-114 |
| Flax— | |
| acreage and production by countries, 1909-1918..... | 557-558 |
| imports, statistics..... | 684, 703, 719 |
| price per bushel by States and by months, 1910-1919..... | 559-560 |
| statistics, acreage, yield, prices, etc..... | 557-560 |
| Flaxseed— | |
| imports, statistics..... | 689, 720 |
| marketing by months, 1914-1919..... | 560 |
| seed, price per bushel by States and by months, 1910-1919..... | 559-560 |
| statistics, acreage, yield, prices, etc..... | 559-560 |
| yield per acre by States, 1910-1919..... | 559 |
| Fleshing skins, directions..... | 478 |
| FLETCHER, C. C., article on "Home production of lime by the farmer"..... | 335-341 |
| Floor, cellar, treatment with cement..... | 431-432 |
| Florida, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Flour— | |
| consumption per capita in Germany, note..... | 65 |
| wheat, price per barrel by months, 1913-1919..... | 529 |
| Food— | |
| Control Act, provision for supervision of trade in live stock..... | 241-243 |
| demands of Europe met by America..... | 9, 10 |
| shortage in Europe..... | 9, 10 |
| Foodstuffs, foreign trade, 1913-1919..... | 736 |

| | Page. |
|--|----------------------------|
| Foot-and-mouth-disease— | |
| outbreak in Italy, damage to cattle industry..... | 414-415 |
| suppression work, chart..... | 75 |
| symptoms and occurrence..... | 72 |
| Foreign— | |
| countries, crop yields increase..... | 24 |
| estimates, crops and live stock..... | 41 |
| Forest— | |
| lands, acquisition under Weeks forestry law..... | 34 |
| products— | |
| exports, 1852-1919..... | 705 |
| exports statistics..... | 692-694, 699-700, 705, 715 |
| foreign trade 1852-1919..... | 705, 706 |
| imports statistics..... | 684-686, 690-700, 706, 721 |
| Service, cooperation in live-stock drought relief..... | 392 |
| Forestry, extension, importance to private owners..... | 32-35 |
| Forests, National— | |
| area of lands by States, 1919..... | 750-752 |
| grazing— | |
| allowances, 1919..... | 753-755 |
| permits, kinds of stock, etc., 1915-1919..... | 750 |
| location in two or more States..... | 752 |
| need of roads, relation to work of Forest Service..... | 177-180 |
| open road through, article by John L. Cobbs, Jr..... | 177-188 |
| receipts from, use in road construction..... | 180 |
| roads, appropriations and progress of work..... | 46, 49 |
| statistics..... | 749-755 |
| timber disposal, prices, etc., 1915-1919..... | 749, 750 |
| water power permits, 1915-1919..... | 750 |
| Formosa, farm animals, numbers and kinds, 1905-1916..... | 646 |
| Fox skins, casing directions..... | 467 |
| Foxes— | |
| trapping directions..... | 465-467 |
| types and habits..... | 451, 465, 467 |
| France— | |
| agricultural production, influence of depreciation of exchange..... | 190-191 |
| crop— | |
| estimates, 1880-1913, note..... | 66 |
| yields, comparison with United States..... | 24, 25 |
| farm animals, numbers and kinds, 1862-1918..... | 645 |
| live stock— | |
| conditions..... | 408-411 |
| prewar and postwar, and per cent change..... | 423-424 |
| Freight— | |
| rates, feed and live stock, emergency shipments..... | 396, 403 |
| tonnage, 1915-1918..... | 745 |
| Fruit Growers' Exchange, California, distribution of bud wood, selection | |
| methods, etc..... | 265-275 |
| Fruits— | |
| citrus— | |
| importance of California varieties, article by A. D. Shamel..... | 249-275 |
| shipments from California, 1918-1919, and value..... | 240 |
| exports statistics..... | 694, 699, 712 |
| imports statistics..... | 686, 699, 704, 719 |
| inspection by Department agents..... | 44 |
| marketing, profits, etc., instance..... | 218 |
| statistics, production in 1910-1919..... | 13 |
| See also Apples; Apricots; Citrus; Figs; Grapes; Oranges; | |
| Peaches; Pears; Prunes. | |
| Fumigating houses, erection on Mexican border..... | 359 |
| Fumigation, freight and vehicles, Mexican border ports..... | 359 |
| Fur— | |
| animals, trapping directions..... | 457-476 |
| bearers, destruction by bad practices..... | 482 |
| farming possibilities..... | 483 |
| supply, increase and improvement..... | 482-484 |

| | Page. |
|---|--|
| Furs— | |
| cleaning..... | 479, 480-481 |
| packing..... | 479 |
| Garbage, source of hog-cholera infection..... | 199-200 |
| Geography, study in country schools, requirements..... | 295 |
| Georgia, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Germany— | |
| agricultural production, influence of depreciation of exchange..... | 191 |
| crop estimates, political significance..... | 61-62 |
| crops— | |
| discrepancies in prewar estimates..... | 61-63 |
| exaggeration of estimates, methods and purpose..... | 61-64 |
| farm animals, numbers and kind, 1883-1918..... | 645 |
| live stock, prewar and postwar estimates, and per cent change..... | 423-424 |
| nitrate production from artificial sources..... | 116, 119 |
| potato crops, prewar estimates..... | 67-68 |
| prewar crop estimates, article by Alonzo Englebert Taylor..... | 61-63 |
| tobacco production, percentage of world crop..... | 156 |
| Ginseng, exports statistics..... | 694, 699 |
| Girls, country, educational needs..... | 291-293 |
| Glanders, preventive measures..... | 77 |
| Glucose, exports statistics..... | 694, 699, 701, 713 |
| Glue— | |
| exports statistics..... | 691 |
| imports statistics..... | 683 |
| Goats— | |
| Malta fever, eradication work..... | 75-76 |
| numbers, by countries..... | 614-648 |
| Goatskins, imports statistics..... | 683, 704, 718 |
| Gopher, pocket, trapping, methods and directions..... | 455-456 |
| Grade stock, definition..... | 349 |
| Grading up, live stock, principles..... | 348 |
| Grain— | |
| consumption— | |
| total and per capita, by countries..... | 564-567 |
| total and per capita, by countries, 1914-1918..... | 566-567 |
| crops, statistics, 1919..... | 509-567 |
| exports statistics..... | 694, 699, 713 |
| imports statistics..... | 686, 699 |
| growers, European, influence of depreciation of exchange..... | 191-196 |
| Standards Act, objects, remarks by Secretary..... | 56 |
| Grains, bread, production in Germany 1911-1919..... | 62 |
| Grapefruit— | |
| Marsh variety, production in California..... | 249-250 |
| shipments from California, 1918-1919, and value..... | 249-250 |
| Grapes, imports statistics..... | 686 |
| Grass seed, exports statistics..... | 696 |
| Grazing— | |
| allowances— | |
| for National Forests, by districts, 1919..... | 753-755 |
| in National Forests, 1915-1919..... | 750 |
| lands, listing for drought sufferers..... | 394 |
| National Forests, number of stock, and rates, by districts, 1919..... | 753-755 |
| Great Plains area, wheat-growing conditions and practices..... | 126, 134, 140, 143, 144, 148, 149, 150 |
| Greece, farm animals, numbers and kinds, 1914..... | 645 |
| Gums, imports statistics..... | 685, 699, 721 |
| Haber process, nitrogen fixation..... | 120 |
| HALL, L. D., member of committee on live-stock drought relief..... | 391 |
| HALL, LOUIS D., article on "Federal supervision of live stock markets..... | 239-248 |
| HARBELL, DAVID, and H. P. MORGAN, article on "Selling pure-bred stock to South America"..... | 369-380 |
| Harrow, use in wheat growing..... | 128, 129, 131, 143 |
| Harvester and thresher combine, use in wheat harvesting..... | 145-146 |
| Harvesting, wheat, methods..... | 143-146 |
| HASWELL, JOHN R., article on "Community tile drainage construction"..... | 79-93 |

| | Page. |
|--|-----------------------|
| Hawaii— | |
| cane-sugar production, 1913-1919..... | 629 |
| cottonseed exclusion from United States..... | 357 |
| shipments— | |
| from the United States, 1917-1919..... | 709 |
| to the United States, 1917-1919..... | 709 |
| Hawks, trapping..... | 457 |
| Hay— | |
| acreage production, value, exports, etc., 1849-1919..... | 580-585 |
| exports statistics..... | 695, 699 |
| imports statistics..... | 687, 699 |
| prices, farm and wholesale..... | 583-584 |
| statistics, acreage, production, yield, values, exports, etc..... | 580-585 |
| wild, salt, and prairie, acreage, production, and farm value, 1909-1919..... | 585 |
| yield, price, and acre value, by States..... | 582 |
| yields, changes since 1876..... | 20, 22, 23 |
| Headers, use in wheat harvesting..... | 144-145 |
| Health, study in country schools, requirements..... | 295 |
| Heating— | |
| pad, electrical, value, note..... | 237 |
| plant, electric, for farm home, requirements..... | 228-230 |
| Hemp, imports statistics..... | 684, 703 |
| Hens— | |
| feeding methods and feeds..... | 313-314 |
| housing essentials, space required, etc..... | 312 |
| profit possibilities on farms, suggestions..... | 317 |
| selection of breeding stock, value of culling, etc..... | 310-311 |
| size of farm flock, effect on profits, etc..... | 311-312 |
| Herd, accredited, plan for eradication of tuberculosis, advantages..... | 279 |
| Herds, tuberculosis inspection, number under Federal supervision, by States..... | 286-287 |
| Heredity, principles, use in improvement of live stock..... | 347-354 |
| Hides— | |
| exports statistics..... | 691 |
| imports statistics..... | 683, 704, 717-718 |
| trade, international, by countries, 1909-1913, 1917, 1918..... | 648-649 |
| <i>See also</i> Skins. | |
| Highway Officials, American Association, advisory work..... | 48 |
| Highways. <i>See</i> Roads. | |
| History, study in country schools, requirements..... | 294 |
| Hog cholera. <i>See</i> Cholera, hog. | |
| Hogs— | |
| carcasses condemned as tuberculous, 1917-1919..... | 279 |
| cholera— | |
| control, practical points, article by T. P. White..... | 197-204 |
| infected, condemnations at inspection stations, 1914-1919..... | 198 |
| dead from cholera, disposal..... | 201 |
| foot-and-mouth disease, symptoms and occurrence..... | 72 |
| France, effect of war on industry and outlook..... | 409-410 |
| imports statistics..... | 682 |
| loss from tuberculosis in one shipment, instance..... | 281-282 |
| losses from cholera 1918..... | 202 |
| marketing, profits, etc., instances..... | 211, 212-214, 215-216 |
| marketings, 1900-1919..... | 679 |
| number— | |
| and value on farms, by States, 1919, 1920..... | 676 |
| and value on farms, Jan. 1, 1919..... | 197 |
| prices and farm value, 1867-1920..... | 675 |
| numbers by countries..... | 644-648 |
| prewar supply and cause..... | 341 |
| shipping from stockyards to farm, spread of cholera..... | 200 |
| statistics..... | 675-677, 679 |
| stocker, spread of cholera..... | 200 |
| tuberculosis, eradication, suggestions..... | 288 |
| HOLMES, GEORGE K., article on "Three centuries of tobacco"..... | 151-175 |

| | Page. |
|--|---|
| Home— | |
| economics, study in country schools, requirements..... | 297-298 |
| farm, electric light and power, article by A. M. Daniels..... | 223-238 |
| Honey— | |
| exports statistics..... | 691 |
| imports statistics..... | 683 |
| Honolulu, pink bollworm, records of longevity, etc..... | 356, 367 |
| Hops— | |
| consumption and movement, 1910-1919..... | 610 |
| exports, 1910-1919..... | 610, 613 |
| exports statistics..... | 695, 699, 702, 713 |
| imports, 1910-1919..... | 610, 613 |
| imports statistics..... | 687, 699, 703 |
| prices, farm, and wholesale..... | 610-612 |
| statistics, acreage, production, value, exports, etc..... | 600-613 |
| world crop, statistics..... | 609-613 |
| Horse— | |
| day, average, misleading character of reckoning..... | 491-492 |
| power on farm problem, article by Oscar A. Juve..... | 485-494 |
| sickness, African, symptoms, occurrence and fatality..... | 72 |
| Horses— | |
| Australia, prewar and postwar estimates and per cent change..... | 424 |
| Belgium, effect of war on industry..... | 411-412 |
| Canada, prewar and postwar estimates and per cent change..... | 424 |
| European countries, prewar and postwar estimates and per cent change..... | 424 |
| exports statistics..... | 691, 710 |
| imports statistics..... | 682, 716 |
| lymphangitis, symptoms, occurrence and mortality..... | 73 |
| mal de Caderas, symptoms, occurrence and mortality..... | 72-73 |
| New Zealand, prewar and postwar estimates and per cent change..... | 424 |
| number— | |
| and value on farms, 1867-1920..... | 653 |
| and value on farms by States, 1910, 1919..... | 654 |
| received at live-stock markets (with mules), 1900-1919..... | 656 |
| numbers, by countries..... | 644-648 |
| Percheron stock in France, effect of war and outlook..... | 408-409 |
| prewar and postwar estimates and per cent change in United States..... | 424 |
| prices at principal markets..... | 655-656 |
| statistics..... | 653-657, 678-679 |
| surra, nature, occurrence and fatality..... | 77 |
| team use, variations in numbers of horses in team..... | 491-492 |
| HOUSTON, D. F., report as Secretary of Agriculture, 1919..... | 9-50 |
| HUNTER, W. D., article on "The fight against the pink bollworm in the United States"..... | 355-368 |
| Hygiene, study in country schools, requirements..... | 295 |
| Idaho, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Illinois, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Illiterates, percentage in rural districts..... | 289 |
| Imports— | |
| Agricultural products, statistics..... | 576, 594, 595, 601, 613, 630, 637, 639, 641, 642, 643, 682, 690, 698-700, 702-704, 706-707, 716-721 |
| cattle, 1893-1919..... | 657 |
| duties on tobacco, history..... | 169-171, 172, 173 |
| farm products, selected list, 1852-1919..... | 702-704 |
| foodstuffs, 1913-1919..... | 736 |
| horses, 1893-1919..... | 657 |
| sheep, 1893-1919..... | 670 |
| India— | |
| farm animals, numbers and kinds, 1900-1917..... | 645 |
| rubber— | |
| imports statistics..... | 685, 699, 706, 721 |
| trade, international..... | 642 |

| | Page. |
|---|----------------------------|
| Indiana, cattle, Federal inspection by, for tuberculosis, number, and address of inspector..... | 286 |
| Indigo, imports statistics..... | 687, 699 |
| Insects, injuries to furs, control..... | 481 |
| Inspection— | |
| certificates, samples..... | 328-330 |
| cotton fields, Texas, for pink bollworm..... | 362, 367 |
| farm produce— | |
| kinds and quantity inspected, 1918-1919..... | 323-324 |
| why it pays, article by H. E. Kramer and G. B. Fiske..... | 319-334 |
| Federal, of farm produce, results of two years' work..... | 331-332 |
| freight and baggage, Mexican border ports..... | 359 |
| fruits and vegetables..... | 44 |
| markets, location, by States..... | 333-334 |
| produce— | |
| practical suggestions..... | 322-323 |
| relation to deception decrease..... | 328-330 |
| Texas cotton fields, 1918 and 1919, results..... | 364-367 |
| Inspector— | |
| farm produce, description, and nature and method of work..... | 324-328 |
| Federal, for farm produce, need and value of certificate..... | 320-321 |
| Inspectors, Federal, for tuberculosis in live stock, list and location..... | 286-287 |
| Internal revenue— | |
| receipts from tobacco..... | 172-173 |
| taxes on tobacco products and manufacturing..... | 171-172, 173 |
| Interstate roads, increase..... | 54 |
| Iowa, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Irons, electric, types and value in home..... | 237, 238 |
| Italy— | |
| farm animals, numbers and kinds, 1881-1914..... | 645 |
| live stock— | |
| prewar and postwar estimates and per cent change..... | 423-424 |
| situation, effect of war, and outlook..... | 414-416 |
| Ivory, vegetable, import statistics..... | 685 |
| Japan, farm animals, numbers and kinds, 1910-1916..... | 645-646 |
| Jobbing, prices and lots, meaning of term..... | 98-102 |
| Jute, import statistics..... | 684, 703, 719 |
| JUVE, OSCAR A., article on "The horsepower problem on the farm"..... | 485-494 |
| Kansas— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| City market station, lines of work..... | 96, 107 |
| Kentucky— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| tobacco production rank, 1869-1918..... | 153 |
| KIERNAN, J. A., and L. B. ERNEST, article on "The toll of tuberculosis in live stock"..... | 277-288 |
| KNAPP, BRADFORD, article on "Marketing and purchasing demonstrations in the South"..... | 205-222 |
| KRAMER, H. E., and G. B. FISKE, article on "Why produce inspection pays"..... | 319-334 |
| Labeling, seed, agreement of seedsmen..... | 344-345 |
| Labels, seed, information important to farmer..... | 344 |
| Labor— | |
| employed in tobacco manufacturing..... | 175 |
| farm— | |
| hiring methods..... | 740 |
| income, 1910-1918..... | 740 |
| wages for men on farms, by classes and States, 1910-1919..... | 738-739 |
| utilization in wheat growing and harvesting..... | 133, 138, 143-146, 148-150 |
| Labor-saving devices, electric light and power in the farm home..... | 223-238 |
| Laguna Project road, California, value to residents, note..... | 185 |

| | Page. |
|---|---------------|
| Lambs— | |
| farm prices 1910-1919..... | 670 |
| improvement by use of purebred sires..... | 352 |
| Land— | |
| agricultural, by countries..... | 748-749 |
| economics, project of Farm Management Office..... | 37, 38 |
| farm, problems, increased area, settlement, and tenancy..... | 25-32 |
| high prices obstacle to farm ownership..... | 32 |
| settlement, importance of advice to intending settlers..... | 30 |
| utilization, study, importance..... | 29, 36, 37 |
| Lands, plow, value, by States, 1917-1920..... | 741 |
| Language, study in country schools, requirements..... | 293-294 |
| Lard— | |
| compounds, exports statistics..... | 691, 701 |
| exports statistics..... | 692, 701, 711 |
| Law— | |
| bollworm control, Texas..... | 360-362, 363 |
| cotton zone, obstacles, tests and enforcement..... | 363 |
| Yearbook, authorization for printing and binding..... | 2 |
| Laws— | |
| State, personal credit unions, recommendation..... | 57 |
| tobacco duty, dates..... | 169 |
| Legislation, Federal, recommendations of Secretary..... | 57-58 |
| Legumes, bacteria, nitrogen-bearing..... | 115-116 |
| Lemons— | |
| Eureka and Lisbon varieties, fruit variations..... | 255-258 |
| imports, statistics..... | 686, 704 |
| shipments from California, 1918-19, and value..... | 249 |
| Lettuce, acreage and production, 1917, 1918..... | 621 |
| Licorice root, imports statistics..... | 687, 699, 703 |
| Light, electric, in the farm home (and electric power), article by A. M. Daniels..... | 223-233 |
| Lighting, electric, for farm home, considerations, wiring, etc..... | 228-234 |
| Lights, electric, location in farm home..... | 230-232 |
| Lime— | |
| agricultural— | |
| composition, grinding or burning..... | 338 |
| value, and use increase..... | 335-336 |
| burning or grinding, methods, value comparisons, etc..... | 339-340 |
| crushers and pulverizers, for farm use, capacity, cost, etc..... | 339-340 |
| home production by farmers, article by C. C. Fletcher..... | 335-341 |
| production, use, and value, resolutions of experiment station workers..... | 340-341 |
| purchasing vs. home production, comparisons, studies, and cost..... | 336-340 |
| Limekiln, home use, description, and comparison with lime crusher..... | 339 |
| Limestone, grinding, use of private or community power, suggestions..... | 337 |
| Lint, cotton, production statistics, 1910-1919..... | 591 |
| Liquors, alcoholic— | |
| exports statistics..... | 695 |
| imports statistics..... | 687, 699 |
| Lister, use in wheat growing..... | 132 |
| Live stock— | |
| Argentina, prewar and postwar estimates and per cent change..... | 423 |
| associations, list, with officials..... | 502-508 |
| Australia, prewar and postwar estimates and per cent change..... | 423-424 |
| Canada, prewar and postwar estimates and per cent change..... | 423-424 |
| conditions in Europe, article by Turner Wright and George A. Bell..... | 407-424 |
| conference at St. Paul, July, 1919..... | 393-394 |
| decline in Europe on account of war..... | 9 |
| drought relief— | |
| committee, appointment and personnel..... | 391 |
| work in 1919, article by George M. Rommel..... | 391-405 |
| estimates for 15 countries, prewar and postwar..... | 423-424 |
| exhibitions in Uruguay, practices and prices..... | 375 |
| foreign markets, South American conditions..... | 369-380 |
| grading up, principles..... | 348 |

Live stock—Continued.

| | Page. |
|---|-----------------------------|
| improvement— | |
| by use of purebred sires, examples..... | 351-352 |
| financial benefits..... | 352-353 |
| heredity principles, article by D. S. Burch..... | 347-354 |
| industry in European countries, effect of war, outlook, etc..... | 407-424 |
| inspectors for tuberculosis, list and location..... | 286-287 |
| losses from tuberculosis, preventive measures..... | 282-284 |
| marketings, 1900-1919..... | 679 |
| markets, Federal supervision, article by Louis D. Hall..... | 239-248 |
| movements from northwest drought area..... | 399-403 |
| New Zealand, prewar and postwar estimates and per cent change..... | 423-424 |
| numbers and kinds, by countries..... | 644-648 |
| offices in drought emergency, various cities..... | 394, 396 |
| prewar and postwar estimates and per cent change..... | 423-424 |
| products, selling time, by months and by States..... | 732 |
| purebred— | |
| revival of interest in European countries..... | 408, 411, 417-418, 420-421 |
| selling to South America, article by David Harrell and H. P. Morgan..... | 369-380 |
| reporting service, enlargement, importance..... | 41, 42-43 |
| sale lists, assembling and distributing..... | 395 |
| sales at Palermo, Argentina, Exposition, classes and prices..... | 377-378 |
| selling time, by months and by States..... | 732 |
| shipments, emergency rates for drought sufferers..... | 396, 403 |
| show, Palermo, Argentina, importance, etc..... | 373, 379 |
| standards, development by Markets Bureau..... | 247 |
| statistics..... | 644-681, 682, 700, 710, 716 |
| statistics, numbers and exports..... | 14, 644-681 |
| toll of tuberculosis, article by J. A. Kiernan and L. B. Ernest..... | 277-288 |
| trade— | |
| development with South America, advantages and conditions..... | 369-380 |
| through market centers..... | 239-240 |
| value on farms by States, 1914-1918..... | 678 |
| values, 1910-1919..... | 17 |
| <i>See also</i> Asses; Cattle; Calves; Goats; Hogs; Horses; Lambs; Mules; Pigs; Sheep. | |
| Loading, car-lot produce, method and suggestions..... | 322, 323, 324, 325, 326 |
| Louisiana— | |
| cane-sugar production, 1911-1919..... | 628 |
| cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| molasses production, 1911-1918..... | 628 |
| Lumber— | |
| exports statistics..... | 693, 700, 705, 715 |
| imports statistics..... | 686, 700, 706, 721 |
| Lung plague, bovine, eradication..... | 7, 76 |
| Luxemburg, farm animals, numbers and kinds, 1917, 1918..... | 646 |
| Lymphangitis, symptoms and occurrence..... | 72-73 |
| Lynx— | |
| Canada, trapping directions..... | 464-465 |
| skins, casing directions..... | 465 |
| Machinery— | |
| farm, purchasing, advantages of cooperative associations..... | 382, 384 |
| trenching, description, operation, and use..... | 79-83 |
| Maine, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Mal de Caderas, symptoms, occurrence and fatality..... | 72-73 |
| Manila hemp, imports statistics..... | 684, 703, 719 |
| Maple products— | |
| production, by States, 1909, 1917-1919..... | 635-636 |
| yield per tree, by States..... | 635-636 |
| Maples, sugar, trees tapped and yield of sugar and sirup per tree, by States..... | 635-636 |
| Market— | |
| centers, live-stock trade, development and location..... | 240, 243 |
| news, scope and circulation..... | 94-95, 97, 100, 111-112 |

| Market—Continued. | Page. |
|---|------------------------------|
| station, man for work, character..... | 95, 114 |
| stations— | |
| object and use, article by G. B. Fiske..... | 94-114 |
| sources of information for producers and dealers..... | 113-114 |
| stocks and surplus products, estimates..... | 40, 44 |
| Marketing— | |
| cooperative, conditions requiring demonstration work..... | 208-209 |
| demonstrations— | |
| and purchasing, in the South, article by Bradford Knapp..... | 205-222 |
| relation of county agent, discussion..... | 208-208 |
| eggs, time and methods..... | 316-317 |
| farm products, problems..... | 43-45 |
| Markets— | |
| Bureau— | |
| activities..... | 50 |
| branch offices in various cities, lines of work..... | 95-97 |
| cooperation in live-stock drought relief..... | 391-392 |
| live-stock staff for market inspection, work and service..... | 243-247 |
| work in Federal supervision of live-stock markets..... | 242-248 |
| information, sources for producers and dealers..... | 113-114 |
| inspection, location, by States..... | 333-334 |
| live-stock— | |
| Federal supervision, article by Louis D. Hall..... | 239-248 |
| horses and mules received 1900-1919..... | 656 |
| quotations, explanation and use..... | 98-102 |
| reports— | |
| directions for use..... | 104-107 |
| preserving and filing..... | 112-113 |
| terms, abbreviations, and phrases, meaning..... | 98, 102-104 |
| Marl, occurrence, grades, and utilization for fertilizer..... | 336-337 |
| Maryland, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Massachusetts, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Meat— | |
| animals, prices, index numbers, 1910-1919..... | 742 |
| Commission, appointment and work..... | 241-248 |
| forecasts for 1919..... | 11 |
| inspection, Federal, establishments, condemnations of animals, etc..... | 679-681 |
| international trade by countries, 1911-1918..... | 649-652 |
| packers, Chicago, control of trade, discussion..... | 340-341 |
| production, imports, exports, and consumption, 1910-1918..... | 742-744 |
| statistics, exports and imports, 1910-1918..... | 742-744 |
| trade, international, live stock of 15 countries concerned..... | 423 |
| Meats— | |
| consumption, by sections, exports and imports, 1904-1919..... | 744 |
| cured and frozen— | |
| demand in Belgium..... | 412 |
| demand in France..... | 410 |
| exports statistics..... | 691, 692, 700, 701, 710, 711 |
| imports statistics..... | 683 |
| statistics— | |
| exports, imports, etc., 1910-1918..... | 742, 744 |
| production and exports, 1910-1919..... | 12, 14, 16 |
| See also Beef; Pork. | |
| MEHL, J. M., article on "The farmers' purchase-power, how organized" | 381-390 |
| Mexico— | |
| border ports, pink bollworm quarantine measure..... | 359 |
| farm animals, numbers and kinds, 1902..... | 646 |
| pink bollworm discovery..... | 357-359 |
| Mice, trapping methods..... | 454 |
| Michigan— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| live-stock movement from drought area in Northwest..... | 400, 401 |

| | |
|--|------------------------------|
| Milk— | |
| condensed— | Page. |
| demand in Belgium | 412 |
| demand in Italy | 416 |
| use in France, note | 410 |
| exports statistics | 691 |
| forecasts for 1919 | 11 |
| Milking, electrical, note | 225 |
| Mink skins, casing directions | 461, 477 |
| Minks, trapping directions | 461 |
| Minneapolis, market station, lines of work | 96 |
| Minnesota— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector | 286 |
| live-stock movement from drought area in Northwest | 393, 400, 401 |
| Mississippi— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector | 286 |
| marketing, cooperative, work and results | 210-214 |
| Missouri, cattle, Federal inspection for tuberculosis, number, and address of inspector | 286 |
| Mohair, marketing, cooperative work | 220 |
| MOHLER, JOHN R., article on "Progress in eradicating contagious animal diseases" | 69-78 |
| Molasses— | |
| exports statistics | 696, 699 |
| imports statistics | 689, 699, 703 |
| production in Louisiana, 1911-1918 | 628 |
| Mole— | |
| skins, drying | 474, 477 |
| traps, description and use | 471-474 |
| Moles, trapping directions | 472-474 |
| Montana— | |
| Bitterroot-Bighole road, value to settlers, historical notes, etc. | 182-183, 185-186 |
| cattle, Federal inspection for tuberculosis, number, and address of inspector | 286 |
| drought conditions, 1919 | 396-399 |
| sheep movement to Minnesota to avoid drought | 393 |
| MORGAN, H. P., and DAVID HARRELL, article on "Selling purebred stock to South America" | 369-380 |
| Moths, injuries to furs, and control | 481 |
| Motor— | |
| electrical portable utility, description and uses in the home | 225-227 |
| trucks, hauls, farm to shipping points, 1906-1918 | 746 |
| vehicles, increase in traffic and road needs | 53-54 |
| Mules— | |
| exports, 1893-1919 | 657 |
| exports statistics | 691 |
| number— | |
| and value on farms, 1867-1920 | 653 |
| and value on farms, by States, 1910, 1919 | 654 |
| received at live-stock markets, 1900-1919 (with horses) | 656 |
| numbers, by countries | 644-648 |
| prices at St. Louis, 1900-1919 | 655 |
| statistics | 653-657, 679 |
| Muskrat, skins, casing directions | 475, 479 |
| Musk rats— | |
| distribution and habits | 452, 474-475 |
| trapping directions | 475 |
| National Forests. See Forests, National. | |
| Naval stores— | |
| exports statistics | 641, 642, 693, 699, 705, 715 |
| imports statistics | 641, 642, 685, 699 |

| | Page. |
|---|-------------------------|
| Nebraska, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Netherlands— | |
| farm animals, numbers and kinds, 1890-1919..... | 646 |
| live stock, prewar and postwar estimates and per cent change..... | 423-424 |
| live-stock industry, conditions..... | 416-418 |
| Nevada, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| New England States, crop yields, gains per cent since 1876..... | 23 |
| New Hampshire, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| New Jersey, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| New Mexico, live-stock movement from drought area in Northwest..... | 400, 401-403 |
| New York— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| community drainage work..... | 79-88 |
| crop yields, increase since 1876..... | 22 |
| market station, lines of work..... | 96, 101, 111 |
| New Zealand— | |
| farm animals, numbers and kinds, 1890-1918..... | 646 |
| live stock, prewar and postwar estimates and per cent change..... | 423-424 |
| News, market, scope and circulation..... | 94-95, 97, 100, 111-112 |
| Nez Perce Indians, retreat over route of Bitterroot-Bighole road, historical notes..... | 185-186 |
| Niagara Falls, nitrate plant, production of cyanamid..... | 119 |
| Nitrate— | |
| deposits, source of nitrogen fertilizer..... | 116 |
| plants, Alabama, building and possible output..... | 120 |
| Nitride process, nitrogen fixation..... | 118 |
| Nitrogen— | |
| atmospheric— | |
| fixation, methods..... | 117-120 |
| for fertilizers, article by R. O. E. Davis..... | 115-121 |
| consumption and demand..... | 121 |
| shortage in United States..... | 116 |
| supplies, sources in nature..... | 115-117 |
| Noncotton zones, establishment by Texas law, contest and results..... | 360-362, 363, 368 |
| North Carolina— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| tobacco production, rank, 1890-1918..... | 153-154 |
| North Dakota, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 286 |
| Northern States, tobacco production, rank, 1839-1918..... | 153 |
| Norway— | |
| farm animals, numbers and kinds, 1890-1918..... | 646 |
| live stock, prewar and postwar estimates, and per cent change..... | 423 |
| Nursery stock, imports statistics..... | 687, 699 |
| Nuts— | |
| exports statistics..... | 695, 699 |
| imports statistics..... | 687, 699, 720 |
| Oats— | |
| acreage and production, by countries, 1900-1919..... | 531-532 |
| consumption, total and per capita, by countries..... | 565, 566 |
| exports, 1866-1919..... | 533 |
| exports statistics..... | 694 |
| imports, 1866-1919..... | 533 |
| market, prices by months, 1913-1919..... | 538 |
| marketings, by months, 1914-1919..... | 537 |
| prices, by States and by months..... | 536-538 |
| production, by countries, 1900-1918..... | 565, 566 |
| statistics, acreage, yield, prices, etc..... | 531-539 |

| | |
|---|-----------------------------------|
| Oats—Continued. | Page. |
| supplies, old stock, production and quality | 535 |
| trade, international | 539 |
| yield per acre, by States, 1910-1919 | 536 |
| yields, changes since 1876 | 20, 22, 23 |
| Ohio— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector | 286 |
| tobacco production rank, 1914-1918 | 154 |
| Oil cake— | |
| exports and statistics | 696, 699, 701, 714 |
| meal, trade, international | 641 |
| trade, international | 641 |
| Oils, vegetable— | |
| exports statistics | 696, 699, 714 |
| imports statistics | 688, 699, 720 |
| Oklahoma, cattle, Federal inspection for tuberculosis, number, and address of inspector | 286 |
| Olive oil, imports statistics | 688, 703-704, 720 |
| Olives, imports statistics | 686 |
| Onions— | |
| acreage, yield, and production, 1910-1919 | 621, 622 |
| exports statistics | 697 |
| growers, help by market station | 113 |
| imports statistics | 690, 704 |
| prices— | |
| by months, 1910-1919 | 622 |
| in market season, 1918-1919 | 110 |
| Ophthalmic tuberculin test, reaction symptoms, etc. | 284 |
| Opium, imports statistics | 688, 699, 703, 720 |
| Opossum, skins, casing directions | 470 |
| Opossums, trapping directions | 470 |
| Orange, Washington navel, fruit variations | 254-255, 260-261 |
| Oranges— | |
| exports statistics | 712 |
| imports statistics | 686, 704 |
| prices, farm value, etc. | 608 |
| production and value, 1915-1919 | 608 |
| shipments from California, 1918-1919, and value | 249 |
| statistics, production, prices, and value | 608 |
| varieties grown in California, 1918-1919 | 249 |
| Orchard surveys, value in fruit-variation studies | 256-257 |
| Oregon, cattle, Federal inspection for tuberculosis, number, and address of inspector | 287 |
| Otter skins, casing directions | 463 |
| Otters, trapping directions | 462-463 |
| OUSLEY, CLARENCE, Assistant Secretary, instructions on live-stock drought relief | 391-392 |
| Oversupply, perishables, relation to marketing | 108, 111 |
| Owls, trapping | 457 |
| Pacific area, wheat-growing conditions and practices | 126, 134, 141, 144, 145, 148, 149 |
| Packing-house products— | |
| exports statistics | 691, 699, 701, 710-711 |
| imports statistics | 683, 699, 717 |
| Paint, damp-proofing, nature and application to walls | 433-437 |
| Paraguay— | |
| farm animals, numbers and kinds, 1877-1915 | 646 |
| live-stock industry, conditions | 374 |
| Peaches— | |
| commercial crop, production, estimates, 1917-1919 | 606 |
| growers, benefit of market news reports | 112 |
| marketing, cooperative management and profits | 218 |
| prices on farm | 606 |
| production, estimates 1899-1919 | 605 |
| statistics, production and prices, by States | 605-606 |

| | Page. |
|--|--------------------|
| Peanuts— | |
| acreage, yield, production, prices, etc..... | 619-620 |
| exports statistics | 620-695 |
| marketing, cooperative, profits, etc., instance..... | 215 |
| prices, 1910-1919 | 619 |
| production, various countries, 1911-1918..... | 620 |
| statistics, acreage, production, value, etc., by States, 1916-1919.... | 619-620 |
| world crop, statistics..... | 619-620 |
| Pears— | |
| prices on farm..... | 608 |
| production, 1918, 1919..... | 607, 608 |
| statistics, production, and prices..... | 607-608 |
| Peas— | |
| acreage and production, 1909-1918..... | 617, 621 |
| world crop, statistics, 1909-1918..... | 617 |
| Pecos Valley, Texas, cotton-growing restrictions..... | 364-367 |
| Peltries. See Furs; Skins. | |
| Pennsylvania— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector | 287 |
| tobacco production, rank, 1914-1918..... | 154 |
| Perishables, market developments, natural course..... | 108 |
| Philadelphia, market station lines of work..... | 96, 107 |
| Philippine Islands— | |
| farm animals, numbers and kinds, 1902-1919..... | 646 |
| tobacco crop, percentage of world crop..... | 156 |
| tobacco shipments to and from United States..... | 162-163 |
| Physical training, study in country schools, requirements..... | 299 |
| Picking, citrus fruit, record-kept trees, methods..... | 262-264 |
| Pigs, improvement by use of purebred sires..... | 352 |
| Pink bollworm. See Bollworm, pink. | |
| Plant Industry Bureau, citrus bud variations, investigations..... | 251-261 |
| Plaster, use for waterproofing cellar..... | 446 |
| Pleuropneumonia, cattle, extent and eradication..... | 70, 76 |
| Plow— | |
| lands, value, by States, 1917-1920..... | 741 |
| team, number of horses used in parts of United States..... | 492 |
| Plowing— | |
| tractor, relation to season of year..... | 488 |
| wheat seed bed..... | 128, 130, 131, 133 |
| Plug tobacco, production, pounds consumed..... | 174 |
| Population, rural and agricultural, by countries..... | 747-748 |
| Porcupines, trapping methods..... | 454-455 |
| Pork— | |
| American, disfavor in European countries..... | 410, 420 |
| exports statistics | 692, 701, 711 |
| importation by United Kingdom, need..... | 420 |
| Portland, market station, lines of work..... | 93 |
| Porto Rico— | |
| shipments— | |
| from the United States, 1917-1919..... | 709 |
| to the United States, 1917-1919..... | 709 |
| tobacco— | |
| production, percentage of world crop..... | 156 |
| shipments to and from United States..... | 162-163 |
| Portugal, farm animals, numbers and kinds, 1870, 1906..... | 646 |
| Post Office Act, provision for forest roads..... | 180 |
| Potash, value in crop yields, estimates by Germany..... | 68 |
| Potatoes— | |
| acreage— | |
| and production 1917, 1918..... | 621 |
| production, values, exports, etc..... | 568-576 |
| exports— | |
| and imports, 1911-1913, 1917, 1918..... | 576 |
| statistics..... | 697 |
| imports statistics..... | 690, 703 |
| growers, help by market station..... | 113 |
| market reports, directions for use..... | 104-107 |

Potatoes—Continued.

| | Page. |
|---|------------|
| prices— | |
| in market season, 1918-1919..... | 110 |
| on farm, by months, 1910-1919..... | 574 |
| wholesale, 1913-1919..... | 575 |
| statistics, acreage, yield, values, exports, imports, prices etc..... | 568-576 |
| stocks, January 1, 1916-1920..... | 573-574 |
| sweet. See Sweet potatoes. | |
| world crop, statistics..... | 568-576 |
| yield per acre, prices, etc., by States..... | 572, 574 |
| yields changes since 1876..... | 21, 22, 23 |

Poultry—

| | |
|--|------------|
| breeds recommended for farm flocks..... | 309-310 |
| common sense in keeping, article by Rob R. Slocum..... | 307-317 |
| good stock, importance in successful farm flocks..... | 308-310 |
| improvement by use of pure-bred sires..... | 352 |
| keeping, studies..... | 307-317 |
| production in 1919, forecast and statistics..... | 11, 14, 28 |
| protection from wild animals..... | 452, 484 |

Power—

| | |
|--|---------|
| electric, in the farm home (and electric light), article by A. M. Daniels..... | 223-238 |
| horse, problem on the farm, article by Oscar A. Juve..... | 485-494 |
| private or community, utilization in grinding limestone..... | 337 |
| problem on farm, factors..... | 485 |
| relation to employment of human labor..... | 488-489 |

Prairie—

| | |
|-----------------------------|-----|
| dogs, trapping methods..... | 454 |
| hay, price, 1915-1919..... | 584 |

Prairie-dog trap, use for catching wolves, directions.....

468-470

Prices—

| | |
|--|------------------|
| beets, 1913-1919..... | 626 |
| butter, at principal markets, by months, 1913-1919..... | 661, 664 |
| cattle, by months, 1913-1919..... | 660-661 |
| corn, 1866-1919..... | 510-511, 514-516 |
| eggs, 1913-1919..... | 664-665 |
| farm crops, index numbers, monthly and average, 1910-1919..... | 736 |
| farmers', for principal articles bought, 1909-1919..... | 736-738 |
| hogs, on farm and at market..... | 675-677 |
| horses and mules, at principal markets..... | 653-656 |
| live stock— | |
| at Palermo Exposition, Argentina, 1919..... | 377-378 |
| by ages and classes, 1914-1920..... | 679 |
| maple sugar, by months, 1913-1919..... | 636 |
| market, movements, causes..... | 109-110 |
| oats, by States and by months..... | 536-538 |
| quotations in market news reports, use..... | 98, 102 |
| rice, by States and by months, 1910-1919..... | 562-563 |
| rye, by States and by months, 1910-1919..... | 552-553 |
| sheep, 1910-1919..... | 669-671 |
| tobacco, since 1863..... | 154-155 |
| wheat, by States, 1866-1919..... | 520-522, 525-526 |
| wool, by months, 1913-1919..... | 672-674 |

Printing, Yearbook, law authorization.....

2

Produce—

| | |
|--------------------------------------|-----|
| inspection— | |
| comparison with trade insurance..... | 321 |
| saving to War Department..... | 321 |

Production cost, studies, project of Farm Management Office, work.....

35-36, 38

Prunes, exports statistics.....

701, 712

Pulp, wood—

| | |
|--------------------------|--------------------|
| imports statistics..... | 686, 700, 706, 721 |
| international trade..... | 643 |

Purchasing—

| | |
|---------------------------------------|---------|
| association, limit of activities..... | 384-385 |
|---------------------------------------|---------|

Purchasing—Continued.

| | |
|--|---------------------------|
| cooperative— | Page. |
| conditions requiring demonstration work..... | 208-209 |
| possibilities and limitations..... | 382-385 |
| demonstrations and marketing in the South, article by Bradford Knapp | 205-222 |
| organizations among farmers, article by J. M. Mehl..... | 381-390 |
| Purebred stock, definition..... | 349 |
| Quarantine, pink bollworm..... | 356-357 |
| Quotations, market, explanation and use..... | 98-102 |
| Rabbits, trapping, methods..... | 455 |
| Raccoon, skins, drying directions..... | 470 |
| Raccoons, trapping directions..... | 470 |
| Railroad Administration, cooperation in live-stock drought relief..... | 392, 396, 404 |
| Railways, freight tonnage, United States..... | 745 |
| Raisins, imports statistics..... | 686, 704 |
| Rats, trapping, methods..... | 453-454 |
| Recommendations, Secretary's..... | 30, 39, 43, 45, 53, 57-59 |
| Rhode Island, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 287 |
| Rice— | |
| acreage and production, by countries, 1909-1918..... | 561-562 |
| consumption, total and per capita, by countries..... | 565-566 |
| exports statistics..... | 696, 699, 702 |
| imports statistics..... | 688, 699, 703-704 |
| prices, by States and by months, 1910-1919..... | 562-563 |
| production, by countries, 1909-1913..... | 565 |
| statistics, acreage, yield, prices, etc..... | 561-564 |
| trade, international, 1909-1913, 1917, 1918..... | 564 |
| yield per acre, by States..... | 562 |
| Rinderpest, nature, occurrence, and fatality..... | 76-77 |
| Road— | |
| Federal-aid Act, passage, amendment, and results..... | 46-50, 55, 56 |
| Fourth of July Canyon, route, note..... | 185 |
| projects, approval, mileage, and cost..... | 49 |
| Roads— | |
| Bureau— | |
| duties and authority, remarks by Secretary..... | 52 |
| new chief, remarks by Secretary..... | 43 |
| substitution of Highway Commission, discussion..... | 50-54 |
| damage by heavy traffic during war..... | 46 |
| forest, appropriation and progress of work..... | 40, 49 |
| importance to farmers, administration, etc., discussion..... | 45-55 |
| National Forests— | |
| article by John L. Cobbs, jr..... | 177-188 |
| funds available for building..... | 180 |
| State, Federal-aid funds participation, etc..... | 46-50, 52 |
| Rocky Mountain area, wheat-growing conditions..... | 126 |
| Rodent pests, trapping for profit..... | 451-452 |
| Rodents, trapping on farm, directions..... | 452-456 |
| Roller, use in wheat growing..... | 128, 129, 133, 134, 135 |
| ROMMEL, GEORGE M., article on "Live-stock drought relief work in 1919" | 391-405 |
| Roof-water disposal, practices and suggestions..... | 430-432 |
| Rosin— | |
| exports statistics..... | 693, 699, 705, 715 |
| trade, international..... | 641, 685, 699 |
| Rotation, crops in wheat growing..... | 126, 128, 130, 138, 140 |
| Rubber, India, trade, international..... | 642 |
| Rumania, farm animals, numbers and kinds, 1890-1916..... | 646 |
| Rural— | |
| population, statistics..... | 747-748 |
| post roads, appropriations, definition, and State participation..... | 46, 48 |
| survey, need of..... | 58 |
| Russia— | |
| farm animals, numbers and kinds, 1913-1914..... | 646 |
| tobacco production, percentage of world's crop..... | 156 |

Rye—

| | Page. |
|--|----------|
| acreage and production— | |
| by countries, 1909-1919 | 547-548 |
| by States | 550 |
| consumption, total and per capita, by countries | 565-567 |
| exports, 1867-1919 | 549 |
| exports statistics | 694 |
| market, prices by months, 1913-1919 | 553 |
| price per bushel, by States and by months, 1910-1919 | 552-553 |
| production, by countries, 1909-1918 | 565, 567 |
| statistics, acreage, yield, prices, etc | 547-554 |
| trade, international, 1911-1913, 1917, 1918 | 554 |

Sago, imports statistics..... 688, 699

San Francisco, market station, lines of work..... 96

Sanitation, hog-cholera control, suggestions..... 200-202

Scabies—

 cattle, eradication work..... 71, 77-78

 sheep, eradication work..... 72, 77-78

Scents, uses in trapping animals, preparation..... 467, 468

School—

 country, reorganization, article by Alvin Dille..... 289-306

 public, mission and requirements..... 291-293

 rural, building, equipment requirements..... 299-301

Schools—

country—

 course of study, requirements..... 293-299

 deficiencies and needs..... 301-303

 improvement of physical equipment needs, discussion..... 299-301

 reorganization in rural districts, advantages..... 303-306

 standards of reorganization..... 291-293

Scrap tobacco, customs duties and internal-revenue tax..... 170, 172

Scrub stock, elimination by use of purebred sires..... 349-350

Scrubs, comparison with grade animals in growth and quality..... 351-352

Secretary. *See* Agriculture.

Seed—

 clover, acreage, production, price, and value..... 586-588

 red-clover, from southern Europe, unsatisfactory results..... 345

 testing for sale to farmers..... 343-344

 timothy, prices, farm and wholesale..... 586-588

Seed-bed—

wheat—

 preparation after broadcast crops..... 126-137

 preparation after intertilled crops..... 138-141

Seeds—

citrus—

 reliable, securing cooperation..... 271

 selected, uses, sales, etc..... 270-271

 exports statistics..... 696, 699

 imported, labeling as to origin..... 344

 imports statistics..... 689, 699, 720

labeling—

 agreement of seedsmen..... 344-345

 failure in trade..... 345

trade—

 relation to agriculture..... 343-346

 representatives meeting and agreement, 1917..... 344

 vegetable, acreage, yield, and production, 1917-1919..... 734

 vitality and germination test, label notice..... 344

Seedsmen, duty to farmers, article by Edgar Brown..... 343-346

Seneca Power Ditching Co., purpose and work..... 80-83

Separator, electric, description..... 236

Serbia, farm animals, numbers and kinds, 1905, 1910..... 646

Serum, anti-hog-cholera, production and administration, cost, 1918..... 202

Settlers, need of special advice and assistance..... 30

Sewing, electric motor, description..... 227

SHAMEL, A. D., article on "Cooperative improvement of citrus varieties"..... 249-275

| | Page |
|--|---|
| Sheep— | |
| Argentina, prewar and postwar estimates and per cent change..... | 423 |
| Australia, prewar and postwar estimates and per cent change..... | 423 |
| Canada, prewar and postwar estimates and per cent change..... | 423 |
| European countries, prewar and postwar estimates and per cent change..... | 423-424 |
| France, effect of war on industry..... | 409 |
| imports— | |
| and exports, 1898-1919..... | 670 |
| statistics..... | 682 |
| limited prewar supply and cause..... | 341 |
| marketings, 1900-1919..... | 679 |
| New Zealand, prewar and postwar estimates and per cent change..... | 423 |
| number and value, 1867-1920..... | 668 |
| numbers, by countries..... | 644-648 |
| prewar and postwar estimates and per cent change in United States..... | 423 |
| prices, 1910-1919..... | 669-671 |
| scabies, eradication work..... | 72, 77-78 |
| statistics..... | 668-671, 679 |
| Sheepskins, imports statistics..... | 683, 718 |
| Shellac, imports statistics..... | 685, 706 |
| Shocks, thrashing of wheat..... | 148 |
| Shopwork, farm, study in country schools, requirements..... | 298-299 |
| Silk— | |
| imports statistics..... | 682, 699, 702, 703, 717 |
| production, by countries, 1909-1918..... | 643 |
| Sires, purebred, effect on offspring, and saving of money..... | 349-353 |
| Sirup— | |
| maple, production, by States, 1909, 1917-1919..... | 635-636 |
| production, by States..... | 628, 635-636, 637 |
| sorghum, production, by States..... | 637 |
| Sisal grass, imports statistics..... | 684, 703, 719 |
| Skins— | |
| dressing— | |
| at home..... | 480 |
| for home use, directions..... | 479-481 |
| exports statistics..... | 691 |
| fur, drying directions..... | 460, 461, 462, 463, 465, 467, 470, 474, 475, 476, 477-481 |
| imports statistics..... | 683, 704, 717-718 |
| mink, casing directions..... | 461, 477 |
| of fur animals, preparation, drying and casing..... | 477-481 |
| seasons when prime..... | 482 |
| skunk, casing directions..... | 460 |
| wildcat, drying directions..... | 464 |
| wolf, casing directions..... | 470 |
| See also Hides. | |
| Skunks— | |
| food habits beneficial to farmer..... | 451, 459 |
| trapping directions..... | 459-461 |
| SLOCUM, ROSE R., article on "Common sense in poultry keeping"..... | 307-317 |
| SMITH, C. B., member of committee on live-stock drought relief..... | 391 |
| Smoking tobacco— | |
| pounds consumed in manufacture..... | 174 |
| tax by internal revenue..... | 171-172 |
| Snuff— | |
| import duty and internal-revenue tax..... | 169, 171 |
| production, increase..... | 174-175 |
| Sodium cyanide, source of ammonia..... | 119 |
| Sorghum, production for sirup, acreage, amount and value..... | 637 |
| Sorghums, grain— | |
| acreage, production, prices, and value, 1915-1919..... | 618-619 |
| prices, farms, 1916-1919..... | 618, 619 |
| South— | |
| cooperative organizations for marketing and purchasing, work of county agents..... | 208-222 |
| marketing and purchasing demonstrations, article by Bradford Knapp..... | 205-222 |

| | Page. |
|--|------------------------|
| South America— | |
| live-stock market for United States..... | 369-380 |
| purchase of purebred stock from United States, value of trade, etc. | 369-371 |
| South Atlantic States, tobacco growing, percentage, 1839-1918..... | 153 |
| South Carolina— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 287 |
| tobacco production, rank, 1914-1918..... | 154 |
| South Central States, tobacco growing, percentage, 1839-1918..... | 153 |
| South Dakota, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 287 |
| Soy beans— | |
| acreage, production, prices, and value, by States, 1919, and totals, 1917-1919..... | 616 |
| prices on farm, 1913-1919..... | 616 |
| seed, labeling with origin..... | 344 |
| Soya-bean oil, imports statistics..... | 688, 720 |
| SPAFFORD, R. R., and J. H. ARNOLD, article on "Farm practices in growing wheat"..... | 123-150 |
| Spain, farm animals, numbers and kinds, 1891-1916..... | 647 |
| Sparrows, English, trapping directions..... | 457, 461 |
| Specialists, marketing and purchasing demonstrations, purpose, discussion..... | 206-208 |
| Spices— | |
| exports statistics..... | 696, 699 |
| imports statistics..... | 689, 699 |
| Spokane, market station, lines of work..... | 96 |
| Spraying, material for, purchasing, advantages of cooperative associations..... | 382, 384 |
| Squirrels, ground, trapping methods..... | 454 |
| St. Louis, market station, lines of work..... | 96, 107 |
| St. Paul, live-stock emergency office establishment..... | 394 |
| Stacks, thrashing of wheat..... | 147-148 |
| Standardization, farm products..... | 44 |
| Standards, live stock, development by Markets Bureau..... | 247 |
| Starch, exports statistics..... | 696, 699 |
| States Relations Service, cooperation in live-stock drought relief..... | 391-392 |
| Statistics— | |
| collection by Crop Estimates Bureau..... | 40 |
| crops— | |
| and live stock..... | 12-16, 509-681 |
| grain..... | 509-567 |
| other than grain..... | 568-643 |
| grain crops, acreage, production, etc..... | 509-567 |
| live-stock, and live-stock products..... | 644-681 |
| Steel traps, use in trapping large animals..... | 458-470, 475, 476 |
| Steers, improvement by use of purebred sires..... | 351-352 |
| Stock. See Live stock. | |
| Stocks, tobacco of various types, October 1, 1912-1919..... | 164 |
| Stockyards— | |
| change in market hours..... | 245 |
| Chicago, volume of business..... | 239, 240-241 |
| complaints referred to Washington office, nature..... | 246 |
| improvement under Federal inspection..... | 246 |
| Stoves, electric portable, types and uses..... | 235-238 |
| Strawberries, acreage and production, 1917, 1918..... | 621 |
| "Stubbling in," wheat..... | 135-137, 138, 148 |
| Sugar— | |
| beet— | |
| production, by countries, 1909-1919..... | 631-633 |
| production, by States, 1913-1919..... | 627-628 |
| cane— | |
| production, by countries, 1910-1919..... | 634-635 |
| production, by States and Territories, 1856-1919..... | 625 |
| exports statistics..... | 696, 699, 702 |
| imports statistics..... | 689, 699, 703-704, 720 |

Sugar—Continued.

| | |
|--|--------------------|
| maple— | Page. |
| prices, by months, 1913-1919..... | 636 |
| production, by States, 1909, 1917-1919..... | 635-636 |
| prices by months, New York market, 1913-1919..... | 629-630 |
| production— | |
| by countries, 1909-1919..... | 631-634 |
| by States and Territories..... | 625-629 |
| statistics, 1856-1919..... | 625-636 |
| supply, total and per capita, 1901-1919..... | 628 |
| trade, international, 1900-1913, 1917, 1918..... | 630 |
| Summer fallow, alternation with wheat..... | 130, 132, 134 |
| Surra, horse disease, nature, occurrence and fatality..... | 77 |
| Surveys— | |
| forestry, need..... | 34-35 |
| orchard, value in fruit-variation studies..... | 256-257 |
| rural, need..... | 58 |
| Sweden— | |
| farm animals, numbers and kinds, 1890-1918..... | 647 |
| live stock, prewar and postwar estimates and per cent change..... | 423-424 |
| Sweet potatoes— | |
| acreage, production, value, etc..... | 577-579 |
| prices, farm and wholesale, 1910-1919..... | 579 |
| yield, price, and acre value, by States, 1910-1919..... | 578 |
| Swine— | |
| Argentina, prewar and postwar estimates and per cent change..... | 423 |
| Australia, prewar and postwar estimates and per cent change..... | 423 |
| Canada, prewar and postwar estimates and per cent change..... | 423 |
| European countries, prewar and postwar estimates and per cent change..... | 423-424 |
| New Zealand, prewar and postwar estimates and per cent change..... | 423 |
| numbers, by countries..... | 644-648 |
| prewar and postwar estimates and per cent change in United States..... | 423 |
| Uruguay industry, conditions..... | 375-376 |
| See also Hogs. | |
| Switches, electric, location and type for farm home..... | 230-233 |
| Switzerland— | |
| cheese industry, effect of war..... | 413 |
| farm animals, numbers and kinds, 1901-1918..... | 647 |
| live stock— | |
| prewar and postwar estimates, and per cent change..... | 423-424 |
| situation and outlook..... | 413-414 |
| Tallow, imports statistics..... | 684 |
| Tanning— | |
| liquor for fur skins..... | 479 |
| materials, imports statistics..... | 685, 690 |
| Taxes, internal revenue, tobacco products and manufacturing..... | 171-172, 173 |
| TAYLOR— | |
| ALONZO ENGLEBERT— | |
| article on— | |
| " Influence of depreciation of exchange on agricultural pro- | |
| duction "..... | 189-196 |
| " Prewar crop estimates in Germany "..... | 61-68 |
| Dr. H. C., appointment as Chief of Office of Farm Management..... | 37-38 |
| Tea— | |
| imports statistics..... | 689, 690, 703, 721 |
| prices on New York market, 1913-1919, by months..... | 638 |
| trade, international..... | 637 |
| Tenancy, farm, leasing methods, need of improvement..... | 30-32 |
| Tennessee, cattle, Federal inspection for tuberculosis, number, and ad- | |
| dress of Inspector..... | 287 |
| Test, tuberculin, importance in control of tuberculosis in live stock..... | 282-288 |
| Testing— | |
| seed, for sale to farmers..... | 343-244 |
| tuberculin, methods..... | 284 |

| | |
|--|----------------------|
| Texas— | |
| cattle— | |
| Federal inspection for tuberculosis, number, and address of in- | Page. |
| spectator | 287 |
| movement to Southeast in 1917, 1918, results | 401 |
| drought conditions, 1917-18, and revival | 397, 401-402 |
| live-stock movement from drought area in Northwest | 400, 401-403 |
| marketing, cooperative work of county agents, and results | 217-220 |
| Pecos Valley, cotton-growing restrictions | 364-367 |
| pink bollworm— | |
| Act | 360-362 |
| control work, methods | 362, 367-368 |
| introduction | 359, 360 |
| purchasing, cooperative work of county agents, and results | 220-221 |
| Trinity Bay section cotton-growing restrictions | 363-364 |
| western, pink bollworm infestation discovery, 1918 | 364-365 |
| wheat growing in cotton region, note | 124 |
| Thrashing, wheat, methods | 164-148 |
| Ticks, cattle, suppression, chart | 74 |
| Tile, drainage— | |
| community construction, article by John R. Haswell | 79-93 |
| <i>See also Drainage.</i> | |
| Timber, exports statistics | 694, 705, 715 |
| Timothy seed, prices, farm and wholesale | 586-588 |
| Tobacco— | |
| acreage, 1849-1919 | 596, 597 |
| acreage in 1863-1918 | 157 |
| as world crop | 156 |
| colonial history | 151-157 |
| consumption— | |
| analysis of facts | 165-168 |
| percentage of crop | 168 |
| crop— | |
| census reports, 1839-1909 | 152 |
| increase in value, since 1618 | 155 |
| domestic, exports | 158-160 |
| exports— | |
| and imports | 601 |
| countries to which consigned, and world's trade | 158-160 |
| statistics | 697, 699, 701, 714 |
| growing, changes in groups of States | 153-154 |
| import duties, history | 160-171, 172, 173 |
| Imports— | |
| and exports | 601 |
| statistics | 689, 699, 721 |
| 1789-1918, world's trade, etc | 160-162 |
| industry, origin and growth | 151-158 |
| leaf, supply and distribution in United States, 1918 | 164 |
| manufactured— | |
| exports | 159 |
| import duties and internal revenue rates | 170, 171 |
| manufacturing— | |
| and dealing, internal-revenue taxes | 171, 172 |
| industry, magnitude, capital, labor, etc | 173-175 |
| pounds used annually, 1790, 1839-1918 | 166-167 |
| prices— | |
| 1913-1919 | 600 |
| since 1863 | 154-155 |
| production— | |
| per capita | 154 |
| values, exports, imports, etc | 590-601 |
| statistics, acreage, production, yield, prices, value, etc | 596-601 |
| stocks, annual carryover | 163-164 |
| three centuries of, article by George K. Holmes | 151-175 |
| trade with Philippine Islands and Porto Rico | 162-163 |

| | Page. |
|---|-------------------------|
| Tobacco—Continued. | |
| value of crop, per acre..... | 155-156 |
| world— | |
| crops, statistics..... | 596-601 |
| imports of, percentages..... | 161-162 |
| yield per acre— | |
| and relation to population..... | 157-158 |
| 1910-1919, by States..... | 598 |
| Tomatoes— | |
| acreage— | |
| and production, 1917, 1918..... | 621 |
| yield and production by States, 1917-1919..... | 623-624 |
| growers, help by market station..... | 113 |
| price per bushel, by months, 1912-1919..... | 625 |
| statistics, acreage, yield, prices, etc., 1917-1919..... | 623-625 |
| Tonnage, railway freight, 1915-1918..... | 745 |
| Tractor, adaptation for plowing to season of year..... | 488 |
| Tractors, farm, in United States, statistics..... | 745-746 |
| Trade, foreign— | |
| agricultural products, 1852-1919..... | 698 |
| forest products, 1852-1919..... | 705-706 |
| Trapping, farm, article by Ned Dearborn..... | 451-484 |
| Traps— | |
| setting for foxes, directions..... | 465-467 |
| types used for rats, mice, moles, etc..... | 453, 455, 457, 471-474 |
| use for catching larger animals, directions..... | 458-476 |
| Tree, records, object and keeping methods..... | 261-265, 266-267 |
| Trenching machinery, description and operation..... | 79-83 |
| Trinity Bay section, Tex., cotton-growing restrictions..... | 363-364 |
| Truck crops, acreage and production, 1917, 1918..... | 621-625 |
| Tuberculin test— | |
| importance in control of tuberculosis in live stock..... | 282-288 |
| methods..... | 284 |
| Tuberculosis— | |
| bovine, eradication in District of Columbia..... | 73 |
| eradication, cooperative work, chart..... | 74, 78 |
| Eradication Division, purpose and work..... | 279-288 |
| live stock— | |
| control, economic importance..... | 280-281 |
| control work..... | 278-288 |
| loss, article by J. A. Kiernan and L. B. Ernest..... | 277-288 |
| Turkey, farm animals, numbers and kinds, 1905-1913..... | 647 |
| Turkeys, prices, 1915-1920..... | 668 |
| Turnips, prices by months, 1912-1919..... | 625 |
| Turpentine— | |
| exports statistics..... | 693, 699, 705, 715 |
| trade, international..... | 642, 686, 699 |
| Twist tobacco, production increase..... | 175 |
| Union of South Africa, farm animals, numbers and kinds, 1904-1916.... | 647 |
| United Kingdom— | |
| crop yields, comparison with United States..... | 24, 25 |
| farm animals, numbers and kinds, 1910-1918..... | 647 |
| live stock, prewar and postwar, and per cent change..... | 423-424 |
| live-stock conditions, effect of war, etc..... | 418-421 |
| Uruguay— | |
| farm animals, numbers and kinds, 1860-1916..... | 647 |
| live-stock industry, conditions and outlook..... | 374-376 |
| Utah, cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 287 |
| Vacuum cleaner, electric, types and value in home..... | 329 |
| Vanilla beans, imports statistics..... | 690, 699 |
| Vegetables— | |
| exports statistics..... | 697, 699 |
| imports statistics..... | 690, 699 |
| inspection by department agents..... | 44 |

| | |
|--|----------------------------|
| Vegetables—Continued. | Page. |
| seeds, acreage, yield and production, 1917-1919..... | 734 |
| statistics, production in 1910-1919..... | 13 |
| See also Asparagus; Beans; Beets; Cabbage; Cauliflower; Celery; Cucumbers; Lettuce; Peas; Potatoes; Sweet Potatoes; Tomatoes. | |
| Vermont, cattle, Federal inspection for tuberculosis, number, and ad- dress of inspector..... | 287 |
| Virginia— | |
| cattle, Federal inspection for tuberculosis, number, and address of inspector..... | 287 |
| tobacco production, rank, 1839-1918..... | 153-154 |
| Vocational Education Act, objects..... | 57 |
| Volunteer cotton, inspection work in pink bollworm control..... | 363-364, 365 |
| Wages— | |
| farm, by classes..... | 738-739 |
| tobacco manufacturing..... | 175 |
| Wagons, hauls, farm to shipping points, 1906-1918..... | 746 |
| WALL, JOHN C., defense of Texas pink bollworm law..... | 361 |
| Walnuts, imports statistics..... | 688, 704, 720 |
| Warehouse— | |
| Act, object and results..... | 56 |
| expenses, elimination by purchasing associations..... | 382 |
| Warren County Ditching Co., New York, purpose and work..... | 83-85 |
| WARREN, GEORGE M., article on "Securing a dry cellar"..... | 425-449 |
| Washing machine, description and value in the home..... | 236, 238 |
| Washington, cattle, Federal inspection for tuberculosis, number, and ad- dress of inspector..... | 287 |
| Water power, National Forests, permits and revenue, 1915-1919..... | 750 |
| Watermelons— | |
| acreage and production, 1917, 1918..... | 621 |
| marketing, cooperative management, and profits..... | 217 |
| Waterproofing— | |
| cellar, methods and directions..... | 437-449 |
| integral system, use in cellars..... | 438-446 |
| membrane system, use in cellars..... | 447-549 |
| Wax, vegetable, imports statistics..... | 690-699 |
| Weasel, skins, casing, directions..... | 462 |
| Weasels, trapping directions..... | 461-462 |
| Weeder, use in wheat growing..... | 180, 131 |
| Weeks forestry law, land acquisition under..... | 34 |
| West Virginia, cattle, Federal inspection for tuberculosis, number, and ad- dress of inspector..... | 287 |
| Wheat— | |
| abandoned acreage, 1902-1919..... | 527 |
| acreage— | |
| and estimated yield, 1919..... | 10 |
| production and farm value, by States..... | 524-526 |
| production and yield, by countries, 1900-1919..... | 517-519 |
| area in United States, map..... | 124 |
| areas, climate, and differing practices..... | 126 |
| consumption, total, and per capita, by countries..... | 565, 567 |
| drilling— | |
| and broadcasting..... | 141-143 |
| into stubble and standing corn..... | 128, 135-137, 138-139, 148 |
| exports, 1849-1919..... | 520 |
| exports statistics..... | 694, 702, 713 |
| France, Government price, subsidy, etc..... | 190 |
| Germany, cost of imports..... | 191 |
| growing, farm practices..... | 123-150 |
| harvesting, methods..... | 143-146 |
| imports statistics..... | 686 |
| market price per bushel by months, 1913-1919..... | 528 |
| marketing, by months, 1914-1919..... | 527 |
| price, relation of foreign exporters..... | 191 |
| prices, by States, 1866-1919..... | 520-522, 525-526 |
| production, by countries, 1900-1918..... | 565, 567 |

| | Page. |
|--|------------------------|
| Wheat—Continued. | |
| seed-bed, preparation after other crops..... | 126-141 |
| spring, zones and conditions..... | 124-126 |
| statistics, acreage, yield, prices, etc..... | 517-530 |
| supplies, old stock, production and quality..... | 525 |
| thrashing, methods..... | 146-148 |
| trade, international..... | 517 |
| war-time prices, by countries, 1913-1918..... | 734 |
| winter, zones and conditions..... | 124-126 |
| yield and farm price, 1866-1919..... | 520-523 |
| yields, changes since 1876..... | 19, 22, 23 |
| WHITE, T. P., article on "Practical points in hog-cholera control"..... | 197-204 |
| Wildcats, trapping directions..... | 463-464 |
| WILLIAMSON, J. D., defense of Texas pink bollworm law..... | 362 |
| Wiring plant, electric, for farm home, requirements and suggestions..... | 228-235 |
| Wisconsin— | |
| cattle, Federal inspection for tuberculosis, number, and address of in- spectors..... | 287 |
| live-stock movement from drought area in Northwest..... | 400, 401 |
| tobacco production rank, 1914-1918..... | 154 |
| Wolves, trapping directions..... | 468-470 |
| Wood— | |
| exports statistics..... | 693, 700, 705, 715 |
| imports statistics..... | 685, 700, 706, 721 |
| pulp, trade, international, 1909-1918..... | 643 |
| Woodchucks, trapping methods..... | 454 |
| Woodlands, farm, importance and value..... | 33 |
| Wool— | |
| exports statistics..... | 691, 699 |
| imports statistics..... | 682, 699, 702-703, 717 |
| marketing, profits, etc..... | 219-220 |
| prices, by months, 1913-1919..... | 672-674 |
| production, 1909-1919..... | 14 |
| production and number and weight of fleeces, 1918, 1919, by States..... | 672 |
| statistics..... | 672-675 |
| trade, international, by countries, 1909-1912, 1917, 1918..... | 675 |
| Wrapper tobacco, import duty..... | 169 |
| WRIGHT, TURNER, and GEORGE A. BELL, article on "Live stock conditions in Europe"..... | 407-424 |
| Wyoming— | |
| cattle, Federal inspection for tuberculosis, number, and address of in- spectors..... | 287 |
| drought conditions, 1919..... | 398 |
| Yearbook, law authorizing printing, binding, and distribution..... | 2 |
| Yeast, exports statistics..... | 697 |

2

RX 001 723 944

